

## THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

30-30 THOMSON AVENUE LONG ISLAND CITY, NEW YORK 11101-3045 TELEPHONE (718) 391-1000 WEBSITE www.nyc.gov/buildnyc

### VOLUME 1 OF 3

LAW

**BID BOOKLET** 

FOR FURNISHING ALL LABOR AND MATERIALS NECESSARY AND REQUIRED FOR:

PROJECT ID: HWXP093B

RECONSTRUCTION OF

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK



FOR THE DEPARTMENT OF TRANSPORTATION PREPARED BY STV Incorporated

**JANUARY 8, 2013** 

### **Bid Tab**

Descrip	tion		00, NEEDHAM AVE	UE FROM STATION NUE FROM STATION OF THE BRONX
Bid Da	te	6/4/2013	FMS ID	HWXP093B
Estima	ted Cost	\$11,010,544.00	CDEP Supervised	No
Bid Sec	eurity	2% of Total Bid Price	PLA	No
Time A	llowed	365 CCD	Contract Manager	Vicky Ayo-Vaughan
Addend	lum	8	Project Manager	Kupershtok, Yelena
PIN		8502013HW0024C	E-PIN	85013B0098
Selectiv	e Bidding	□Yes ⊠No	Consultant	STV Incorporated
Bid Rank		Vendor	Bid An	V VI
1	MFM CONT	RACTING CORP.	\$7,899	,480.42 Bond
2	DEBOE CO	NSTRUCTION CORP.	\$8,376	,208.98 Bond
3	PERFETTO	CONTRACTING CO.	INC. \$9,136	,002.12 Bond
4	RESTANI C	ONSTRUCTION CORI	P. \$9,548	,307.00 Bond
5	C.A.C. INDU	USTRIES, INC.	\$9,821	,727.18 Bond
6	TRIUMPH (	CONSTRUCTION COR	P. \$10,394	,986.26 Bond
7	COPPOLA I	PAVING & LANDSCAF	PING \$10,908	,099.00 Bond
8	LAWS CON	STRUCTION CORP.	\$11,340	,000.00 Bond
9	GATEWAY	INDUSTRIES, INC.	\$18,561	,898.16 Bond

Recorder: Phyllis Lopez - ext. 1283

Approver

Bid Tab

Pin: 8502013HW0024C

Page 1 of 1

•



DAVID J. BURNEY, FAIA Commissioner

CAROL DIAGOSTINO
Agency Chief
Contracting Officer

August 05, 2013

CERTIFIED MAIL - RETURN RECEIPT REQUEST MFM CONTRACTING CORP. 335 Center Avenue Mamaroneck, NY 10543

RE: FMS ID: HWXP093B

E-PIN: 85013B0098001

DDC PIN: 8502013HW0024C RECONSTRUCTION OF BOLLER AVENUE FROM STATION 10+50 STATION 18+00, NEEDHAM AVENUE FROM STATION 11+09 TO STATION 14+75 - BOROUGH OF THE BRONX

NOTICE OF AWARD

#### Dear Contractor:

You are hereby awarded the above referenced contract based upon your bid in the amount of \$7,899,480.42 submitted at the bid opening on June 04, 2013. Within ten (10) days of your receipt of this notice of award, you are required to take the actions set forth in Paragraphs (1) through (3) below. For your convenience, attached please find a copy of Schedule A of the General Conditions to the Contract, which sets forth the types and amounts of insurance coverage required for this contract.

- (1) Execute four copies of the Agreement in the Contracts Unit, 30-30 Thomson Avenue, 1<sup>st</sup> Floor, Long Island City, New York (IDCNY Building). A Commissioner of Deeds will be available to witness and notarize your signature. The Agreement must be signed by an officer of the corporation or a partner of the firm.
- (2) Submit to the Contracts Unit four properly executed performance and payment bonds. If required for this contract, copies of performance and payment bonds are attached.
- (3) Submit to the Contracts Unit the following insurance documentation: (a) original certificate of insurance for general liability in the amount required by Schedule A, and (b) original certificates of insurance or other proof of coverage for workers' compensation and disability benefits, as required by New York State Law. The insurance documentation specified in this paragraph is required for registration of the contract with the Comptroller's Office.



On or before the contract commencement date, you are required to submit all other certificates of insurance and/or policies in the types and amounts required by Schedule A. Such certificates of Insurance and/or policies must be submitted to the Agency Chief Contracting Office, Attention: Risk Manager, Fourth Floor at the above indicated department address.

Your attention is directed to the section of the Information for Bidders entitled "Failure to Execute Contract". As indicated in this section, in the event you fail to execute the contract and furnish the required bonds within the (10) days of your receipt of this notice of award, your bid security will be retained by the City and you will be liable for the difference between your bid price and the price for which the contract is subsequently awarded, less the amount of the bid security retained.

Sincerely.

Carol DiAgostino

### SPECIAL NOTICE TO BIDDERS

The New York City Department of Small Business Services (SBS), in conjunction with the New York Business Development Corporation (NYBDC), have established a NYC Construction Loan pilot program to provide prime contractors and subcontractors financing for mobilization costs on certain City construction projects.

Under this initiative, loans are available for early stage mobilization needs such as insurance, labor, supplies and equipment. Bidders are strongly encouraged to visit "Growing Your Business" at <a href="www.nyc.gov/nycbusiness">www.nyc.gov/nycbusiness</a> to learn more about the loan or contact <a href="constructionloan@sbs.nyc.gov">constructionloan@sbs.nyc.gov</a> / (212) 513-6444 to obtain details and to determine preliminary eligibility.

A successful loan applicant will be required to make an assignment of its contract (or subcontract) payments to the lender NYBDC until the loan is repaid. If the loan is to a subcontractor, a prime contractor must honor the terms of such an assignment.

A prime contractor may not discriminate against a subcontractor or potential subcontractor by reason of the subcontractor's participation, or nonparticipation, in the NYC Construction Loan program.

### **CITY OF NEW YORK**

### DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

### **BID BOOKLET**

FOR FURNISHING ALL LABOR AND MATERIALS NECESSARY AND REQUIRED FOR:

PROJECT ID: HWXP093B

**RECONSTRUCTION OF** 

BOLLER AVENUE FROM STATION 10+50 TO STATION 18+00 NEEDHAM AVENUE FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK

### PROJECT ID: HWXP093B

## CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

### **BID BOOKLET**

### TABLE OF CONTENTS

SECT	ION	PAGE
PART	A	
1.	Table of Contents	1
2.	Special Notice to Bidders	2
3.	Attachment 1 – Bid Information	A-1
4.	Bid Schedule	B-1
5.	Bid Form	C-1
6.	Affirmation	C-6
7.	Bid Bond	C-7
8.	M/WBE Subcontractor Utilization Plan	5
9.	Apprenticeship Program Requirements	10
PART	В	
10.	Safety Questionnaire	12
11.	Pre-award Process	15
12.	Project Reference Form	17
13.	Contract Certificate	20
14.	Vendex Compliance	21
15.	Iran Divestment Act Compliance Rider	22
16.	Construction Employment Report	24

## CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

#### SPECIAL NOTICE TO BIDDERS

#### BID SUBMISSION REQUIREMENTS

### THE FOLLOWING DOCUMENTS ARE TO BE COMPLETED AND SUBMITTED WITH THE BID:

- 1. Bid Schedule and Bid Form, including Affirmation
- 2. Bid Security (if required, see Attachment 1 on Page A-1)
- 3. M/WBE Subcontractor Utilization Plan (if participation goals have been established)

### FAILURE TO SUBMIT ITEMS (1), (2) AND (3) WILL RESULT IN THE DISQUALIFICATION OF THE BID.

- 4. Safety Questionnaire
- 5. Construction Employment Report (if bid is \$1,000,000 or more)
- 6. Contract Certificate (if bid is less than \$1,000,000)
- 7. Confirmation of Vendex Compliance
- 8. Bidder's Certification of Compliance with Iran Divestment Act
- 9. Special Experience Requirements (if applicable)
- 10. Apprenticeship Program Questionnaire (if applicable)

### FAILURE TO SUBMIT ITEMS (4) THROUGH (10) MAY RESULT IN THE DISQUALIFICATION OF THE BID.

#### NOTES:

- (1) All of the above referred to blank forms to be completed and submitted with the bid are included in the BID BOOKLET.
- (2) If additional information is required, please contact the Department of Design and Construction at 718-391-2601.
- (3) <u>VENDEX QUESTIONNAIRES</u>: The Bidder is advised that Vendex Questionnaires and procedures have been changed. Vendex Questionnaires, as well as detailed instructions, may be obtained at <u>www.nyc.gov/vendex</u>. The bidder may also obtain Vendex forms and instructions by contacting the Agency Chief Contracting Officer or the contact person for this contract.
- (4) <u>SPECIAL EXPERIENCE REQUIREMENTS</u>: The Bidder is advised that Special Experience Requirements may apply to this contract. Such requirements are set forth on pages 3 and 4 of this Bid Booklet.

### SPECIAL NOTICE TO BIDDERS SPECIAL EXPERIENCE REQUIREMENTS (Revised 02/2007)

(A) EXPERIENCE REQUIREMENTS FOR THE BIDDER: The bidder must, within the last five (5) consecutive years prior to the bid opening, have successfully completed in a timely fashion at least three (3) projects similar in scope and type to the required work. Such prior projects must have involved deep excavations and installation of earthwork supporting system. Such prior project may have been performed as a prime contractor, subcontractor or subsubcontractor.

The requirements set forth below under Article (B) apply to this contract where indicated by a blackened box ( $\blacksquare$ ) or by X in a  $\square$  to left.

- ☐ (B) EXPERIENCE REQUIREMENTS FOR INSTALLER OF TRUNK WATER MAIN: The special experience requirements set forth below apply to the contractor who will install the Trunk Water Main. If the bidder intends to perform such work itself, it must demonstrate compliance with the special experience requirements. If the bidder intends to subcontract this work, the proposed subcontractor must demonstrate compliance with the special experience requirements. Once approved, no substitution will be permitted, unless the qualifications of the proposed replacement have been approved in writing in advance by the City.
  - (1) The contractor who will install the Trunk Water Main must, within the last seven (7) consecutive years prior to the bid opening, have successfully completed in a timely fashion at least one (1) project similar in scope and type to the required work. Such prior project may have been performed as a prime contractor, subcontractor or subsubcontractor.
- (C) <u>SUBMISSION REQUIREMENTS</u>: For each project submitted to meet the experience requirements set forth above, the bidder must complete and submit the Qualification Form set forth in the Bid Booklet. Separate Qualification Forms shall be provided for bidder and the contractor who will install the Trunk Water Main.
- (D) <u>CONDITIONS</u>: In determining compliance with the special experience requirements for the bidder set forth above, the City may consider prior projects completed by principal(s) or other employees of the bidder while affiliated with another entity, subject to the conditions set forth below.
  - (1) Any principal or other employee on whose prior experience the bidder is relying to demonstrate compliance with this special experience requirement must have held the following: (a) a significant management role in the prior entity with which he/she was affiliated, and (b) a significant management role in the entity submitting the bid for a period of six months or more from the inception of the bidding entity.
  - (2) The bidder may not rely on the experience of its principals or other employees to demonstrate compliance with any other requirements, including without limitation, financial requirements or requirements for a specified minimum amount of annual gross revenues.
- (E) <u>JOINT VENTURES</u>: In the event the bidder is a joint venture, at least one firm in the joint venture must meet the above described experience requirements.
- (F) <u>COMPLIANCE</u>: Compliance with the experience requirements set forth herein will be determined solely by the City, prior to an award of contract. The bidder is advised that failure to meet the above described experience will result in the rejection of the bid as non-responsive.

### **Qualification Form**

List previous projects completed to meet the special experience requirements for this contract. Please photocopy this form for submission of all required projects.

Name of Contractor:
Name of Project:
Location of Project:
Owner or Owner's representative (Architect or Engineer) who is familiar with the work performed:
Name:
Title: Phone Number:
Brief description of the Project completed or the Project in progress:
Was the Project performed as a prime, a subcontractor or a sub-subcontractor:
Amount of Contract, Subcontract or Sub-subcontract:
Start Date and Completion Date:
***********
Name of Contractor:
Name of Project:
Location of Project:
Owner or Owner's representative (Architect or Engineer) who is familiar with the work performed:
Name:
Name:Phone Number:
Brief description of the Project completed or the Project in progress:
Was the Project performed as a prime, a subcontractor or a sub-subcontractor:
Amount of Contract, Subcontract or Sub-subcontract:
Start Date and Completion Date:

### **ATTACHMENT 1 - BID INFORMATION**

PROJECT ID: HWMP093B PIN: 8502013HW0024C

Description and Location of Work:

### RECONSTRUCTION OF

### BOLLER AVENUE FROM STATION 10+50 TO STATION 18+00 NEEDHAM AVENUE FROM STATION 11+09 TO STATION 14+75

### INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

### BOROUGH OF THE BRONX CITY OF NEW YORK

Documents Available At:	30-30 Thomson Avenue First Floor Bid Procurement Room Long Island City, New York 11101 8:30 A.M. to 4:00 P.M. – Monday through Friday
Submission of Bids To:	30-30 Thomson Avenue First Floor Bid Procurement Room Long Island City, New York 11101 Before 11:00 A.M. on MAY 24, 2013
Bid Opening:	30-30 Thomson Avenue First Floor Bid Procurement Room Long Island City, New York 11101  Time and Date: 11:00 A.M. on MAY 24, 2013
Pre-Bid Conference:	Yes No X  If Yes, Mandatory Optional: Time and Date: Location:
Bid Security:	Bid Security is required in the amount set forth below; provided, however, bid security is not required if the TOTAL BID PRICE set forth on the Bid Form is less than \$1,000,000.  (1) Bond in an amount not less than 10% of the TOTAL BID PRICE set forth on the Bid Form, OR  (2) Certified Check in an amount not less than 2% of the TOTAL BID PRICE set forth on the Bid Form.
	Security: Required for contracts in the amount of \$1,000,000 or more. Performance urity shall each be in an amount equal to 100% of the Contract Price.
Agency Contact Person:	Lorraine Holley Phone: 718-391-2601 FAX: 718-391-2615

### BID SCHEDULE

### NOTICE TO BIDDERS

Items listed in this Bid Schedule which have one (1) digit followed by a decimal (e.g. 4.02 AG), excluding items beginning with the number "8.01", shall comply with the requirements of the corresponding numerical Sections of the NYCDOT Standard Highway Specifications as amended by Addendum No. 1, herein Volume 3 of 3.

Items listed in this Bid Schedule beginning with the number "8.01" (e.g. 8.01 C1) shall comply with the requirements of Addendum No. 3, herein Volume 3 of 3.

Items listed in this Bid Schedule which have two (2) digits beginning with the number "5" followed by a decimal (e.g. 52.11D12) shall comply with the requirements of the New York City Department of Environmental Protection (NYCDEP) Standard Sewer Specifications dated August 1, 2009, as amended by Addendum No. 2, herein Volume 3 of 3.

Items listed in this Bid Schedule beginning with the prefix "SL-" (e.g. SL-21.08.01) are Street Lighting Items less the prefix which shall be done in accordance with the requirements of Sub-Section 1.06.23.(D) and Section 1.06.49 in the Standard Highway Specifications.

## BID FORM THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

### BID FOR FURNISHING ALL LABOR AND MATERIAL NECESSARY AND REQUIRED FOR:

PROJECT ID: HWXP093B

**RECONSTRUCTION OF** 

BOLLER AVENUE FROM STATION 10+50 TO STATION 18+00 NEEDHAM AVENUE FROM STATION 11+09 TO STATION 14+75

#### INCLUDING STREET LIGHTING AND TRAFFIC WORK

#### Together With All Work Incidental Thereto BOROUGH OF THE BRONX CITY OF NEW YORK

Name of Bidder: MFM Contracting Co	ocp.
Date of Bid Opening: 5/24/3	
Bidder is: (Check one, whichever applies) Individual	( ) Partnership ( ) Corporation ( )
Place of Business of Bidder: 335 Center Av	enue Mamaroneck N.Y. 1054
Bidder's Telephone Number: 914- 777 - 8393	
Bidder's E-Mail Address: Mupa petrontm	·com
Residence of Bidder (If Individual):	
If Bidder is a Partnership, fill in the following blanks: Names of Partners	Residence of Partners
If Bidder is a Corporation, fill in the following blanks: Organized under the laws of the State of New York	-k
Name and Home Address of President: Michael Purchase, N.Y. 10577	V. Petrillo - 10 Orchard Drive
Name and Home Address of Secretary: Felix J.	Petrillo-68 Muchmore Road
Name and Home Address of Treasurer: Same a	s Secretary

#### **BID FORM**

The above-named Bidder affirms and declares:

- 1. The said bidder is of lawful age and the only one interested in this bid; and no person, firm or corporation other than hereinbefore named has any interest in this bid, or in the Contract proposed to be taken.
- 2. By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief: (1) the prices in this bid have been arrived at independently without collusion, consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor; (2) unless otherwise required by law, the prices quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and (3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.
- 3. No councilman or other officer or employee or person whose salary is payable in whole or in part from the City Treasury is directly or indirectly interested in this bid, or in the supplies, materials, equipment, work or labor to which it relates, or in any of the profits thereof.
- 4. The bidder is not in arrears to the City of New York upon debt or contract or taxes, and is not a defaulter, as surety or otherwise, upon any obligation of the City of New York, and has not been declared not responsible, or disqualified, by any agency of the City of New York or State of New York, nor is there any proceeding pending relating to the responsibility or qualification of the bidder to receive public contracts except as set forth on the Affirmation included as page C-6 of this Bid Booklet.

The bidder hereby affirms that it has paid all applicable City income, excise and other taxes for all years it has conducted business activities in New York City.

5. The bidder, as an individual, or as a member, partner, director or officer of the bidder, if the same be a firm, partnership or corporation, executes this document expressly warranting and representing that should this bid be accepted by the City and the Contract awarded to him, he and his subcontractors engaged in the performance: (1) will comply with the provisions of Section 6-108 of the Administrative Code of the City of New York and the non-discrimination provisions of Section 220a of the New York State Labor Law, as more expressly and in detail set forth in the Agreement; (2) will comply with Section 6-109 of the Administrative Code of the City of New York in relation to minimum wages and other stipulations as more expressly and in detail set forth in the Agreement; (3) have complied with the provisions of the aforesaid laws since their respective effective dates, and (4) will post notices to be furnished by the City, setting forth the requirements of the aforesaid laws in prominent and conspicuous places in each and every plant, factory, building and structure where employees engaged in the performance of the Contract can readily view it, and will continue to keep such notices posted until the supplies, materials and equipment, or work labor and services required to be furnished or rendered by the


#### **AFFIRMATION**

upon de New York, n	ebt, contrork, and or is the	d bidder affirms and declares that said bidder is not in arrears to the City of New York ract or taxes and is not a defaulter, as surety or otherwise, upon obligation to the City of has not been declared not responsible, or disqualified, by any agency of the City of New re any proceeding pending relating to the responsibility or qualification of the bidder to ontracts except:
(If none	e, the bic	der shall insert the word "None" in the space provided above.)
Addics	s. <u> </u>	idder: MFM Contracting Corp.  5 Center Avenue  oneck State N.Y. Zip Code 10543
		BOX AND INCLUDE APPROPRIATE NUMBER:
/	A -	Individual or Sole Proprietorship* SOCIAL SECURITY NUMBER
		**************************************
/	В -	Partnership, Joint Venture or other unincorporated organization EMPLOYER IDENTIFICATION NUMBER
		•••••
1/1	C-	Corporation EMPLOYER IDENTIFICATION NUMBER
		13-4130805
Ву:	-√↓` Sign	ature -
Title:_	Pres	itent
	If a cor	poration, place seal here

This affirmation must be signed by an officer or duly authorized representative.

\*Under the Federal Privacy Act the furnishing of Social Security Numbers by bidders on City contracts is voluntary. Failure to provide a Social Security Number will not result in a bidder's disqualification. Social Security Numbers will be used to identify bidders, proposers or vendors to ensure their compliance with laws, to assist the City in enforcement of laws, as well as to provide the City a means of identifying of businesses which seek City contracts.

05/29/2013 9:08AM Ver 5.00.01



Contract PIN 8502013HW0024C

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

# ID SCHEDULE

which do not reflect reasonable actual costs plus a reasonable proportionate share of the Bidder's anticipated profit, overhead costs, and other indirect An unbalanced bid is considered to be one containing lump sum or unit items The Agency may reject a bid if it contains unbalanced bid prices. costs, anticipated for the performance of the items in question.  $\Xi$ 

NOTE:

- The following bid prices on Unit Price Contracts are to be paid for the actual quantities of the several classes of work in the completed work or structure, and they cover the cost of all work, labor, material, tools, plant and appliances of every description necessary to complete the entire work, as specified, and the removal of all debris, temporary work and appliances. (2)
- PLEASE BE SURE A LEGIBLE BID IS ENTERED, IN INK, FOR EACH ITEM. Alterations must be initialed in ink by the bidder. 3
- The Extended Amount entered in Column 5 shall be the product of the Estimated Quantity in Column 2 times the Unit Price Bid in Column 4. 3
- before bidding, must advise the Commissioner, in writing, if any Prospective bidders must examine the Bid Schedule carefully and, pages are missing, and must request that such missing pages be consecutively, as follows: B - 3 through B - 32 [REVISION # 1] furnished them. The pages of this Bid Schedule are numbered <u>2</u>

B - 3 [REVISION # 1]



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN 8502013HW0024C Project ID HWXP093B

I						•				
	S E	CIS		8		0		$\overline{\beta}$		<u>3</u>
7 TO 2	1 4	DOLLARS		\$		\$ 10,164		, 53/400		6 (38250 co)
		CIS		3		3		8]		<i>G</i> 2
COT. 4	UNIT PRICES (IN FIGURES)	DOLLARS		30		21	2	87		, 1750
COL. 3			ASPHALT MACADAM PAVEMENT, 6" THICK		ASPHALTIC CONCRETE WEARING COURSE, 2" THICK		ASPHALTIC CONCRETE MIXTURE		CONCRETE IN STRUCTURES, CLASS A-40	
COL. 2	I 06 F	COUNTRY	5,522.0	i i	484.0	S.Y.	1,657.0 TONS		79.0	Ö. ĸ.
COL. 1	ITEM NUMBER	(SEKOENCE NO.)	4.01 RAG		4.02 AF-R	(002)	4.02 CB (003)		4.06	(004)

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

8502013HW0024C Contract PIN Project ID

HWXP093B

COL. 1  ITEM NUMBER (SEQUENCE NO.) 4.08 BA (005) (006) 4.09 AE (007)	ENGINEER'S ESTIMATE OF QUANTITIES  2,000.0  132.0  L.F.  1.F.	CONCRETE CURB (21" DEEP)  STRAIGHT STEEL FACED CONCRETE CURB (21" DEEP)  CORNER STEEL FACED CONCRETE CURB (21" DEEP)	COL. 4 UNIT PRICES (IN FIGURES) DOLLARS  CTS  \$  \( \begin{align*} \ \cho \cho \cho \cho \cho \cho \cho \ch	w w w	EXTENDED AMOUNTS (IN FIGURES) DOLLARS \$ (20000   CO	8
4.11 AA (008)	34.0 C.Y.	ROCK EXCAVATION IN STREETS, TRENCHES AND STRUCTURES	\$ 05L	ws	.255cv	3

				į
			7	1
1:::		)∷	:1	1
		: · ·		ì
4	::		4	THE PROPERTY.
1 ::			1	ì
- : : :	::.		::	Č
	!		•	3
1			1	i
	::			2

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN Project ID

8502013HW0024C HWXP093B

	SS EF	CTS	3	S	3	3
 COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	, 23400	86910	86910	\$0865
		CIIS	ુ છ	8	8	<u>[8]</u>
F TOD	UNIT PRICES (IN FIGURES)	DOLLARS	०००) \$	51 8	51	5
<u>cor. 3</u>	CLASSIFICATIONS		ADDITIONAL INCREMENTAL COST TO EXCAVATE ROCK AT DEPTHS GREATER THAN FIVE (5) FEET IN TRENCHES AND FOR STRUCTURES	EARTH EXCAVATION FOR SUBGRADE REMEDIATION (5' TO UNDER 10' DEEP)	EARTH EXCAVATION FOR SUBGRADE REMEDIATION (10' TO UNDER 15' DEEP)	EARTH EXCAVATION FOR SUBGRADE REMEDIATION (15' TO UNDER 20' DEEP)
COL. 2	ENGINEER'S ESTIMATE OF		39.0 C.Y.	5,794.0 C.Y.	5,794.0 C.Y.	5,391.0 C.Y.
COL. 1	ITEM NUMBER		4.11 BAA (009)	4.11 BAA0510 (010)	4.11 BAA1015 (011)	4.11 BAA1520 (012)

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN 8502013HW0024C Project ID HWXP093B

COL. 4 COL. 5	UNIT PRICES EXTENDED AMOUNTS (IN FIGURES)	DOLLARS CTS DOLLARS CTS	2 00 s 9366.		\$ 249180 00		\$ 340660 00		6 92160 B	
COL. 3	CLASSIFICATIONS		EARTH EXCAVATION FOR SUBGRADE REMEDIATION (20' TO 25' DEEP)	FILL, PLACE MEASUREMENT		SELECT GRANULAR FILL, PLACE MEASUREMENT		4" CONCRETE SIDEWALK (UNPIGMENTED)		
COL. 2	ENGINEER'S ESTIMATE OF		4,683.0 C.Y.	24,918.0	C.Y.	4,596.0 C.Y.		9,216.0	ಬ ਜ	
COL. 1	ITEM NUMBER		4.11 BAA2025 (013)	4.11 CA	(014)	4.11 CC (015)		4.13 AAS	(016)	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

8502013HW0024C HWXP093B Contract PIN Project ID

COL. 5	EXTENDED AMOUNTS (IN FIGURES)	
COL. 4	UNIT PRICES (IN FIGURES)	
COT. 3	CLASSIFICATIONS	
COL. 2	ESTIMATE OF	OUANTITIES
COL. 1	ITEM NUMBER	(SEQUENCE NO.)

COL. 1	COL. 2	COL. 3	COL. 4	COL. 5	
ITEM NUMBER	ENGINEER'S ESTIMATE OF	CLASSIFICATIONS	UNIT PRICES (IN FIGURES)	EXTENDED AMOUNTS (IN FIGURES)	S
			DOLLARS	DOLLARS	CIS
4.13 AAT (017)	750.0 S.F.	4" CONCRETE SIDEWALK ON EXISTING FOUNDATION (UNPIGMENTED)			
			\$	: 6750	<u>3</u> T .
4.13 BAS (018)	8,616.0 S.F.	7" CONCRETE SIDEWALK (UNPIGMENTED)			
			\$ 14 00	\$ 120024	31
4.13 DE	88.0	EMBEDDED PREFORMED DETECTABLE WARNING UNITS			.
(610)	E: 02		3 15	, 1320	3  -
4.14	15,840.0	STEEL REINFORCEMENT BARS			
			2 23	\$ 35640 0	3

J	/ DEPAR
	YORK CIT
	NEW Y

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

	DUNTS (ES)	CIS	(	<u> </u> 3		 	<del> </del>	<u>8</u>	<u> </u>	<u> </u>
COT. 5		DOLLARS	)	409		5850		21600		3460
		CIIS		8.		<i>S</i> ∶  •••		$\frac{\mathcal{E}^{  }}{\omega_{  }}$		62
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS		c c		, 450		0071 \$		587.
COL. 3	,		WELDED STEEL WIRE FABRIC		TREES REMOVED (4" TO UNDER 12" CALIPER)		TREES PLANTED, 3" TO 3-1/2" CALIPER, ALL TYPES		MAINTENANCE TREE PRUNING (UNDER 12" CAL.)	
COL. 2	ENGINEER'S ESTIMATE OF		218.0 LBS.		13.0	EACH	18.0 EACH	į	12.0	ЕАСН
COL. 1	ITEM NUMBER		4.14 W (021)		4.16 AA	(022)	4.16 CA (023)		4.18 A	(024)

A STOCK AND IN

05/29/2013 9:08AM BID PAGES

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

COL. 5	(IN FIGURES)	DOLLARS			C7990 *			1100 8		7 40 -0 10	3			. 60	\$ 7.146,820 00	
 COL. 4		DOLLARS CTS		(h) 21.5				81		0000	Ť					
COL. 3			12" DUCTILE IRON PIPE BASIN CONNECTION		<u>w</u> 1	ABANDONING BASINS AND INLETS		\$	CLEARING AND GRUBBING			WOTHERTHOUGH CHATGING A TOME	ONCERPT EACHVALION		w 1	
 ENGTINEER'S	ESTIMATE OF		231.0			1.0	EACH		1,210.0	S.Y.		7 000	73,630.0	.Υ.		
 ITEM NUMBER	(SEOUENCE NO.)		52.11D12	(029)		55.11AB	(030)		6.01 AC	(031)		6.02 AAN		(03%)		



Contract PIN

8502013HW0024C HWXP093B Project ID

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

	SILE	CIIS		7	1			<u>[</u>		3	<u>}</u>	<u> </u>	(	<u> </u>	
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS		, 50724			(	2527		6041276	\$ 1000		9	1400	
	<b>~</b> ~	CIES		500	<u> </u>			v   -		9	,			8	
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS		9	A contract of the contract of		į	16 8		7	\$			5	
COL. 3	CLASSIFICATIONS		ALUMINUM PICKET FENCE, 4' HIGH			ALUMINUM PICKET GATES, 4' HIGH			BROKEN STONE BALLAST		Unit price bid shall not be less than: \$ 50.40	TEMPORARY SIGNS			
COL. 2	ENGINEER'S ESTIMATE OF		838.0	i.		293.0	L.F.		4,037.0	C.Y.		0.099	S. F.		
COL. 1	ITEM NUMBER (SEQUENCE NO.)		6.18 F	(033)		6.18 G	(034)		6.20	(035)	·	6.25 RS	(036)		

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

8502013HW0024C Contract PIN Project ID

	S	CILS	8		31	8	[ 3] ]
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	15488		\$ 32340	24870	, 5280
		CIS	81		81		g j
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS	8		*	\$ 365 (2)	\$
COL. 3	CLASSIFICATIONS		TIMBER CURB	NOT BY TONGO		DEMOLITION OF MASONRY STRUCTURES	LICHTED TIMBER BARRICADES
COL. 2	ENGINEER'S ESTIMATE OF		1,936.0 L.F.	0 000 8	O. 0.000 (4)	68.0 C.Y.	1,056.0 L.F.
COL. 1	ITEM NUMBER		6.26 (037)	6.27 F	(038)	6.27 M (039)	6.28 AA (040)



8502013HW0024C HWXP093B Contract PIN Project ID NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

JUNTS IS)	CIS	[ ]	<u> </u>	31	8
COL. 5 EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	5 209 5	5500	400	\$ 2400
	CIIS	2	8	3	81
COL. 4 UNIT PRICES (IN FIGURES)	DOLLARS	° 0	77	001	\$ 1200
COL. 3 CLASSIFICATIONS		CHAIN LINK FENCE, 4'-0" HIGH	TEMPORARY CHAIN LINK FENCE, 6'-0" HIGH	CHAIN LINK FENCE GATE FOR 4'-0" HIGH FENCE	STRUCTURES STRUCTURES
COL. 2 ENGINEER'S ESTIMATE OF		33.0 L.F.	1,760.0 L.F.	4.0 L.F.	2.0 C.Y.
COL. 1 ITEM NUMBER (SEQUENCE NO.)		6.34 AB (041)	6.34 ACT (042)	6.34 BB (043)	6.36 DR (044)

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN 8 Project ID H

8502013HW0024C HWXP093B

-	ន្ទ	CIIS		3	·		8		·	55		8	
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS		, 234000			, 24156	·		\$ 1864		, 18420	
	» ( ·	CIS	<u> </u>	81			12		. (	プ  -		$\vec{\beta}$	
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS		12000			21		,	5		07	
COL. 3	CLASSIFICATIONS		ENGINEER'S FIELD OFFICE (TYPE D)			РНОТОGRAPHS			THERMOPLASTIC REFLECTORIZED PAVEMENT MARKINGS (4" WIDE)		DENSE-GRADED STONE BASE		
COL. 2	ENGINEER'S ESTIMATE OF		18.0	MONTH		1,584.0	SETS		1,243.0 L.F.		921.0	G.¥.	
COL. 1	ITEM NUMBER		6.40 D	(045)		6.43	(046)		6.44 (047)		6.46	(048)	

Contract PIN

8502013HW0024C HWXP093B Project ID

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE • BUREAU OF DESIGN

COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS		3		2310 8		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		\$ 1593 &
4	UNIT PRICES (IN FIGURES)	CIIS		0 50		385 3		35 00		<u> </u>
COL	UNIT (IN F)	DOLLARS		v <sub>0</sub>		36		40		w.
COI. 3	CLASSIFICATIONS		TEMPORARY PAVEMENT MARKINGS (4" WIDE)		CLEANING OF DRAINAGE STRUCTURES		UNIFORMED FULL-TIME FLAGPERSON		SAWCUTTING EXISTING PAVEMENT	
COL. 2	ENGINEER'S ESTIMATE OF	2011111100	1,822.0	г.	0.9	EACH	176.0	P/HR	199.0	H H
COL. 1	ITEM NUMBER		6.49	(049)	6.50	(050)	6.52	(051)	6.55	(052)

TY DEPART
ORK CIT
NEW Y

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

8502013HW0024C Contract PIN Project ID

	TS	CIS	3	$\lceil -\beta \rceil$	81	[8]
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	, 245340	3 7265	\$ 4200	475
	<i>r</i> o 🔿	CIS	81	50	8	<u></u> 8
COT. 4	UNIT PRICES (IN FIGURES)	DOLLARS	90		150	25 6
COL. 3	CLASSIFICATIONS		TEMPORARY CONCRETE BARRIER WITH FENCE	PLASTIC FILTER FABRIC	GRINDING EXISTING ASPHALTIC CONCRETE WEARING COURSE	REMOVING EXISTING TRAFFIC AND STREET NAME SIGNS
COL. 2	ESTIMATE OF		2,726.0 L.F.	14,530.0 S.Y.	28.0 C.Y.	19.0 S.F.
COL. 1	ITEM NUMBER (SECUENCE NO.)		6.59 PF (053)	6.68	6.75	6.82 A (056)

05/29/2013

9:08AM BID PAGES

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

	SS EH	CILS	3	31	3	8
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	480	281	2,82	100
		CIS	81	81	8	3
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS	2)	000	200	0 0
COL. 3	CLASSIFICATIONS		REMOVING EXISTING TRAFFIC AND STREET NAME SIGN POSTS	FURNISHING NEW TRAFFIC SIGN POSTS	FURNISHING NEW REFLECTORIZED TRAFFIC SIGNS	INSTALLING TRAFFIC SIGNS
COL. 2	ENGINEER'S ESTIMATE OF		40.0 L.F.	26.0 L.F.	14.0 S.F.	14.0 S.F.
COL. 1	ITEM NUMBER		6.82 B (057)	6.83 AB (058)	6.83 AR (059)	6.83 BA (060)

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

COL. 5	EXTENDED AMOUNTS (IN FIGURES)	CIS DOLLARS CIS		200000000000000000000000000000000000000		3 140 00		450 00			
COL. 4				3		\$ C		30		700	
COL. 3	CLASSIFICATIONS		INSTALLING TRAFFIC SIGN POSTS		FURNISHING NEW STREET NAME SIGNS		FURNISHING NEW STREET NAME SIGN POSTS		INSTALLING STREET NAME SIGNS		
COL. 2	ENGINEER'S ESTIMATE OF	STITION	26.0	н	4.0	Ω H	15.0	L.F.	4.0	SQ Eri	
COL. 1	ITEM NUMBER	(SEKOENCE NO.)	6.83 BB	(061)	6.86 AA	(062)	6.86 AB	(063)	6.86 ва	(064)	

05/29/2013

BID PAGES 9:08AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

8502013HW0024C HWXP093B Contract PIN Project ID

	SS EH	CIES		00	<u> </u>		8			90		<u> </u>	<u> </u>
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS		450			,0099			308		, 2500	
	S (S	CIS		3	<u> </u>		-00			_8!	 ·		 
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS		30	<b>,</b>		0			2		2500	
COL. 3	CLASSIFICATIONS		INSTALLING STREET NAME SIGN POSTS			PLASTIC BARRELS			REFLECTIVE CRACKING MEMBRANE (18" WIDE)		AUDIO AND VIDEO DOCUMENTATION SURVEY		
COL. 2	ENGINEER'S ESTIMATE OF	COANTILLES	15.0	H.		660.0	БАСН	-	199.0	L.F.	1.0	. S.	
COL. 1	ITEM NUMBER	(SEQUENCE NO.)	6.86 BB	(065)		6.87	(990)		6.91	(067)	66.99	(068)	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

8502013HW0024C Contract PIN Project ID

<u>COL. 1</u> <u>COL. 2</u> <u>COL. 3</u> <u>COL. 5</u>	M NUMBER ENGINEER'S CLASSIFICATIONS UNIT PRICES EXTENDED AMOUNTS ESTIMATE OF (IN FIGURES) (IN FIGURES)	EACH HYDRANT FENDERS  \$\frac{4.0}{\\$} \frac{4.0}{\\$} \frac{4.0}{\\$} \frac{60}{\\$} \frac{60}{\\$} \frac{4.0}{\\$} \frac{60}{\\$} \fr	79.0 PROCTOR ANALYSIS  EACH  \$ 25,675   00	EACH SOIL DENSITY TEST \$ \$ \frac{10}{5}\$ \$ \text{CH} \$ \$ \text{CO} \$ \text{CO} \$ \$ \text{CO} \$ \text{CO} \$	MONTH MONTH  WITH price bid shall not be less than: \$7.875.00
COL. 1	ITEM NUMBER	62.14FS (069)	7.12 A (070)	7.12 B (071)	7.13 B (072)

1	
- 11 & Allini	
4.1 7.17.4.1.1	
<del></del>	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

8502013HW0024C Contract PIN Project ID

		, m		1 -	1 0	
	MTS (\$	<del>Š</del>	81	81		3
COL. 5	EXTENDED AMOU	DOLLARS	\$ 27,000	\$ 21,000	\$ 26,300	\$ 51,190
		CIS	81	81	<u>8,1</u>	00
COL. 4	UNIT PRICES (IN FIGURES	DOLLARS	\$ 200	350	\$ 100.	0
COI. 3	CLASSIFICATIONS		TEMPORARY WOODEN STEPS	TEST PITS	CONTROLLED LOW STRENGTH MATERIAL (CLSM)	PEDESTRIAN STEEL BARRICADES
COL. 2	ENGINEER'S ESTIMATE OF	CONTINUO	135.0 L.F.	60.0 C.Y.	263.0 C.Y.	5,119.0 L.F.
COL. 1	ITEM NUMBER	(SEÇOENCE NO.)	7.15	7.16 D (074)	7.18 CM (075)	7.36 (076)
	COL. 2 COL. 3	COL. 1   COL. 2   COL. 3   COL. 4     ITEM NUMBER ENGINEER'S   CLASSIFICATIONS   UNIT PRICES   EXT   ESTIMATE OF   CLASSIFICATIONS   (IN FIGURES)	COL. 1     COL. 2     COL. 3     COL. 4       ITEM NUMBER     ENGINEER'S     CLASSIFICATIONS     UNIT PRICES       ESTIMATE OF OUANTITIES     (IN FIGURES)       (SEQUENCE NO.)     OUANTITIES     CTS	COL. 1	COL. 1   COL. 2   COL. 3   COL. 4   COL. 5     ITEM NUMBER   ENGINEER'S   CLASSIFICATIONS   CUNIT PRICES   EXTENDED AMOUNTS     (SEQUENCE NO.)	COL. 1   COL. 2   COL. 3   COL. 3   COL. 4   COL. 5

05/29/2013

9:08AM BID PAGES

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

	COL. 4 COL. 5	UNIT PRICES EXTENDED AMOUNTS (IN FIGURES)	DOLLARS CTS DOLLARS CTS			+		50,000 00 55,000			1 4828 1 100 1 1 858 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				3
DIVISION OF INFRASIROCTORE - BUREAU OF DESIGN	COL. 3	CLASSIFICATIONS		GEOGRID			RODENT INFESTATION SURVEY AND MONITORING		Unit price bid shall not be less than: \$ 2,200.00	RODENT BAIT STATIONS		Unit price bid shall not be less than: \$ 67.20	BAITING OF RODENT BAIT STATIONS		Unit price bid shall not be less than: \$9.71
SINIC	COL. 2	ENGINEER'S ESTIMATE OF	OUMNITIES	13,760.0	Ω. Υ.		1.0	Li S		72.0	ЕАСН		72.0	EACH	
	COL. 1	ITEM NUMBER	(SECOENCE NO.)	7.68 A	(770)		7.88 AA	(078)		7.88 AB	(079)		7.88 AC	(080)	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

8502013HW0024C Contract PIN Project ID

	SE	CIS	<u></u>	1	<u> </u>	<u>L</u>	8		8		8
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	257	4838			, 450,000	(	0097		\$ 500
	ro ~	CTS	7	8			81		3		<u>8</u>
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS	2 <i>±</i>	BATO) :	( <del>3</del> )		8	(	\$ 1,500	<u>}</u>	000
COL. 3	CLASSIFICATIONS		WATERBUG BAIT APPLICATIONS		Unit price bid shall not be less than: \$72.45	HANDLING, TRANSPORTING AND DISPOSAL OF NON-HAZARDOUS CONTAMINATED SOIL		SAMPLING AND TESTING OF CONTAMINATED/POTENTIALLY HAZARDOUS SOIL FOR DISPOSAL PURPOSES		HANDLING, TRANSPORTING AND DISPOSAL OF HAZARDOUS SOIL	
COL. 2	ENGINEER'S ESTIMATE OF		4.0	BLOCK		3,000.E		2.0 SETS		1.0 TONS	
COL. 1	ITEM NUMBER		7.88 AD	(081)		8.01 C1 (082)		8.01 C2 (083)		8.01 H (084)	

NEW YORK CITY DEPAR

05/29/2013 9:08AM BID PAGES

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN 8502013HW0024C

COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	2 2 8		* 14500		\$ 1,460 \\ \text{\infty}		00.0520
	3; S)	CIIS	31		81		<u> </u>		51
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS	0007		2500		\$ 1,450		+
COL. 3 CLASSIFICATIONS			HEALTH AND SAFETY	REMOVAL, TREATMENT, AND DISCHARGE/DISPOSAL		SAMPLING AND TESTING OF WATER		SPECIAL CARE EXCAVATION AND RESTORATION FOR SIDEWALK WORK	
COL. 2	ENGINEER'S ESTIMATE OF	COMMITTES	1.0 L.S.	7.0	DAY	1.0	SEES	1,320.0 S.F.	
COL. 1	ITEM NUMBER	(Segoence no.)	8.01 S (085)	8.01 W1	(086)	8.01 W2	(087)	8.02 A (088)	

05/29/2013

9:08AM BID PAGES

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN 85(

8502013HW0024C HWXP093B

	E E	CIS	8	00	3	81
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	25 , 19,305	00.000,02	<u>∞∞′980′1</u> \$	\$ 2700
	S)	CIS	25	00	81	
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS	29	\$ 50,000,00	\$ 4000	0
COL. 3	CLASSIFICATIONS		SPECIAL CARE EXCAVATION AND RESTORATION FOR CURB WORK	ALLOWANCE FOR ANTI-FREEZE ADDITIVE IN CONCRETE PRICE BID SHALL BE FOR THE FIXED SUM OF \$ 50,000.00	TEMPORARY EXCAVATION SUPPORT SYSTEM (5' TO UNDER 10' DEEP)	TEMPORARY EXCAVATION SUPPORT SYSTEM (10' TO UNDER 15' DEEP)
COL. 2	ENGINEER'S ESTIMATE OF	OUANTIES	660.0 L.F.	1.0 F.S.	270.0 L.F.	270.0 L.F.
COL. 1	ITEM NUMBER	(SEQUENCE NO.)	8.02 B (089)	9.04 HW (090)	9.10 ESSO510 (091)	9,10 ESS1015 (092)

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN 8502013HW0024C Project ID HWXP093B

COL. 1   COL. 2   ENGINEER'S   ESTIMATE OF	CLASSIFICATIONS  TEMPORARY EXCAVATION SUPPORT SYSTEM (15' TO UNDER 20' DEEP)  TEMPORARY EXCAVATION SUPPORT SYSTEM (20' TO 25' DEEP)  SUBSURFACE REPORT  UNDERPINNING	\$ COL. 4 UNIT PRICES (IN FIGURES)  BOLLARS  \$ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	EXTENDED AMOUNTS (IN FIGURES)  S. 2700	8
270.00 L.F. 1.00 L.S. F.S.	KCAVATION SUPPORT SYSTEM (20' TO REPORT		7 000	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN 8502013HW0024C Project ID HWXP093B

COL. 1	COI. 2	COL. 3	COL. 4	COL. 5	
ITEM NUMBER	ESTIMATE OF	CLASSIFICATIONS	UNIT PRICES (IN FIGURES)	EXTENDED AMOUNTS (IN FIGURES)	SE .
(SECORNOE NO.)			DOLLARS	DOLLARS	CTS
9.70	1.0	PRE-CONSTRUCTION REPORT			
(091)	L.S.		· (6	<u>}</u>	_ {
			<u> </u>	*	3[
9.71 A	1.0	MONITORING AND POST-CONSTRUCTION REPORT			
(860)	r.s.		000,01	0000/\$	8
			-		
SL-20.02.02 (099)	7.0 EACH	FURNISH AND INSTALL STANDARD TYPE ANCHOR BOLT FOUNDATION, AS PER DRAWING E-3788	. (	,	
			\$ XIO, 83	5675	$\overline{\infty}$
SL-20.08.01	7.0	REMOVE STANDARD TYPE ANCHOR BOLT CONCRETE FOUNDATION			· 
	FACH		516 198	3618	26

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN 8502013HW0024C Project ID HWXP093B

	TES	CIES	\display \( \frac{\display}{2} \)	<u>8</u>	8	=
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	5 ht 21 \$	\$ 2087	2843	5821
	s 🙃	CIES	to t	2	8	2
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS	\$ 2349	\$ 298	, 464	252 \$
<u>col. 3</u>	CLASSIFICATIONS		FURNISH AND INSTALL TYPE 2S, 4S, 6S, 8S OR 12S LAMPPOST WITH TRANSFORMER BASE	REMOVE STANDARD FABRICATED STEEL, SPUN ALUMINUM NO. 10, ETC. WITH ARM(S), LUMINAIRE(S), CONTROL(S) WITH ALL ATTACHMENTS, IF ANY.	FURNISH AND INSTALL TYPE COBRA HEAD LUMINAIRE WITH 150 WATT HPS WITH SOLID STATE BALLAST AND STRAY VOLTAGE INDICATOR FOR 100 VOLT LAMP.	REMOVE LUMINAIRE AND CONTROL, IF ANY, OTHER THAN PARK TYPE OR LOW PRESSURE SODIUM
COL. 2	ENGINEER'S ESTIMATE OF		7.0 EACH	7.0 EACH	17.0 EACH	6.0 EACH
COL. 1	ITEM NUMBER		SL-21.03.02 (101)	SL-21.09.05 (102)	SL-22.03.18 (103)	SL-22.09.02 (104)

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN 8502013HW0024C Project ID HWXP093B

	NTS (	CIS	<u>                                    </u>	<u>                                   </u>	2	
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	969	241	268 \$	\$
	m •	CIS	<u>ā</u> j	20	<u> </u>	Zį .
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS	\$ 298	054.	\$ 843	
COL. 3	CLASSIFICATIONS		REMOVE BRACKET, LUMINAIRE AND CONTROL, IF ANY, FROM WOOD POLE	FURNISH AND INSTALL FABRICATED STEEL 8 Ft. BRACKET WITH HARDWARE ON WOOD POLE, AS PER DRAWING J-3585.	FURNISH AND INSTALL ALUMINUM BRACKET 12 Ft. OR 15 Ft. LONG WITH HARDWARE ON WOOD POLE	FURNISH AND INSTALL, OR FURNISH AND REPLACE A PLUG-IN SOLID STATE PHOTOELECTRIC CONTROL
COL. 2	ENGINEER'S ESTIMATE OF	CORMILLES	2.0 EACH	3.0 EACH	1.0 EACH	17.0 EACH
COL. 1	ITEM NUMBER	(SEQUENCE NO.)	SL-24.01.04 (105)	SL-24.01.05 (106)	SL-24.01.07 (107)	SL-26.01.01 (108)

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN 8

Project ID

8502013HW0024C HWXP093B

SE	CIS	42	<u> </u>
COL. 5 EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	1585 39	10 \$ 3160
	CILS	افي	. <u>O</u> l
COL. 4 UNIT PRICES (IN FIGURES)	DOLLARS	\$ 958	√       ←      √       ←       ←      ←      ←      ←      ←      ←      ←      ←      ←       ←      ←      ←      ←      ←      ←      ←      ←      ←       ←      ←      ←      ←      ←      ←      ←      ←      ←       ←      ←      ←      ←      ←      ←      ←      ←      ←       ←      ←      ←        ←       ←       ←       ←       ←       ←       ←       ←
CLASSIFICATIONS		4.0 FURNISH, INSTALL, MAINTAIN AND REMOVE EQUIPMENT FOR TEMPORARY LIGHTING (PYLON), AS PER DRAWINGS F-5005 AND F-5005A	1,000.0 FURNISH AND INSTALL NO. 6 AWG XLP COPPER L. F. CABLE OR EQUAL FOR OVERHEAD INSTALLATION
COL. 2 ENGINEER'S ESTIMATE OF	COMMITTERS	4.0 EACH	1,000.0 L.F.
COL. 1 ITEM NUMBER	(SECOENCE NO.)	SL-29.01.01 (109)	SL-33.02.02 (110)

		1	

05/29/2013

BID PAGES 9:08AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

8502013HW0024C Contract PIN Project ID

HWXP093B

		S H	CIS	42		81	42	
	COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	0.84 'H99 'L \$		, 235,000	084'bb8'£\$	
			CTS	•				
	COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS	SUB-TOTAL:		BID SHALL NOT EXCEED 4% OF THE ABOVE SUB-TOTAL	TOTAL BID PRICE:	SURE A LEGIBLE BID IS ENTERED FOR EACH ITEM.
				·		не авоу		RED FOF
						48 OF T		ENTE
	m	ATIONS				EXCEED		BID IS
	COL. 3	CLASSIFICATIONS			- - - - -	LL NOT		EGIBLE
		ប៊			MOBILIZATION	BID SHA		URE A I
					MOBIL	PRICE.		PLEASE BE S
		S E C	<u> </u>	·	1.0	M		PLEA
	COL. 2	ENGINEER'S ESTIMATE OF	COANTILES		i.	LUMP SUM		
		ER	· ·					
	COL. 1	ITEM NUMBER	(SECORNOR NO.)		6.39 A	(111)		
1					ľ			1

THE BIDDER SHALL INSERT THE TOTAL BID PRICE IN THE BID FORM ON PAGE C-4 OF THIS BID BOOKLET.

# BID FORM MFM Contracting Conf.

## PROJECT ID. HWXP093B

<u>TOTAL BID PRICE</u>: In the space provided below, the Bidder shall indicate its Total Bid Price in figures. Such Total Bid Price is set forth on the final page of the Bid Schedule.

TOTAL BID PRICE: ( a/k/a BID PROPOSAL) 5<u>7,899,480.42</u> 6/4/13 P.S

#### **BIDDER'S SIGNATURE AND AFFIDAVIT**

<u>WARNING!!!</u> If M/WBE goals have been established for this Contract, you MUST complete and submit the Affirmations on the 2nd page of the Subcontractor Utilization Plan (or a pre-approved waiver) at the time you submit your bid. Failure to comply will result in the rejection of your bid.

Bidder: MFM Contracting Corp.

By: much

(Signature of Partner or corporate officer)

Attest: (Corporate Seal)

Secretary of Corporate Bidder

Affidavit on the following page should be subscribed and sworn to before a Notary Public

## **BID FORM** (TO BE NOTARIZED)

## AFFIDAVIT WHERE BIDDER IS AN INDIVIDUAL

STATE OF NEW YORK, COUNTY OF	ss:
T 4 1 1 1 1 1 1 1 C	being duly sworn says:
I am the person described in and who executed the for respects true.	regoing bid, and the several matters therein stated are in all
•	(Signature of the person who signed the Bid)
Subscribed and sworn to before me this	(Signature of the person who signed the Didy
day of,	
Notary Public	
	.*
AFFIDAVIT WHERE	BIDDER IS A PARTNERSHIP
STATE OF NEW YORK, COUNTY OF	ss:
	being duly sworn says:
	the firm described in and which executed the foregoing
bid. I subscribed the name of the firm thereto on behavespects true.	alf of the firm, and the several matters therein stated are in all
	(Signature of Partner who signed the Bid)
Subscribed and sworn to before me this	(organization of the state of t
day of,	
N. A. D. LU	
Notary Public	
AFFIDAVIT WHERE	BIDDER IS A CORPORATION
STATE OF NEW YORK, COUNTY OF west	ester ss:
Michael V Petrillo	being duly sworn says:
I am the fresident of the abo	being duly sworn says:  eve named corporation whose name is subscribed to and which  even when the subscribed to and which  even when the subscribed to and which
executed the foregoing bid. I reside at Purchas	e N.Y. 10577
I have knowledge of the several matters therein stated	l, and they are in all respects true.
	TALL DE VILLE
	(Signature of Corporate Officer who signed the Bid)
Subscribed and sworn to before me this	(Digitative of Corporate Officer who signed are 2.10)
3kg day of JUNE, 2013	
() () () () () ()	en i Maatuan sala
	ony Mastrangelo Iblic, State of New York
rounty i ublic 1	tion # 01MA6038438
-	in Westchester County \
	on Expires March 13, 20
my dominisan	angeres marker (a) as a larger (a)

C-5

BID BOOKLET

SEPTEMBER 2008

CITY OF NEW YORK

DEPARTMENT OF DESIGN AND CONSTRUCTION

## BID BOND I FORM OF BID BOND

KNOW ALL MEN BY THESE PRESENTS. That we,
MFM Contracting Corporation
335 Center Avenue, Mamaroneck, NY 10543
hereinafter referred to as the "Principal", and
Arch Insurance Company
Three Parkway, Suite 1500 , Philadelphia, PA 19102
hereinafter referred to as the "Surety" are held and firmly bound to THE CITY OF NEW YORK, hereinafter referred to as the "CITY", or to its successors and assigns in the penal sum of
Ten Percent of Amount Bid
(\$\frac{10\%}{\text{o}}\), Dollars lawful money of the United States, for the payment of which said sum of money well and truly to be made, we, and each of us, bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
Whereas, the Principal is about to submit (or has submitted) to the City the accompanying proposal, hereby made a part hereof, to enter into a contract in writing for Contract # HWXP093B Reconstruction of Boller
Avenue
NOW, THEREFORE, the conditions of this obligation are such that if the Principal shall not withdraw said Proposal without the consent of the City for a period of forty-five (45) days after the opening of bids and in the event of acceptance of the Principal's Proposal by the City, if the Principal shall:  (a) Within ten (10) days after notification by the City, execute in quadruplicate and deliver to the City all the executed counterparts of the Contract in the form set forth in the Contract Documents, in accordance with the proposal as accepted, and
(b) Furnish a performance bond and separate payment bond, as may be required by the City, for the faithful performance and proper fulful ment of such Contract, which bonds shall be satisfactory in all respects to the City and shall be executed by good and sufficient sureties, and
(c) In all respects perform the agreement created by the acceptance of said Proposal as provided in the Information for Bidders, bound herewith and made a part hereof, or if the City shall reject the aforesaid Proposal, then this obligation shall be null and void; otherwise to remain in full force and effect.

#### **BID BOND 2**

In the event that the Proposal of the Principal shall be accepted and the Contract be awarded to him the Surety hereunder agrees subject only to the payment by the Principal of the premium therefore, if requested by the City, to write the aforementioned performance and payment bonds in the form set forth in the Contract Documents.

It is expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall in no event exceed the penal amount of this obligation as herein stated.

There shall be no liability under this bond if, in the event of the acceptance of the Principal's Proposal by the City, either a performance bond or payment bond, or both, shall not be required by the City on or before the 30th day after the date on which the City signs the Contract.

The surety, for the value received, hereby stipulates and agrees that the obligations of the Surety and its bond shall in no way be impaired or affected by any postponements of the date upon which the City will receive or open bids, or by any extensions of time within which the City may accept the Principal's Proposal, or by any waiver by the City of any of the requirements of the Information for Bidders, and the Surety hereby waives notice of any such postponements, extensions, or waivers.

IN WITNESS WHEREOF, the Principal and the Surety have hereunto set their hands and scals and such of

them as are corporations their proper officers the _		ate seals to be May	hereto affix 2013		ts to be signed by
(S#I)	By:	MFM Contra	Principa	al _	(L.S.)
(Seal)	By:	Arch Insurar	Surety	ny Attorney-i	n-Fact

e e many n

## BID BOND 3

## ACKNOWLEDGEMENT OF PRINCIPAL, IF A CORPORATION

On this 20th	K County of westchester	- ss;
	day of Man	, 2013, before me personally came sing by me duly swom, did depose and say that he
Michael V. retr	cillo to me known, who, be	ing by me duly swom, did depose and say that he
resides at Purch	ase N.Y. 10577	
that he is the Pre	sident of MEM	Contracting Corporation
the corporation descr	ribed in and which executed the foreg	oing instrument; that he knows the seal of said
		t is such seal; that it was so affixed by order of the
directors of said coff	poration, and that he signed his name to Anthony Mastrangelo	inereto by like order.
	Notary Public, State of New Yor	
	Registration # 01MA6038438	V 1 1 V 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Qualified in Westchester Count My Commission Expires March 13, 20	
	my commission expires match 13, 20	
	ACKNOWLEDGEMENT OF	F PRINCIPAL, IF A PARTNERSHIP
State of	County of	ss:
On this	day of	ss: s before me personally appeared
	to me known and kn	own to me to be one of the members of the firm of
	described in that he executed the same as and for	and who executed the foregoing instrument, and he
		Notary Public
	ACKNOWLEDGEMENT O	Notary Public F PRINCIPAL, IF AN INDIVIDUAL
State of	County of	F PRINCIPAL, IF AN INDIVIDUAL  85:
On this	County ofday of	F PRINCIPAL, IF AN INDIVIDUAL
On this	County ofday ofto me known and kn	F PRINCIPAL, IF AN INDIVIDUAL
On this	County ofday ofto me known and kn	F PRINCIPAL, IF AN INDIVIDUAL
On this	County ofday ofto me known and kn	ss: ,, before me personally appeared nown to me to be the person described in and who he executed the same.

2 -----

#### ACKNOWLEDGMENT OF SURETY COMPANY

STATE OFNew York
On this MAY 14, 2013 before me personally came SUSAN LUPSKI
to me know, who, being by me duly sworn, did depose and say; that he/she resides in NASSAU COUNTY, State of NEW YORK, that he/she is the Attorney-In-Fact of the ARCH INSURANCE COMPANY
like order; and the affiant did further depose and say that the Superintendent of Insurance of the State of New York, has, pursuant to Section 1111 of the Insurance Law of the State of New York, issued to ARCHINSURANCE COMPANY (Surety) his/her

certificate of qualification evidencing the qualification of said Company and its sufficiency under any law of the State of New York as surety and guarantor, and the propriety of accepting and approving it as such; and that such certificate has not been

Notary Public

of

GRACE ACKERSON Notary Public, State of New York Nassau County Lic. #01AC6111590 Term Expires June 14, 2016

NY acknowledgment

revoked.

#### THIS POWER OF ATTORNEY IS NOT WALID UNLESS IT IS PRINTED ON BLUE BACKGROUND.

This Power of Attorney limits the acts of those named herein, and they have no authority to bind the Company except in the manner and to the extent herein stated. Not valid for Mortgage, Note, Loan, Letter of Credit, Bank Deposit, Currency Rate, Interest Rate or Residential Value Guarantees.

#### POWER OF ATTORNEY

Know All Persons By These Presents

That the Arch Insurance Company, a corporation organized and existing under the laws of the State of Missouri, having its principal administrative office in Jersey City, New Jersey (hereinafter referred to as the "Company") does hereby appoint:

Camille Maitland, Colette R. Chisholm, George O. Brewster, Gerard S. Macholz, Kristy Caporale, Lee Ferrucci, Rita Sagistano, Robert T. Pearson, Susan Lupski and Thomas Bean of Garden City, NY (EACH)

its true and lawful Attorney(s)in-Fact, to make, execute, seal, and deliver from the date of issuance of this power for and on its behalf as surety, and as its act and deed:

Any and all bonds, undertakings, recognizances and other surety obligations, in the penal sum not exceeding Ninety Million Dollars (\$90,000,000.00).

This authority does not permit the same obligation to be split into two or more bonds in order to bring each such bond within the dollar limit of authority as set forth herein.

The execution of such bonds, undertakings, recognizances and other surety obligations in pursuance of these presents shall be as binding upon the said Company as fully and amply to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal administrative office in Jersey City, New Jersey.

This Power of Attorney is executed by authority of resolutions adopted by unanimous consent of the Board of Directors of the Company on September 15, 2011, true and accurate copies of which are hereinafter set forth and are hereby certified to by the undersigned Secretary as being in full force and effect:

"VOTED, That the Chairman of the Board, the President, or the Executive Vice President, or any Senior Vice President, of the Surety Business Division, or their appointees designated in writing and filed with the Secretary, or the Secretary shall have the power and authority to appoint agents and attorneys-in-fact, and to authorize them subject to the limitations set forth in their respective powers of attorney, to execute on behalf of the Company, and attach the seal of the Company thereto, bonds, undertakings, recognizances and other surety obligations obligatory in the nature thereof, and any such officers of the Company may appoint agents for acceptance of process."

This Power of Attorney is signed, sealed and certified by facsimile under and by authority of the following resolution adopted by the unanimous consent of the Board of Directors of the Company on September 15, 2011:

VOTED, That the signature of the Chairman of the Board, the President, or the Executive Vice President, or any Senior Vice President, of the Surety Business Division, or their appointees designated in writing and filed with the Secretary, and the signature of the Secretary, the seal of the Company, and certifications by the Secretary, may be affixed by facsimile on any power of attorney or bond executed pursuant to the resolution adopted by the Board of Directors on September 15, 2011, and any such power so executed, sealed and certified with respect to any bond or undertaking to which it is attached, shall continue to be valid and binding upon the Company.

In Testimony Whereof, the Company has caused this instrument to be signed and its corporate seal to be affixed by their authorized officers, this <u>28<sup>th</sup></u> day of <u>January</u>, 20<u>13</u>.

Attested and Certified

Arch Insurance Company

-----

Patrick K. Nails, Secretary

STATE OF PENNSYLVANIA SS

COUNTY OF PHILADELPHIA SS

CORPORATE SEAL 1971

David M. Finkelstein, Executive Vice President

I, Kathleen Marcinkus, a Notary Public, do hereby certify that Patrick K. Nails and David M. Finkelstein personally known to me to be the same persons whose names are respectively as Secretary and Executive Vice President of the Arch Insurance Company, a Corporation organized and existing under the laws of the State of Missouri, subscribed to the foregoing instrument, appeared before me this day in person and severally acknowledged that they being thereunto duly authorized signed, sealed with the corporate seal and delivered the said instrument as the free and voluntary act of said corporation and as their own free and voluntary acts for the uses and purposes therein set forth.

COMMONWEALTH OF PENNSYLVANIA

NOTARIAL SEAL

KATHLEEN MARCINKUS, Notary Public
City of Philadelphia, Phila. County
My Commission Expires March 14, 2014

Kathleen Marcinkus, Notary Public My commission expires 03/14/2014

#### CERTIFICATION

I, Patrick K. Nails, Secretary of the Arch Insurance Company, do hereby certify that the attached Power of Attorney dated <u>January 28</u>, <u>2013</u> on behalf of the person(s) as listed above is a true and correct copy and that the same has been in full force and effect since the date thereof and is in full force and effect on the date of this certificate; and I do further certify that the said David M. Finkelstein, who executed the Power of Attorney as Executive Vice President, was on the date of execution of the attached Power of Attorney the duly elected Executive Vice President of the Arch Insurance Company.

IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed the corporate seal of the Arch Insurance Company on this \_\_\_\_\_\_day of \_MAY 1 4 2013, 20\_\_\_\_.

Patrick K. Nails, Secretary

This Power of Attorney limits the acts of those named therein to the bonds and undertakings specifically named therein and they have no authority to bind the Company except in the manner and to the extent herein stated.

#### PLEASE SEND ALL CLAIM INQUIRIES RELATING TO THIS BOND TO THE FOLLOWING ADDRESS:

Arch Insurance – Surety Division 3 Parkway, Suite 1500 Philadelphia, PA 19102



# ARCH INSURANCE COMPANY STATEMENT OF FINANCIAL CONDITION December 31, 2012

#### Assets

Cash in Banks Bonds owned Stocks Premiums in course of collection Accrued interest and other assets	\$	142,123,391 1,626,957,843 335,746,944 199,715,124 392,357,134
Total Assets	\$	2,696,900,436
Liabilities		
Reserve for losses and adjustment expenses Reserve for unearned premiums Ceded reinsurance premiums payable Amounts withheld or retained by company for account of others Reserve for taxes, expenses and other liabilities	\$	1,138,208,564 328,958,704 179,607,905 173,229,865 313,412,183
Total Liabilities		2,133,417,221
Surplus as regards policyholders		563,483,215
Total Surplus and Liabilities  By: Attest: Patentillary	<u>\$</u> 1	2,696,900,436
Senior Vice President, Chief Senior Vice President,		

State of New York)

SS

Financial Officer and Treasurer

County of Hudson)

Thomas James Ahern, Senior Vice President, Chief Financial Officer and Treasurer and Patrick Kenneth Nails, Senior Vice President, General Counsel and Secretary being duly sworn, of ARCH INSURANCE COMPANY, Missouri; and that the foregoing is a true and correct statement of financial condition of said company, as of December 31, 2012.

Subscribed and sworn to before me, this 12 day of March, 2013.

Notary Public

Traci Eischer

Traci Juli Flacher
Notary Public, State of New Jersey
No. 2409092
Qualified in Hudson County
Commission Expires May 31, 2016

General Counsel and Secretary

#### M/WBE PROGRAM

#### SUBCONTRACTOR UTILIZATION PLAN - SCHEDULE B

Subcontractor Utilization Plan (Schedule B): The Subcontractor Utilization Plan (Schedule B) for this Contract is set forth on the following pages of this Bid Booklet. The Subcontractor Utilization Plan (Part I) indicates whether participation goals have been established for this Contract. If participation goals have been established for this Contract, the bidder must submit a Subcontractor Utilization Plan (Part II) with its bid.

<u>Contract Provisions</u>: Contract provisions regarding the participation of MWBE firms are set forth in Article 77 of the Contract. The bidder is advised to review these contract provisions.

<u>Waiver</u>: The bidder may seek a full or partial pre-award waiver of the Target Subcontracting Percentage in accordance with Article 77 of the Contract (See Part A, Section 10). The bidder's request for a waiver must be submitted at least seven (7) calendar days prior to the bid date. Waiver requests submitted after the deadline will not be considered. The form for requesting a waiver of the Target Subcontracting Percentage is set forth in the Subcontractor Utilization Plan (Part III).

Rejection of the Bid: The bidder must complete the Subcontractor Utilization Plan (Part II) set forth on the following pages. Subcontractor Utilization Plans which do not include the required affirmations will be deemed to be non-responsive, unless a full waiver of the Target Subcontracting Percentage is granted (Subcontractor Utilization Plan, Part III). In the event that the City determines that the bidder has submitted a Subcontractor Utilization Plan where the required affirmations are completed but other aspects of the Plan are not complete, or contain a copy or computation error that is at odds with the affirmation, the bidder will be notified by the Agency and will be given four (4) calendar days from receipt of notification to cure the specified deficiencies and return a completed plan to the Agency. Failure to do so will result in a determination that the Bid is non-responsive. Receipt of notification is defined as the date notice is emailed or faxed (if the bidder has provided an email address or fax number), or no later than five (5) days from the date of mailing or upon delivery, if delivered.

<u>Impact on LBE Requirements</u>: If goals have been established for the participation of M/WBEs, the contractor is not required to comply with the Locally Based Enterprise Program ("LBE"). The LBE Program is set forth in Article 67 of the Contract.



THE CITY OF NEW YORK

# SCHEDULE B - Subcontractor Utilization Plan - Part I: Agency's Target

This page to be completed by contracting agency

Contract Overview						
Pin#	8502013HW0024C	FMS Project ID#: HWXP093B				
Project Title	RECONSTRUCTION OF E	SOLLER AVENUE				
Contracting Agency	Department of Design an	d Construction				
Agency Address	30-30 Thomson Ave	City Long Island City State NY Zip Code 11101				
Contact Person	Jessica Lavides	Title MWBE Liaison & Compliance Analyst				
Telephone #	(718) 391–1065 Email LavidesJe@ddc.nyc.gov					
Project Description (attac	Project Description (attach additional pages if necessary)					
		TRUCTION OF				

RECONSTRUCTION OF BOLLER AVENUE FROM STATION 10+50 TO STATION 18+00 NEEDHAM AVENUE FROM STATION 11+09 TO STATION 14+75

## INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

## BOROUGH OF THE BRONX CITY OF NEW YORK

## (1) √ Target Subcontracting Percentage

Percentage of total contract dollar value that agency estimates will be awarded to subcontractors in amounts under \$1 million for construction and professional services.

4	%

## Subcontractor Participation Goals\*

Complete and enter total for each Construction or Professional Services, or both (if applicable)

Group	Cons	struction		Professional Services			
Black American	Unspe	cified		%	0	%	
Hispanic American	Unspe			%	0	%	
Asian American	Unspe	cified		<del>_</del> %	NO GOAL	%	
Caucasian Female	NO G	DAL		%	0	%	
Total Participation Goals	(2)	50	%	(3)	0	%	

<sup>\*</sup>Note: For this procurement, individual ethnicity and gender goals are not specified. The Total Participation Goals for construction subcontracts may be met by using Black American, Hispanic American or Asian American firms or any combination of such firms.

PIN#: 85

8502013HW0024C

This page and the next (Part II herein) are to be completed by the bidder/proposer. AFFIRMATIONS; <u>Bidder/proposer must check the applicable boxes below, affirming compliance with M/WBE requirements.</u>

applicable boxes below, amin'ning compliance with M/VVBE req	uirements.	
Bidder/proposer AFFIRMS or DOES NOT AFFIRM It is a material term of the contract to be awarded that, with rewill award one or more subcontracts for amounts under one Percentage (as set forth in Part I) unless it obtains a full or pexceed the Total Participation Goals (as set forth in Part I) unless it obtains a full or pexceed the Total Participation Goals (as set forth in Part I) unless it obtains a full or pexceed the Total Participation Goals (as set forth in Part I) unless it obtains a full or percentage (as set forth in Part I) unless it obtains a full or percent	espect to the total amo million dollars, suffice artial waiver thereof, a less such goals are mo	cient to meet or exceed the Target Subcontracting and it will award subcontracts sufficient to meet or odified by the Agency.
Bidder/proposer  AFFIRMS that it intends to meet or exc	ceed the Target Subc	ontracting Percentage (as set forth in Part I); or
AFFIRMS that it has obtained a full/par forth in Part I) and intends to award the	rtial pre-award waiver modified Target Sub	r of the Target Subcontracting Percentage (as set contracting Percentage, if any; or
☐ DOES NOT AFFIRM		
Section I: Prime Contractor Contact Information		
Tax ID# 13-4130805	FMS Vendor ID #	
Business Name MFM Contracting Cosp.	Contact Person	Michael V. Petrillo
Address 335 Canata C Augusta		10 MY 10547

#### Section II: General Contract Information

Telephone #

Define the industry in which work is to be performed.

914-777-8252

- Construction includes all contracts for the construction, rehabilitation, and/or renovation of physical structures. This category
  does include CM Build as well as other construction related services such as: demolition, asbestos and lead abatement, and
  painting services, carpentry services, carpet installation and removal, where related to new construction and not maintenance.
  This category does not include standard services which may be associated with construction projects but which do not
  constitute construction, such as trucking, site protection, site security, site surveying, soil testing, extermination, and
  maintenance/operations.
- Professional Services are a class of services that typically require the provider to have some specialized field or advanced degree. Services of this type include: legal, management consulting, information technology, accounting, auditing, actuarial, advertising, health services, pure construction management, environmental analysis, scientific testing, architecture and engineering, and traffic studies, and similar services.

origineering, and traine studies, and simila	ar services.			
a. Type of work on Prime Contract (Check one):	b. Type of work on Subcontract (Check all that apply):			
☑ Construction ☐ Professional Services	☐ Construction ☐ Professional Services ☐ Other			
What is the expected percentage of the texpect to award to <u>all</u> subcontracts?	total contract dollar value that you			
3. Will you award subcontract(s) in amount	ts below \$ 1 million for construction and/or professional 🗔 Yes 🖂 No			

services contracts within the first 12 months of the notice to proceed on the contract?

## Section III: Subcontractor Utilization Summary

IMPORTANT: If you do not anticipate that you will subcontract at the target level the agency has specified, because you will perform more of the work yourself, you must seek a waiver of the Target Subcontracting Percentage by completing p.9).

Step 1: Calculate the percentage (of your total bid) that will go towards subcontracts under	Subcontracts under \$1M (4) Total Bid/Proposal (construction/professional services) Value	Calculated Target Subcontracting Percentage	
\$ 1M for construction and/or professional services	\$ 315 979.00 + \$ 7 199 480.42 × 100 =	4 %	
Subcontracts under \$1 dollars for amounts under	M (construction/professional services): Enter the value you expect to aways \$1 million for construction and (construction and (construction))	rd to subcontractors in	

- Subcontracts under \$1M (construction/professional services): Enter the value you expect to award to subcontractors in dollars for amounts under \$1 million for construction and/or professional services. This value defines the amount that participation goals apply to, and will be entered into the first line of Step 2.
- Total Bid/Proposal Value: Provide the dollar amount of the bid/proposal.
- Calculated Target Subcontracting Percentage: The percentage of the total contract dollar value that will be awarded to one or
  more subcontractors for amounts under \$1 million for construction and/or professional services. This percentage must equal
  or exceed the percentage listed by the agency on page 6, at line (1).

NOTE: The "Calculated Target Subcontracting Percentage" MUST equal or exceed the Target Subcontracting Percentage listed by the agency on Page 6, Line (1).

## SCHEDULE B - Subcontractor Utilization Plan - Part II: Bidder/Proposer Subcontracting Plan cont.

tep :		lue of subcontractor participation	n acale		
aicu	iaic va	nue of subcontractor participation	n goals	Subcontracts u	· · · · · · · · · · · · · · · · · · ·
a.	Сору	value from Step 1, line (4) - the total	al value of all expected subco	(construction/profess	ionar services)
		Under \$1M for const	ruction and/or professional s	ervices \$_ 315 ST	19.00
b.	• 1	From line a. above, allocate the doll under \$1M" by Construction and Pro	ar value of "Subcontracts	•	
	• 1	If all subcontracts under \$1M are in	one industry enter "0" for	Construction	Professional Services
	1	the industry with no subcontracts.		001130 400011	1.0.000.0
	• /	Amounts listed on these lines should from line a.	d add up to the value		
		Subcontracts u	nder \$1M by industry	\$ 315 575.00	\$
	•	For Construction enter percentage f For Professional Services enter pen	rom line (2) from Page 6. centage from line (3)		
_		from Page 6. Total Participation Goals Pe			
C.	•	be copied from Part I, lines (	rcentages must		
			rticipation Goals	x 50%	x / %
		i otai i a	i ticipation Goals	X	A
d.		Value of Tota	l Participation Goals	\$ 157,790.00	\$ 0
		ontracts in Amounts Under \$ - Construction	i iii ocope oi		
l.	Work : Subce	- Construction ontracts in Amounts Under \$	Enter brief Type of wo	description of type(s) of subcontra rk, not by name of subcontractor	cts in amounts under \$1M anticipated, by
I.	Work : Subce	- Construction	Enter brief Type of wo		cts in amounts under \$1M anticipated, by
<b>/</b> .	Work : Subce Work	<ul> <li>Construction</li> <li>ontracts in Amounts Under \$         <ul> <li>Professional Services</li> </ul> </li> </ul>	Enter brief Type of wo \$1 M Scope of	rk, not by name of subcontractor	cts in amounts under \$1M anticipated, by
Second her broken her	Subco Work  tion I reby 1 risions blied i bomply the rule and t the bontra 5) ag eet th	ontracts in Amounts Under Solution  IV: Vendor Certification  I) acknowledge my undersolutes of Local Law 129 of 200 in support of this subcontraction with the M/WBE requirent ules promulgated thereund affirm that it is a material Target Subcontracting Peract(s) sufficient to meet the gree and affirm, if awarded the Target Subcontracting in the Target Subcontrac	Enter brief Type of wo 1 M Scope of and Required Affi standing of the M/WE 5. and the rules promactor utilization planters of this Contraction, all of which shall I term of this contract reentage, unless a we Total Participation of this contract the Ver Percentage, if	rmations  BE requirements as set for fully attended thereunder: 2) at its true and correct: 3) agriculated the pertinent provision be deemed to be material that the Vendor will away aiver is obtained, and the Goals unless such goals and or intends to make all rivendor has obtained a warry, and the Vendor intender int	rth herein and the pertinent firm that the information ree, if awarded this Contract, fons of Local Law 129 of 2005, al terms of this contract; 4) rd subcontract(s) sufficient to e Vendor will award are modified by the Agency; easonable, good faith efforts vaiver, the Vendor intends to ends to to solicit and obtain the
Sec hei prov supp to co and agree subb and to m mee part	Subco Work  tion I reby 1 risions blied i bomply the rule and t the bontra 5) ag eet th	ontracts in Amounts Under Some Professional Services  IV: Vendor Certification  I) acknowledge my unders so of Local Law 129 of 200 in support of this subcontraction with the M/WBE requirement of affirm that it is a material Target Subcontracting Perect(s) sufficient to meet the area and affirm, if awarded the Target Subcontracting is modified Target Subcontracting in modified	Enter brief Type of wo 1 M Scope of and Required Affi standing of the M/WE 5. and the rules promactor utilization planters of this Contraction, all of which shall I term of this contract reentage, unless a we Total Participation of this contract the Ver Percentage, if	rmations  SE requirements as set for fully attended thereunder: 2) at its true and correct: 3) agriculated the pertinent provision be deemed to be material that the Vendor will away aiver is obtained, and the Goals unless such goals and or intends to make all rolling and the Vendor has obtained a way, and the Vendor intended and any, and the Vendor intended and any and the Vendor intended and the Vendor	rth herein and the pertinent firm that the information ree, if awarded this Contract, fons of Local Law 129 of 2005, al terms of this contract; 4) rd subcontract(s) sufficient to e Vendor will award are modified by the Agency; easonable, good faith efforts vaiver, the Vendor intends to ends to to solicit and obtain the fied by the Agency.
Second her broad	Subco Work  tion I reby Trisions blied i bomply the ru te and t the contra 5) ag weet th t the icipati	ontracts in Amounts Under Sontracts in Amounts Under Sontracts in Amounts Under Sontracts in Amounts Under Sontracts of Local Law 129 of 200 in support of this subcontraction with the M/WBE requirement of affirm that it is a material Target Subcontracting Peact(s) sufficient to meet the gree and affirm, if awarded the Target Subcontracting imodified Target Subcontracting modified Target Subcontracting in of M/WBEs so as to mission of M/WBEs so as to	Enter brief Type of wo 1 M Scope of and Required Affi standing of the M/WE 5. and the rules promactor utilization planters of this Contraction, all of which shall I term of this contract reentage, unless a we Total Participation of this contract the Ver Percentage, if	rmations  BE requirements as set for a set to be material that the Vendor will away a set to a set a s	rth herein and the pertinent firm that the information ree, if awarded this Contract, fons of Local Law 129 of 2005, al terms of this contract; 4) rd subcontract(s) sufficient to e Vendor will award are modified by the Agency; easonable, good faith efforts vaiver, the Vendor intends to ends to to solicit and obtain the fied by the Agency.

# SCHEDULE B - PART III - REQUEST FOR WAIVER OF TARGET SUBCONTRACTING PERCENTAGE

Tax ID #	FMS Ve	ndor ID #
No. at the second of the second		
Contact Name	Telephone #	Email
Type of Procurement	Competitive Sealed Bids	Bid/Response Due Date
PIN # (for this procurement	(Check one):	
	☐ Construction ☐ Professional Services	☐ Construction ☐ Other ☐ Professional Services
SUBCONTRACTING as de	scribed in bid/solicitation documents (Cop	
% of the sen	ne total contract value anticipated by the age rices subcontracts valued below \$1 million (	ency to be subcontracted for construction/professional each)
	NG as anticipated by vendor seeking waiv	
con	struction/professional services subcontracts	
Basis for Waver Reque	st: Check appropriate box & explain in det	tail below (attach additional pages if needed)
Vendor does not sub to perform all such w	contract construction/professional serv	rices, and has the capacity and good faith intention
☐ Vendor subcontracts	some of this type of work but at lower	% than bid/solicitation describes, and has the
	aith intention to do so on this contract.	
□ Other		
References		
	/subcontracts performed for NYC agencies	(if any)
List 3 most recent contracts	/subcontracts performed for NYC agencies	•
List 3 most recent contracts CONTRACT NO	AGENCY	•
List 3 most recent contracts  CONTRACT NO	AGENCY	DATE COMPLETED
List 3 most recent contracts  CONTRACT NO.  CONTRACT NO.  CONTRACT NO.  List 3 most recent contracts	AGENCY	DATE COMPLETED
List 3 most recent contracts  CONTRACT NO.  CONTRACT NO.  CONTRACT NO.  List 3 most recent contracts	AGENCYAGENCYAGENCYAGENCY	DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  /entities
List 3 most recent contracts  CONTRACT NO  CONTRACT NO  CONTRACT NO  List 3 most recent contracts (complete ONLY if vendor have the contracts)	AGENCYAGENCYAGENCYAGENCY	DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  /entities  DATE COMPLETED
List 3 most recent contracts  CONTRACT NO.  CONTRACT NO.  CONTRACT NO.  List 3 most recent contracts (complete ONLY if vendor harden by the contracts)  TYPE OF WORK.  Manager at agency/entity	AGENCYAGENCYAGENCY	DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  /entities  DATE COMPLETED
List 3 most recent contracts  CONTRACT NO  CONTRACT NO  CONTRACT NO  List 3 most recent contracts (complete ONLY if vendor have been been been been been been been be	AGENCY  AGENCY  AGENCY  AGENCY  AGENCY  AGENCY  AGENCY/ENTITY  That hired vendor (Name/Phone No.)  AGENCY/ENTITY  AGENCY/ENTITY	DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  /entities  DATE COMPLETED
CONTRACT NO  CONTRACT NO  CONTRACT NO  CONTRACT NO  CONTRACT NO  List 3 most recent contracts (complete ONLY if vendor handled on the contract of the complete on the complete	AGENCY  AGENCY  AGENCY  AGENCY  AGENCY  AGENCY  AGENCY/ENTITY  AGENCY/ENTITY  AGENCY/ENTITY  AGENCY/ENTITY  AGENCY/ENTITY  AGENCY/ENTITY  AGENCY/ENTITY  AGENCY/ENTITY  AGENCY/ENTITY	DATE COMPLETED  DATE COMPLETED  Pentities  DATE COMPLETED  DATE COMPLETED  DATE COMPLETED
List 3 most recent contracts  CONTRACT NO  CONTRACT NO  CONTRACT NO  List 3 most recent contracts (complete ONLY if vendor have been been been been been been been be	AGENCY	DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  /entities  DATE COMPLETED  DATE COMPLETED
CONTRACT NO  CONTRACT NO  CONTRACT NO  CONTRACT NO  CONTRACT NO  List 3 most recent contracts (complete ONLY if vendor hand to the complete ONL	AGENCY	DATE COMPLETED  DATE COMPLETED  /entities  DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  DATE COMPLETED
CONTRACT NO CONTRACT NO CONTRACT NO CONTRACT NO  CONTRACT NO  List 3 most recent contracts (complete ONLY if vendor hand to be a seen to be a s	AGENCY  AGENCY  AGENCY  AGENCY  AGENCY  AGENCY/ENTITY	DATE COMPLETED  DATE COMPLETED  /entities  DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  Supplied in support of this waiver request is true and
CONTRACT NO CONTRACT NO CONTRACT NO CONTRACT NO CONTRACT NO  List 3 most recent contracts (complete ONLY if vendor hanager at agency/entity TYPE OF WORK Manager at agency/entity TYPE OF WORK Manager at agency/entity TYPE OF WORK Manager at agency/entity VENDOR CERTIFICATIO correct, and that this req Signature:	AGENCY  AGENCY  AGENCY  AGENCY  AGENCY  AGENCY/ENTITY	DATE COMPLETED  DATE COMPLETED  Pentities  DATE COMPLETED
List 3 most recent contracts  CONTRACT NO.  CONTRACT NO.  CONTRACT NO.  List 3 most recent contracts (complete ONLY if vendor harmonic to the complete on the contracts)  TYPE OF WORK.  Manager at agency/entity  VENDOR CERTIFICATIO correct, and that this requires  Signature:  Print Name:  Shaded area below is for the contracts.	AGENCY  AGENCY  AGENCY  AGENCY  AGENCY  AGENCY/ENTITY  AGENCY/ENTI	DATE COMPLETED  DATE COMPLETED  /entities  DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  Supplied in support of this waiver request is true and
CONTRACT NO CONTRACT NO CONTRACT NO CONTRACT NO  CONTRACT NO  List 3 most recent contracts (complete ONLY if vendor has a gency/entity of the complete ONLY on the complete ONLY of the complete ONLY on the contract on the complete ONLY on the complete ONLY on the complete	AGENCY  AGENCY  AGENCY  AGENCY  AGENCY  AGENCY/Entropy  AGENCY	DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  JOATE COMPLETED  DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  Supplied in support of this waiver request is true and  Date:  Title:
List 3 most recent contracts  CONTRACT NO.  CONTRACT NO.  CONTRACT NO.  List 3 most recent contracts (complete ONLY if vendor harmonic to the complete on the contracts) (complete ONLY if vendor harmonic to the complete on	AGENCY  AGENCY  AGENCY  AGENCY  AGENCY  AGENCY/ENTITY  AGENCY/ENTI	DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  /entities  DATE COMPLETED  DATE COMPLETED  DATE COMPLETED  Supplied in support of this waiver request is true and  Date:  Title:

9

(NO TEXT ON THIS PAGE)

## SAFETY QUESTIONNAIRE

The bidder must include, with its bid, all information requested on this Safety Questionnaire. Failure to provide a completed and signed Safety Questionnaire at the time of bid opening may result in disqualification of the bid as non-responsive.

1. Bidder Information:	
Company Name: MFM Contracting Coop.	
DDC Project Number: Hwxpoq3B	
Company Size: Ten (10) employees or less	
Greater than ten (10) employees	
Company has previously worked for DDC	
2. Type(s) of Construction Work	
TYPE OF WORK  General Building Construction  Residential Building Construction  Nonresidential Building Construction  Heavy Construction, except building  Highway and Street Construction  Heavy Construction, except highways  Plumbing, Heating, HVAC  Painting and Paper Hanging  Electrical Work  Masonry, Stonework and Plastering  Carpentry and Floor Work  Roofing, Siding, and Sheet Metal  Concrete Work  Specialty Trade Contracting  Asbestos Abatement  Other (specify)  Water Main Search Acte:	THIS PROJECT
The Experience Modification Rate (EMR) is a rating generated by the l	National Council of
Compensation Insurance (NCCI). This rating is used to determine the oworker's compensation insurance. The contractor may obtain its EMR broker or the NCCI. If the contractor cannot obtain its EMR, it must su to why.	contractor's premium for by contacting its insurance

	or must indicate its <u>intra</u> state and <u>interstate EMR</u> for with less than three years of experience, the EMR will	
YEAR	<u>INTRA</u> STATE RATE	<u>INTER</u> STATE RATE
2012	1.16	
1106		
2010		
contractor n	tate and/or Interstate EMR for any of the past the nust attach, to this questionnaire, a written explain tive action was taken to correct the situation results.	nation for the rating and identify
<u> </u>	Contractor has received a willful violation issued by OSHA or New York City Department of Buildings (NYCDOB) within the last three years.  Contractor has had an incident requiring OSHA notification within 8 hours (i.e.,	
	fatality, or hospitalization of three or more employees).	
employees, o	ional Safety and Health Act (OSHA) of 1970 require on a yearly basis to complete and maintain on file the Illnesses". This form is commonly referred to as the earlier).	form entitled "Log of Work-related
The OSHA 3 employees.	000 Log must be submitted for the last three years for	contractors with more than ten
The Contract	or must indicate the total number of hours worked by	y its employees, as reflected in

The contractor must submit the Incident Rate for Lost Time Injuries (the Incident Rate) for the past three years. The Incident Rate is calculated in accordance with the formula set forth below. For each given year, the total number of incidents is the total number of non-fatal injuries and illnesses reported on the OSHA 300 Log. The 200,000 hours represents the equivalent of 100 employees working forty

payroll records for the past three years.

hours a week, fifty weeks per year.

Incident Rate =

Total Number of Incidents X 200,000
Total Number of Hours Worked by Employees

YEAR	TOTAL NUMBERS OF HOURS WORKED BY EMPLOYEES	INCIDENT RATE
2010	25,186	15 8
1105	79,831	
7017	113,462.50	
Incident Rate for the	cident Rate for any of the past three years is one type of construction it performs (listed below), the a written explanation for the relatively high rate	ne contractor must attach,
General Building Cons	struction 8	3.5
Residential Building C		7.0
Nonresidential Buildin		0.2
Heavy Construction, e	xcept building 8	3.7
Highway and Street Co		0.7
Heavy Construction, e		3.3
Plumbing, Heating, HV		1.3
Painting and Paper Ha		5.9
Electrical Work		0.5
Masonry, Stonework a		0.5
Carpentry and Floor W		2.2
Roofing, Siding, and S	Sheet Metal	0.3
Concrete Work		3.6
Specialty Trade Contra		3.6
		3.0
5. Salety Performan	ce on Previous DDC Project(s)	
NO Contra	actor previously audited by the DDC Office of Site S	Safety.
DDC 1	Project Number(s):	
•		
NO Accid	ent on previous DDC Project(s).	
	• • • •	
[Exam	ty or Life-altering Injury on DDC Project(s) within the ples of a life-altering injury include loss of limb, lost 19, or loss of neurological function.	
Date: 5/20/13	By: ml V	)
	(Signature of Owner, Partner, Cor	porate Officer)

(NO TEXT ON THIS PAGE)

OSHA's Form 300 (Rev. 01/2004)

## Log of Work-Related Injuries and Illnesses

Attention: This form contains information relating to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational salety and health purposes.

U.S. Department of Labor occupational Safety and Realth Administration

Form approved OMB no. 1218-0176

You must record information about every work-related death and about every work-related injury or timess that involves toss of consciousness, restricted work activity of job learslet, days away from work, or medical treatment beyond list aid. You must also record significant work-related highliss and illnesses that are dagnosed by a physician of licensed health care professional. You must also record work-related figuresses that meet any of the specific recording criteria fisted in 29 CFR Part 1904 8 through 1904 12. Feel free to use two fines for a single case if you need to. You must complete an Injury and litness incident Report (OSHA Form 301) or equivalent form for each ripury or illness recorded on this form. If you're not sure whether a case is recordeable, call your focal OSHA office for help.

orm. # y	DITT, If you're flot sure wrebled a case is reconditing, varyour code, our in circumstant in the	cordaine, car you re				3	200		The state of the s		And the state of t
	dentify the person		Describe the case			CHECK	NLY ONE	ox for each	each case	Enter the number of	
€.8	(B) Employee's name	(C) Job title	(D) Date of injury		Describe injury or illness, parts of body affected,	based on that east	the masf ser	erious outcome for	ome for	days the injured or ill worker was:	choose one type of illness:
ó		(s.g., Wedder)	or onset of illness	(e.g., Loading dock north mid)	and object/substance that directly injured or made person ill (e.g., Scond degrie barns on right foreirn from actellant torch)	#	Days away Irom work	Remained at Work Job transfer Other reco	l at Work Other record-	Away On job from transfer or work restriction	Respiration condition gainesies zoi garassississississississississississississi
			_			© 🗖	€□	e 🗍	3 <b>[</b> ]	(K) (L) days	€ □ ⓒ □
			montryday /			O	٥			days days	
			month/day /			0	О	O	٥	skep skep	
			month/day /			O		О	٥	skep skep	
			month/day				٥	□	٥	eyeb days	
			yebhhram					٥	0	syeb days	
			kap/uluaw	The state of the s		٥	٥			days	
			month/day /			٥	٥	O		skep skep	
	And the second s		vichtriven /				٥	σ		skap skap	
			month/day			0	0		┛	skep skep	
			month/day			0	o		0	skip skip	
			yebyllom /				O	o		skep skep	
			month/day /			٥	O		ð	step step	
			manthiday		Page totals▶	0	0	0	d	이 이	क त व व
Public r the inst	Public reporting burden for this collection of information is estimated to average 14 minutes per response, including time to review the instructions, scarch and grather the data needed, and compilete and review the collection of information. Persons are not require	ormation is estimated to . led, and complete and re	average 14 minutes	per response, including time to review of information. Persons are not required	Be sure to transfer these totals to the Summary page (Form 300A) before you post it.	r these totals to	the Summary	page (Form 30	d hoy erfore you p	asl it.	rudul whrouth ni tutrique toithman ninoui/f tol gains wheelf soles ff and file
to resp about th	ro respond to the collection of information unlikes it dripples at an entered to OMS control number. It you have any standards about these estimates are any other supered to this cellection contact. US Department of Labor COSHA Office of Schietton Amberia (Roan N-SE44, 200 Constitution Avenue, New Washington, DC 20210. Do not send the completed forms to this office, Manhysis, Roan N-SE44, 200 Constitution Avenue, New Washington, DC 20210. Do not send the completed forms to this office.	n it displays a currently v i data collection, contact: ic, NW, Washington, DC:	afid OMB control n US Department of 1 20210, Do not send	umber. If you have any comments Labor, OSHA Office of Statistical the completed forms to this office.						Page Lat	( <del>*</del> )

œ

OSHA's Form 300A (Rev. 01/2004)

# Summary of Work-Related Injuries and Illnesses

Year 20 <u>L 2.</u> W.S. Department of Labor occupational Shoty and Health deministration from approve OMB to Illi 010

All establishments covered by Part 1904 must complete this Summany page, even if no work-related injuries or illnesses occurred during the year. Remember to review the Log to verify that the entries are complete and accurate before completing this summan;

Using the Log, count the individual enthies you made for each category. Then write the totals below, making sure you've added the entries from every page of the Log, if you

Provestabilishment name MRM CONTINGCTING COLP

Establishment information

335 CENTER AJE

CHSON SIZ IN SEES

OF MAMARONECK

North American Industrial Classification (NAICS), if known (e.g., 336212)

Industry description (e.g., Manufature of motor truck trailers)
Sendard Industrial Classification (SIC), if Isnown (e.g., 3719)

ő

Employment information (ffyou don't have these figures, see the Wolskeet on the back of this page to estimate.)

Annual average number of employees

Total hours worked by all

Sign here

Employees, former employees, and their representatives have the right to review the OSHA Form 300 in its entriety. They also have limited access to the OSHA Form 301 or its equivalent. See 29 CFR Part 1904:35, in OSHA's recordiseeping rule, for further details on the access provisions for these forms. had no cases, write "O.

Number of Cases	ases			
Total number of deaths	Total number of cases with days	Total number of cases with job transfer or restriction	Total number of other recordable cases	
0 0	© €	O =	OE	
Number of Days	sÆe			
Total number of days away from work		Total number of days of job transfer or restriction		
0 8		<b>Q</b> 3		
Injury and Illness	Iness Types			
Total number of (M)	0	(4) Poisonings	0	
2) Skin disorders 3) Respiratory conditions	o suoi	(5) Hearing loss (6) All other illnesses		

Knowingly falsifying this document may testift a fine.

I certify that I have examined this document and that to the best of my knowledge the entries are fixed accurate, and complete.

Company exemine

Company

Post this Summary page from February 1 to April 30 of the year following the year covered by the form.

Public reporting burden for this collection of information is coffinated to average 38 minutes per response, including time to review the instructions, rearch and gather the data meeted, and complete size of the collection of information unless in the collection of information unless in the collection of information unless in the contractly valid OMB control humber. If you have any compress about these extensive in my other superest of this data collection, contact: US Department of Labor, OSHA Office of Salaticial Analysis, Room N'3644, 200 Constitution Avenue, N'W. Waterington, DC 20210, Do not send the completed forms to this office.

OSHA's Form 300A

# U.S. Department of Labor 10.5. Department of

Year 20 | |

All establishments covered by Part 1904 must complete this Summary page, even if no work-related injuries or illnesses occurred during the year. Remember to review the Log to verify that the entries are complete and accurate before completing this summary. Using the Log, count the individual entries you made for each category. Then write the totals below, making sure you've added the entries from every page of the Log. If you

Employees, former employees, and their representatives have the right to review the OSHA Form 300 in its entirety. They also have limited access to the OSHA Form 301 or its equivalent. See 29 CFR Part 190A,35, in OSHA's recordreaping rule, for further details on the access provisions for these forms. had no cases, write "O."

	Total number of	other recordable	cases	0	Ð
	Total number of	cases with job	transfer or restriction	0	8
ases	Total number of	cases with days	away from work	۵	(£)
Number of C	Total number of	deaths		ସ	(9)

Number of Days	
Total number of days of job transfer or restriction	Total number of days away from work
0	0
<b>S</b>	(1)
Injury and Illness Types	

00 (5) All other illnesses (4) Poisonings 00 0 (3) Respiratory conditions Total number of . . . (M) (2) Skin disorders (1) Injuries

Post this Summary page from February 1 to April 39 of the year following the year covered by the form.

Public reporting burden for this collection of information is redunated to average 50 minutes per response, including time to review the instructions search and grather the data needed, and compete and review the collection of information. Persons are norrequived to respond to the collection of information unless it displays a currently valid OMB croutrol number. If you have any commentation in the properts of this data collection, contact. US Department of Labor, OSHA Office of Sadinies, Room N-3644, 200 Considerion Avenue, NW, Washington, DC 2021(t. Do not send the completed forms to this office.

(३। छ PENDENT I certify that I have examined this document and that to the best of my State N ZIP 10543 YOUR COSTABLISHMEN LEAD CONTINUE COLD **Employment information** (If you don't have these figures, see the Worksheet on the back of this page to estimate.) Standard Industrial Classification (SIC), if known (e.g., SIC 3715) AVENUE knowledge the entries are true, accurate, and complete. Industry description (e.g., Manufacing, of motor track trailers) 335 CENTER ying this docay Establishment information CITY MAMPACONECK Annual average number of employees 63.92 Ibtal hours worked by Knowingly fals Sign here Street

Attention: This form contains information relating to employee health and must be used in a manner that

Year 20 1

Establishment name MGM CONTRACTING CONT

State NEW YORK

ON MARCHECK

OSHA'S Form 300

Log of Work-Related Injuries and Illnesses

Log of Work-Related Injuries and Illnesses entheld with antibility of bring the continuous and the structure of consideration and the structure of consideration and the structure of consideration and the structure of the structure of consideration and the structure of the structure of consideration and the structure of the structure o You must record information about every work-related flury or illness that involves loss of consciousness, restricted work achivity of job transfer.

You must record information about every work-related flury or illness that involves loss of consciousness, restricted work achivity or illnessed health days away from work or medical treatment beyond first after Vitor must also record for Vitor must also record work related injuries and illnesses that meet any of the specific recording criteria listed in 20 CFR Part 1904.8 through 120.4.12. Feel free to use two lines for a shape case if you need to. You must complete an triping and illness incident Report (OSFA Form 301) or equivalent form for each triping or illness recorded on this four incident account in the case is recordable, call your local OSFA office for help.

		n nisi 20, iquan (E) ibnoo (E) osiot (A)	•		•		0 0 0 0						0 0 0 0 0 0	0 0:0 0 0	_ ( _ (		. 0
days the injured or		덮	akep	syab sys	days days	skup skup	days days	syrb sysb	syeb syeb	sidely sidely	syaby syaby	step step	days days	step step	days	d Q ***	
se four categories, check ONLY			• <b>_</b>				0									D D he Summany page (Form 300A) before you p	
edi prizu		hs forearm from acetylene (orch) .														Page totals ➤ C	
(F)	Describe injury or illness, p and object/substance that dir	(e.g., Second degree hums on vig															
	Where the event occurred (e.g., Loading dack math end)																Public reporting barden for this cultection of information is estimated to accorage 15 minutes per vesponse, including time to review
enthesia Luc				noninjeay	monthday	/sp)ylivou	Web/Minde	nonlivday	/ Kep/strocm	yed/injern	yeg/uuxu	worlday .	попиудау	monityday	montVday	monityday	to average 14 minutes
Last, the same and provide the second	(C) Job title (e.g., Welder)			+									1				ornation is estimated
Identify the person	(B) Imployec's uame								-								ing burden for this collection of Inf
	Using these four categories, check ONLY days the Infured of the Cate of Case of the Case o	(C) (D) the most experiment of the second of	(c) (D) title Date of injury Where the event occurred Describe injury or illness, parts of body affected, the man objects and the natural formula or nate of illness of illness (e.g., Welder) or onset (e.g., Londing dach math end) and objects that directly injured or nate of illness (e.g., Welder) or onset (e.g., Londing dach math end) and objects that directly injured or nate of illness (e.g., Londing dach math end) and objects that directly injured or nate of illness (e.g., Conding dach math end) are not injury or injury or restriction and objects or prestriction or or restriction or or restriction or or or restriction to the conding of the nate	(c) (d) (e.g., Welder) or onset (e.g., Londing dark north cycle hurrs on right forearm from activities of the corrected of the corrected of the corrected or corr	(C) (D) (E.g., Wilder) or onset (e.g., Loading dack mutit city) and object/substance that directly injured (e.g., Wilder) or onset (e.g., Wilder) or onset (e.g., Second degree hums on right forwarm from analytical formula from sort (e.g., Wilder) or hand object/substance that directly injured (e.g., Wilder) or onset (e.g., Wilder) or onset (e.g., Wilder) or nade person ill (e.g., Second degree hums on right forwarm from analytical formula from work (G) (H) (F) (H) (F) (H) (G) (H) (H) (H) (H) (H) (H) (H) (H) (H) (H	(c) (d) (e.g., Welder) or onset (e.g., Londing doct muttle curl) or made person iii correction of ciliness for carried for the first of forward for the first of forward for the forward for t	(c) (D) title Date of injury Where the event occurred or made between the firefully injured (e.g., Welder) or onset (e.g., Londing dach mattle and object/substance that directly injured (e.g., Welder) or onset (e.g., Conding dach mattle and object/substance that directly injured (e.g., Welder) or onset (e.g., Conding dach mattle and object/substance that directly injured (e.g., Welder) or onset (e.g., Conding dach mattle and object/substance that directly injured or mattle person ill or mattle person ill or mattle person ill or mattle or or onset (e.g., Conding dach mattle and object/substance that directly injured or or onset (e.g., Conding dach mattle and object/substance that directly injured or	(c) (D) (E) Describe injury Where the event occurred Describe injury or illness, parts of body affected, the most section result for each case; if the injury of the event occurred Describe injury or illness, parts of body affected, the most section result for each case; if the injury or illness is a consecution of the event occurred or made person ill or made person illness of illness of illness (e.g., Londing doct martle end) or made person ill (e.g., Second degree hums on right forwarm from activitien forth). (G) (H) (G) (G) (H) (G) (G) (H) (G) (G) (G) (G) (G) (G) (G) (G) (G) (G	(c) (D) (E) Where the event occurred (E) (F) involves the event occurred (E)	(c.g., Widea) or onset (e.g., Medica) or onset (e.g.,	(c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	(c) (D) title Date of injury Where the event occurred of case; a conset (e.g., Londing dock multi cuts) and operation injury or illuses, parts of body affected, the most senion results for each case; a conset (e.g., Londing dock multi cuts) and operation in conset (e.g., Melder) or onset (e.g., Londing dock multi cuts) and operation illuses (e.g., Melder) or onset (e.g., Melder) or onset (e.g., Melder) or onset (e.g., Londing dock multi cuts) and operation illuses (e.g., Melder) or onset (e.g., Melder) or made person illuses (e.g., Melder) or made pers	(c.g., Whiler)  (c.g., Stornil digne huma on right formul forth)  (c.g., Whiler)  (c.g., Whiler)  (c.g., Whiler)  (c.g., Whiler)  (c.g., Whiler)  (c.g., Whiler)  (c.g., Stornil digne huma on right formul forth)  (c.g., Whiler)  (c.g., Whiler)  (c.g., Whiler)  (c.g., Whiler)  (c.g., Whiler)  (c.g., Stornil digne huma on right formul forth)  (c.g., Whiler)  (c.g., While	(c) (b) (c) (c) (d) (d) (e.g., Looding doed motify or illuses are counted Describe higher of the control case of the case of the control case of the case of the control case of the control case of the control case of the case	(c.g., Wider) (c.g., Mider) are of the remains occurred and all and object/dishbators in the remains occurred and occu	(c.g., Welds) are seened (e.g., Londing data surity to Hilters, parts of body effected, grassmann prospersion and control to supering the service occurred Describe hijury or Hilters are the service occurred Describe hijury or Hilters are the service occurred Describe hijury or Hilters are the service occurred and object/butters that directly hijured are the service occurred and object/butters that directly hijured are the service occurred and object/butters that directly hijured are the service occurred and object/butters that directly hijured are the service occurred occu	(c) (d) (d) (d) (d) (d) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e

Public reporting barden for this collection of information is estimated to average 1d minutes per vespourse, including time to review the haveuclous, search and golder the than areated, and complete and review the collection of information, repressor are not required to responsible from of information unless it follows; a currently valid to March control number. If you have any comments about these estimates any other supects of this facts collection, connect US Department of Labor. USHA Office of Statistics, about these estimates any other supects of this facts collection, connect US Department of Labor. USHA Office of Statistics, the my Yakaitage on the Comment of Labor. USHA Office of Statistics, the my Yakaitage on the Comment of Labor. USHA Office of Statistics, the my Yakaitage on the Completed forms in this office.

OSHA's Form 300 (Rev. 01/2004)

## Log of Work-Related Injuries and Illnesses

that protects the confidentiality of employees to the extent possible while the information is being used Attention: This form contains information relating to employee health and must be used in a manner for occupational safety and health purposes.



Occupational Safety and Health Administration

Form approved OMB no. 1218-0176

MFM CONTRACTING CORP.

ż

State MAMARONECK Ş Ç Pour most reconstituent and the province as the control of the province and the province an

Establishment name

											programment and an arrangement and arrangement arrange		ST 625.000	TENESTINE STATE	TOTAL SECTION	TANKE BENTON 12 P.
	s Identify the persone			形态到,如新港商师Describe The case	casemilia washing to his community and the	Glassif	Pario ese									
									ш	Enter the number of	mber of					
€	( <u>e</u> )	<u>(</u> )	9	(E)	(F)	CHECK	ONLY ONE b	CHECK ONLY ONE box for each case based on	ed on	days the injured or III		Check the "Injury" column or choose one type of	injury" co.	lumn or	choose o	ne type of
Case	Employee's Name	Job Title (e.g.,	Date of	Where the event occurred (e.g.	Describe injury or illness, parts of body affected,	the most	serions outco	me for that ca:		vorker was:	Worker was:	ESTACIONAL PROPERTY OF THE PERTY OF THE PERT	The Section	Ilness:	SAMPLE STORYGED	THE STATE OF THE PARTY AND THE
Š.		Welder) inju	injury or	Loading dock north end)	and object/substance that directly injured or made (Modernersharesharesharesharesharesharesharesha				ALEXANDER TO THE PERSON NAMED IN COLUMN NAMED			(M)				599
			Illness		forearm from acetylene torch)	HE SO	Daystaway	Remaille	diation in		On job transfer or	2010			sso	səulli
			(illozuday)				TO MOUSE	100		From	restriction (days)		oziQ otanio notib	Bujuo	J gan	ather
									able cases	(days)		nujul			lsəH	ı
				-		<u></u>	£	€	3	8	(1)		(2)	_	(2)	(9)
-	Flavio Pereira	Laborer	4/6/10	44 East 50th St.	Eye from splinter of wood		×			180		×	$\frac{1}{2}$	-	_	
2	2 Nuno Aives	Laborer	9/1/10	101st St.	Bicep from lifting timber shoring		×			80		×	-	_	_	
													-	_	_	
													-			
													-	$\dashv$	_	_
													_	_		
													_	_		
													_	_	_	_
													-	_		
					Page totals	0	7	0	0	260	0	2	0	0	0	0

Public reporting burden for this collection of Information is estimated to average 14 minutes per response, including time to review the instruction, search and gather the data needed, and complete and review the collection of Information.

Department of Labor, OSHA Office of Stalistics, Room N-3644, 200 Constitution Ave, NW, Washington, DC 20210. Do Persons are not required to respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments about these estimates or any aspects of this data collection, contact. US not send the completed forms to this office. Page

1 of 1

Ø Ξ

ල

9

9

€

√ll other illne

невций гога

gninosio9

Condition

(u)mX

Be sure to transfer these totals to the Summary page (Form 300A) before you post it.

Respiratory

Skin Disorder

### OSHA's Form 300A (Rev. 01/2004)

### Summary of Work-Related Injuries and Illnesses

Oppupational Safety and Health Administration serving eleging the propertion of the properties of 1218-0179

Year 2010 U.S. Department of Labor

Ali establishments covered by Part 1904 must complete this Summary page, even if no injuries or linesses occurred during the year. Femember to review the Log to venify that the entries are complete

Using the Log, count the individual entries you made for each category. Then wrife the lotals below, making sure you've acided the entries from every page of the log. If you had no casss wrife "0."

Employees former employees, and their representatives have the right to review the OSHA Form 300 in its entirety. They also have limited access to the OSHA Form 301 or its equivalent. See 29 CFR 1904.35, in OSHA's Recordicepting rule, for buther details on the access provisions for these forms.

Total number of deaths	Total number of cases with days away from work	Total number of cases with job transfer or restriction	Total number of other recordable cases
0		0	
(9)	£)	6	3
umber of Days			
Total number of days away from		Total number of days of job transter or restriction	

ļ		0	. 0
(1)		(4) Poisoning (5) Hearing Loss	(6) All Other Illnesses
-	y post	2	o
æ	nuryand linese T	Total number of (M) (1) Injury (2) Skin Disorder	(3) Respiratory Condition

Post this Summary page from February 1 to April 30 of the year following the year covered by the form

Publio reporting burden for this collection of information is estimated to average 80 minutes par responses, including time to review the instruction, search and experted the data response to expect on the collection of furnaments unless it displays a currently wild OMB control humber. If you have any comments due title east neglection are as a properted to the data collection, contact. US Department of Labor, DRHA Office of Statistica, from NASSH4, 200 Constitution Ave NRH, Washington, DO 20216, Up not send the concelled forms to his office.

Establishment Information	
Your setablishmant name MFM Contracting Corp.	
Street 335 Center Avenue	and the state of t
City Mamaroneok State New York	Zip 10543
Industry description (e.g.; Manufacture of motor truck traiters) Construction	
Standard Inbustrial Classification (SIC), if known (e.g., SIC 3715)  1 6 2 3.  OR North American Industrial Classification (NAICS), if known (e.g., 336212)	•
Employment information	
Arnuel average number of employees  Total hours worked by all employees last  25,166	
Sign here TTM (Well Knowingly Talsitying this document may result in a fine.	
i certify that I have examined this document and that to the best of my knowledge the entries are true, accurate, and complete.	accurate, and President
914-777-8292	1/31/11 Date

### OSHA's Form 300A (Rev. 01/2004)

### Summary of Work-Related Injuries and Illnesses

Year 2009
U.S. Department of Labor occupational Stroy and Health Authabration response recognitional Endon approved Olde Inc. 1318-0178

All establishments covered by Part 1904 must complete this Summary page, even if no Injuries or Ilnesses occurred cluring the year. Remember to review the Log to verify that the entries are complete

Using the Log, count the individual entries you made for each celegory. Then write the lotals below, making sure you've added the entries from every page of the log. If you had no cases write "0,"

Employees former employees, and their representatives have the right to review the OSHA Form 300 in its entirety. They also have limited eccess to the OSHA Form 301 or its equivalent. See 29 CFR 4904.35, in OSHA's Recondisceping rule, for further details on the access provisions for these forms.

Total number of deaths	Total number of cases with days	Total number of cases with job transfer or	Total number of other recordable
o	0	0	0
(9)	(H)	€	5
Total number of days away from		Total number of days of job transfer or restriction	
08		(4.)	•

0	0
(4) Poisoning (5) Hearing Loss	(6) All Other Illnesses
0	0
Total number of (M) (1) Injury (2) Skin Disorder (3) Resoliratory	

Post this Summary page from February 1 to April 30 of the year following the year covered by the form

Public reporting burden for this collection of information its estimated to average 50 minutes per response, including time to review the instruction, assaml and displays a tours and contract and cont

Establishment information		1
Your establishment name MFM Contracting Corp.		
Street 335 Center Avenue		
Olly Mamaroneck State New York	Zip 10543	
industry description (e.g., Manufacture of motor truck traifers) Construction		
Standard Industrial Classification (SIC), Il known (e.g., SIC 3715)		
Fairone, "Ga) Imonia i (Calabah) manania manan		
Employment information		
Annual average number of employees		
Total hours worked by all employees last 2.463		
Sign here FM Mille		
Knowingly faisifying this document may result in a fine.		
I certify that I have examined this document and that to the best of my knowledge the entries are true, accurate, and complete.	entiles are true, accurate, and	
Mi La R. J. Company executive	President	
9 14-777-829	2/1/10	
and the state of t	!	

ä

### OSHA's Form 300 (Rev. 01/2004)

# Log of Work-Related Injuries and Illnesses

hly y and liness incloant report (OSHA Form 301) or equivalent form for each in Jury or liness recorded on this form. If you're not sure whether a case is recordable, call your local OSHA office filuries and illnesses that meet any of the specific recording criteria listed in 29 CFR 1904.8 through 1904.12. Feel free to use two lines for a single case if you need to. You must complete an beyond first ald. You must also record significant work-related injuries and illnesses that are diagnosed by a physician or licensed health care professional. You must also record work-related

hat protects the confidentiality of employees to the This form contains information relating extent possible while the information is being used to employee health and must be used in a manner for occupational safety and health purposes.



U.S. Department of Labor

Occupational Safety and Health Administration

PROPERTY OF THE SECOND CONTROL OF THE SECOND

ż MFM CONTRACTING CORP. State MAMARONECK Establishment name

1	100	Ģ	Ē				_									
		hoose one type	sesse	nlli 19rito IIA	9											0
		hoose c	. \$	Hearing Los	(2)											0
		5 . K		poinosio9	4		Γ	T		T		T	T	T		0
		iry" colu		Respiratory Condition	6			T	T	T	T	T	T			0
		the "inju	Je	Skin Disorda	જ						l	T	T		-	0
		Check	(X)	(n]ntA	(3)								ľ			0
		er of 1 or III	On Job	transfer or restriction (days)	(F)				-							0
		Enter the number of days the injured or ill worker was:	Vev	From re Work (days)	દ		_	_	_			_	-	_		_
		days worke	A	ES8			_	_		_	L				L	0
		ase based on ase;		ediatwork	3											0
		CHECK ONLY ONE box for each case based on days the injured or ill Check the "injury" column continues actions outcome for that case.		Remained at work  Job transfer Other rec  or restriction able case	€											0
	ily the case	CONLY ONE st serious out	Davsawav	, fram work	Œ											0
	Olass	CHEC		E 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0											0
		(F) be injury or lilness, parts of body affected, lec/substance that directly injured or	made person III (e.g. Second degree burns on right forearm from acetylene (orch)							,						Page totals
	ine case.	a.g. Descri	made i		-	_										
的现在分词是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	Perchen	(E) Where the event occurred (e.g., Loading dock north end)	•				-									
		(D) Date of Injury or	onset of illness	(mo./day)												
		(C) (Lipson Title (e.g., Da Welder) infu														
	E dentify the person of	(B) Employee's Name														•
		Case No.	<del></del>		+			-	-	-		-		1	-	

Public reporting bunden for this collection of information is estimated to average 14 minutes per response, including time to review the instruction, search and gather the date needed, and complete and review the collection of information. Department of Labor, OSHA Office of Statistics, Room N-3644, 200 Constitution Ave, NW, Washington, DC 20210. Do Persons are not required to respond to the collection of information unless it displays a currently valid OMB control rumber. If you have any comments about these estimates or any aspects of this data collection, contact. US not send the completed forms to this office.

1 of 1 Page

ন্ত €

ල

All other illnesses

Hearing Loss

**pninosio**9

Condition

Amjur

Be sure to transfer these totals to the Summary page (Form 300A) before you post it.

Respiratory

Skin Disorder

4

**②** 

### Bid Tab

RECONSTRUCTION OF BROADWAY FROM RECTOR

	STREET TO ANN STREET, ETC BOROUGH OF MANHATTAN							
Bid Date	12/11/2012	FMS ID	HWMWTCA6A					
Estimated Cost	\$46,129,723	PLA	No					
Bid Security	5% of Total Bid Price	Client Agency	NYSDOT					
Time Allowed	1460 CCD	Contract Manager	Giovanni Matos					
Addendum	8	Project Manager	Awad, Nagi					
PIN	8502012HW0013C	E-PIN	85012B0076					
Selective Bidding	□Yes ⊠No	Consultant	In-House					

Bid Rank	Vendor	Bid Multiplier	Security Type
1	TRIUMPH CONSTRUCTION CORP.	0.1900	Bond
2	MFM CONTRACTING CORP.	0.8433	Bond
3	JUDLAU CONTRACTING, INC.	1.0180	Bond
4	TROCOM CONSTRUCTION CORP	1.0197	Bond
5	TULLY CONSTRUCTION CO. INC.	1.2118	Bond
6	JLJ IV ENTERPRISES INC.	1.2765	Bond
7	C.A.C. INDUSTRIES, INC.	1.2789	Bond
8	PERFETTO CONTRACTING CO. INC.	1.2900	Bond
9	CARP CONSTRUCTION CORP.	1.3000	Bond
10	LAWS CONSTRUCTION CORP.	1.4243	Bond

Recorder: <u>Tia Clarke - ext. 2608</u>

Approver

Page 1 of 1

Bid Tab

Description

Pin: 8502012HW0013C

### APPRENTICESHIP PROGRAM REQUIREMENTS

Bidders are advised that the Apprenticeship Program Require	ements set forth below	apply to each contract
for which a check mark is indicated before the word "Yes".		
determined solely by the City.		· ·

2/		210
<u> </u>	YES	NO

### (1) Apprenticeship Program Requirements

Notice to Bidders: Please be advised that, pursuant to the authority granted to the City under Labor Law Section 816-b, the Department of Design and Construction hereby requires that the contractor awarded a contract as a result of this Invitation for Bids, and any of its subcontractors with subcontracts worth one million dollars or over, have, prior to entering into such contract or subcontract, apprenticeship agreements appropriate for the type and scope of work to be performed that have been registered with, and approved by, the New York State Commissioner of Labor. In addition, the contractor and its subcontractors will be required to show that such apprenticeship programs have three years of current, successful experience in providing career opportunities.

The failure to prove, upon request, that these requirements have been met shall result in the contract not being awarded to the contractor or the subcontract not being approved.

Please be further advised that, pursuant to Labor Law Section 220, the allowable ratio of apprentices to journeypersons in any craft classification shall not be greater than the ratio permitted to the contractor as to its workforce on any job under the registered apprenticeship program.

### (2) Apprenticeship Program Questionnaire

The bidder must submit a completed and signed Apprenticeship Program Questionnaire. The Questionnaire is set forth on the following page of the Bid Booklet.



December 12, 2012

Ms. Nejla Hubbard Ms. Giovanni Matos NYCDDC 30-30 Thomson Avenue Long Island City, New York, 11101-3045

VIA EMAIL

Re:

HWMWTCA6A-Reconstruction of Broadway, Phase 1 Supplemental Documentation

Dear Ms. Hubbard & Ms. Matos:

Pursuant to your request, enclosed please find copies of the following documents:

- 1) Osha 300 & 300A Logs for the last 3 years (2009, 2010, & 2011);
- 2) Copies of the Union Agreements that we currently have in place.

MFM Contracting Corp. is currently signed with the following Unions:

- 1) Laborers Union -Local 731 (Term-July 1, 2012 -June 30, 2016);
- 2) Laborers Union -Local 1010 (Term-July 1, 2012-June 30, 2015);
- 3) Operating Engineer's Union-Local 15; (Term-July 1, 2010-June 30, 2014);
- 4) Operating Engineer's Union-Local 14 (Term-July 1, 2010- June 30, 2014);
- Carpenters Union-Locals 1536, 1456, and 926 (Term-July 1, 2011-until a successor agreement is negotiated and agreed to with the Association)

I trust that this response and supplemental information is deemed a sufficient response to your questions, but should you require any other information, please do not hesitate to contact me at my office.

MFM Contracting Corp. is very excited about being the low bidder on the above-mentioned project and we look forward to working with the NYCDDC going forward.

Respectfully yours.

Michael V. Petrillo

President

Enclosures

Agreement – GCA & Operating Engineers Locals 14-14B & 15-15A 7-1-10 thru 6-30-14

### G.C.A.-HEAVY CONSTRUCTION, EXCAVATION, DOCKBUILDING AND FOUNDATION WORK, BUILDING FOUNDATION WORK, PAVING AND ROAD BUILDING WORK, UTILITY WORK, TUNNEL WORK - OPERATING ENGINEERS LOCALS 14-14B & 15 - 15A

### AGREEMENT

between

MEMBERS OF THE GENERAL CONTRACTORS ASSOCIATION OF NEW YORK, INC.

and

THE INTERNATIONAL UNION OF OPERATING ENGINEERS

LOCALS 14-14B & 15 - 15A

JULY 1, 2010 - JUNE 30, 2014

AGREEMENT MADE AND ENTERED INTO THIS 30 DAY OF June, 2010
BETWEEN:LOCAL 14-14B, INTERNATIONAL UNION OF OPERATING
ENGINEERS ("Local 14"); LOCAL 15, 15A, 15B, 15C AND 15D,
INTERNATIONAL UNION OF OPERATING ENGINEERS ("Local 15"), AFLCIO, PARTIES OF THE FIRST PART, AND

CIO, PARTIES	OF THE FIRST PART, A	ND		
•	MFM CONTRA	HETING CORP.		
	(Individual, Partne	rship or Corporation)	1	
Party of the Secon business at	d Part, (hereinafter referre	d to as the "Employe	er"), having a place of	

The Parties acknowledge that Local 14 and Local 15, Operating Engineers, are signatory to the following Collective Bargaining Agreements and Trust Agreements:

- The General Contractors Association Heavy Construction Agreement (the "Local 14 and Local 15-GCA Agreement") for the period from July 1, 2006 to June 30, 2010 and as amended.
- Declarations of Trust establishing the Pension, Welfare, Annuity, Training and Union Assessment Funds of the Local 14-14B, International Union of Operating Engineers. The total contributions to the Funds, unless otherwise indicated, shall be \$29.75 per straight time hour for Local 14-14B.

Declarations of Trust establishing the Pension, Welfare, Annuity, Vacation.

Apprenticeship Skill Improvement and Safety, and Union Assessment Funds of the Local 15, 15A, 15D, International Union of Operating Engineers. The total contributions to the Funds, unless otherwise indicated, shall be \$28.30 per straight time hour for Local 15, 15A and \$27.00 per straight time hour for Local 15D.

Local 14-and Local 15, each reserve their respective rights to reallocate said amounts or to increase the increment to any or all of the aforementioned Funds from negotiated wages at Local 14's and/or Local 15's discretion and upon majority vote of each Local Union's respective membership.

The Employer shall pay the above benefits by the purchase of Stamps from the respective Local 14 and Local 15 Fund Offices.

•

3. Six (6) percent increase in wage plus fringes payable on hours paid each year for five (5) years to be allocated to the wage per hour.

The Employer recognizes Local 14 and Local 15 as a source for the procurement of skilled workers and agrees to employ such workers who are members in good standing of each respective Union or who become members, thereof, within the period prescribed by existing law and which workers, thereafter, shall maintain their membership in good standing in each respective Union.

The Parties acknowledge that this Interim Agreement modifies only the wage rates and fringe benefit rates contained in the current Local 14 and Local 15-GCA Agreement which is set to expire on June 30, 2010. Therefore, the Parties to this Agreement hereby stipulate and agree that the terms and conditions of the current Local 14 and Local 15-GCA Agreement and the aforementioned Declarations of Trust and Amendments thereto, have been exhibited to and read by the Employer, and the Parties further acknowledge and agree that the terms and conditions of same are hereby incorporated by reference into this Agreement. The Employer and Local 14 and Local 15 hereby agree, in consideration of the mutual promises hereinabove exchanged, to be bound by all of the terms, conditions and covenants of the Local 14 and Local 15-GCA Agreement and each of the aforementioned Declaration of Trusts, and Amendments thereto, during the effective term of this Interim Agreement.

The parties acknowledge and agree that this Interim Agreement shall terminate immediately upon finalization and execution of the new applicable Memorandum of Agreement between the General Contractors Association and Local 14 and Local 15, International Union of Operating Engineers, and the parties hereto shall immediately adhere to all terms and conditions of the newly executed master association agreement, including but not limited to, all agreed upon wage rates and fringe benefit rates.

Any changes to this Interim Agreement must be mutually agreed upon by the Parties, must be made in writing and must be signed by authorized representatives of the Parties.

IN WITNESS WHEREOF, the parties have caused this agreement to be executed by their duly authorized representatives.

(COMPANY NAME)

EDWIN L CHRISTIAN PRESIDENT & BUSINESS MANAGER

LOCAL 14-14B

(NAME AND TITLE)

JAMES T. CALLAHAN

PRESIDENT & BUSINESS MANAGER

LOCAL 15, 15A, 15D

(ADDRESS)

CHRISTOPHER CONFREY

RECORDING CORRESPONDING

SECRETARY LOCAL 14-14B

(TELEPHONE NUMBER)

BRIAN S. KELLY

RECORDING CORRESPONDING SECRETARY

LOCAL 15, 15A, 15D

### INDEPENDENT TIMBERMEN

### **AGREEMENT**

between

MFM CONTRACTING CORP. 335 CENTER AVENUE MAMARONECK NY 10543

and

### THE DISTRICT COUNCIL OF CARPENTERS OF NEW YORK CITY AND VICINITY, AFL-CIO

for

**TIMBERMEN'S LOCAL 1536** 

**JULY 01, 2002 - JUNE 30, 2006** 



OF CARPENTERS AND JOINERS OF AMERICA

NEW YORK CITY DISTRICT COUNCIL OF CARPENTERS

FRANK SPION ER Supervisor, UBC JOHN BAHANTANE Amistant Supervisor



395 HOSSONSTREET New YORK, N.M. 1001 ( PHINE) (212) 366-7500 Fax (212) 675-3118

### NOTE

The District Council of Carpenters has enclosed your company's effectuated 2011 compliance agreement for your company's records.

Thank you for your prompt attention in this matter

#### INTERIM COMPLIANCE AGREEMENT INDEPENDENT CONSTRUCTION AGREEMENTS EFFECTIVE JULY 01, 2011

CONTRACTOR:

MFM CONTRACTING CORP.

ACCT#

18494

This Interim Compliance Agreement will confirm that we have agreed to extend our current Collective Bargaining Agreement (the "Agreement") with the District Council of New York and Vicinity of the United Brotherhood of Carpenters and Joiners of America, (the "Union"), which may expire on June 30, 2011, on the following terms:

# Article I Extension of Term

Not withstanding any express termination date contained in the Agreement, the Agreement shall remain in full force and effective until Union negotiates the successor Agreement with the Association (The "Association(s)") whose members perform work similar to the work performed by the Contractor. The "Associations" include the Building Contractors Association ("BCA"), Association of Wall-Ceiling & Carpentry Industries of New York ("Wall-Ceiling"), Contractors Association of Greater New York ("CAGNY"), Greater Metro New York Resilient Floor Coverers Association ("Floor Coverers") Hoisting Trade Association of New York ("Hoisting Trades") the Cement League and Concrete Contractors of Long Island, General Contractors Association, The New York City Millwright Contractors Association, Association of Dockbuilders, Marine Divers and Pile Drivers, New York Trade Show Contractors Association.

# Article II Retroactive Application of New Agreement

When the Union concludes negotiations with the Association(s), whose members perform work similar to the work performed by this firm, all terms and conditions of the newly negotiated Agreement (the "New Agreement(s)"), including but not limited to, wages, fringe benefits, the arbitration provisions, effective dates and all other terms and conditions of employment, as agreed between the Union and the Association(s), shall be binding on our firm, retroactive to July 01, 2011.

# Article III , No Refund of Contribution or Wages

Notwithstanding anything contained herein to the contrary, the Trustees of the various fringe benefit funds of the Union shall not be required to refund any contributions due to a negotiated decrease, if any, in benefit rates contained in the New Agreement(s). Nor shall any employee be required to refund any wages due to a negotiated decrease, if any, in wage rates contained in the New Agreement(s).

# Article IV No-Strike Provision

If the Union reaches an impasse with any of the Associations, whose members perform work similar to the work performed by this firm, and engage in an economic strike against its members, the Union will not engage in an economic strike against the firm. Notwithstanding anything contained herein to the contrary, the Union reserves the right to lawfully strike, at the Union's option, against our firm, our successor, our assignee, our parent and our subsidiary, which perform such work or other work as a subcontractor for the Association(s), or its affiliates, against whom the Union is engaged in a strike.

# Article V Execution and Compliance with New Agreement

Our firm, its successors and/or assignees, shall execute successor agreement(s) within five (5) days of the receipt of the Union's request. However, our firm shall be bound to the terms contained in the New Agreement(s) retroactive to July 01, 2011, by virtue of executing this agreement, regardless of whether it actually executes a successor agreement.

#### Article VI Direct Negotiations

If the Union is unable to reach an agreement with the Association(s) for terms and conditions of employment for a successor agreement, upon ten (10) days oral or written notice to our firm, the Union, at its sole option, may cancel the No-Strike Provision of this agreement and demand that direct negotiations be opened with our firm to negotiate a successor Collective Bargaining Agreement.

In Witness Whereof, the parties hereto make and enter into this Interim Compliance Agreement, and we, their duly authorized and empowered representatives, have hereunto set our hands and seal this:

Contractor: M F M CONTRACTING CORP.

335 CENTER AVENUE

MAMARONECK, NY 10543

Presided Michael V - ledrillo

OFFICER'S SIGNATURE

Date Signed: 6/8/1

DISTRICT COUNCIL OF NEW YORK CITY AND VICINITY OF THE UNITED BROTHERHOOD OF CARPENTERS AND JOINERS OF AMERICA

By:

wheel I Sa

6-23-11

•

# BUILDING, CONCRETE, EXCAVATING & COMMON LABORERS' UNION LOCAL No. 731

of

GREATER NEW YORK,
LONG ISLAND AND VICINITY
of the

LABORERS' INTERNATIONAL UNION OF NORTH AMERICA

# INDEPENDENT AGREEMENT

JULY 1, 2012 to JUNE 30, 2016



•

This Agreement may not be altered, modified or changed in any way unless any such proposed alteration, modification or change is in writing, is approved by the Union and is initialed or signed by an officer of the Union at the location in the Agreement of such proposed alteration, modification or change.

IN WITNESS WHEREOF, the parties have executed this Agreement as of the day and year stated in Article XIII hereof.

EMPLOYER:

BUILDING, CONCRETE, EXCAVATING & COMMON LABORERS' UNION LOCAL NO. 731 OF GREATER NEW YORK, LONG ISLAND & VICINITY

BY: MFM Contracting Corp. (Full and Exact Name of Employed)

BY: Frank Biancaniello

President

BY: When V. — Preside (Signature & Title of Principal Officer)

Joseph D'Amato Business Manager

BY: Michael V. Petrillo
(Print Name of Signing Principal Officer)

Frank P. Ombres

Secretary-Treasurer

Dated: August 14, 20/2

# **AGREEMENT**

BETWEEN.

THE HIGHWAY ROAD AND STREET
CONSTRUCTION LABORERS
LOCAL UNION 1010

OF

THE DISTRICT COUNCIL OF PAVERS
AND ROAD BUILDERS OF THE
LABORERS' INTERNATIONAL UNON
OF NORTH AMERICA AFL-CIO
AND
THE EMPLOYER

JULY 1, 2012- JUNE 30, 2015

JULY 2012

# INDEPENDENT AGREEMENT HIGHWAY, ROAD, AND STREET

# CONSTRUCTION LABORERS LOCAL 1010

JULY 1, 2012-JUNE 30, 2015

# PAVERS AND ROAD BUILDERS DISTRICT COUNCIL

Ву:	Date:	
Keith Loscalzo, Business Manager		
LOCAL 1010		
Ву:		
Keith Loscalzo, Business Manager		1
MFM Contracting Corp.		
Print Name of Company		
By: -Milalz.		
Signature	,	
Michael V. Petrillo-President	Date: 7/3//12	
Print Name and Title		
335 Center Avena	•	
Address	•	
Mamaroneck, N.Y. 10543		
Telephone #: 914-777 - 8252		
Fax #: 914-777-0194		
Original Jobsite: N/A		
JULY 2012		Page 32

#### **Pre-Award Process**

The bidder is advised that as part of the pre-award review of its bid, it may be required to submit the information described in Sections (A) through (D) below. If required, such information must be submitted by the bidder within five (5) business days following receipt of notification from DDC that it is among the low bidders. Such notification from DDC will be by facsimile or in writing and will specify the types of information must be submitted. The types of information the bidder may be required to submit are described below. In the event the bidder fails to submit the required information within the specified time frame, its bid may be rejected as nonresponsive.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

- (A) **Project Reference Form**: If required, the bidder must complete and submit the Project Reference Form set forth on pages 17 through 19 of this Bid Booklet. The Project Reference Form consists of 3 parts: (1) Similar Contracts Completed by the Bidder, (2) Contracts Currently Under Construction by the Bidder, and (3) Pending Contracts Not Yet Started by the Bidder.
- (B) Copy of License: If required, the bidder must submit a copy of the license under which the bidder will be performing the work. Such license must clearly show the following: (1) Name of the Licensee, (2) License Number, and (3) Expiration date of the License. A copy of the license will be required from bidders for the following contracts: Plumbing Work, Electrical Work and Asbestos Abatement.
- (C) Financial Information: If required, the bidder must submit the financial information described below:
  - (1) Audited Financial Statements: Financial statements (Balance Sheet and Income Statement) of the entity submitting the bid, as audited by an independent auditor licensed to practice as a certified public accountant (CPA). Audited financial statements for the three most recent fiscal years must be submitted. Each such financial statement must include the auditor's standard report.

If the bidder does not have audited financial statements, it must submit an affidavit attesting to the fact that the bidder does not have such statements. In addition, the bidder must submit the following documentation covering the three most recent fiscal years: signed federal tax returns, unaudited financial statements, and a "certified review letter" from a certified public accountant (CPA) verifying the unaudited financial statements.

Unless the most recent audited or unaudited financial statement was issued within ninety (90) days, the bidder must submit interim financial information that includes data on financial position and results of operation (income data) for the current fiscal year. Such information may be summarized on a monthly or quarterly basis or at other intervals.

(2) Schedule of Aged Accounts Receivable, including portion due within ninety (90) days.

- (D) **Project Specific Information**: If required, the bidder must submit the project specific information described below:
  - (1) Statement indicating the number of years of experience the bidder has had and in what type of construction.
  - (2) Resumes of all key personnel to be involved in the project, including the proposed project superintendent.
  - (3) List of significant pieces of equipment expected to be used for the contract, and whether such equipment is owned or leased.
  - (4) Description of work expected to be subcontracted, and to what firms, if known.
  - (5) List of key material suppliers.
  - (6) Preliminary bar chart time schedule
  - (7) Contractor's expected means of financing the project. This should be based on the assumption that the contractor is required to finance 2X average monthly billings throughout the contract period.
  - (8) Any other issues the contractor sees as impacting his ability to complete the project according to the contract.

In addition to the information described in Sections (A) through (D) above, the bidder shall submit such additional information as the Commissioner may require, including without limitation, an explanation or justification for specific unit price items.

The bidder is further advised that it may be required to attend a pre-award meeting with DDC representatives. If such a meeting is convened, the bidder will be advised as to any additional material to be provided.

16

# PROJECT REFERENCES – SIMILAR CONTRACTS COMPLETED BY THE BIDDER Ą

List all contracts substantially completed within the last 4 years similar to the contract being awarded, up to a maximum of 10, in descending order of date of substantial completion.

Architect/Engineer Reference & Tel. No. if different from owner			· · · · · · · · · · · · · · · · · · ·	
Owner Reference & Tel. No.				
Date Completed				
Contract Amount (\$000)				
Contract Type				
Project & Location				

CITY OF NEW YORK
DEPARTMENT OF DESIGN AND CONSTRUCTION

BID BOOKLET SEPTEMBER 2008

# PROJECT REFERENCES - CONTRACTS CURRENTLY UNDER CONSTRUCTION BY THE BIDDER æ

List all contracts currently under construction even if they are not similar to the contract being awarded.

<u></u>	T	 		···
Architect/En gineer Reference & Tel. No. if different from owner			e.	
Owner Reference & Tel. No.				
Date Scheduled to Complete				
Uncompleted Portion (\$000)				
Subcontracted to Others (\$000)				
Contract Amount (\$000)			-	
Contract				
Project & Location				

	AND CONSTRUCTION
ITY OF NEW YORK	EPARTMENT OF DESIGN

18

BID BOOKLET SEPTEMBER 2008

# PROJECT REFERENCES – PENDING CONTRACTS NOT YET STARTED BY THE BIDDER ن

List all contracts awarded to or won by the bidder but not yet started.

		Contract			Architect/Engineer
Project & Location	Contract Type	Amount (\$000)	Date Scheduled to Start	Owner Reference & Tel. No.	Reference & Tel. No. if different from owner

CITY OF NEW YORK
DEPARTMENT OF DESIGN AND CONSTRUCTION

19


BID BOOKLET SEPTEMBER 2008

(NO TEXT ON THIS PAGE)

# OFFICE OF THE MAYOR BUREAU OF LABOR SERVICES CONTRACT CERTIFICATE

To be completed if the contract is less than \$1,000,000

Contractor:		
Address:		
Telephone Number:		
Name and Title of Signatory:		
Contracting Agency or Owner:		
Project Number:		
Proposed Contract Amount:		
Description and Address of Proposed		
Names of Subcontractors in the amorestate indicating that trades will be su	· · · · · · · · · · · · · · · · · · ·	tract (if not known at this time, so
I, (fill in name of person sign hereby affirm that I am authorized by proposed contract with the above-na- is made in accordance with Executiv	y the above-named contractor to ce med owner or city agency is less th	an \$1,000,000. This affirmation
Date	Signat	ure
WILLFUL OR FRAUDULEN SUBMITTED HEREWITH MAY RE THE CITY AND THE BIDDER OR O PARTICIPATION IN ANY CITY CO SUCH FALSIFICATION MAY RESU	CONTRACTOR AND BAR THE BI INTRACT FOR A PERIOD OF UP	FANY CONTRACT BETWEEN DDER OR CONTRACTOR FROM TO THREE YEARS. FURTHER,
CITY OF NEW YORK	20	RID ROOKI FT



### **VENDEX COMPLIANCE**

- (A) <u>Vendex Fees</u>: Pursuant to Procurement Policy Board Rule 2-08(f)(2), the contractor will be charged a fee for the administration of the VENDEX system, including the Vendor Name Check process, if a Vendor Name Check review is required to be conducted by the Department of Investigation. The contractor shall also be required to pay the applicable required fees for any of its subcontractors for which Vendor Name Check reviews are required. The fee(s) will be deducted from payments made to the contractor under the contract. For contracts with an estimated value of less than or equal to \$1,000,000, the fee will be \$175 per Vendor Name Check review. For contracts with an estimated value of greater than \$1,000,000, the fee will be \$350 per Vendor Name Check review.
- (B) <u>Confirmation of Vendex Compliance</u>: The Bidder shall submit this Confirmation of Vendex Compliance to the Department of Design and Construction, Contracts Section, 30-30 Thomson Avenue First Floor, Long Island City, NY 11101.

**<u>Bid Information:</u>** The Bidder shall complete the bid information set forth below. Name of Bidder: Bidder's Address:

Bidder's Telephone Number: Bidder's Fax Number: Date of Bid Opening: PROJECT ID: <u>Vendex Compliance</u>: To demonstrate compliance with Vendex requirements, the Bidder shall complete either Section (1) or Section (2) below, whichever applies. (1) Submission of Vendex Questionnaires to MOCS: By signing in the space provided below, the Bidder certifies that as of the date specified below, the Bidder has submitted Vendex Questionnaires to the Mayor's Office of Contract Services, Attn: VENDEX, 253 Broadway, 9th Floor, New York, New York 10007. Date of Submission: (Signature of Partner or corporate officer) Print Name: (2) Submission of Certification of No Change to DDC: By signing in the space provided below, the Bidder certifies that it has read the instructions in a "Vendor's Guide to Vendex" and that such instructions do not require the Bidder to submit Vendex Questionnaires. The Bidder has completed TWO ORIGINALS of the Certification of No Change set forth on the next page of this Bid Booklet. (Signature of Partner or corporate officer) Print Name:

(NO TEXT ON THIS PAGE)

# Certificate of No Change Form



- Please submit two completed forms. Copies will not be accepted.
- Please send both copies to the agency that requested it, unless you are advised to send it directly to the Mayor's Office of Contract Services (MOCS).
- A materially false statement willfully or fraudulently made in connection with this certification, and/or the failure to conduct appropriate due diligence in verifying the information that is the subject of this certification, may result in rendering the submitting entity non-responsible for the purpose of contract award.

purpose of contract award.
<ul> <li>A materially false statement willfully or fraudulently made in connection with this certification may subject the person making the false statement to criminal charges</li> </ul>
I. Michael v. Petr. II o , being duly sworn, state that I have re Enter Your Name
and understand all the items contained in the vendor questionnaire and any submission of chang as identified on page one of this form and certify that as of this date, these items have not changed. I further certify that, to the best of my knowledge, information and belief, those answer are full, complete, and accurate; and that, to the best of my knowledge, information, and belief, those answers continue to be full, complete, and accurate.
In addition, I further certify on behalf of the submitting vendor that the information contained in the principal questionnaire(s) and any submission of change identified on page two of this form have not changed and have been verified and continue, to the best of my knowledge, to be full, completed and accurate.
I understand that the City of New York will rely on the information supplied in this certification as additional inducement to enter into a contract with the submitting entity.
Vendor Questionnaire This section is required.  This refers to the vendor questionnaire(s) submitted for the vendor doing business with the City.
Name of Submitting Entity: MFM Contracting Corp.
Vendor's Address: 335 center Avenue, Managoneck, N.Y. 10543
Vendor's EIN or TIN: 13-4130805 Requesting Agency: NYCOAC
Are you submitting this Certification as a parent? (Please circle one) Yes (No)
Signature date on the last full vendor questionnaire signed for the submitting vendor: ≥ 1/6/12
Signature date on change submission for the submitting vendor:

Principal Questionnaire

This section refers to the most recent principal questionnaire submissions.



Principal Name	Date of signature on last full Principal Questionnaire	Date(s) of signature on submission of change
1 Michael V Petrillo	3/16/17	N/A
2 Felix J. Petrillo	3/16/12	N/A
3		
4		
5		
6		
Check if additional changes were submit	ired.	
This form must be signed and notarized.  Certified By:  Michael V. Petrillo Name (Print)	Please complete this twice. C	opies will not be accepted.
President Title		
MFM Contracting Corp. Name of Submitting Entity  Wichal 7		5/20/13
Notarized By:  Notary Public	Anthony Mastrar Notary Public, State of Registration # 01MA6 Qualified in Westcheste Countly Company Marc	New York 1038438 er C <u>ounty</u> 14
1 1	20, 2013	myempy realition:

# IRAN DIVESTMENT ACT COMPLIANCE RIDER

### FOR NEW YORK CITY CONTRACTORS

The Iran Divestment Act of 2012, effective as of April 12, 2012, is codified at State Finance Law ("SFL") §165-a and General Municipal Law ("GML") §103-g. The Iran Divestment Act, with certain exceptions, prohibits municipalities, including the City, from entering into contracts with persons engaged in investment activities in the energy sector of Iran. Pursuant to the terms set forth in SFL §165-a and GML §103-g, a person engages in investment activities in the energy sector of Iran if:

- (a) The person provides goods or services of twenty million dollars or more in the energy sector of Iran, including a person that provides oil or liquefied natural gas tankers, or products used to construct or maintain pipelines used to transport oil or liquefied natural gas, for the energy sector of Iran; or
- (b) The person is a financial institution that extends twenty million dollars or more in credit to another person, for forty-five days or more, if that person will use the credit to provide goods or services in the energy sector in Iran and is identified on a list created pursuant to paragraph (b) of subdivision three of Section 165-a of the State Finance Law and maintained by the Commissioner of the Office of General Services.

A bid or proposal shall not be considered for award nor shall any award be made where the bidder or proposer fails to submit a signed and verified bidder's certification.

Each bidder or proposer must certify that it is not on the list of entities engaged in investment activities in Iran created pursuant to paragraph (b) of subdivision 3 of Section 165-a of the State Finance Law. In any case where the bidder or proposer cannot certify that they are not on such list, the bidder or proposer shall so state and shall furnish with the bid or proposal a signed statement which sets forth in detail the reasons why such statement cannot be made. The City of New York may award a bid to a bidder who cannot make the certification on a case by case basis if:

- (1) The investment activities in Iran were made before the effective date of this section (i.e., April 12, 2012), the investment activities in Iran have not been expanded or renewed after the effective date of this section and the person has adopted, publicized and is implementing a formal plan to cease the investment activities in Iran and to refrain from engaging in any new investments in Iran: or
- (2) The City makes a determination that the goods or services are necessary for the City to perform its functions and that, absent such an exemption, the City would be unable to obtain the goods or services for which the contract is offered. Such determination shall be made in writing and shall be a public document.

# BIDDER'S CERTIFICATION OF COMPLIANCE WITH <u>IRAN DIVESTMENT ACT</u>

Pursuant to General Municipal Law §103-g, which generally prohibits the City from entering into contracts with persons engaged in investment activities in the energy sector of Iran, the bidder/proposer submits the following certification:

[Please Check One]

ER'S CERTIFICATION	
behalf of any bidder/proposer certified certifies as to its own organization, knowledge and belief, that each bidden	l, each bidder/proposer and each person signing or es, and in the case of a joint bid each party thereto under penalty of perjury, that to the best of its der/proposer is not on the list created pursuant to tion 165-a of the State Finance Law.
on the list created pursuant to paragra	nd the name of the bidder/proposer does not appear ph (b) of subdivision 3 of Section 165-a of the State ed statement setting forth in detail why I cannot so
: Mamaroneck, New York 5/20,20/3	SIGNATURE  Michael V. Petrillo  PRINTED NAME  President
Public Arthony Mastrangelo Notary Public, State of New York Registration # 01 MA6038438 Qualified in Westchester County My Commission Expires March 13, 20	TITLE
!	By submission of this bid or proposal behalf of any bidder/proposer certifies as to its own organization, knowledge and belief, that each bidded paragraph (b) of subdivision 3 of Section I am unable to certify that my name a on the list created pursuant to paragraph Finance Law. I have attached a significant certify.  The manage of Mey 2013  Public Arthony Mastrangelo Notary Public, State of New York Registration # 01MA6038438 Qualified in Westchester County (1)



Robert W. Walsh Commissioner BBC-BIB ROOM CONTRACTS

2013 JUN 24 A 9: 21

#213CY136

June 13, 2013

Mr. Perry Jacobs Senior Project Manager MFM Contracting Corp. 335 Center Avenue Mamaroneck, NY 10543

RE: Department of Design and Construction Contract; #8502013HW0024C,

HWXP093B; Reconstruction of Boller Avenue from Station 10+50 Station 18+00, Needham Avenue from Station 11+09 to Station 14+75; Borough of the Bronx;

Contract Value: \$7,899,480.42; Continued Certificate of Approval.

Dear Mr. Jacobs:

Please be advised that MFM Contracting Corp. has already received notice of its approval status for the three (3) year period indicated in the Department of Small Business Services/Division of Labor Services' (DLS') Certificate of Approval dated March 26, 2012 for File #212CY056.

As your organization continues to meet the equal employment opportunity requirements of the City of New York, DLS approves the awarding of the above-referenced contract. This approval does not extend the initial 3 year approval (March 26, 2012 – March 25, 2015) referred to above.

If you have any questions, please call Ms. Kim Muldrow-Maxwell at (212) 513-6433 or by email <a href="mailto:kmuldrow@sbs.nyc.gov">kmuldrow@sbs.nyc.gov</a>.

Very truly yours,

Helen Wilson

**Executive Director** 

Division of Labor Services

c: Celloy Williams
Kim Muldrow-Maxwell
File

THE CITY OF NEW YORK DEPARTMENT OF SMALL BUSINESS SERVICES **DIVISION OF LABOR SERVICES CONTRACT COMPLIANCE UNIT** 110 WILLIAMS STREET **NEW YORK, NEW YORK 10038** 

PHONE: (212) 513-6323

FAX:

(212) 618-8879

# **CONSTRUCTION**

# **EMPLOYMENT**

**REPORT** 

(NO TEXT ON THIS PAGE)

The City of New York
Department of Small Business Services
Division of Labor Services
Contract Compliance Unit
110 William Street
New York, New York 10038

Phone: (212) 513 - 6323 Fax: (212) 618-8879

# CONSTRUCTION EMPLOYMENT REPORT INSTRUCTIONS

# WHO MUST FILE A CONSTRUCTION EMPLOYMENT REPORT

A Construction Employment Report (ER) must be filed if you meet the following conditions:

CONTRACT FUNDING SOURCE	CONTRACTOR	CONTRACTIVALUE	SUBMISSION REQUIREMENT
Federally assisted	Prime and subcontractors	\$10,000 or greater	
City and state funded	Prime contractor	\$1,000,000 or greater	Construction Employment Report
	Subcontractor	\$750,000 or greater	
	Subcontractor	Less than \$750,000	Less than \$750,000 Waiver

#### Prime Contractor:

- A general contractor or construction manager selected to perform work on a construction project funded (in whole
  or in part) by the federal government with a proposed contract value of \$10,000 or more.
- A general contractor or construction manager selected to perform work on a construction project funded or assisted by the City of New York with a proposed contract value of \$1,000,000 or more.

#### Subcontractor:

- A subcontractor selected to perform work on a construction project funded (in whole or in part) by the federal government with a proposed contract value of \$10,000 or more.
- A subcontractor selected to perform work on a construction project funded or assisted by the City of New York with a proposed contract value of \$750,000 or more.
- A subcontractor selected to perform work on a construction project funded or assisted by the City of New York
  with a proposed contract value of less than \$750,000 must submit a "Less than \$750,000" waiver.

#### WHERE TO FILE

Employment Reports must be filed with the City agency awarding the contract. If you are a contractor or subcontractor who will be working for a private developer in receipt of funding or assistance from the City, the ER must be filed with the City agency with jurisdiction over the developer's project.

# **DLS REVIEW PROCESS**

In accordance with Executive Order 50 (EO 50), upon receipt by DLS of a completed ER, DLS conducts a review of the contractor's current employment policies, practices and procedures, as well as perform a statistical analysis of the contractor's workforce, if necessary. The process is as follows:

1. Within five (5) business days, DLS will review the ER for completeness and accuracy. If any information is omitted Page 1

Revised 1/13

or incorrect, or if necessary documents are not submitted, the submission shall be deemed incomplete and DLS will inform the contractor. The substantive compliance review does not commence until the submission is complete. An incomplete submission will delay the review process and may preclude or interrupt the contract approval.

2. If the ER submission is complete, the compliance review will proceed, resulting in one of the following:

#### Certificate of Approval

The contractor is found to be in compliance with all applicable laws and regulations. The approval is valid for 36 months.

#### **Continued Approval Certificate**

The contractor has been issued a Certificate of Approval in the previous 36 months which is good for the applicable contract.

# **Conditional Certificate of Compliance**

The contractor is required to take corrective actions in order to be in compliance with EO 50. The contractor must meet the conditions within one month of the issue of the Conditional Certificate.

### **Determination of Nonperformance**

The contractor has failed to take the required corrective actions stipulated in the Conditional Certificate. A determination of nonperformance may prevent a contractor from receiving an award of a contract.

# HOW TO COMPLETE THE EMPLOYMENT REPORT

#### Contents

#### General Information

Part I: Contractor/Subcontractor Information
Part II: Employment Policies and Practices

Part III: Contract Bid Information and Projected and Current Workforce Forms

Signature Page

# PART I: CONTRACTOR/SUBCONTRACTOR INFORMATION

Questions 4 – 8: Please provide the required contact information for your company. All contracts must have a designated Equal Employment Officer.

Question 9: If you are a subcontractor, you must state the name of the contractor for whom you are providing the construction services.

Question 10: Please provide the number of permanent employees in your company.

Question 11a-h: The Project Identification Number (PIN) and the Contract Registration ID Number (CT#) can be obtained from the City agency. Provide a description of the trade work you will perform on this project and the address where the work will be performed. Subcontractors can obtain this information from the contract they have with the prime contractor.

Questions 12 – 14: If your company has received a valid Certificate of Approval within the past 36 months, been audited by the United States Department of Labor, Office of Federal Contract Compliance Programs (OFCCP), or if your company has submitted an ER for a different contract for which you have not yet received a compliance certificate, then you only need to complete and submit the following:

- General Information section
- · Part I Contractor/Subcontractor Information
- Form B Projected Workforce
- Signature Page

If your company is currently waiting for an approval on another contract previously submitted, be certain to identify the date on which you submitted the completed Employment Report, the name of

the City contracting agency with which the contract was made, and the name and telephone number of the person to whom the Employment Report was submitted.

If your company was issued a Conditional Certificate of Approval, all required corrective actions must have been taken or DLS will not issue a Continued Certificate.

Question 15:

If the company was audited by the OFCCP, also provide the following:

- Identify the reviewing OFCCP office by its name and address
- If an unconditional certificate of compliance was issued by the OFCCP, attach a copy of the certificate in lieu of completing Parts II and III;
- Include copies of all corrective actions and documentation of OFCCP's performance; and
- Provide a copy of all stated OFCCP findings.

Question 16:

Please provide a copy of any Collective Bargaining Agreement(s) which is negotiated through an employer trade association on behalf of your organization or any of its affiliates.

#### PART II: EMPLOYMENT POLICIES AND PRACTICES

Remember to label all documents with the question number for which they are submitted.

Questions 17a - j: You must respond to the questions as to whether or not your firm has documents reflecting written policies, benefits and procedures. If so, then you must identify by name each document in which the policy(ies), procedure(s) and benefit(s) is located and submit copies of all of the document(s). If your firm follows unwritten practices or procedures, include an explanation of how they operate. Please submit the most current document(s), including all applicable amendments. Label each document and/or unwritten practice according to the question to which it corresponds (e.g. 18a, 18b, etc.)

Questions 18a - h: Inquires about the manner/methods by which you comply with the requirements of the Immigration Reform and Control Act of 1986 (IRCA).

Question 19:

Inquires into where and how I-9 forms are maintained and stored.

Questions 20a - e: Inquires into whether or not there is a requirement that an applicant or employee be subjected to a medical examination at any given time. Copes of the medical information questionnaire and instructions must be submitted with the Employment Report.

Question 21:

Indicate the existence and location of all statements of your firm's Equal Employment Opportunity policy and attach a copy of each statement.

Question 22:

Submit any current Affirmative Action Plan(s) created pursuant to Executive Order 11246.

Question 23:

If your firm or collective bargaining agreement has an internal grievance procedure, indicate this and submit a copy of the policy and procedure. If unwritten, explain its nature and operation.

Explain how your firm's procedure addresses EEO complaints.

Question 24:

If your employees have used the procedure in the last three (3) years, please submit an explanation in the format indicated below:

ĺ	Number of complaint(s)	Nature of the complaint(s)	Position(s) of the complainant(s)	4. Was an investigation conducted?	5. Current status of the disposition
				Y/N	

Question 25:

Indicate whether in the past three (3) years complaints have been filed with a court of law or administrative agency, naming your company as a defendant (or respondent) in a complaint alleging violation of any anti-discrimination or affirmative action laws. If yes, develop and submit a log to show, for each administrative/and or judicial action filed, the following information:

Name(s) of complainant(s)	2. Administrative agency or court in which action	3. Nature of the complaint(s)	4. Current status	5. If not pending, the complaint's disposition
	was filed			,

Question 26:

Identify each job for which a physical qualification exists. Identify and explain the physical qualification(s) for each stated job. Submit job descriptions for each job and the reasons for the qualifications.

Question 27:

Identify each job for which there exists any qualification related to age, race, color, national origin, sex, creed, disability, marital status, sexual orientation or citizenship status. Identify and explain the specific related qualification for each job stated. Submit job descriptions for each job and the reasons for the qualifications.

# PART III: CONTRACT BID INFORMATION AND PROJECTED AND CURRENT WORKFORCE FORMS

# FORM A: CONTRACT BID INFORMATION - USE OF SUBCONTRACTORS/TRADES

Your projections for the utilization of subcontractors on the proposed contract are to be provided in this section. A chart has been provided for the identification of subcontractors. Information is to be provided to the extent known at the time the ER is filed for review by DLS. If the subcontractor's name is unknown, then write "unknown". Under "ownership", enter the appropriate race/ethnic and gender code. If the contract is federally funded or assisted and the subcontractor is being utilized in accordance with applicable federal requirements with respect to Minority Business Enterprise or Woman Business Enterprise requirements, enter the appropriate code. This will also apply to state funded contracts with similar requirements for minority and female owned businesses.

# FORM B: PROJECTED WORKFORCE FOR WORK TO BE PERFORMED ON THIS PROJECT

For each trade to be engaged by your company for this project, enter the projected workforce for Males and Females by trade classification in the charts provided.

# FORM C: CURRENT WORKFORCE FOR WORK TO BE PERFORMED ON THIS PROJECT

For each tradecurrently engaged by your company for all work performed in NYC, enter the current workforce for Males and Females by trade classification in the charts provided.

#### SIGNATURE PAGE

The signatory of this Employment Report and all other documents submitted to DLS must be an official authorized to enter into a binding legal agreement. The signature page must be completed in its entirety and notarized. Only original signatures will be accepted.

# The City of New York Department of Small Business Services Division of Labor Services Contract Compliance Unit 110 William Street, New York, New York 10038 Phone: (212) 513 - 6323

Fax: (212) 618-8879

### CONSTRUCTION EMPLOYMENT REPORT

#### GENERAL INFORMATION

GENE	ERALINFORMATION
1.	Your contractual relationship in this contract is:  Prime contractor_X_ Subcontractor
1a.	Are MWBE goals attached to this project? Yes No
2.	Please check one of the following if your firm would like information on how to certify with the City of New York as a: Minority Owned Business EnterpriseLocally based Business EnterpriseEmerging Business Enterprise
2a.	If you are certified as an MBE, WBE, or LBE, what city/state agency are you certified with?  Are you DBE certified? Yes No
3.	Please indicate if you would like assistance from SBS in identifying certified M/WBEs for contracting opportunities: Yes No
4. is	this project subject to a project labor agreement? Yes No
PART	I: CONTRACTOR/SUBCONTRACTOR INFORMATION
5.	13 - 413 08 05 Employer Identification Number or Federal Tax I.D./ Email Address
6.	Company Name
7.	Company Address and Zip Code Managoneck N.Y. 10543
8.	Michael V. Petrillo 914-777-8292 Chief Operating Officer Telephone Number
9	Perg Tacols  Designated Equal Opportunity Compliance Officer  (If same as Item #7, write "same")
10.	Name of Prime Contractor and Contact Person (If same as Item #5, write "same")
11.	Number of employees in your company:

Page 1	• •	
Revised 1/13		
FOR OFFICIAL USE ONL	Y: File No.	

12.	Contract information:	
	(a) NYCNOC	N & CMM I HIDMM
	Contracting Agency (City Agency)	Contract Amount
	(d) 8502 013 Harron 246	a)
	(d) <u>850えの13日 いのう</u> は Procurement Identification Number (PIN)	Contract Registration Number (CT#)
	(f) 9/1/13 - ?	9/1/14
	(f) 9/1/3-? Projected Commencement Date	Projected Completion Date
	(h) Description and location of proposed contract:	
	Reconstruction of Boller Avenu	Le Brown N.Y.
13.	Has your firm been reviewed by the Division of Labor and issued a Certificate of Approval? Yes No	Services (DLS) within the past 36 months
	If yes, attach a copy of certificate.	
14.	Has DLS within the past month reviewed an Employn and issued a Conditional Certificate of Approval? Ye	nent Report submission for your company
	If yes, attach a copy of certificate.	
CO	OTE: DLS WILL NOT ISSUE A CONTINUED CERTIFI /ITH THIS CONTRACT UNLESS THE REQUIRED COF ONDITIONAL CERTIFICATES OF APPROVAL HAVE I	RECTIVE ACTIONS IN PRIOR BEEN TAKEN.
15.	Has an Employment Report already been submitted the Employment Report) for which you have not yet receives No/ If yes,	or a different contract (not covered by this ved compliance certificate?
	Date submitted:	
	Agency to which submitted:	
	Name of Agency Person:	
	Contract No: Telephone:	
	relephone.	
16.	Has your company in the past 36 months been audite Labor, Office of Federal Contract Compliance Progra	ed by the United States Department of ms (OFCCP)? Yes No/
	If yes,	
	(a) Name and address of OFCCP office.	
	(b) Was a Certificate of Equal Employment Complian Yes No	
Page 2 Revised FOR O		

	If yes, attach a copy of such certificate.
	(c) Were any corrective actions required or agreed to? Yes No
	If yes, attach a copy of such requirements or agreements.
	(d) Were any deficiencies found? Yes No
	If yes, attach a copy of such findings.
17.	Is your company or its affiliates a member or members of an employers' trade association which is responsible for negotiating collective bargaining agreements (CBA) which affect construction site hiring? Yes No_ $\sqrt{}$
	If yes, attach a list of such associations and all applicable CBA's.
PART	II: DOCUMENTS REQUIRED
18.	For the following policies or practices, attach the relevant documents (e.g., printed booklets, brochures, manuals, memoranda, etc.). If the policy(ies) are unwritten, attach a full explanation of the practices. See instructions.
	(a) Health benefit coverage/description(s) for all management, nonunion and union employees (whether company or union administered)
	(b) Disability, life, other insurance coverage/description
	(c) Employee Policy/Handbook
	(d) Personnel Policy/Manual
	(e) Supervisor's Policy/Manual
	(f) Pension plan or 401k coverage/description for all management, nonunion and union employees, whether company or union administered
	(g) Collective bargaining agreement(s).
	(h) Employment Application(s)
	(i) Employee evaluation policy/form(s).
	(j) Does your firm have medical and/or non-medical (i.e. education, military, personal, pregnancy, child care) leave policy?
19.	To comply with the Immigration Reform and Control Act of 1986 when <u>and of whom</u> does your firm require the completion of an I-9 Form?
	(a) Prior to job offer (b) After a conditional job offer (c) After a job offer (d) Within the first three days on the job (e) To some applicants (f) To all applicants (g) To some employees (h) To all employees  Yes No  Yes No

Page 3
Revised 1/13
FOR OFFICIAL USE ONLY: File No.\_\_\_\_\_

Does your firm or any of it medical examination? Ye	ts collective bargaining a	greements require j	ob applicants to take
If yes, is the medical exar	mination given:		
(a) Prior to a job offer	Yes No_		
(b) After a conditional job	o offer Yes No_ Yes No_ Yes No_	<u> </u>	
(c) After a job offer	Yes No_		
(d) To all applicants	Yes No_		
(e) Only to some applicant	nts Yes No_		
If yes, list for which applic	cants below and attach co	pies of all medical	examination or
questionnaire forms and i	instructions utilized for the	ese examinations.	
<del></del>			
Da var bara a cultura	ual employment opportun	ity (EEO) policy? V	es No
Do you have a written equal of yes, list the document(s			
	s) and page number(s) when a current affirmative action	nere these written p	
If yes, list the document(s  Does the company have a  Minorities and Won	a current affirmative action	nere these written p	
If yes, list the document(s	a current affirmative action	nere these written p	
Does the company have Minorities and Won Individuals with har Other. Please spec	a current affirmative actionen ndicaps cify	nere these written p	olicies are located.
Does the company have a Minorities and Won Individuals with har Other. Please spec	a current affirmative actionen ndicaps cify ve bargaining agreement ts? Yes No	nere these written p	olicies are located.
Does the company have a Minorities and Won Individuals with har Other. Please specific people of the EEO complaints	a current affirmative actionen ndicaps cify ve bargaining agreement ts? Yes No py of this policy.	nere these written point plan(s) (AAP)	olicies are located.
Does the company have a Minorities and Word Individuals with har Other. Please spectoses your firm or collection respect to EEO complaints.	a current affirmative actionen ndicaps cify ve bargaining agreement ts? Yes No py of this policy.  Itling your firm's unwritten the past three years, file with any official of your firm.	nere these written point plan(s) (AAP)  (s) have an internal procedure for hanced a complaint pursi	grievance procedure
Does the company have a Minorities and Won Individuals with har Other. Please spectorespect to EEO complaint of the please attach a could not attach a report details any employee, within grievance procedure or well as any employee.	a current affirmative actionen ndicaps cify	nere these written point plan(s) (AAP)  (s) have an internal procedure for hanced a complaint pursue with respect to equivalent procedure for equivalent pursue for the equivalent pursue for the equivalent pursue for the equivalent pursue for	grievance procedure

Page 4
Revised 1/13
FOR OFFICIAL USE ONLY: File No.

27.	Are there any jobs for which there are physical qualifications? Yes No
	If yes, list the job(s), submit a job description and state the reason(s) for the qualification(s).
28.	Are there any jobs for which there are age, race, color, national origin, sex, creed, disability, marital status, sexual orientation, or citizenship qualifications? Yes No
	If yes, list the job(s), submit a job description and state the reason(s) for the qualification(s).

#### SIGNATURE PAGE

SIGNATURE I AGE
I, (print name of authorized official signing) Michael y fetched hereby certify that the information submitted herewith is true and complete to the best of my knowledge and belief and submitted with the understanding that compliance with New York City's equal employment requirements, as contained in Chapter 56 of the City Charter, Executive Order No. 50 (1980), as amended, and the implementing Rules and Regulations, is a contractual obligation.
I also agree on behalf of the company to submit a certified copy of payroll records to the Division of Labor Services on a monthly basis.
MFM Contractions Corp. Contractor's Name
Michael V. Petrilla President
M. Lael V Petr. 110 Pres. Jent  Name of person who prepared this Employment Report Title
Michael V Petrillo  Name of person who prepared this Employment Report  Title  Michael V Petrillo  Name of official authorized to sign on behalf of the contractor  Title
Name of official authorized to sign on behalf of the contractor  Title
914-777-8392 Telephone Number
Signature of authorized official  Date
If contractors are found to be underutilizing minorities and females in any given trade based on Chapter 56 Section 3H, the Division of Labor Services reserves the right to request the contractor's workforce data and to implement an employment program.  Contractors who fail to comply with the above mentioned requirements or are found to be in noncompliance may be subject to the withholding of final payment.  Willful or fraudulent falsifications of any data or information submitted herewith may result in the termination of the contract between the City and the bidder or contractor and in disapproval of future contracts for a posiciol of up to five upon.
contracts for a period of up to five years. Further, such falsification may result in civil and/and or criminal prosecution.
To the extent permitted by law and consistent with the proper discharge of DLS' responsibilities under Charter Chapter 56 of the City Charter and Executive Order No. 50 (1980) and the implementing Rules and Regulations, all information provided by a contractor to DLS shall be confidential.
Only original signatures accepted.
Sworn to before me this 20th day of May 20 13
Notary Public Authorized Signature Anthony Mastrangelo Notary Public, State of New York
Registration # 01MA603B438
Page 6  Revised 1/13  Qualified in Westchester County  My Commission Expires March 13, 20

FOR OFFICIAL USE ONLY: File No.\_

# The City of New York Department of Small Business Services Division of Labor Services Contract Compliance Unit 110 William Street, New York, New York 10038 Phone: (212) 513 - 6323

Fax: (212) 618-8879

#### CONSTRUCTION EMPLOYMENT REPORT

#### **GENERAL INFORMATION**

1.	Your contractual relationship in this contract is:	ime contractor	Subcon	tractor_x_
1a.	Are M/WBE goals attached to this project? Yes	No		
2.	Please check one of the following if your firm would like City of New York as a:	e information on h	now to cert	tify with the
	Minority Owned Business EnterpriseWomen Owned Business Enterprise	Locally base		
2a.	If you are certified as an MBE, WBE, or LBE, what cit	ty/state agency ar ou DBE certified?	e you cert Yes	ified with?
3.	Please indicate if you would like assistance from SBS contracting opportunities: Yes No	in identifying certi	ified M/WE	BEs for
4. Is	this project subject to a project labor agreement? Yes _	No		
DADT	I: CONTRACTOR/SUBCONTRACTOR INFORMATIO	DNI		
. 71/	The second of the order of the			
	The state of the s			
	Employer Identification Number or Federal Tax I.D./		· .	Email Addres
5.	Employer Identification Number or Federal Tax I.D./			Email Addres
5.				Email Addres
5. 6.	Employer Identification Number or Federal Tax I.D./ Company Name			Email Address
5. 6.	Employer Identification Number or Federal Tax I.D./			Email Addres
5. 6. 7.	Employer Identification Number or Federal Tax I.D./ Company Name Company Address and Zip Code			Email Addres
5. 6. 7.	Employer Identification Number or Federal Tax I.D./ Company Name	Telephone N		Email Addres
5. 6. 7. 8.	Employer Identification Number or Federal Tax I.D./  Company Name  Company Address and Zip Code  Chief Operating Officer	Telephone N	Number	Email Addres
5. 6. 7. 8.	Employer Identification Number or Federal Tax I.D./ Company Name Company Address and Zip Code		Number	Email Addres
<ul><li>5.</li><li>6.</li><li>7.</li><li>8.</li><li>9</li></ul>	Employer Identification Number or Federal Tax I.D./  Company Name  Company Address and Zip Code  Chief Operating Officer  Designated Equal Opportunity Compliance Officer	Telephone N	Number	Email Address
<ul><li>5.</li><li>6.</li><li>7.</li><li>8.</li></ul>	Employer Identification Number or Federal Tax I.D./  Company Name  Company Address and Zip Code  Chief Operating Officer  Designated Equal Opportunity Compliance Officer	Telephone N	Number	Email Address

Page 1			
Revised 1/13			
FOR OFFICIAL USE ONLY:	File No.		

12.	Contract information:	
	(a) Contracting Agency (City Agency)	(b)Contract Amount
	(d)Procurement Identification Number (PIN)	(e) Contract Registration Number (CT#)
	(f) Projected Commencement Date	(g)Projected Completion Date
	(h) Description and location of proposed contra	oct:
13.	Has your firm been reviewed by the Division of and issued a Certificate of Approval? Yes	Labor Services (DLS) within the past 36 months
	If yes, attach a copy of certificate.	
14.	Has DLS within the past month reviewed an Emand issued a Conditional Certificate of Approva	nployment Report submission for your company 1? Yes No
	If yes, attach a copy of certificate.	
Wi	OTE: DLS WILL NOT ISSUE A CONTINUED CE TH THIS CONTRACT UNLESS THE REQUIRED INDITIONAL CERTIFICATES OF APPROVAL H	CORRECTIVE ACTIONS IN PRIOR
15.	Has an Employment Report already been subm Employment Report) for which you have not yet Yes No If yes,	nitted for a different contract (not covered by this t received compliance certificate?
	Telephone:	
16.	Has your company in the past 36 months been Labor, Office of Federal Contract Compliance F	audited by the United States Department of Programs (OFCCP)? Yes No
	If yes,	
	(a) Name and address of OFCCP office.	
	(b) Was a Certificate of Equal Employment Cor Yes No	mpliance issued within the past 36 months?
Page 2		

Revised 1/13

FOR OFFICIAL USE ONLY: File No.\_\_\_\_

(c) Were any corrective actions required or agreed to? Yes No  If yes, attach a copy of such requirements or agreements.  (d) Were any deficiencies found? Yes No  If yes, attach a copy of such findings.  17. Is your company or its affiliates a member or members of an employers' trade associated associated.	ation which
<ul> <li>(d) Were any deficiencies found? Yes No</li> <li>If yes, attach a copy of such findings.</li> <li>17. Is your company or its affiliates a member or members of an employers' trade association.</li> </ul>	ation which
If yes, attach a copy of such findings.  17. Is your company or its affiliates a member or members of an employers' trade associ	ation which
17. Is your company or its affiliates a member or members of an employers' trade associ	ation which
trade association of the minimum of the management of the complete trade association of the complete trade a	iation which onstruction
is responsible for negotiating collective bargaining agreements (CBA) which affect co site hiring? Yes No	
If yes, attach a list of such associations and all applicable CBA's.	
PART II: DOCUMENTS REQUIRED	
18. For the following policies or practices, attach the relevant documents (e.g., printed be brochures, manuals, memoranda, etc.). If the policy(ies) are unwritten, attach a full of the practices. See instructions.	ooklets, explanation
(a) Health benefit coverage/description(s) for all management, nonunion and union employees (whether company or union administered)	
(b) Disability, life, other insurance coverage/description	
(c) Employee Policy/Handbook	
(d) Personnel Policy/Manual	
(e) Supervisor's Policy/Manual	
(f) Pension plan or 401k coverage/description for all management, nonunion and union employees, whether company or union administered	
(g) Collective bargaining agreement(s).	
(h) Employment Application(s)	
(i) Employee evaluation policy/form(s).	
(j) Does your firm have medical and/or non-medical (i.e. education, military, personal, pregnancy, child care) leave policy?	
19. To comply with the Immigration Reform and Control Act of 1986 when <u>and of whom</u> firm require the completion of an I-9 Form?	does your
(a) Prior to job offer (b) After a conditional job offer (c) After a job offer (d) Within the first three days on the job (e) To some applicants (f) To all applicants (g) To some employees (h) To all employees  YesNo YesNo YesNo YesNo YesNo	

Page 3
Revised 1/13
FOR OFFICIAL USE ONLY: File No.\_\_\_\_\_

Does your firm or any of its comedical examination? Yes	llective bargaining agreements require job applicants to take _ No
If yes, is the medical examina	tion given:
(a) Prior to a job offer	Yes No
(b) After a conditional job offer	er Yes No
(c) After a job offer	Yes No
(d) To all applicants	Yes No
(e) Only to some applicants	Yes No
If yes, list for which applicants	below and attach copies of all medical examination or
questionnaire forms and instru	uctions utilized for these examinations.
Do you have a written equal e	mployment opportunity (EEO) policy? Yes No
Maria P. Call	
it yes, list the document(s) an	d page number(s) where these written policies are located.
Door the company have a series	
Does the company have a cu	rrent affirmative action plan(s) (AAP)
Minorities and Women	
Minorities and Women Individuals with handica	
Minorities and Women	
Minorities and WomenIndividuals with handicaOther. Please specify _	aps
Minorities and WomenIndividuals with handicaOther. Please specify _ Does your firm or collective ba	aps  argaining agreement(s) have an internal grievance procedure
Minorities and WomenIndividuals with handicaOther. Please specify _ Does your firm or collective by respect to EEO complaints?	aps argaining agreement(s) have an internal grievance procedure Yes No
Minorities and Women   Individuals with handica   Other. Please specify   Does your firm or collective ba	aps argaining agreement(s) have an internal grievance procedure Yes No
Minorities and WomenIndividuals with handicaOther. Please specify _ Does your firm or collective by respect to EEO complaints? If yes, please attach a copy of	aps argaining agreement(s) have an internal grievance procedure Yes No
Minorities and Women Individuals with handica Other. Please specify Does your firm or collective by respect to EEO complaints?  If yes, please attach a copy of If no, attach a report detailing	argaining agreement(s) have an internal grievance procedure Yes No  f this policy.  your firm's unwritten procedure for handling EEO complaints
Minorities and Women Individuals with handica Other. Please specify Does your firm or collective by respect to EEO complaints?  If yes, please attach a copy of If no, attach a report detailing Has any employee, within the	argaining agreement(s) have an internal grievance procedure Yes No  f this policy.  your firm's unwritten procedure for handling EEO complaints past three years, filed a complaint pursuant to an internal
Minorities and WomenIndividuals with handica Other. Please specify	argaining agreement(s) have an internal grievance procedure Yes No  f this policy.  your firm's unwritten procedure for handling EEO complaints past three years, filed a complaint pursuant to an internal any official of your firm with respect to equal employment
Minorities and WomenIndividuals with handica Other. Please specify	argaining agreement(s) have an internal grievance procedure Yes No  f this policy.  your firm's unwritten procedure for handling EEO complaints past three years, filed a complaint pursuant to an internal any official of your firm with respect to equal employment
Minorities and WomenIndividuals with handica Other. Please specify	argaining agreement(s) have an internal grievance procedure Yes No  f this policy.  your firm's unwritten procedure for handling EEO complaints past three years, filed a complaint pursuant to an internal any official of your firm with respect to equal employment
Minorities and Women Individuals with handica Other. Please specify Does your firm or collective by respect to EEO complaints? If yes, please attach a copy of If no, attach a report detailing Has any employee, within the grievance procedure or with a opportunity? Yes No If yes, attach an internal complete.	argaining agreement(s) have an internal grievance procedure Yes No f this policy.  your firm's unwritten procedure for handling EEO complaints past three years, filed a complaint pursuant to an internal any official of your firm with respect to equal employment plaint log. See instructions.
Minorities and Women Individuals with handica Other. Please specify Does your firm or collective by respect to EEO complaints? If yes, please attach a copy of If no, attach a report detailing Has any employee, within the grievance procedure or with a opportunity? Yes No If yes, attach an internal complaints.	argaining agreement(s) have an internal grievance procedure Yes No f this policy.  your firm's unwritten procedure for handling EEO complaints past three years, filed a complaint pursuant to an internal any official of your firm with respect to equal employment plaint log. See instructions.
Minorities and Women Individuals with handica Other. Please specify Does your firm or collective by respect to EEO complaints?  If yes, please attach a copy of If no, attach a report detailing Has any employee, within the grievance procedure or with a opportunity? Yes No If yes, attach an internal complaints your firm, within the past administrative or judicial actio	argaining agreement(s) have an internal grievance procedure Yes No  f this policy.  your firm's unwritten procedure for handling EEO complaints past three years, filed a complaint pursuant to an internal any official of your firm with respect to equal employment plaint log. See instructions.  three years, been named as a defendant (or respondent) in an where the complainant (plaintiff) alleged violation of any ar
Minorities and Women Individuals with handica Other. Please specify Does your firm or collective by respect to EEO complaints? If yes, please attach a copy of If no, attach a report detailing Has any employee, within the grievance procedure or with a opportunity? Yes No If yes, attach an internal complete Has your firm, within the past	argaining agreement(s) have an internal grievance procedure Yes No  f this policy.  your firm's unwritten procedure for handling EEO complaints past three years, filed a complaint pursuant to an internal any official of your firm with respect to equal employment plaint log. See instructions.  three years, been named as a defendant (or respondent) in an where the complainant (plaintiff) alleged violation of any ar
Minorities and Women Individuals with handica Other. Please specify Does your firm or collective by respect to EEO complaints?  If yes, please attach a copy of If no, attach a report detailing Has any employee, within the grievance procedure or with a opportunity? Yes No If yes, attach an internal complete Has your firm, within the past administrative or judicial actio	argaining agreement(s) have an internal grievance procedure Yes No  f this policy.  your firm's unwritten procedure for handling EEO complaints past three years, filed a complaint pursuant to an internal any official of your firm with respect to equal employment plaint log. See instructions.  three years, been named as a defendant (or respondent) in an where the complainant (plaintiff) alleged violation of any arction laws? Yes No

Page 4
Revised 1/13
FOR OFFICIAL USE ONLY: File No.

27.	Are there any jobs for which there are physical qualifications? Yes No
	If yes, list the job(s), submit a job description and state the reason(s) for the qualification(s).
28.	Are there any jobs for which there are age, race, color, national origin, sex, creed, disability, marital status, sexual orientation, or citizenship qualifications? Yes No
	If yes, list the job(s), submit a job description and state the reason(s) for the qualification(s).

#### SIGNATURE PAGE

submitted with the understandin requirements, as contained in C	ial signing) ith is true and complete to the be g that compliance with New York hapter 56 of the City Charter, Ex g Rules and Regulations, is a con	ecutive Order No. 50 (1980), as
I also agree on behalf of the cor Division of Labor Services on a	npany to submit a certified copy omonthly basis.	of payroll records to the
Contractor's Name		
Name of person who prepared t	his Employment Report	Title
Name of official authorized to si	gn on behalf of the contractor	Title
Telephone Number		
Signature of authorized official		Date
If contractors are found to be ur 56 Section 3H, the Division of L data and to implement an emplo	abor Services reserves the right t	es in any given trade based on Chapter to request the contractor's workforce
Contractors who fail to comply a noncompliance may be subject	vith the above mentioned require to the withholding of final paymer	ments or are found to be in nt.
termination of the contract betw	s of any data or information submeen the City and the bidder or coveryears. Further, such falsification	ntractor and in disapproval of future
Charter Chapter 56 of the City (	and consistent with the proper dis Charter and Executive Order No. provided by a contractor to DLS	scharge of DLS' responsibilities under 50 (1980) and the implementing Rules shall be confidential.
	Only original signatures acce	epted.
Sworn to before me this	day of 20	
Notary Public	Authorized Signature	Date

Page 6
Revised 1/13

FOR OFFICIAL USE ONLY: File No.

## The City of New York Department of Small Business Services Division of Labor Services Contract Compliance Unit 110 William Street, New York, New York 10038

Phone: (212) 513 – 6323 Fax: (212) 618-8879 File Number

Date

Are you currently certified as one of the following?	Please check yes or no:
MBE YesNo WBE YesNo	D LBE YesNo DBE YesN
f you are certified as an MBE, WBE, LBE or DBE, w	what city/state agency are you certified with?
Please check one of the following if your firm wouldMinority Owned Business EnterpriseWomen Owned Business Enterprise	like information on how to certify with the City of New YorkLocally based Business Enterprise
Company Name	Employer Identification Number or Federal Tax
Company Address and Zip Code	
Contact Person (First Name, Last Name)	Telephone Number
(	releptione Number
ax Number	E-mail Address
escription and location of proposed subcontract:	L-Mail Address
*******	
Procurement Identification Number (PIN)	Contract Registration Number (CT#)
Procurement Identification Number (PIN) City contracts only)	Contract Registration Number (CT#) (City contracts only)
City contracts only)  Block and Lot Number	(City contracts only)  ICIP Application Number
City contracts only)  Block and Lot Number	(City contracts only)
City contracts only)  Block and Lot Number  CIP projects only)  (print name of authorized official signing)	(City contracts only)  ICIP Application Number (ICIP projects only)
City contracts only)  Block and Lot Number CIP projects only)  (print name of authorized official signing) uthorized by the above-named subcontractor to ce	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I
bove fighted owner of City agency is less than \$75	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I  entify that said subcontractor's proposed contract with the
City contracts only)  Block and Lot Number CIP projects only)  (print name of authorized official signing)  uthorized by the above-named subcontractor to celebove named owner or City agency is less than \$75  charter Chapter 56, Executive Order No. 50 (1980)	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I ertify that said subcontractor's proposed contract with the 50,000. This affirmation is made in accordance with NYC and the implementing Rules.
City contracts only)  Block and Lot Number CIP projects only)  (print name of authorized official signing)  uthorized by the above-named subcontractor to cel bove named owner or City agency is less than \$75 charter Chapter 56, Executive Order No. 50 (1980)  Villful or fraudulent falsifications of any data or infor	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I entify that said subcontractor's proposed contract with the 50,000. This affirmation is made in accordance with NYC and the implementing Rules.
City contracts only)  lock and Lot Number CIP projects only)  (print name of authorized official signing)  uthorized by the above-named subcontractor to celebove named owner or City agency is less than \$75  charter Chapter 56, Executive Order No. 50 (1980)  Villful or fraudulent falsifications of any data or inforcentract between the City and the bidder or contract	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I entify that said subcontractor's proposed contract with the 50,000. This affirmation is made in accordance with NYC and the implementing Rules.
City contracts only)  Block and Lot Number CIP projects only)  (print name of authorized official signing)  uthorized by the above-named subcontractor to celebove named owner or City agency is less than \$75 charter Chapter 56, Executive Order No. 50 (1980)  Villful or fraudulent falsifications of any data or inforcentract between the City and the bidder or contract	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I entify that said subcontractor's proposed contract with the 50,000. This affirmation is made in accordance with NYC and the implementing Rules.
City contracts only)  Block and Lot Number CIP projects only)  (print name of authorized official signing)  uthorized by the above-named subcontractor to ce bove named owner or City agency is less than \$75  charter Chapter 56, Executive Order No. 50 (1980)  Willful or fraudulent falsifications of any data or infoncentract between the City and the bidder or contract we years. Further, such falsification may result in c	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I entify that said subcontractor's proposed contract with the 50,000. This affirmation is made in accordance with NYC and the implementing Rules.
Riock and Lot Number (CIP projects only)  (print name of authorized official signing) uthorized by the above-named subcontractor to ce bove named owner or City agency is less than \$75 charter Chapter 56, Executive Order No. 50 (1980)  Villful or fraudulent falsifications of any data or infon ontract between the City and the bidder or contract we years. Further, such falsification may result in c	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I artify that said subcontractor's proposed contract with the 50,000. This affirmation is made in accordance with NYC and the implementing Rules.  Implementation of the formula and in disapproval of future contracts for a period of up to civil and/and or criminal prosecution.  Date
lock and Lot Number CIP projects only)  (print name of authorized official signing)  uthorized by the above-named subcontractor to celebove named owner or City agency is less than \$75 harter Chapter 56, Executive Order No. 50 (1980)  Villful or fraudulent falsifications of any data or inforcentract between the City and the bidder or contract by the above of falsification may result in contract between the City and the bidder or contract by the above of falsification may result in contract between the City and the bidder or contract by the above of falsification may result in contract between the City and the bidder or contract by the above of falsification may result in contract between the City and the bidder or contract by the above of falsification may result in contract by the city and the bidder or contract by the city and t	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I entify that said subcontractor's proposed contract with the 50,000. This affirmation is made in accordance with NYC and the implementing Rules.  Implementation of the termination of the te
Sinck and Lot Number CIP projects only)  (print name of authorized official signing) uthorized by the above-named subcontractor to celebove named owner or City agency is less than \$75 charter Chapter 56, Executive Order No. 50 (1980)  Villful or fraudulent falsifications of any data or information of the contract between the City and the bidder or contract ve years. Further, such falsification may result in contract of authorized official  Swom to before me this  Only original  Cay.of	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I entify that said subcontractor's proposed contract with the 50,000. This affirmation is made in accordance with NYC and the implementing Rules.  Immation submitted herewith may result in the termination of tor and in disapproval of future contracts for a period of up to civil and/and or criminal prosecution.  Date
City contracts only)  Block and Lot Number CIP projects only)  (print name of authorized official signing)  uthorized by the above-named subcontractor to cerbove named owner or City agency is less than \$75  charter Chapter 56, Executive Order No. 50 (1980)  Villful or fraudulent falsifications of any data or inforcentract between the City and the bidder or contract ve years. Further, such falsification may result in contract of authorized official  Conty original  Swom to before me this  Conty original	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I entify that said subcontractor's proposed contract with the 50,000. This affirmation is made in accordance with NYC and the implementing Rules.  Immation submitted herewith may result in the termination of tor and in disapproval of future contracts for a period of up to civil and/and or criminal prosecution.  Date
City contracts only)  lock and Lot Number CIP projects only)  (print name of authorized official signing)  uthorized by the above-named subcontractor to cerbove named owner or City agency is less than \$75 harter Chapter 56, Executive Order No. 50 (1980)  Villful or fraudulent falsifications of any data or inforcentract between the City and the bidder or contract we years. Further, such falsification may result in city ignature of authorized official  Only original  Swom to before me this  Only original	(City contracts only)  ICIP Application Number (ICIP projects only)  hereby certify that I artify that said subcontractor's proposed contract with the 50,000. This affirmation is made in accordance with NYC and the implementing Rules.  Implementation of the termination of the tor and in disapproval of future contracts for a period of up to civil and/and or criminal prosecution.  Date  I signatures accepted.

(NO TEXT ON THIS PAGE)

# CONTRACT BID INFORMATION: USE OF SUBCONTRACTORS/TRADES FORM A.

- Do you plan to subcontractor work on this contract? Yes 🗸 No
- If yes, complete the chart below.

NOTE: All proposed subcontractors with a subcontract in excess of \$750,000 must complete an Employment Report for review and approval before the contract may be awarded and work commences.

The state of the s	PROJECTED DOLLAR VALUE OF SUBCONTRACT	\$ 48,000°	\$ 220,000 \$	\$ 120,000 to	\$ 50,000 4	\$ 2,500
大 建碱气	TRADE PROJECTED FOR USE BY SUBCONTRACTOR	Evergence	TENCHAG	RAVIAG	physicapides	ו••••
	WORK TO BE PERFORMED BY SUBCONTRACTOR					
	OWNERSHIP (ENTER APPROPRIATE CODE LETTERS BELOW)					
	SUBCONTRACTOR'S NAME*	Knagarcan	JENCE149	PAVIME	LAHDURAPINA	Copensites

\*If subcontractor is presently unknown, please enter the trade (craft name).

OWNERSHIP CODES

W: White

Black

H: Hispanic

A: Asian

N: Native American F: Female

Revised 2/08

FOR OFFICIAL USE ONLY: File No.

# FORM B: PROJECTED WORKFORCE

# TRADE CLASSIFICATION CODES

(J) Journeylevel Workers (H) Helper (TOT) Total by Column

(A) Apprentice (TRN) Trainee

For each trade to be engaged by your company for this project, enter the projected workforce for Males and Females by trade classification on the charts below.

Trade:			2	MALES				л П	FEMALES		
Laborer		(1) White	(2) Black	(3)	(4)	(2)	(6) White	(7) Black	(8)	(6)	(10)
Union Affiliation, if applicable			Non Hisp.	Hisp.	Asian	Native Amer.	Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.
Total (Col. #1-10):	້ ¬ງ	H		4	0	0	0		0	0	0
Cotal Minority Male & Female	I										·
(Col. #2,3,4,5,7,8,9, & 10):	< <						19				
Total Female (Col. #6 – 10):	TRN					-1					
) 	TOT		-		·						
	_										

What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?		
What are the recruitment sources f	V 516 5	

Page 8
Revised 2/08
FOR OFFICIAL USE ONLY: File No.

FORM B. PROJECTED WORKFORCE

rade:			<b>.</b>	MALES					Ħ	FEMALES		
Operator Inion Affiliation, if applicable		(1) White Non Hisp	(2) Black Non Hisp	(3) Hisp	(4) Asian	(5) Native		(6) White Non Hisp	(7) Black Non Hisp	(8) Hisp	(9) Asian	(10) Native Amer
1 S otal (Col. #1-10):	J							2	0			
	I							-				
otal Minority, Male & Female Col. #2,3,4,5,7,8,9, & 10):	. ∢			·	. * -**		<u> </u>			, .		
otal Female Sol. #6 – 10): ○	TRN											
	ТОТ		_		:							
	•						]	泰。				

	-	)	
			-
h)?	-		
acı			
utre			
.y 0			
uni			
E E	·	,	
8			
ter,			
cen			
ab			
ob t			
e,	è		
E E			engr.
nto			
me			
olc S			
em			
i i			,
JIII			
Veri			
g			
Suc			
in E			
o;			
s (ï.			
ire			
pa			,
ect			
proj			
no			
or y			
is f			
2			
801			
ent			
ij	V		
3CTU	. ⟨ . (1)		
e 16	ر. ک		
e t	U wio~5		
t are			
What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?			
>			1

# FORM C: CURRENT WORKFORCE

# TRADE CLASSIFICATION CODES

(J) Journeylevel Workers (H) Helper (TÓT) Total by Column

(A) Apprentice (TRN) Trainee

For each trade currently engaged by your company for all work performed in New York City, enter the current workforce for Males and Females by trade classification on the charts below.

What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?

Page 10

Revised 2/08 FOR OFFICIAL USE ONLY: File No.\_

FORM C. CURRENT WORKFORCE

Trade:		nae.	~	MALES					T.	FEMALES		
Operator		(1) White	(2) Black	(3)	(4)	(2)		(6) White	(7) Black	(8)	(6)	(10)
Union Affiliation, if applicable		Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.	_	Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.
Total (Col. #1-10):	٠,			0	0	0		0		0	0	0
Total Minority Male & Femele	工											
(Col. #2,3,4,5,7,8,9, & 10):	∢							- 14				
Total Female (Col. #6 – 10):	TRN											
	TOT		F	and the state of t								
							_					

utreach)?			
community o	•		
ob tap center,			
ires (i.e., unions, government employment office, job tap center, community outreach)?		-বান -	
ment employ			
inions, govern			
d hires (i.e., u			
you projected		: <b>1</b> 87	
t sources for			
Vhat are the recruitment sources for you projected hi	255		
What are th			

Page 11 Revised 2/08 FOR OFFICIAL USE ONLY: File No\_\_ (NO TEXT ON THIS PAGE)

Page 12 Revised 2/08 FOR OFFICIAL USE ONLY: File No.\_



Robert W. Walsh Commissioner 212CY056

March 26, 2012

Mr. Michael Petrillo MFM Contracting Corp 335 Center Avenue Mamaroneck, NY 10543

Re:

Department of Parks and Recreation; PIN No: 8462012X126C01; Furnishing cover material in the golf course rounded by the East River, Balcom and Isles Avenues and the Whitestone Bridge approach in Ferry Point Park; Borough of the Bronx; Contract Value: \$7,993,500; Certificate of Approval

Dear Mr. Petrillo:

The Department of Small Business Services/Division of Labor Services (DLS) has concluded that MFM Contracting Corp (MFM Contracting) has met the equal employment opportunity requirements of the City of New York, as stated in Executive Order No. 50 (1980) as amended (E.O. 50), its implementing Rules (Rules), and Chapter 56 of the City Charter (Chapter 56). Consequently, DLS has notified the Department of Design and Construction of this determination.

Contingent upon MFM Contracting's ongoing compliance with E.O. 50 and Chapter 56, this approval shall be effective for the one (1) year period commencing on March 26, 2012 and terminating March 25, 2015. This determination for a three-year approval only exempts contractors from completing the policy and procedure section of the Employment Report on future contracts within this three-year period. However, Employment Report information must be submitted for each new project.

\*\*\*

# Explanation for 2010 Incident Rate
\* Explanation for 2012 EMR rating

The two incidents which occurred in 2010 are not indicative of the MFM safety record as evident by the increased number of work hours in 2011 with no incidents.

The first incident was a worker, who was wearing eye glasses and ended up with a "splinter" entering his eye from the side,

The second incident was a new hire who had a pre-existing condition and allegedly aggravated the situation while working for MFM.



### INFRASTRUCTURE DIVISION BUREAU OF DESIGN

### **VOLUME 1 OF 3**

PROJECT ID: HWXP093B

RECONSTRUCTION OF

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK

	Contractor.
Dated	



# THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

30-30 THOMSON AVENUE LONG ISLAND CITY, NEW YORK 11101-3045 TELEPHONE (718) 391-1000 WEBSITE www.nyc.gov/buildnyc

### **VOLUME 2 OF 3**

# INFORMATION FOR BIDDERS CONTRACT PERFORMANCE AND PAYMENT BONDS PREVAILING WAGE SCHEDULE

FOR FURNISHING ALL LABOR AND MATERIALS NECESSARY AND REQUIRED FOR:

PROJECT ID: HWXP093B

**RECONSTRUCTION OF** 

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK



FOR THE DEPARTMENT OF TRANSPORTATION PREPARED BY STV Incorporated

**JANUARY 8, 2013** 



# THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

30-30 THOMSON AVENUE LONG ISLAND CITY, NEW YORK 11101-3045 TELEPHONE (718) 391-1000 WEBSITE www.nyc.gov/buildnyc

#### **VOLUME 2 OF 3**

# INFORMATION FOR BIDDERS CONTRACT PERFORMANCE AND PAYMENT BONDS PREVAILING WAGE SCHEDULE

FOR FURNISHING ALL LABOR AND MATERIALS NECESSARY AND REQUIRED FOR:



FOR THE DEPARTMENT OF TRANSPORTATION PREPARED BY IN-HOUSE DESIGN

MARCH 3, 2010

·

#### **Notice to Bidders:**

In 2013 the City will be implementing a new web based subcontractor reporting system. Once this subcontractor reporting system is implemented, and Contractor receives notice of its implementation, Contractor will be required to list in the system all of the subcontractors that it knows it will use or is already using in the performance of this contract. For each subcontractor listed, Contractor will be required to provide the following information: maximum contract value, description of subcontractor work, start and end date of the subcontract and identification of the subcontractor's industry. Identification of subcontractors in the system along with the required information will be required in order to obtain subcontractor approval under [section 3.02 of Appendix A][ Article 17 of the Standard Construction Contract] and PPB Rule § 4-13 for all subcontractors that have not been approved as of the implementation date. Thereafter, Contractor will be required to report in the system the payments made to each subcontractor within 30 days of making the payment. If any of the required information changes throughout the term of the contract, Contractor will be required to revise the information in the system...

When the subcontractor reporting system is implemented, Contractor will receive a written notice from the City which will contain the information the Contractor will need to list its subcontractors and report payments. Contractor will not be required to comply with the requirements set forth herein until such notice is issued. Contractor will have 30 days from the date of the notice to list its current subcontractors for which it has already received Agency approval, if any. Thereafter, for those subcontractors that have not yet been approved by the Agency, subcontractors will have to be listed in the system in order to obtain the required Agency approval.

Failure of the Contractor to list a subcontractor and/or to report subcontractor payments in a timely fashion may result in the Agency declaring the Contractor in default of the Contract and may subject Contractor to liquidated damages in the amount of \$100 per day for each day that the Contractor fails to identify a subcontractor along with the required information about the subcontractor and/or fails to report payments to a subcontractor, beyond the time frames set forth herein or in the notice from the City. For construction contracts, the provisions of Article 15 of the Standard Construction Contract shall govern the issue of liquidated damages.

Contractor hereby agrees to these provisions and acknowledges that they will become effective on the date set forth in the notice.

(NO TEXT ON THIS PAGE)

### NOTICE TO BIDDERS, PROPOSERS, CONTRACTORS, AND RENEWAL CONTRACTORS

This contract includes a provision concerning the protection of employees for whistleblowing activity, pursuant to New York City Local Law Nos. 30-2012 and 33-2012, effective October 18, 2012 and September 18, 2012, respectively. The provisions apply to contracts with a value in excess of \$100,000.

Local Law No. 33-2012, the Whistleblower Protection Expansion Act ("WPEA"), prohibits a contractor or its subcontractor from taking an adverse personnel action against an employee or officer for whistleblower activity in connection with a City contract; requires that certain City contracts include a provision to that effect; and provides that a contractor or subcontractor may be subject to penalties and injunctive relief if a court finds that it retaliated in violation of the WPEA. The WPEA is codified at Section 12-113 of the New York City Administrative Code.

Local Law No. 30-2012 requires a contractor to prominently post information explaining how its employees can report allegations of fraud, false claims, criminality, or corruption in connection with a City contract to City officials and the rights and remedies afforded to employees for whistleblowing activity. Local Law No. 30-2012 is codified at Section 6-132 of the New York City Administrative Code.

#### WHISTLEBLOWER PROTECTION EXPANSION ACT RIDER

- 1. In accordance with Local Law Nos. 30-2012 and 33-2012, codified at sections 6-132 and 12-113 of the New York City Administrative Code, respectively,
  - (a) Contractor shall not take an adverse personnel action with respect to an officer or employee in retaliation for such officer or employee making a report of information concerning conduct which such officer or employee knows or reasonably believes to involve corruption, criminal activity, conflict of interest, gross mismanagement or abuse of authority by any officer or employee relating to this Contract to (i) the Commissioner of the Department of Investigation, (ii) a member of the New York City Council, the Public Advocate, or the Comptroller, or (iii) the City Chief Procurement Officer, ACCO, Agency head, or Commissioner.
  - (b) If any of Contractor's officers or employees believes that he or she has been the subject of an adverse personnel action in violation of subparagraph (a) of paragraph 1 of this rider, he or she shall be entitled to bring a cause of action against Contractor to recover all relief necessary to make him or her whole. Such relief may include but is not limited to: (i) an injunction to restrain continued retaliation, (ii) reinstatement to the position such employee would have had but for the retaliation or to an equivalent position, (iii) reinstatement of full fringe benefits and seniority rights, (iv) payment of two times back pay, plus interest, and (v) compensation for any special damages sustained as a result of the retaliation, including litigation costs and reasonable attorney's fees.
  - (c) Contractor shall post a notice provided by the City in a prominent and accessible place on any site where work pursuant to the Contract is performed that contains information about:
    - (i) how its employees can report to the New York City Department of Investigation allegations of fraud, false claims, criminality or corruption arising out of or in connection with the Contract; and
    - (ii) the rights and remedies afforded to its employees under New York City Administrative Code sections 7-805 (the New York City False Claims Act) and 12-113 (the Whistleblower Protection Expansion Act) for lawful acts taken in connection with the reporting of allegations of fraud, false claims, criminality or corruption in connection with the Contract.
  - (d) For the purposes of this rider, "adverse personnel action" includes dismissal, demotion, suspension, disciplinary action, negative performance evaluation, any action resulting in loss of staff, office space, equipment or other benefit, failure to appoint, failure to promote, or any transfer or assignment or failure to transfer or assign against the wishes of the affected officer or employee.
  - (e) This rider is applicable to all of Contractor's subcontractors having subcontracts with a value in excess of \$100,000; accordingly, Contractor shall include this rider in all subcontracts with a value a value in excess of \$100,000.
- 2. Paragraph 1 is not applicable to this Contract if it is valued at \$100,000 or less. Subparagraphs (a), (b), (d), and (e) of paragraph 1 are not applicable to this Contract if it was solicited pursuant to a finding of an emergency. Subparagraph (c) of paragraph 1 is neither applicable to this Contract if it was solicited prior to October 18, 2012 nor if it is a renewal of a contract executed prior to October 18, 2012.

## NOTICE TO BIDDERS

Please be advised that the City of New York has revised the form of the performance bond that is required for City construction contracts that exceed \$5 million. The form of bond required for contracts that do not exceed \$5 million has not changed. The City's payment bond remains unchanged.

The bond form for contracts that do not exceed \$5 million has been approved by the U.S. Small Business Administration ("SBA") for participation in their Bond Guarantee Program. The SBA's Bond Guarantee Program enables eligible small businesses to obtain or increase bonding by having the SBA act as a partial guarantor of the contractor to the surety. For information concerning the SBA program, including current limits on what size contracts are eligible for participation in the program, go to <a href="https://www.sba.gov/osg">www.sba.gov/osg</a>. If you are interested in participating in this program, we suggest that you contact your broker or the SBA.

In order to maximize participation by small businesses in the SBA Guarantee Program, the City also encourages prime contractors who are awarded contracts greater than \$5 million to allow their subcontractors to use the SBA-approved form, particularly on contracts that are subject to Local Law 129 (the M/WBE program), if the prime contractor requires subcontractors to obtain performance bonds.

(NO TEXT ON THIS PAGE)

# **CITY OF NEW YORK**

# DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURES

# **INFORMATION FOR BIDDERS**

SEPTEMBER 2008

(NO TEXT ON THIS PAGE)

# CITY OF NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION INFORMATION FOR BIDDERS

SECTION 1.	DESCRIPTION AND LOCATION OF WORK	1
SECTION 2.	TIME AND PLACE FOR RECEIPT OF BIDS	1
SECTION 3.	DEFINITIONS	1
SECTION 4.	INVITATION FOR BIDS AND CONTRACT DOCUMENTS	1
SECTION 5.	PRE-BID CONFERENCE	2
SECTION 6.	AGENCY CONTACT	
SECTION 7.	BIDDER'S OATH	2 2
SECTION 8.	EXAMINATION AND VIEWING OF SITE,	
-	CONSIDERATION OF OTHER SOURCES OF INFORMATION	
	AND CHANGED CONDITIONS	2
SECTION 9.	EXAMINATION OF PROPOSED CONTRACT	2
SECTION 10.	FORM OF BID	3
SECTION 11.	IRREVOCABILITY OF BID	3
SECTION 12.	ACKNOWLEDGMENT OF AMENDMENTS	4
SECTION 13.	BID SAMPLES AND DESCRIPTIVE LITERATURE	4
SECTION 14.	PROPRIETARY INFORMATION/TRADE SECRETS	4
SECTION 15.	PRE-OPENING MODIFICATION OR WITHDRAWAL OF BIDS	4
SECTION 16.	BID EVALUATION AND AWARD -	. 4
SECTION 17.	LATE BIDS, LATE WITHDRAWALS AND LATE MODIFICATIONS	5
SECTION 18.	WITHDRAWAL OF BIDS.	5
SECTION 19.	MISTAKE IN BIDS	5
SECTION 20.	LOW TIE BIDS	6
SECTION 21.	REJECTION OF BIDS	6
SECTION 22.	RIGHT TO APPEAL DETERMINATIONS OF	
	NON-RESPONSIVENESS OR NON-RESPONSIBILITY AND	
	RIGHT TO PROTEST SOLICITATIONS AND AWARD	. 7
SECTION 23.	AFFIRMATIVE ACTION AND EQUAL	
	EMPLOYMENT OPPORTUNITY	7
SECTION 24.	VENDEX QUESTIONNAIRES	7
SECTION 25.	COMPLAINTS ABOUT THE BID PROCESS	8
SECTION 26.	BID, PERFORMANCE AND PAYMENT SECURITY	8
SECTION 27.	FAILURE TO EXECUTE CONTRACT	. 9
SECTION 28.	BIDDER RESPONSIBILITIES AND QUALIFICATIONS	. 9
SECTION 29.	EMPLOYMENT REPORT	10
SECTION 30.	LABOR LAW REQUIREMENTS	10
SECTION 31.	INSURANCE	10
SECTION 32.	LUMP SUM CONTRACTS	11
SECTION 33.	UNIT PRICE CONTRACTS	11
SECTION 34.	EXCISE TAX	11
SECTION 35.	LICENSES AND PERMITS	11
SECTION 36.	MULTIPLE PRIME CONTRACTORS	11
SECTION 37.	LOCALLY BASED ENTERPRISE REQUIREMENTS (LBE)	12
SECTION 38.	BID SUBMISSION REQUIREMENTS	13
SECTION 39.	COMPTROLLER'SCERTIFICATE	14
SECTION 40.	PROCUREMENT POLICY BOARD RULES	14
SECTION 41.	DDC SAFETY REQUIREMENTS	14

(NO TEXT ON THIS PAGE)

#### INFORMATION FOR BIDDERS

# 1. <u>Description and Location of Work</u>

The description and location of the work for which bids are requested are specified in Attachment 1, "Bid Information". Attachment 1 is included as page A-l of the Bid Booklet.

# 2. Time and Place for Receipt of Bids

Sealed bids shall be received on or before the date and hour specified in Attachment 1, at which time they will be publicly opened and read aloud in the presence of the Commissioner or his or her representative, and any bidders who may desire to be present.

### 3. Definitions

The definitions set forth in the Procurement Policy Board Rules shall apply to this Invitation For Bids.

# 4. <u>Invitation For Bids and Contract Documents</u>

- (A) Except for titles, sub-titles, headings, running headlines, tables of contents and indices (all of which are printed herein merely for convenience) the following, except for such portions thereof as may be specifically excluded, shall be deemed to be part of the Contract and the Invitation for Bids.
  - (1) All provisions required by law to be inserted in this Contract, whether actually inserted or not
  - (2) The Contract Drawings and Specifications
  - (3) The General Conditions, the General Requirements and the Special Conditions, if any
  - (4) The Contract
  - (5) The Information for Bidders; Request for Proposals; Notice of Solicitation and Proposal For Bids; Bid or Proposal, and, if used, the Bid Booklet
  - (6) The Budget Director's Certificate; all Addenda issued prior to the receipt of the bids; the Notice of Award; Performance and Payment Bonds, if required; and the Notice to Proceed with the Work.
- (B) For particulars as to this procurement, including quantity and quality of the purchase, extent of the work or labor to be performed, delivery and performance schedule, and any other special instructions, prospective bidders are referred to the Invitation For Bids Documents. A copy of such documents can be obtained at the location set forth in Attachment 1.
- (C) <u>Deposit for Copy of Invitation For Bids Documents</u>: Prospective bidders may obtain a copy of the Invitation For Bids Documents by complying with the conditions set forth in the Notice of Solicitation. The deposit must be in the form of a check or money order made payable to the City of New York, and drawn upon a state or national bank or trust company, or a check of such bank or trust company signed by a duly authorized officer thereof.
- (D) Return of Invitation For Bids Documents: All Invitation For Bids Documents must be returned to the Department upon request. If the bidder elects not to submit a bid thereunder, the



Invitation For Bids Documents shall be returned to the Department, along with a statement that no bid will be submitted.

- (E) Return of Deposit: Such deposit will be returned within 30 days after the award of the contract or the rejection of all bids as set forth in the advertisement, provided the Invitation For Bids Documents are returned to the location specified in Attachment 1, in physical condition satisfactory to the Commissioner.
- (F) Additional Copies: Additional copies of the Invitation For Bids Documents may be obtained, subject to the conditions set forth in the advertisement for bids.

# 5. <u>Pre-Bid Conference</u>

A pre-bid conference shall be held as set forth in Attachment 1. Nothing stated at the pre-bid conference shall change the terms or conditions of the Invitation For Bids Documents, unless a change is made by written amendment as provided in Section 9 below. Failure to attend a mandatory pre-bid conference shall constitute grounds for the rejection of the bid.

## 6. Agency Contact

Any questions or correspondence relating to this bid solicitation shall be addressed to the Agency Contact person specified in Attachment 1.

## 7. Bidder's Oath

- (A) The bid-shall be properly signed by an authorized representative of the bidder and the bid shall be verified by the written oath of the authorized representative who signed the bid, that the several matters stated and information furnished therein are in all aspects true.
- (B) A materially false statement willfully or fraudulently made in connection with the bid or any of the forms completed and submitted with the bid may result in the termination of any Contract between the City and the Bidder. As a result, the Bidder may be barred from participating in future City contracts as well as be subject to possible criminal prosecution.

# 8. Examination and Viewing of Site, Consideration of Other Sources of Information and Changed Conditions

- (A) Pre-Bidding (Investigation) Viewing of Site -Bidders must carefully view and examine the site of the proposed work, as well as its adjacent area, and seek other usual sources of information, for they will be conclusively presumed to have full knowledge of any and all conditions on, about or above the site relating to or affecting in any way the performance of the work to be done under the Contract which were or should have been indicated to a reasonably prudent bidder. To arrange a date for visiting the work site, bidders are to contact the Agency Contact person specified in Attachment 1.
- (B) Should the contractor encounter during the progress of the work subsurface conditions at the site materially differing from any shown on the Contract Drawings or indicated in the Specifications or such subsurface conditions as could not reasonably have been anticipated by the contractor and were not anticipated by the City, which conditions will materially affect the cost of the work to be done under the

Contract, the attention of the Commissioner must be called immediately to such conditions before they are disturbed. The Commissioner shall thereupon promptly investigate the conditions. If he finds that they do so materially differ, or that they could not have been reasonably anticipated by the contractor and were not anticipated by the City, the Contract may be modified with his written approval.

# 9. Examination of Proposed Contract

- (A) Request for Interpretation or Correction: Prospective bidders must examine the Contract Documents carefully and before bidding must request the Commissioner in writing for an interpretation or correction of every patent ambiguity, inconsistency or error therein which should have been discovered by a reasonably prudent bidder. Such interpretation or correction, as well as any additional contract provisions the Commissioner may decide to include, will be issued in writing by the Commissioner as an addendum to the Contract, which will be transmitted to each person recorded as having received a copy of the Contract Documents from the Department. Transmission of such addendum will be by mail, e-mail, facsimile or hand delivery. Such addendum will also be posted at the place where the Contract Documents are available for the inspection of prospective bidders. Upon transmission as provided for herein, such addendum shall become a part of the Contract Documents, and binding on all bidders, whether or not actual notice of such addendum is shown.
- (B) Only Commissioner's Interpretation or Correction Binding: Only the written interpretation or correction so given by the Commissioner shall be binding, and prospective bidders are warned that no other officer, agent or employee of the City is authorized to give information concerning, or to explain or interpret, the Contract.
- (C) Documents given to a subcontractor for the purpose of soliciting the subcontractor's bid shall include either a copy of the bid cover sheet or a separate information sheet setting forth the project name, the Contract number (if available), the contracting agency and the Project's location.

### 10. Form of Bid

Each bid must be submitted upon the prescribed form and must contain: a) the name, residence and place of business of the person or persons making the same; b) the names of all persons interested therein, and if no other person is so interested, such fact must be distinctly stated; c) a statement to the effect that it is made without any connection with any other person making a bid for the same purpose and that it is in all respects fair and without collusion or fraud; d) a statement that no Council member or other officer or employee or person whose salary is payable in whole or part from the City Treasury is directly or indirectly interested therein or in the supplies, materials or equipment and work or labor to which it relates, or in any portion of the profits thereof; e) a statement that the bidder is not in arrears to the City or to any agency upon a debt or contract or taxes, and is not a defaulter as surety or otherwise upon any obligation to the City to any agency thereof, except as set forth in the bid.

THE BID SHALL BE TYPEWRITTEN OR WRITTEN LEGIBLY IN INK. THE BID SHALL BE SIGNED IN INK. ERASURES OR ALTERATIONS SHALL BE INITIALED BY THE SIGNER IN INK. FAILURE TO CONFORM TO THE REQUIREMENTS OF THIS SECTION 10 SHALL RESULT IN THE REJECTION OF THE BID.

#### 11. <u>Irrevocability of Bid</u>

The prices set forth in the bid cannot be revoked and shall be effective until the award of the Contract, unless the bid is withdrawn as provided for in Sections 15 and 18 below.

# 12. Acknowledgment of Amendments

The receipt of any amendment to the Contract Documents shall be acknowledged by the bidder in its bid submission.

# 13. <u>Bid Samples and Descriptive Literature</u>

Bid samples and descriptive literature shall not be submitted by the bidder, unless expressly requested elsewhere in the Contract or Contract Documents. Any unsolicited bid samples or descriptive literature which are submitted shall not be examined or tested and shall not be deemed to vary any of the provisions of this Contract.

# 14. <u>Proprietary Information/Trade Secrets</u>

- (A) The bidder shall identify those portions of the bid which it deems to be confidential, proprietary information or trade secrets, and provide justification why such materials shall not be disclosed by the City. All such materials shall be clearly indicated by stamping the pages on which such information appears, at the top and bottom thereof with the word "Confidential". Such materials stamped "Confidential" must be easily separable from the non-confidential sections of the bid.
- (B) All such materials so indicated shall be reviewed by the Agency and any decision not to honor a request for confidentiality shall be communicated in writing to the bidder. For those bids which are unsuccessful, all such confidential materials shall be returned to the bidder. Prices, makes and model or catalog numbers of the items offered, deliveries, and terms of payment shall be publicly available after bid opening, regardless of any designation of confidentiality made by the bidder.

# 15. Pre-Opening Modification or Withdrawal of Bids

Bids may be modified or withdrawn by written notice received in the office designated in Attachment 1, before the time and date set for the bid opening. If a bid is withdrawn in accordance with this Section, the bid security, if any, shall be returned to the bidder.

#### 16. Bid Evaluation and Award

In accordance with the New York City Charter, the Procurement Policy Board Rules and the terms and conditions of this Invitation For Bids, this Contract shall be awarded, if at all, to the responsible bidder whose bid meets the requirements and evaluation criteria set forth in the Invitation For Bids, and whose bid price is either the most favorable bid price or, if the Invitation For Bids so states, the most favorable evaluated bid price. A bid may not be evaluated for any requirement or criterion that is not disclosed in the Invitation For Bids

Restriction: No negotiations with any bidder shall be allowed to take place except under the circumstances and in the manner set forth in Section 21. Nothing in this Section shall be deemed to permit a contract award to a bidder submitting a higher quality item than that designated in the Invitation For Bids, if that bid is not also the most favorable bid.

# 17. Late Bids, Late Withdrawals and Late Modifications

Any bid received at the place designated in the solicitation after the time and date set for receipt of bids is late and shall not be considered. Any request for withdrawal or modification received at the place designated in the solicitation after the time and date set for receipt of bids is late and shall not be considered. The exception to this provision is that a late modification of a successful bid that makes the bid terms more favorable to the City shall be considered at any time it is received.

## 18. Withdrawal of Bids.

Except as provided for in Section 15, above, a bidder may not withdraw its bid before the expiration of forty-five (45) days after the date of the opening of bids; thereafter, a bidder may withdraw its bid only in writing and in advance of an actual award. If within sixty (60) days after the execution of the Contract, the Commissioner fails to fix the date for commencement of work by written notice to the bidder, the bidder, at his option, may ask to be relieved of his obligation to perform the work called for by written notice to the Commissioner. If such notice is given to the Commissioner, and the request to withdraw is granted, the bidder waives all claims in connection with this Contract.

#### 19. Mistake in Bids

(A)- <u>Mistake Discovered Before Bid Opening</u>: A bidder may correct mistakes discovered before the time and date set for bid opening by withdrawing or correcting the bid as provided in Section 15 above.

## (B) Mistakes Discovered Before Award

- (1) In accordance with General Municipal Law (Section 103, subdivision 11), where a unilateral error or mistake is discovered in a bid, such bid may be withdrawn upon written approval of the Agency Chief Contracting Officer if the following conditions are met:
  - (a) The mistake is known or made known to the agency prior to the awarding of the Contract or within 3 days after the opening of the bid, whichever period is shorter; and
  - (b) The price bid was based upon an error of such magnitude that enforcement would be unconscionable; and
  - (c) The bid was submitted in good faith and the bidder submits credible evidence that the mistake was a clerical error as opposed to a judgment error; and
  - (d) The error in the bid is actually due to an unintentional and substantial arithmetic error or an unintentional omission of a substantial quantity of work, labor, material or services made directly in the compilation of the bid, which unintentional arithmetic error or unintentional omission can be clearly shown by objective evidence drawn from inspection of the original work paper, documents, or materials used in the preparation of the bid sought to be withdrawn; and
  - (e) It is possible to place the agency in the same position as existed prior to the bid.
- (2) Unless otherwise required by law, the sole remedy for a bid mistake in accordance with this Article shall be withdrawal of the bid, and the return of the bid bond, or other security, if any, to the bidder. Thereafter, the agency may, in its discretion, award the Contract to the next lowest bidder or rebid the Contract. Any amendment to or reformation of a bid or a Contract to rectify such an error or mistake

therein is strictly prohibited.

(3) If the mistake and the intended correct bid are clearly evident on the face of the bid document, the bid shall be corrected to the intended correct bid and may not be withdrawn. Examples of mistakes that may be corrected are typographical errors, errors in extending unit prices, transposition errors and arithmetical errors.

## 20. Low Tie Bids

- (A) When two or more low responsive bids from responsible bidders are identical in price, meeting all the requirements and criteria set forth in the Invitation For Bids, the Agency Chief Contracting Officer will break the tie in the following manner and order of priority:
  - (1) Award to a certified New York City small, minority or woman-owned business entity bidder;
  - (2) Award to a New York City bidder;
  - (3) Award to a certified New York State small, minority or woman-owned business bidder;
  - (4) Award to a New York State bidder.
- (B) If two or more bidders still remain equally eligible after application of paragraph (A) above, award shall be made by a drawing by lot limited to those bidders. The bidders involved shall be invited to attend the drawing. A witness shall be present to verify the drawing and shall certify the results on the bid tabulation sheet.

## 21. Rejection of Bids

- (A) Rejection of Individual Bids: The Agency may reject a bid if:
- (1) The bidder fails to furnish any of the information required pursuant to Section 24 or 28 hereof; or if
- (2) The bidder is determined to be not responsible pursuant to the Procurement Policy Board Rules; or if
- (3) The bid is determined to be non-responsive pursuant to the Procurement Policy Board Rules; or if
- (4) The bid, in the opinion of the Agency Chief Contracting Officer, contains unbalanced bid prices and is thus non-responsive, unless the bidder can show that the prices are not unbalanced for the probable required quantity of items, or if the imbalance is corrected pursuant to Section 15.
- (B) Rejection of All Bids: The Agency, upon written approval by the Agency Chief Contracting Officer, may reject all bids and may elect to resolicit bids if in its sole opinion it shall deem it in the best interest of the City so to do.
- (C) Rejection of All Bids and Negotiation With All Responsible Bidders: The Agency Head may determine that it is appropriate to cancel the Invitation For Bids after bid opening and before award and to complete the acquisition by negotiation. This determination shall be based on one of the following reasons:

- (1) All otherwise acceptable bids received are at unreasonable prices, or only one bid is received and the Agency Chief Contracting Officer cannot determine the reasonableness of the bid price, or no responsive bid has been received from a responsible bidder; or
- (2) In the judgment of the Agency Chief Contracting Officer, the bids were not independently arrived at in open competition, were collusive, or were submitted in bad faith.
- (D) When the Agency has determined that the Invitation for Bids is to be canceled and that use of negotiation is appropriate to complete the acquisition, the contracting officer may negotiate and award the Contract without issuing a new solicitation, subject to the following conditions:
  - (1) prior notice of the intention to negotiate and a reasonable opportunity to negotiate have been given by the contracting officer to each responsible bidder that submitted a bid in response to the Invitation for Bids;
  - (2) the negotiated price is the lowest negotiated price offered by a responsible bidder; and
  - the negotiated price is lower than the lowest rejected bid price of a responsible bidder that submitted a bid in response to the Invitation for Bids.

# 22. <u>Right to Appeal Determinations of Non-Responsiveness or Non-Responsibility and Right to Protest Solicitations and Award</u>

The bidder has the right to appeal a determination of non-responsiveness or non-responsibility and has the right to protest a solicitation and award. For further information concerning these rights, the bidder is directed to the Procurement Policy Board Rules.

# 23. Affirmative Action and Equal Employment Opportunity

This Invitation For Bids is subject to applicable provisions of Federal, State and Local Laws and executive orders requiring affirmative action and equal employment opportunity.

### 24. <u>VENDEX Questionnaires</u>

- (A) Requirement: Pursuant to Administrative Code Section 6-116.2 and the PPB Rules, bidders may be obligated to complete and submit VENDEX Questionnaires. Generally, if this bid is \$100,000 or more, or if this bid when added to the sum total of all contracts, concessions and franchises the bidder has received from the City and any subcontracts received from City contractors over the past twelve months, equals or exceeds \$100,000, Vendex Questionnaires must be completed. If required, Vendex Questionnaires must be completed and submitted before any award of contract may be made or before approval is given for a proposed subcontractor. Non-compliance with these submission requirements may result in the disqualification of the bid, disapproval of a subcontractor, subsequent withdrawal of approval for the use of an approved subcontractor, or the cancellation of the contract after its award.
- (B) <u>Submission</u>: Vendex Questionnaires must be submitted directly to the Mayor's Office of Contract Services, ATTN: Vendex, 253 Broadway, 9th Floor, New York, New York 10007. In addition, the bidder must submit a Confirmation of Vendex Compliance to the agency. A form for this confirmation is set forth in the Bid Booklet.
- (C) Obtaining Forms: Vendex Questionnaires, as well as detailed instructions, may be obtained at <a href="https://www.nyc.gov/vendex">www.nyc.gov/vendex</a>. The bidder may also obtain Vendex forms and instructions by contacting the

Agency Chief Contracting Office or the contract person for this contract.

## 25. Complaints About the Bid Process

The New York City Comptroller is charged with the audit of contracts in New York City. Any vendor who believes that there has been unfairness, favoritism or impropriety in the bid process should inform the Comptroller, Office of Contract Administration, One Centre Street, Room 835, New York, New York; telephone number (212)669-2797.

# 26. Bid, Performance and Payment Security

- (A) Bid Security: Each bid must be accompanied by bid security in an amount and type specified in Attachment 1 (page A-1 of the Bid Booklet). The bid security shall assure the City of New York of the adherence of the bidder to its proposal, the execution of the Contract, and the furnishing of Performance and Payment Bonds by the bidder, if required in Attachment 1. Bid security shall be returned to the bidder as follows:
  - (1) Within ten (10) days after the bid opening, the Comptroller will be notified to return the deposits of all but the three (3) lowest bidders. Within five (5) days after the award, the Comptroller will be notified to return the deposits of the remaining two unsuccessful bidders.
  - (2) Within five (5) days after the execution of the Contract and acceptance of the Contractor's bonds, the Comptroller will be notified to return the bid security of the successful bidder or, if performance and payment bonds are not required, only after the sum retained under Article 21 of the Contract equals the amount of the bid security.
  - (3) Where all bids are rejected, the Comptroller will be notified to return the deposit of the three (3) lowest bidders at the time of rejection.
- (B) <u>Performance and Payment Security</u>: Performance and Payment Security must be provided in an amount and type specified in Attachment 1 (page A-l of the Bid Booklet). The performance and payment security shall be delivered by the contractor prior to or at the time of execution of the Contract. If a contractor fails to deliver the required performance and payment security, its bid security shall be enforced, and an award of Contract may be made to the next lowest responsible and responsive bidder, or the contract may be rebid.
- (C) <u>Acceptable Types of Security</u>: Acceptable types of security for bids, performance, and payment shall be limited to the following:
  - (1) a one-time bond in a form satisfactory to the City;
  - (2) a bank certified check or money order;
  - (3) obligations of the City of New York; or
  - other financial instruments as determined by the Office of Construction in consultation with the Comptroller.

Whenever the successful bidder deposits obligations of the City of New York as performance and payment security, the Comptroller may sell and use the proceeds thereof for any purpose for which the principal or surety on such bond would be liable under the terms of the Contract. If the money is deposited with the Comptroller, the successful bidder shall not be entitled to receive interest on such money from the City.

(D) Form of Bonds: Security provided in the form of bonds must be prepared on the form of bonds authorized by the City of New York. Forms for bid, performance, and payment bonds are included in the Invitation for Bids Documents. Such bonds must have as surety thereunder such surety company or companies as are: (I) approved by the City of New York; (2) authorized to do business in the State of New York, and (3) approved by the Department of the Treasury of the United States. Premiums for any required bonds must be included in the base bid.

The bidder is advised that submission of a bid bond where the surety on such bond fails to meet the criteria set forth herein, shall result in the rejection of the bid as non-responsive.

The Department of the Treasury of the United States advises that information concerning approved surety companies may be obtained as follows: (1) from the Government Printing Office at 202-512-1800; (2) through the Internet at <a href="http://www.fms.treas.gov/c570/index.html">http://www.fms.treas.gov/c570/index.html</a>, and (3) through a computerized public bulletin board, which can be accessed by using your computer modem and dialing 202-874-6887.

(E) <u>Power of Attorney</u>: Attorneys in fact who sign bid, performance, or payment bonds must file with each bond a certified copy of their power of attorney to sign said bonds.

#### 27. Failure to Execute Contract

In the event of failure of the successful bidder to execute the Contract and furnish the required security within ten (10) days after notice of the award of the Contract, the deposit of the successful bidder or so much thereof as shall be applicable to the amount of the award made shall be retained by the City, and the successful bidder shall be liable for and hereby agrees to pay on demand the difference between the price bid and the price for which such Contract shall be subsequently awarded, including the cost of any required reletting and less the amount of such deposit. No plea of mistake in such accepted bid shall be available to the bidder for the recovery of the deposit or as a defense to any action based upon such accepted bid. Further, should the bidder's failure to comply with this Section cause any funding agency, body or group (Federal, State, City, Public, Private, etc.) to terminate, cancel or reduce the funding on this project, the bidder in such event shall be liable also to the City for the amount of actual funding withdrawn by such agency on this project, less the amount of the forfeited deposit.

## 28. <u>Bidder Responsibilities and Qualifications</u>

- (A) Bidders must include with their bids all information necessary for a determination of bidder responsibility, as set forth in the Specifications.
- (B) The Agency may require any bidder or prospective bidder to furnish all books of account, records, vouchers, statements or other information concerning the bidder's financial status for examination as may be required by the Agency to ascertain the bidder's responsibility and capability to perform the Contract. If required, a bidder must also submit a sworn statement setting forth such information as the Agency may require concerning present and proposed plant and equipment, the personnel and qualifications of his working organizations, prior experience and performance record.
- (C) Oral Examination on Qualifications: In addition thereto, and when directed by the Agency, the bidder, or a responsible officer, agent or employee of the bidder, must submit to an oral examination to be conducted by the Agency in relation to his proposed tentative plan and schedule of

operations, and such other matters as the Agency may deem necessary in order to determine the bidder's ability and responsibility to perform the work in accordance with the Contract. Each person so examined must sign and verify a stenographic transcript of such examination noting thereon such corrections as such person may desire to make.

(D) If the bidder fails or refuses to supply any of the documents or information set forth in paragraph (B) hereof or fails to comply with any of the requirements thereof, the Agency may reject the bid.

# 29. Employment Report

In accordance with Executive Order No. 50 (1980) as modified by Executive Order 108 (1986), the filing of a completed Employment Report (ER) is a requirement of doing business with the City of New York for construction contractors with contracts of \$1,000,000 or more and subcontractors with construction subcontracts of \$750,000 or more. The required forms and information are included in the Bid Booklet.

## 30. Labor Law Requirements

- (A) <u>General</u>: The successful bidder will be required to comply strictly with all Federal, State and local labor laws and regulations.
- (B) New York State Labor Law: This Contract is subject to New York State Labor Law Section 220, which requires that construction workers on the site be paid prevailing wages and supplements. The Contractor is reminded that all wage provisions of this Contract will be enforced strictly and failure to comply will be considered when evaluating performance. Noncompliance may result in the contractor being debarred by the City from future contracts. Complaints filed with the Comptroller may result in decisions which may debar a contractor from bidding contracts with any state governmental entity and other political subdivisions.
- (C) <u>Records</u>: The Contractor is expected to submit accurate payroll reports and other required documents and verify attendance and job classifications being utilized in compliance with the law, Contract provisions and agency procedures.

#### 31. Insurance

- (A) Bidders are advised that the insurance requirements contained herein are regarded as material terms of the Contract. As required by Article 22 of the Contract, the contractor must effect and maintain with companies licensed and authorized to do business in the State of New York, the types of insurance set forth therein, when required by and in the amounts set forth in Schedule A of the General Conditions. Such required insurance must be provided from the date the contractor is ordered to commence work and up to the date of final acceptance of all required work.
- (B) The contractor must, within ten days of receipt of the notice of award, submit the following insurance documentation: (a) original certificate of insurance for general liability in the amount required by Schedule A of the General Conditions, and (b) original certificates of insurance or other proof of coverage for workers' compensation and disability benefits, as required by Section 57 of the New York State Workers' Compensation Law and Section 220 of the Disability Benefits Law.

# 32. <u>Lump Sum Contracts</u>

- (A) <u>Comparison of Bids</u>: Bids on Lump Sum Contracts will be compared on the basis of the lump sum price bid, adjusted for alternate prices bid, if any.
- (B) Lump Sum Bids for "General Construction Work" which include excavation shall include all necessary excavation work defined in the Specifications as being included in the lump sum bid. The bidder shall also bid a unit price for the additional cost of excavating material which is defined in the Specifications as excavation for which additional payment will be made. The total estimated additional cost of removing such material will be taken as the quantity set forth in the Engineer's Estimate multiplied by the unit price bid. This total estimated cost of additional excavation shall be added to the lump sum bid for the General Construction Work for the purpose of comparing bids to determine the low bidder.
- (C) <u>Variations from Engineer's Estimate</u>: The Engineer's Estimate of the quantity of excavation for which additional payment will be made is approximate only and is given solely to be used as a uniform basis for the comparison of bids and such estimate is not to be considered as part of this contract. The quantities actually required to complete the contract work may be more or less than the quantities in the Engineer's Estimate and, if so, no action for damages or for loss of profits shall accrue to the contractor by reason thereof.

## 33. <u>Unit Price Contracts</u>

- (A) <u>Comparison of Bids</u>: Bids on Unit Price Contracts will be compared on the basis of a total estimated price, arrived at by taking the sum of the estimated quantities of such items, in accordance with the Engineer's Estimate of Quantities set forth in the Bid Schedule, multiplied by the corresponding unit prices, and including any lump sum bids on individual items.
- (B) <u>Variations from Engineer's Estimate</u>: Bidders are warned that the Engineer's Estimate of Quantities on the various items of work and materials is approximate only, given solely to be used as a uniform basis for the comparison of bids, and is not be considered part of this contract. The quantities actually required to complete the contract work may be less or more than so estimated, and if so, no action for damages or for loss of profits shall accrue to the contractor by reason thereof.
- (C) Overruns: The terms and conditions applicable to overruns of unit price items are set forth in Article 26 of the Contract.

#### 34. Excise Tax

Bidders are referred to the Specifications for information on Federal Excise Tax exemptions.

## 35. <u>Licenses and Permits</u>

The successful bidder will be required to obtain all necessary licenses and permits necessary to perform the work.

## 36. Multiple Prime Contractors

If more than one prime contractor will be involved on this project, all contractors are required to examine the Invitation for Bid packages for all other parts of the project.

# 37. Locally Based Enterprise Requirements (LBE)

This Contract is subject to the requirements of Administrative Code, Section 6-108.1, and the regulations promulgated thereunder. No construction contract will be awarded unless and until these requirements have been complied with in their entirety. The bidder is advised of the provisions set forth below, as well as the provisions with respect to the Locally Based Enterprise Program contained in Article 67 of the Contract. The contractor is advised that:

- (A) If any portion of the Contract is subcontracted, not less than ten percent of the total dollar amount of the contract shall be awarded to locally based enterprises ("LBEs"); except, where less than ten percent of the total dollar amount of the Contract is subcontracted, such lesser percentage shall be so awarded.
  - (B) No contractor shall require performance and payment bonds from LBE subcontractors.
  - (C) No Contract shall be awarded unless the contractor first identifies in its bid:
  - (1) the percentage, dollar amount and type of work to be subcontracted; and
  - (2) the percentage, dollar amount and type of work to be subcontracted to LBEs.
- (D) Within ten calendar days after notification of low bid, the apparent low bidder shall submit an "LBE Participation Schedule" to the contracting agency. If such schedule does not identify sufficient LBE subcontractors to meet the requirements of Administrative Code Section 6-108.1, the apparent low bidder shall submit documentation of its good faith efforts to meet such requirements.
  - (1) The "LBE Participation Schedule" shall include:
    - (a) the name and address of each LBE that will be given a subcontract,
    - (b) the percentage, dollar amount and type of work to be subcontracted to the LBE, and
    - (c) the dates when the LBE subcontract work will commence and end.
  - (2) The following documents shall be attached to the "LBE Participation Schedule":
    - verification letters from each subcontractor listed in the "LBE Participation Schedule" stating that the LBE will enter into a formal agreement for work,
    - (b) certification documents of any proposed LBE subcontractor which is not on the LBE certified list, and
    - (c) copies of the certification letter of any proposed subcontractor which is an LBE.
  - (3) Documentation of good faith efforts to achieve the required LBE percentage shall include as appropriate but not limited to the following:
    - (a) attendance at prebid meetings, when scheduled by the agency, to advise bidders of contract requirements;

- (b) advertisement where appropriate in general circulation media, trade association publications and small business media of the specific subcontracts that would be at least equal to the percentage goal for LBE utilization specified by the contractor;
- (c) written notification to association of small, minority and women contractors soliciting specific subcontractors;
- (d) written notification by certified mail to LBE firms that their interest in the contract is solicited for specific work items and their estimated values;
- demonstration of efforts made to select portions of the work for performance by LBE firms in order to increase the likelihood of achieving the stated goal;
- (f) documented efforts to negotiate with LBE firms for specific subcontracts, including at a minimum:
  - (i) The names, address and telephone numbers of LBE firms that are contacted;
  - (ii) A description of the information provided to LBE firms regarding the plans and specifications for portions of the work to be performed;
  - (iii) Documentation showing that no reasonable price can be obtained from LBE firms;
  - (iv) A statement of why agreements with LBE firms were not reached;
- (g) a statement of the reason for rejecting any LBE firm which the contractor deemed to be unqualified; and
- (h) documentation of efforts made to assist the LBE firms contacted that needed assistance in obtaining required insurance.
- (E) Unless otherwise waived by the Commissioner with the approval of the Office of Economic and Financial Opportunity, failure of a proposed contractor to provide the information required by paragraphs (C) and (D) above may render the bid non-responsive and the Contract may not be awarded to the bidder. If the contractor states that it will subcontract a specific portion of the work, but can demonstrate despite good faith efforts it cannot achieve its required LBE percentage for subcontracted work until after award of Contract, the Contract may be awarded, subject to a letter of compliance from the contractor stating that it will comply with Administrative Code Section 6-108.1 and subject to approval by the Commissioner. If the contractor has not met its required LBE percentage prior to award, the contractor shall demonstrate that a good faith effort has been made subsequent to award to obtain LBEs on each subcontract until its meets the required percentage.
- (F) When a bidder indicates prior to award that no work will be subcontracted, no work may be subcontracted without the prior written approval of the Commissioner, which shall be granted only if the contractor in good faith seeks LBE subcontractors at least six weeks prior to the start of work.
- (G) The contractor may not substitute or change any LBE which was identified prior to award of the contract without the written permission of the Commissioner. The contractor shall make a written application to the Commissioner for permission to make such substitution or change, explaining why the contractor needs to change its LBE subcontractor and how the contractor will meet its LBE subcontracting requirement. Copies of such application must be served on the originally identified LBE by certified mail return receipt requested, as well as the proposed substitute LBE. The Commissioner shall determine whether or not to grant the contractor's request for substitution.

## 38. <u>Bid Submission Requirements</u>

The Bid Submission Requirements are set forth on page 2 of the Bid Booklet.

## 39. Comptroller's Certificate

This Contract shall not be binding or of any force unless it is registered by the Comptroller in accordance with Section 328 of the City Charter and the Procurement Policy Board Rules. This Contract shall continue in force only after annual appropriation of funds by the City of New York and certification as hereinabove set forth.

# 40. <u>Procurement Policy Board Rules</u>

This Invitation For Bids is subject to the Rules of the Procurement Policy Board of the City of New York. In the event of a conflict between said Rules and a provision of this Invitation For Bids, the Rules shall take precedence.

# 41. <u>DDC Safety Requirements</u>

The DDC Safety Requirements apply to the work to be performed pursuant to the Contract. The DDC Safety Requirements are set forth on the following pages.

# CITY OF NEW YORK

# DEPARTMENT OF DESIGN AND CONSTRUCTION SAFETY REQUIREMENTS

# THE DDC SAFETY REQUIREMENTS INCLUDE THE FOLLOWING SECTIONS: POLICY ON SITE SAFETY II. PURPOSE ..... III. DEFINITIONS..... IV. RESPONSIBILITIES.... ٧. SAFETY QUESTIONNAIRE VI. SAFETY PROGRAM AND SITE SAFETY PLAN VII. KICK-OFF/PRE-CONSTRUCTION MEETINGS AND SAFETY REVIEW ..... VIII. EVALUATION DURING WORK IN PROGRESS ..... IX.

SAFETY PERFORMANCE EVALUATION.....

#### I. POLICY ON SITE SAFETY

The City of New York Department of Design and Construction (DDC) is committed to a policy of injury and illness prevention and risk management for construction work that will ensure the safety and health of the workers engaged in the projects and the protection of the general public. Therefore, it is DDC's policy that work carried out by Contractors on DDC jobsites must, at a minimum, comply with applicable federal, state and city laws, rules and regulations, including without limitation:

- U. S. Department of Labor 29 Code of Federal Regulations (CFR) Part 1926 and applicable Sub-parts of Part 1910 U.S. Occupational Safety and Health Administration (OSHA) including, but not limited to "Respiratory Protection" (29 CFR 1910.134), "Permit-Required Confined Spaces" (29 CFR 1910.146), and "Hazard Communication" (29 CFR 1910.1200);
- New York State Department of Labor Industrial Code Rule 23 Protection in Construction, Demolition and Excavation;
- □ New York City Construction Codes, Title 28
- □ NYC Department of Transportation Title 34 Chapter 2 Highway Rules
- □ New York State Department of Labor Industrial Code Rule 753
- □ NYC Local Law No. 113 (2005) Noise Control Code

In addition, all regulations promulgated by the NYC Department of Transportation, including requirements for Maintenance and Protection of Traffic (MPT), are applicable when contained in contract specifications. While MPT is a significant component of work in our Infrastructure Division, it does not supersede or exempt Contractors from complying with other applicable health and safety standards (for example, excavating and trenching standards, operation of heavy equipment and compliance with City environmental and noise regulations).

#### II. PURPOSE

The purpose of this policy is to ensure that Contractors perform their work and supervise their employees in accordance with all applicable federal, state and city rules and regulations. Further, Contractors will be expected to minimize or eliminate jobsite and public hazard, through a planning, inspection, auditing and corrective action process. The goal is to control risks so that injuries, illnesses and accidents to contractors' employees, DDC employees and the general public, as well as damage to city-owned and private property, are reduced to the lowest level feasible.

#### III. DEFINITIONS

Agency Chief Contracting Officer (ACCO): The ACCO shall mean the person delegated authority by the Commissioner to organize and supervise the procurement activity of subordinate Agency staff in conjunction with the CCPO.

Competent Person: As defined by OSHA, an individual who is capable of identifying existing and predictable hazards in the surroundings or working conditions that are unsanitary, hazardous, or dangerous to employees or the general public, and who has authorization to take prompt corrective measures to eliminate them.

Construction Safety Auditor: A representative of the QACS Construction Safety Unit who provides inspection and assessment services to enhance health and safety on all DDC construction projects. The activities of the Construction Safety Auditor include performing site surveys, reviewing health and safety plans, reviewing construction permits, and rendering technical advice and assistance to DDC Resident Engineers and Project Managers.

Construction Safety Unit: A part of QACS within the Division of Technical Support that assesses contractor safety on DDC jobsites and advises responsible parties of needed corrective actions.

Construction Superintendent: A representative of the contractor responsible for overseeing performance of the required construction work. This individual must engage in sound construction practices, and is responsible to maintain a safe work site. In the case of a project involving the demolition, alteration or new construction of buildings, the Construction Superintendent must be licensed by the NYC Department of Buildings.

Contractor: For purposes of these Safety Requirements, the term "Contractor" shall mean any person or entity that enters into a contract for the performance of construction work on a DDC project. The term "Contractor" shall include any person or entity which enters into any of the following types of contracts: (1) a prime construction contract for a specific project, (2) a prime construction contract using the Job Order Contracting System ("JOCS Contract"), and (3) a subcontract with a CM/Builder ("First Tier Subcontract").

**Director - Quality Assurance and Construction Safety (QACS)**: Responsible for the operations of the QACS Construction Safety Unit and the DDC Site Safety management programs.

Job Hazard Assessment (JHA): A process of identifying site-specific hazards that may be present during construction and establishing the means and methods to reduce or eliminate those hazards.

Jobsite Safety Coordinator: A person designated by the Contractor to be onsite during all activities. This individual shall have received, at a minimum, the OSHA 10-hour construction safety program. Other examples of acceptable training are the 30-hour OSHA Safety and Health Standards for the Construction Industry training program (OSHA 510) or a degree/certificate in a safety and health from a college-level curriculum. This person does not necessarily have to be dedicated full-time to site safety, but must have sufficient experience and authority to undertake corrective action and must qualify to be a competent person. For certain projects, as defined in NYC Construction Codes – Title 28, this person may be required to have a Site Safety Manager's License issued by the NYC DOB.

Qualified Person: As defined by OSHA, an individual who, by possession of a recognized degree, certificate, license or professional standing, or who by extensive knowledge, training, and experience, has successfully demonstrated his or her ability to solve problems relating to the subject matter, the work, or the project. Qualified Persons are required under regulation to address issues pertaining, but without limit, to fall protection, scaffold design and trenching and shoring, among others.

Resident Engineer (RE) / Construction Project Manager (CPM): Representative of the Commissioner duly designated by the Commissioner to be his/her representative at the site of the work. (The RE/CPM may be a third-party consultant, including a CM, retained by DDC.)

Safety Program: Established by the Contractor that covers all operations of that Contractor and establishes the Contractor's overall safety policy, regulatory compliance plan and minimum safety standards. The Safety Program must be submitted prior to the commencement of work at the site and is subject to review and acceptance by the Construction Safety Unit.

Safety Questionnaire: Used by DDC to evaluate Contractor's current and past safety performance. It is required to be completed by all Contractors initially when submitting bids for Construction work, or when being pre-qualified and updated annually or as requested by the DDC.

Site Safety Plan: A site-specific safety plan developed by the Contractor for a specific project. The Site Safety Plan must identify hazards associated with the project, and include specific safety precautions and training appropriate and necessary to complete the work. The Site Safety Plan must be submitted prior to the commencement of work at the site and is subject to review and acceptance by the Construction Safety Unit.

Unsafe or Unhealthy Condition: A condition that could be potentially hazardous to the health and safety of personnel or the public, and/or damaging to equipment, machinery, property or the environment.

Weekly Safety Meetings: Weekly documented jobsite safety meetings, given to all jobsite personnel by contractor, with the purpose of discussing general safety topics and job specific requirements encountered at the DDC work site.

#### IV. RESPONSIBILITIES

All persons who manage, perform, and provide support for construction projects shall conduct operations in compliance with the requirements identified in this Policy and all applicable governing regulatory agency requirements and guidelines pertaining to safety in construction.

# A. Resident Engineer / Construction Project Manager / Construction Manager

- Monitors the issuance of safety- related permits, approvals and drawings and maintains copies on site.
- Monitors construction-related work activities to confirm that they are conducted in accordance with DDC policies
  and all applicable regulations that pertain to construction safety.
- Maintains documentation and periodically attends weekly safety meeting.
- Notifies the Construction Safety Unit and the ACCO's Insurance and Risk Management Unit of project-related accidents and emergencies, as per DDC's Construction Safety Emergency Protocol.
- Gathers facts related to all accidents and prepares DDC Accident Reports.
- Notifies the Construction Safety Unit of outside regulatory agency inspections and forwards a copy of the inspection report within three days of its receipt.
- Monitors the conditions at the site for conformance with the Site Safety Plan and DDC construction documents.
- Notifies the contractor and DDC in the event that any condition or activity exists that is not in compliance with the Site Safety Plan, applicable federal, state or local codes or any condition that presents a potential risk of injury to the public or workers or possible damage to property.
- Notifies DDC of any emergency condition and directs the contractor to provide such labor, materials, equipment and supervision to abate such conditions.
- Reports gross safety violations to the Construction Safety Unit immediately.

#### **B.** Contractors

- Complete a Safety Questionnaire and submit with its bid or as part of a pre-qualification package.
- Provide a Written Job Hazard Assessment (JHA) that identifies expected safety issues of the work to be performed. JHA shall be included with the Site Safety Plan submitted by the contractor.
- Submit a Site Safety Plan and Safety Program within 15 days of issuance of the Notice to Proceed, or as otherwise directed. The Site Safety Plan and Safety Program are subject to review and acceptance by the Construction Safety Unit prior to the commencement of work at the site. The Site Safety Plan shall be revised and updated as necessary.
- Ensure that all employees are aware of the hazards associated with the project through formal and informal training and/or other communications. Conduct and document weekly safety meetings for the duration of the project. Documentation to be provided to the RE/CPM/CM on a monthly basis.
- Name a Construction Superintendent, if required.
- Name a Job Site Safety Coordinator. The Contractor will be required to identify the Job Site Safety Coordinator in the Site Safety Plan.
- Comply with all mandated federal, state and local safety and health rules and regulations.
- Comply with all provisions of the Site Safety Plan.
- As part of the Site Safety Plan, prepare a site specific MPT (if not otherwise provided in the contract documents) and comply with all of its provisions.

- Conduct and document site-specific safety orientation for Contractor personnel to review the hazards associated
  with the project as identified in the Site Safety Plan and the specific safety procedures and controls that will be
  used to protect workers, the general public and property. The Job Site Safety Coordinator will conduct this
  training prior to mobilization and provide documentation to the RE/CPM/CM.
- Provide, replace and adequately maintain at or around the project site, suitable and sufficient signage, lights, barricades and enclosures (fences, sidewalk sheds, netting, bracing, etc.).
- Report unsafe conditions or hazards to the DDC RE/CPM/CM as soon as practical, but no more than 24 hours after discovery, and take action to remove or abate such conditions.
- Report any accident involving injuries to workers or the general public, as well as property damage, to the DDC RE/CPM/CM within two (2) hours.
- Notify the DDC RE/CPM/CM within two (2) hours of the start of an inspection by any regulatory agency personnel, including OSHA.
- Maintain all records pertaining to all required compliance documents and accident and injury reports.
- Respond to DDC recommendations on safety, which shall in no way relieve the Contractor of its responsibilities for safety on the project. The Contractor has sole responsibility for safety.

#### V. SAFETY QUESTIONNAIRE

DDC requires that all Contractors provide information regarding their current and past safety and environmental performance and programs. This will be accomplished by the use of the DDC Safety Questionnaire. As a part of the bid submittal package, the contractor must submit a completed DDC Safety Questionnaire listing their workers' compensation experience modification rating and OSHA Incidence Rates for the three (3) years prior to the date of the bid opening. DDC may request a Contractor to update its Questionnaire at any time or to provide more detailed information. The Contractor must provide the requested update within 30 days.

The following criteria will be used by DDC in reviewing the Contractor's responsibility, which will be based on the information provided on the questionnaire:

- Criteria 1: OSHA Injury and Illness Rates (I&IR) are no greater than the average for the industry (based on the most current Bureau of Labor Statistics data for the Contractors SIC code); and
- Criteria 2: Insurance workers compensation Experience Modification Rate (EMR) equal to or less than 1.0; and
- Criteria 3: Any willful violations issued by OSHA or NYC DOB within the last three years; and
- Criteria 4: A fatality (worker or member of public) experienced on or near Contractor's worksite within the last three (3) years; and
- Criteria 5: An unacceptable rating by QACS based on past performance on DDC projects; and
- Criteria 6: Contractor has in place an acceptable corporate safety program and its employees shall have completed all documented relative safety training; and
- Criteria 7: Contractor shall provide OSHA Injury Records (currently OSHA 300 Log) for the last three (3) years.

If the Contractor fails to meet the basic criteria listed above, the Construction Safety Unit may request, through the ACCO, more detail concerning the Contractor's safety experience. DDC may request the Contractor to provide copies of, among other things, OSHA records, OSHA and DOB citations, EPA citations and written Safety Programs.

# VI. SAFETY PROGRAM AND SITE SAFETY PLAN

Within fifteen (15) days of issuance of the Notice to Proceed, or as otherwise directed, the Contractor shall submit the following: (1) Safety Program, and (2) Site Safety Plan. The Safety Program shall set forth the Contractor's overall safety policy, regulatory compliance plan and minimum safety standard, and the Site Safety Plan shall identify hazards associated with the project, and include specific safety precautions and training appropriate and necessary to complete the work. The Safety Program and the Site Safety Plan are subject to review and acceptance by the Construction Safety Unit prior to the commencement of work at the site. Failure by the contractor to submit an acceptable Site Safety Plan and Safety Program shall be grounds for default.

The Site Safety Plan shall apply to all Contractor and subcontractor operations, and shall have at a minimum, the following elements. Each element shall be described in a separate section in the written document. It may be necessary to modify the basic format for certain unique or high-risk projects (such as tunnels or high-rise construction). The basic elements are as follows:

- 1. Responsibility and Organization: Identify the person or persons with authority and responsibility for implementing the Site Safety Plan. Provide an organization chart and define levels of authority and responsibility. Identify the Competent Person, the Construction Superintendent (if required), the Job Safety Coordinator and the Qualified Person required for this project.
- 2. Communication: Establish a system for communicating with employees and subcontractors on matters relating to worker and public safety and health and environmental protection, including provisions designed to encourage employees to inform the employer of hazards at the worksite without fear of reprisal. An emergency response notification protocol is to be established that also includes after hours contact numbers. The plan must also include provisions for weekly safety meetings held by the Job Site Safety Coordinator.
- 3. Job Hazard Assessment: A written document submitted by the contractor, used to identify expected job hazards and public safety risks and state the specific means and methods to reduce, control or eliminate those hazards. This part of the Site Safety Plan must also include how on-going evaluations of those risks and hazards will be carried out, including plans for periodic inspections to identify unsafe conditions, work practices and public safety hazards.
- 4. Accident/Exposure Investigation: Establish a procedure to investigate and report occupational and public injury or illness, property damage, vehicle accidents or other mishaps.
- 5. Hazard Correction: Establish means, methods and/or procedures for correcting unsafe or unhealthy conditions that might be exposing both the public and workers to hazards. Corrective actions must be taken immediately when observed or discovered. Should an imminent hazard exist which cannot be immediately abated without endangering employees, the public and/or property, remove or restrict all exposed persons from the area except those necessary to correct the existing condition. Employees necessary to correct the hazardous condition shall be provided the necessary safeguards. When corrective actions cannot be taken immediately, temporary measures should be taken until such time permanent measures are taken to eliminate the potential risks or hazards
- 6. Training: Describe site-specific hazard training programs. In addition to the required safety orientation, additional site specific training, in the form of required weekly safety meetings, will be required. Contractors must also initiate training when: a) new employees are hired; b) employees are given new job assignments for which training has not been previously received; c) new substances, processes, procedures or equipment are introduced that might represent a new public or worker hazard; d) the employee is made aware of a new or previously unrecognized hazard; e) new supervisors are assigned to familiarize themselves with the safety and health hazards to which employees under their immediate direction and control may be exposed; and f) after a jobsite incident or accident has occurred.

7. Recordkeeping: Establish procedures to maintain records of scheduled and periodic inspections, weekly safety meetings, and training records. Updated records shall be maintained at the jobsite, accessible to the Construction Safety Auditors and/or Quality Assurance Auditors/RE/CPM, and retained in accordance with DDC policy.

The most critical component of the Site Safety Plan is the Job Hazard Assessment section. This section must address specific hazards that are anticipated throughout the project. Each Site Safety Plan must address, at a minimum:

- Public and pedestrian safety
- Fall protection
- Electrical hazards
- Scaffolding
- Fire protection
- Emergency notification & response
- Housekeeping / debris removal
- Dust control

- Maintenance and protection of traffic
- Trenching and excavating
- Heavy equipment operations
- Material / equipment storage
- Environmental contamination
- Sheeting and shoring
- Alcohol and Drug Abuse Policy

The following additional hazards must be addressed, if applicable, based on the contract safety specifications and/or the results of the JHA (the list is not all-inclusive):

- Basic Personal Protective Equipment
- Compressed Air
- Compressed Gas Cylinders
- Cranes, Derricks and Hoists
- Demolition
- Electrical safety
- Excavations and Trenching
- Fall Protection Floor openings/Stairways
- Fall Protection Guardrails Toe boards etc
- Fall Protection Leading Edge
- Fall Protection Personal Fall Protection Devices
- Fire Protection and Fire Prevention
- Hazard Communication (RIGHT TO KNOW)
- Hazardous Energy & Lock Out / Tag Out
- Housekeeping/Sanitation
- Maintenance and Protection of Traffic (MPT)
- Man Lifts / Aerial Lifts
- Marine Operations
- Motor Vehicle Safety
- Overhead Power lines
- Permit Required Confined Space
- Portable Ladders
- · Powered Actuated Tools
- Powered Material Handling Equipment
- Scaffolds Mobile
- Scaffolds Stationary
- Scaffolds Suspended
- Slings
- Steel Erection

- Welding and Cutting (Hot Work)
- Airborne Contaminants Particulates General
- Asbestos
- Blood borne Pathogens
- Hearing Protection
- Lead in Construction
- Mercury in Construction
- PCB's
- Respiratory Protection
- Silica
- Thermal Stress
- West Nile Virus
- Rodents and Vermin
- Noise Mitigation Plan

Certain DDC programs, such as Job Order Contracting System (JOCS), may not necessarily require Site Safety Plans. The JOCS contractor will be required to submit a Safety Program. In addition, certain DDC Operating Units may establish program or client-specific safety requirements. The contractor's Site Safety Plan must address such program or client specific safety requirements.

# VII. KICK-OFF MEETINGS/PRE-CONSTRUCTION AND SAFETY REVIEW

As part of the construction kick-off meeting, a Site Safety Plan review will be part of the agenda. A QACS representative will participate in this meeting with the contractor prior to the start of the project for the purpose of:

- A. Reviewing the safety issues detailed in the contract.
- B. Reviewing the Site Safety Plan.
- C. Reviewing any new issues or information that was not previously addressed.
- D. Discussing planned inspections and audits of the site by DDC personnel.

### VIII. EVALUATION DURING WORK IN PROGRESS

The Contractor's adherence to these Safety Requirements will be monitored throughout the project. This will be accomplished by the following:

- A. Use of a safety checklist by a representative of the Construction Safety Unit or other designated DDC representative or Consultant during regular, unannounced inspections of the job site. Field Exit Conferences will be held with the RE/CPM, Contractor Superintendents or Safety Representatives.
- B. The RE/CPM will continually monitor the safety and environmental performance of the contractor's employees and work methods. Deficiencies shall be brought to the attention of the contractor's representative on site for immediate correction. The DDC representative will maintain a written record of these deficiencies and forward them to the Construction Safety Unit on a weekly basis. Any critical deficiencies shall be immediately reported to QACS phone# (718) 391-1624 or (718) 391-1911.
- C. If the Contractor's safety performance during the project is not up to DDC standards (safety performance measure, accident/incident rate, etc.) the Director-QACS, or designee will meet with the Contractor's safety representative, the DDC project manager, the RE/CPM, or the DDC Environmental Specialist (if environmental issues are involved). The purpose of this meeting is to 1) determine the level of non-compliance; 2) explain and clarify the safety/environmental provisions; 3) agree on a future course of action to correct the deficiencies.

- D. If the deficiencies continue to occur with inadequate attention by the contractor, this shall, among other remedies available, be grounds for default.
- E. The contractor shall inform the Construction Safety Unit and ACCO Insurance and Risk Management Unit of all medical injuries or illnesses that require doctors' treatment resulting from an on-the-job incident within 24 hours of the occurrence. The Construction Safety Unit shall also be immediately informed of all fatalities, catastrophic accidents with more than one employee hospitalized, any injuries to members of the general public and major equipment damage (e.g., property damage, equipment rollovers, loads dropped from crane). QACS shall maintain a record of all contractor injuries and illnesses during the project and provide regular reports to the Agency.
- F. The Construction Safety Unit shall be immediately notified at the start of any NYS-DOL/ NYC-COSH/ OSHA/ EPA inspections. The Director of Quality Assurance & Construction Safety shall maintain a log of all contractor OSHA/EPA inspections and citations during the project.

#### IX. SAFETY PERFORMANCE EVALUATION

The contractor's safety record, including all DDC inspection results, will be considered as part of the Contractor's performance evaluation at the conclusion of the project. Poor safety performance during the course of the project shall be a reason to rate a Contractor unsatisfactory which will be reflected in the City's Vendex system and will be considered for future procurement actions as set forth in the City's Procurement Policy Board Rules.

(NO TEXT ON THIS PAGE)

(NO TEXT ON THIS PAGE)

CHAPTER I		
THE CONTRAC	CT AND DEFINITIONS	
ARTICLE 1.	THE CONTRACT	1
ARTICLE 2.	DEFINITIONS	1
CHAPTER II		
THE WORK AN	ND ITS PERFORMANCE	
ARTICLE 3.	CHARACTER OF THE WORK	4
ARTICLE 4.	MEANS AND METHODS OF CONSTRUCTION	4
ARTICLE 5.	COMPLIANCE WITH LAWS	4
ARTICLE 6.	INSPECTION	9
ARTICLE 7.	PROTECTION OF WORK AND OF PERSONS AND	
	PROPERTY; NOTICES AND INDEMNIFICATION	10
	•	
CHAPTER III		
TIME PROVISI	<u>IONS</u>	
ARTICLE 8.	COMMENCEMENT AND PROTECTION OF THE WORK	11
ARTICLE 9.	PROGRESS SCHEDULES	11
ARTICLE 10.	REQUESTS FOR INFORMATION OR APPROVAL	12
ARTICLE 11.	NOTICE OF CONDITIONS CAUSING DELAY AND	
	DOCUMENTATION OF DAMAGES CAUSED BY DELAY	12
ARTICLE 12.	COORDINATION WITH OTHER CONTRACTORS	13
ARTICLE 13.	EXTENSION OF TIME FOR PERFORMANCE	14
ARTICLE 14.	COMPLETION AND FINAL ACCEPTANCE OF THE WORK	16
ARTICLE 15.	LIQUIDATED DAMAGES	17
ARTICLE 16.	OCCUPATION OR USE PRIOR TO COMPLETION	18
CHAPTER IV		
SUBCONTRAC	TS AND ASSIGNMENTS	
ARTICLE 17.	SUBCONTRACTS	18
ADTICLE 18	ASSICNMENTS	20

CHAPTER V		
CONTRACTO	R'S SECURITY AND GUARANTY	
ARTICLE 19.	SECURITY DEPOSIT	20
ARTICLE 20.	PAYMENT GUARANTEE	20
ARTICLE 21.	RETAINED PERCENTAGE	22
ARTICLE 22.	INSURANCE	23
ARTICLE 23.	MONEY RETAINED AGAINST CLAIMS	28
ARTICLE 24.	MAINTENANCE AND GUARANTY	28
CHAPTER VI		
	TRA WORK AND DOCUMENTATION OF CLAIM	
ARTICLE 25.	CHANGES	29
ARTICLE 26.	METHODS OF PAYMENT FOR OVERRUNS AND	
	EXTRA WORK	30
ARTICLE 27.	RESOLUTION OF DISPUTES	32
ARTICLE 28.	RECORD KEEPING FOR EXTRA OR DISPUTED WORK	36
ARTICLE 29.	OMITTED WORK	36
ARTICLE 30.	NOTICE AND DOCUMENTATION OF COSTS AND	
	DAMAGES; PRODUCTION OF FINANCIAL RECORDS	37
CHAPTER VII		
POWERS OF T	HE RESIDENT ENGINEER, THE ENGINEER	
OR ARCHITEC	CT AND THE COMMISSIONER	
	TALE OF TANADOTO TALE	
ARTICLE 31.	THE RESIDENT ENGINEER	38
ARTICLE 32.	THE ENGINEER OR ARCHITECT OR PROJECT MANAGER	38
ARTICLE 33.	THE COMMISSIONER	39
ARTICLE 34.	NO ESTOPPEL	39
CHAPTER VIII		
LABOR PROVI		
ZIZ OKTROTI	<u> </u>	
ARTICLE 35.	EMPLOYEES	39
ARTICLE 36.	NO DISCRIMINATION	40
ARTICLE 37.	LABOR LAW REQUIREMENTS	42
ARTICLE 38.	PAYROLL REPORTS	47
ARTICLE 39.	DUST HAZARDS	47

CHAPTER IX		
	D FINAL PAYMENTS	
	STEANIAIMEN15	
ARTICLE 40.	CONTRACT PRICE	
ARTICLE 41.	BID BREAKDOWN ON LUMP SUM	47
ARTICLE 42.	PARTIAL PAYMENTS	47
ARTICLE 43.	PROMPT PAYMENT	48
ARTICLE 44.	SUBSTANTIAL COMPLETION PAYMENT	48
ARTICLE 45.	FINAL PAYMENT	49
ARTICLE 46.	ACCEPTANCE OF FINAL PAYMENT	5(
ARTICLE 47.	ADDONAL BADIDI TO DEGLOS COSTOSTOS	51
CITODE 47.	APPROVAL BY PUBLIC DESIGN COMMISSION	51
CHAPTER X		
	R'S DEFAULT	
ARTICLE 48.	COMMISSIONER'S RIGHT TO DECLARE CONTRACTOR	
	IN DEFAULT	
ARTICLE 49.	EXERCISE OF THE RIGHT TO DECLARE DEFAULT	52 53
ARTICLE 50.	QUITTING THE SITE	53 53
ARTICLE 51.	COMPLETION OF THE WORK	
ARTICLE 52.	PARTIAL DEFAULT	53
ARTICLE 53.	PERFORMANCE OF UNCOMPLETED WORK	53 54
ARTICLE 54.	OTHER REMEDIES	54 54
CHAPTER XI	•	
MISCELLANE	OUS PROVISIONS	
ARTICLE 55.	CONTRACTOR'S WARRANTIES	54
ARTICLE 56.	CLAIMS AND ACTIONS THEREON	55
ARTICLE 57.	INFRINGEMENT	55
ARTICLE 58.	NO CLAIM AGAINST OFFICERS, AGENTS OR	55
ARTICLE 59.	EMPLOYEES	55
	SERVICES OF NOTICES	55
ARTICLE 60.	UNLAWFUL PROVISIONS DEEMED STRICKEN	
A DOMESTICA	FROM CONTRACT	56
ARTICLE 61.	ALL LEGAL PROVISIONS DEEMED INCLUDED	· 56
ARTICLE 62.	TAX EXEMPTION	56
ARTICLE 63.	INVESTIGATION(S) CLAUSE	57
ARTICLE 64.	TERMINATION BY THE CITY	59
ARTICLE 65.	CHOICE OF LAW, CONSENT TO JURISDICTION	
	AND VENUE	

## TABLE OF CONTENTS

# CHAPTER XI (CONT'D) MISCELLANEOUS PROVISIONS

ARTICLE 66.	PARTICIPATION IN AN INTERNATIONAL BOYCOTT	62
ARTICLE 67.	LOCALLY BASED ENTERPRISE PROGRAM	63
ARTICLE 68.	ANTITRUST	63
ARTICLE 69.	MacBRIDE PRINCIPLES PROVISIONS	64
ARTICLE 70	HEALTH INSURANCE COVERAGE	65
ARTICLE 71.	PROHIBITION OF TROPICAL HARDWOODS	66
ARTICLE 72.	CONFLICTS OF INTEREST	66
ARTICLE 73.	MERGER CLAUSE	66
ARTICLE 74.	STATEMENT OF WORK	66
ARTICLE 75.	COMPENSATION TO BE PAID TO CONTRACTOR	66
ARTICLE 76:	ELECTRONIC FUNDS TRANSFER	66
ARTICLE 77:	PARTICIPATION BY MINORITY-OWNED AND WOMEN-O	
	BUSINESS ENTERPRISES IN CITY PROCUREMENT	67
SIGNATURES		73
ACKNOWLED	GMENT BY CORPORATION	74
	GMENT BY PARTNERSHIP	74
	GMENT BY INDIVIDUAL	74
	GMENT BY COMMISSIONER	75
AUTHORITY		76
	CR'S CERTIFICATE	76
MAYOR'S CERTIFICATE		77
PERFORMANCE BOND #1 PERFORMANCE BOND #2		

#### WITNESSETH:

The parties in consideration of the mutual agreements contained herein, agree as follows:

# CHAPTER I THE CONTRACT AND DEFINITIONS

### **ARTICLE 1. THE CONTRACT**

- 1.1 Except for titles, subtitles, headings, running headlines, tables of content and indices (all of which are printed herein merely for convenience), the following, except for such portions thereof as may be specifically excluded, shall be deemed to be part of this Contract:
  - 1.1.1 All provisions required by law to be inserted in this Contract, whether actually inserted or not;
    - 1.1.2 The Contract Drawings and Specifications;
    - 1.1.3 The General Conditions and Special Conditions, if any;
    - 1.1.4 The Contract;
    - 1.1.5 The Information for Bidders; Request for Proposals; Notice of Solicitation and Proposal For Bids; Bid or Proposal, and, if used, the Bid Booklet;
    - 1.1.6 The Budget Director's Certificate; all Addenda issued prior to the receipt of the bids; the Notice of Award; Performance and Payment Bonds, if required; and the Notice to Proceed with the Work.
- 1.2 Should any conflict occur in or between the Drawings and Specifications, the Contractor shall be deemed to have estimated the most expensive way of doing the Work, unless the Contractor shall have asked for and obtained a decision in writing from the Commissioner, of the Agency that is entering into this Contract, before the submission of its bid as to what shall govern.

#### **ARTICLE 2. DEFINITIONS**

- 2.1 The following words and expressions, or pronouns used in their stead, shall, wherever they appear in this Contract, be construed as follows, unless a different meaning is clear from the context:
  - 2.1.1 "Addendum" or "Addenda" shall mean the additional Contract provisions issued in writing by the Commissioner prior to the receipt of bids.
  - 2.1.2 "Agency" shall mean a city, county, borough or other office, position, department, division, bureau, board or commission, or a corporation, institution or agency of government, the expenses of which are paid in whole or in part from the City treasury.
  - 2.1.3 "Agency Chief Contracting Officer" (ACCO) shall mean a person delegated authority by the Commissioner to organize and supervise the procurement activity of subordinate Agency staff in conjunction with the CCPO.
    - 2.1.4 "City" shall mean the City of New York.

- 2.1.5 "City Chief Procurement Officer" (CCPO) shall mean a person delegated authority by the Mayor to coordinate and oversee the procurement activity of Mayoral agency staff, including the ACCO and any offices which have oversight responsibility for the procurement of construction.
- 2.1.6 "Commissioner" shall mean the head of the Agency that has entered into this Contract, or his/her duly authorized representative.
  - 2.1.7 "Comptroller" shall mean the Comptroller of the City of New York.
- 2.1.8 "Contract" or "Contract Documents" shall mean each of the various parts of the contract referred to in Article 1 hereof, both as a whole and severally.
- 2.1.9 "Contract Drawings" shall mean only those drawings specifically entitled as such and listed in the Specifications or in any Addendum, or any drawings furnished by the Commissioner, pertaining or supplemental thereto.
- 2.1.10 "Contract Work" shall mean everything required to be furnished and done by the Contractor by any one or more of the parts of the Contract referred to in Article 1, except Extra Work as hereinafter defined.
- 2.1.11 "Contractor" shall mean the entity which executed this Contract, whether a corporation, firm, partnership, joint venture, individual, or any combination thereof, and it(s), their, his/ her successors, personal representatives, executors, administrators and assigns, and any person, firm, partnership, joint venture, individual, or corporation which shall at any time be substituted in the place of the Contractor under this Contract.
  - 2.1.12 "Days" shall mean calendar days, except where otherwise specified.
- 2.1.13 "Engineer" or "Architect" or "Project Manager" shall mean the person so designated in writing by the Commissioner to act as such in relation to this Contract, including a private Architect or Engineer or Project Manager, as the case may be.
- 2.1.14 "Engineering Audit Officer" (EAO) shall mean the person so designated by the Commissioner to perform responsible auditing functions hereunder.
- 2.1.15 "Extra Work" shall mean Work other than that required by the Contract at the time of award which is authorized by the Commissioner pursuant to Chapter VI of this Contract.
- 2.1.16 "Federal-Aid Contract" shall mean a contract in which the United States (federal) Government provides financial funding as so designated in the Information for Bidders.
- 2.1.17 "Final Acceptance" shall mean final written acceptance of all the Work by the Commissioner, a copy of which shall be sent to the Contractor.
- 2.1.18 "Final Approved Punch List" shall mean a list, approved in writing by the Engineer, specifying those items of Work to be completed by the Contractor after Substantial Completion and dates for the completion of each item of Work.
- 2.1.19 "Law" or "Laws" shall mean the Constitution of the State of New York, the New York City Charter, the New York City Administrative Code, a Statute of the United States or

of the State of New York, a local law of the City of New York, any ordinance, rule or regulation having the force of law, or common law.

- 2.1.20 "Materialman" shall mean any corporation, firm, partnership, joint venture, or individual, other than employees of the Contractor, who or which contracts with the Contractor or any Subcontractor, to fabricate or deliver, or who actually fabricates or delivers, plant, materials or equipment to be incorporated in the Work.
- 2.1.21 "Means and Methods of Construction" shall mean the labor, materials, temporary structures, tools, plant, and construction equipment, and the manner and time of their use, necessary to accomplish the result intended by this Contract.
- 2.1.22 "Other Contractor(s)" shall mean any Contractor (other than the entity which executed this Contract or its Subcontractors) who has a contract with the City for work on or adjacent to the building or site of the Work.
- 2.1.23 "Payroll Taxes" shall mean State Unemployment Insurance ("SUI"), Federal Unemployment Insurance (FUI") and payments pursuant to the Federal Insurance Contributions Act ("FICA").
  - 2.1.24 "Project" shall mean the public improvement to which this Contract relates.
- 2.1.25 "Procurement Policy Board" (PPB) shall mean the Agency of the City of New York whose function is to establish comprehensive and consistent procurement policies and rules which shall have broad application throughout the City.
- 2.1.26 "Required Quantity" in a unit price Contract shall mean the actual quantity of any item of Work or materials which is required to be performed or furnished in order to comply with the Contract.
- 2.1.27 "Resident Engineer" shall mean the representative of the Commissioner duly designated by the Commissioner to be his/her representative at the site of the Work.
- 2.1.28 "Site" shall mean the area upon or in which the Contractor's operations are carried on, and such other areas adjacent thereto as may be designated as such by the Engineer.
- 2.1.29 "Specifications" shall mean all of the directions, requirements and standards of performance applying to the Work as hereinafter detailed and designated under the Specifications.
- 2.1.30 "Subcontractor" shall mean any person, firm or corporation, other than employees of the Contractor, who or which contracts with the Contractor or with its Subcontractors to furnish, or actually furnishes labor, or labor and materials, or labor and equipment, at the site. Wherever the word Subcontractor appears, it shall also mean Sub-Subcontractor.
- 2.1.31 "Substantial Completion" shall mean the written determination by the Commissioner that the Work required under this Contract is substantially, but not entirely, complete.
- 2.1.32 "Treasurer" shall mean the Commissioner of the Department of Finance of the City of New York.

2.1.33 "Work" shall mean all services required to complete the Project in accordance with the Contract Documents, including without limitation, labor, material, superintendence, management, administration, equipment, and incidentals, and shall include both Contract Work and Extra Work.

# CHAPTER II THE WORK AND ITS PERFORMANCE

# ARTICLE 3. CHARACTER OF THE WORK

3.1 Unless otherwise expressly provided in the Contract Drawings, Specifications and Addenda, the Work shall be performed in accordance with the best modern practice, utilizing, unless otherwise specified in writing, new and unused materials of standard first grade quality and workmanship and design of the highest quality, to the satisfaction of the Commissioner.

# **ARTICLE 4. MEANS AND METHODS OF CONSTRUCTION**

- 4.1 Unless otherwise expressly provided in the Contract Drawings, Specifications and Addenda, the Means and Methods of Construction shall be such as the Contractor may choose; subject, however, to the Engineer's right to reject the Means and Methods of Construction proposed by the Contractor which in the opinion of the Engineer:
  - 4.1.1 Will constitute or create a hazard to the Work, or to persons or property; or
  - 4.1.2 Will not produce finished Work in accordance with the terms of the Contract; or
  - 4.1.3 Will be detrimental to the overall progress of the Project.
- 4.2 The Engineer's approval of the Contractor's Means and Methods of Construction, or his/her failure to exercise his/her right to reject such means or methods, shall not relieve the Contractor of its obligation to complete the Work as provided in this Contract; nor shall the exercise of such right to reject create a cause of action for damages.

# ARTICLE 5. COMPLIANCE WITH LAWS

- 5.1 The Contractor shall comply with all Laws applicable to this Contract and to the Work to be done hereunder.
- 5.2 Procurement Policy Board Rules: This Contract is subject to the Rules of the PPB ("PPB Rules") in effect at the time of the bid opening for this Contract. In the event of a conflict between the PPB Rules and a provision of this Contract, the PPB Rules shall take precedence.
  - 5.3 Noise control code provisions.
    - 5.3.1 In accordance with the provisions of Section 24-216(b) of the Administrative Code of the City ("Administrative Code"), Noise Abatement Contract Compliance, devices and activities which will be operated, conducted, constructed or manufactured pursuant to this Contract and which are subject to the provisions of the City Noise Control Code shall be operated, conducted, constructed, or manufactured without causing a violation of the Administrative Code. Such devices and activities shall incorporate advances in the art of noise control development for the kind and level of noise

emitted or produced by such devices and activities, in accordance with regulations issued by the **Commissioner** of the Department of Environmental Protection.

- 5.3.2 The Contractor agrees to comply with Section 24-219 of the Administrative Code of the City ("Administrative Code") and implementing rules codified at 15 Rules of the City of New York ("RCNY") Section 28-100 et. seq. In accordance with such provisions, the Contractor, if the Contractor is the responsible party under such regulations, shall prepare and post a Construction Noise Mitigation Plan at each work site, in which the Contractor shall certify that all construction tools and equipment have been maintained so that they operate at normal manufacturers operating specifications. If the Contractor cannot make this certification, it must have in place an Alternative Noise Mitigation Plan approved by the New York City Department of Environmental Protection. In addition, the Contractor's certified Construction Noise Mitigation Plan is subject inspection by the Department of Environmental Protection in accordance with 15 RCNY §28-101. No Contract work may take place at a worksite unless there is a Construction Noise Mitigation Plan or approved Alternative Noise Mitigation Plan in place. In addition, the Contractor shall create and implement a noise mitigation training program. Failure to comply with these requirements may result in fines and other penalties pursuant to the applicable provisions of the Administrative Code and RCNY.
- 5.4 Ultra Low Sulfur Diesel Fuel: In accordance with the provisions of Section 24-163.3 of the Administrative Code, the Contractor specifically agrees as follows:
  - 5.4.1 Definitions. For purposes of this Article 5.4, the following definitions apply:
  - 5.4.1(a) "Contractor" means any person or entity that enters into a Public Works Contract with a City agency, or any person or entity that enters into an agreement with such person or entity, to perform work or provide labor or services related to such Public Works Contract
  - 5.4.1(b) "Motor Vehicle" means any self-propelled vehicle designed for transporting persons or property on a street or highway.
  - 5.4.1(c) "Nonroad Engine" means an internal combustion engine (including the fuel system) that is not used in a Motor Vehicle or a vehicle used solely for competition, or that is not subject to standards promulgated under section 7411 or section 7521 of title 42 of the United States Code, except that this term shall apply to internal combustion engines used to power generators, compressors or similar equipment used in any construction program or project.
  - 5.4.1(d) "Nonroad Vehicle" means a vehicle that is powered by a Nonroad Engine, fifty horsepower and greater, and that is not a Motor Vehicle or a vehicle used solely for competition, which shall include, but not be limited to, excavators, backhoes, cranes, compressors, generators, bulldozers and similar equipment, except that this term shall not apply to horticultural maintenance vehicles used for landscaping purposes that are powered by a Nonroad Engine of sixty-five horsepower or less and that are not used in any construction program or project.
  - 5.4.1(e) "Public Works Contract" means a contract with a City agency for a construction program or project involving the construction, demolition, restoration, rehabilitation, repair, renovation, or abatement of any building, structure, tunnel, excavation, roadway, park or bridge; a contract with a City agency for the preparation for any construction program or project involving the construction, demolition, restoration, rehabilitation, repair, renovation, or abatement of any building, structure, tunnel, excavation, roadway, park or bridge; or a contract with a City agency for any final work involved in the completion of any construction program or project involving the construction, demolition, restoration, rehabilitation, repair, renovation, or abatement of any building, structure, tunnel, excavation, roadway, park or bridge.

5.4.1(f) "Ultra Low Sulfur Diesel Fuel" means diesel fuel that has a sulfur content of no more than fifteen parts per million.

# 5.4.2 Ultra Low Sulfur Diesel Fuel

- 5.4.2(a) All Contractors shall use Ultra Low Sulfur Diesel Fuel in diesel-powered Nonroad Vehicles in the performance of this **Contract**.
- 5.4.2(b) Notwithstanding the requirements of Article 5.4.2(a), Contractors may use diesel fuel that has a sulfur content of no more than thirty parts per million to fulfill the requirements of this Article 5.4.2, where the Commissioner of the New York City Department of Environmental Protection ("DEP Commissioner") has issued a determination that a sufficient quantity of Ultra Low Sulfur Diesel Fuel is not available to meet the needs of City agencies and Contractors. Any such determination shall expire after six months unless renewed.
- 5.4.2(c) Contractors shall not be required to comply with this Article 5.4.2 where the agency letting this contract makes a written finding, which is approved, in writing, by the DEP Commissioner, that a sufficient quantity of Ultra Low Sulfur Diesel Fuel, or diesel fuel that has a sulfur content of no more than thirty parts per million is not available to meet the requirements of Section 24-163.3 of the Administrative Code, provided that such Contractor in its fulfillment of the requirements of this Contract, to the extent practicable, shall use whatever quantity of Ultra Low Sulfur Diesel Fuel or diesel fuel that has a sulfur content of no more than thirty parts per million is available. Any finding made pursuant to this subdivision shall expire after sixty days, at which time the requirements of this Article 5.4.2 shall be in full force and effect unless the Agency renews the finding in writing and such renewal is approved by the DEP Commissioner.
- 5.4.2(d) Contractors may check on determinations and approvals issued by the DEP Commissioner pursuant to Section 24-163.3 of the Administrative Code, if any, at <a href="https://www.dep.nyc.gov">www.dep.nyc.gov</a> or by contacting the Agency issuing this solicitation.
- 5.4.2(e) The requirements of this Article 5.4.2 do not apply where they are precluded by federal or State funding requirements or where the **Contract** is an emergency procurement.

# 5.4.3 Best Available Technology

- 5.4.3(a) All Contractors shall utilize the best available technology for reducing the emission of pollutants for diesel-powered Nonroad Vehicles in the performance of this Contract. For determinations of best available technology for each type of diesel-powered Nonroad Vehicle, Contractors shall comply with the regulations of the City Department of Environmental Protection, as and when adopted, Chapter 14 of Title 15 of the Rules of the City of New York (RCNY). The Contractor shall fully document all steps in the best available technology selection process and shall furnish such documentation to the Agency or the DEP Commissioner upon request. The Contractor shall retain all documentation generated in the best available technology selection process for as long as the selected best available technology is in use.
- 5.4.3(b) No Contractor shall be required to replace best available technology for reducing the emission of pollutants or other authorized technology utilized for a diesel-powered Nonroad Vehicle in accordance with the provisions of this Article 5.4.3 within three years of having first utilized such technology for such vehicle.
- 5.4.3(c) This Article 5.4.3 shall not apply to any vehicle used to satisfy the requirements of a specific Public Works Contract for fewer than twenty calendar days.

- 5.4.3(d) The Contractor shall not be required to comply with this Article 5.4.3 with respect to a diesel-powered Nonroad Vehicle under the following circumstances:
  - 5.4.3(d)(1) Where the agency makes a written finding, which is approved, in writing, by the DEP Commissioner, that the best available technology for reducing the emission of pollutants as required by those paragraphs is unavailable for such vehicle, Contractor shall use whatever technology for reducing the emission of pollutants, if any, is available and appropriate for such vehicle.
  - 5.4.3(d)(2) Where the DEP Commissioner has issued a written waiver based upon the Contractor having demonstrated to the DEP Commissioner that the use of the best available technology for reducing the emission of pollutants might endanger the operator of such vehicle or those working near such vehicle, due to engine malfunction, Contractor shall use whatever technology for reducing the emission of pollutants, if any, is available and appropriate for such vehicle, which would not endanger the operator of such vehicle or those working near such vehicle.
  - 5.4.3(d)(3) In determining which technology to use for the purposes of Articles 5.4.3(d)(1) and 5.4.3(d)(2) above, Contractor shall primarily consider the reduction in emissions of particulate matter and secondarily consider the reduction in emissions of nitrogen oxides associated with the use of such technology, which shall in no event result in an increase in the emissions of either such pollutant.
  - 5.4.3(d)(4) Contractors shall submit requests for a finding or a waiver pursuant to this Article 5.4.3(d) in writing to the DEP Commissioner, with a copy to the ACCO of the Agency issuing the solicitation. Any finding or waiver made or issued pursuant to Articles 5.4.3(d)(1) and 5.4.3(d)(2) above shall expire after one hundred eighty days, at which time the requirements of Article 5.4.3(a) shall be in full force and effect unless the Agency renews the finding, in writing, and the DEP Commissioner approves such finding, in writing, or the DEP Commissioner renews the waiver, in writing.
- 5.4.3(e) The requirements of this Article 5.4.3 do not apply where they are precluded by federal or State funding requirements or where the contract is an emergency procurement.
- 5.4.4 Section 24-163 of the Administrative Code. Contractors shall comply with Section 24-163 of the Administrative Code related to the idling of the engines of motor vehicles while parking.

#### 5.4.5 Compliance

- 5.4.5(a) Contractor's compliance with Article 5.4 may be independently monitored. If it is determined that the Contractor has failed to comply with any provision of Article 5.4, any costs associated with any independent monitoring incurred by the City shall be reimbursed by the Contractor.
- 5.4.5(b) Any Contractor who violates any provision of Article 5.4, except as provided in Article 5.4.5(c) below, shall be liable for a civil penalty between the amounts of one thousand and ten thousand dollars, in addition to twice the amount of money saved by such Contractor for failure to comply with Article 5.4.
- 5.4.5(c) No Contractor shall make a false claim with respect to the provisions of Article 5.4 to a City agency. Where a Contractor has been found to have done so, such Contractor shall be liable for a civil penalty of twenty thousand dollars, in addition to twice the amount of money saved by such Contractor in association with having made such false claim.

# 5.4.6 Reporting

- 5.4.6(a) For all Public Works Contracts covered by this Article 5.4, the Contractor shall report to the Department the following information:
  - 5.4.6(1) The total number of diesel-powered Nonroad Vehicles used to fulfill the requirements of this Public Works Contract;
  - 5.4.6(2) The number of such Nonroad Vehicles that were powered by Ultra Low Sulfur Diesel Fuel;
  - 5.4.6(3) The number of such Nonroad Vehicles that utilized the best available technology for reducing the emission of pollutants, including a breakdown by vehicle model and the type of technology;
  - 5.4.6(4) The number of such Nonroad Vehicles that utilized such other authorized technology in accordance with Article 5.4.3, including a breakdown by vehicle model and the type of technology used for each such vehicle;
    - 5.4.6(5) The locations where such Nonroad Vehicles were used; and
  - 5.4.6(6) Where a determination is in effect pursuant to Article 5.4.2(b) or 5.4.2(c), detailed information concerning the Contractor's efforts to obtain Ultra Low Sulfur Diesel Fuel or diesel fuel that has a sulfur content of no more than thirty parts per million.
- 5.4.6(b) The Contractor shall submit the information required by Article 5.4.6(a) at the completion of work under the Public Works Contract and on a yearly basis no later than August 1 throughout the term of the Public Works Contract. The yearly report shall cover work performed the preceding fiscal year (July 1 June 30).
- 5.5 Ultra Low Sulfur Diesel Fuel. In accordance with the Coordinated Construction Act for Lower Manhattan, as amended:
  - 5.5.1 Definitions. For purposes of this Article 5.5, the following definitions apply:
  - 5.5.1(a) "Lower Manhattan" means the area to the south of and within the following lines: a line beginning at a point where the United States pierhead line in the Hudson river as it exists now or may be extended would intersect with the southerly line of West Houston street in the borough of Manhattan extended, thence easterly along the southerly side of West Houston street to the southerly side of Houston street, thence easterly along the southerly side of Houston street to the southerly side of East Houston street, thence northeasterly along the southerly side of East Houston street to the point where it would intersect with the United States pierhead line in the East river as it exists now or may be extended, including tax lots within or immediately adjacent thereto.
  - 5.5.1(b) "Lower Manhattan Redevelopment Project" means any project in Lower Manhattan that is funded in whole or in part with federal or State funding, or any project intended to improve transportation between Lower Manhattan and the two air terminals in the City of New York known as LaGuardia Airport and John F. Kennedy International Airport, or between Lower Manhattan and the air terminal in Newark known as Newark Liberty International Airport, and that is funded in whole or in part with federal funding.

- 5.5.1(c) "Nonroad Engine" means an internal combustion engine (including the fuel system) that is not used in a Motor Vehicle or a vehicle used solely for competition, or that is not subject to standards promulgated under section 7411 or section 7521 of title 42 of the United States Code, except that this term shall apply to internal combustion engines used to power generators, compressors or similar equipment used in any construction program or project.
- 5.5.1(d) "Nonroad Vehicle" means a vehicle that is powered by a Nonroad Engine, fifty horsepower and greater, and that is not a Motor Vehicle or a vehicle used solely for competition, which shall include, but not be limited to, excavators, backhoes, cranes, compressors, generators, bulldozers and similar equipment, except that this terms shall not apply to horticultural maintenance vehicles used for landscaping purposes that are powered by a Nonroad Engine of sixty-five horsepower or less and that are not used in any construction program or project.
- 5.5.1(e) "Ultra Low Sulfur Diesel Fuel" means diesel fuel that has a sulfur content of no more than fifteen parts per million.
- 5.5.2 Requirements. Contractors and Subcontractors are required to use only Ultra Low Sulfur Diesel Fuel to power the diesel-powered Nonroad Vehicles with engine horsepower (HP) rating of 50 HP and above used on a Lower Manhattan Redevelopment Project and, where practicable, to reduce the emission of pollutants by retrofitting such Nonroad Vehicles with oxidation catalysts, particulate filters, or technology that achieves lowest particulate matter emissions.
- 5.6 Pesticides. In accordance with Section 17-1209 of the Administrative Code, to the extent that the Contractor or any Subcontractor applies pesticides to any property owned or leased by the City, the Contractor and any Subcontractor shall comply with chapter 12 of the Administrative Code.

#### ARTICLE 6. INSPECTION

- 6.1 During the progress of the Work and up to the date of Final Acceptance, the Contractor shall at all times afford the representatives of the City every reasonable, safe and proper facility for inspecting all Work done or being done at the Site and also for inspecting the manufacture or preparation of materials and equipment at the place of such manufacture or preparation.
- 6.2 The Contractor's obligation hereunder shall include the uncovering or taking down of finished Work and its restoration thereafter; provided, however, that the order to uncover, take down and restore shall be in writing, and further provided that if Work thus exposed proves satisfactory, and if the Contractor has complied with Article 6.1, such uncovering or taking down and restoration shall be considered an item of Extra Work to be paid for in accordance with the provisions of Article 26. If the Work thus exposed proves unsatisfactory, the City has no obligation to compensate the Contractor for the uncovering, taking down or restoration.
- 6.3 Inspection and approval by the Commissioner, the Engineer, Project Manager, or Resident Engineer, of finished Work or of Work being performed, or of materials and equipment at the place of manufacture or preparation, shall not relieve the Contractor of its obligation to perform the Work in strict accordance with the Contract. Finished or unfinished Work not found to be in strict accordance with the Contract shall be replaced as directed by the Engineer, even though such Work may have been previously approved and paid for. Such corrective work is Contract Work and shall not be deemed Extra Work.
- 6.4 Rejected Work and materials shall be promptly taken down and removed from the Site, which must at all times be kept in a reasonably clean and neat condition.

# ARTICLE 7. PROTECTION OF WORK AND OF PERSONS AND PROPERTY; NOTICES AND INDEMNIFICATION

- 7.1 During the performance of the Work and up to the date of Final Acceptance, the Contractor shall be under an absolute obligation to protect the finished and unfinished Work against any damage, loss, injury, theft and/or vandalism and in the event of such damage, loss, injury, theft and/or vandalism, it shall promptly replace and/or repair such Work at the Contractor's sole cost and expense, as directed by the Resident Engineer. The obligation to deliver finished Work in strict accordance with the Contract prior to Final Acceptance shall be absolute and shall not be affected by the Resident Engineer's approval of, or failure to prohibit, the Means and Methods of Construction used by the Contractor.
- 7.2 During the performance of the Work and up to the date of Final Acceptance, the Contractor shall take all reasonable precautions to protect the persons and property of the City and of others from damage, loss or injury resulting from the Contractor's, and/or its Subcontractors' operations under this Contract. The Contractor's obligation to protect shall include the duty to provide, place or replace and adequately maintain at or about the Site suitable and sufficient protection such as lights, barricades, and enclosures.
- 7.3 The Contractor shall comply with the notification requirements set forth below in the event of any loss, damage or injury to Work, persons or property, or any accidents arising out of the operations of the Contractor and/or its Subcontractors under this Contract.
  - 7.3.1 The Contractor shall make a full and complete report in writing to the Resident Engineer within three (3) Days after the occurrence.
  - 7.3.2 The Contractor shall notify in writing the commercial general liability insurance carrier, and, where applicable, the worker's compensation and/or other insurance carrier, of any such loss, damage, injury, or accident, and any claim or suit arising therefrom, immediately, but not later than 20 days after such event. The Contractor's notice to the commercial general liability insurance carrier must expressly specify that "this notice is being given on behalf of the City of New York as Additional Insured as well as [the Contractor] as Named Insured." The Contractor's notice to the insurance carrier shall contain the following information: the name of the Contractor, the number of the Contract, the date of the occurrence, the location (street address and borough) of the occurrence, and the identity of the persons or things injured, damaged or lost.
    - 7.3.2(a) At the time notice is provided to the insurance carrier(s), the Contractor shall provide copies of such notice to the Comptroller and the Commissioner. Notice to the Comptroller shall be sent to the Insurance Unit, NYC Comptroller's Office, 1 Centre Street Room 1222, New York, New York, 10007. Notice to the Commissioner shall be sent to the address set forth in Schedule A of the General Conditions.
    - 7.3.2(b) If the **Contractor** fails to provide any of the foregoing notices to any appropriate insurance carrier(s) in a timely and complete manner, the **Contractor** shall indemnify the City for all losses, judgments, settlements and expenses, including reasonable attorneys' fees, arising from an insurer's disclaimer of coverage citing late notice by or on behalf of the City.
- 7.4 To the fullest extent permitted by law, the Contractor shall indemnify, defend and hold the City, its employees and agents (the "Indemnitees") harmless against any and all claims (including but not limited to claims asserted by any employee of the Contractor and/or its Subcontractors) and costs and expenses of whatever kind (including but not limited to payment or reimbursement of attorneys' fees and disbursements) allegedly arising out of or in any way related to the operations of the Contractor and/or its Subcontractors in the performance of this Contract or from the Contractor's and/or its Subcontractors' failure to comply with any of the provisions of this Contract or of the Law. Such costs and expenses shall include all those incurred in defending the underlying claim and those incurred in connection with the enforcement of this Article 7.4 by way of cross-claim, third-party

claim, declaratory action or otherwise. The parties expressly agree that the indemnification obligation hereunder contemplates (1) full indemnity in the event of liability imposed against the Indemnitees without negligence and solely by reason of statute, operation of law or otherwise; and (2) partial indemnity in the event of any actual negligence on the part of the Indemnitees either causing or contributing to the underlying claim (in which case, indemnification will be limited to any liability imposed over and above that percentage attributable to actual fault whether by statute, by operation of law, or otherwise). Where partial indemnity is provided hereunder, all costs and expenses shall be indemnified on a pro rata basis.

- 7.4.1 Indemnification under Article 7.4 or any other provision of the Contract shall operate whether or not Contractor or its Subcontractors have placed and maintained the insurance specified under Article 22.
- 7.5 The Contractor waives all rights against the City for any damages or losses for which either is covered under any insurance required under Article 22 (whether or not such insurance is actually procured) or any other insurance applicable to the operations of the Contractor and/or its Subcontractors in the performance of this Contract.
- 7.6 The provisions of this Article shall not be deemed to create any new right of action in favor of third parties against the Contractor or the City.

# CHAPTER III TIME PROVISIONS

# ARTICLE 8. COMMENCEMENT AND PROSECUTION OF THE WORK

8.1 The Contractor shall commence Work on the date specified in a written notice signed by the Commissioner. The time for performance of the Work under the Contract shall be computed from the date ecified in such written notice. TIME BEING OF THE ESSENCE to the City, the Contractor shall thereafter prosecute the Work diligently, using such Means and Methods of Construction as are in accord with Article 4 herein and as will assure its completion not later than the date specified herein, or on the date to which the time for completion may be extended.

#### ARTICLE 9. PROGRESS SCHEDULES

- 9.1 To enable the Work to be performed in an orderly and expeditious manner, the Contractor, within fifteen (15) Days after the Notice to Proceed with this Contract, unless otherwise directed by the Engineer, shall submit to the Engineer a proposed progress schedule in the form of a bar graph or in such other form as specified by the Engineer, and monthly cash flow requirements, showing:
  - 9.1.1 The anticipated time of commencement and completion of each of the various operations to be performed under this **Contract**; and
  - 9.1.2 The sequence and interrelation of each of these operations with the others and with those of other related **Contracts**; and
  - 9.1.3 The estimated time required for fabrication or delivery, or both, of all materials and equipment required for the Work; and
    - 9.1.4 The estimated amount in dollars the Contractor will claim on a monthly basis.

- 9.2 The proposed schedule shall be revised as directed by the **Engineer**, until finally approved by the Engineer, and after such approval, subject to the provisions of Article 11, shall be strictly adhered to by the **Contractor**.
- 9.3 If the Contractor shall fail to adhere to the approved progress schedule, or to the schedule as revised pursuant to Article 11, it shall promptly adopt such other or additional Means and Methods of Construction as will make up for the time lost and will assure completion in accordance with the approved progress schedule. The approval by the City of a progress schedule which is shorter than the time allotted under the Contract shall not create any liability for the City if the approved progress schedule is not met.
  - 9.4 The Contractor will not receive any payments until the proposed progress schedule is submitted.

# ARTICLE 10. REQUESTS FOR INFORMATION OR APPROVAL

- 10.1 From time to time as the Work progresses and in the sequence indicated by the approved progress schedule, the Contractor shall submit to the Engineer a specific request in writing for each item of information or approval required by the Contractor. These requests shall state the latest date upon which the information or approval is actually required by the Contractor, and shall be submitted in a reasonable time in advance thereof to enable the Engineer a sufficient time to act upon such submissions, or any necessary re-submissions thereof.
- 10.2 The Contractor shall not have any right to an extension of time on account of delays due to the Contractor's failure to submit requests for the required information or the required approval in accordance with the above requirements.

# ARTICLE 11. NOTICE OF CONDITIONS CAUSING DELAY AND DOCUMENTATION OF DAMAGES CAUSED BY DELAY

- 11.1 After the commencement of any condition which is causing or may cause a delay in completion of the Work, including conditions for which the Contractor may be entitled to an extension of time, the following notifications and submittals are required:
  - 11.1.1 Within seven (7) Days after the commencement of such condition, the Contractor must notify the Engineer in writing of the existence, nature and effect of such condition upon the approved progress schedule and the Work, and must state why and in what respects, if any, the condition is causing or may cause a delay.
  - 11.1.2 If the Contractor shall claim to be sustaining damages for delay, by reason of any act or omission of the City or its agents, it shall submit to the Commissioner within forty-five (45) Days from the time such damages are first incurred, and every thirty (30) Days thereafter for as long as such damages are incurred, verified statements of the details and the amounts of such damages, together with documentary evidence of such damages. The Contractor may submit any of the above statements within such additional time as may be granted by the Commissioner in writing upon written request therefor. Failure of the Commissioner to respond in writing to a written request for additional time within thirty (30) Days shall be deemed a denial of the request. On failure of the Contractor to fully comply with the foregoing provisions, such claims shall be deemed waived and no right to recover on such claims shall exist. Damages that the Contractor may claim in any action arising under or by reason of this Contract shall not be different from or in excess of the statements made and documentation provided pursuant to this article.

- 11.2 Failure of the **Contractor** to strictly comply with the requirements of Article 11.1.1 may, in the discretion of the **Commissioner**, be deemed sufficient cause to deny any extension of time on account of delay arising out of such condition. Failure of the **Contractor** to strictly comply with the requirements of Articles 11.1.1 and 11.1.2 shall be deemed a conclusive waiver by the **Contractor** of any and all claims for damages for delay arising from such condition and no right to recover on such claims shall exist.
- 11.3 When appropriate and directed by the Engineer, the progress schedule shall be revised by the Contractor until finally approved by the Engineer. The revised progress schedule must be strictly adhered to by the Contractor.

# **ARTICLE 12. COORDINATION WITH OTHER CONTRACTORS**

- 12.1 During the progress of the Work, Other Contractors may be engaged in performing other work or may be awarded other contracts for additional work on this Project. In that event, the Contractor shall coordinate the Work to be done hereunder with the work of such Other Contractors and the Contractor shall fully cooperate with such Other Contractors and carefully fit its own Work to that provided under other contracts as may be directed by the Engineer. The Contractor shall not commit or permit any act which will interfere with the performance of work by any Other Contractors.
- 12.2 If the Engineer shall determine that the Contractor is failing to coordinate its Work with the work of Other Contractors as the Engineer has directed, then the Commissioner shall have the right to withhold any payments otherwise due hereunder until the Contractor completely complies with the Engineer's directions.
- 12.3 The Contractor shall notify the Engineer in writing if any Other Contractor on this Project is failing to coordinate its work with the Work of this Contract. If the Engineer finds such charges to be true, the Engineer shall promptly issue such directions to the Other Contractor with respect thereto as the situation may require. The City shall not, however, be liable for any damages suffered by any Other Contractor's failure to coordinate its work with the Work of this Contract or by reason of the Other Contractor's failure to promptly with the directions so issued by the Engineer, or by reason of any Other Contractor's default in performance, it being understood that the City does not guarantee the responsibility or continued efficiency of any contractor. The Contractor agrees to make no claim against the City for any damages relating to or arising out of any directions issued by the Engineer pursuant to this article (including but not limited to the failure of any Other Contractor to comply or promptly comply with such directions), or the failure of the Engineer to issue any directions, or the failure of any Other Contractor to coordinate its work, or the default in performance of any Other Contractor.
- 12.4 The Contractor shall indemnify and hold the City harmless from any and all claims or judgments for damages and from costs and expenses to which the City may be subjected or which it may suffer or incur by reason of the Contractor's failure to comply with the Engineer's directions promptly; and the Comptroller shall have the right to exercise the powers reserved in Article 23 with respect to any claims which may be made for damages due to this Contractor's failure to comply with the Engineer's direction promptly. Insofar as the facts and Law relating to any claim would preclude the City from being completely indemnified by the Contractor, the City shall be partially indemnified by the Contractor to the fullest extent provided by Law.
- 12.5 Should the Contractor sustain any damage through any act or omission of any Other Contractor having a contract with the City for the performance of work upon the Site or of work which may be necessary to be performed for the proper prosecution of the Work to be performed hereunder, or through any act or omission of a Subcontractor of such Contractor, the Contractor shall have no claim against the City for such damage, but shall have a right to recover such damage from the Other Contractor under the provision similar to the following provisions which apply to this Contract and have been or will be inserted in the contracts with such Other Contractors:

- 12.5.1 Should any Other Contractor having or who shall hereafter have a contract with the City for the performance of work upon the Site sustain any damage through any act or omission of the Contractor hereunder or through any act or omission of any Subcontractor of the Contractor, the Contractor agrees to reimburse such Other Contractor for all such damages and to defend at its own expense any suit based upon such claim and if any judgment or claims (even if the allegations of the suit are without merit) against the City shall be allowed the Contractor shall pay or satisfy such judgment or claim and pay all costs and expenses in connection therewith and agrees to indemnify and hold the City harmless from all such claims. Insofar as the facts and Law relating to any claim would preclude the City from being completely indemnified by the Contractor, the City shall be partially indemnified by the Contractor to the fullest extent provided by Law.
- 12.6 The City's right to indemnification hereunder shall in no way be diminished, waived or discharged, by its recourse to assessment of liquidated damages as provided in Article 15, or by the exercise of any other remedy provided for by Contract or by Law.

### ARTICLE 13. EXTENSION OF TIME FOR PERFORMANCE

- 13.1 If performance by the Contractor is delayed for a reason set forth in Article 13.3, the Contractor may be allowed a reasonable extension of time in conformance with this article and the PPB Rules.
- 13.2 Any extension of time may be granted only by the **Commissioner** or by the Board for the Extension of Time (hereafter "Board") (as set forth below) upon written application by the **Contractor**.
- 13.3 Grounds for Extension: If such application is made, the **Contractor** shall be entitled to an extension of time for delay in completion of the **Work** caused solely:
  - 13.3.1 By the acts or omissions of the City, its officers, agents or employees; or
  - 13.3.2 By the act or omissions of Other Contractors on this Project; or
  - 13.3.3 By supervening conditions entirely beyond the control of either party hereto (such as, but not limited to, acts of God or the public enemy, excessive inclement weather, war or other national emergency making performance temporarily impossible or illegal, or strikes or labor disputes not brought about by any act or omission of the **Contractor**).
  - 13.3.4 The **Contractor** shall, however, be entitled to an extension of time for such causes only for the number of **Days** of delay which the **Commissioner** or the Board may determine to be due solely to such causes, and then only if the **Contractor** shall have strictly complied with all of the requirements of Articles 9 and 10.
- 13.4 The Contractor shall not be entitled to receive a separate extension of time for each of several causes of delay operating concurrently, but, if at all, only for the actual period of delay in completion of the Work as determined by the Commissioner or the Board, irrespective of the number of causes contributing to produce such delay. If one of several causes of delay operating concurrently results from any act, fault or omission of the Contractor or of its Subcontractors or Materialmen, and would of itself (irrespective of the concurrent causes) have delayed the Work, no extension of time will be allowed for the period of delay resulting from such act, fault or omission.
- 13.5 The determination made by the **Commissioner** or the Board on an application for an extension of time shall be binding and conclusive on the **Contractor**.

- 13.6 The granting of an application for an extension of time for causes of delay other than those herein referred to shall be entirely within the discretion of the **Commissioner** or the Board.
- 13.7 Permitting the Contractor to continue with the Work after the time fixed for its completion has expired, or after the time to which such completion may have been extended has expired, or the making of any payment to the Contractor after such time, shall in no way operate as a waiver on the part of the City of any of its rights under this Contract.

### 13.8 Application for Extension of Time:

- 13.8.1 Before the Contractor's time extension request will be considered, the Contractor shall notify the Commissioner of the condition which allegedly has caused or is causing the delay, and shall submit a written application to the Commissioner identifying:
  - 13.8.1(a) The Contractor; the registration number; and Project description;
  - 13.8.1(b) Liquidated damage assessment rate, as specified in the Contract;
  - 13.8.1(c) Original bid amount;
  - 13.8.1(d) The original Contract start date and completion date;
  - 13.8.1(e) Any previous time extensions granted (number and duration); and
  - 13.8.1(f) The extension of time requested.
  - 13.8.2 In addition, the application for extension of time shall set forth in detail:
    - 13.8.2(a) The nature of each alleged cause of delay in completing the Work;
    - 13.8.2(b) The date upon which each such cause of delay began and ended and the number of **Days** attributable to each such cause;
    - 13.8.2(c) A statement that the Contractor waives all claims except for those delineated in the application, and the particulars of any claims which the Contractor does not agree to waive. For time extensions for Substantial Completion and final completion payments, the application shall include a detailed statement of the dollar amounts of each element of claim item reserved; and
    - 13.8.2(d) A statement indicating the Contractor's understanding that the time extension is granted only for purposes of permitting continuation of Contract performance and payment for Work performed and that the City retains its right to conduct an investigation and assess liquidated damages as appropriate in the future.

#### 13.9 Analysis and Approval of Time Extensions:

- 13.9.1 For time extensions for partial payments, a written determination shall be made by the **Commissioner** who may, for good and sufficient cause, extend the time for the performance of the **Contract** as follows:
  - 13.9.1(a) If the **Work** is to be completed within six (6) months, the time for performance may be extended for sixty (60) **Days**;

- 13.9.1(b) If the **Work** is to be completed within less than one (1) year but more than six (6) months, an extension of ninety (90) **Days** may be granted;
- 13.9.1(c) If the **Contract** period exceeds one (1) year, besides the extension granted in Article 13.9.1(b), an additional thirty (30) **Days** may be granted for each multiple of six (6) months involved beyond the one (1) year period; or
- 13.9.1(d) If exceptional circumstances exist, the **Commissioner** may extend the time for performance beyond the extensions in Articles 13.9.1(a), 13.9.1(b), and 13.9.1(c). In that event, the **Commissioner** shall file with the Mayor's Office of Contract Services a written explanation of the exceptional circumstances.
- 13.9.2 For extensions of time for **Substantial Completion** and final completion payments, the **Engineer**, in consultation with the **Commissioner**, shall prepare a written analysis of the delay (including a preliminary determination of the causes of delay, the beginning and end dates for each such cause of delay, and whether the delays are excusable under the terms of this **Contract**). The report shall be subject to review by and approval of the Board, which shall have authority to question its analysis and determinations and request additional facts or documentation. The report as reviewed and made final by the Board shall be made a part of the **Agency Contract** file. Neither the report itself nor anything contained therein shall operate as a waiver or release of any claim the **City** may have against the **Contractor** for either actual or liquidated damages.
- 13.9.3 Approval Mechanism for Time Extensions for Substantial Completion or Final Completion Payments: An extension shall be granted only with the approval of the Board which is comprised of the ACCO of the Agency, the Corporation Counsel and the Comptroller, or their authorized representatives.
- 13.9.4 Neither the granting of any application for an extension of time to the **Contractor** or any other **Contractor** on this **Project** nor the papers, records or reports related to any application for or grant of an extension of time or determination related thereto shall be referred to or offered in evidence by the **Contractor** or its attorneys in any action or proceeding.
- 13.10 No Damage for Delay: The **Contractor** agrees to make no claim for damages for delay in the performance of this **Contract** occasioned by any act or omission to act of the **City** or any of its representatives, and agrees that all it may be entitled to on account of any such delay is an extension of time to complete performance of the **Work** as provided herein.

### ARTICLE 14. COMPLETION AND FINAL ACCEPTANCE OF THE WORK

- 14.1 Date for **Substantial Completion**: The **Contractor** shall substantially complete the **Work** within the time fixed in Schedule A of the General Conditions, or within the time to which such **Substantial Completion** may be extended.
- 14.2 Determining the Date of Substantial Completion: The Work will be deemed to be substantially complete when the two conditions set forth in Articles 14.2.1 and 14.2.2 have been met. The Commissioner will then issue a Certificate of Substantial Completion.
  - 14.2.1 Inspection: The Engineer has inspected the Work and has made a written determination that it is substantially complete.

- 14.2.2 Approval of Final Punch List and Date for Final Acceptance: Following inspection of the Work, the Engineer shall furnish the Contractor a final punch list, specifying all items of Work to be completed. The Contractor shall then submit to the Engineer dates for the completion of each specified item of Work. Within a reasonable time after receipt, the Engineer, in a written notification to the Contractor, shall approve the Contractor's completion dates or, if they are unable to agree, shall establish dates for the completion of each item of Work. The latest completion date specified shall be the date for Final Acceptance of the Work.
- 14.3 Determining the Date of Final Acceptance: The Work will be accepted as final and complete as of the date of the Engineer's inspection if, upon such inspection, the Engineer finds that all items on the Final Approved Punch List are complete and no further Work remains to be done. The Commissioner will then issue a written determination of Final Acceptance.
- 14.4 Request for Inspection: Inspection of the Work by the Engineer for the purpose of Substantial Completion or Final Acceptance shall be made within ten (10) Days after receipt of the Contractor's written request therefor.
- 14.5 Request for Re-inspection: If upon inspection for the purpose of Substantial Completion or Final Acceptance, the Engineer determines that there are items of Work still to be performed, the Contractor shall promptly perform them and then request a re-inspection. If upon re-inspection, the Engineer determines that the Work is substantially complete or finally accepted, the date of such re-inspection shall be the date of Substantial Completion or Final Acceptance. Re-inspection by the Engineer shall be made within ten (10) Days after receipt of the Contractor's written request therefor.
- 14.6 Initiation of Inspection by the Engineer: If the Contractor does not request inspection or reinspection of the Work for the purpose of Substantial Completion or Final Acceptance, the Engineer may initiate such inspection or re-inspection.

#### ARTICLE 15. LIQUIDATED DAMAGES

- 15.1 In the event the Contractor fails to complete the Work within the time fixed for such completion in Schedule A of the General Conditions, plus authorized time extensions, or if the Contractor, in the sole determination of the Commissioner, has abandoned the Work, the Contractor shall pay to the City the sum fixed in Schedule A of the General Conditions, for each and every Day that the time consumed in completing the Work exceeds the time allowed therefor; which said sum, in view of the difficulty of accurately ascertaining the loss which the City will suffer by reason of delay in the completion of the Work hereunder, is hereby fixed and agreed as the liquidated damages that the City will suffer by reason of such delay, and not as a penalty. This article shall apply to the Contractor if it is defaulted pursuant to Chapter X of this Contract. Neither the failure to assess liquidated damages nor the granting of any time extension shall operate as a waiver or release of any claim the City may have against the Contractor for either actual or liquidated damages.
- 15.2 Liquidated damages received hereunder are not intended to be nor shall they be treated as either a partial or full waiver or discharge of the City's right to indemnification, or the Contractor's obligation to indemnify the City, or to any other remedy provided for in this Contract or by Law.
- 15.3 The Commissioner may deduct and retain out of the monies which may become due hereunder, the amount of any such liquidated damages; and in case the amount which may become due hereunder shall be less than the amount of liquidated damages suffered by the City, the Contractor shall be liable to pay the difference.

# ARTICLE 16. OCCUPATION OR USE PRIOR TO COMPLETION

- 16.1 Unless otherwise provided for in the specifications, the Commissioner may take over, use, occupy or operate any part of the Work at any time prior to Final Acceptance, upon written notification to the Contractor. The Engineer shall inspect the part of the Work to be taken over, used, occupied, or operated, and will furnish the Contractor with a written statement of the Work, if any, which remains to be performed on such part. The Contractor shall not object to, nor interfere with, the Commissioner's decision to exercise the rights granted by this article. In the event the Commissioner takes over, uses, occupies, or operates any part of the Work:
  - 16.1.1 the Commissioner shall issue a written determination of Substantial Completion with respect to such part of the Work;
  - 16.1.2 the Contractor shall be relieved of its absolute obligation to protect such part of the unfinished Work in accordance with Article 7:
  - 16.1.3 the Contractor's guarantee on such part of the Work shall begin on the date of such use by the City; and;
  - 16.1.4 the Contractor shall be entitled to a return of so much of the amount retained in accordance with Article 21 as it relates to such part of the Work, except so much thereof as may be retained under Articles 24 and 44.

# CHAPTER IV SUBCONTRACTS AND ASSIGNMENTS

# **ARTICLE 17. SUBCONTRACTS**

- 17.1 The Contractor shall not make subcontracts totaling an amount more than the percentage of the total Contract price fixed in Schedule A of the General Conditions, without prior written permission from the Commissioner. All subcontracts made by the Contractor shall be in writing. No work may be performed by a Subcontractor prior to the Contractor entering into a written subcontract with the Subcontractor and complying with the provisions of this Article 17.
- 17.2 Before making any subcontracts, the Contractor shall submit a written statement to the Commissioner giving the name and address of the proposed Subcontractor, the portion of the Work and materials which it is to perform and furnish, the cost of the subcontract, the VENDEX questionnaire if required, and any other information tending to prove that the proposed Subcontractor has the necessary facilities, skill, integrity, past experience and financial resources to perform the Work in accordance with the terms and conditions of this Contract.
- 17.3 If an approved Subcontractor elects to subcontract any portion of its subcontract, the proposed subsubcontract shall be submitted in the same manner as directed above.
- 17.4 The Commissioner will notify the Contractor in writing whether the proposed Subcontractor is qualified or not qualified. If the proposed Subcontractor is not qualified, the Contractor may submit another proposed Subcontractor unless the Contractor decides to do the Work. No Subcontractor shall be permitted on the Site unless approved.
- 17.5 Before entering into any subcontract hereunder, the Contractor shall inform the Subcontractor fully and completely of all provisions and requirements of this Contract relating either directly or indirectly to the Work to be performed and the materials to be furnished under such subcontract, and every such Subcontractor shall

expressly stipulate that all labor performed and materials furnished by the Subcontractor shall strictly comply with the requirements of this Contract.

- 17.6 Documents given to a Subcontractor for the purpose of soliciting the Subcontractor's bid shall include either a copy of the bid cover or a separate information sheet setting forth the Project name, the Contract number (if available), the Agency (as noted in Article 2.1.6), and the Project's location.
- 17.7 The Commissioner's approval of a Subcontractor shall not relieve the Contractor of any of its responsibilities, duties and liabilities hereunder. The Contractor shall be solely responsible to the City for the acts or defaults of its Subcontractor and of such Subcontractor's officers, agents and employees, each of whom shall, for this purpose, be deemed to be the agent or employee of the Contractor to the extent of its subcontract.
- 17.8 The Contractor shall be responsible for ensuring that all Subcontractors performing Work at the Site have either their own insurance coverage or are covered by the Contractor's insurance as required by Article 22.
- 17.9 The Contractor shall promptly, upon request, file with the Engineer a conformed copy of the subcontract and its cost. The subcontract shall provide the following:
  - 17.9.1 Payment to Subcontractors: The agreement between the Contractor and its Subcontractors shall contain the same terms and conditions as to method of payment for Work, labor and materials, and as to retained percentages, as are contained in this Contract.
  - 17.9.2 Prevailing Rate of Wages: The agreement between the Contractor and its Subcontractors shall include the prevailing wage rates and supplemental benefits to be paid in accordance with Labor Law Section 220.
  - 17.9.3 Section 6-123 of the Administrative Code: Pursuant to the requirements of Section 6-123 of the Administrative Code, every agreement between the **Contractor** and its **Subcontractors** in excess of \$50,000 shall include a provision that the **Subcontractor** shall not engage in any unlawful discriminatory practice as defined in Title VIII of the Administrative Code (Section 8-101 et. seq.).
- 17.10 The Commissioner may deduct from the amounts certified under this Contract to be due to the Contractor, the sum or sums due and owing from the Contractor to the Subcontractors according to the terms of the said subcontracts, and in case of dispute between the Contractor and its Subcontractor, or Subcontractors, as to the amount due and owing, the Commissioner may deduct and withhold from the amounts certified under this Contract to be due to the Contractor such sum or sums as may be claimed by such Subcontractor, or Subcontractors, in a sworn affidavit, to be due and owing until such time as such claim or claims shall have been finally adjusted.
- 17.11 On Contracts where 100% performance bonds and payment bonds are executed, the Contractor shall include on each requisition for payment the following data: Subcontractor's name, value of the subcontract, total amount previously paid to Subcontractor for Work previously requisitioned, and the amount, including retainage, to be paid to the Subcontractor for Work included in the requisition.
- 17.12 On Contracts where performance bonds and payment bonds are not executed, the Contractor shall include with each requisition for payment submitted hereunder, a signed statement from each and every Subcontractor and/or Materialman for whom payment is requested in such requisition. Such signed statement shall be on the letterhead of the Subcontractor and/or Materialman for whom payment is requested and shall (i) verify that such Subcontractor and/or Materialman has been paid in full for all work performed and/or material supplied to date, exclusive of any amount retained and any amount included on the current requisition, and (ii) state the total amount of retainage to date, exclusive of any amount retained on the current requisition.

#### **ARTICLE 18. ASSIGNMENTS**

- 18.1 The Contractor shall not assign, transfer, convey or otherwise dispose of this Contract, or the right to execute it, or the right, title or interest in or to it or any part thereof, or assign, by power of attorney or otherwise any of the monies due or to become due under this Contract, unless the previous written consent of the Commissioner shall first be obtained thereto, and the giving of any such consent to a particular assignment shall not dispense with the necessity of such consent to any further or other assignments.
- 18.2 Such assignment, transfer, or conveyance shall not be valid until filed in the office of the Commissioner and the Treasurer, with the written consent of the Commissioner endorsed thereon or attached thereto.
- 18.3 Failure to obtain the previous written consent of the Commissioner to such an assignment, transfer or conveyance, may result in the revocation and annulment of this Contract. The City shall thereupon be relieved and discharged from any further liability to the Contractor, its assignees, transferees or sublessees, who shall forfeit and lose all monies therefor earned under the Contract, except so much as may be required to pay the Contractor's employees.
- 18.4 The provisions of this clause shall not hinder, prevent, or affect an assignment by the Contractor for the benefit of its creditors made pursuant to the Laws of the State of New York.
- 18.5 This Contract may be assigned by the City to any corporation, agency or instrumentality having authority to accept such assignment.

# CHAPTER V CONTRACTOR'S SECURITY AND GUARANTY

#### ARTICLE 19. SECURITY DEPOSIT

- 19.1 The bid deposit, if required, shall be retained by the Comptroller as security for the Contractor's faithful performance of the Contract and will be returned to the Contractor only after the sum retained under Article 21 equals the amount of the bid deposit, subject to the other provisions of this Contract. If performance and payment bonds are required, any bid security posted shall be returned within a reasonable time after posting of such bonds and execution of this Contract by the City. When no partial payments are provided, the bid deposit will be released when final payment is certified to the Comptroller for payment.
- 19.2 If the Contractor is declared in default under Article 48 prior to the return of the deposit, or if any claim is made such as referred to in Article 23, the amount of such deposit, or so much thereof as the Comptroller may deem necessary, may be retained and then applied by the Comptroller:
  - 19.2.1 To compensate the City for any expense, loss or damage suffered or incurred by reason of or resulting from such default, including the cost of re-letting and liquidated damages; or
    - 19.2.2 To indemnify the City against any and all claims.

#### ARTICLE 20. PAYMENT GUARANTEE

20.1 On Contracts where 100% performance bonds and payment bonds are executed, this article does not apply.

- 20.2 In the event the terms of this Contract do not require the Contractor to provide a payment bond, the City shall, in accordance with the terms of this article, guarantee payment of all lawful demands for:
  - 20.2.1 Wages and compensation for labor performed and/or services rendered; and
  - 20.2.2 Materials, equipment, and supplies provided, whether incorporated into the Work or not, when demands have been filed with the City as provided hereinafter by any person, firm, or corporation which furnished labor, material, equipment, supplies, or any combination thereof, in connection with the Work performed hereunder (hereinafter referred to as the "beneficiary") at the direction of the City or the Contractor.
  - 20.3 The provisions of Article 20.2 are subject to the following limitations and conditions:
    - 20.3.1 The guarantee is made for the benefit of all beneficiaries as defined in Article 20.2 provided that those beneficiaries strictly adhere to the terms and conditions of this Article 20.3.
    - 20.3.2 Nothing in this article shall prevent a beneficiary providing labor, services or material for the Work from suing the Contractor for any amounts due and owing the beneficiary by the Contractor.
    - 20.3.3 All demands made against the City pursuant to this article shall be made within four (4) months from the date payment is due on the invoice or invoices submitted by the beneficiary to the Contractor for labor or Work done or for materials or supplies delivered, or, if the demand is for wages, four (4) months from the date the wages were due to be paid to the beneficiary.
- 20.3.4 All demands made against the City by such beneficiary shall be presented to the Engineer along with all written documentation concerning the demand which the Engineer deems appropriate or necessary, which may include, but shall not be limited to: the subcontract; any invoices presented to the Contractor for syment; the notarized statement of the beneficiary that the demand is due and payable, that a request for payment has been made of the Contractor and that the demand has not been paid by the Contractor within the time allowed for such payment by the subcontract; and copies of any correspondence between the beneficiary and the Contractor concerning such demand. The City shall notify the Contractor that a demand has been made. The Contractor shall inform the City of any defenses to the demand, and shall forward to the City any documents the City requests concerning the demand.
  - 20.3.5 The City shall make payment only if, after considering all defenses presented by the Contractor, it determines that the payment is due and owing to the beneficiary making the demand.
  - 20.3.6 The City will not initiate the payment process of this article or make payment on a demand where the beneficiary making the demand has filed a lien against the Work or otherwise sues the City prior to receiving a written notice from the City that it will not pay the demand.
  - 20.3.7 No beneficiary shall be entitled to interest from the City, or to any other costs, including, but not limited to, attorney's fees.
- 20.4 Upon the receipt by the City of a demand pursuant to this article, the City may withhold from any payment otherwise due and owing to the Contractor under this Contract an amount sufficient to satisfy the demand.
  - 20.4.1 In the event the City determines that the demand is valid, the City shall notify the Contractor of such determination and the amount thereof, and direct the Contractor to immediately pay such amount to the beneficiary. In the event the Contractor, within seven (7) days of receipt of such notification from the City, fails to pay the beneficiary, such failure shall constitute an automatic

and irrevocable assignment of payment by the Contractor to the beneficiary for the amount of the demand determined by the City to be valid. The Contractor, without further notification or other process, hereby gives its unconditional consent to such assignment of payment to the beneficiary and authorizes the City, on its behalf, to take all necessary actions to implement such assignment of payment, including without limitation the execution of any instrument or documentation necessary to effectuate such assignment.

In the event that the amount otherwise due and owing to the Contractor by the City is insufficient to satisfy such demand, the City may, at its option, require payment from the Contractor of an amount sufficient to cover such demand and exercise any other right to require or recover payment which the City may have under Law or Contract.

- 20.4.2 In the event the City determines that the demand is invalid, any amount withheld pending the City's review of such demand shall be paid to the Contractor; provided, however, no lien has been filed. In the event a lien has been filed, the terms and conditions set forth in Article 23 shall apply.
- 20.5 The provisions of this article shall not prevent the City and the Contractor from resolving disputes in accordance with the PPB Rules, where applicable.
- 20.6 In the event the City determines that the beneficiary is entitled to payment pursuant to this article, such determination and any defenses and counterclaims raised by the Contractor shall be taken into account in evaluating the Contractor's performance.
- 20.7 Nothing in this article shall relieve the Contractor of the obligation to pay the claims of all persons with valid and lawful claims against the Contractor relating to the Work.
- 20.8 The Contractor shall not require any performance, payment or other bonds of any Subcontractor if this Contract does not require such bonds of the Contractor.
- 20.9 The payment guarantee made pursuant to this article shall be construed in a manner consistent with Section 137 of the State Finance Law and shall afford to persons furnishing labor or materials to the Contractor or his Subcontractors in the prosecution of the Work under this Contract all of the rights and remedies afforded to such persons by such section, including but not limited to, the right to commence an action against the City on the payment guarantee provided by this article within the one year limitations period set forth in Section 137(4)(b).

# ARTICLE 21. RETAINED PERCENTAGE

- 21.1 If this Contract requires 100% performance and payment security, then as further security for the faithful performance of this Contract, the Commissioner shall deduct, and retain until the substantial completion of the Work, five (5%) percent of the value of Work certified for payment in each partial payment voucher.
- 21.2 If this Contract does not require 100% performance and payment security and if the price for which this Contract was awarded does not exceed \$500,000, then as further security for the faithful performance of this Contract, the Commissioner shall deduct, and retain until the substantial completion of the Work, ten (10%) percent of the value of Work certified for payment in each partial payment voucher.
- 21.3 If this Contract does not require 100% performance and payment security and if the price for which this Contract was awarded exceeds \$500,000, then as further security for the faithful performance of this Contract, the Commissioner shall deduct, and retain until the substantial completion of the Work, up to ten (10%) percent of the value of Work certified for payment in each partial payment voucher. The percentage to be retained is set forth in Schedule A of the General Conditions.

#### **ARTICLE 22. INSURANCE**

- 22.1 Types of Insurance: From the date the **Contractor** is required to provide Proof of Insurance pursuant to Article 22.3.1 through the date of completion of all required **Work** (including punch list work as certified in writing by the **Resident Engineer**), the **Contractor** shall effect and maintain the following types of insurance if and as indicated in Schedule A of the General Conditions (with the minimum limits and special conditions specified in Schedule A). Such insurance shall be issued by companies that meet the standards of Article 22.2.1 and shall be primary (and non-contributing) to any insurance or self-insurance maintained by the **City**.
  - 22.1.1 Commercial General Liability Insurance: The Contractor shall provide a Commercial General Liability Insurance policy covering the Contractor as Named Insured and the City as an Additional Insured. This policy shall protect the City and the Contractor from claims for property damage and/or bodily injury, including death, which may arise from any of the operations under this Contract. Coverage under this policy shall be at least as broad as that provided by ISO Form CG 0001 (10/01 ed.), must be "occurrence" based rather than "claims-made", and shall include, without limitation, the following types of coverage: Premises Operations, Products and Completed Operations, Contractual Liability (including the tort liability of another assumed in a contract), Broad Form Property Damage, Medical Payments, Independent Contractors, Personal Injury (Contractual Exclusion deleted), Explosion, Collapse and Underground Property, and Incidental Malpractice. If such insurance contains an aggregate limit, it shall apply separately to this **Project**.
    - 22.1.1(a) Such Commercial General Liability Insurance shall name the City, together with its officials and employees, as an Additional Insured under this policy. Coverage for the City as Additional Insured shall specifically include the City's officials and employees, and shall be at least as broad as either Insurance Services Office ("ISO") Form CG 20 10 (07/04 ed.) or Form CG 20 33 (07/04 ed.) and shall provide completed operations coverage at least as broad as CG 20 37 (07/04 ed.).
    - 22.1.1(b) If this Contract is equal to or greater than Ten Million Dollars (\$10,000,000.00), each Commercial General Liability Insurance policy provided shall contain each of the following endorsements:
      - 22.1.1(b)(i) The Duties in the Event of Occurrence, Claim or Suit condition of the policy is amended per the following: If and insofar as knowledge of an "occurrence", "claim", or "suit" is relevant to the City of New York as Additional Insured under this policy, such knowledge by an agent, servant, official, or employee of the City of New York will not be considered knowledge on the part of the City of New York of the "occurrence", "claim", or "suit" unless the following position shall have received notice thereof from such agent, servant, official, or employee: Insurance Claims Specialist, Affirmative Litigation Division, New York City Law Department; and
      - 22.1.1(b)(ii) Any notice, demand or other writing by or on behalf of the Named Insured to the Insurance Company shall also be deemed to be a notice, demand, or other writing on behalf of the City as Additional Insured. Any response by the Insurance Company to such notice, demand or other writing shall be addressed to Named Insured and to the City at the following addresses: Insurance Unit, NYC Comptroller's Office, 1 Centre Street Room 1222, New York, N.Y. 10007; and Insurance Claims Specialist, Affirmative Litigation Division, New York City Law Department, 100 Church Street, New York, NY 10007.

- 22.1.2 Workers' Compensation Insurance and Disability Benefits Insurance: The Contractor shall provide, and ensure that each Subcontractor provides, Workers Compensation Insurance and Disability Benefits Insurance in accordance with the Laws of the State of New York on behalf of all employees providing services under this Contract (except for those qualifying for insurance pursuant to Article 22.1.4).
- 22.1.3 Employers' Liability Insurance: The Contractor shall provide, and ensure that each Subcontractor provides, Employers Liability Insurance affording compensation due to bodily injury by accident or disease sustained by any employee arising out of and in the course of his/her employment under this Contract (except for those qualifying for insurance pursuant to Article 22.1.4).
- 22.1.4 United States Longshoremen's and Harbor Workers Act and/or Jones Act Insurance: The Contractor shall provide, and ensure that each Subcontractor provides, insurance in accordance with the United States Longshoremen's and Harbor Workers Act and/or the Jones Act, on behalf of all qualifying employees providing services under this Contract.
- 22.1.5 Builders' Risk Insurance: The Contractor shall provide a Builders' Risk Insurance policy covering all risks in completed value form. Such policy shall cover the total value of the Work performed in accordance with Schedule A, as well as the value of any equipment, supplies and/or material for the Project that may be in storage (on or off the Site) or in transit. The policy shall cover the cost of removing debris, including demolition as may be legally necessary by the operation of any law, ordinance or regulation, and for loss or damage to any owned, borrowed, leased or rented capital equipment, tools, including tools of their agents and employees, staging towers and forms, and property of the City held in their care, custody and/or control. Such policy shall name as insureds the City, the Contractor, and its Subcontractors. The Builders' Risk policy shall contain the following endorsements:
  - 22.1.5(a) The City and the Contractor shall be named as loss payee for the Work in order of precedence, as their interest may appear; and
  - 22.1.5(b) In the event the loss occurs at an occupied facility, the policy shall permit occupancy without the consent of the Insurance Company; and
  - 22.1.5(c) In the event that the insurance policy has been issued by a mutual insurance company, the following language shall be included: "The City of New York is not liable for any premium or assessment under this policy of insurance. The First Named Insured is solely liable therefor."
- 22.1.6 Comprehensive Business Automobile Liability Insurance: The Contractor shall provide a Comprehensive Business Automobile Liability policy for liability arising out of any owned, non-owned, leased and hired vehicles to be used in connection with this Contract. Coverage should be at least as broad as ISO Form CA0001, ed. 10/01.
  - 22.1.6(a) If autos are used for transporting hazardous materials, the Automobile Liability Insurance shall be endorsed to provide pollution liability broadened coverage for covered vehicles (endorsement CA 99 48) as well as proof of MCS 90.
- 22.1.7 Pollution/Environmental Liability Insurance: The Contractor shall provide Pollution/Environmental Liability Insurance covering bodily injury and property damage, including loss of use of damaged property or of property that has not been physically injured. Such insurance shall provide coverage for actual, alleged or threatened emission, discharge, dispersal, seepage, release or escape of pollutants (including asbestos), including any loss, cost or expense incurred as a

result of any cleanup of pollutants (including asbestos) or in the investigation, settlement or defense of any claim, suit, or proceedings against the City arising from the operations under this Contract. Such insurance shall be in the Contractor's name and list the City as an Additional Insured. Coverage for the City as Additional Insured shall specifically include the City's officials and employees, and shall be at least as broad as provided to the Contractor for this Project.

22.1.7(a) If such coverage is written on a claims-made policy, such policy shall have a retroactive date on or before the effective date of this **Contract**, and continuous coverage shall be maintained, or an extended discovery period exercised, for a period of not less than three years from the time the **Work** under this **Contract** is completed.

#### 22.1.8 Marine Insurance:

- 22.1.8(a) Marine Protection and Indemnity Insurance: The Contractor shall provide a Marine Protection and Indemnity policy with coverage at least as broad as policy form SP-23. The policy shall provide coverage for the Contractor and for the City (together with its officials and employees) as Additional Insured for bodily injury and property damage arising from marine operations under this Contract including injury or death of crew members (if not fully provided through other insurance), damage to piers, wharves and other fixed or movable structures and loss of or damage to any other vessel or craft, or to property on such other vessel or craft, not caused by collision.
- 22.1.8(b) Ship Repairers Legal Liability Insurance: The Contractor shall provide a Ship Repairers Legal Liability Insurance policy covering all repair operations under this Contract at or in the vicinity of a designated approved port or yard under this Contract. The policy shall provide coverage from the point of acceptance of care custody and control of any City vessel. The policy shall provide Bailee Coverage for any City vessel in the Contractor's care, custody and control and coverage for damage to property of others caused by any City vessel in the Contractor's care custody and control.
- 22.1.8(c) Collision Liability/Towers Liability Insurance: The **Contractor** shall provide a Collision Liability/Towers Liability Insurance policy with coverage for the **Contractor** and for the **City** (together with its officials and employees) as Additional Insured at least as broad as the American Institute Tug Form (08/01/76) for all tugs used under this **Contract** and Collision Liability per American Institute Hull Clauses (6/2/77).
- 22.1.8(d) Marine Pollution Liability Insurance: The Contractor shall provide a Marine Pollution Liability Insurance policy covering itself as Named Insured and the City (together with its officials and employees) as Additional Insured for liability arising from the discharge or substantial threat of a discharge of oil, or from the release or threatened release of a hazardous substance including injury to, or economic losses resulting from, the destruction of or damage to real property, personal property or natural resources. Coverage under this policy shall be at least as broad as that provided by Water Quality Insurance Syndicate Form (09/98 ed.).
- 22.1.9 The Contractor shall provide such other types of insurance, at such minimum limits, as are specified in Schedule A of the General Conditions.
- 22.2 General Requirements for Insurance Policies:
  - 22.2.1 All required insurance policies shall be maintained with companies that may lawfully issue the required policy and have an A.M. Best rating of at least A- VII or a Standard and Poor's rating of at least AA, unless prior written approval is obtained from the Mayor's Office of Operations.

- 22.2.2 The Contractor shall be solely responsible for the payment of all premiums for all required policies and all deductibles and self-insured retentions to which such policies are subject, whether or not the City is an insured under the policy.
- 22.2.3 In his/her sole discretion, the Commissioner may, subject to the approval of the Comptroller and the Corporation Counsel, accept Letters of Credit and/or custodial accounts in lieu of required insurance.
- 22.2.4 The City's limits of coverage for all types of insurance required pursuant to Schedule A of the General Conditions shall be the greater of (i) the minimum limits set forth in Schedule A or (ii) the limits provided to the Contractor as Named Insured under all primary, excess and umbrella policies of that type of coverage.
- 22.2.5 All required insurance policies, except for insurance required pursuant to Sections 22.1.2, 22.1.3, and 22.1.4, shall contain the following endorsement: "This policy may not be cancelled, terminated, modified or changed unless thirty (30) days prior written notice is sent by the Insurance Company to the Named Insured (or First Named Insured, as appropriate), the Commissioner, and to the Comptroller, attn: Office of Contract Administration, Municipal Building, Room 1005, New York, New York 10007."

### 22.3 Proof of Insurance:

- 22.3.1 Within ten (10) Days of award, the Contractor shall, for each policy required under this Contract, except for Workers Compensation Insurance and Disability Benefits Insurance and builders' risk insurance, file a Certificate of Insurance with the Commissioner pursuant to Article 22.6. For Workers' Compensation Insurance and Disability Benefits Insurance, the Contractor shall file proof of insurance in a form acceptable to the Commissioner within ten (10) Days of award. Accord forms are not acceptable proof of workers' compensation coverage. The Contractor must submit one of the following forms to the Department, or another form acceptable to the Department: C-105.2 -- Certificate of Workers' Compensation Insurance, or U-26.3 -- State Insurance Fund Certificate of Workers' Compensation Insurance. For builders' risk insurance, the Contractor shall file a Certificate of Insurance with the Commissioner at the direction of the Commissioner but in any event no later than ten (10) Days prior to commencement of the Work.
  - 22.3.1(a) All Certificates of Insurance shall be in a form acceptable to the City and shall certify the issuance and effectiveness of the types of insurance specified in Schedule A, each with the specified minimum limits and evidence of the compliance with the Additional Insured or Named Insured provisions of Articles 22.1.1(a), 22.1.5, 22.1.7, and 22.1.8, as applicable. All Certificate(s) of Insurance shall be accompanied by either a duly executed "Certification by Broker" in the form contained in Part II of Schedule A or completed copies of all policies referenced in the Certificate of Insurance. In the absence of completed policies, binders are acceptable.
- 22.3.2 Certificates of Insurance confirming renewals of insurance shall be submitted to the Commissioner prior to the expiration date of coverage of policies required under this Contract. Such Certificates of Insurance shall comply with the requirements of Article 22.3.1(a) and, if applicable, Article 22.3.1(b).
- 22.3.3 The Contractor shall be obligated to provide the City with a copy of any policy required by this Article 22 upon the demand for such policy by the Commissioner or the New York City Law Department.

- 22.4.1 The **Contractor** shall not commence the **Work** unless and until all required certificates have been submitted to and accepted by the **Commissioner**. Acceptance by the **Commissioner** of a certificate hereunder does not excuse the **Contractor** from securing a policy consistent with all provisions of this Article or of any liability arising from its failure to do so.
- 22.4.2 The Contractor shall be responsible for providing continuous insurance coverage in the manner, form, and limits required by this Contract and shall be authorized to perform Work only during the effective period of all required coverage.
- 22.4.3 In the event that any of the required insurance policies lapse, are revoked, suspended or otherwise terminated, for whatever cause, the Contractor shall immediately stop all Work, and shall not recommence Work until authorized in writing to do so by the Commissioner. Upon quitting the Site, except as otherwise directed by the Commissioner, the Contractor shall leave all plant, materials, equipment, tools and supplies on the Site. Contract time shall continue to run during such periods and no extensions of time will be granted. The Commissioner may also declare the Contractor in default for failure to maintain required insurance.
- 22.5 The City as Additional Insured or Loss Payee under Subcontractors' Insurance. The Contractor shall ensure that each Subcontractor name the City as Additional Insured or loss payee, as appropriate, under all policies covering Work performed by such Subcontractor under this Contract. The City's coverage as Additional Insured shall include the City's officials and employees and be at least as broad as that provided to the Contractor. The foregoing requirements shall not apply to insurance provided pursuant to Articles 22.1.2, 22.1.3, and 22.1.4.
- 22.6 Wherever reference is made in Article 7 or this Article 22 to documents to be sent to the Commissioner (e.g., notices, filings, or submissions), such documents shall be sent to the address set forth in Schedule A of the General Conditions. In the event no address is set forth in Schedule A, such documents are to be sent to the Commissioner's address as provided elsewhere in this Contract.
- 22.7 If the Contract involves disposal of hazardous materials, the Contractor shall dispose such materials only at sites where the disposal site operator maintains Pollution Legal Liability Insurance in the amount of at least \$2,000,000 for losses arising from such disposal site.
- 22.8 Materiality/Non-Waiver: The **Contractor's** failure to secure policy(ies) in complete conformity with this Article, or to give the Insurance Company timely notice of any sort required in this **Contract** on behalf of the City, or to do anything else required by this Article shall constitute a material breach of this **Contract**. Such breach shall not be waived or otherwise excused by any action or inaction by the **City** at any time.
- 22.9 Other Remedies: Insurance coverage in the minimum amounts provided for herein shall not relieve the Contractor or Subcontractors of any liability under this Contract, nor shall it preclude the City from exercising any rights or taking such other actions as are available to it under any other provisions of this Contract or Law.

# ARTICLE 23. MONEY RETAINED AGAINST CLAIMS

- 23.1 If any claim shall be made by any person or entity (including Other Contractors with the City on this Project) against the City or against the Contractor and the City for any of the following:
  - (a) An alleged loss, damage, injury, theft or vandalism of any of the kinds referred to in Articles 7 and 12, plus the reasonable costs of defending the City, which in the opinion of the Comptroller may not be paid by an insurance company (for any reason whatsoever); or
  - (b) An infringement of copyrights, patents or use of patented articles, tools, etc., as referred to in Article 57; or
  - (c) Damage claimed to have been caused directly or indirectly by the failure of the Contractor to perform the Work in strict accordance with this Contract.

the amount of such claim, or so much thereof as the Comptroller may deem necessary, may be withheld by the Comptroller, as security against such claim, from any money due hereunder. The Comptroller, in his/her discretion, may permit the Contractor to substitute other satisfactory security in lieu of the monies so withheld.

- 23.2 If an action on such claim is timely commenced and the liability of the City, or the Contractor, or both, shall have been established therein by a final judgment of a Court of competent jurisdiction, or if such claim shall have been admitted by the Contractor to be valid, the Comptroller shall pay such judgment or admitted claim out of the monies retained by the Comptroller under the provisions of this article, and return the balance, if any, without interest, to the Contractor.
- 23.3 Liens: If at any time before or within thirty (30) Days after the Work is completed and accepted by the City, any persons claiming to have performed any labor or furnished any material toward the performance or completion of this Contract, shall file with the Agency and with the Treasurer any notice as is described in the New York State Lien Law, or any act of the Legislature of the State of New York, the City shall retain, from the monies due or to become due under this Contract, so much of such monies as shall be sufficient to pay the amount claimed in said notice, together with the reasonable costs of any action or actions brought or that may be brought to enforce such lien. The monies so retained shall be held by the City until the lien thereon created by the said act and the filing of the said notice shall be discharged pursuant to Law.

#### ARTICLE 24. MAINTENANCE AND GUARANTY

- 24.1 The Contractor shall promptly repair, replace, restore or rebuild, as the Commissioner may determine, any finished Work in which defects of materials or workmanship may appear or to which damage may occur because of such defects, during the one (1) year period subsequent to the date of Substantial Completion (or use and occupancy in accordance with Article 16), except where other periods of maintenance and guarantee are provided for.
- 24.2 As security for the faithful performance of its obligations hereunder, the Contractor, upon filing its requisition for payment on Substantial Completion, shall deposit with the Commissioner a sum equal to one (1%) percent of the price (or the amount fixed in Schedule A of the General Conditions) in cash or certified check upon a state or national bank and trust company or a check of such bank and trust company signed by a duly authorized officer thereof and drawn to the order of the Comptroller, or obligations of the City, which the Comptroller may approve as of equal value with the sum so required.
- 24.3 In lieu of the above, the **Contractor** may make such security payment to the **City** by authorizing the **Commissioner** in writing to deduct the amount from the **Substantial Completion** payment which shall be deemed the deposit required above.

- 24.4 If the Contractor has faithfully performed all of its obligations hereunder the Commissioner shall so certify to the Comptroller within five (5) Days after the expiration of one (1) year from the date of Substantial Completion and acceptance of the Work or within thirty (30) Days after the expiration of the guarantee period fixed in the Specifications. The security payment shall be repaid to the Contractor without interest within thirty (30) Days after certification by the Commissioner to the Comptroller that the Contractor has faithfully performed all of its obligations hereunder.
- 24.5 Notice by the **Commissioner** to the **Contractor** to repair, replace, rebuild or restore such defective or damaged **Work** shall be timely, pursuant to this article, if given not later than ten (10) **Days** subsequent to the expiration of the one (1) year period or other periods provided for herein.
- 24.6 If the Contractor shall fail to repair, replace, rebuild or restore such defective or damaged Work promptly after receiving such notice, the Commissioner shall have the right to have the Work done by others in the same manner as provided for in the completion of a defaulted Contract, under Article 51.
- 24.7 If the security payment so deposited is insufficient to cover the cost of such Work, the Contractor shall be liable to pay such deficiency on demand by the Commissioner.
- 24.8 The **Engineer's** certificate setting forth the fair and reasonable cost of repairing, replacing, rebuilding or restoring any damaged or defective **Work** when performed by one other than the **Contractor**, shall be binding and conclusive upon the **Contractor** as to the amount thereof.
- 24.9 The Contractor shall obtain all manufacturers' warranties and guaranties of all equipment and materials required by this Contract in the name of the City and shall deliver same to the Commissioner. All of the City's rights and title and interest in and to said manufacturers' warranties and guaranties may be assigned by the City to any subsequent purchasers or lessees of the premises.

# CHAPTER VI CHANGES, EXTRA WORK AND DOCUMENTATION OF CLAIM

#### **ARTICLE 25. CHANGES**

- 25.1 Changes may be made to this **Contract** only as duly authorized in writing by the **Commissioner** in accordance with the **Laws** and this **Contract**. All such changes, modifications and amendments will become a part of the **Contract**. Work so ordered shall be performed by the **Contractor**.
- 25.2 Contract changes will be made only for Work necessary to complete the Work included in the original scope of the Contract and/or for non-material changes to the scope of the Contract. Changes are not permitted for any material alteration in the scope of Work in the Contract.
- 25.3 The Contractor shall be entitled to a price adjustment for Extra Work performed pursuant to a written change order. Adjustments to price shall be computed in one or more of the following ways:
  - 25.3.1 By applicable unit prices specified in the Contract; and/or
  - 25.3.2 By agreement of a fixed price; and/or
  - 25.3.3 By time and material records; and/or
  - 25.3.4 In any other manner approved by the CCPO.

25.4 All payments for change orders are subject to pre-audit by the Engineering Audit Officer and may be post-audited by the Comptroller and/or the Department.

# ARTICLE 26. METHODS OF PAYMENT FOR OVERRUNS AND EXTRA WORK

- 26.1 Overrun of Unit Price Item: An overrun is any quantity of a unit price item which the **Contractor** is directed to provide which is in excess of one hundred twenty-five (125%) percent of the estimated quantity for that item set forth in the bid schedule.
  - 26.1.1 For any unit price item, the Contractor will be paid at the unit price bid for any quantity up to one hundred twenty five (125%) percent of the estimated quantity for that item set forth in the bid schedule. If during the progress of the Work, the actual quantity of any unit price item required to complete the Work approaches the estimated quantity for that item, and for any reason it appears that the actual quantity of any unit price item necessary to complete the Work will exceed the estimated quantity for that item by twenty-five (25%) percent, the Contractor shall immediately notify the Engineer of such anticipated overrun. The Contractor shall not be compensated for any quantity of a unit price item provided which is in excess of one hundred twenty five (125%) percent of the estimated quantity for that item set forth in the bid schedule without written authorization from the Engineer.
  - 26.1.2 If the actual quantity of any unit price item necessary to complete the Work will exceed one hundred twenty five (125%) percent of the estimated quantity for that item set forth in the bid schedule, the City reserves the right and the Contractor agrees to negotiate a new unit price for such item. In no event shall such negotiated new unit price exceed the unit bid price. If the City and Contractor cannot agree on a new unit price, then the City shall order the Contractor and the Contractor agrees to provide additional quantities of the item on a time and material basis for the actual and reasonable cost as determined under Article 26.2, but in no event at a unit price exceeding the unit price bid.
- 26.2 Extra Work: For Extra Work where payment is by agreement on a fixed price in accordance with Article 25.3.2, the price to be paid for such Extra Work shall be based on the fair and reasonable estimated cost of the items set forth below. For Extra Work where payment is on a time and material basis in accordance with Article 25.3.3, the price to be paid for such Extra Work shall be the actual and reasonable cost of the items set forth below.
  - 26.2.1 Necessary materials (including transportation to the Site); plus
  - 26.2.2 Necessary direct labor, including payroll taxes and supplemental benefits; plus
  - 26.2.3 Sales and personal property taxes, if any, required to be paid on materials not incorporated into such Extra Work; plus
  - 26.2.4 Reasonable rental value of Contractor-owned, necessary plant and equipment other than small tools, plus fuel/energy costs. Except for fuel costs for pick-up trucks which shall be reimbursed based on a consumption of five (5) gallons per shift, fuel costs shall be reimbursed based on actual costs or, in the absence of auditable documentation, the following fuel consumption formula per operating hour: (.035) x (HP rating) x (Fuel cost/gallon). Reasonable rental value is defined as the lower of either seventy-five percent of the monthly prorated rental rates established in "The AED Green Book, Rental Rates and Specifications for Construction Equipment" published by PRIMEDIA (the "Green Book"), or seventy-five percent of the monthly prorated rental rates established in the "Rental Rate Blue Book for Construction Equipment" published by PRIMEDIA (the "Blue Book"). The reasonable rental value is inclusive of all operating costs except for fuel/energy consumption and equipment operator's wages/costs. For multiple shift utilization, reimbursement shall be calculated as follows: first shift shall be seventy-five percent of such rental rates; second shift shall be sixty percent of the first shift rate; and third shift shall be forty

percent of the first shift rate. Equipment on standby shall be reimbursed at one-third the prorated monthly rental rate. Contractor-owned equipment includes equipment from rental companies affiliated with or controlled by the Contractor, as determined by the Commissioner. In establishing cost reimbursement for non-operating contractor-owned equipment (scaffolding, sheeting systems, road plates, etc.), the City may restrict reimbursement to a purchase-salvage/life cycle basis if less than the computed rental costs; plus

- 26.2.5 Necessary installation and dismantling of such plant and equipment, including transportation to and from the Site, if any, provided that, in the case of non-Contractor-owned equipment rented from a third party, the cost of installation and dismantling are not allowable if such costs are included in the rental rate; plus
- 26.2.6 Reasonable rental costs of non-Contractor-owned necessary plant and equipment other than small tools, plus fuel/energy costs. Except for fuel costs for pick-up trucks which shall be reimbursed based on a consumption of five (5) gallons per shift, fuel costs shall be reimbursed based on actual costs or, in the absence of auditable documentation, the following fuel consumption formula per hour of operation: (.035) x (HP rating) x (Fuel cost/gallon). In lieu of renting, the City reserves the right to direct the purchase of non-operating equipment (scaffolding, sheeting systems, road plates, etc.), with payment on a purchase-salvage/life cycle basis, if less than the projected rental costs; plus
- 26.2.7 Workers' compensation insurance, and any insurance coverage expressly required by the City for the performance of the Extra Work which is different than the types of insurance required by Article 22 and Schedule A of the General Conditions. The cost of workers' compensation insurance shall be based upon the Manual Rate for such insurance for the applicable work classifications/codes, in accordance with the most recent schedule promulgated by the New York Compensation Insurance Rating Board; plus
- 26.2.8 Additional costs incurred as a result of the Extra Work for performance and payment bonds; plus
- 26.2.9 Ten (10%) percent of the total of items in Articles 26.2.1 through 26.2.5 as compensation for overhead, except that no percentage for overhead will be allowed on Payroll Taxes or on the premium portion of overtime pay or on sales and personal property taxes. Overhead shall include without limitation, all costs and expenses in connection with administration, management superintendence, small tools, and insurance required by Schedule A of the General Conditions other than workers' compensation insurance; plus
- 26.2.10 Ten (10%) percent of the total of items in Articles 26.2.1 through 26.2.5, plus item 26.2.9, as compensation for profit, except that no percentage for profit will be allowed on **Payroll Taxes** or on the premium portion of overtime pay or on sales and personal property taxes; plus
- 26.2.11 Five (5%) percent of the total of items in Article 26.2.6, 26.2.7, and 26.2.8 as compensation for overhead and profit.
- 26.3 Where the Extra Work is performed in whole or in part by other than the Contractor's own forces pursuant to Article 26.2, the Contractor shall be paid, subject to pre-audit by the Engineering Audit Officer, the cost of such Work computed in accordance with Article 26.2 above, plus an additional allowance of five (5%) percent to cover the Contractor's overhead and profit.
- 26.4 Where a change is ordered, involving both Extra Work and omitted or reduced Contract Work, the Contract price shall be adjusted, subject to pre-audit by the EAO, in an amount based on the difference between the cost of such Extra Work and of the omitted or reduced Work. The cost of such Extra Work and of such omitted or reduced Work shall be computed based upon applicable Contract unit prices. Where there are no plicable Contract unit prices, the cost of such Extra Work and of such omitted or reduced Contract Work shall

be computed in accordance with items 26.2.1 through 26.2.8. If the cost of such Extra Work exceeds the costs of such omitted or reduced Contract Work, the Contract price shall be increased by the difference, plus percentages for overhead and profit as provided in Articles 26.2.9 through 26.2.11. If the cost of the omitted or reduced Contract Work exceeds the cost of the Extra Work, then the Contract price shall be reduced by the difference.

26.5 Where the Contractor and the Commissioner can agree upon a fixed price for Extra Work in accordance with Article 25.3.2 or another method of payment for Extra Work in accordance with Article 25.3.4, or for Extra Work ordered in connection with omitted work, such method, subject to pre-audit by the EAO, may, at the option of the Commissioner, be substituted for the cost plus a percentage method provided in Article 26.2; provided, however, that if the Extra Work is performed by a Subcontractor, the Contractor shall not be entitled to receive more than an additional allowance of five (5%) percent for overhead and profit over the cost of such Subcontractor's Work as computed in accordance with Article 26.2.

# ARTICLE 27. RESOLUTION OF DISPUTES

- 27.1 All disputes between the **City** and the **Contractor** of the kind delineated in this article that arise under, or by virtue of, this **Contract** shall be finally resolved in accordance with the provisions of this article and the **PPB** Rules. This procedure for resolving all disputes of the kind delineated herein shall be the exclusive means of resolving any such disputes.
  - 27.1.1 This article shall not apply to disputes concerning matters dealt with in other sections of the **PPB** Rules, or to disputes involving patents, copyrights, trademarks, or trade secrets (as interpreted by the courts of New York State) relating to proprietary rights in computer software.
  - 27.1.2 This article shall apply only to disputes about the scope of work delineated by the Contract, the interpretation of Contract documents, the amount to be paid for Extra Work or disputed work performed in connection with the Contract, the conformity of the Contractor's Work to the Contract, and the acceptability and quality of the Contractor's Work; such disputes arise when the Engineer, Resident Engineer, Engineering Audit Officer, or other designee of the Commissioner makes a determination with which the Contractor disagrees.
- 27.2 All determinations required by this article shall be made in writing clearly stated, with a reasoned explanation for the determination based on the information and evidence presented to the party making the determination. Failure to make such determination within the time required by this article shall be deemed a non-determination without prejudice that will allow application to the next level.
- 27.3 During such time as any dispute is being presented, heard, and considered pursuant to this article, the Contract terms shall remain in force and the Contractor shall continue to perform Work as directed by the ACCO or the Engineer. Failure of the Contractor to continue Work as directed shall constitute a waiver by the Contractor of its claim.
  - 27.4 Presentation of Disputes to Commissioner.

Notice of Dispute and Agency Response. The Contractor shall present its dispute in writing ("Notice of Dispute") to the Commissioner within thirty (30) Days of receiving written notice of the determination or action that is the subject of the dispute. This notice requirement shall not be read to replace any other notice requirements contained in the Contract. The Notice of Dispute shall include all the facts, evidence, documents, or other basis upon which the Contractor relies in support of its position, as well as a detailed computation demonstrating how any amount of money claimed by the Contractor in the dispute was arrived at. Within thirty (30) Days after receipt of the detailed written submission comprising the complete Notice of Dispute, the Engineer, Resident Engineer, Engineering Audit Officer, or other designee of the Commissioner shall submit to the Commissioner all materials he or she deems pertinent to the dispute. Following initial submissions to the Commissioner, either

party may demand of the other the production of any document or other material the demanding party believes may be relevant to the dispute. The requested party shall produce all relevant materials that are not otherwise protected by a legal privilege recognized by the courts of New York State. Any question of relevancy shall be determined by the Commissioner whose decision shall be final. Willful failure of the Contractor to produce any requested material whose relevancy the Contractor has not disputed, or whose relevancy has been affirmatively determined, shall constitute a waiver by the Contractor of its claim.

- 27.4.1 Commissioner Inquiry. The Commissioner shall examine the material and may, in his or her discretion, convene an informal conference with the Contractor, the ACCO, and the Engineer, Resident Engineer, Engineering Audit Officer, or other designee of the Commissioner to resolve the issue by mutual consent prior to reaching a determination. The Commissioner may seek such technical or other expertise as he or she shall deem appropriate, including the use of neutral mediators, and require any such additional material from either or both parties as he or she deems fit. The Commissioner's ability to render, and the effect of, a decision hereunder shall not be impaired by any negotiations in connection with the disputed presented, whether or not the Commissioner participated therein. The Commissioner may or, at the request of any party to the dispute, shall compel the participation of any other Contractor with a Contract related to the Work of this Contract, and that Contractor shall be bound by the decision of the Commissioner. Any Contractor thus brought into the dispute resolution proceeding shall have the same rights and obligations under this article as the Contractor initiating the dispute.
- 27.4.2 Commissioner Determination. Within thirty (30) days after the receipt of all materials and information, or such longer time as may be agreed to by the parties, the Commissioner shall make his or her determination and shall deliver or send a copy of such determination to the Contractor, the ACCO, and Engineer, Resident Engineer, Engineering Audit Officer, or other designee of the Commissioner, as applicable, together with a statement concerning how the decision may be appealed.
- 27.4.3 Finality of Commissioner Decision. The Commissioner's decision shall be final and binding on all parties, unless presented to the Contract Dispute Resolution Board pursuant to this article. The City may not take a petition to the Contract Dispute Resolution Board. However, should the Contractor take such a petition, the City may seek, and the Contract Dispute Resolution Board may render, a determination less favorable to the Contractor and more favorable to the City than the decision of the Commissioner.
- 27.5 Presentation of Dispute to the Comptroller. Before any dispute may be brought by the Contractor to the Contract Dispute Resolution Board, the Contractor must first present its claim to the Comptroller for his or her review, investigation, and possible adjustment.
  - 27.5.1 Time, Form, and Content of Notice. Within thirty (30) days of its receipt of a decision by the Commissioner, the Contractor shall submit to the Comptroller and to the Commissioner a Notice of Claim regarding its dispute with the Agency. The Notice of Claim shall consist of (i) a brief Written statement of the substance of the dispute, the amount of money, if any, claimed and the reason(s) the Contractor contends the dispute was wrongly decided by the Commissioner; (ii) a copy of the written decision of the Commissioner; and (iii) a copy of all materials submitted by the Contractor to the Agency, including the Notice of Dispute. The Contractor may not present to the Comptroller any material not presented to the Commissioner, except at the request of the Comptroller.
  - 27.5.2 Agency Response. Within thirty (30) days of receipt of the Notice of Claim, the Agency shall make available to the Comptroller a copy of all material submitted by the Agency to the Commissioner in connection with the dispute. The Agency may not present to the Comptroller any material not presented to the Commissioner except at the request of the Comptroller.

- 27.5.3 Comptroller Investigation. The Comptroller may investigate the claim in dispute and, in the course of such investigation, may exercise all powers provided in section 7-201 and 7-203 of the New York City Administrative Code. In addition, the Comptroller may demand of either party, and such party shall provide, whatever additional material the Comptroller deems pertinent to the claim, including original business records of the Contractor. Willful failure of the Contractor to produce within fifteen (15) days any material requested by the Comptroller shall constitute a waiver by the Contractor of its claim. The Comptroller may also schedule an informal conference to be attended by the Contractor, Agency representatives, and any other personnel desired by the Comptroller.
- 27.5.4 Opportunity of Comptroller to Compromise or Adjust Claim. The Comptroller shall have forty-five (45) days from his or her receipt of all materials referred to in Article 27.5.3 to investigate the disputed claim. The period for investigation and compromise may be further extended by agreement between the Contractor and the Comptroller, to a maximum of ninety (90) days from the Comptroller's receipt of all materials. The Contractor may not present its petition to the Contract Dispute Resolution Board until the period for investigation and compromise delineated in Article 27.5.4 has expired. In compromising or adjusting any claim hereunder, the Comptroller may not revise or disregard the terms of the Contract between the parties.
- 27.6 Contract Dispute Resolution Board. There shall be a Contract Dispute Resolution Board composed
  - 27.6.1 The chief administrative law judge of the Office of Administrative Trials and Hearings (OATH) or his/her designated OATH administrative law judge, who shall act as chairperson, and may adopt operational procedures and issue such orders consistent with this article as may be necessary in the execution of the Contract Dispute Resolution Board's functions, including, but not limited to, granting extensions of time to present or respond to submissions;
    - 27.6.1.1The CCPO or his/her designee; any designee shall have the requisite background to consider and resolve the merits of the dispute and shall not have participated personally and substantially in the particular matter that is the subject of the dispute or report to anyone who so participated; and
  - 27.6.2 A person with appropriate expertise who is not an employee of the City. This person shall be selected by the presiding administrative law judge from a prequalified panel of individuals, established and administered by OATH with appropriate background to act as decision-makers in a dispute. Such individual may not have a contract or dispute with the City or be an officer or employee of any company or organization that does, or regularly represents persons, companies, or organizations having disputes with the City.
- 27.7 Petition to the Contract Dispute Resolution Board. In the event the claim has not been settled or adjusted by the **Comptroller** within the period provided in this article, the **Contractor**, within thirty (30) days thereafter, may petition the Contract Dispute Resolution Board to review the **Commissioner**'s determination.
  - 27.7.1 Form and Content of Petition by Contractor. The Contractor shall present its dispute to the Contract Dispute Resolution Board in the form of a petition, which shall include (i) a brief written statement of the substance of the dispute, the amount of money, if any, claimed, and the reason(s) the Contractor contends the dispute was wrongly decided by the Commissioner; (ii) a copy of the written Decision of the Commissioner, (iii) copies of all materials submitted by the Contractor to the Agency; (iv) a copy of the written decision of the Comptroller, if any, and (v) copies of all correspondence with, or written material submitted by the Contractor, to the Comptroller. The Contractor shall concurrently submit four (4) complete sets of the Petition: one set to the Corporation Counsel (Attn: Commercial and Real Estate Litigation Division) and three (3) sets to the Contract

of:

Dispute Resolution Board at OATH's offices with proof of service on the Corporation Counsel. In addition, the **Contractor** shall submit a copy of the written statement of the substance of the dispute, cited in (i) above, to both the **Commissioner** and the **Comptroller**.

- 27.7.2 Agency Response. Within thirty (30) Days of its receipt of the petition by the Corporation Counsel, the Agency shall respond to the brief written statement of the Contractor and make available to the Contract Dispute Resolution Board all material it submitted to the Commissioner and Comptroller. Three (3) complete copies of the Agency response shall be provided to the Contract Dispute Resolution Board and one to the Contractor. Extensions of time for submittal of the Agency response shall be given as necessary upon a showing of good cause or, upon consent of the parties, for an initial period of up to thirty (30) Days.
- 27.7.3 Further Proceedings. The Contract Dispute Resolution Board shall permit the Contractor to present its case by submission of memoranda, briefs, and oral argument. The Contract Dispute Resolution Board shall also permit the Agency to present its case in response to the Contractor by submission of memoranda, briefs, and oral argument. If requested by the Corporation Counsel, the Comptroller shall provide reasonable assistance in the preparation of the Agency's case. Neither the Contractor nor the Agency may support its case with any documentation or other material that was not considered by the Comptroller, unless requested by the Contract Dispute Resolution Board. The Contract Dispute Resolution Board, in its discretion, may seek such technical or other expert advice as it shall deem appropriate and may seek, on its own or upon application of a party, any such additional material from any party as it deems fit. The Contract Dispute Resolution Board, in its discretion, may combine more than one dispute between the parties for concurrent resolution.
- 27.7.4 Contract Dispute Resolution Board Determination. Within forty-five (45) Days of the conclusion of all written submissions and oral arguments, the Contract Dispute Resolution Board shall render a written decision resolving the dispute. In an unusually complex case, the Contract Dispute Resolution Board may render its decision in a longer period, not to exceed ninety (90) Days, and shall so advise the parties at the commencement of this period. The Contract Dispute Resolution Board's decision must be consistent with the terms of the Contract. Decisions of the Contract Dispute Resolution Board and shall not have precedential effect with respect to matters not before the Contract Dispute Resolution Board.
- 27.7.5 Notification of Contract Dispute Resolution Board Decision. The Contract Dispute Resolution Board shall send a copy of its decision to the Contractor, the ACCO, the Engineer, the Comptroller, the Corporation Counsel, the Director of the Office of Construction, and the PPB. A decision in favor of the Contractor shall be subject to the prompt payment provisions of the PPB Rules. The Required Payment Date shall be thirty (30) Days after the date the parties are formally notified of the Contract Dispute Resolution Board's decision.
- 27.7.6 Finality of Contract Dispute Resolution Board Decision. The Contract Dispute Resolution Board's decision shall be final and binding on all parties. Any party may seek review of the Contract Dispute Resolution Board's decision solely in the form of a challenge, filed within four (4) months of the date of the Contract Dispute Resolution Board's decision, in a court of competent jurisdiction of the State of New York, County of New York pursuant to Article 78 of the Civil Practice Laws and Rules. Such review by the court shall be limited to the question of whether or not the Contract Dispute Resolution Board's decision was made in violation of lawful procedure, was affected by an error of Law, or was arbitrary and capricious or an abuse of discretion. No evidence or information shall be introduced or relied upon in such proceeding that was not presented to the Contract Dispute Resolution Board in accordance with this article.

27.8 Any termination, cancellation, or alleged breach of the **Contract** prior to or during the pendency of any proceedings pursuant to this article shall not affect or impair the ability of the **Commissioner** or Contract Dispute Resolution Board to make a binding and final decision pursuant to this article.

# ARTICLE 28. RECORD KEEPING FOR EXTRA OR DISPUTED WORK

- 28.1 While the Contractor or any of its Subcontractors is performing Extra Work on a Time and Material Basis ordered by the Commissioner under Article 25, or is performing disputed Work, or complying with a determination or order under protest in accordance with Articles 27 and 30, in each such case the Contractor shall furnish the Resident Engineer daily with three (3) copies of written statements signed by the Contractor's representative at the Site showing:
  - 28.1.1 The name and number of each Worker employed on such Work or engaged in complying with such determination or order, the number of hours employed, and the character of the Work each is doing; and
  - 28.1.2 The nature and quantity of any materials, plant and equipment furnished or used in connection with the performance of such Work or compliance with such determination or order, and from whom purchased or rented.
- 28.2 A copy of such statement will be countersigned by the **Resident Engineer**, noting thereon any items not agreed to or questioned, and will be returned to the **Contractor** within two (2) **Days** after submission.
- 28.3 The Contractor and its Subcontractors, when required by the Commissioner, or the Comptroller, shall also produce for inspection, at the office of the Contractor or Subcontractor, any and all of its books, bid documents, financial statements, vouchers, records, daily job diaries and reports, and cancelled checks, and any other documents relating to showing the nature and quantity of the labor, materials, plant and equipment actually used in the performance of such Work, or in complying with such determination or order, and the amounts expended therefor, and shall permit the Commissioner and the Comptroller to make such extracts therefrom, or copies thereof, as they or either of them may desire.
- 28.4 In connection with the examination provided for herein, the Commissioner, upon demand therefor, will produce for inspection by the Contractor such records as the Agency may have with respect to such Extra or disputed Work performed under protest pursuant to order of the Commissioner, except those records and reports which may have been prepared for the purpose of determining the accuracy and validity of the Contractor's claim.
- 28.5 Failure to comply strictly with these requirements shall constitute a waiver of any claim for extra compensation or damages on account of the performance of such Work or compliance with such determination or order.

### ARTICLE 29. OMITTED WORK

- 29.1 If any Contract Work in a lump sum Contract, or if any part of a lump sum item in a unit price, lump sum, or percentage-bid Contract is omitted by the Commissioner pursuant to Article 33, the Contract price, subject to audit by the EAO, shall be reduced by a pro rata portion of the lump sum bid amount based upon the percent of Work omitted subject to Article 29.4. For the purpose of determining the pro rata portion of the lump sum bid amount, the bid breakdown submitted in accordance with Article 41 shall be considered, but shall not be the determining factor.
- 29.2 If the whole of a lump sum item or units of any other item is so omitted by the **Commissioner** in a unit price, lump sum, or percentage-bid **Contract**, then no payment will be made therefor except as provided in Article 29.4.

- 29.3 For units that have been ordered but are only partially completed, the unit price shall be reduced by a pro rata portion of the unit price bid based upon the percentage of **Work** omitted subject to Article 29.4.
- 29.4 In the event the Contractor, with respect to any omitted Work, has purchased any non-cancelable material and/or equipment that is not capable of use except in the performance of this Contract and has been specifically fabricated for the sole purpose of this Contract, but not yet incorporated into the Work, the Contractor shall be paid for such material and/or equipment in accordance with Article 64.2.1(b); provided, however, such payment is contingent upon the Contractor's delivery of such material and/or equipment in acceptable condition to a location designated by the City.
- 29.5 The Contractor agrees to make no claim for damages or for loss of overhead and profit with regard to any omitted Work.

# ARTICLE 30. NOTICE AND DOCUMENTATION OF COSTS AND DAMAGES; PRODUCTION OF FINANCIAL RECORDS

- 30.1 If the Contractor shall claim to be sustaining damages by reason of any act or omission of the City or its agents, it shall submit to the Commissioner within forty-five (45) Days from the time such damages are first incurred, and every thirty (30) Days thereafter for as long as such damages are incurred, verified statements of the details and the amounts of such damages, together with documentary evidence of such damages. The Contractor may submit any of the above statements within such additional time as may be granted by the Commissioner in writing upon written request therefor. Failure of the Commissioner to respond in writing to a written request for additional time within thirty (30) Days shall be deemed a denial of the request. On failure of the Contractor to fully comply with the foregoing provisions, such claims shall be deemed waived and no right to recover on such claims shall exist. Damages that the Contractor may claim in any action or dispute resolution procedure arising under or by reason of this Contract shall not be different from or in excess of the statements and documentation ade pursuant to this article.
- 30.2 In addition to the foregoing statements, the Contractor shall, upon notice from the Commissioner, produce for examination at the Contractor's office, by the Engineer, Architect or Project Manager, all of its books of account, bills, invoices, payrolls, subcontracts, time books, daily reports, bank deposit books, bank statements, check books, cancelled checks, showing all of its acts and transactions in connection with or relating to or arising by reason of this Contract, and submit itself and persons in its employment, for examination under oath by any person designated by the Commissioner or Comptroller to investigate claims made or disputes against the City under this Contract. At such examination, a duly authorized representative of the Contractor may be present.
- 30.3 In addition to the statements required under Article 28 and this Article, the Contractor and/or its Subcontractor shall, within thirty (30) Days upon notice from the Commissioner or Comptroller, produce for examination at the Contractor's and/or Subcontractor's office, by a representative of either the Commissioner or Comptroller, all of its books of account, bid documents, financial statements, accountant workpapers, bills, invoices, payrolls, subcontracts, time books, daily reports, bank deposit books, bank statements, check books, cancelled checks, showing all of its acts and transactions in connection with or relating to or arising by reason of this Contract. Further, the Contractor and/or its Subcontractor shall submit any person in its employment, for examination under oath by any person designated by the Commissioner or Comptroller to investigate claims made or disputes against the City under this Contract. At such examination, a duly authorized representative of the Contractor may be present.
- 30.4 Unless the information and examination required under Article 30.3 is provided by the Contractor and/or its Subcontractor upon thirty (30) Days notice from the Commissioner or Comptroller, or upon the pmmissioner's or Comptroller's written authorization to extend the time to comply, the City shall be released

from all claims arising under, relating to or by reason of this Contract, except for sums certified by the Commissioner or Comptroller to be due under the provisions of this Contract. It is further stipulated and agreed that no person has the power to waive any of the foregoing provisions and that in any action or dispute resolution procedure against the City to recover any sum in excess of the sums certified by the Commissioner or Comptroller to be due under or by reason of this Contract, the Contractor must allege in its complaint and prove, at trial or during such dispute resolution procedure, compliance with the provisions of this Article.

30.5 In addition, after the commencement of any action or dispute resolution procedure by the Contractor arising under or by reason of this Contract, the City shall have the right to require the Contractor to produce for examination under oath, up until the trial of the action or hearing before the Contract Dispute Resolution Board, the books and documents described in Article 30.3 and submit itself and all persons in its employ for examination under oath. If this Article is not complied with as required, then the Contractor hereby consents to the dismissal of the action or dispute resolution procedure.

# CHAPTER VII POWERS OF THE RESIDENT ENGINEER, THE ENGINEER OR ARCHITECT AND THE COMMISSIONER

### **ARTICLE 31. THE RESIDENT ENGINEER**

31.1 The Resident Engineer shall have the power to inspect, supervise and control the performance of the Work, subject to review by the Commissioner. The Resident Engineer shall not, however, have the power to issue an Extra Work order, except as specifically designated in writing by the Commissioner.

# ARTICLE 32. THE ENGINEER OR ARCHITECT OR PROJECT MANAGER

- 32.1 The Engineer or Architect or Project Manager, in addition to those matters elsewhere herein delegated to the Engineer and expressly made subject to his/her determination, direction or approval, shall have the power, subject to review by the Commissioner:
  - 32.1.1 To determine the amount, quality, and location of the Work to be paid for hereunder; and
  - 32.1.2 To determine all questions in relation to the Work, to interpret the Contract Drawings, Specifications, and Addenda, and to resolve all patent inconsistencies or ambiguities therein; and
  - 32.1.3 To determine how the Work of this Contract shall be coordinated with Work of other Contractors engaged simultaneously on this Project, including the power to suspend any part of the Work, but not the whole thereof; and
  - 32.1.4 To make minor changes in the Work as he/she deems necessary, provided such changes do not result in a net change in the cost to the City or to the Contractor of the Work to be done under the Contract; and
  - 32.1.5 To amplify the Contract Drawings, add explanatory information and furnish additional Specifications and drawings, consistent with this Contract.
- 32.2 The foregoing enumeration shall not imply any limitation upon the power of the Engineer or Architect or Project Manager, for it is the intent of this Contract that all of the Work shall generally be subject to his/her determination, direction and approval, except where the determination, direction or approval of someone other than the Engineer or Architect or Project Manager is expressly called for herein.

32.3 The Engineer or Architect or Project Manager shall not, however, have the power to issue an Extra Work order, except as specifically designated in writing by the Commissioner.

#### ARTICLE 33. THE COMMISSIONER

- 33.1 The Commissioner, in addition to those matters elsewhere herein expressly made subject to his/her determination, direction or approval, shall have the power:
  - 33.1.1 To review and make determinations on any and all questions in relation to this **Contract** and its performance; and
  - 33.1.2 To modify or change this **Contract** so as to require the performance of **Extra Work** (subject, however, to the limitations specified in Article 25) or the omission of **Contract Work**; and
    - 33.1.3 To suspend the whole or any part of the Work whenever in his/her judgment such suspension is required:
      - 33.1.3(a) In the interest of the City generally; or
      - 33.1.3(b) To coordinate the Work of the various Contractors engaged on this Project to the provisions of Article 12; or
      - 33.1.3(c) To expedite the completion of the entire **Project** even though the completion of this particular **Contract** may thereby be delayed.

#### ARTICLE 34. NO ESTOPPEL

- 34.1 Neither the City nor any Agency, officer, agent or employee thereof, shall be bound, precluded or estopped by any determination, decision, approval, order, letter, payment or certificate made or given under or in connection with this Contract by the City, the Commissioner, the Resident Engineer, or any other officer, agent or employee of the City, either before or after the final completion and acceptance of the Work and payment therefor:
  - 34.1.1 From showing the true and correct classification, amount, quality or character of the **Work** actually done; or that any such determination, decision, order, letter, payment or certificate was untrue, incorrect or improperly made in any particular, or that the **Work**, or any part thereof, does not in fact conform to the requirements of this **Contract**; and
  - 34.1.2 From demanding and recovering from the Contractor any overpayment made to it, or such damages as the City may sustain by reason of the Contractor's failure to perform each and every part of its Contract.

#### CHAPTER VIII LABOR PROVISIONS

#### ARTICLE 35. EMPLOYEES

- 35.1 The Contractor and its Subcontractors shall not employ on the Work:
  - 35.1.1 Anyone who is not competent, faithful and skilled in the Work for which he/she shall be employed; and whenever the Commissioner shall inform the Contractor, in writing, that any employee is, in his/her opinion, incompetent, unfaithful or disobedient, that

employee shall be discharged from the Work forthwith, and shall not again be employed upon it; or

- 35.1.2 Any labor, materials or means whose employment, or utilization during the course of this Contract, may tend to or in any way cause or result in strikes, work stoppages, delays, suspension of Work or similar troubles by workers employed by the Contractor or its Subcontractors, or by any of the trades working in or about the buildings and premises where Work is being performed under this Contract, or by Other Contractors or their Subcontractors pursuant to other Contracts, or on any other building or premises owned or operated by the City, its Agencies, departments, boards or authorities. Any violation by the Contractor of this requirement may, upon certification of the Commissioner, be considered as proper and sufficient cause for declaring the Contractor to be in default, and for the City to take action against it as set forth in Chapter X of this Contract, or such other article of this Contract as the Commissioner may deem proper; or
- 35.1.3 In accordance with Section 220.3-e of the Labor Law of the State of New York (hereinafter "Labor Law"), the Contractor and its Subcontractors shall not employ on the Work any apprentice, unless he/she is a registered individual, under a bona fide program registered with the New York State Department of Labor. The allowable ratio of apprentices to journey-level workers in any craft classification shall not be greater than the ratio permitted to the Contractor as to its Work force on any job under the registered program. Any employee listed on a payroll at an apprentice wage rate, who is not registered as above, shall be paid the wage rate determined by the Comptroller of the City for the classification of Work actually performed. The Contractor or Subcontractor will be required to furnish written evidence of the registration of its program and apprentices as well as all the appropriate ratios and wage rates, for the area of the construction prior to using any apprentices on the Contract Work.
- 35.2 If the total cost of the **Work** under this **Contract** is at least two hundred fifty thousand dollars, all laborers, workers, and mechanics employed in the performance of the **Contract** on the public work site, either by the **Contractor**, **Subcontractor** or other person doing or contracting to do the whole or a part of the work contemplated by the contract, shall be certified prior to performing any **Work** as having successfully completed a course in construction safety and health approved by the United States department of labor's occupational safety and health administration that is at least ten hours in duration.

### **ARTICLE 36. NO DISCRIMINATION**

- 36.1 The Contractor specifically agrees, as required by Labor Law Section 220-e, as amended, that:
  - 36.1.1 In the hiring of employees for the performance of Work under this Contract or any subcontract hereunder, neither the Contractor, Subcontractor, nor any person acting on behalf of such Contractor or Subcontractor, shall by reason of race, creed, color or national origin discriminate against any citizen of the State of New York who is qualified and available to perform the Work to which the employment relates;
    - 36.1.2 Neither the Contractor, Subcontractor, nor any person on its behalf shall, in any manner, discriminate against or intimidate any employee hired for the performance of work under this Contract on account of race, creed, color or national origin;
    - 36.1.3 There may be deducted from the amount payable to the **Contractor** by the **City** under this **Contract** a penalty of fifty (\$50.00) dollars for each person for each **Day** during which such person was discriminated against or intimidated in violation of the provisions of this **Contract**; and

- 36.1.4 This Contract may be cancelled or terminated by the City and all moneys due or to become due hereunder may be forfeited, for a second or any subsequent violation of the terms or conditions of this article.
- 36.1.5 The aforesaid provisions of this article covering every Contract for or on behalf of the State or a municipality for the manufacture, sale or distribution of materials, equipment or supplies shall be limited to operations performed within the territorial limits of the State of New York.
- 36.2 The Contractor specifically agrees, as required by Section 6-108 of the Administrative Code, as amended, that:
  - 36.2.1 It shall be unlawful for any person engaged in the construction, alteration or repair of buildings or engaged in the construction or repair of streets or highways pursuant to a Contract with the City or engaged in the manufacture, sale or distribution of materials, equipment or supplies pursuant to a Contract with the City to refuse to employ or to refuse to continue in any employment any person on account of the race, color or creed of such person.
  - 36.2.2 It shall be unlawful for any person or any servant, agent or employee of any person, described in Article 36.1.2, to ask, indicate or transmit, orally or in writing, directly or indirectly, the race, color or creed or religious affiliation of any person employed or seeking employment from such person, firm or corporation.
  - 36.2.3 Breach of the foregoing provisions shall be deemed a violation of a material provision of this Contract.
  - 36.2.4 Any person, or the employee, manager or owner of or officer of such firm or corporation who shall violate any of the provisions of this section shall, upon conviction thereof, be punished by a fine of not more than one hundred (\$100.00) dollars or by imprisonment for not more than thirty (30) Days, or both.
- 36.3 This Contract is subject to the requirements of Executive Order No. 50 (1980) ("E.O. 50"), as revised, and the Rules and Regulations promulgated thereunder. No Contract will be awarded unless and until these requirements have been complied with in their entirety. By signing this Contract, the Contractor agrees that it:
  - 36.3.1 Will not engage in any unlawful discrimination against any employee or applicant for employment because of race, creed, color, national origin, sex, age, disability, marital status or sexual orientation with respect to all employment decisions including, but not limited to, recruitment, hiring, upgrading, demotion, downgrading, transfer, training, rates of pay or other forms of compensation, layoff, termination, and all other terms and conditions of employment; and
  - 36.3.2 Will not engage in any unlawful discrimination in the selection of Subcontractors on the basis of the owner's race, color, creed, national origin, sex, age, disability, marital status or sexual orientation; and
  - 36.3.3 Will state in all solicitations or advertisements for employees placed by or on behalf of the Contractor that all qualified applicants will receive consideration for employment without unlawful discrimination based on race, creed, color, national origin, sex, age, citizens status, disability, marital status, sexual orientation, or that it is an equal employment opportunity employer; and
  - 36.3.4 Will send to each labor organization or representative of workers with which it has a Collective Bargaining Agreement or other Contract or memorandum of understanding, written

notification of its equal employment opportunity commitments under E.O. 50 and the Rules and Regulations promulgated thereunder; and

- 36.3.5 Will furnish all information and reports including an Employment Report before the award of the Contract which are required by E.O. 50, the Rules and Regulations promulgated thereunder, and orders of the Department of Business Services, Division of Labor Services ("DLS") and will permit access to its books, records and accounts by the DLS for the purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- 36.4 The Contractor understands that in the event of its noncompliance with the nondiscrimination clauses of this Contract or with any of such rules, regulations, or orders, such noncompliance shall constitute a material breach of this Contract and noncompliance with E.O. 50 and the Rules and Regulations promulgated thereunder. After a hearing held pursuant to the rules of the DLS, the Director of the DLS may direct the Commissioner to impose any or all of the following sanctions:
  - 36.4.1 Disapproval of the Contractor; and/or
  - 36.4.2 Suspension or termination of the Contract; and/or
  - 36.4.3 Declaring the Contractor in default; and/or
  - 36.4.4 In lieu of any of the foregoing sanctions, the Director of the **DLS** may impose an employment program.

Failure to comply with E.O. 50 and the rules and regulations promulgated thereunder, in one or more instances, may result in the **Agency** declaring the **Contractor** to be non-responsible.

The Contractor further agrees that it will refrain from entering into any Contract or Contract modification subject to E.O. 50 and the rules and regulations promulgated thereunder with a Subcontractor who is not in compliance with the requirements of E.O. 50 and the rules and regulations promulgated thereunder.

- 36.5 The Contractor specifically agrees, as required by Section 6-123 of the Administrative Code, that:
  - 36.5.1 The Contractor will not engage in any unlawful discriminatory practice in violation of Title VIII of the Administrative Code;
  - 36.5.2 every agreement between the Contractor and its Subcontractors in excess of \$50,000 shall include a provision that the Subcontractor shall not engage in any unlawful discriminatory practice as defined in title viii of the Administrative Code (Section 8-101 et. seq.); and
  - 36.5.3 Any failure to comply with this Article 36.5 may subject the Contractor to the remedies set forth in Section 6-123 of the Administrative Code, including, where appropriate, sanctions such as withholding of payment, imposition of an employment program, finding the Contractor to be in default, cancellation of the Contract, or any other sanction or remedy provided by Law or Contract.

#### **ARTICLE 37. LABOR LAW REQUIREMENTS**

37.1 The Contractor shall strictly comply with all applicable provisions of the Labor Law, as amended. Such compliance is a material term of this Contract.

37.2 The Contractor specifically agrees, as required by Labor Law Section 220 and 220-d, as amended,

37.2.1 Hours of Work: No laborer, worker, or mechanic in the employ of the Contractor, Subcontractor or other person doing or contracting to do the whole or a part of the Work contemplated by this Contract shall be permitted or required to work more than eight (8) hours in any one (1) calendar Day, or more than five (5) Days in any one (1) week, except as provided in the Labor Law and in cases of extraordinary emergency including fire, flood, or danger to life or property, or in the case of national emergency when so proclaimed by the President of the United States of America.

37.2.2 In situations in which there are not sufficient laborers, workers and mechanics who may be employed to carry on expeditiously the Work contemplated by this Contract as a result of such restrictions upon the number of hours and days of labor, and the immediate commencement or prosecution or completion without undue delay of the Work is necessary for the preservation of the Site and/or for the protection of the life and limb of the persons using the same, such laborers, workers, and mechanics shall be permitted or required to work more than eight (8) hours in any one (1) Day; or five (5) Days in any one (1) week; provided, however, that upon application of any Contractor, the Commissioner shall have first certified to the Commissioner of Labor of the State of New York (hereinafter "Commissioner of Labor") that such public Work is of an important nature and that a delay in carrying it to completion would result in serious disadvantage to the public; and provided, further, that such Commissioner of Labor shall have determined that such an emergency does in fact exist as provided in Labor Law Section 220.2.

- 37.2.3 Failure of the Commissioner to make such a certification to the Commissioner of Labor shall not entitle the Contractor to damages for delay or for any cause whatsoever.
- 37.2.4 Prevailing Rate of Wages: The wages to be paid for a legal day's Work to laborers, workers, or mechanics employed upon the Work contemplated by this Contract or upon any materials to be used thereon shall not be less than the "prevailing rate of wage" as defined in Labor Law Section 220, and as fixed by the Comptroller in the attached Schedule of Wage Rates and in updated schedules thereof. The prevailing wage rates and supplemental benefits to be paid are those in effect at the time the Work is being performed.
- 37.2.5 Requests for interpretation or correction in the Information for Bidders includes all requests for clarification of the classification of trades to be employed in the performance of the Work under this Contract. In the event that a trade not listed in the Contract is in fact employed during the performance of this Contract, the Contractor shall be required to obtain from the Agency the prevailing wage rates and supplementary benefits for the trades used and to complete the performance of this Contract at the price at which the Contract was awarded.
- 37.2.6 Minimum Wages: Except for employees whose wage is required to be fixed pursuant to Labor Law Section 220, all persons employed by the **Contractor** and any **Subcontractor** in the manufacture or furnishing of the supplies, materials, or equipment, or the furnishing of work, labor, or services, used in the performance of this **Contract**, shall be paid, without subsequent deduction or rebate unless expressly authorized by **Law**, not less than the sum mandated by **Law**. Minimum wages shall be the rates fixed by Federal **Law** and regulations.
- 37.3 Working Conditions: No part of the Work, labor or services shall be performed or rendered by the Contractor in any plants, factories, buildings or surroundings or under working conditions which are unsanitary or hazardous or dangerous to the health and safety of employees engaged in the performance of this Contract. Compliance with the safety, sanitary and factory inspection Laws of the state in which the Work is to be performed all be prima facie evidence of compliance with this article.

that:

- 37.4 Prevailing Wage Enforcement: The Contractor agrees to pay for all costs incurred by the City in enforcing prevailing wage requirements, including the cost of any investigation conducted by or on behalf of the Agency or the Comptroller, where the City discovers a failure to comply with any of the requirements of this Article 37 by the Contractor or its Subcontractor(s). The Contractor also agrees, that should it fail or refuse to pay for any such investigation, the Agency is hereby authorized to deduct from a Contractor's account an amount equal to the cost of such investigation.
  - 37.4.1 The Labor Law Section 220 and Section 220-d, as amended, provide that this Contract shall be forfeited and no sum paid for any Work done hereunder on a second conviction for willfully paying less than:
    - 37.4.1(a) The stipulated wage scale as provided in Labor Law Section 220, as amended, or
    - 37.4.1(b) Less than the stipulated minimum hourly wage scale as provided in Labor Law Section 220-d, as amended.
  - 37.4.2 For any breach or violation of either Working Conditions (Article 37.3) and Minimum Wages (Article 37.2.6), the party responsible therefore shall be liable to the City for liquidated damages, which may be withheld from any amounts due on any Contracts with the City of such party responsible, or may be recovered in suits brought by the Corporation Counsel in the name of the City, in addition to damage for any other breach of this Contract, a sum equal to the amount of any underpayment of wages due to any employee engaged in the performance of this Contract. In addition, the Commissioner shall have the right to cancel Contracts and enter into other Contracts for the completion of the original Contract, with or without public letting, and the original Contractor shall be liable for any additional cost. All sums withheld or recovered as deductions, rebates, refunds, or underpayment of wages hereunder, shall be held in a special deposit account and shall be paid without interest, on order of the Comptroller, directly to the employees who have been paid less than minimum rates of pay as set forth herein and on whose account such sums were withheld or recovered, provided that no claims by employees for such payments shall be entertained unless made within two (2) years from the date of actual notice to the Contractor of the withholding or recovery of such sums by the City.
  - 37.4.3 A determination by the Comptroller that a Contractor and/or its Subcontractor willfully violated Labor Law Section 220 will be forwarded to the City's five District Attorneys for review.
  - 37.4.4 The Contractor's or Subcontractor's noncompliance with this article and Labor Law Section 220, may result in an unsatisfactory performance evaluation and the Comptroller may also find and determine that the Contractor or Subcontractor willfully violated the New York Labor Law.
    - 37.4.4(a) An unsatisfactory performance evaluation for noncompliance with this article may result in a determination that the **Contractor** is a non-responsible bidder on subsequent procurements with the **City** and thus a rejection of a future award of a contract with the **City**, as well as any other sanctions provided for by **Law**.
    - 37.4.4(b) Labor Law Section 220-b, as amended, provides that when two (2) final determinations have been rendered against a Contractor or Subcontractor within any consecutive six (6) year period determining that such Contractor or Subcontractor has willfully failed to pay the prevailing rate of wages or to provide supplements in accordance with the Labor Law and this article, whether such failures were concurrent or consecutive and whether or not such final determinations concerning separate public work projects are rendered

simultaneously, such Contractor or Subcontractor shall be ineligible to submit a bid on or be awarded any public work contract with the City for a period of five (5) years from the second final determination. If the final determination involves the falsification of payroll records or the kickback of wages or supplements, the Contractor or Subcontractor shall be ineligible to submit a bid on or be awarded any public work contract with the City for a period of five (5) years from the first final determination.

- 37.4.4(c) Labor Law Section 220, as amended, provides that the Contractor or Subcontractor found to have violated this article may be directed to make payment of wages or supplements including interest found to be due, and the Contractor or Subcontractor may be directed to make payment of a further sum as a civil penalty in an amount not exceeding twenty-five (25%) percent of the total amount found to be due.
- 37.5 The Contractor and its Subcontractors shall within ten (10) Days after mailing of a Notice of Award or written order, post in prominent and conspicuous places in each and every plant, factory, building, and structure where employees of the Contractor and its Subcontractors engaged in the performance of this Contract are employed, notices furnished by the City, in relation to prevailing wages and supplements, minimum wages and other stipulations contained in Sections 220 and 220-h of the Labor Law, and the Contractor and its Subcontractors shall continue to keep such notices posted in such prominent and conspicuous places until Final Acceptance of the supplies, materials, equipment, or Work, labor, or services required to be furnished or rendered under this Contract.
- 37.6 The Contractor shall strictly comply with all of the provisions of Articles 37.6.1 through 37.6.5, and provide for all workers, laborers or mechanics in its employ, the following:
  - 37.6.1 Notices Posted At Site: Post, in a location designated by the City, schedules of prevailing wages and supplements for this Project, a copy of all re-determinations of such schedules for the Project, the Workers' Compensation Law Section 51 notice, all other notices required by law to be posted at the Site, the City notice that this Project is a public works Project on which each worker is entitled to receive the prevailing wages and supplements for the occupation at which he or she is working, and all other notices which the City directs the Contractor to post. The Contractor shall provide a surface for such notices which is satisfactory to the City. The Contractor shall maintain and keep current such notices in a legible manner and shall replace any notice or schedule which is damaged, defaced, illegible or removed for any reason. The Contractor shall post such notices before commencing any Work on the Site and shall maintain such notices until all Work on the Site is complete; and
  - 37.6.2 Daily Site Sign-in Sheets: Maintain daily Site sign-in sheets, and require that Subcontractors maintain daily Site sign-in sheets for its employees, which include blank spaces for an employee's name to be both printed and signed, job title, date started and Social Security number, the time the employee began Work and the time the employee left Work, until Final Acceptance of the supplies, materials, equipment, or Work, labor, or services to be furnished or rendered under this Contract unless exception is granted by the Comptroller upon application by the Agency. In the alternative, subject to the approval of the CCPO, the Contractor and Subcontractor may maintain an electronic or biometric sign-in system, which provides the information required by this Article 37.6.2; and
  - 37.6.3 Individual Employee Information Notices: Distribute a notice, to each worker, laborer or mechanic employed under this Contract, in a form provided by the Agency, that this Project is a public work project on which each worker, laborer or mechanic is entitled to receive the prevailing rate of wages and supplements for the occupation at which he or she is working. If the total cost of the Work under this Contract is at least two hundred fifty thousand dollars, such notice shall also include a statement that, that each worker, laborer or mechanic be certified prior to performing any

Work as having successfully completed a course in construction safety and health approved by the United States department of labor's occupational safety and health administration that is at least ten hours in duration. Such notice shall be distributed to each worker before he or she starts performing any Work of this Contract and with the first paycheck after July first of each year. Worker, laborer or mechanic includes employees of the Contractor and all Subcontractors and all employees of suppliers entering the Site. At the time of distribution, the Contractor shall have each worker, laborer or mechanic sign a statement, in a form provided by the Agency, certifying that the worker has received the notice required by this article, which signed statement shall be maintained with the payroll records required by this Contract; and

- 37.6.3.1 The Contractor and each Subcontractor shall notify each worker, laborer or mechanic employed under this **Contract** in writing of the prevailing rate of wages for their particular job classification. Such notification shall be given to every worker, laborer and mechanic on their first pay stub and with every pay stub thereafter; and
- 37.6.4 Site Laminated Identification Badges: Provide laminated identification badges which indicate the worker's, laborer's or mechanic's name, trade, employer's name and employment starting date (month/day/year). Further, require as a condition of employment on the Site, that each and every worker, laborer or mechanic wear the laminated identification badge at all times and that it may be seen by any representative of the City; and
- 37.6.5 Language Other Than English Used On Site: Provide the ACCO notice when three (3) or more employees (worker and/or laborer and/or mechanic) on the Site, at any time, speak a language other than English. The ACCO will then provide the Contractor the notices in Article 37.6.1 in that language or languages as may be required. The Contractor is responsible for all distributions under Article 37; and
- 37.6.6 Provision of Records: The Contractor and Subcontractor(s) shall produce within five (5) Days on the Site of the Work and upon a written order of the Engineer, the Commissioner, the ACCO, the Agency EAO, or the Comptroller, such records as are required to be kept by this Article 37.6; and
- 37.6.7 If this **Contract** is for an amount greater than \$1,000,000, checks issued by the **Contractor** to covered employees shall be generated by a payroll service or automated payroll system (an inhouse system may be used if approved by the **Agency**). For any subcontract for an amount greater than \$750,000, checks issued by a **Subcontractor** to covered employees shall be generated by a payroll service or automated payroll system (an in-house system may be used if approved by the **Agency**); and
- 37.6.8 The failure of the Contractor or Subcontractor(s) to comply with the provisions of Articles 37.6.1 through 37.6.7 may result in the Commissioner declaring the Contractor or Subcontractor(s) in default and/or the withholding of payments otherwise due under the Contract.
- 37.7 The Contractor and its Subcontractors shall keep such employment and payroll records as are required by Section 220 of the Labor Law.
- 37.8 At the time the Contractor makes application for each partial payment and for final payment, the Contractor shall submit to the Commissioner a written payroll certification, in the form provided by this Contract, of compliance with the prevailing wage, minimum wage and other provisions and stipulations required by Labor Law Section 220 and of compliance with the training requirements of Labor law section 220-h set forth in Article 35.2. This certification of compliance with the provisions of this article shall be a condition precedent to payment and no payment shall be made to the Contractor unless and until each such certification shall have been submitted to and received by the Commissioner.

- 37.9 This Contract is executed by the Contractor with the express warranty and representation that the Contractor is not disqualified under the provisions of Section 220 of the Labor Law for the award of the Contract.
- 37.10 Any breach or violation of any of the foregoing shall be deemed a breach or violation of a material provision of this **Contract**, and grounds for cancellation thereof by the **City**.

#### ARTICLE 38. PAYROLL REPORTS

- 38.1 The Contractor shall maintain on the Site the original payrolls or transcripts thereof which the Contractor and its Subcontractor(s) are required to maintain pursuant to Labor Law Section 220. The Contractor and Subcontractor(s) shall submit original payrolls or transcripts, subscribed and affirmed by it as true, with each and every payment requisition. The Contractor and Subcontractor(s) shall produce within five (5) Days on the Site of the Work and upon a written order of the Engineer, the Commissioner, the ACCO, the Agency EAO, or the Comptroller, such original payrolls or transcripts thereof, subscribed and affirmed by it as true, and the statements signed by each worker pursuant to this Chapter VIII. In addition, the Contractor and Subcontractor(s) shall furnish to the Engineer upon written demand any other information to satisfy the Engineer that this Chapter VIII and the Labor Law, as to the hours of employment and rates of wages, are being observed. The Contractor shall maintain the payrolls or transcripts thereof for six (6) years from the date of completion of the Work on this Contract.
- 38.2 When directed by the Engineer, the Contractor or Subcontractor shall provide the Engineer with an attendance sheet for each Day on which Work is performed on the Site. Such attendance sheet shall be in a form acceptable to the Agency and shall provide information for employees of the Contractor and Subcontractor(s).

#### ARTICLE 39. DUST HAZARDS

39.1 Should a harmful dust hazard be created in performing the **Work** of this **Contract**, for the elimination of which appliances or methods have been approved by the Board of Standards and Appeals of the City of New York, such appliances and methods shall be installed, maintained, and effectively operated during the continuance of such harmful dust hazard. Failure to comply with this provision after notice shall make this **Contract** void.

# CHAPTER IX PARTIAL AND FINAL PAYMENTS

#### ARTICLE 40. CONTRACT PRICE

40.1 The City shall pay, and the Contractor agrees to accept, in full consideration for the Contractor's performance of the Work subject to the terms and conditions hereof, the lump sum price or unit prices which this Contract was awarded, plus the amount required to be paid for any Extra Work ordered by the Commissioner under Article 25, less credit for any Work omitted pursuant to Article 29.

#### ARTICLE 41. BID BREAKDOWN ON LUMP SUM

41.1 Within fifteen (15) Days after the commencement date specified in the Notice to Proceed, unless otherwise directed by the Resident Engineer, the Contractor shall submit to the Resident Engineer a breakdown of its bid price, or of lump sums bid for items of the Contract, showing the various operations to be performed

under the Contract, as directed in the progress schedule required under Article 9, and the value of each of such operations, the total of such items to equal the lump sum price bid. Said breakdown must be approved in writing by the Resident Engineer.

- 41.2 No partial payment will be approved until the **Contractor** submits a bid breakdown that is acceptable to the **Resident Engineer**.
- 41.3 The Contractor shall also submit such other information relating to the bid breakdown as directed by the Resident Engineer. Thereafter, the breakdown may be used only for checking the Contractor's applications for partial payments hereunder, but shall not be binding upon the City, the Commissioner, or the Engineer for any purpose whatsoever.

#### **ARTICLE 42. PARTIAL PAYMENTS**

- 42.1 From time to time as the Work progresses satisfactorily, but not more often than once a month, the Contractor may submit to the Engineer a requisition for a partial payment in the prescribed form, which shall contain an estimate of the quantity and the fair value of the Work done during the payment period.
- 42.2 Partial payments may be made for materials, fixtures and equipment in advance of their actual incorporation in the Work, as the Commissioner may approve, and upon the terms and conditions set forth in the General Conditions.
- 42.3 The Contractor shall also submit to the Commissioner in connection with every application for partial payment a verified statement in the form prescribed by the Comptroller setting forth the information required under Labor Law Section 220-a.
- 42.4 Within thirty (30) Days after receipt of such satisfactory payment application, the Engineer will prepare and certify, and the Commissioner will approve, a voucher for a partial payment in the amount of such approved estimate, less any and all deductions authorized to be made by the Commissioner under the terms of this Contract or by Law.

#### **ARTICLE 43. PROMPT PAYMENT**

- 43.1 The Prompt Payment provisions of the PPB Rules in effect at the time of the Bid will be applicable to payments made under this Contract. The provisions require the payment to Contractor of interest on payments made after the required payment date, except as set forth in the PPB Rules.
- 43.2 The **Contractor** shall submit a proper invoice to receive payment, except where the **Contract** provides that the **Contractor** will be paid at predetermined intervals without having to submit an invoice for each scheduled payment.
  - 43.3 Determination of interest due will be made in accordance with the PPB Rules.
- 43.4 If the Contractor is paid interest, the proportionate share of that interest shall be forwarded by the Contractor to its Subcontractor(s).
- 43.5 The Contractor shall pay each Subcontractor or Materialman not later than seven (7) Days after receipt of payment out of amounts paid to the Contractor by the City for Work performed by the Subcontractor or Materialman under this Contract.

- 43.5.1 If Contractor fails to make any payment to any Subcontractor or Materialman within seven (7) days after receipt of payment by the City pursuant to section 43.5 herein, then the Contractor shall pay interest on amounts due to such Subcontractor or Materialman at a rate of interest in effect on the date such payment is made by the Contractor computed in accordance with section 756-b (1)(b) of the NY General Business Law. Accrual of interest shall commence on the day immediately following the expiration of the seventh day following receipt of payment to the Contractor by the City and shall end on the date on which payment is made.
- 43.6 The Contractor shall include in each of its subcontracts a provision requiring each Subcontractor to make payment to each of its Subcontractors or suppliers for Work performed under this Contract in the same manner and within the same time period set forth above.

#### **ARTICLE 44. SUBSTANTIAL COMPLETION PAYMENT**

- 44.1 When the Work in the opinion of the Commissioner, has been substantially but not entirely completed, he/she shall issue a certificate of Substantial Completion.
  - 44.2 The Contractor shall submit with the Substantial Completion requisition:
    - 44.2.1 A Final Verified Statement of any and all alleged claims against the City and any pending dispute resolution procedures in accord with the PPB Rules and this Contract, in any way connected with or arising out of this Contract (including those as to which details may have been furnished pursuant to Articles 11, 27, 28, and 30) setting forth with respect to each such claim the total amount thereof, the various items of labor and materials included therein, and the alleged value of each item; and if the alleged claim be one for delay, the alleged cause of each such delay, the period or periods of time, giving the dates when the Contractor claims the performance of the Work or a particular part thereof was delayed, and an itemized statement and breakdown of the amount claimed for each such delay.
      - 44.2.1(a) With respect to each such claim, the Commissioner, the Comptroller and, in the event of litigation, the Corporation Counsel of the City shall have the same right to inspect, and to make extracts or copies of, the Contractor's books, vouchers, records, etc., as is referred to in Articles 11, 27, 28, and 30. Nothing contained in this article is intended to or shall relieve the Contractor from the obligation of complying strictly with Articles 11, 27, 28, and 30. The Contractor is warned that unless such claims are completely set forth as herein required, the Contractor upon acceptance of the Substantial Completion payment pursuant to this article, will have waived any such claims.
      - 44.2.2 A Final Approved Punch List.
      - 44.2.3 Where required, a request for a substantial or final extension of time.
- 44.3 The Commissioner shall issue a voucher calling for payment of any part or all of the balance due for Work performed under the Contract, including monies retained under Article 21, less any and all deductions authorized to be made by the Commissioner, under this Contract or by Law, and less twice the amount the Commissioner considers necessary to ensure the completion of the balance of the Work by the Contractor. Such a payment shall be considered a Partial and not a Final Payment. No Substantial Completion payment shall be made under this article where the Contractor shall fail to complete the Work within the time fixed for such completion in the Schedule A of the General Conditions, or within the time to which completion may have been extended, until an extension or extensions of time for the completion of Work have been acted upon pursuant to rticle 13.

- 44.4 No further partial payments shall be made to the Contractor after the Commissioner issues a Certificate of Substantial Completion, except the Substantial Completion payment and Contractor's requisition that were properly filed with the Commissioner prior to the date of Substantial Completion; however, the Commissioner may grant a waiver for further partial payments after the date of Substantial Completion to permit payments for change order Work and/or release of retainage and deposits pursuant to Articles 21 and 24. Such waiver shall be in writing.
- 44.5 The Contractor acknowledges that nothing contained in this article is intended to or shall in any way diminish the force and effect of Article 13.

#### **ARTICLE 45. FINAL PAYMENT**

- 45.1 After completion and **Final Acceptance** of the **Work**, the **Contractor** shall submit all required certificates and documents, together with a requisition for the balance claimed to be due under the **Contract**, less the amount authorized to be retained for maintenance under Article 24. A verified statement similar to that required in connection with applications for partial payments shall also be submitted to the **Commissioner**.
- 45.2 Amended Verified Statement of Claims: The Contractor shall also submit with the final requisition any amendments to the final verified statement of any and all alleged claims against the City, and any pending dispute resolution procedures in accord with the PPB Rules and this Contract, in any way connected with or arising out of this Contract (including those as to which details may have been furnished pursuant to Articles 11, 27, 28, and 30.) that have occurred subsequent to Substantial Completion, setting forth with respect to each such claim the total amount thereof, the various items of labor and materials included therein, and the alleged value of each such item; and if the alleged claim be one for delay, the alleged cause of each such delay, the period or periods of time, giving the dates when the Contractor claims the performance of the Work or a particular part thereof was delayed, and an itemized statement and breakdown of the amount claimed for each such delay. With reference to each such claim, the Commissioner, the Comptroller and, in the event of litigation, the Corporation Counsel of the City shall have the same right to inspect, and to make extracts or copies of, the Contractor's books, vouchers, records, etc., as is referred to in Articles 11, 27, 28, and 30. Nothing contained in this article, is entitled to or shall relieve the Contractor from the obligation of complying strictly with Articles 11, 27, 28, and 30. The Contractor is warned that unless such claims are completely set forth as herein required, the Contractor, upon acceptance of the Final Payment pursuant to Article 46, will have waived any such claims.
- 45.3 Preparation of Final Voucher: Upon determining the balance due hereunder other than on account of claims, the Engineer will prepare and certify, for the Commissioner's approval, a voucher for final payment in that amount less any and all deductions authorized to be made by the Commissioner under this Contract or by Law. In the case of a lump sum Contract, the Commissioner shall certify the voucher for final payment within thirty (30) Days from the date of completion and acceptance of the Work, provided all requests for extensions of time have been acted upon.
  - 45.3.1 All prior certificates and vouchers upon which partial payments were made, being merely estimates made to enable the **Contractor** to prosecute the **Work** more advantageously, shall be subject to correction in the final voucher, and the certification of the **Engineer** thereon and the approval of the **Commissioner** thereof, shall be conditions precedent to the right of the **Contractor** to receive any money hereunder. Such final voucher shall be binding and conclusive upon the **Contractor**.
  - 45.3.2 Payment pursuant to such final voucher, less any deductions authorized to be made by the Commissioner under this Contract or by Law, shall constitute the final payment, and shall be made by the Comptroller within thirty (30) Days after the filing of such voucher in his/her office.

45.4 The **Contractor** acknowledges that nothing contained in this article is intended to or shall in any way diminish the force and effect of Article 13.

#### **ARTICLE 46. ACCEPTANCE OF FINAL PAYMENT**

- 46.1 The acceptance by the Contractor, or by anyone claiming by or through it, of the final payment, whether such payment be made pursuant to any judgment of any Court, or otherwise, shall constitute and operate as a release to the City from any and all claims of and liability to the Contractor for anything heretofore done or furnished for the Contractor relating to or arising out of this Contract and the Work done hereunder, and for any prior act, neglect or default on the part of the City or any of its officers, agents or employees, excepting only a claim against the City for the amounts deducted or retained in accordance with the terms and provisions of this Contract or by Law, and excepting any claims, not otherwise waived, or any pending dispute resolution procedures which are contained in the verified statement filed with the Contractor's substantial and final requisitions pursuant to Articles 44 and 45.
- 46.2 The Contractor is warned that the execution by it of a release, in connection with the acceptance of the final payment, containing language purporting to reserve claims other than those herein specifically excepted from the operation of this article, or those for amounts deducted by the Commissioner from the final requisition or by the Comptroller from the final payment as certified by the Engineer and approved by the Commissioner, shall not be effective to reserve such claims, anything stated to the Contractor orally or in writing by any officer, agent or employee of the City to the contrary notwithstanding.
- 46.3 Should the Contractor refuse to accept the final payment as tendered by the Comptroller, it shall constitute a waiver of any right to interest thereon.
- 46.4 The Contractor, however, shall not be barred from commencing an action for breach of Contract under this provision to the extent permitted by Law and by the terms of the Contract provided that a detailed and verified statement of claim is served upon the contracting Agency and Comptroller not later than forty (40) Days after the mailing of such final payment. The statement shall specify the items upon which the claim will be based and any such claim shall be limited to such items.

#### ARTICLE 47. APPROVAL BY PUBLIC DESIGN COMMISSION

47.1 All works of art, including paintings, mural decorations, stained glass, statues, bas-reliefs and other sculptures, monuments, fountains, arches, and other structures of a permanent character intended for ornament or commemoration, and every design of the same to be used in the performance of this Contract, and the design of all bridges, approaches, buildings, gates, fences, lamps, or structures to be erected, pursuant to the terms of this Contract, shall be submitted to the Art Commission, d/b/a the Public Design Commission of the City of New York, and shall be approved by the Public Design Commission prior to the erection or placing in the position of the same. The final payment shall not become due or payable under this Contract unless and until the Public Design Commission shall certify that the design for the Work herein contracted for has been approved by the said Public Design Commission, and that the same has been executed in substantial accordance with the design so approved, pursuant to the provisions of Chapter 37, Section 854 of the City Charter, as amended.

# CHAPTER X CONTRACTOR'S DEFAULT

#### ARTICLE 48. COMMISSIONER'S RIGHT TO DECLARE CONTRACTOR IN DEFAULT

- 48.1 In addition to those instances specifically referred to in other Articles herein, the Commissioner shall have the right to declare the Contractor in default of this Contract if:
  - 48.1.1 The Contractor fails to commence Work when notified to do so by the Commissioner; or if
  - 48.1.2 The Contractor shall abandon the Work; or if
  - 48.1.3 The Contractor shall refuse to proceed with the Work when and as directed by the Commissioner; or if
  - 48.1.4 The Contractor shall, without just cause, reduce its working force to a number which, if maintained, would be insufficient, in the opinion of the Commissioner, to complete the Work in accordance with the Progress Schedule; or if
  - 48.1.5 The Contractor shall fail or refuse to increase sufficiently such working force when ordered to do so by the Commissioner; or if
  - 48.1.6 The Contractor shall sublet, assign, transfer, convert or otherwise dispose of this Contract other than as herein specified; or sell or assign a majority interest in the Contractor; or if
    - 48.1.7 The Contractor fails to secure and maintain all required insurance; or if
  - 48.1.8 A receiver or receivers are appointed to take charge of the Contractor's property or affairs; or if
  - 48.1.9 The Commissioner shall be of the opinion that the Contractor is or has been unnecessarily or unreasonably or willfully delaying the performance and completion of the Work, or the award of necessary subcontracts, or the placing of necessary material and equipment orders; or if
  - 48.1.10 The Commissioner shall be of the opinion that the Contractor is or has been willfully or in bad faith violating any of the provisions of this Contract; or if
  - 48.1.11 The Commissioner shall be of the opinion that the Work cannot be completed within the time herein provided therefor or within the time to which such completion may have been extended; provided, however, that the impossibility of timely completion is, in the Commissioner's opinion, attributable to conditions within the Contractor's control; or if
  - 48.1.12 The Work is not completed within the time herein provided therefor or within the time to which the Contractor may be entitled to have such completion extended; or if
  - 48.1.13 Any statement or representation of the Contractor in the Contract or in any document submitted by the Contractor with respect to the Work, the Project, or the Contract (or for purposes of securing the Contract) was untrue or incorrect when made.
  - 48.1.14 The Contractor or any of its officers, directors, partners, five (5%) percent shareholders, principals, or other persons substantially involved in its activities, commits any of the acts or omissions specified as the grounds for debarment in the **PPB** Rules.



48.2 Before the Commissioner shall exercise his/her right to declare the Contractor in default, the Commissioner shall give the Contractor an opportunity to be heard, upon not less than two (2) Days notice.

#### ARTICLE 49. EXERCISE OF THE RIGHT TO DECLARE DEFAULT

- 49.1 The right to declare in default for any of the grounds specified or referred to in Article 48 shall be exercised by sending the Contractor a notice, signed by the Commissioner, setting forth the ground or grounds upon which such default is declared (hereinafter referred to as a "Notice of Default").
- 49.2 The Commissioner's determination that the Contractor is in default shall be conclusive, final and binding on the parties and such a finding shall preclude the Contractor from commencing a plenary action for any damages relating to the Contract. If the Contractor protests the determination of the Commissioner, the Contractor may commence a lawsuit in a court of competent jurisdiction of the State of New York under Article 78 of the New York Civil Practice Law and Rules.

#### ARTICLE 50. QUITTING THE SITE

50.1 Upon receipt of such notice the **Contractor** shall immediately discontinue all further operations under this **Contract** and shall immediately quit the **Site**, leaving untouched all plant, materials, equipment, tools and supplies then on the **Site**.

#### ARTICLE 51. COMPLETION OF THE WORK

- 51.1 The Commissioner, after declaring the Contractor in default, may then have the Work completed y such means and in such manner, by Contract with or without public letting, or otherwise, as he/she may deem advisable, utilizing for such purpose such of the Contractor's plant, materials, equipment, tools and supplies remaining on the Site, and also such Subcontractors, as he/she may deem advisable.
  - 51.2 After such completion, the Commissioner shall make a certificate stating the expense incurred in such completion, which shall include the cost of re-letting and also the total amount of liquidated damages (at the rate provided for in the Contract) from the date when the Work should have been completed by the Contractor in accordance with the terms hereof to the date of actual completion of the Work. Such certificate shall be binding and conclusive upon the Contractor, its Sureties, and any person claiming under the Contractor, as to the amount thereof.
  - 51.3 The expense of such completion, including any and all related and incidental costs, as so certified by the Commissioner, and any liquidated damages assessed against the Contractor, shall be charged against and deducted out of monies which are earned by the Contractor prior to the date of default. Should the expense of such completion, as certified by the Commissioner, exceed the total sum which would have been payable under the Contract if it had been completed by the Contractor, any excess shall be paid by the Contractor.

#### ARTICLE 52. PARTIAL DEFAULT

52.1 In case the Commissioner shall declare the Contractor in default as to a part of the Work only, the Contractor shall discontinue such part, shall continue performing the remainder of the Work in strict conformity with the terms of this Contract, and shall in no way hinder or interfere with any Other Contractor(s) or persons whom the Commissioner may engage to complete the Work as to which the Contractor was declared in default.

52.2 The provisions of this Chapter relating to declaring the Contractor in default as to the entire Work shall be equally applicable to a declaration of partial default, except that the Commissioner shall be entitled to utilize for completion of the part of the Work as to which the Contractor was declared in default only such plant, materials, equipment, tools and supplies as had been previously used by the Contractor on such part.

#### ARTICLE 53. PERFORMANCE OF UNCOMPLETED WORK

53.1 In completing the whole or any part of the Work under the provision of this Chapter X, the Commissioner shall have the power to depart from or change or vary the terms and provisions of this Contract, provided, however, that such departure, change or variation is made for the purpose of reducing the time or expense of such completion. Such departure, change or variation, even to the extent of accepting a lesser or different performance, shall not affect the conclusiveness of the Commissioner's certificate of the cost of completion referred to in Article 51, nor shall it constitute a defense to an action to recover the amount by which such certificate exceeds the amount which would have been payable to the Contractor hereunder but for its default.

#### **ARTICLE 54. OTHER REMEDIES**

- 54.1 In addition to the right to declare the Contractor in default pursuant to this Chapter X, the Commissioner shall have the absolute right, in his/her sole discretion and without a hearing, to complete or cause to complete in the same manner as described in Articles 51 and 53, any or all unsatisfactory or uncompleted punch list Work that remains after the completion date specified in the Final Approved Punch List. A written notice of the exercise of this right shall be sent to the Contractor who shall immediately quit the Site in accordance with the provisions of Article 50.
- 54.2 The previous provisions of this Chapter X shall be in addition to any and all other legal or equitable remedies permissible in the premises.
- 54.3 The exercise by the City of any remedy set forth herein shall not be deemed a waiver by the City of any other legal or equitable remedy contained in this Contract or provided under Law.
- 54.4 The expense of such completion, including any and all related and incidental costs, as so certified by the Commissioner, shall be charged against and deducted out of monies which have been earned by the Contractor prior to the date of the exercise of the right set forth in Article 54.1; the balance of such monies, if any, subject to the other provisions of this Contract, to be paid to the Contractor without interest after such completion. Should the expense of such completion, as certified by the Commissioner, exceed the total sum which would have been payable under the Contract if it had been completed by the Contractor, any excess shall be paid by the Contractor.

# CHAPTER XI MISCELLANEOUS PROVISIONS

#### ARTICLE 55. CONTRACTOR'S WARRANTIES

- 55.1 In consideration of, and to induce, the award of this Contract to the Contractor, the Contractor represents and warrants:
  - 55.1.1 That it is financially solvent, sufficiently experienced and competent to perform the Work; and

- 55.1.2 That the facts stated in its bid and the information given by it pursuant to the Information for Bidders is true and correct in all respects; and
  - 55.1.3 That it has read and complied with all requirements set forth in the Contract.

#### **ARTICLE 56. CLAIMS AND ACTIONS THEREON**

- 56.1 Any claim, that is not subject to dispute resolution under the PPB Rules or this Contract, against the City for damages for breach of Contract shall not be made or asserted in any lawsuit, unless the Contractor shall have strictly complied with all requirements relating to the giving of notice and of information with respect to such claims, as herein before provided.
- 56.2 Nor shall any lawsuit be instituted or maintained on any such claims unless such lawsuit is commenced within six (6) months after the date the **Commissioner** issues a Certificate of **Substantial Completion** pursuant to Article 44; except that:
  - 56.2.1 Any claims arising out of events occurring after the date the Commissioner issues a Certificate of Substantial Completion and before Final Acceptance of the Work shall be asserted within six (6) months of Final Acceptance of the Work;
  - 56.2.2 Any claims for monies deducted, retained or withheld under the provisions of this Contract shall be asserted within six (6) months after the date when such monies becomes due and payable hereunder; and
  - 56.2.3 If the Commissioner exercises his/her right to terminate the Contract pursuant to Article 64, any such lawsuit shall be commenced within six (6) months of the date the Commissioner exercises said right.

#### ARTICLE 57. INFRINGEMENT

57.1 The Contractor shall be solely responsible for and shall indemnify the City against any and all claims and judgments for damages for any infringement of copyright and patents or use of patented articles, tools, materials, equipment, appliances or processes in the performance or completion of the Work, including all costs and expenses which the City shall or may incur or be obligated to pay by reason thereof.

#### ARTICLE 58. NO CLAIM AGAINST OFFICERS, AGENTS OR EMPLOYEES

58.1 No claim whatsoever shall be made by the **Contractor** against any officer, agent or employee of the **City** for, or on account of, anything done or omitted to be done in connection with this **Contract**.

#### ARTICLE 59. SERVICES OF NOTICES

59.1 The Contractor hereby designates the business address specified in its bid, as the place where all notices, directions or other communications to the Contractor may be delivered, or to which they may be mailed. Actual delivery of any such notice, direction or communication to the aforesaid place, or depositing it in a postpaid wrapper addressed thereto in any post office box (P.O. Box) regularly maintained by the United States Postal Service, shall be conclusively deemed to be sufficient service thereof upon the Contractor as the date of such delivery or deposit.

- 59.2 Such address may be changed at any time by an instrument in writing, executed and acknowledged by the **Contractor**, and delivered to the **Commissioner**.
- 59.3 Nothing herein contained shall, however, be deemed to preclude or render inoperative the service of any notice, direction or other communication upon the **Contractor** personally, or, if the **Contractor** is a corporation, upon any officer thereof.

#### ARTICLE 60. UNLAWFUL PROVISIONS DEEMED STRICKEN FROM CONTRACT

60.1 If this Contract contains any unlawful provision not an essential part of the Contract and which shall not appear to have been a controlling or material inducement to the making thereof, the same shall be deemed of no effect and shall, upon notice by either party, be deemed stricken from the Contract without affecting the binding force of the remainder.

#### ARTICLE 61. ALL LEGAL PROVISIONS DEEMED INCLUDED

61.1 It is the intent and understanding of the parties to this Contract that each and every provision of Law required to be inserted in this Contract shall be and is inserted herein. Furthermore, it is hereby stipulated that every such provision is to be deemed to be inserted herein, and if, through mistake or otherwise, any such provision is not inserted, or is not inserted in correct form, then this Contract shall forthwith upon the application of either party be amended by such insertion so as to comply strictly with the Law and without prejudice to the rights of either party hereunder.

#### **ARTICLE 62. TAX EXEMPTION**

- 62.1 The City is exempt from payment of Federal, State, local taxes and Sales and Compensation Use Taxes of the State of New York and of cities and counties on all materials and supplies sold to the City pursuant to the provisions of this Contract. These taxes are not to be included in bids. However, this exemption does not apply to tools, machinery, equipment or other property leased by or to the Contractor or a Subcontractor, or to supplies and materials which even though they are consumed, are not incorporated into the completed Work (consumable supplies), and the Contractor and its Subcontractors shall be responsible for and pay any and all applicable taxes, including Sales and Compensation Use Taxes, on such leased tools, machinery, equipment or other property and upon all such unincorporated supplies and materials.
- 62.2 The Contractor agrees to sell and the City agrees to purchase all supplies and materials, other than consumable supplies, required, necessary or proper for or incidental to the construction of the **Project** covered by this Contract. The sum paid under this Contract for such supplies and materials shall be in full payment and consideration for the sale of such supplies and materials herein.
  - 62.2.1 The Contractor agrees to construct the Project and to perform all Work, labor and services rendered, necessary, proper or incidental thereto for the sum shown in the bid for the performance of such Work, labor and services, and the sum so paid pursuant to this Contract for such Work, labor, etc., shall be in full consideration for the performance by the Contractor of all its duties and obligations under this Contract in connection with said Work and labor.
- 62.3 The purchase by the Contractor of the supplies and materials sold hereunder shall be a purchase or procurement for resale and therefore not subject to the New York State or City Sales or Compensation Use Taxes or any such taxes of cities or counties. The sale of such supplies and materials by the Contractor to the City is exempt from the aforesaid sales or compensating use taxes. With respect to such supplies and materials, the

Contractor, at the request of the City, shall furnish to the City such Bills of Sale and other instruments as may be required by the City, properly executed, acknowledged and delivered assuring to the City title to such supplies and materials, free of liens and/or encumbrances, and the Contractor shall mark or otherwise identify all such materials as the property of the City.

- 62.4 Title to all materials to be sold by the Contractor to the City pursuant to the provisions of the Contract shall immediately vest in and become the sole property of the City upon delivery of such supplies and materials to the Site and prior to its becoming a part of the permanent structure and/or construction. Notwithstanding such transfer of title, the Contractor shall have the full and continuing responsibility to install such materials and supplies in accordance with the provisions of this Contract, protect them, maintain them in a proper condition and forthwith repair, replace and make good any damage thereto, theft or disappearance thereof, and furnish additional materials in place of any that may be lost, stolen or rendered unusable, without cost to the City, until such time as the Work covered by the Contract is fully accepted by the City. Such transfer of title shall in no way affect any of the Contractor's obligations hereunder. In the event that, after title has passed to the City, any of such supplies and materials are rejected as being defective or otherwise unsatisfactory, title to all such supplies and materials shall be deemed to have been transferred back to the Contractor.
- 62.5 The purchase by Subcontractors of supplies and materials to be sold hereunder shall also be a purchase or procurement for resale to the Contractor (either directly or through other Subcontractors) and therefore not subject to the aforesaid Sales or Compensation Use Taxes, provided that the subcontract agreements provide for the resale of such supplies and materials prior to and separate and apart from the incorporation of such supplies and materials into the permanent structure and/or construction and that such subcontract agreements are in a form similar to this Contract with respect to the separation of the sale of materials from the Work and labor, services, consumable supplies and any other matters to be provided, and provided further that the subcontract agreements provide separate prices for materials and all other services and matters. Such separation shall actually be followed in practice, including the separation of payments for supplies and materials from the payments for other Work and labor and other things to be provided.
- 62.6 The Contractor and its Subcontractors and Materialmen shall obtain any and all necessary contractor Exempt Purchase Certificates or Resale Certificates from the appropriate governmental Agency or Agencies, and furnish a Contractor Exempt Purchase Certificate or Resale Certificate to all persons, firms or corporations from which they purchase supplies and materials for the performance of the Work covered by this Contract.
- 62.7 In the event any of the provisions of this article shall be deemed to be in conflict with any other provisions of this Contract or create any ambiguity, then the provisions of this article shall control.

#### ARTICLE 63. INVESTIGATION(S) CLAUSE

- 63.1 The parties to this **Contract** agree to cooperate fully and faithfully with any investigation, audit or inquiry conducted by a United States, a State of New York (State) or a **City** governmental **Agency** or authority that is empowered directly or by designation to compel the attendance of witnesses and to examine witnesses under oath, or conducted by the Inspector General of a governmental **Agency** that is a party in interest to the transaction, submitted bid, submitted proposal, **Contract**, lease, permit or license that is the subject of the investigation, audit or inquiry.
- 63.2 If any person who has been advised that his/her statement, and any information from such statement, will not be used against him/her in any subsequent criminal proceeding refuses to testify before a grand jury or other governmental **Agency** or authority empowered directly or by designation to compel the attendance of witnesses and to examine witnesses under oath concerning the award of or performance under any transaction, reement, lease, permit, **Contract**, or license entered into with the **City**, the State, or any political subdivision or

public authority thereof, or the Port Authority of New York and New Jersey, or any local development corporation within the City, or any public benefit corporation organized under the Laws of the State of New York, or;

- 63.3 If any person refuses to testify for a reason other than the assertion of his/her privilege against self incrimination in an investigation, audit or inquiry conducted by a City or State governmental Agency or authority empowered directly or by designation to compel the attendance of witnesses and to take testimony under oath, or by the Inspector General of the governmental Agency that is a party in interest in, and is seeking testimony concerning the award of, or performance under any transaction, agreement, lease, permit, Contract, or license entered into with the City, the State, or any political subdivision thereof or any local development corporation within the City, then;
- 63.4 The Commissioner whose Agency is a party in interest to the transaction, submitted bid, submitted proposal, Contract, lease, permit, or license shall convene a hearing, upon not less than five (5) days written notice to the parties involved to determine if any penalties should attach for the failure of a person to testify.
- 63.5 If any non-governmental party to the hearing requests an adjournment, the **Commissioner** who convened the hearing may, upon granting the adjournment, suspend any **Contract**, lease, permit, or license, pending the final determination pursuant to Article 63.7 without the **City** incurring any penalty or damages for delay or otherwise.
- 63.6 The penalties which may attach after a final determination by the **Commissioner** may include but shall not exceed:
  - 63.6.1 The disqualification for a period not to exceed five (5) years from the date of an adverse determination for any person, or any entity of which such person was a member at the time the testimony was sought, from submitting bids for, or transacting business with, or entering into or obtaining any Contract, lease, permit or license with or from the City; and/or
  - 63.6.2 The cancellation or termination of any and all such existing City Contracts, leases, permits or licenses that the refusal to testify concerns and that have not been assigned as permitted under this Agreement, nor the proceeds of which pledged, to an unaffiliated and unrelated institutional lender for fair value prior to the issuance of the notice scheduling the hearing, without the City incurring any penalty or damages on account of such cancellation or termination; monies lawfully due for goods delivered, Work done, rentals, or fees accrued prior to the cancellation or termination shall be paid by the City.
- 63.7 The **Commissioner** shall consider and address in reaching his/her determination and in assessing an appropriate penalty the factors in Articles 63.7.1 and 63.7.2. The **Commissioner** may also consider, if relevant and appropriate, the criteria established in Articles 63.7.3 and 63.7.4, in addition to any other information which may be relevant and appropriate:
  - 63.7.1 The party's good faith endeavors or lack thereof to cooperate fully and faithfully with any governmental investigation or audit, including but not limited to the discipline, discharge, or disassociation of any person failing to testify, the production of accurate and complete books and records, and the forthcoming testimony of all other members, agents, assignees or fiduciaries whose testimony is sought.
  - 63.7.2 The relationship of the person who refused to testify to any entity that is a party to the hearing, including but not limited to, whether the person whose testimony is sought has an ownership interest in the entity and/or the degree of authority and responsibility the person has within the entity.

- 63.7.3 The nexus of the testimony sought to the subject entity and its Contracts, leases, permits or licenses with the City.
- 63.7.4 The effect a penalty may have on an unaffiliated and unrelated party or entity that has a significant interest in an entity subject to penalties under Article 63.6, provided that the party or entity has given actual notice to the **Commissioner** upon the acquisition of the interest, or at the hearing called for in Article 63.4, gives notice and proves that such interest was previously acquired. Under either circumstance the party or entity shall present evidence at the hearing demonstrating the potential adverse impact a penalty will have on such person or entity.

#### 63.8 Definitions:

- 63.8.1 The term "license" or "permit" as used herein shall be defined as a license, permit, franchise or concession not granted as a matter of right.
- 63.8.2 The term "person" as used herein shall be defined as any natural person doing business alone or associated with another person or entity as a partner, director, officer, principal or employee.
- 63.8.3 The term "entity" as used herein shall be defined as any firm, partnership, corporation, association, joint venture, or person that receives monies, benefits, licenses, leases, or permits from or through the **City** or otherwise transacts business with the **City**.
- 63.8.4 The term "member" as used herein shall be defined as any person associated with another person or entity as a partner, director, officer, principal or employee.
- 63.9 In addition to and notwithstanding any other provision of this Contract, the Commissioner may in his/her sole discretion terminate this Contract upon not less than three (3) Days written notice in the event the contractor fails to promptly report in writing to the Commissioner of the Department of Investigations ("DOI") of the City any solicitation of money, goods, requests for future employment or other benefit or thing of value, by or on behalf of any employee of the City or other person, firm, corporation or entity for any purpose which may be related to the procurement or obtaining of this Contract by the Contractor, or affecting the performance of this Contract.

#### **ARTICLE 64. TERMINATION BY THE CITY**

- 64.1 In addition to termination pursuant to any other article of this Contract, the Commissioner may, at any time, terminate this Contract by written notice to the Contractor. In the event of termination, the Contractor shall, upon receipt of such notice, unless otherwise directed by the Commissioner:
  - 64.1.1 Stop Work on the date specified in the notice;
  - 64.1.2 Take such action as may be necessary for the protection and preservation of the City's materials and property;
    - 64.1.3 Cancel all cancelable orders for material and equipment;
  - 64.1.4 Assign to the City and deliver to the Site or another location designated by the Commissioner, any non-cancelable orders for material and equipment that is not capable of use except in the performance of this Contract and has been specifically fabricated for the sole purpose of this Contract and not incorporated in the Work;

- 64.1.5 Take no action which will increase the amounts payable by the City under this Contract.
- 64.2 In the event of termination by the City pursuant to this article, payment to the Contractor shall be in accordance with Articles 64.2.1, 64.2.2 or 64.2.3, to the extent that each respective article applies.
  - 64.2.1 Lump Sum Contracts or Items: On all lump sum Contracts, or on lump sum items in a Contract, the City will pay the Contractor the sum of Articles 64.2.1(a) and 64.2.1(b), less all payments previously made pursuant to this Contract. On lump sum Contracts only, the City will also pay the Contractor an additional sum as provided in 64.2.1(c).
    - 64.2.1(a) For Work completed prior to the notice of termination, the Contractor shall be paid a pro rata portion of the lump sum bid amount, plus approved change orders, based upon the percent completion of the Work, as determined by the Commissioner. For the purpose of determining the pro rata portion of the lump sum bid amount to which the Contractor is entitled, the Bid Breakdown submitted in accordance with Article 41 shall be considered, but shall not be dispositive. The Commissioner's determination hereunder shall be final, binding and conclusive.
    - 64.2.1(b) For non-cancelable material and equipment, less salvage value, that is not capable of use except in the performance of this Contract and has been specifically fabricated for the sole purpose of this Contract, but not yet incorporated in the Work, the Contractor shall be paid the lesser of:
      - 64.2.1(b)(i) The direct cost, as defined in Article 64.2.4; or
      - 64.2.1(b)(ii) The fair and reasonable value, whichever is less, of such material and equipment, plus necessary and reasonable delivery costs.
      - 64.2.1(b)(iii) In addition, the **Contractor** shall be paid five (5%) percent of Article 64.2.1(b)(i) or Article 64.2.1(b)(ii), whichever applies.
    - 64.2.1(c) Except as otherwise provided in Article 64.2.1(d), on all lump sum Contracts, the Contractor shall be paid the percentage indicated below applied to the difference between the total lump sum bid amount and the total of all payments made prior to the notice of termination plus all payments allowed pursuant to Articles 64.2.1(a) and 64.2.1(b):
      - 64.2.1(c)(i) Five (5%) percent of the first five million (\$5,000,000.) dollars; and
      - 64.2.1(c)(ii) Three (3%) percent of any amount between five million (\$5,000,000.) dollars and fifteen million (\$15,000,000.) dollars; plus
      - 64.2.1(c)(iii) One (1%) percent of any amount over fifteen million (\$15,000,000.) dollars.
      - 64.2.1(d) In the event the City terminates a lump sum Contract pursuant to this article within ninety (90) days after registration of the Contract with the Comptroller, the Contractor shall be paid one (1%) percent of the difference between the lump sum bid amount and the total of all payments made pursuant to this article.

- 64.2.2 Unit Price Contracts or Items: On all unit price Contracts, or on unit price items in a Contract, the City will pay the Contractor the sum of Articles 64.2.2(a) and 64.2.2(b), less all payments previously made pursuant to this Contract:
  - 64.2.2(a) For all completed units, the unit price stated in the Contract, and
  - 64.2.2(b) For units that have been ordered but are only partially completed, the Contractor will be paid:
    - 64.2.2(b)(i) A pro rata portion of the unit price stated in the Contract based upon the percent completion of the unit and
    - 64.2.2(b)(ii) For non-cancelable material and equipment, payment will be made pursuant to Article 64.2.1(b).
- 64.2.3 Time and Material Contracts or Items: On all Contracts or items in a Contract where time and material records are specified as the basis for payment of the Work, the Contractor shall be paid in accordance with Article 26, less all payments previously made pursuant to this Contract.
  - 64.2.4 Direct Costs: Direct Costs as used in this article shall mean:
    - 64.2.4(a) The actual purchase price of material and equipment, plus necessary and reasonable delivery costs,
      - 64.2.4(b) The actual cost of labor involved in construction and installation at the Site, and
    - 64.2.4(c) The actual cost of necessary bonds and insurance purchased pursuant to requirements of this **Contract** less any amounts that have been or should be refunded by the **Contractor's** sureties or insurance carriers.
      - 64.2.4(d) Direct Cost shall not include overhead.
- 64.3 In no event shall any payments under this article exceed the Contract price for such items.
- 64.4 All payments pursuant to this article shall be in the nature of liquidated damages and shall be accepted by the Contractor in full satisfaction of all claims against the City.
- 64.5 The City may deduct or set off against any sums due and payable pursuant to this article, any deductions authorized by this Contract or by Law (including but not limited to liquidated damages) and any claims it may have against the Contractor. The City's exercise of the right to terminate the Contract pursuant to this article shall not impair or otherwise effect the City's right to assert any claims it may have against the Contractor in a plenary action.
- 64.6 Where the Work covered by the Contract has been substantially completed, as determined in writing by the Commissioner, termination of the Work shall be handled as an omission of Work pursuant to Articles 29 and 33, in which case a Change Order will be issued to reflect an appropriate reduction in the Contract Sum, or if the amount is determined after final payment, such amount shall be paid by the Contractor.

# ARTICLE 65. CHOICE OF LAW, CONSENT TO JURISDICTION AND VENUE

- 65.1 This Contract shall be deemed to be executed in the City of New York, State of New York, regardless of the domicile of the Contractor, and shall be governed by and construed in accordance with the Laws of the State of New York and the Laws of the United States, where applicable.
- 65.2 The parties agree that any and all claims asserted against the City arising under this Contract or related thereto shall be heard and determined in the courts of the State of New York ("New York State Courts") located in the City and County of New York. To effect this Contract and intent, the Contractor agrees:
  - 65.2.1 If the City initiates any action against the Contractor in Federal Court or in New York State Court, service of process may be made on the Contractor either in person, wherever such Contractor may be found, or by registered mail addressed to the Contractor at its address as set forth in this Contract, or to such other address as the Contractor may provide to the City in writing; and
  - 65.2.2 With respect to any action between the City and the Contractor in New York State Court, the Contractor hereby expressly waives and relinquishes any rights it might otherwise have:
    - 65.2.2(a) To move to dismiss on grounds of forum non conveniens;
    - 65.2.2(b) To remove to Federal Court; and
    - 65.2.2(c) To move for a change of venue to a New York State Court outside New York County.
  - 65.2.3 With respect to any action brought by the City against the Contractor in Federal Court located in the City, the Contractor expressly waives and relinquishes any right it might otherwise have to move to transfer the action to a United States Court outside the City.
  - 65.2.4 If the Contractor commences any action against the City in a Court located other than in the City and State of New York, upon request of the City, the Contractor shall either consent to a transfer of the action to a State Court of competent jurisdiction located in the City and State of New York or, if the Court where the action is initially brought will not or cannot transfer the action, the Contractor shall consent to dismiss such action without prejudice and may thereafter reinstate the action in a State Court of competent jurisdiction in the City.
- 65.3 If any provision(s) of this article is held unenforceable for any reason, each and all other provision(s) shall nevertheless remain in full force and effect.

# ARTICLE 66. PARTICIPATION IN AN INTERNATIONAL BOYCOTT

- 66.1 The Contractor agrees that neither the Contractor nor any substantially owned affiliated company is participating or shall participate in an international boycott in violation of the provisions of the Export Administration Act of 1979, as amended, or the regulations of the United States Department of Commerce promulgated thereunder.
- 66.2 Upon the final determination by the Commerce Department or any other Agency of the United States as to, or conviction of the Contractor or a substantially-owned affiliated company thereof, participation in an international boycott in violation of the provisions of the Export Administration Act of 1979, as amended, or the regulations promulgated thereunder, the Comptroller may, at his/her option, render forfeit and void this Contract.

66.3 The Contractor shall comply in all respects, with the provisions of Section 6-114 of the Administrative Code and the rules and regulations issued by the Comptroller thereunder.

### ARTICLE 67. LOCALLY BASED ENTERPRISE PROGRAM

- 67.1 This Contract is subject to the requirements of Section 6-108.1 of the Administrative Code and regulations promulgated thereunder. No construction Contract shall be awarded unless and until these requirements have been complied with in their entirety.
- 67.2 Unless specifically waived by the **Commissioner** with the approval of the Division of Economic and Financial Opportunity of the Department of Business Services, if any portion of the **Contract** is subcontracted, not less than ten (10%) percent of the total dollar amount of the **Contract** shall be awarded to locally based enterprise ("LBEs"); except that where less than ten (10%) percent of the total dollar amount of the **Contract** is subcontracted, such lesser percentage shall be so awarded.
  - 67.3 The prime Contractor shall not require performance and payment bonds from LBE Subcontractors.
- 67.4 If the Contractor has indicated prior to award that no Work will be subcontracted, no Work shall be subcontracted without the prior approval of the Commissioner, which shall be granted only if the Contractor makes a good faith effort beginning at least six (6) weeks before the Work is to be performed to obtain LBE Subcontractors to perform the Work.
- 67.5 If the Contractor has not identified sufficient LBE Subcontractors prior to award, it shall sign a letter of compliance stating that it complies with Section 6-108.1 of the Administrative Code, recognizes that achieving the LBE requirement is a condition of its Contract, and shall submit documentation demonstrating its good faith efforts to obtain LBEs. After award, the Contractor shall begin to solicit LBE's to perform subcontracted Work at least six (6) weeks before the date such Work is to be performed and shall demonstrate that a good faith effort has been made to obtain LBE's on each subcontract until it meets the required percentage.
- 67.6 Failure of the Contractor to comply with the requirements of Section 6-108.1 of the Administrative Code and the regulations promulgated thereunder shall constitute a material breach of Contract. Remedy for such breach of Contract may include the imposition of any or all of the following sanctions:
  - 67.6.1 Reducing a **Contractor's** compensation by an amount equal to the dollar value of the percentage of the LBE subcontracting requirement not complied with;
    - 67.6.2 Declaring the Contractor in default;
  - 67.6.3 Where non-compliance is by an LBE, de-certifying and declaring the LBE ineligible to participate in the LBE program for a period of up to three (3) years.

#### ARTICLE 68. ANTITRUST

68.1 The Contractor hereby assigns, sells and transfers to the City all right, title and interest in and to any claims and causes of action arising under the antitrust Laws of New York State or of the United States relating to the particular goods or services purchased or procured by the City under this Contract.

#### ARTICLE 69. MacBRIDE PRINCIPLES PROVISIONS

- 69.1 Notice To All Prospective Contractors:
  - 69.1.1 Local Law No. 34 of 1991 became effective on September 10, 1991 and added Section 6-115.1 of the Administrative Code. The local Law provides for certain restrictions on City Contracts to express the opposition of the people of the City to employment discrimination practices in Northern Ireland to promote freedom of work-place opportunity.
  - 69.1.2 Pursuant to Section 6-115.1, prospective Contractors for Contracts to provide goods or services involving an expenditure of an amount greater than ten thousand (\$10,000.) dollars, or for construction involving an amount greater than fifteen thousand (\$15,000.) dollars, are asked to sign a rider in which they covenant and represent, as a material condition of their Contract, that any business operations in Northern Ireland conducted by the Contractor and any individual or legal entity in which the Contractor holds a ten (10%) percent or greater ownership interest in the Contractor will be conducted in accordance with the MacBride Principles of nondiscrimination in employment.
  - 69.1.3 Prospective Contractors are not required to agree to these conditions. However, in the case of Contracts let by competitive sealed bidding, whenever the lowest responsible bidder has not agreed to stipulate to the conditions set forth in this notice and another bidder who has agreed to stipulate to such conditions has submitted a bid within five (5%) percent of the lowest responsible bid for a Contract to supply goods, services or contraction of comparable quality, the Agency shall refer such bids to the Mayor, the Speaker or other officials, as appropriate, who may determine, in accordance with applicable Law and rules, that it is in the best interest of the City that the Contract be awarded to other than the lowest responsible pursuant to Section 313(b)(2) of the City Charter.
  - 69.1.4 In the case of Contracts let by other than competitive sealed bidding, if a prospective Contractor does not agree to these conditions, no Agency, elected official or the City Council shall award the Contract to that bidder unless the Agency seeking to use the goods, services or construction certifies in writing that the Contract is necessary for the Agency to perform its functions and there is no other responsible Contractor who will supply goods, services or construction of comparable quality at a comparable price.
- 69.2 In accordance with Section 6-115.1 of the Administrative Code, the Contractor stipulates that such Contractor and any individual or legal entity in which the Contractor holds a ten (10%) percent or greater ownership interest in the Contractor either:
  - 69.2.1 Have no business operations in Northern Ireland, or
  - 69.2.2 Shall take lawful steps in good faith to conduct any business operations they have in Northern Ireland in accordance with the MacBride Principles, and shall permit independent monitoring of their compliance with such principles.
  - 69.3 For purposes of this Article, the following terms shall have the following meanings:
    - 69.3.1 "MacBride Principles" shall mean those principles relating to nondiscrimination in employment and freedom of work-place opportunity which require employers doing business in Northern Ireland to:

- 69.3.1(a) increase the representation of individuals from under-represented religious groups in the workforce, including managerial, supervisory, administrative, clerical and technical jobs;
- 69.3.1(b) take steps to promote adequate security for the protection of employees from under-represented religious groups both at the work-place and while traveling to and from Work;
  - 69.3.1(c) ban provocative religious or political emblems from the workplace;
- 69.3.1(d) publicly advertise all job openings and make special recruitment efforts to attract applicants from under-represented religious groups;
- 69.3.1(e) establish layoff, recall and termination procedures which do not in practice favor a particular religious group;
- 69.3.1(f) abolish all job reservations, apprenticeship restrictions and different employment criteria which discriminate on the basis of religion;
- 69.3.1(g) develop training programs that will prepare substantial numbers of current employees from under-represented religious groups for skilled jobs, including the expansion of existing programs and the creation of new programs to train, upgrade and improve the skills of workers from under-represented religious groups;
- 69.3.1(h) establish procedures to asses, identify and actively recruit employees from under-represented religious groups with potential for further advancement; and
- 69.3.1(i) appoint a senior management staff member to oversee affirmative action efforts and develop a timetable to ensure their full implementation.
- 69.4 The Contractor agrees that the covenants and representations in Article 69.2 are material conditions to this Contract. In the event the Agency receives information that the Contractor who made the stipulation required by this Article is in violation thereof, the Agency shall review such information and give the Contractor an opportunity to respond. If the Agency finds that a violation has occurred, the Agency shall have the right to declare the Contractor in default in default and/or terminate this Contract for cause and procure supplies, services or Work from another source in the manner the Agency deems proper. In the event of such termination, the Contractor shall pay to the Agency, or the Agency in its sole discretion may withhold from any amounts otherwise payable to the Contractor, the difference between the Contract price for the uncompleted portion of this Contract and the cost to the Agency of completing performance of this Contract either itself or by engaging another Contractor or Contractors. In the case of a requirement Contract, the Contractor shall be liable for such difference in price for the entire amount of supplies required by the Agency for the uncompleted term of Contractor's Contract. In the case of a construction Contract, the Agency shall also have the right to hold the Contractor in partial or total default in accordance with the default provisions of this Contract, and/or may seek debarment or suspension of the Contractor. The rights and remedies of the Agency hereunder shall be in addition to, and not in lieu of, any rights and remedies the Agency has pursuant to this Contract or by operation of Law.

## ARTICLE 70. HEALTH INSURANCE COVERAGE

70.1 If the price for which this Contract was awarded exceeds \$100,000, or if the price for which this Contract was awarded when combined with other construction or services contracts awarded the Contractor by the City in the year prior to award of this Contract exceeds \$100,000, the Contractor, following registration of the Contract, shall be required to submit responses to requests for information regarding the nature of any health

insurance provided by the Contractor to its employees and their spouses and domestic partners, upon request of the Agency or other designated City agency.

## ARTICLE 71. PROHIBITION OF TROPICAL HARDWOODS

71.1 Tropical hardwoods, as defined in Section 165 of the New York State Finance Law ("Finance Law"), shall not be utilized in the performance of this Contract except as expressly permitted by Section 165 of the Finance Law.

#### ARTICLE 72. CONFLICTS OF INTEREST

72.1 Section 2604 of the City Charter and other related provisions of the City Charter, the Administrative Code and the Penal Law are applicable under the terms of this Contract in relation to Conflicts of Interest and shall be extended to Subcontractors authorized to perform Work, labor and services pursuant to this Contract and further, it shall be the duty and responsibility of the Contractor to so inform its respective Subcontractors. Notice is hereby given that, under certain circumstances, penalties may be invoked against the donor as well as the recipient of any form of valuable gift.

#### **ARTICLE 73. MERGER CLAUSE**

73.1 The Written Contract herein, contains all the terms and conditions agreed upon by the parties hereto, and no other agreement, oral or otherwise, regarding the subject matter of this Contract shall be deemed to exist or to bind any of the parties hereto, or to vary any of the terms contained herein.

#### ARTICLE 74. STATEMENT OF WORK

74.1 The Contractor shall furnish all labor and materials and perform all Work in strict accordance with the Specifications and Addenda thereto, numbered \_\_\_\_\_\_.

#### ARTICLE 75. COMPENSATION TO BE PAID TO CONTRACTOR

75.1 The City will pay and the Contractor will accept in full consideration for the performance of the Contract, subject to additions and deductions as provided herein, the total sum of: SEE BELOW

Dollars, (\$7,899,480.49), this said sum being the Amount at which the Contract was awarded to the Contractor at a public letting thereof, based upon the Contractor's bid for the Contract.

SEVEN MILION Eight hundred ninety-nine thousand four hundred Eighty dollars and 42/100.

#### ARTICLE 76. ELECTRONIC FUNDS TRANSFER

76.1 In accordance with Section 6-107.1 of the New York City Administrative Code, the Contractor agrees to accept payments under this Agreement from the City by electronic funds transfer. An electronic funds transfer is any transfer of funds, other than a transaction originated by check, draft or similar paper instrument, which is initiated through an electronic terminal, telephonic instrument or computer or magnetic tape so as to order, instruct or authorize a financial institution to debit or credit an account. Prior to the first payment made under this Agreement, Contractor shall designate one financial institution or other authorized payment agent and shall complete the "EFT Vendor Payment Enrollment Form" (available at <a href="http://www.nyc.gov/dof">http://www.nyc.gov/dof</a>) in order to provide the Commissioner of Finance with information necessary for Contractor to receive electronic funds transfer payments through the designated financial institution or authorized payment agent. The crediting of the amount of a

payment to the appropriate account on the books of a financial institution or other authorized payment agent designated by the Contractor shall constitute full satisfaction by the City for the amount of the payment under this agreement. The account information supplied by the Contractor to facilitate the electronic funds transfer shall remain confidential to the fullest extent provided by law.

76.2 The agency head may waive the application of the requirements herein to payments on contracts entered into pursuant to §315 of the City Charter. In addition, the Commissioner of the Department of Finance and the Comptroller may jointly issue standards pursuant to which the contracting agency may waive the requirements hereunder for payments in the following circumstances: (i) for individuals or classes of individuals for whom compliance imposes a hardship; (ii) for classifications or types of checks; or (iii) in other circumstances as may be necessary in the interest of the City.

# ARTICLE 77 – PARTICIPATION BY MINORITY-OWNED AND WOMEN-OWNED BUSINESS ENTERPRISES IN CITY PROCUREMENT

# NOTICE TO ALL PROSPECTIVE CONTRACTORS

# ARTICLE I. M/WBE PROGRAM

Local Law No. 129 of 2005 added Section 6-129 to the Administrative Code of the City of New York. The local law creates a program for participation by minority-owned and women-owned business enterprises (MBEs and WBEs) in City procurement. As stated in the Section 6-129, the intent of the program is to address the impact of discrimination on the City's procurement process, and to promote the public interest in avoiding fraud and favoritism in the procurement process, increasing competition for City business, and lowering contract costs. The contract provisions contained herein are made pursuant to Local Law 129, and the rules of the Department of Small Business Services ("DSBS") promulgated thereunder.

If this Contract is subject to the Minority-Owned and Women-Owned Business Enterprise ("M/WBE") program created by Local Law 129, the specific requirements of M/WBE participation for this Contract are set forth in Schedule B of the Contract (entitled the "Subcontractor Utilization Plan"), and are detailed below. The Contractor must comply with all applicable M/WBE requirements for this Contract. Schedule B of the Contract ("Subcontractor Utilization Plan") is included in the Bid Booklet.

Article I, Part A, below, sets forth provisions related to the participation goals for construction and professional services contracts. Article I, Part B, below, sets forth miscellaneous provisions related to the M/WBE program.

# PART A: PARTICIPATION GOALS FOR CONSTRUCTION AND PROFESSIONAL SERVICES CONTRACTS

1. The Target Subcontracting Percentage applicable to this Contract is set forth on Schedule B, Part I to this Contract (see Page 1, line (1)). The "Target Subcontracting Percentage" is the percentage of the total Contract which Agency anticipates that the prime contractor for this Contract would in the normal course of business award to one or more subcontractors for amounts under \$1 million for construction and professional services.

A prospective contractor may seek a full or partial pre-award waiver of the Target Subcontracting Percentage in accordance with Local Law 129 and Part A, Section 10 below. To apply for the a full or partial waiver of the Target Subcontracting Percentage, a prospective contractor must complete Part III (Page 4) of Schedule B, and must submit such request no later than seven (7) days prior to the date and time the bids or proposals are due, in writing to the Agency by e-mail at <a href="mailto:poped@ddc.nvc.gov">poped@ddc.nvc.gov</a> or via facsimile at (718) 391-1885. Bidders/proposers who have submitted requests will receive a response by no later than two (2) calendar days prior to the date bids or proposals are due, provided, however, that if that date would fall on a weekend or holiday, a response will be provided by close-of-business on the business day before such weekend or holiday date.

- 2. The Subcontractor Participation Goals established for this Contract are set forth on Schedule B, Part I to this Contract (see Page 1, line (2) and/or line (3)). The Subcontractor Participation Goals represent a percentage of the total dollar value of all construction and/or professional services subcontracts under this Agreement for amounts under \$1 million.
- 3. If Subcontractor Participation Goals have been established for this Contract, Contractor agrees or shall agree as a material term of the Agreement that, with respect to the total amount of the Agreement to be awarded to one or more subcontractors pursuant to subcontracts for amounts under \$1 million, Contractor shall be subject to the Subcontractor Participation Goals, unless the goals are modified by Agency in accordance with Local Law 129 and Part A, Section 11 below.
- 4. If Subcontractor Participation Goals have been established for this Contract, a prospective contractor shall be required to submit with its bid or proposal, as applicable, a completed Schedule B, Part II Subcontractor Utilization Plan (see Page 2-3) indicating: (a) the percentage of work it intends to subcontract; (b) the percentage of work it intends to award to subcontractors for amounts under \$1 million; (c) in cases where the prospective contractor intends to award subcontracts for amounts under \$1 million, a description of the type and dollar value of work designated for participation by MBEs and/or WBEs; and (d) the general time frames in which such work by MBEs and/or WBEs is scheduled to occur. In the event that this Subcontractor Utilization Plan indicates that the bidder or proposer, as applicable, does not intend to award the Target Subcontracting Percentage, the bid or proposal, as applicable, shall be deemed non-responsive, unless Agency has granted the bidder or proposer, as applicable, a pre-award waiver of the Target Subcontracting Percentage in accordance with Local Law 129 and Part A, Section 10 below.

THE BIDDER/PROPOSER MUST COMPLETE THE SUBCONTRACTOR UTILIZATION PLAN INCLUDED HEREIN (SCHEDULE B, PART II). SUBCONTRACTOR UTILIZATION PLANS WHICH DO NOT INCLUDE THE REQUIRED AFFIRMATIONS WILL BE DEEMED TO BE NON-RESPONSIVE, UNLESS A FULL WAIVER OF THE TARGET SUBCONTRCTING PERCENTAGE IS GRANTED (SCHEDULE B PART III). IN THE EVENT THAT THE CITY DETERMINES THAT VENDOR HAS SUBMITTED A SUBCONTRACTOR UTILIZATION PLAN WHERE THE REQUIRED AFFIRMATIONS ARE COMPLETED BUT OTHER ASPECTS OF THE PLAN ARE NOT COMPLETE, OR CONTAIN A COPY OR COMPUTATION ERROR THAT IS AT ODDS WITH THE AFFIRMATION, THE VENDOR WILL BE NOTIFIED BY THE AGENCY AND WILL BE GIVEN FOUR (4) CALENDAR DAYS FROM RECEIPT OF NOTIFICATION TO CURE THE SPECIFIED DEFICIENCIES AND RETURN A COMPLETED PLAN TO THE AGENCY. FAILURE TO DO SO WILL RESULT IN A DETERMINATION THAT THE BID/PROPOSAL IS NON-RESPONSIVE. RECEIPT OF NOTIFICATION IS DEFINED AS THE DATE NOTICE IS EMAILED OR FAXED (IF THE VENDOR HAS PROVIDED AN EMAIL ADDRESS OR FAX NUMBER), OR NO LATER THAN FIVE (5) DAYS FROM THE DATE OF MAILING OR UPON DELIVERY, IF DELIVERED.

5. Where a Subcontractor Utilization Plan has been submitted, the Contractor shall, within 30 days of issuance by Agency of a notice to proceed, submit a list of proposed persons or entities to which it intends to award subcontracts within the subsequent 12 months. In the case of multi-year contracts, such list shall also be submitted every year thereafter. PLEASE NOTE: If this Contract is a public works project subject to GML §101(5) (i.e., a contract valued at or below \$3M for projects in New York City) or if the Contract is subject to a project labor agreement in accordance with Labor Law §222, and the bidder is required to identify at the time of bid submission its intended subcontractors for the Wicks trades (plumbing and gas fitting; steam heating, hot water heating, ventilating and air conditioning (HVAC); and electric wiring), the Contractor must identify all those to which it intends to award construction subcontracts for any portion of the Wicks trade work at the time of bid submission, regardless of what point in the life of the contract such subcontracts will occur. In identifying intended subcontractors in the bid submission, bidders may satisfy any Subcontractor Participation Goals established for this Contract by proposing one or more subcontractors that are M/WBEs for any portion of the Wicks trade work if the amount to be awarded to such M/WBE subcontractor is under

\$1 million. In the event that the Contractor's selection of a subcontractor is disapproved, the Contractor shall have a reasonable time to propose alternate subcontractors.

- 6. M/WBE firms must be certified by DSBS in order for the Contractor to credit such firms' participation toward the attainment of the M/WBE participation goals. Such certification must occur prior to the firms' commencement of work as subcontractors. A list of M/WBE firms may be obtained from the DSBS website at <a href="https://www.nyc.gov/buycertified">www.nyc.gov/buycertified</a>, by emailing DSBS at <a href="https://www.nyc.gov/buycertified">buyce@sbs.nyc.gov</a>, by calling (212) 513-6356, or by visiting or writing DSBS at 110 William St., New York, New York, 10038, 7th floor. Eligible firms that have not yet been certified may contact DSBS in order to seek certification by visiting <a href="https://www.nyc.gov/getcertified">www.nyc.gov/getcertified</a>, emailing <a href="https://www.nyc.gov/getcertified">MWBE@sbs.nyc.gov</a>, or calling the DSBS certification helpline at (212) 513-6311.
- 7. Where a Subcontractor Utilization Plan has been submitted, the Contractor shall, with each voucher for payment, and/or periodically as Agency may require, submit statements, certified under penalty of perjury, which shall include, but not be limited to, the total amount paid to subcontractors (including subcontractors that are not MBEs or WBEs); the names, addresses and contact numbers of each MBE or WBE hired as a subcontractor pursuant to such plan as well as the dates and amounts paid to each MBE or WBE. The Contractor shall also submit, along with its voucher for final payment, the total amount paid to subcontractors (including subcontractors that are not MBEs or WBEs); and a final list, certified under penalty of perjury, which shall include the name, address and contact information of each subcontractor that is an MBE or WBE hired pursuant to such plan, the work performed by, and the dates and amounts paid to each.
- 8. If payments made to, or work performed by, MBEs or WBEs are less than the amount specified in the Contractor's Subcontractor Utilization Plan, Agency shall take appropriate action, in accordance with Local Law 129 and Article II below, unless the Contractor has obtained a modification of its Subcontractor Utilization Plan in accordance with Local Law 129 and Part A, Section 11 below.
- 9. Where a Subcontractor Utilization Plan has been submitted, and the Contractor requests a change order the value of which exceeds 10 percent of the Agreement, Agency shall establish participation goals for the work to be performed pursuant to the change order.
- 10. Pre-award waiver of Target Subcontracting Percentage. Agency may grant a full or partial waiver of the Target Subcontracting Percentage to a bidder or proposer, as applicable, who demonstrates—before submission of the bid or proposal—that it has legitimate business reasons for proposing the level of subcontracting in its Subcontractor Utilization Plan. In making its determination, Agency shall consider factors that shall include, but not be limited to, whether the bidder or proposer, as applicable, has the capacity and the bona fide intention to perform the Contract without any subcontracting, or to perform the Contract without awarding the amount of subcontracts for under one million dollars represented by the Target Subcontracting Percentage. In making such determination, Agency may consider whether the Subcontractor Utilization Plan is consistent with past subcontracting practices of the bidder or proposer, as applicable, and whether the bidder or proposer, as applicable, has made good faith efforts to identify portions of the Contract that it intends to subcontract.
- 11. Modification of Subcontractor Utilization Plan. A Contractor may request a modification of its Subcontractor Utilization Plan (Subcontractor Participation Goals) after award of this Contract. PLEASE NOTE: If this Contract is a public works project subject to GML §101(5) (i.e., a contract valued at or below \$3M for projects in New York City) or if the Contract is subject to a project labor agreement in accordance with Labor Law §222, and the bidder is required to identify at the time of bid submission its intended subcontractors for the Wicks trades (plumbing and gas fitting; steam heating, hot water heating, ventilating and air conditioning (HVAC); and electric wiring), the Contractor may request a Modification of its Subcontractor Utilization Plan as part of its bid submission. The Agency may grant a request for Modification of a Contractor's Subcontractor Utilization Plan if it determines that the Contractor has established, with appropriate documentary and other evidence, that it made reasonable, good faith efforts to meet the Subcontractor Participation Goals. In making such determination, Agency shall consider evidence of the following efforts, as applicable, along with any other relevant factors:

- (a) The Contractor advertised opportunities to participate in the Contract, where appropriate, in general circulation media, trade and professional association publications and small business media, and publications of minority and women's business organizations;
- (b) The Contractor provided notice of specific opportunities to participate in the Contract, in a timely manner, to minority and women's business organizations;
- (c) The Contractor sent written notices, by certified mail or facsimile, in a timely manner, to advise MBEs and WBEs that their interest in the Contract was solicited;
- (d) The Contractor made efforts to identify portions of the work that could be substituted for portions originally designated for participation by MBEs and/or WBEs in the Subcontractor Utilization Plan, and for which the Contractor claims an inability to retain MBEs or WBEs;
- (e) The Contractor held meetings with MBEs and/or WBEs prior to the date their bids or proposals were due, for the purpose of explaining in detail the scope and requirements of the work for which their bids or proposals were solicited;
- (f) The Contractor made efforts to negotiate with MBEs and/or WBEs as relevant to perform specific subcontracts;
- (g) Timely written requests for assistance made by the Contractor to Agency's M/WBE liaison officer and to DSBS;
- (h) Description of how recommendations made by DSBS and Agency were acted upon and an explanation of why action upon such recommendations did not lead to the desired level of participation of MBEs and/or WBEs.

Agency's M/WBE officer shall provide written notice to the Contractor of the determination.

- 12. If this Contract is for an indefinite quantity of construction or professional services or is a requirements type contract and the Contractor has submitted a Subcontractor Utilization Plan and has committed to subcontract work to MBEs and/or WBEs in order to meet the **Subcontractor Participation Goals**, the Contractor will not be deemed in violation of the M/WBE requirements for this Contract with regard to any work which was intended to be subcontracted to an MBE and/or WBE to the extent that the Agency has determined that such work is not needed.
- 13. If Subcontractor Participation Goals have been established for this Contract, Agency shall evaluate and assess the Contractor's performance in meeting those goals, and such evaluation and assessment shall become part of the Contractor's overall contract performance evaluation.

# PART B: MISCELLANEOUS

- 1. The Contractor shall take notice that, if this solicitation requires the establishment of a Subcontractor Utilization Plan, the resulting contract may be audited by DSBS to determine compliance with Section 6-129. See 6-129(e)(10). Furthermore, such resulting contract may also be examined by the City's Comptroller to assess compliance with the Subcontractor Utilization Plan.
- 2. Pursuant to DSBS rules, construction contracts that include a requirement for a Subcontractor Utilization Plan shall not be subject to the law governing Locally Based Enterprises set forth in Administrative Code Section 6-108.1.
- 3. DSBS is available to assist contractors and potential contractors in determining the availability of MBEs and WBEs to participate as subcontractors, and in identifying opportunities that are appropriate for participation by MBEs and WBEs in contracts.
- 4. Prospective contractors are encouraged to enter into joint ventures with MBEs and WBEs.
- 5. By submitting a bid or proposal the Contractor hereby acknowledges its understanding of the M/WBE requirements set forth herein and the pertinent provisions of Local Law 129 of 2005, and any rules promulgated thereunder, and if awarded this Contract, the Contractor hereby agrees to comply with the M/WBE requirements of

this Contract and pertinent provisions of Local Law 129 of 2005, and any rules promulgated thereunder, all of which shall be deemed to be material terms of this Contract. The Contractor hereby agrees to make all reasonable, good faith efforts to solicit and obtain the participation of M/WBE's to meet the required Subcontractor Participation Goals.

# ARTICLE II. ENFORCEMENT

- 1. If Agency determines that a bidder or proposer, as applicable, has, in relation to this procurement, violated Section 6-129 or the DSBS rules promulgated pursuant to Section 6-129, Agency may disqualify such bidder or proposer, as applicable, from competing for this Contract and the Agency may revoke such bidder's or proposer's prequalification status, if applicable.
- 2. Whenever Agency believes that the Contractor or a subcontractor is not in compliance with Section 6-129 or the DSBS rules promulgated pursuant to Section 6-129, or any provision of this Contract that implements Section 6-129, including, but not limited to any Subcontractor Utilization Plan, Agency shall send a written notice to the Contractor describing the alleged noncompliance and offering an opportunity to be heard. Agency shall then conduct an investigation to determine whether such Contractor or subcontractor is in compliance.
- 3. In the event that the Contractor has been found to have violated Section 6-129, the DSBS rules promulgated pursuant to Section 6-129, or any provision of this Contract that implements this Section 6-129, including, but not limited any Subcontractor Utilization Plan, Agency may determine that one of the following actions should be taken:
- (a) entering into an agreement with the Contractor allowing the Contractor to cure the violation;
- (b) revoking the Contractor's pre-qualification to bid or make proposals for future contracts;
- (c) making a finding that the Contractor is in default of the Contract;
- (d) terminating the Contract;
- (e) declaring the Contractor to be in breach of Contract;
- (f) withholding payment or reimbursement;
- (g) determining not to renew the Contract;
- (h) assessing actual and consequential damages;
- assess liquidated damages or reduction of fees, provided that liquidated damages may be based on amounts representing costs of delays in carrying out the purposes of the program established by Section 6-129, or in meeting the purposes of the Contract, the costs of meeting utilization goals through additional procurements, the administrative costs of investigation and enforcement, or other factors set forth in the Contract;
- exercise rights under the Contract to procure goods, services or construction from another contractor and charge the cost of such contract to the Contractor that has been found to be in noncompliance; or
- (k) take any other appropriate remedy.
- 4. If a Subcontractor Utilization Plan has been submitted, and pursuant to this Article II, Section 3, the Contractor has been found to have failed to award subcontracts to MBEs and/or WBEs sufficient to meet the Subcontractor Participation Goals contained in its Subcontractor Utilization Plan or the Subcontractor Participation Goals as modified by Agency pursuant to Article I, Part A, Section 11, Agency may assess liquidated damages in the amount of ten percent (10%) of the difference between the dollar amount of subcontracts required to be awarded to MBE and/or WBE subcontractors to meet the Subcontractor Participation Goals and the dollar amount the Contractor actually awarded and paid to MBE and/or WBE subcontractors. In view of the difficulty of accurately ascertaining the loss which the City will suffer by reason of Contractor's failure to meet the Subcontractor Participation Goals, the foregoing amount is hereby fixed and agreed as the liquidated damages that the City will suffer by reason of such failure, and not as a penalty. Agency may deduct and retain out of any monies which may become due under this Contract the amount of any such liquidated damages; and in case the amount which may become due under this Contract shall be less than the amount of liquidated damages suffered by the City, the Contractor shall be liable to pay the difference.

- 5. Whenever Agency has reason to believe that an MBE or WBE is not qualified for certification, or is participating in a contract in a manner that does not serve a commercially useful function (as defined in Section 6-129), or has violated any provision of Section 6-129, Agency shall notify the commissioner of DSBS who shall determine whether the certification of such business enterprise should be revoked.
- 6. Statements made in any instrument submitted to Agency pursuant to Section 6-129 shall be submitted under penalty of perjury and any false or misleading statement or omission shall be grounds for the application of any applicable criminal and/or civil penalties for perjury. The making of a false or fraudulent statement by an MBE or WBE in any instrument submitted pursuant to Section 6-129 shall, in addition, be grounds for revocation of its certification.
- 7. The Contractor's record in implementing its Subcontractor Utilization Plan shall be a factor in the evaluation of its performance. Whenever a contracting agency determines that a contractor's compliance with a Subcontractor Utilization Plan has been unsatisfactory, the agency shall, after consultation with the city chief procurement officer, file an advice of caution form for inclusion in VENDEX as caution data.

IN WITNESS WHEREOF, the Commissioner, on behalf of the City of New York, and the Contractor, have executed this agreement in quadruplicate, two parts of which are to remain with the to the

Contractor.	e Comptroller of the City, and the fourth to be delivered
e with the second of the secon	
	THE CITY OF NEW YORK
	4'
	By: Jankelan
	Depoty Commissioner
	in the state of t
	CONTRACTOR:
	By: Wilay V. 5
	(Member of Firm or Officer of Corporation)
entropies and the second	Title: fresident
(Where Contractor is a Corporation, add): Attest:	
Secretary	
	(Seal)

		RINCIPAL, IF A CORPORA	ATION
State of New Les	County of Qu	en) ss:	
16h 1	26:12	personally came Michaese and say that he resides at	1 19 D+ :00-
On this /3 day of /	before me	personally came Anichai	Durch and IN
LOS 77	oy me duly sworn did depos	se and say that he resides at the is the DAGA ICLUST.	ruschase, my
		he foregoing instrument; that	t he knows the seal of said
corporation; that one of the	he seals affixed to said inst	trument is such seal; that it	was so affixed by order of
the directors of said corpo	ration, and that he signed h	is name thereto by like order	<b>:</b> .
FRANCES M. ARTAL Notary Public, State of New No. 43-4748045 Qualified in Richmond Co	WYOR Alena	ic or Commissioner of Deed	
Commission Expires Decem	Notary Publ	ic or Commissioner of Deed	S
ACK	NOWLEDGEMENT OF P	RINCIPAL, IF A PARTNEF	RSHIP
State of	County of	ss:	
On this day of	hefore me ne	ersonally appeared	
to me known, and known	to me to be one of the mer	bers of the firm of	
,	described i	n and who executed the fore	egoing instrument; and he
acknowledged to me that	he executed the same as an	d for the act and deed of said	firm.
			4. ·
•			
	Notary Publ	ic or Commissioner of Deed	S
ACK	NOWLEDGEMENT OF P	RINCIPAL, IF AN INDIVII	TATIC -
		RIVER AL, I AR INDIVI	<u> 2071D</u>
State of	County of	ss:	
On this day of	,, before me pe	arcanolly, announced	
to me known, and known	to me to be the person desc	cribed in and who executed the	ne foregoing instrument:
and acknowledged that he	executed the same.	and the wife officers a	10 1010 BoxxxB
	Notary Publ	lic or Commissioner of Deed	<u> </u>
			-
		·	

ACKNOWLEDGEMENT BY COMMISSIONER State of None County of \_\_\_\_\_\_\_ day of Lug., 2013 before me personally came Enic Maclarlane to me known, and known to be the Deputy Commissioner of the Department of Design and Construction of The City of New York, the person described as such in and who as such executed the foregoing instrument and acknowledged to me that he executed the same as Deputy Commissioner for the purposes therein Notary Public or Commissioner of Deeds Notary Public, State of New York No. 43-4748045 Qualified in Richmond County Commission Expires December

### AUTHORITY

## MAYOR'S CERTIFICATE NO. CBX BUDGET DIRECTOR'S CERTIFICATE NO.

DATED DATED

# APPROPRIATION COMMISSIONER'S CERTIFICATE

In conformity with the provisions of Section 6-101 of the Administrative Code of the City of New York, it is hereby certified that the estimated cost of the work, materials and supplies required by the within Contract, amounting to


SEven million Eight hundred	rively rine than	sand	·
four hundred Eighty dolla			
ر این در این از این این این این این این این این این این این	Dollars (\$ 7,899, 4	8D.42)	
is chargeable to the fund of the Departme	nt of Design and Constr	ruction entitled Code	
	-		
Department of D	esign and Construction		
I hereby certify that the specifical BUDGET.	Depoty	Commissioner	
COM	PTROLLER'S CERTIF	ICATE	
The City of New York			
Pursuant to the provisions of Sec hereby certify that there remains unap applicable to this Contract sufficient to pa	plied and unexpended	a balance of the abo	ve mentioned fur
\$			
		Comptroller	

BOND NO. SU1121099

PERFORMANCE BOND #2 (Page 1)

## PERFORMANCE BOND #2

That we, MFM CO	RSONS BY THESE PRESENTS:, DITRACTING CORPORATION
	ENUE, MAMARONECK, NY 10543
*******	
hereinafter referre	ed to as the "Principal,"
ARCH INSURAN	ICE COMPANY
THREE PARKWAY	, SUITE 1500, PHILADELPHIA, PA 19102
hereinafter referre YORK, hereinafte of	ed to as the "Surety" ("Sureties") are held and firmly bound to THE CITY OF NEW or referred to as the "City" or to its successors and assigns in the penal sum
SEVEN MILLION	EIGHT HUNDRED NINETY NINE THOUSAND FOUR HUNDRED EIGHTY AND 42/10
executors, adminis	Dollars, lawful money of the United States for the payment of money well and truly to be made, we, and each of us, bind ourselves, our heirs trators, successors and assigns, jointly and severally, firmly by these presents.
executors, adminis	// IIIVIICY WEIL WILL WILLY (O DE MAGE. WE AND EACH Of HE hind otherstude our bairs
executors, adminis WHEREAS, the F HWXP093B RECO  a copy of which C full;  NOW, TI representatives or amendments, addit	trators, successors and assigns, jointly and severally, firmly by these presents.  Principal is about to enter, or has entered, into a Contract in writing with the City for




PERFORMANCE BOND #2 (Page 2)

good any such default and shall protect the said City of New York against, and pay any and all amounts, damages, cost and judgments which may or shall be recovered against said City or its officers or agents or which the said City of New York may be called upon to pay any person or corporation by reason of any damages arising or growing out of the Principal's default of the Contract, then this obligation shall be null and void, otherwise to remain in full force and effect.

The Surety (Sureties), for value received, hereby stipulates and agrees, upon written notice from the City that the City has determined that the Principal is in default of the Contract, to either (1) pay the full amount of the above penal sum in complete discharge and exoneration of this bond and of all the liabilities of the Surety relating to this bond, or (2) fully perform and complete the Work to be performed under the Contract, pursuant to the terms, conditions, and covenants thereof. The Surety (Sureties) further agrees, at its option, either to tender the penal sum or to commence and diligently perform the Work specified in the Contract, including physical site work, within twenty-five (25) business days after written notice thereof from the City and to complete all Work within the time set forth in the Contract or such other time as agreed to between the City and Surety in accordance with the Contract. The Surety and the City reserve all rights and defenses each may have against the other; provided, however, that the Surety expressly agrees that its reservation of rights shall not provide a basis for non-performance of its obligation to commence and to complete all Work as provided herein.

The Surety (Sureties), for value received, for itself and its successors and assigns, hereby stipulates and agrees that the obligation of said Surety (Sureties) and its bond shall be in no way impaired or affected by any extension of time, modification, omission, addition, or change in or to the said Contract or the Work to be performed thereunder, or by any payment thereunder before the time required therein, or by any waiver of any provisions thereof, or by any assignment, subletting or other transfer thereof or of any Work to be performed or any moneys due or to become due thereunder; and said Surety (Sureties) does hereby waive notice of any and all of such extensions, modifications, omissions, additions, changes, payments, waivers, assignments, subcontracts and transfers, and hereby expressly stipulates and agrees that any and all things done and omitted to be done by and in relation to assignees, subcontractors, and other transferces shall have the same effect as to said Surety (Sureties) as though done or omitted to be done by or in relation to said Principal.



## PERFORMANCE BOND #2 (Page 3)

IN WITNESS WHEREOF, The Principal and the Surety (Sureties) have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereunto affixed and these presents to be signed by their proper officers, this

7TH	day of	AUGUST	<b>20</b> <sup>13</sup>
(Seal)		By: <u></u>	CONTRACTING CORPORATION (L.S.)  Principal  V  INSURANCE COMPANY
(Scal)		By:	usan Lumpi
(91)		By:	
(Seal)			Surety
		Ву:	***************************************
(Seal)			Surety
		Ву:	
(Seal)			Surety
		Ву:	
Bond Premium Rate	\$14.45/M SLIDIN	G SCALE	
Bond Premium Cost	\$57,259.00		
If the Contractor (Prin partners.	cipal) is a partnership,	the bond sho	uld be signed by each of the individuals who are
If the Contractor (Prinduly authorized officer	cipal) is a corporation,	the bond sho act.	ould be signed in its correct corporate name by a
There should be executor counterparts of the C	ited an appropriate num Contract.	ber of count	erparts of the bond corresponding to the number
CITY OF NEW YORK			

The state of the s A second of

PERFORMANCE BOND #2 (Page 4)

	ACKNOW	LEDGMENT OF P	RINCIPAL IF A CORI	PORATION
State of New	York	County of	Westcheste	ge.
On this 8	day of	August	, 20_ <u>\</u> 3	before me personally
at <u>Purchase</u>	o, being by me du	ly sworn did depose n	and say that he resides	). +
of the corporation foregoing instrum	n described in and napt by order of th	which executed the directors of said cor	foregoing instrument; the poration as the duly autho	at he/she signed his/her name to the CORCORAN orized and binding act the corcor Public, State of New York
	Commissioner of	Deeds.		No. 01C06165276  Qualified in Westchester County
	ACKNOW	LEDGMENT OF P	RINCIPAL IF A PART	Commission Evalue June 25 201/
State of	·	County of _		ss:
On this	day of_		, 20	before me personally
to me known, who	o, being by me dul	y sworn did depose a	nd say that he/she resides	
		; the	nt he/she is	partner of ne laws of the State of
	. the	natnershin desoribed	in and which executed the	is laws of the State of
add partiership.	Commissioner of E	oods	ment as the duly authoriz	
_			RINCIPAL IF AN IND	
On this	day of	· · · · · · · · · · · · · · · · · · ·	, 20	before me personally
to me known, who	, being by me duly	sworn did depose an	d say that he/she resides	
subscribed to the winstrument, said inc	vithin instrument a	NG ACKNOWledged to n	that he/she is the individu ne that by his/her signature	uai whose name is to on the
Notary Public or C	ommissioner of D	 :eds		
Each executed bond luly certified copy of representative of Pri of Attorney or other	I should be accomp of Power of Attorn incipal or Surety; (a certificate of auth	anied by: (u) appropriate or other certificate	or authority where bond is act from By-Laws or resolu- or or representative was in-	ne respective parties; (b) appropriate s executed by agent, officer or other utions of Surety under which Power sued, and (d) certified copy of latest
	A FFi - A	***		
	AIRA A	ernowicuginents at	nd Justification of Suret	lies.
CITY OF NEW YORK			Q'T.A	ANDARD CONCIDENCION CONTRACTO

#### THIS POWER OF ATTORNEY IS NOT VALID UNLESS IT IS PRINTED ON BLUE BACKGROUND.

This Power of Attorney limits the acts of those named herein, and they have no authority to bind the Company except in the manner and to the extent herein stated. Not valid for Mortgage, Note, Loan, Letter of Credit, Bank Deposit, Currency Rate, Interest Rate or Residential Value Guarantees.

## POWER OF ATTORNEY

Know All Persons By These Presents:

That the Arch Insurance Company, a corporation organized and existing under the laws of the State of Missouri, having its principal administrative office in Jersey City, New Jersey (hereinafter referred to as the "Company") does hereby appoint:

Camille Maltland, Colette R. Chisholm, George O. Brewster, Gerard S. Macholz, Kristy Caporale, Lee Ferrucci, Rita Sagistano, Robert T. Pearson, Susan Lupski and Thomas Bean of Uniondale, NY (EACH)

its true and lawful Attorney(s)in-Fact, to make, execute, seal, and deliver from the date of issuance of this power for and on its behalf as surety, and as its act and deed:

Any and all bonds, undertakings, recognizances and other surety obligations, in the penal sum not exceeding Ninety Million Dollars (\$90,000,000,00).

This authority does not permit the same obligation to be split into two or more bonds in order to bring each such bond within the dollar limit of authority as set forth herein.

The execution of such bonds, undertakings, recognizances and other surety obligations in pursuance of these presents shall be as binding upon the said Company as fully and amply to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal administrative office in Jersey City, New Jersey.

This Power of Attorney is executed by authority of resolutions adopted by unanimous consent of the Board of Directors of the Company on September 15, 2011, true and accurate copies of which are hereinafter set forth and are hereby certified to by the undersigned Secretary as being in full force and effect:

"VOTED, That the Chairman of the Board, the President, or the Executive Vice President, or any Senior Vice President, of the Surety Business Division, or their appointees designated in writing and filed with the Secretary, or the Secretary shall have the power and authority to appoint agents and attorneys-in-fact, and to authorize them subject to the limitations set forth in their respective powers of attorney, to execute on behalf of the Company, and attach the seal of the Company thereto, bonds, undertakings, recognizances and other surety obligations obligatory in the nature thereof, and any such officers of the Company may appoint agents for acceptance of process."

This Power of Attorney is signed, sealed and certified by facsimile under and by authority of the following resolution adopted by the unanimous consent of the Board of Directors of the Company on September 15, 2011:

VOTED. That the signature of the Chairman of the Board, the President, or the Executive Vice President, or any Senior Vice President, of the Surety Business Division, or their appointees designated in writing and filed with the Secretary, and the signature of the Secretary, the seal of the Company, and certifications by the Secretary, may be affixed by facsimile on any power of attorney or bond executed pursuant to the resolution adopted by the Board of Directors on September 15, 2011, and any such power so executed, sealed and certified with respect to any bond or undertaking to which it is attached, shall continue to be valid and binding upon the Company.

In Testimony Whereof, the Company has caused this instrument to be signed and its corporate seal to be affixed by their authorized officers, this 29<sup>th</sup> day of April, 2013.

Attested and Certified

Arch Insurance Company

CORPORATE SEAL 1971

David M. Finkelstein, Executive Vice President

Patrick K. Nails, Secretary

STATE OF PENNSYLVANIA SS

#### COUNTY OF PHILADELPHIA SS

I, Kathleen Marcinkus, a Notary Public, do hereby certify that Patrick K. Nails and David M. Finkelstein personally known to me to be the same persons whose names are respectively as Secretary and Executive Vice President of the Arch Insurance Company, a Corporation organized and existing under the laws of the State of Missouri, subscribed to the foregoing instrument, appeared before me this day in person and severally acknowledged that they being thereunto duly authorized signed, sealed with the corporate seal and delivered the said instrument as the free and voluntary act of said corporation and as their own free and voluntary acts for the uses and purposes therein set forth.

COMMONWEALTH OF PENNSYLVANIA

NOTARIAL SEAL

KATHLEEN MARCINKUS, Notary Public
City of Philadelphia, Phila. County

My Commission Explication 14, 2014

Kathleen Marcinkus, Notary Public My commission expires 03/14/2014

#### CERTIFICATION

I, Patrick K. Nails, Secretary of the Arch Insurance Company, do hereby certify that the attached Power of Attorney dated April 29, 2013 on behalf of the person(s) as listed above is a true and correct copy and that the same has been in full force and effect since the date thereof and is in full force and effect on the date of this certificate; and I do further certify that the said David M. Finkelstein, who executed the Power of Attorney as Executive Vice President, was on the date of execution of the attached Power of Attorney the duly elected Executive Vice President of the Arch Insurance Company.

IN TESTIMONY WHERE In the present of the Arch Insurance Company on this \_\_\_\_\_day of \_\_\_\_\_.

Patrick K. Nails, Secretary

This Power of Attorney limits the acts of those named therein to the bonds and undertakings specifically named therein and they have no authority to bind the Company except in the manner and to the extent herein stated.

#### PLEASE SEND ALL CLAIM INQUIRIES RELATING TO THIS BOND TO THE FOLLOWING ADDRESS:

Arch Insurance – Surety Division 3 Parkway, Suite 1500 Philadelphia, PA 19102



## ACKNOWLEDGEMENT OF PRINCIPAL – IF A CORPORATION

STATE OF	
On this	ne is the
ACKNOWLEDGEMENT FOR PRINCIPA	IF LIMITED LIABILITY COMPANY
	o, it blivited bitalbit I countrie!
STATE OF	
COUNTY OF	
appeared	before me personally to me known and known to me to be the
Limited Liability Company, described in and who executed the that he/she executed the foregoing insurance instrument and act the act and deed of said Limited Liability Company.	e foregoing insurance instrument and acknowledged to me
ACKNOWLEDGMENT O	F SURETY COMPANY
STATE OF	$\Delta \gamma = - s_{\rm eff} \gamma$
above instrument; that he/she knows the seal of said corp corporate seal; that is was so affixed by order of the Be signed his/her name thereto by like order; and the affiant Insurance of the State of New York, has, pursuant to Se York, issued toARCH INSURANCE COMPANY qualification evidencing the qualification of said Compa New York as surety and guarantor, and the propriety of certificate has not been revoked.  GRACE ACCENSINAL MASSAU COUNTY THE PROPERTY OF THE PROPERTY	did depose and say; that he/she resides in
NV acknowledgment	

NY acknowledgment

MODITAL TOLET MODITAL SECTION OF THE PROJECT OF THE PROJECT OF THE MODITAL SECTION OF THE MODITAL

# ARCH INSURANCE COMPANY STATEMENT OF FINANCIAL CONDITION December 31, 2012

## **Assets**

Cash in Banks Bonds owned Stocks Premiums in course of collection Accrued interest and other assets	\$	142,123,391 1,626,957,843 335,746,944 199,715,124 392,357,134
Total Assets	\$	2,696,900,436
<u>Liabilities</u>		
Reserve for losses and adjustment expenses Reserve for unearned premiums Ceded reinsurance premiums payable Amounts withheld or retained by company for account of others Reserve for taxes, expenses and other liabilities	\$	1,138,208,564 328,958,704 179,607,905 173,229,865 313,412,183
Total Liabilities		2,133,417,221
Surplus as regards policyholders	·	563,483,215
Total Surplus and Liabilities	\$	2,696,900,436
By:  Senior Vice President, Chief Financial Officer and Treasurer  Attest: Senior Vice President, General Counsel and Secret	ary	
State of New York )		

Thomas James Ahern, Senior Vice President, Chief Financial Officer and Treasurer and Patrick Kenneth Nails, Senior Vice President, General Counsel and Secretary being duly sworn, of ARCH INSURANCE COMPANY, Missouri; and that the foregoing is a true and correct statement of financial condition of said company, as of December 31, 2012.

Subscribed and sworn to before me, this 12 day of March, 2013.

SS

**Notary Public** 

County of Hudson)

Traci Fischer


Traci and Flacher
Notary Public, State of New Jersey
No. 2409092
Qualified in Hudson County
Commission Expires May 31, 2016

BOND NO. SU1121099

PAYMENT BOND (Page 1)

## PAYMENT BOND

KNOW ALL PERSONS BY THESE PRESENTS, That we,
MFM CONTRACTING CORPORATION
335 CENTER AVENUE, MAMARONECK, NY 10543
hereinafter referred to as the "Principal", and
ARCH INSURANCE COMPANY
THREE PARKWAY, SUITE 1500, PHILADELPHIA, PA 19102
hereinafter referred to as the "Surety" ("Sureties") are held and firmly bound to THE CITY OF NEW YOR hereinafter referred to as the "City" or to its successors and assigns, in the penal sum of
SEVEN MILLION EIGHT HUNDRED NINETY NINE THOUSAND FOUR HUNDRED EIGHTY AND 42/1
(\$\frac{7,899,480.42}{Dollars, lawful money of the United States, for the payment of which said sum of money wand truly to be made, we, and each of us, bind ourselves, our heirs, executors, administrators, successors a assigns, jointly and severally, firmly by these presents.
WHEREAS, the Principal is about to enter, or has entered, into a Contract in writing with the City for
HWXP093B RECONSTRUCTION OF BOLLER AVENUE, BOROUGH OF BRONX
a copy of which Contract is annexed to and hereby made a part of this bond as though herein set forth in full;  NOW, THEREFORE, the conditions of this obligation are such that if the Principal, his or irrepresentatives or assigns and other Subcontractors to whom Work under this Contract is sublet and his or the successors and assigns shall promptly pay or cause to be paid all lawful claims for
(a) Wages and compensation for labor performed and services rendered by all persons engaged the prosecution of the Work under said Contract, and any amendment or extension thereof or addition theret whether such persons be agents servants or employees of the Principal or any such Subcontractor, including a persons so engaged who perform the work of laborers or mechanics at or in the vicinity of the si
THY AP AIR WORM



PAYMENT BOND (Page 2)

of the Project regardless of any contractual relationship between the Principal or such Subcontractors, or his or their successors or assigns, on the one hand and such laborers or mechanics on the other, but not including office employees not regularly stationed at the site of the project; and

(b) Materials and supplies (whether incorporated in the permanent structure or not), as well as teams, fuels, oils, implements or machinery furnished, used or consumed by said Principal or any subcontractor at or in the vicinity of the site of the Project in the prosecution of the Work under said Contract and any amendment or extension thereof or addition thereto; then this obligation shall be void, otherwise to remain in full force and effect.

This bond is subject to the following additional conditions, limitations and agreements:

- (a) The Principal and Surety (Sureties) agree that this bond shall be for the benefit of any materialmen or laborer having a just claim, as well as the City itself.
- (b) All persons who have performed labor, rendered services or furnished materials and supplies, as aforesaid, shall have a direct right of action against the Principal and his, its or their successors and assigns, and the Surety (Sureties) herein, or against either or both or any of them and their successors and assigns. Such persons may sue in their own name, and may prosecute the suit to judgment and execution without the necessity of joining with any other persons as party plaintiff.
- (c) The Principal and Surety (Sureties) agree that neither of them will hold the City liable for any judgment for costs of otherwise, obtained by either or both of them against a laborer or materialman in a suit brought by either a laborer or materialman under this bond for moneys allegedly due for performing work or furnishing material.
- (d) The Surety (Sureties) or its successors and assigns shall not be liable for any compensation recoverable by an employee or laborer under the Workmen's Compensation Law.
- (e) In no event shall the Surety (Sureties), or its successors or assigns, be liable for a greater sum than the penalty of this bond or be subject to any suit, action or proceeding hereon that is instituted by any person, firm, or corporation hereunder later than two years after the complete performance of said Contract and final settlement thereof.

The Principal, for himself and his successors and assigns, and the Surety (Sureties), for itself and its successors and assigns, do hereby expressly waive any objection that might be interposed as to the right of the City to require a bond containing the foregoing provisions, and they do hereby further expressly waive any defense which they or either of them might interpose to an action brought hereon by any person, firm or corporation, including subcontractors, materialmen and third persons, for work, labor, services, supplies or material performed rendered, or furnished as aforesaid upon the ground that there is no law authorizing the City to require the foregoing provisions to be place in this bond.

And the Surety (Sureties), for value received, for itself and its successors and assigns, hereby stipulates and agrees that the obligation of said Surety (Sureties), and its bonds shall be in no way impaired or affected by any extension of time, modification, omission, addition, or change in or of the said Contract or the work to be performed thereunder, or by any payment thereunder before the time required therein, or by any waiver of any provisions thereof, or by any assignment, subletting or other transfer thereof or of any part thereof, or of any Work to be performed, or any moneys due to become due thereunder and said Surety (Sureties) does hereby waive notice of any and all of such extensions, modifications, omissions, additions, changes, payments, waivers, assignments, subcontracts and transfers, and hereby expressly stipulates and agrees that any and all things done and omitted to be done by and in relation to assignees, Subcontractors, and other transferees shall have the same effect as to said Surety (Sureties) as though done or omitted to be done or in relation to said Principal.


## PAYMENT BOND (Page 3)

	By: Principal  ARCH INSURANCE COMPANY  Surety
(Seal)	ARCH INSURANCE COMPANY
(Seal)	
	By: SUSAN LUPSKI, ATTORNEY IN-FACT
(Seal)	Surety
	Ву:
(Seal)	
	Surety By:
(Seal)	
	Surety
	Зу:
If the Contractor (Principal) is a partnership, the partners.	bond should be signed by each of the individuals who are
If the Contractor (Principal) is a corporation, the duly authorized officer, agent, or attorney-in-fact	bond should be signed in its correct corporate name by a
There should be executed an appropriate number of counterparts of the Contract.	of counterparts of the bond corresponding to the number

PAYMENT BOND (Page 4)

ACKNOWLEDGMEN	T OF PRINCIPAL, IF A CO	PORATION	
State of New Yor	K County of West	Lester ss:	
On this 8th day of A to me known, who, being	waust, 2013, before me	personally came Michaele and say that he resides at Pu	rehase N.Y.
10577	d in and which executed the f	he is the $\frac{\rho_{c} \ll s}{1} \sqrt{2s} + \frac{1}{2}$ foregoing instrument; that he kn	ove the seal of said
corporation; that one of	the seals affixed to said instru	ment is such seal; that it was so	o affixed by order of
the directors of said corp	oration, and that he signed his	name thereto by like order.	PETER M CORCORAN
			Notary Public, State of New York No. 01CO6165276
	for till		Qualified in Westchester County
	Notary Public	or Commissioner of Deeds	<b>Commission Expires June 25, 2015</b>
ACKNOWLEDGMEN	T OF PRINCIPAL, IF A PA	RTNERSHIP	
State of	County of		
to me known, and known	to me to be one of the member described in and who	personally appeareders of the firm ofers of the firm ofers of executed the foregoing instantiation for the act and deed of said firm.	strument: and he
ACKNOWLEDGMEN	Notary Public	or Commissioner of Deeds	
State of	County of	99:	
On this day of to me known, and know and acknowledged that h	n to me to be the person descr e executed the same.	personally appearedibed in and who executed the fo	oregoing instrument;
	Notary Public	or Commissioner of Deeds	
parties; (b) appropriate di is executed by agent, off By-Laws or resolutions	uly certified copy of Power of a icer or other representative of of Surety under which Power stative was issued, and (d) cert urety.	r: (a) appropriate acknowledgme Attorney or other certificate of a Principal or Surety; (c) a duly c of Attorney or other certificate tified copy of latest published fit	uthority where bond ertified extract from e of authority of its
	* * * * * Affix Acknowledgments and	• • •	
	· ····· · · · · · · · · · · · · · · ·	- Jumpiteurius di Duleiles.	
CITY OF NEW YORK		STANDARD COM	VSTRUCTION CONTRACT

(NO TEXT ON THIS PAGE)



#### THIS POWER OF ATTORNEY IS NOT VALID UNLESS IT IS PRINTED ON BLUE BACKGROUND.

This Power of Attorney limits the acts of those named herein, and they have no authority to bind the Company except in the manner and to the extent herein stated. Not valid for Mortgage, Note, Loan, Letter of Credit, Bank Deposit, Currency Rate, Interest Rate or Residential Value Guarantees.

## POWER OF ATTORNEY

Know All Persons By These Presents:

That the Arch Insurance Company, a corporation organized and existing under the laws of the State of Missouri, having its principal administrative office in Jersey City, New Jersey (hereinafter referred to as the "Company") does hereby appoint:

Camille Maitland, Colette R. Chisholm, George O. Brewster, Gerard S. Macholz, Kristy Caporale, Lee Ferrucci, Rita Sagistano, Robert T. Pearson, Susan Lupski and Thomas Bean of Uniondale, NY (EACH)

Its true and lawful Attorney(s)in-Fact, to make, execute, seal, and deliver from the date of issuance of this power for and on its behalf as surety, and as its act and deed:

Any and all bonds, undertakings, recognizances and other surety obligations, in the penal sum not exceeding Ninety Million Dollars (\$90,000,000,00):

This authority does not permit the same obligation to be split into two or more bonds in order to bring each such bond within the dollar limit of authority as set forth herein.

The execution of such bonds, undertakings, recognizances and other surety obligations in pursuance of these presents shall be as binding upon the said Company as fully and amply to all intents and purposes, as if the same had been duly executed and acknowledged by its regularly elected officers at its principal administrative office in Jersey City, New Jersey.

This Power of Attorney is executed by authority of resolutions adopted by unanimous consent of the Board of Directors of the Company on September 15, 2011, true and accurate copies of which are hereinafter set forth and are hereby certified to by the undersigned Secretary as being in full force and effect:

"VOTED, That the Chairman of the Board, the President, or the Executive Vice President, or any Senior Vice President, of the Surety Business Division, or their appointees designated in writing and filed with the Secretary, or the Secretary shall have the power and authority to appoint agents and attorneys-in-fact, and to authorize them subject to the limitations set forth in their respective powers of attorney, to execute on behalf of the Company, and attach the seal of the Company thereto, bonds, undertakings, recognizances and other surety obligations obligatory in the nature thereof, and any such officers of the Company may appoint agents for acceptance of process."

This Power of Attorney is signed, sealed and certified by facsimile under and by authority of the following resolution adopted by the unanimous consent of the Board of Directors of the Company on September 15, 2011:

VOTED, That the signature of the Chairman of the Board, the President, or the Executive Vice President, or any Senior Vice President, of the Surety Business Division, or their appointees designated in writing and filed with the Secretary, and the signature of the Secretary, the seal of the Company, and certifications by the Secretary, may be affixed by facsimile on any power of attorney or bond executed pursuant to the resolution adopted by the Board of Directors on September 15, 2011, and any such power so executed, sealed and certified with respect to any bond or undertaking to which it is attached, shall continue to be valid and binding upon the Company.


In Testimony Whereof, the Company has caused this instrument to be signed and its corporate seal to be affixed by their authorized officers, this 29th day of April, 2013.

**NSUrance** 

Attested and Certified

Arch Insurance Company

STATE OF PENNSYLVANIA SS



David M. Finkelstein, Executive Vice President

#### **COUNTY OF PHILADELPHIA SS**

I, Kathleen Marcinkus, a Notary Public, do hereby certify that Patrick K. Nails and David M. Finkelstein personally known to me to be the same persons whose names are respectively as Secretary and Executive Vice President of the Arch Insurance Company, a Corporation organized and existing under the laws of the State of Missouri, subscribed to the foregoing instrument, appeared before me this day in person and severally acknowledged that they being thereunto duly authorized signed, sealed with the corporate seal and delivered the said instrument as the free and voluntary act of said corporation and as their own free and voluntary acts for the uses and purposes therein set forth.

> COMMONWEALTH OF PENNSYLVANIA NOTARIAL SEAL KATHLEEN MARCINKUS, Notary Public City of Philadelphia, Phila. County ly Commission Expires March 14.

Kathleen Marcinkus, Notary Public My commission expires 03/14/2014

#### CERTIFICATION

I, Patrick K. Nails, Secretary of the Arch Insurance Company, do hereby certify that the attached Power of Attorney dated April 29, 2013 on behalf of the person(s) as listed above is a true and correct copy and that the same has been in full force and effect since the date thereof and is in full force and effect on the date of this certificate; and I do further certify that the said David M. Finkelstein, who executed the Power of Attorney as Executive Vice President, was on the date of execution of the attached Power of Attorney the duly elected Executive Vice President of the Arch Insurance Company.

have hereunto subscribed my name and affixed the corporate seal of the Arch Insurance Company on 2013 20 IN TESTIMONY WHEREOF, 17 this \_\_\_\_\_day of \_AUG 0, 7

This Power of Attorney limits the acts of those named therein to the bonds and undertakings specifically named therein and they have no authority to bind the Company except in the manner and to the extent herein stated.

#### PLEASE SEND ALL CLAIM INQUIRIES RELATING TO THIS BOND TO THE FOLLOWING ADDRESS:

Arch Insurance - Surety Division 3 Parkway, Suite 1500 Philadelphia, PA 19102



## ACKNOWLEDGEMENT OF PRINCIPAL - IF A CORPORATION

STATE OF	,	
	to be known, who, b	being by me duly sworn, did depose and say; that he/she he is the
instrument; that he/she know	the corporation des to the seal of said corpora a affixed by the Board of	cribed in and which executed the within insurance ation; that the seal affixed to said instrument is such Directors of said corporation; and that he/she signed
ACKNOWLE	DGEMENT FOR PRINCIPA	L, IF LIMITED LIABILITY COMPANY
STATE OF	.} SS	
COUNTY OF	.}	
appeared		before me personally to me known and known to me to be the
Limited Liability Company, des	cribed in and who executed t ag insurance instrument and a	he foregoing insurance instrument and acknowledged to me cknowledged to me that he/she executed the same as and for
	ACKNOWLEDGMENT C	OF SURETY COMPANY
STATE OF NEW YORK COUNTY OF	} SS }	en e
On this AUGUST	7., 2013, before me pe	ersonally cameSUSAN LUPSKI
to me known, who, bein NASSAU COUNTY  of the ARCH INSURANCE COMPAN above instrument; that he/she	ng by me duly sworn, State ofNew.York  Y  knows the seal of said corp	, did depose and say; that he/she resides in at he/she is the Attorney-In-Fact the corporation described in which executed the poration; that the seal affixed to said instrument is such coard of Directors of said corporation; and that he/she
signed his/her name thereto b Insurance of the State of Nev York, issued to ARCH INSURAN	y like order; and the affian v York, has, pursuant to Sice COMPANY	t did further depose and say that the Superintendent of ection 1111 of the Insurance Law of the State of New(Surety) his/her certificate of
qualification evidencing the o	qualification of said Comp	any and its sufficiency under any law of the State of of accepting and approving it as such; and that such
certificate has not been revoke		or accepting and approximate to such, and much such
	GRACE ACKERSON Notary Public, State of New York Nassau County Lic. #01AC6111590	Notary Public
NV acknowledgment	Term Expires June 14, 2016	

NY acknowledgment

Test of the state of the state

## ARCH INSURANCE COMPANY STATEMENT OF FINANCIAL CONDITION December 31, 2012

#### **Assets**

Cash in Banks Bonds owned Stocks Premiums in course of collection Accrued interest and other assets	\$	142,123,391 1,626,957,843 335,746,944 199,715,124 392,357,134
Total Assets	\$	2,696,900,436
Liabilities		
Reserve for losses and adjustment expenses Reserve for unearned premiums Ceded reinsurance premiums payable Amounts withheld or retained by company for account of others Reserve for taxes, expenses and other liabilities	\$	1,138,208,564 328,958,704 179,607,905 173,229,865 313,412,183
Total Liabilities		2,133,417,221
Surplus as regards policyholders		563,483,215
Total Surplus and Liabilities	<u>\$</u>	2,696,900,436
By:  Senior Vice President, Chief Financial Officer and Treasurer  Attest: Senior Vice President, General Counsel and Secreta	ary	-

State of New York)

SS

County of Hudson)

Thomas James Ahern, Senior Vice President, Chief Financial Officer and Treasurer and Patrick Kenneth Nails, Senior Vice President, General Counsel and Secretary being duly sworn, of ARCH INSURANCE COMPANY, Missouri; and that the foregoing is a true and correct statement of financial condition of said company, as of December 31, 2012.

Subscribed and sworn to before me, this 12 day of March, 2013.

Notary Public

Traci Juli Flactier Notary Public, State of New Jersey No. 2409092 Qualified in Hudson County Commission Expires May 31, 2018

Project ID.: HWXP093B

#### SCHEDULE A

## (RELATING TO ARTICLE 22 – INSURANCE)

## PART II. BROKER'S CERTIFICATION

[Pursuant to Article 22.3.1(a) of the Contract, every Certificate of Insurance must be accompanied by either the following certification by the broker setting forth the following text and required information and signatures or complete copies of all policies referenced in the Certificate of Insurance. In the absence of completed policies, binders are acceptable.]

#### **CERTIFICATION BY BROKER**

Alliant Inguinance Comiles - Inc

The undersigned insurance broker represents to the City of New York that the attached Certificate of Insurance is accurate in all material respects, and that the described insurance is effective as of the date of this Certification.

	Aliant insulance Services, inc.
	[Name of broker (typewritten)]
	333 Earle Ovington Blvd., Uniondale, NY 11553
	[Address of broker (typewritten)]
	banes Schouller
	[Signature of authorized official or broker]
	James Schoenleber
	[Name and title of authorized official (typewritten)]
3	

(05/19/08)

SA-9

Qualified in Nacasau County Qualified in Nacasau County Commission Expires Oct. 13, 201

. 



## CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

8/7/2013

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED EPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

PORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to

the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s) James Schoenleber Alliant Insurance Services, Inc. PHONE (A/C, No, Ext):516-414-8938 E-MAIL FAX (A/C, No):877-308-1070 333 Earle Ovington Blvd. ADDRESS:JSchoenleber@alliant.com Uniondale NY 11553 INSURER(S) AFFORDING COVERAGE NAIC # 38318 INSURER A: Starr Indemnity & Liability Co INSURED 12078 **MFMCONTR** INSURER B : Liberty Surplus Insurance Corporati MFM Contracting Corp. INSURER C 335 Center Avenue INSURER D Mamaroneck NY 10543 INSURER E : INSURER F **COVERAGES CERTIFICATE NUMBER: 67896832** REVISION NUMBER: THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. ADDL SUBR POLICY EFF POLICY EXP (MM/DD/YYYY) TYPE OF INSURANCE LIMITS POLICY NUMBER INSR WVD **GENERAL LIABILITY** SISINRG00059412 8/13/2012 8/13/2013 EACH OCCURRENCE \$1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) COMMERCIAL GENERAL LIABILITY \$50,000 CLAIMS-MADE X OCCUR MED EXP (Any one person) \$5.000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 \$2,000,000 GEN'L AGGREGATE LIMIT APPLIES PER: PRODUCTS - COMP/OP AGG POLICY X PRO-COMBINED SINGLE LIMIT AUTOMOBILE LIABILITY 8/13/2012 8/13/2013 SISIPCA08240412 \$1,000,000 BODILY INJURY (Per person) \$ ANY AUTO ALL OWNED SCHEDULED BODILY INJURY (Per accident) AUTOS NON-OWNED AUTOS AUTOS PROPERTY DAMAGE (Per accident) Х HIRED AUTOS \$ **UMBRELLA LIAB** 8/13/2012 8/13/2013 X SISIXNR01052412 EACH OCCURRENCE \$10,000,000 OCCUR **EXCESS LIAB** \$10,000,000 CLAIMS-MADE AGGREGATE DED X RETENTION \$10,000 WORKERS COMPENSATION WC STATU-TORY LIMITS AND EMPLOYERS' LIABILITY

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

URENY104157112

Re: Project ID HWXP093B, E-PIN: 85013B0098001, DDC PIN: 8502013HW0024C, Reconstruction of Boller Avenue from Station 10+50 Station 18+00, Needham Avenue from Station 11+09 to Station 14+75-Borough of the Bronx. The City of New York, including its officials and employees are named as Additional Insureds as required by written contract.

<b>CERTIFICATE HOL</b>	.DER
------------------------	------

ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)

If yes, describe under DESCRIPTION OF OPERATIONS below

Contractors Pollution

DDC Director, Insurance Risk Manager (IDCNY Building)

30-30 Thomson Avenue, 4th Floor Long Island City NY 11101

#### CANCELLATION

8/13/2012

8/13/2013

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

E.L. DISEASE - EA EMPLOYE

Each Occurrence

Aggregate NODS

E.L. DISEASE - POLICY LIMIT

\$10,000,000 \$10,000,000 \$10,000,000

AUTHORIZED REPRESENTATIVE

James Schenbler

© 1988-2010 ACORD CORPORATION. All rights reserved.

# STATE OF NEW YORK WORKERS' COMPENSATION BOARD

## CERTIFICATE OF NYS WORKERS' COMPENSATION INSURANCE COVERAGE

1a. Legal Name & Address of Insured (Use street address only)	1b. Business Telephone Number of Insured			
MFM Contracting Corp.	914-777-8292			
335 Center Avenue	1c. NYS Unemployment Insurance Employer			
Mamaroneck, NY 10543	Registration Number of Insured			
Work Location of Insured (Only required if coverage is specifically limited to certain locations in New York State, i.e., a Wrap-Up Policy)	1d. Federal Employer Identification Number of Insured or Social Security Number			
Tokey)	13-4130805			
2. Name and Address of the Entity Requesting Proof of Coverage (Entity Being Listed as the Certificate Holder)	3a. Name of Insurance Carrier			
	Chubb Indemnity Insurance Company			
DDC Director, Insurance Risk Manager	3b. Policy Number of entity listed in box "1a"			
(IDCNY Building) 30-30 Thomson Avenue, 4th Floor	004-472-7444-00			
Long Island City, NY 11101	3c. Policy effective period			
Long lotate only, 141 11101	01/01/2013 to 01/01/2014			
	3d. The Proprietor, Partners or Executive Officers are			
	included. (Only check box if all partners/officers included)			
	all excluded or certain partners/officers excluded.			
	an excluded of certain partners officers excluded.			
This certifies that the insurance carrier indicated above in box "3" in compensation under the New York State Workers' Compensation Law. ("on the INFORMATION PAGE of the workers' compensation insurathis Certificate of Insurance to the entity listed above as the certificate	To use this form, New York (NY) must be listed under <u>Item 3A</u> nace policy). The Insurance Carrier or its licensed agent will send			
The Insurance Carrier will also notify the above certificate holder within within 30 days IF there are reasons other than nonpayment of premiums indicated on this Certificate. (These notices may be sent by regular mail is approved by the insurance carrier or its licensed agent, or until the	10 days IF a policy is canceled due to nonpayment of premiums or that cancel the policy or eliminate the insured from the coverage  1) Otherwise, this Certificate is valid for one year after this form			
Please Note: Upon the cancellation of the workers' compensation policy indicated on this form, if the business continues to be named on a permit, license or contract issued by a certificate holder, the business must provide that certificate holder with a new Certificate of Workers' Compensation Coverage or other authorized proof that the business is complying with the mandatory coverage requirements of the New York State Workers' Compensation Law.				
Under penalty of perjury, I certify that I am an authorized represe above and that the named insured has the coverage as depicted on	entative or licensed agent of the insurance carrier referenced this form.			
Approved by: James Schoenleber				
(Print name of authorized representative	e or neensed agent of insurance carrier)			
Approved by: James School be	08/07/2013			
Title: Account Representative	{Date}			
	540.444.0000			
Telephone Number of authorized representative or licensed agent of in-	surance carrier: 516-414-8938			

lease Note: Only insurance carriers and their licensed agents are authorized to issue Form C-105.2. Insurance brokers are NOT authorized to issue it.

### Workers' Compensation Law

#### Section 57. Restriction on issue of permits and the entering into contracts unless compensation is secured.

- 1. The head of a state or municipal department, board, commission or office authorized or required by law to issue any permit for or in connection with any work involving the employment of employees in a hazardous employment defined by this chapter, and notwithstanding any general or special statute requiring or authorizing the issue of such permits, shall not issue such permit unless proof duly subscribed by an insurance carrier is produced in a form satisfactory to the chair, that compensation for all employees has been secured as provided by this chapter. Nothing herein, however, shall be construed as creating any liability on the part of such state or municipal department, board, commission or office to pay any compensation to any such employee if so employed.
- 2. The head of a state or municipal department, board, commission or office authorized or required by law to enter into any contract for or in connection with any work involving the employment of employees in a hazardous employment defined by this chapter, notwithstanding any general or special statute requiring or authorizing any such contract, shall not enter into any such contract unless proof duly subscribed by an insurance carrier is produced in a form satisfactory to the chair, that compensation for all employees has been secured as provided by this chapter.

## STATE OF NEW YORK WORKERS' COMPENSATION BOARD

#### CERTIFICATE OF INSURANCE COVERAGE UNDER THE NYS DISABILITY BENEFITS LAW

PART 1. To be completed by Disability Benefits Carrier or Licensed Insurance Agent of that Carrier			
1a. Legal Name and Address of Insured ( MFM CONTRACTING CORP 335 CENTER AVENUE MAMARONECK, NY 10543	(Use street address only)	Business Telephone Number of Insured     914-777-8292     Ic. NYS Unemployment Insurance Employer Registration     Number of Insured      Id. Federal Employer Identification Number of Insured     13-4130805	
		13-4130003	
Name and Address of the Entity Requirements     Coverage (Entity Being Listed as the Coverage)		3a. Name of Insurance Carrier The Hartford Life Insurance Company	
DDC Director, Insurance Risk Manag	ger	21. Deline Manchen of antital listed in hou "1 a".	
(IDCNY Building)	,	3b. Policy Number of entity listed in box "1a": LNY 631248	
30-30 Thomson Avenue, 4th Floor		ENT OSTETO	
Long Island City, NY 11101		3c. Policy effective period: 01/01/2013-01/01/2014	
4. Policy covers:			
a. ☑ All of the employer's employees eligible under the New York Disability Benefits Law b. ☐ Only the following class or classes of the employer's employees:  Under penalty of perjury, I certify that I am an authorized representative or licensed agent of the insurance carrier referenced above and that the named insured has NYS Disability Benefits insurance coverage as described above.  Date Signed 08/07/2013  By			
	<u> </u>	authorized representative or NYS Licensed Insurance Agent of that insurance carrier)	
Telephone Number (800) 454-7020 Title Manager  IMPORTANT: If box "4a" is checked, and this form is signed by the insurance carrier's authorized representative or NYS Licensed Insurance Agent of that carrier, this certificate is COMPLETE. Mail it directly to the certificate holder.  If box "4b" is checked, this certificate is NOT COMPLETE for purposes of Section 220, Subd. 8 of the Disability Benefits Law. It must be mailed for completion to the Workers' Compensation Board, DB Plans Acceptance Unit, 20 Park Street, Albany, New York 12207.			
PART 2. To be completed by NYS	Workers' Compensati	on Board (Only if box "4b" of Part 1 has been checked)	
State Of New York Workers' Compensation Board  According to information maintained by the NYS Workers' Compensation Board, the above-named employer has complied with the NYS Disability Benefits Law with respect to all of his/her employees.			
Date Signed	By	f NYS Workers' Compensation Board Employee)	
	(Signature o	n NYS Workers' Compensation Board Employee)	
Telephone Number	Title		

Please Note: Only insurance carriers licensed to write NYS disability benefits insurance policies and NYS licensed insurance agents of those insurance carriers are authorized to issue Form DB-120.1. Insurance brokers are NOT authorized to issue this form.

DB-120.1 (5-06)

#### Additional Instructions for Form DB-120.1

By signing this form, the insurance carrier identified in box "3" on this form is certifying that it is insuring the business referenced in box "1a" for disability benefits under the New York State Disability Benefits Law. The Insurance Carrier or its licensed agent will send this Certificate of Insurance to the entity listed as the certificate holder in box "2". This Certificate is valid for the earlier of one year after this form is approved by the insurance carrier or its licensed agent, or the policy expiration date listed in box "3c".

Please Note: Upon the cancellation of the disability benefits policy indicated on this form, if the business continues to be named on a permit, license or contract issued by a certificate holder, the business must provide that certificate holder with a new Certificate of NYS Disability Benefits Coverage or other authorized proof that the business is complying with the mandatory coverage requirements of the New York State Disability Benefits Law.

#### DISABILITY BENEFITS LAW

#### §220. Subd. 8

- (a) The head of a state or municipal department, board, commission or office authorized or required by law to issue any permit for or in connection with any work involving the employment of employees in employment as defined in this article, and not withstanding any general or special statute requiring or authorizing the issue of such permits, shall not issue such permit unless proof duly subscribed by an insurance carrier is produced in a form satisfactory to the chair, that the payment of disability benefits for all employees has been secured as provided by this article. Nothing herein, however, shall be construed as creating any liability on the part of such state or municipal department, board, commission or office to pay any disability benefits to any such employee if so employed.
- (b) The head of a state or municipal department, board, commission or office authorized or required by law to enter into any contract for or in connection with any work involving the employment of employees in employment as defined in this article, and notwithstanding any general or special statute requiring or authorizing any such contract, shall not enter into any such contract unless proof duly subscribed by an insurance carrier is produced in a form satisfactory to the chair, that the payment of disability benefits for all employees has been secured as provided by this article.

## Payment Bond (Pages 86 to 89): Use for any contract for which a Payment Bond is required.

PAYMENT BOND (Page 2)

of the Project regardless of any contractual relationship between the Principal or such Subcontractors, or his or their successors or assigns, on the one hand and such laborers or mechanics on the other, but not including office employees not regularly stationed at the site of the project; and

(b) Materials and supplies (whether incorporated in the permanent structure or not), as well as teams, fuels, oils, implements or machinery furnished, used or consumed by said Principal or any subcontractor at or in the vicinity of the site of the Project in the prosecution of the Work under said Contract and any amendment or extension thereof or addition thereto; then this obligation shall be void, otherwise to remain in full force and effect.

This bond is subject to the following additional conditions, limitations and agreements:

- (a) The Principal and Surety (Sureties) agree that this bond shall be for the benefit of any materialmen or laborer having a just claim, as well as the City itself.
- (b) All persons who have performed labor, rendered services or furnished materials and supplies, as aforesaid, shall have a direct right of action against the Principal and his, its or their successors and assigns, and the Surety (Sureties) herein, or against either or both or any of them and their successors and assigns. Such persons may sue in their own name, and may prosecute the suit to judgment and execution without the necessity of joining with any other persons as party plaintiff.
- (c) The Principal and Surety (Sureties) agree that neither of them will hold the City liable for any judgment for costs of otherwise, obtained by either or both of them against a laborer or materialman in a suit brought by either a laborer or materialman under this bond for moneys allegedly due for performing work or furnishing material.
- (d) The Surety (Sureties) or its successors and assigns shall not be liable for any compensation recoverable by an employee or laborer under the Workmen's Compensation Law.
- (e) In no event shall the Surety (Sureties), or its successors or assigns, be liable for a greater sum than the penalty of this bond or be subject to any suit, action or proceeding hereon that is instituted by any person, firm, or corporation hereunder later than two years after the complete performance of said Contract and final settlement thereof.

The Principal, for himself and his successors and assigns, and the Surety (Sureties), for itself and its successors and assigns, do hereby expressly waive any objection that might be interposed as to the right of the City to require a bond containing the foregoing provisions, and they do hereby further expressly waive any defense which they or either of them might interpose to an action brought hereon by any person, firm or corporation, including subcontractors, materialmen and third persons, for work, labor, services, supplies or material performed rendered, or furnished as aforesaid upon the ground that there is no law authorizing the City to require the foregoing provisions to be place in this bond.

And the Surety (Sureties), for value received, for itself and its successors and assigns, hereby stipulates and agrees that the obligation of said Surety (Sureties), and its bonds shall be in no way impaired or affected by any extension of time, modification, omission, addition, or change in or of the said Contract or the work to be performed thereunder, or by any payment thereunder before the time required therein, or by any waiver of any provisions thereof, or by any assignment, subletting or other transfer thereof or of any part thereof, or of any Work to be performed, or any moneys due to become due thereunder and said Surety (Sureties) does hereby waive notice of any and all of such extensions, modifications, omissions, additions, changes, payments, waivers, assignments, subcontracts and transfers, and hereby expressly stipulates and agrees that any and all things done and omitted to be done by and in relation to assignees, Subcontractors, and other transferees shall have the same effect as to said Surety (Sureties) as though done or omitted to be done or in relation to said Principal.

## Payment Bond (Pages 86 to 89): Use for any contract for which a Payment Bond is required.

PAYMENT BOND (Page 3)

these presents to be signed by their p	orporations have caused their corporate seals to be hereunto affixed an oroper officers, this day of,
(O. 1)	
(Seal)	(L.S.) Principal
*	_
	By:
(Seal)	
	Surety
	By:
	·
(Seal)	Surety
en e	-
	By:
(Seal)	
(Oodi)	Surety
	By:
(Seal)	
	Surety
	By:
If the Contractor (Dringing) is a second	
partners.	tnership, the bond should be signed by each of the individuals who are
If the Contractor (Principal) is a corpular duly authorized officer, agent, or attornal controls.	poration, the bond should be signed in its correct corporate name by orney-in-fact.
There should be executed an approper of counterparts of the Contract.	oriate number of counterparts of the bond corresponding to the number

Payment Bond (Pages 86 to 89): Use for any contract for which a Payment Bond is required.

PAYMENT BOND (Page 4)

ACKNOWLEDGME	NT OF PRINCIPAL, IF A	CORPORATION	
State of	County of	ss:	
On this day of	, before n	ne personally came	
to me known, who, being	ng by me duly sworn did dep	ne personally cameose and say that he resides at _	
the nemeration day it	tha	at he is the e foregoing instrument; that h	of
corporation; that one of	the seals affixed to said ins	e foregoing instrument; that he trument is such seal; that it whis name thereto by like order.	as so affixed by order of
	***************************************		
we are a	Notary Pub	lic or Commissioner of Deeds	
ACKNOWLEDGMEN	NT OF PRINCIPAL, IF A	PARTNERSHIP	
State of	County of	ss:	
On this day of	before m	ne personally appeared	<del>-</del>
to me known, and know	n to me to be one of the men	nbers of the firm of	
	described in and v	who executed the foregoing	instrument; and he
deknowledged to the the	it he executed the same as an	d for the act and deed of said i	ırm.
	Notary Dub	lic or Commissioner of Deeds	
	Notary Publ	ne of Commissioner of Deeds	
ACKNOWLEDGMEN	IT OF PRINCIPAL, IF AN	INDIVIDUAL	
State of	County of	SS:	
•			
to me known and know	n to me to be the person de	ne personally appearedscribed in and who executed t	he foregoing instruments
and acknowledged that h	ne executed the same.	scribed in and who executed t	ne foregoing instrument;
	Notary Publ	ic or Commissioner of Deeds	
Each executed h	ond should be accompanied	by: (a) appropriate acknowled	doments of the respective
parties; (b) appropriate d	uly certified copy of Power	of Attorney or other certificate	of authority where bond
is executed by agent, of	ficer or other representative	of Principal or Surety; (c) a d	uly certified extract from
By-Laws or resolutions	of Surety under which Pov	ver of Attorney or other certi	ficate of authority of its
assets and liabilities of S	urety.	certified copy of latest publish	ed financial statement of
	•	* * * *	
	Affix Acknowledgments a	and Justification of Sureties.	
CITY OF NEW YORK			

(NO TEXT ON THIS PAGE)

#### SCHEDULE OF WORKMEN, MECHANICS AND LABORERS

The following is a list of classifications for workmen, mechanics and laborers which are anticipated to be employed in the performance of work under this contract, followed by a schedule of the prevailing wage rates and supplemental benefits for all classifications as established by the Comptroller of the City of New York.

Request for interpretation or correction under Subsection A of Section No. 3 in the Information for Bidders includes all requests for clarification of the classification of trades to be employed in the performance of the work under this contract.

In the event that a trade not listed in the classification of trades required to be used at the time of the award of the contract is in fact employed during the performance of this contract, the Contractor shall be required to obtain from the agency the prevailing wage rates and supplementary benefits for the trades used and to complete the performance of this contract at the price at which the contract was awarded.

(	CODE	Ξ.		CLASSIFICATION
	15 15		001	Rigger Sign Erector
-	16 16 16	11	001 002 003	Gardener Tree Pruner Tree Remover
4	16 16 16 16 16	11 11 11 11	011 012 013 014 015 016 017	Asphalt Raker (Highway & Paving) Tamper (Highway & Paving) Curbsetter (Highway & Paving) Formsetter (Highway & Paving) Rammerman (Highway & Paving) Laborer (Highway & Paving) ALL OTHER TITLES (Highway & Paving)
1 1 1	16 16 16 16 16	23 23 23 23 23	001 002 003 004 005 006	Laborer Operating Engineer (Heavy Construction-Maintenance) Junior Operating Engineer Junior Operating Engineer Junior Operating Engineer Fireman (Heavy Construction) Oiler (Heavy Construction)
] ] ]	16 16 16 16	23 23 23 23	051 052 053 057 058 059	Surveyor-Heavy Construction Surveyor-Heavy Construction-Instrument Man Surveyor-Heavy Construction-Rodman Surveyor-Land Surveying-Party Chief Surveyor-Land Surveying-Instrument Man Surveyor-Land Surveying-Rodman

CODE	CLASSIFICATION
16 23 061 16 23 062 16 23 063	Operating Engineer-Road & Heavy Construction Operating Engineer-Paving Operating Engineer-Concrete
16 23 071 16 23 072 16 23 073 16 23 074	Teamster-Heavy Equipment Trailer Driver Teamster-Dump Truck Driver Teamster-Flat Bed Trailer Driver (3-Axle) Teamster-Redi-Mix (Sand and Gravel)
16 29 011	Drill Runners
17 11 001	Plumbers
17 21 001	Painter (Brush & Roller)
17 31 001	Electrician
17 41 001 17 41 002 17 41 004	Bricklayer Mason Tender Cement Mason
17 42 002	Metallic Lather
17 51 001 17 51 002	Carpenter Dock Builder
17 71 001	Cement & Concrete Worker
17 91 001	Structural Iron Worker
17 95 001	Barman
17 96 021	Derrickmen & Riggers
17 99 001 17 99 002 17 99 005	Ornamental Iron Worker Sandblaster Pointers (Waterproofer)
17 99 011	Welders

Each classification may include trainees depending upon project staffing schedules and as required by the terms of this contract.

#### LABOR LAW §220 PREVAILING WAGE SCHEDULE

Workers, Laborers and Mechanics employed on a public work project must receive not less than the prevailing rate of wage and benefits for the classification of work performed by each upon such public work. Contractors are solely responsible for maintaining original payroll records which delineate, among other things, the hours each employee worked within a given classification. Contractors using rates and/or classifications not promulgated by the Comptroller do so at their own risk. Additionally, prior to bid, Agency Chief Contracting Officers must contact the Bureau of Labor Law when the need arises for a work classification not published in this schedule.

Pursuant to Labor Law §220 (3) the Comptroller of the City of New York has promulgated this schedule solely for Workers, Laborers and Mechanics engaged by private contractors on New York City public work contracts. Contracting agencies anticipating doing work which requires the employment of a trade or classification not included in this schedule must request the Comptroller to establish a proper classification for the work pursuant to Labor Law §220 (3-a) (a). The prevailing rate schedule as promulgated by the Comptroller, must, in compliance with law, be annexed to and form part of the contract.

The appropriate schedule of prevailing wages and benefits must be posted at all public work sites pursuant to Labor Law §220 (3-a) (a).

This schedule is applicable for work performed during the effective period, unless otherwise noted. You will be notified of any changes to this schedule by addenda published on our web site at www.comptroller.nyc.gov. The rate of wages and supplemental benefits to be paid or provided are those that prevail at the time the work is being performed. Preliminary schedules for future one-year riods are published annually in the City Record on or about June 1<sup>st</sup> of each succeeding year. Final schedules are published on or about July 1<sup>st</sup> in the City Record and on our web site at www.comptroller.nyc.gov.

The Comptroller's Office has attempted to include all overtime, shift and night differential, Holiday, Saturday, Sunday or other premium time work. However, this schedule does not set forth every prevailing practice with respect to such rates with which employers must comply. All such practices are nevertheless part of the employer's prevailing wage obligation and contained in the collective bargaining agreements of the prevailing wage unions. These collective bargaining agreements are available for inspection by appointment. Requests for appointments may be made by calling (212) 669-4443, Monday through Friday between the hours of 9 a.m. and 5 p.m.

Answers to questions concerning prevailing trade practices may be obtained from the Classification Unit by calling (212) 669-7974. Please direct all other compliance issues to: Bureau of Labor Law, Attn: Wasyl Kinach, P.E., Office of the Comptroller, 1 Centre Street, Room 1122, New York, N.Y. 10007; Fax (212) 669-4002.

Prevailing rates and ratios for apprentices are attached to this schedule in the Appendix. Pursuant to Labor Law §220 (3-e), only apprentices who are individually registered in a bona fide program to which the employer contractor is a participant, registered with the New York State Department of Labor, may be employed on a public work project. Workers who are not journey persons or not registered apprentices pursuant to Labor Law §220 (3-e) may not be substituted for apprentices and must be paid as journey persons.

Prevailing Rate Schedule Information: The information below is intended to assist you in meeting your prevailing wage rate obligation.

Covered Workers: Any and all individuals who are engaged, employed or otherwise occupied as Workers, Laborers or Mechanics on the public work site.

Contractors are advised to review the applicable Collective Bargaining Agreements and the Comptroller's Prevailing Wage Schedule before bidding on Public Work. If there are any questions concerning prevailing wages, benefits, overtime, Holiday pay, shift differentials or any prevailing practice, please contact this office.

Public Work construction, reconstruction, demolition, excavation, rehabilitation, repair, renovation, alteration, or improvement contracts awarded pursuant to a Project Labor Agreement ("PLA") in accordance with Labor Law section 222 may have different labor standards for shift, premium and overtime work. Please refer to the PLA's pre-negotiated labor agreements for wage and benefit rates applicable to work performed outside of the regular workday. More information is available at the Mayor's Office of Contract Services (MOCS) web page at http://www.nyc.gov/html/mocs/html/vendors/pla.shtml.

All the provisions of Labor Law section 220 remain applicable to PLA work including, but not limited to, the enforcement of prevailing wage requirements by the Comptroller; however, we will enforce shift, premium, overtime and other non-standard rates as they appear in a project's prenegotiated labor agreement.

Any error as to compensation under the prevailing wage law or other information as to trade classification, made by the contracting agency in the contract documents or in any other communication, will <u>not preclude</u> a finding against the contractor of prevailing wage violation.

In order to meet their obligation to provide prevailing supplemental benefits to each covered employee, employers must either:

- 1) Provide bona-fide benefits which cost the employer no less than the prevailing supplemental benefits rate; or
- 2) Supplement the employee's hourly wage by an amount no less than the prevailing supplemental benefits rate; or
- 3) Provide a combination of bona-fide benefits and wage supplements which cost the employer no less than the prevailing supplemental benefits rate in total.

Particular attention should be given to the supplemental benefits requirement. Although in most instances the payment or provision for supplemental benefits is for each hour worked, some classifications require the payment or provision of supplemental benefits for each hour paid. Consequently, some prevailing practices require benefits to be purchased at the overtime, shift differential, Holiday, Saturday, Sunday or other premium time rate.

## Benefits are paid for <u>EACH HOUR WORKED</u> unless otherwise noted.

Wasyl Kinach, P.E.
Director of Classifications
Bureau of Labor Law

# 220 SCHEDULE OF PREVAILING WAGES AND SUPPLEMENTAL BENEFITS ADDENDUM EFFECTIVE PERIOD JANUARY 1, 2013 THROUGH JUNE 30, 2013

#### **List of Amended Classifications**

- 1. BOILERMAKER
- 2. CEMENT MASON
- 3. DERRICKPERSON AND RIGGER
- 4. DRIVER: TRUCK (TEAMSTER)
- 5. ENGINEER FIELD (BUILDING CONSTRUCTION)
- 6. ENGINEER OPERATING
- 7. HEAT AND FROST INSULATOR
- 8. HOUSE WRECKER
- IRON WORKER ORNAMENTAL
- 10. IRON WORKER STRUCTURAL
- 11. MASON TENDER
- 12. MASON TENDER (INTERIOR DEMOLITION WORKER)
- 13. MOSAIC MECHANIC
- 14. PAPERHANGER
- 15. PLASTERER

Statted:

- 16. PLASTERER TENDER
- 17. PLUMBER
- 18. PLUMBER (MECHNICAL EQUIPMENT AND SERVICE)
- 19. PLUMBER (RESIDENTIAL RATES FOR 1, 2 AND 3 FAMILY HOME CONSTRUCTION)
- 20. ROOFER



- 21. SHEET METAL WORKER
- 22. SIGN ERECTOR
- 23. STEAMFITTER
- 24. STEAMFITTER REFRIGERATION AND AIR CONDITIONER
- 25. TILE FINISHER
- 26. TILE LAYER SETTER

though s<sup>i con</sup>tyletes

And the second of the second of the first of

range of the second of the sec

article of the state of the state of

NAC THE REPORT OF THE SECOND SECOND

Control of the Good Carlo Strandard Control of the with the first of the state of the property of

化二氢化二氯 海 经基金银 人名马克

entre de la financia de la compansión de l Centre de la compansión d La compansión de la compa

no envoluente al la composició de la com

of the state of th

on the first of the first of the second of t

The second secon

the property where the figure

entrapped of or one of

医铁色 电复数设置 化铁铁矿 电电流

THE PLANT OF PROPERTY OF

గ్రామం బూ తీఖ్యీకుల్ని ఓ

្រំ សម្សារាធិម្ហាសុខស្ពេញពីនាម

Contract to the second

# **TABLE OF CONTENTS**

CLASSIFICATION	PAGE
ASBESTOS HANDLER	······
BLASTER	
BOILERMAKER	
BRICKLAYER	11
CARPENTER - BUILDING COMMERCIAL	11
CARPENTER - HEAVY CONSTRUCTION WORK	12
CEMENT & CONCRETE WORKER	13
CEMENT MASON	14
CORE DRILLER	15
DERRICKPERSON AND RIGGER	16
DIVER	17
DOCKBUILDER - PILE DRIVER	18
DRIVER: TRUCK (TEAMSTER)	19
ELECTRICIAN	22
ELECTRICIAN - ALARM TECHNICIAN	24
ELECTRICIAN-STREET LIGHTING WORKER	26
ELEVATOR CONSTRUCTOR	27
LEVATOR REPAIR & MAINTENANCE	28
ENGINEER	
ENGINEER - CITY SURVEYOR AND CONSULTANT	
ENGINEER - FIELD (BUILDING CONSTRUCTION)	
ENGINEER - FIELD (HEAVY CONSTRUCTION)	36
ENGINEER - FIELD (STEEL ERECTION)	37
ENGINEER - OPERATING	
FLOOR COVERER	47
GLAZIER	48
GLAZIER - REPAIR & MAINTENANCE	49
HEAT AND FROST INSULATOR	50
HOUSE WRECKER	51
IRON WORKER - ORNAMENTAL	52
IRON WORKER - STRUCTURAL	53
LABORER	
LANDSCAPING	55
MARBLE MECHANIC	57
MASON TENDER	58
MASON TENDER (INTERIOR DEMOLITION WORKER)	59
METALLIC LATHER	60

MILLWRIGHT	.61
MOSAIC MECHANIC	.61
PAINTER	
PAINTER - SIGN	
PAINTER - STRIPER	.65
PAINTER - STRUCTURAL STEEL	.66
PAPERHANGER	.67
PAVER AND ROADBUILDER	.68
PLASTERER	
PLASTERER - TENDER	.70
PLUMBER	.71
PLUMBER (MECHNICAL EQUIPMENT AND SERVICE)	
PLUMBER (RESIDENTIAL RATES FOR 1, 2 AND 3 FAMILY HOME CONSTRUCTION)	.73
PLUMBER: PUMP & TANK	.74
PLUMBER: PUMP & TANKPOINTER - WATERPROOFER, CAULKER MECHANIC (EXTERIOR BUILDING RENOVATION)	.75
ROOFER MATERIAL AND A CONTROL OF THE PROPERTY	.75
SANDBLASTER - STEAMBLASTER	
SHEET METAL WORKER	
SHEET METAL WORKER - SPECIALTY	
SIGN ERECTOR	
STEAMFITTER	
STEAMFITTER - REFRIGERATION AND AIR CONDITIONER	
STONE MASON - SETTER	.84
TAPER	
TELECOMMUNICATION WORKER	
TILE FINISHERTILE LAYER - SETTER	.87
TILE LAYER - SETTER	.88
TIMBERPERSON	
TUNNEL WORKER	
WELDER:	.91

## SBESTOS HANDLER

(Hazardous Material; Disturbs, removes, encapsulates, repairs, or encloses friable asbestos material)

### **Asbestos Handler**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$35.10

Supplemental Benefit Rate per Hour: \$14.85

#### **Overtime**

. La Elektrikası

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Sunday.

Time and one half the regular hourly rate after 40 hours in any work week.

#### **Overtime Holidays**

Time and one half the regular rate for work on the following holiday(s). New Year's Day

Good Friday

**Memorial Day** 

Independence Day

**Labor Day** 

Thanksgiving Day

ristmas Day

aster

## Paid Holidays

None

(Local #78)

#### BLASTER

## <u>Blaster</u>

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$43.20

Supplemental Benefit Rate per Hour: \$37.29

Figures Land Control of the

17.4734 A. 人的上提的。

Briggist in the State Section 4.

## **Blaster (Hydraulic)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$43.95

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013

**PUBLISH DATE: 1/1/2013** 

Page 7 of 91

Supplemental Benefit Rate per Hour: \$37.29

## <u> Blaster - Trac Drill Hydraulic</u>

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$38.96

Supplemental Benefit Rate per Hour: \$37.29

### Blaster - Wagon: Air Trac: Quarry Bar: Drillrunners

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$38,24

Supplemental Benefit Rate per Hour: \$37.29

#### Blaster - Operators of Jack Hammers

Chippers: Spaders: Concrete Breakers: and all other pneumatic tools of like usage: Walk Behind Self Propelled

Hydraulic Asphalt and Concrete Breakers: Hydro (Water) Demolition

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$37.29

Supplemental Benefit Rate per Hour: \$37,29

#### **Blaster - Powder Carriers**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$33.73

Supplemental Benefit Rate per Hour: \$37.29

## Blaster - Hydraulic Trac Drill Chuck Tender

14 . TEREDORTHE GEROTERA

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$32.57

Supplemental Benefit Rate per Hour: \$37.29

## Blaster - Chuck Tender & Nipper

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$31.88

Supplemental Benefit Rate per Hour: \$37.29

## Blaster - Magazine Keepers: (Watch Person)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$19.26

Supplemental Benefit Rate per Hour: \$37.29

Overtime Description

or Blaster - Magazine Keepers: (Watch Person) only - time and one half the regular rate for work after an 8 hour day, Saturday, Sunday and holidays listed below.

#### **Overtime**

Double time the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s). New Year's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Presidential Election Day
Thanksgiving Day
Christmas Day

#### Paid Holidays

None

#### **Shift Rates**

A single shift shall be 8 hours plus an unpaid lunch, starting at 8:00 A.M (or between 6:00 A.M. and 10:00 A.M. on weekdays). When two (2) shifts are employed, each shift shall be 8 hours plus ½ hour unpaid lunch. When three shifts are employed, each shift will work seven and one-half (7½) hours, but will be paid for eight (8) hours, since only one-half (½) hour is allowed for mealtime. When two (2) or more shifts are employed, single time will be paid for each shift. The first 8 hours of any and all work performed Monday through Friday inclusive of any off-shift shall be at the single time rate.

(Local #29)

#### **BOILERMAKER**

## **Boilermaker**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$47.98

Supplemental Benefit Rate per Hour: \$37.88

Supplemental Note: The above rate applies to repair or maintenance and new construction; For time and one half

overtime - \$56.36; For double overtime - \$74.86.

Effective Period: 1/1/2013 - 3/31/2013

Wage Rate per Hour: \$49,47

Supplemental Benefit Rate per Hour: \$39.48

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 9 of 91

Supplemental Note: The above rate applies to repair or maintenance and new construction; For time and one half overtime - \$58.78; For double overtime - \$78.07.

Effective Period: 4/1/2013 - 6/30/2013

Wage Rate per Hour: \$49.47

Supplemental Benefit Rate per Hour: \$39.78

Supplemental Note: The above rate applies to repair or maintenance and new construction; For time and one half

overtime - \$59.08; For double overtime - \$78.37.

#### **Overtime Description**

For Repair and Maintenance work:

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

For New Construction work:

Double time the regular rate after an 8 hour day.

Double time the regular time rate for Saturday.

Double time the regular rate for Sunday.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day

**President's Day** 

**Memorial Day** 

Independence Day

Columbus Day

**Election Day** 

Veteran's Day

**Thanksgiving Day** 

**Christmas Day** 

Quadruple time the regular rate for work on the following holiday(s). Labor Day

## **Paid Holidays**

**Good Friday** 

Day after Thanksgiving

**Day before Christmas** 

Day before New Year's Day

#### **Shift Rates**

When shifts are required, the first shift shall work eight (8) hours at the regular straight-time hourly rate. The second shift shall work seven and one-half (7 ½) hours and receive eight hours at the regular straight time hourly rate plus twenty-five cents (\$0.25) per hour. The third shift shall work seven (7) hours and receive eight hours at the regular straight time hourly rate plus fifty cents (\$0.50) per hour. A thirty (30) minute lunch period shall not be considered as time worked. Work in excess of the above shall be paid overtime at the appropriate new construction work or repair work overtime wage and supplemental benefit hourly rate.

(Local #5)

## RICKLAYER

#### **Bricklayer**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$46.44

Supplemental Benefit Rate per Hour: \$27.53

#### **Overtime**

Time and one half the regular rate after a 7 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s). New Year's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

# aid Holidays

#### Shift Rates

Overtime rates to be paid outside the regular scheduled work day.

Professional Control

(Bricklayer District Council)

## **CARPENTER - BUILDING COMMERCIAL**

## **Building Commercial**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$46.15

Supplemental Benefit Rate per Hour: \$38.50

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.



EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 11 of 91

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s). New Year's Day
Washington's Birthday
Memorial Day
Independence Day
Labor Day
Columbus Day
Presidential Election Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

#### Paid Holidays

None

#### **Shift Rates**

السائل بالمراجلة

The second shift will receive one hour at the double time rate of pay for the last hour of the shift; eight hours pay for seven hours of work, nine hours pay for eight hours of work. There must be a first shift in order to work a second shift.

(Carpenters District Council)

# CARPENTER - HEAVY CONSTRUCTION WORK (Construction of Engineering Structures and Building Foundations)

## **Heavy Construction Work**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$46.74

Supplemental Benefit Rate per Hour: \$42.37

#### Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

## Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

**President's Day** 

Memorial Day
Idependence Day
Labor Day
Columbus Day
Presidential Election Day
Thanksgiving Day
Christmas Day

### **Paid Holidays**

None

#### **Shift Rates**

Off shift work, commencing between 5:00 P.M. and 10:00 P.M. shall work eight and one half hours allowing for one half hour for lunch, but will be paid for 9 hours including benefits at the straight time rate for 8 hours.

(Carpenters District Council)

## **CEMENT & CONCRETE WORKER**

## **Cement & Concrete Worker**

Effective Period: 7/1/2012 - 6/30/2013

age Rate per Hour: \$38.98

Supplemental Benefit Rate per Hour: \$25.67

Supplemental Note: \$28.42 on Saturdays; \$31.17 on Sundays & Holidays

#### **Overtime Description**

Time and one half the regular rate after 7 hour day (time and one half the regular rate after an 8 hour day when working with Dockbuilders on pile cap forms and for work below street level to the top of the foundation wall, not to exceed 2 feet or 3 feet above the sidewalk-brick shelf, when working on the foundation and structure.)

#### **Overtime**

Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Good Friday

Memorial Day

Independence Day

Labor Day

Columbus Day

Presidential Election Day

Thanksgiving Day

Christmas Day

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013 Page 13 of 91

#### **Paid Holidays**

1/2 day before Christmas Day 1/2 day before New Year's Day

#### **Shift Rates**

On shift work extending over a twenty-four hour period, all shifts are paid at straight time.

(Cement Concrete Workers District Council)

#### **CEMENT MASON**

#### Cement Mason

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$42.50

Supplemental Benefit Rate per Hour: \$39.06

Supplemental Note: Overtime supplemental benefit rate per hour: \$57.56

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$37.63

Supplemental Benefit Rate per Hour: \$39.06

Supplemental Note: Overtime supplemental benefit rate per hour: \$57.56

#### Overtime =

Double time the regular rate after an 8 hour day. Double time the regular time rate for Saturday. Double time the regular rate for Sunday.

#### Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day President's Day Good Friday

Memorial Day Independence Day Labor Day

Columbus Day
Presidential Election Day

Thanksgiving Day Christmas Day

## Paid Holidays

Any worker who reports to work on Christmas Eve or New Year's Eve pursuant to his employer's instruction shall be entitled to three (3) hours afternoon pay without working.

Shift Rates

or an off shift day, (work at times other than the regular 7:00 A.M. to 3:30 P.M. work day) a cement mason shall be paid at the regular hourly rate plus a 25% per hour differential.

(Local #780)

#### CORE DRILLER

### **Core Driller**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$35.44

Supplemental Benefit Rate per Hour: \$19.75

### **Core Driller Helper**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$28.60

Supplemental Benefit Rate per Hour: \$19.75

## ore Driller Helper(Third year in the industry)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$25.74

Supplemental Benefit Rate per Hour: \$19.75

## Core Driller Helper (Second year in the industry)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$22.88

Supplemental Benefit Rate per Hour: \$19.75

## Core Driller Helper (First year in the industry)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$20.02

Supplemental Benefit Rate per Hour: \$19.75

#### Overtime Description

Time and one half the regular rate for work on a holiday plus Holiday pay when worked.

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday.

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 15 of 91

Double time the regular rate for Sunday.

Time and one half the regular rate for work on the following holiday(s).

#### **Paid Holidays**

New Year's Day Memorial Day Independence Day Labor Day Thanksgiving Day Christmas Day

#### **Shift Rates**

The shift day shall be the continuous eight and one-half (8½) hours from 6:00 A.M. to 2:30 P.M. and from 2:30 P.M. to 11:00 P.M., including one-half (½) hour of employees regular rate of pay for lunch. When two (2) or more shifts are employed, single time shall be paid for each shift, but those employees employed on a shift other than from 8:00 A.M. to 5:00 P.M. shall, in addition, receive seventy-five cents (\$0.75) per hour differential for each hour worked. When three (3) shifts are needed, each shift shall work seven and one-half (7½) hours paid for eight (8) hours of labor and be permitted one-half (7½) hour for mealtime.

(Carpenters District Council)

## **DERRICKPERSON AND RIGGER**

## Derrick Person & Rigger

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$40.50

Supplemental Benefit Rate per Hour: \$42.07

Supplemental Note: The above supplemental rate applies for work performed in Manhattan, Bronx, Brooklyn and

Queens. \$43.49 - For work performed in Staten Island.

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$41.00

Supplemental Benefit Rate per Hour: \$46.07

Supplemental Note: The above supplemental rate applies for work performed in Manhattan, Bronx, Brooklyn and

Queens. \$47.49 - For work performed in Staten Island.

## <u> Derrick Person & Rigger - Site Work</u>

For site work where no rigging is involved.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$30.00

Supplemental Benefit Rate per Hour: \$31.32

## **Overtime Description**

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 16 of 91

The first two hours of overtime on weekdays and the first seven hours of work on Saturdays are paid at time and ne half for wages and supplemental benefits. All additional overtimes is paid at double time for wages and upplemental benefits. Deduct \$1.42 from the Staten Island hourly benefits rate before computing overtime.

#### **Overtime**

Double time the regular rate for Sunday.


### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s). **New Year's Day** Washington's Birthday Good Friday Memorial Day Statement of Angel Independence Day Labor Day Thanksgiving Day **Christmas Day** 

#### Paid Holidays

1/2 day on Christmas Eve if work is performed in the A.M.

(Local #197)



## Diver (Marine)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$58.95

Supplemental Benefit Rate per Hour: \$42.37

## **Diver Tender (Marine)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$42.10

Supplemental Benefit Rate per Hour: \$42.37

#### **Overtime**

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

## Overtime Holidays

Double time the regular rate for work on the following holiday(s).

ADDENDUM 1 EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 **PUBLISH DATE: 1/1/2013** 

Page 17 of 91

New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Presidential Election Day
Thanksgiving Day
Christmas Day

### **Paid Holidays**

None

#### **Shift Rates**

The Highest and

When three shifts are utilized each shift shall work seven and one half-hours (7 1/2 hours) and paid for 8 hours, allowing for one half hour for lunch.

(Carpenters District Council)

### **DOCKBUILDER - PILE DRIVER**

### **Dockbuilder - Pile Driver**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$46.74

Supplemental Benefit Rate per Hour: \$42,37

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday.

Double:time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

**New Year's Day** 

**President's Day** 

**Memorial Day** 

Independence Day

**Labor Day** 

**Columbus Day** 

**Presidential Election Day** 

Thanksgiving Day

**Christmas Day** 

## **Paid Holidays**

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 18 of 91

None

#### Shift Rates

Off shift work, commencing between 5:00 P.M. and 10:00 P.M., shall work eight and one half hours allowing for one half hour for lunch but will be paid the straight time hourly wage for 9 hours and the straight time supplemental benefits for 8 hours.

(Carpenters District Council)

DRIVER: TRUCK (TEAMSTER)

## **Driver - Automobile Chauffeur (Dump Truck)**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$35.84

Supplemental Benefit Rate per Hour: \$36.93

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$37.01

Supplemental Benefit Rate per Hour: \$38.65

## river - Heavy Equipment Trailer Driver

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$37.34

Supplemental Benefit Rate per Hour: \$36,93

Note: For time and one half overtime Wage Rate - \$53.76; for double time overtime Wage Rate - \$71.68

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$38.51

Supplemental Benefit Rate per Hour: \$38.65

Note: For time and one half overtime Wage Rate - \$55.51; for double time overtime Wage Rate - \$74.01

## **Driver - Euclid & Turnapull Operator**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$36,41

Supplemental Benefit Rate per Hour: \$36.93

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$37.57

Supplemental Benefit Rate per Hour: \$38.65

## **Driver - Six Wheeler(3 Axle) Tractors & Trailers**

SADDENDUM 1 SEES EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 **PUBLISH DATE: 1/1/2013** 

Page 19 of 91

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$36.84

Supplemental Benefit Rate per Hour: \$36.93

Note: For time and one half overtime Wage Rate - \$54.62; for double time overtime Wage Rate - \$72.82

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$38.01

Supplemental Benefit Rate per Hour: \$38.65

Note: For time and one half overtime Wage Rate - \$56.36; for double time overtime Wage Rate - \$75.14

#### **Driver - Boom Truck**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$37.09

Supplemental Benefit Rate per Hour: \$36.93

Note: For time and one half overtime Wage Rate - \$54.62; for double time overtime Wage Rate - \$72.82

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$38.26

Supplemental Benefit Rate per Hour: \$38.65

Note: For time and one half overtime Wage Rate - \$56.36; for double time overtime Wage Rate - \$75.14

#### **Overtime Description**

For Paid Holidays: Holiday pay for all holidays shall be prorated based two hours per day for each day worked in the holiday week, not to exceed 8 hours of holiday pay. For Thanksgiving week, the prorated share shall be 5 1/3 hours of holiday pay for each day worked in Thanksgiving week.

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

#### Overtime Holidays

Double time the regular rate for work on the following holiday(s).
President's Day
Columbus Day
Veteran's Day
Day after Thanksgiving

Triple time the regular rate for work on the following holiday(s).
New Year's Day
Memorial Day
Independence Day
Labor Day
Presidential Election Day
Thanksgiving Day
Christmas Day

## **Paid Holidays**

New Year's Day President's Day

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013 Page 20 of 91

Memorial Day
Idependence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

## **Driver - Redi-Mix Driver (Sand & Gravel)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$37.47

Supplemental Benefit Rate per Hour: \$38.65

### **Overtime Description**

For Paid Holidays: Employees working two (2) days in the calendar week in which the holiday falls are to paid for these holidays, provided they shape each remaining workday during that calendar week.

#### Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday.

Public time the regular rate for Sunday.

## **Overtime Holidays**

Double time the regular rate for work on the following holiday(s). President's Day
Columbus Day
Veteran's Day

Triple time the regular rate for work on the following holiday(s).
New Year's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

## **Paid Holidays**

New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 21 of 91

(Local #282)

#### **ELECTRICIAN**

(Including all low voltage cabling carrying data; video; and voice in combination with data and or video.)

## Electrician "A" (Regular Day)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$51.00

Supplemental Benefit Rate per Hour: \$42.45

## Electrician "A" (Regular Day Overtime)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$76.50

Supplemental Benefit Rate per Hour: \$45.13

# Electrician "A" (Day Shift)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$51.00

Supplemental Benefit Rate per Hour: \$42.45

## Electrician "A" (Day Shift Overtime After 8 hours)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$76.50

Supplemental Benefit Rate per Hour: \$45.13

## Electrician "A" (Swing Shift)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$59.84

Supplemental Benefit Rate per Hour: \$48.20

## Electrician "A" (Swing Shift Overtime After 7.5 hours)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$89.76

Supplemental Benefit Rate per Hour: \$51.36

## lectrician "A" (Graveyard Shift)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$67.03

Supplemental Benefit Rate per Hour: \$53.07

## Electrician "A" (Graveyard Shift Overtime After 7 hours)

Effective Period: 7/1/2012 - 6/30/2013 Wage Rate per Hour: \$100.55

Supplemental Benefit Rate per Hour: \$56.60

#### **Overtime**

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

#### **Overtime Holidays**

Time and one half the regular rate for work on a holiday. New Year's Day
Martin Luther King Jr. Day
President's Day
Memorial Day
Independence Day
Loor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

### **Paid Holidays**

None

#### Shift Rates

When so elected by the Employer, one or more shifts of at least five days duration may be scheduled as follows: Day Shift: 8:00 am to 4:30 pm, Swing Shift 4:30 pm to 12:30 am, Graveyard Shift: 12:30 am to 8:00 am.

For multiple shifts of temporary light and/or power, the temporary light and/or power employee shall be paid for 8 hours at the straight time rate.

## Electrician "M" (First 8 hours)

"M" rated work shall be defined as jobbing: electrical work of limited duration and scope, also consisting of repairs and/or replacement of electrical and tele-data equipment. Includes all work necessary to retrofit, service,



maintain and repair all kinds of lighting fixtures and local lighting controls and washing and cleaning of foregoing fixtures.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$25.30

Supplemental Benefit Rate per Hour: \$17.52

## Electrician "M" (Overtime After First 8 hours)

"M" rated work shall be defined as jobbing: electrical work of limited duration and scope, also consisting of repairs and/or replacement of electrical and tele-data equipment. Includes all work necessary to retrofit, service, maintain and repair all kinds of lighting fixtures and local lighting controls and washing and cleaning of foregoing fixtures.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$37.95

Supplemental Benefit Rate per Hour: \$18.85

#### Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

#### **Overtime Holidays**

Time and one half the regular rate for work on the following holiday(s).

New Year's Day

Martin Luther King Jr. Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

## **Paid Holidays**

None

(Local #3)

## **ELECTRICIAN - ALARM TECHNICIAN**

(Scope of Work - Inspect, test, repair, and replace defective, malfunctioning, or broken devices, components and controls of Fire, Burglar and Security Systems)

# Alarm Technician

Effective Period: 7/1/2012 - 3/9/2013

Wage Rate per Hour: \$29.90

Supplemental Benefit Rate per Hour: \$13,70

Supplemental Note: \$12.20 only after 8 hours worked in a day

Effective Period: 3/10/2013 - 6/30/2013

Wage Rate per Hour: \$30.40

Supplemental Benefit Rate per Hour: \$13.90

Supplemental Note: \$12.40 only after 8 hours worked in a day

#### **Overtime Description**

Time and one half the regular rate for work on the following holidays: Columbus Day, Veterans Day, Day after

Thanksgiving.

Double time the regular rate for work on the following holidays: New Year's day, Martin Luther King Jr. Day,

President's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, Christmas Day.

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

#### aid Holidays

Mem Year's Day
Martin Luther King Jr. Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

The second of the second

#### Shift Rates

Night Differential is based upon a ten percent (10%) differential between the hours of 4:00 P.M. and 12:30 A.M. and a fifteen percent (15%) differential for the hours 12:00 A.M. to 8:00 A.M.

#### Vacation

At least 1 year of employment.....ten (10) days 5 years or more of employment......fifteen (15) days 10 years of employment......twenty (20) days Plus one Personal Day per year

rius one Personal Day per ye

Sick Days:

One day per Year



EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 25 of 91

#### **ELECTRICIAN-STREET LIGHTING WORKER**

### Electrician - Electro Pole Electrician

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$51.00

Supplemental Benefit Rate per Hour: \$44.18

## Electrician - Electro Pole Foundation Installer

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$38.66

Supplemental Benefit Rate per Hour: \$34.12

### Electrician - Electro Pole Maintainer

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$33.10

Supplemental Benefit Rate per Hour: \$30,84

### Overtime Description

Electrician - Electro Pole Electrician: Time and one half the regular rate after a 7 hour day and after 5 consecutive days worked per week.

Electrician - Electro Pole Foundation Installer: Time and one half the regular rate after 8 hours within a 24 hour

period and Saturday and Sunday.

Electrician - Electro Pole Maintainer: Time and one half the requiar rate after a 7 hour day and after 5 consecutive days worked per week. Saturdays and Sundays may be used as a make-up day at straight time when a day is lost during the week to inclement weather.

. . . . . . . .

## Overtime Holidavs

Time and one half the regular rate for work on the following holiday(s).

New Year's Day

Martin Luther King Jr. Day

President's Day

Memorial Day

Independence Day

**Labor Day** 

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

**Christmas Day** 

#### Paid Holidays

None



### **ELEVATOR CONSTRUCTOR**

### **Elevator Constructor**

Effective Period: 7/1/2012 - 3/16/2013

Wage Rate per Hour: \$55.20

Supplemental Benefit Rate per Hour: \$32,78

Effective Period: 3/17/2013 - 6/30/2013

Wage Rate per Hour: \$57.01

Supplemental Benefit Rate per Hour: \$34.48

### **Overtime Description**

For New Construction: work performed after 7 or 8 hour day, Saturday, Sunday or between 4:30pm and 7:00am shall be paid at double time rate.

Existing buildings: work performed after an 8 hour day, Saturday, Sunday or between 5:30pm and 7:00 am shall be paid time and one half.

### vertime

Double time the regular rate for work on the following holiday(s).

### **Paid Holidays**

New Year's Day
President's Day
Good Friday
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

# Vacation **S**

Employer contributes 8% of regular basic hourly rate as vacation pay for employees with more than 15 years of service, and 6% for employees with 5 to 15 years of service, and 4% for employees with less than 5 years of service.

(Local #1)



### **ELEVATOR REPAIR & MAINTENANCE**

# **Elevator Service/Modernization Mechanic**

Effective Period: 7/1/2012 - 3/16/2013

Wage Rate per Hour: \$43.79

Supplemental Benefit Rate per Hour: \$31.37

Effective Period: 3/17/2013 - 6/30/2013

Wage Rate per Hour: \$45.14

Supplemental Benefit Rate per Hour: \$33.02

**Overtime Description** 

For Service Work: Double time - all work performed on Sundays, Holidays, and between midnight and 7:00am.

#### Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Time and one half the regular rate for Sunday.

Time and one half the regular rate for work on a holiday plus the day's pay.

### Paid Holidays

New Year's Day

President's Day

**Good Friday** 

Memorial Day

**Independence Day** 

Labor Day

**Columbus Day** 

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

**Christmas Day** 

### Shift Rates

For Modernization Work (4pm to 12:30am) - regularly hourly rate plus a (15%) fifteen percent differential.

#### **Vacation**

Employer contributes 8% of regular basic hourly rate as vacation pay for employees with more than 15 years of service, and 6% for employees with 5 to 15 years of service, and 4% for employees with less than 5 years of service.

(Local #1)

#### **ENGINEER**

# **Engineer - Heavy Construction Operating Engineer I**

herrypickers 20 tons and over and Loaders (rubber tired and/or tractor type with a manufacturer's minimum rated capacity of six cubic yards and over).

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$58.75

Supplemental Benefit Rate per Hour: \$31.07 Supplemental Note: \$55.74 on overtime

Shift Wage Rate: \$94.00

# **Engineer - Heavy Construction Operating Engineer II**

Backhoes, Basin Machines, Groover, Mechanical Sweepers, Bobcat, Boom Truck, Barrier Transport (Barrier Mover) & machines of similar nature. Operation of Churn Drills and machines of a similar nature, Stetco Silent Hoist and machines of similar nature, Vac-Alls, Meyers Machines, John Beam and machines of a similar nature, Ross Carriers and Travel Lifts and machines of a similar nature, Bulldozers, Scrapers and Turn-a-Pulls: Tugger Hoists (Used exclusively for handling excavated material); Tractors with attachments, Hyster and Roustabout Cranes, Cherrypickers. Austin Western, Grove and machines of a similar nature, Scoopmobiles, Monorails, Conveyors, Trenchers: Loaders-Rubber Tired and Tractor: Barber Greene and Eimco Loaders and Eimco Backhoes; Mighty Midget and similar breakers and Tampers, Curb and Gutter Pavers and Motor Patrol, Motor Graders and all machines of a similar nature. Locomotives 10 Tons or under. Mini-Max, Break-Tech and machines of a similar nature; Milling machines, robotic and demolition machines and machines of a similar nature, shot blaster, skid steer machines and machines of a similar nature including bobcat, pile rig rubber-tired excavator (37,000 lbs. and under), 2 man auger.

Effective Period: 7/1/2012 - 6/30/2013

age Rate per Hour: \$57.00

Supplemental Benefit Rate per Hour: \$31.07 Supplemental Note: \$55.74 on overtime

Shift Wage Rate: \$91.20

# **Engineer - Heavy Construction Maintenance Engineer I**

Installing, Repairing, Maintaining, Dismantling and Manning of all equipment including Steel Cutting, Bending and Heat Sealing Machines, Mechanical Heaters, Grout Pumps, Bentonite Pumps & Plants, Screening Machines, Fusion Coupling Machines, Tunnel Boring Machines Moles and Machines of a similar nature, Power Packs, Mechanical Hydraulic Jacks; all drill rigs including but not limited to Churn, Rotary Caisson, Raised Bore & Drills of a similar nature; Personnel, Inspection & Safety Boats or any boats used to perform functions of same, Mine Hoists, Whirlies, all Climbing Cranes, all Tower Cranes, including but not limited to Truck Mounted and Crawler Type and machines of similar nature; Maintaining Hydraulic Drills and machines of a similar nature; Well Point System-Installation and dismantling; Burning, Welding, all Pumps regardless of size and/or motor power, except River Cofferdam Pumps and Wells Point Pumps; Motorized Buggies (three or more); equipment used in the cleaning and televising of sewers, but not limited to jet-rodder/vacuum truck, vacall/vactor, closed circuit television inspection equipment; high powered water pumps, jet pumps; screed machines and concrete finishing machines of a similar nature; vermeers.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$56.74

Supplemental Benefit Rate per Hour: \$31.07

Supplemental Note: \$55.74 on overtime

Shift Wage Rate: \$90.78



EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 29 of 91

# **Engineer - Heavy Construction Maintenance Engineer II**

On Base Mounted Tower Cranes

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$74.44

Supplemental Benefit Rate per Hour: \$31.07 Supplemental Note: \$55.74 on overtime

Shift Wage Rate: \$119.10

# **Engineer - Heavy Construction Maintenance Engineer III**

On Generators, Light Towers

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$37.56

Supplemental Benefit Rate per Hour: \$31.07 Supplemental Note: \$55.74 on overtime

Shift Wage Rate: \$60.10

# **Engineer - Heavy Construction Maintenance Engineer IV**

On Pumps and Mixers including mud sucking

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$38.53

Supplemental Benefit Rate per Hour: \$31.07 Supplemental Note: \$55.74 on overtime

Shift Wage Rate: \$61.65

# Engineer - Heavy Construction Operating Engineer III

Minor Equipment such as Tractors, Post Hole Diggers, Ditch Witch (Walk Behind), Road Finishing Machines, Rollers five tons and under, Tugger Hoists, Dual Purpose Trucks, Fork Lifts, and Dempsey Dumpers, Fireperson.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$54.09

Supplemental Benefit Rate per Hour: \$31.07 Supplemental Note: \$55.74 on overtime

Shift Wage Rate: \$86.54

# **Engineer - Heavy Construction Oilers I**

Gradalls, Cold Planer Grader, Concrete Pumps, Driving Truck Cranes, Driving and Operating Fuel and Grease Trucks.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$51.19

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 30 of 91

المهمة والمراس

Supplemental Benefit Rate per Hour: \$31.07 upplemental Note: \$55.74 on overtime

Shift Wage Rate: \$81.90

# Engineer - Heavy Construction Oilers II

All gasoline, electric, diesel or air operated Shovels, Draglines, Backhoes, Keystones, Pavers, Gunite Machines, Battery of Compressors, Crawler Cranes, two-person Trenching Machines.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$35.50

Supplemental Benefit Rate per Hour: \$31.07 Supplemental Note: \$55.74 on overtime

Shift Wage Rate: \$56.80

# **Engineer - Steel Erection Maintenance Engineers**

Derrick, Travelers, Tower, Crawler Tower and Climbing Cranes

Effective Period: 7/1/2012 - 6/30/2013 Wage Rate per Hour: \$54.83

Supplemental Benefit Rate per Hour: \$29.66 Supplemental Note: \$53.17 on overtime

Shift Wage Rate: \$86.93

# ngineer - Steel Erection Oiler I

On a Truck Crane

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$50.91

Supplemental Benefit Rate per Hour: \$29.66 Supplemental Note: \$53.17 on overtime

Shift Wage Rate: \$81.46

# **Engineer - Steel Erection Oiler II**

On a Crawler Crane (19)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$39.04

Supplemental Benefit Rate per Hour: \$29.66 Supplemental Note: \$53.17 on overtime

Shift Wage Rate: \$62.46

### **Overtime Description**

On jobs of more than one shift, if the next shift employee fails to report for work through any cause over which the employer has no control, the employee on duty who works the next shift continues to work at the single time

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 31 of 91

#### **Overtime**

Double time the regular rate after an 8 hour day. Double time the regular time rate for Saturday. Double time the regular rate for Sunday. Double time the regular rate for work on the following holiday(s).

### Paid Holidays

New Year's Day Lincoln's Birthday President's Day Memorial Day Independence Day **Labor Day** Columbus Day **Election Day** Veteran's Day Thanksgiving Day Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

# Engineer - Building Work Maintenance Engineers I

Installing, repairing, maintaining, dismantling (of all equipment including: Steel Cutting and Bending Machines, Mechanical Heaters, Mine Hoists, Climbing Cranes, Tower Cranes, Linden Peine, Lorain, Liebherr, Mannes, or machines of a similar nature, Well Point Systems, Deep Well Pumps, Concrete Mixers with loading Device, Concrete Plants, Motor Generators when used for temporary power and lights), skid steer machines of a similar nature including bobcat.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$51.62

sakai Bukanna Jera

Supplemental Benefit Rate per Hour: \$29.66 Supplemental Note: \$53.17 on overtime

# Engineer - Building Work Maintenance Engineers II

On Pumps, Generators, Mixers and Heaters

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$40.34

Supplemental Benefit Rate per Hour: \$29.66 Supplemental Note: \$53.17 on overtime

# Engineer - Building Work Oilers I

All gasoline, electric, diesel or air operated Gradealls: Concrete Pumps, Overhead Cranes in Power Houses: Their duties shall be to assist the Engineer in oiling, greasing and repairing of all machines; Driving Truck

The Control of Martin Son Edition

Cranes: Driving and Operating Fuel and Grease Trucks, Cherrypickers (hydraulic cranes) over 70,000 GVW, and achines of a similar nature.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$49.12

Supplemental Benefit Rate per Hour: \$29.66 Supplemental Note: \$53.17 on overtime

# **Engineer - Building Work Oilers II**

Oilers on Crawler Cranes, Backhoes, Trenching Machines, Gunite Machines, Compressors (three or more in Battery).

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$36.75

Supplemental Benefit Rate per Hour: \$29.66 Supplemental Note: \$53.17 on overtime

### **Overtime Description**

On jobs of more than one shift, if an Employee fails to report for work through any cause over which the Employer has no control, the Employee on duty will continue to work at the rate of single time.

#### **Overtime**

Double time the regular rate after an 8 hour day.

Double time the regular time rate for Saturday.

Double time the regular rate for Sunday.

buble time the regular rate for work on the following holiday(s).

### Paid Holidays

New Year's Day
Lincoln's Birthday
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

#### Shift Rates

Off Shift: double time the regular hourly rate.

(Local #15)

# **ENGINEER - CITY SURVEYOR AND CONSULTANT**

### **Party Chief**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$34.61

Supplemental Benefit Rate per Hour: \$17.30

### **Instrument Person**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$28.59

Supplemental Benefit Rate per Hour: \$17.30

### Rodperson

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$24.79

Supplemental Benefit Rate per Hour: \$17.30

### **Overtime Description**

Overtime Benefit Rate - \$23.63 per hour (time & one half) \$29.95 per hour (double time).

Time and one half the regular rate after an 8 hour day, Time and one half the regular rate for Saturday for the first eight hours worked, Double time the regular time rate for Saturday for work performed in excess of eight hours, Double time the regular rate for Sunday and Double time the regular rate for work on a holiday.

### **Paid Holidays**

New Year's Day
Lincoln's Birthday
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

(Operating Engineer Local #15-D)

ENGINEER - FIELD (BUILDING CONSTRUCTION)
(Construction of Building Projects, Concrete Superstructures, etc.)

# Field Engineer - BC Party Chief

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$53.64

Supplemental Benefit Rate per Hour: \$26.95

Supplemental Note: Overtime Benefit Rate - \$37.48 per hour (time & one half) \$48.00 per hour (double time).

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$55.74

Supplemental Benefit Rate per Hour: \$29.73

Supplemental Note: Overtime Benefit Rate - \$41.40 per hour (time & one half) \$53.06 per hour (double time).

# Field Engineer - BC Instrument Person

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$41.94

Supplemental Benefit Rate per Hour: \$26.95

Supplemental Note: Overtime Benefit Rate - \$37.48 per hour (time & one half) \$48.00 per hour (double time).

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$43.30

Supplemental Benefit Rate per Hour: \$29.73

Supplemental Note: Overtime Benefit Rate - \$41.40 per hour (time & one half) \$53.06 per hour (double time).

# Field Engineer - BC Rodperson

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$27.52

Supplemental Benefit Rate per Hour: \$26.95

Supplemental Note: Overtime Benefit Rate - \$37.48 per hour (time & one half) \$48.00 per hour (double time).

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$27.97

Supplemental Benefit Rate per Hour: \$29.73

Supplemental Note: Overtime Benefit Rate - \$41.40 per hour (time & one half) \$53.06 per hour (double time).

# **Overtime Description**

Time and one half the regular rate after a 7 hour work and time and one half the regular rate for Saturday for the first seven hours worked, Double time the regular time rate for Saturday for work performed in excess of seven hours, Double time the regular rate for Sunday and Double time the regular rate for work on a holiday.

### Paid Holidays

New Year's Day
President's Day
Good Friday
Memorial Day
Independence Day
Labor Day
Columbus Day

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013 Page 35 of 91

Thanksgiving Day Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

(Operating Engineer Local #15-D)

# ENGINEER - FIELD (HEAVY CONSTRUCTION) (Construction of Roads, Tunnels, Bridges, Sewers, Building Foundations, Engineering Structures etc.)

### Field Engineer - HC Party Chief

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$60.28

Supplemental Benefit Rate per Hour: \$29,73

Supplemental Note: Overtime benefit rate - \$41.40 per hour (time & one half), \$53.06 per hour (double time).

# Field Engineer - HC Instrument Person

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$44.28

Supplemental Benefit Rate per Hour: \$29.73

Supplemental Note: Overtime benefit rate - \$41.40 per hour (time & one half), \$53.06 per hour (double time).

# Field Engineer - HC Rodperson

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$37.11

Supplemental Benefit Rate per Hour: \$29.73

Supplemental Note: Overtime benefit rate - \$41.40 per hour (time & one half), \$53.06 per hour (double time).

### **Overtime Description**

Time and one half the regular rate after an 8 hour day, Time and one half the regular rate for Saturday for the first eight hours worked, Double time the regular time rate for Saturday for work performed in excess of eight hours, Double time the regular rate for Sunday and Double time the regular rate for work on a holiday.

### **Paid Holidays**

New Year's Day Lincoln's Birthday President's Day Memorial Day Independence Day Labor Day Columbus Day Veteran's Day

Thanksgiving Day hristmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

(Operating Engineer Local #15-D)

# **ENGINEER - FIELD (STEEL ERECTION)**

# Field Engineer - Steel Erection Party Chief

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$54.50

Supplemental Benefit Rate per Hour: \$26.95

Supplemental Note: Overtime benefit rate - \$37.48 per hour (time & one half), \$48.00 per hour (double time).

# Field Engineer - Steel Erection Instrument Person

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$42.63

Supplemental Benefit Rate per Hour: \$26.95

Supplemental Note: Overtime benefit rate - \$37.48 per hour (time & one half), \$48.00 per hour (double time).

# reld Engineer - Steel Erection Rodperson

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$28.84

Supplemental Benefit Rate per Hour: \$26.95

Supplemental Note: Overtime benefit rate - \$37.48 per hour (time & one half), \$48.00 per hour (double time).

### **Overtime Description**

Time and one half the regular rate for Saturday for the first eight hours worked. Double time the regular rate for Saturday for work performed in excess of eight hours.

#### Overtime

Time and one half the regular rate after an 8 hour day.

Double time the regular rate for Sunday.

Double time the regular rate for work on the following holiday(s).

### **Paid Holidays**

New Year's Day Lincoln's Birthday President's Day Memorial Day Independence Day Labor Day Columbus Day

Veteran's Day Thanksgiving Day Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

(Operating Engineer Local #15-D)

### **ENGINEER - OPERATING**

# Operating Engineer - Road & Heavy Construction I

Back Filling Machines, Cranes, Mucking Machines and Dual Drum Paver.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$64.38

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$103.01

# Operating Engineer - Road & Heavy Construction II

Backhoes, Power Shovels, Hydraulic Clam Shells, Steel Erection, Moles and machines of a similar nature.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$66,70

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: 51.85 overtime hours

Shift Wage Rate: \$106.72

# Operating Engineer - Road & Heavy Construction III

Mine Hoists, Cranes, etc. (Used as Mine Hoists)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$68.86

Supplemental Benefit Rate per Hour: \$28.65
Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$110.18

# **Operating Engineer - Road & Heavy Construction IV**

Gradealls, Keystones, Cranes on land or water (with digging buckets), Bridge Cranes, Vermeer Cutter and machines of a similar nature, Trenching Machines.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$67.21

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013

Page 38 of 91

**PUBLISH DATE: 1/1/2013** 

Supplemental Benefit Rate per Hour: \$28.65 upplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$107.54

# Operating Engineer - Road & Heavy Construction V

Pile Drivers & Rigs (employing Dock Builder foreperson): Derrick Boats, Tunnel Shovels.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$65.86

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$105.38

# Operating Engineer - Road & Heavy Construction VI

Mixers (Concrete with loading attachment), Concrete Pavers, Cableways, Land Derricks, Power Houses (Low Air Pressure Units).

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$62.51

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$100.02

# perating Engineer - Road & Heavy Construction VII

Barrier Movers , Barrier Transport and Machines of a Similar Nature.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$50.27

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$80.43

# **Operating Engineer - Road & Heavy Construction VIII**

**Utility Compressors** 

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$36.37

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$46.38

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$38.78

Supplemental Benefit Rate per Hour: \$28.65 per Hours \$28.65

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 39 of 91

Shift Wage Rate: \$49.16

# **Operating Engineer - Road & Heavy Construction IX**

Horizontal Boring Rig

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$56.24

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$89.98

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$59.39

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$95.02

# Operating Engineer - Road & Heavy Construction X

Elevators (manually operated as personnel hoist).

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$54.50

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$87.20

# Operating Engineer - Road & Heavy Construction XI

Compressors (Portable 3 or more in battery), Driving of Truck Mounted Compressors, Well-point Pumps, Tugger Machines Well Point Pumps, Churn Drill.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$42.11

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$67.38

# Operating Engineer - Road & Heavy Construction XII

All Drills and Machines of a similar nature.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$63.18

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$101.09

# **Operating Engineer - Road & Heavy Construction XIII**

Concrete Pumps, Concrete Plant, Well Drilling Machines, Stone Crushers, Double Drum Hoist, Power Houses (other than above).

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$61.14

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$97.82

# Operating Engineer - Road & Heavy Construction XIV

**Concrete Mixer** 

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$58.34

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$93.49

# Operating Engineer - Road & Heavy Construction XV

Compressors (Portable Single or two in Battery, not over 100 feet apart), Pumps (River Cofferdam) and Welding achines, Push Button Machines, All Engines Irrespective of Power (Power-Pac) used to drive auxiliary equipment, Air, Hydraulic, etc.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$39.03

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$62.45

# **Operating Engineer - Road & Heavy Construction XVI**

Concrete Breaking Machines, Single Drum Hoists, Locomotives (over ten tons) and Dinkies over ten tons, Hydraulic Crane-Second Engineer.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$55.73

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$89.17

# Operating Engineer - Road & Heavy Construction XVII

On-Site concrete plant engineer, On-site Asphalt Plant Engineer, and Vibratory console.



EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 41 of 91

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$56.19

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$89.90

# **Operating Engineer - Road & Heavy Construction XVIII**

**Tower Crane** 

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$81.09

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$129.74

# Operating Engineer - Paving I

Asphalt Spreaders, Autogrades (C.M.I.), Roto/Mil

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$59.25

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$94.80

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$62.51

Supplemental Benefit Rate per Hour: \$28.65
Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$100.02

# Operating Engineer - Paving II

**Asphalt Roller** 

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$57.65

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$92.24

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$60.85

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$97.36

# Operating Engineer - Paving III

#### **Asphalt Plants**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$48.46

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$77.54

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$51.32

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$82.11

# **Operating Engineer - Concrete I**

#### **Cranes**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$63.49

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

# perating Engineer - Concrete II

#### Compressors

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$36.91

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

# **Operating Engineer - Concrete III**

Micro-traps (Negative Air Machines), Vac-All Remediation System.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$50.31

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

# Operating Engineer - Steel Erection I

**Three Drum Derricks** 

Effective Period: 7/1/2012 - 12/31/2012

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 43 of 91

Wage Rate per Hour: \$67.62

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$108.19

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$70.50

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$112.80

# **Operating Engineer - Steel Erection II**

Cranes, 2 Drum Derricks, Hydraulic Cranes and Fork Lifts.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$64.91

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$103.86

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$67.71

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$108.34

# **Operating Engineer - Steel Erection III**

Compressors, Welding Machines.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$37.87

Supplemental Benefit Rate per Hour: \$28.65
Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$60.59

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$39.86

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$63.78

# **Operating Engineer - Steel Erection IV**

Compressors - Not Combined with Welding Machine.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$36.00

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 44 of 91

Supplemental Benefit Rate per Hour: \$28.65 upplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$57.60

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$37.93

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$60.69

# **Operating Engineer - Building Work I**

Forklifts, House Cars, Rack and Pinion, Plaster (Platform machine), Plaster Bucket, Concrete Pump and all other equipment used for hoisting material.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$53.09

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$55.46

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

# <u> perating Engineer - Building Work II</u>

Compressors, Welding Machines (Cutting Concrete-Tank Work), Paint Spraying, Sandblasting, Pumps (with the exclusion of Concrete Pumps), House Car (settlement basis only), All Engines irrespective of Power (Power-Pac) used to drive Auxiliary Equipment, Air, Hydraulic, etc.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$39.35

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$41.32

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

# Operating Engineer - Building Work III

**Double Drum** 

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$60.66

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013

Page 45 of 91

**PUBLISH DATE: 1/1/2013** 

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$63.25

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

# Operating Engineer - Building Work IV

Stone Derrick, Cranes, Hydraulic Cranes Boom Trucks.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$64.35

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$67.05

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

# Operating Engineer - Building Work V

Dismantling and Erection of Cranes, Relief Engineer.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$59.17

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Effective Period: 1/1/2013 - 6/30/2013 Wage Rate per Hour: \$61.72

Supplemental Benefit Rate per Hour: \$28.65

Supplemental Note: \$51.85 overtime hours

# Operating Engineer - Building Work VI

4 Pole Hoist, Single Drum Hoists.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$58.53

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour; \$61.06

Supplemental Benefit Rate per Hour: \$28.65 Supplemental Note: \$51.85 overtime hours

# **Overtime Description**

On jobs of more than one shift, if an Employee fails to report for work through any cause over which the mployer has no control, the Employee on duty will continue to work at the rate of single time.

#### **Overtime**

Double time the regular rate after an 8 hour day.

Double time the regular time rate for Saturday.

Double time the regular rate for Sunday.

Double time the regular rate for work on the following holiday(s).

### Paid Holidays

New Year's Day
Lincoln's Birthday
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

#### **Shift Rates**

Shifts may be worked at the single time rate at other than the regular working hours (8:00 A.M. to 4:30 P.M.) on the following work ONLY: Heavy construction jobs on work below the street level, over railroad tracks and on building jobs.

(Operating Engineer Local #14)

### FLOOR COVERER

(Interior vinyl composition tile, sheath vinyl linoleum and wood parquet tile including site preparation and synthetic turf not including site preparation)

# Floor Coverer

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$46.15

Supplemental Benefit Rate per Hour: \$38.50

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.



### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Presidential Election Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

### Paid Holidays

1/2 day on Christmas Eve if work is performed in the A.M. 1/2 day on New Year's Eve if work is performed in the A.M.

#### **Shift Rates**

Two shifts may be utilized with the first shift working 8:00 A.M. to the end of the shift at the straight time of pay. The second shift will receive one hour at double time rate for the last hour of the shift. (eight for seven, nine for eight).

(Carpenters District Council)

# GLAZIER

· "};

(New Construction, Remodeling, and Alteration)

### Glazier miodi 7/1/2312 11/2

Effective Period: 7/1/2012 - 10/31/2012

Wage Rate per Hour: \$40.00

Supplemental Benefit Rate per Hour: \$32.89

Supplemental Note: Supplemental Benefit Overtime Rate: \$40.54

Effective Period: 11/1/2012 - 6/30/2013

Wage Rate per Hour: \$40.50

Supplemental Benefit Rate per Hour: \$33.24

Supplemental Note: Supplemental Benefit Overtime Rate: \$41.24

# **Overtime Description**

An optional 8th hour can be worked at straight time rate. If 9th hour is worked, then both hours or more (8th & 9th or more) will be at the double time rate of pay.

#### **Overtime**

Double time the regular rate after a 7 hour day.

Double time the regular time rate for Saturday. ouble time the regular rate for Sunday.

### Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

### Paid Holidays

None

### **Shift Rates**

Shifts shall be any 7 hours beyond 4:00 P.M. for which the glazier shall receive 8 hours pay for 7 hours worked.

(Local #1281)

**GLAZIER - REPAIR & MAINTENANCE** 

H 7 5/2012 - 16/34/5649

or the Installation of Glass - All repair and maintenance work on a particular building, whenever performed, where the total cumulative contract value is under \$105,000. Except where enumerated (i.e. plate glass windows) does not apply to non-residential buildings.)

# Craft Jurisdiction for repair, maintenance and fabrication

Plate glass replacement, Residential glass replacement, Residential mirrors and shower doors, Storm windows and storm doors, Residential replacement windows, Herculite door repairs, Door closer repairs, Retrofit apartment house (non commercial buildings), Glass tinting.

Effective Period: 7/1/2012 - 4/30/2013

Wage Rate per Hour: \$23.40

Supplemental Benefit Rate per Hour: \$18.04

Effective Period: 5/1/2013 - 6/30/2013

Wage Rate per Hour: \$23.50

Supplemental Benefit Rate per Hour: \$18.54

#### **Overtime**

Time and one half the regular rate after an 8 hour day.

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 49 of 91

Double time the regular rate for Sunday.

Time and one half the regular hourly rate after 40 hours in any work week.

### Paid Holidays

New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

(Local #1281)

### **HEAT AND FROST INSULATOR**

### **Heat & Frost Insulator**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$54.28

Supplemental Benefit Rate per Hour: \$31.36

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$55.98

Supplemental Benefit Rate per Hour: \$32,36

### **Overtime Description**

Double time shall be paid for supplemental benefits during overtime work. 8th hour paid at time and one half.

### **Overtime**

Double time the regular rate after an 8 hour day. Double time the regular time rate for Saturday. Double time the regular rate for Sunday.

### Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

Martin Luther King Jr. Day

President's Day

Memorial Day

Independence Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

hristmas Day

Triple time the regular rate for work on the following holiday(s). Labor Day

### **Paid Holidays**

None

### **Shift Rates**

The first shift shall work seven hours at the regular straight time rate. The second and third shift shall work seven hours the regular straight time hourly rate plus a fourteen percent wage and benefit premium. Off hour work in occupied or retail buildings may be worked on weekdays with an increment of \$1.00 per hour and eight hours pay for seven (7) hours worked. Double time will apply for over seven (7) hours worked on weekdays, weekends or holidays.

(Local #12)

# HOUSE WRECKER (TOTAL DEMOLITION)

# ouse Wrecker - Tier A

On all work sites the first, second, eleventh and every third House Wrecker thereafter shall be Tier A House Wreckers (i.e. 1st, 2nd, 11th, 14th etc). The 10th and 20th House Wrecker shall be apprentices. Other House Wreckers shall be Tier B House Wreckers.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$33.00

Supplemental Benefit Rate per Hour: \$24.15

om i dar mer saret ber ber Akesarabay

<u>હુકાના કુકા ફેલી હતા. જે</u>

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$33.51

Supplemental Benefit Rate per Hour: \$24.64

# **House Wrecker - Tier B**

On all work sites the first, second, eleventh and every third House Wrecker thereafter shall be Tier A House Wreckers (i.e. 1st, 2nd, 11th, 14th etc). The 10th and 20th House Wrecker shall be apprentices. Other House Wreckers shall be Tier B House Wreckers.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$23.05

Supplemental Benefit Rate per Hour: \$17.85

Effective Period: 1/1/2013 - 6/30/2013

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013

**PUBLISH DATE: 1/1/2013** 

Page 51 of 91

Wage Rate per Hour: \$23.25

Supplemental Benefit Rate per Hour: \$18.35

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s). New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

### **Paid Holidays**

None

(Mason Tenders District Council)

### **IRON WORKER - ORNAMENTAL**

# Iron Worker - Ornamental

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$41.50

Supplemental Benefit Rate per Hour: \$39,52

Supplemental Note: Supplemental benefits are to be paid at the applicable overtime rate when overtime is in

effect.

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$42.00

Supplemental Benefit Rate per Hour: \$42,89

Charles & Bridge

Supplemental Note: Supplemental benefits are to be paid at the applicable overtime rate when overtime is in

effect.

### **Overtime Description**

Time and one half the regular rate after a 7 hour day for a maximum of two hours on any regular work day (the 8th and 9th hour) and double time shall be paid for all work on a regular work day thereafter, time and one half the regular rate for Saturday for the first seven hours of work and double time shall be paid for all work on a Saturday thereafter.

#### **Overtime**

Oouble time the regular rate for Sunday.

### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).
New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

### Paid Holidays

None

#### **Shift Rates**

For off shift work - 8 hours pay for 7 hours of work. When two or three shifts are employed on a job, Monday through Friday, the workday for each shift shall be seven hours and paid for ten and one-half hours at the single time rate. When two or three shifts are worked on Saturday, Sunday or holidays, each shift shall be seven hours and paid fifteen and three-quarters hours.

(Local #580)

# ON WORKER - STRUCTURAL

# Iron Worker - Structural

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$45.05

Supplemental Benefit Rate per Hour: \$57.85

Supplemental Note: Supplemental benefits are to be paid at the applicable overtime rate when overtime is in

effect.

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$46.00

Supplemental Benefit Rate per Hour: \$61.23

Supplemental Note: Supplemental benefits are to be paid at the applicable overtime rate when overtime is in

effect.

# **Overtime Description**

Monday through Friday- the first eight hours are paid at straight time, the 9th and 10th hours are paid at time and one-half the regular rate, all additional weekday overtime is paid at double the regular rate. Saturdays- the first eight hours are paid at time and one-half the regular rate, double time thereafter. Sunday-all shifts are paid at double time.

### **Overtime**

be and one half the regular rate after an 8 hour day.

ADDENDUM 1

**EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013** 

**PUBLISH DATE: 1/1/2013** 

Page 53 of 91

Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

### Overtime Holidays

Double time the regular rate for work on the following holiday(s). New Year's Day
Good Friday
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

### Paid Holidays

1/2 day on Christmas Eve if work is performed in the A.M. 1/2 day on New Year's Eve if work is performed in the A.M.

### **Shift Rates**

PER PER L

Monday through Friday - First Shift: First eight hours are paid at straight time, the 9th & 10th hours are paid at time and a half, double time paid thereafter. Second and third Shifts: First eight hours are paid at time and one-half, double time thereafter. Saturdays: All shifts, first eight hours paid at time and one-half, double time thereafter: Sunday all shifts are paid at double time.

(Local #40 & #361)

#### LABORER

(Foundation, Concrete, Excavating, Street Pipe Layer and Common)

# <u>Laborer</u>

Excavation and foundation work for buildings, heavy construction, engineering work, and hazardous waste removal in connection with the above work. Landscaping tasks in connection with heavy construction work, engineering work and building projects. Projects include, but are not limited to pollution plants, sewers, parks, subways, bridges, highways, etc.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$38,70

Supplemental Benefit Rate per Hour: \$31.75

1977 (24. 大量48. 1995)。2

#### Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

# **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day
emorial Day
independence Day
Labor Day
Columbus Day
Presidential Election Day
Thanksgiving Day
Christmas Day

### **Paid Holidays**

Labor Day Thanksgiving Day

### **Shift Rates**

When two shifts are employed, single time rate shall be paid for each shift. When three shifts are found necessary, each shift shall work seven and one half hours (7 ½), but shall be paid for eight (8) hours of labor, and be permitted one half hour for lunch.

(Local #731)

### **LANDSCAPING**

(Landscaping tasks, as well as tree pruning, tree removing, spraying and aintenance in connection with the planting of street trees and the planting of trees in city parks but not when such activities are performed as part of, or in connection with, other construction or reconstruction projects.)

# Landscaper (Above 6 years experience)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$24.25

Supplemental Benefit Rate per Hour: \$12.30

# Landscaper (3 - 6 years experience)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$23.25

Supplemental Benefit Rate per Hour: \$12.30

# Landscaper (up to 3 years experience)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$20.75

Supplemental Benefit Rate per Hour: \$12.30

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013 Page 55 of 91

### Groundperson

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$20.75

Supplemental Benefit Rate per Hour: \$12.30

### Tree Remover / Pruner

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$29.25

Supplemental Benefit Rate per Hour: \$12.30

# **Landscaper Sprayer (Pesticide Applicator)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$19.25

Supplemental Benefit Rate per Hour: \$12.30

# Watering - Plant Maintainer

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$14,25

Supplemental Benefit Rate per Hour: \$12.30

# Overtime Description

For all overtime work performed, supplemental benefits shall include an additional seventy-five (\$0.75) cents per

### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday. Time and one half the regular rate for work on a holiday plus the day's pay.

# Paid Holidays

New Year's Day **Memorial Day** Independence Day Labor Day Thanksgiving Day **Christmas Day** 

#### Shift Rates

Work performed on a 4pm to 12am shift has a 15% differential. Work performed on a 12am to 8am shift has a 20% differential

(Local #175)

### MARBLE MECHANIC

### **Marble Setter**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$49.19

Supplemental Benefit Rate per Hour: \$32.24

### **Marble Finisher**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$39.05

Supplemental Benefit Rate per Hour: \$31.43

### Marble Polisher

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$34.73

Supplemental Benefit Rate per Hour: \$24.60

### vertime Description

dipplemental Benefit contributions are to be made at the applicable overtime rates. Time and one half the regular rate after a 7 hour day or time and one half the regular rate after an 8 hour day - chosen by Employer at the start of the project and then would last for the full duration of the project.

#### Overtime

Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day

**President's Day** 

Good Friday

**Memorial Day** 

Independence Day

**Labor Day** 

Columbus Day

**Veteran's Day** 

Thanksgiving Day

Day after Thanksgiving

**Christmas Day** 

### **Paid Holidays**

None



(Local #7)

### **MASON TENDER**

### **Mason Tender**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$34.24

Supplemental Benefit Rate per Hour: \$24.40

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$34.50

Supplemental Benefit Rate per Hour: \$25.14

### **Overtime**

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

**Memorial Day** 

**Independence Day** 

**Labor Day** 

Thanksgiving Day

Christmas Day

# Paid Holidays And 155

None could be accepted to be about 1992 30

# 

The Employer may work two (2) shifts with the first shift at the straight time wage rate and the second shift receiving eight (8) hours paid for seven (7) hours work at the straight time wage rate.

(Local #79)

Carrie Start

MASON TENDER (INTERIOR DEMOLITION WORKER)

(The erection, building, moving, servicing and dismantling of enclosures, scaffolding, barricades, protection and site safety structures etc., on Interior Demolition jobs.)

### Mason Tender Tier A

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$33.87

Supplemental Benefit Rate per Hour: \$19.22

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$34.07

Supplemental Benefit Rate per Hour: \$19.77

### Mason Tender Tier B

On Interior Demolition job sites 33 1/3 % of the employees shall be classified as Tier A Interior Demolition Workers and 66 2/3 % shall be classified as Tier B Interior Demolition Workers; provided that the employer may employ more than 33 1/3 % Tier A Interior Demolition Workers on the job site. Where the number of employees on a job site is not divisible by 3, the first additional employee (above the number of employees divisible by three) shall be a Tier B Interior Demolition Worker, and the second additional employee shall be a Tier A Interior Demolition Worker.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$23.07

Supplemental Benefit Rate per Hour: \$13.53

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$23.27

Supplemental Benefit Rate per Hour: \$14.08

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Sunday.

### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Thanksgiving Day

Christmas Day

# Paid Holidays



**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 59 of 91

(Local #79)

### **METALLIC LATHER**

### Metallic Lather

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$41.23

Supplemental Benefit Rate per Hour: \$38.35

Supplemental Note: Supplemental benefits for overtime are paid at the appropriate overtime rate.

### **Overtime Description**

Overtime would be time and one half the regular rate after a seven (7) or eight (8) hours workday, which would be set at the start of the job.

# Overtime

Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day

Washington's Birthday

Good Friday

Memorial Day

Independence Day

Labor Day

Columbus Day

Presidential Election Day

Thanksgiving Day

1982年 李维斯 (1987年) 1983年 新疆 (1987年) 1983年 (1987年) 1983年 (1987年)

No Broken Broke grade in the contract

# **Paid Holidays**

Christmas Day

1/2 day on Christmas Eve if work is performed in the A.M. 1/2 day on New Year's Eve if work is performed in the A.M.

### **Shift Rates**

There shall be either two (2) or three (3) shifts, each shift shall be eight (8) hours with nine (9) hours pay, including one half (½) hour for lunch. Off-Hour Start shall commence after 3:30 P.M. and shall conclude by 6:00 A.M. The first consecutive seven (7) hours shall be at straight time with a differential of twelve dollars (\$12.00) per hour. Fringes shall be paid at the straight time rate.

(Local #46)

### MILLWRIGHT

### **Millwright**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$46.19

Supplemental Benefit Rate per Hour: \$45.67

#### **Overtime**

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day President's Day

President's Day

**Good Friday** 

Memorial Day Independence Day

Labor Day

Columbus Day

Presidential Election Day

anksgiving Day

Christmas Day

# **Paid Holidays**

1/2 day on Christmas Eve if work is performed in the A.M. 1/2 day on New Year's Eve if work is performed in the A.M.

### **Shift Rates**

The first shift shall receive the straight time rate of pay. The second shift receives the straight time rate of pay plus fifteen (15%) per cent. Members of the second shift shall be allowed one half hour to eat, with this time being included in the hours of the workday established. There must be a first shift to work a second shift. All additional hours worked shall be paid at the time and one-half rate of pay plus fifteen (15%) per cent for weekday hours.

(Local #740)

### MOSAIC MECHANIC

# Mosaic Mechanic - Mosaic & Terrazzo Mechanic

Effective Period: 7/1/2012 - 12/31/2012

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 61 of 91

Wage Rate per Hour: \$43.93

Supplemental Benefit Rate per Hour: \$33.08

Supplemental Note: Supplemental benefits for overtime to be paid at the rate of \$44.05 per hour.

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$44.39

Supplemental Benefit Rate per Hour: \$35.12

Supplemental Note: Supplemental benefits for overtime to be paid at the rate of \$46.09 per hour.

# Mosaic Mechanic - Mosaic & Terrazzo Finisher

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$42.36

Supplemental Benefit Rate per Hour: \$33.08

Supplemental Note: Supplemental benefits for overtime to be paid at the rate of \$44.05 per hour.

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$42.78

Supplemental Benefit Rate per Hour: \$35.11

Supplemental Note: Supplemental benefits for overtime to be paid at the rate of \$46.08 per hour.

# Mosaic Mechanic - Machine Operator Grinder

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$42.36

Supplemental Benefit Rate per Hour: \$33.08

Supplemental Note: Supplemental benefits for overtime to be paid at the rate of \$44.05 per hour.

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$42.78

Supplemental Benefit Rate per Hour: \$35.11

Supplemental Note: Supplemental benefits for overtime to be paid at the rate of \$46.08 per hour.

### **Overtime**

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

### Overtime Holidays

Double time the regular rate for work on the following holiday(s). New Year's Day
Washington's Birthday
Good Friday
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day



(Local #7)

#### **PAINTER**

# Painter - Brush & Roller

Effective Period: 7/1/2012 - 10/31/2012

Wage Rate per Hour: \$35.50

Supplemental Benefit Rate per Hour: \$25.12 Supplemental Note: \$29.75 on overtime

Effective Period: 11/1/2012 - 4/30/2013

Wage Rate per Hour: \$36.00

Supplemental Benefit Rate per Hour: \$25.12 Supplemental Note: \$29.75 on overtime

Effective Period: 5/1/2013 - 6/30/2013

ge Rate per Hour: \$37.50

Supplemental Benefit Rate per Hour: \$25.12 Supplemental Note: \$29.75 on overtime

# Spray & Scaffold / Decorative / Sandblast

Effective Period: 7/1/2012 - 10/31/2012

Wage Rate per Hour: \$38.50

Supplemental Benefit Rate per Hour: \$25.12 Supplemental Note: \$29.75 on overtime

Effective Period: 11/1/2012 - 4/30/2013

Wage Rate per Hour: \$39.00

Supplemental Benefit Rate per Hour: \$25.12 Supplemental Note: \$29.75 on overtime

Effective Period: 5/1/2013 - 6/30/2013

Wage Rate per Hour: \$40.50

Supplemental Benefit Rate per Hour: \$25.12 Supplemental Note: \$29.75 on overtime

#### **Overtime**

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday.

e and one half the regular rate for Sunday.

### **Overtime Holidays**

Time and one half the regular rate for work on the following holiday(s). New Year's Day

New Year's Day President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Thanksgiving Day

**Christmas Day** 

### **Paid Holidays**

None:

(District Council of Painters #9)

#### **PAINTER - SIGN**

#### **Designer**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$36.15

Supplemental Benefit Rate per Hour: \$9.66

### **Journeyperson**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$33.62

Supplemental Benefit Rate per Hour: \$9.66

#### **Overtime**

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

the first and the comment of the contract of t

Time and one half the regular rate for Sunday.

Double time the regular rate for work on the following holiday(s).

#### **Paid Holidays**

New Year's Day

President's Day

**Memorial Day** 

**Independence Day** 

Labor Day

Columbus Day

Election Day

Thanksgiving Day

Day after Thanksgiving

**Christmas Day** 

#### Shift Rates

All work performed outside the regular 8 hour work day (either 7:00 A.M to 3:30 P.M or 8:00 A.M. to 4:30 P.M) shall be paid at time and one half the regular hourly rate.

(Local #8A-28A)

### **PAINTER - STRIPER**

## Striper (paint)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$33.00

Supplemental Benefit Rate per Hour: \$11.52

Supplemental Note: Overtime Supplemental Benefit rate - \$7.42; New Hire Rate (0-3 months) - \$0.00

# Lineperson (thermoplastic)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$37.00

pplemental Benefit Rate per Hour: \$11.52

upplemental Note: Overtime Supplemental Benefit rate - \$7.42; New Hire Rate (0-3 months) - \$0.00

#### **Overtime**

Time and one half the regular rate after an 8 hour day: Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Time and one half the regular rate for work on the following holiday(s).

### Paid Holidays

New Year's Day **Good Friday** Memorial Day Independence Day Labor Day Columbus Day **Presidential Election Day** Thanksgiving Day

Day after Thanksgiving

**Christmas Day** 

#### Shift Rates

Employees hired before April 1, 2003: 15% night shift premium differential for work commenced at 9:00 PM or later.



#### **Vacation**

Employees with one to two years service shall accrue vacation based on hours worked: 250 hours worked - 1 day vacation; 500 hours worked - 2 days vacation; 750 hours worked - 3 days vacation; 900 hours worked - 4 days vacation; 1,000 hours worked - 5 days vacation. Employees with two to five years service receive two weeks vacation. Employees with five to twenty years service receive three weeks vacation. Employees with twenty to twenty-five years service receive four weeks vacation. Employees with 25 or more years service receive five weeks vacation. Vacation must be taken during winter months. 2 Personal Days except employees hired after 4/1/12 who do not have 2 years of service.

(Local #917)

#### **PAINTER - STRUCTURAL STEEL**

### Painters on Structural Steel

Effective Period: 7/1/2012 - 9/30/2012

Wage Rate per Hour: \$46.25

Supplemental Benefit Rate per Hour: \$31.58

Effective Period: 10/1/2012 - 6/30/2013

Wage Rate per Hour: \$47.00

Supplemental Benefit Rate per Hour: \$32.08

### Painter - Power Tool

Effective Period: 7/1/2012 - 9/30/2012

Wage Rate per Hour: \$52.25

Supplemental Benefit Rate per Hour: \$31.58

Effective Period: 10/1/2012 - 6/30/2013

Wage Rate per Hour: \$53.00

Supplemental Benefit Rate per Hour: \$32.08

#### **Overtime**

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

#### Overtime Holidays

Double time the regular rate for work on the following holiday(s). New Year's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day



#### Shift Rates

Regular hourly rates plus a ten per cent (10%) differential

(Local #806)

#### **PAPERHANGER**

#### **Paperhanger**

Effective Period: 7/1/2012 - 4/30/2013

Wage Rate per Hour: \$37,44

Supplemental Benefit Rate per Hour: \$29.23

Supplemental Note: Supplemental benefits are to be paid at the appropriate straight time and overtime rate.

Effective Period: 5/1/2013 - 6/30/2013

Wage Rate per Hour: \$39.00

Supplemental Benefit Rate per Hour: \$29.23

Supplemental Note: Supplemental benefits are to be paid at the appropriate straight time and overtime rate.

#### Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

### Overtime Holidays

ali in lier den .... Time and one half the regular rate for work on the following holiday(s). **New Year's Day President's Day** Memorial Day Independence Day **Labor Day** Thanksgiving Day Day after Thanksgiving **Christmas Day** 

### Paid Holidays

None

#### **Shift Rates**

Evening shift - 4:30 P.M. to 12:00 Midnight (regular rate of pay); any work performed before 7:00 A.M. shall be at time and one half the regular base rate of pay.

(District Council of Painters #9)

#### PAVER AND ROADBUILDER

# Paver & Roadbuilder - Formsetter

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$42.86

Supplemental Benefit Rate per Hour: \$32.15

## Paver & Roadbuilder - Laborer

Paving and road construction work, regardless of material used, including but not limited to preparation of job sites, removal of old surfaces, asphalt and/or concrete, by whatever method, including but not limited to milling; laying of concrete; laying of asphalt for temporary, patchwork, and utility paving (but not production paving); site preparation and incidental work before the installation of rubberized materials and similar surfaces; installation and repair of temporary construction fencing; slurry seal coating, maintenance of safety surfaces; play equipment installation, and other related work.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$38.99

Supplemental Benefit Rate per Hour: \$32.15

# Production Paver & Roadbuilder - Screed Person

(Production paving is asphalt paving when using a paving machine or on a project where a paving machine is traditionally used)

Adjustment of paving machinery on production paving jobs.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$45.00

Supplemental Benefit Rate per Hour: \$32.15

# Production Paver & Roadbuilder - Raker

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$44,49

Supplemental Benefit Rate per Hour: \$32,15

# Production Paver & Roadbuilder - Shoveler

General laborer (except removal of surfaces - see Paver and Roadbuilder-Laborer) including but not limited to tamper, AC paint and liquid tar work.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$41.20

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 68 of 91

Supplemental Benefit Rate per Hour: \$32.15

#### **Overtime Description**

Veteran's Day is a Paid Holiday for employees working on production paving.

If an employee works New Year's Day or Christmas Day, they receive the single time rate plus 15%, except if an employee works on production paving on New Year's Day or Christmas Day, they receive the single time rate plus one day's pay for the holiday worked.

Employees who work on a holiday listed below receive the straight time rate plus one day's pay for the holiday.

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

#### Paid Holidays

Memorial Day Independence Day Labor Day Columbus Day Election Day Thanksgiving Day

#### **Shift Rates**

When two shifts are employed, the work period for each shift shall be a continuous eight (8) hours. When three lifts are employed, each shift will work seven and one half (7 ½) hours but will be paid for eight (8) hours since only one half (1/2) hour is allowed for meal time.

When two or more shifts are employed, single time will be paid for each shift.

Night Work - On night work, the first eight (8) hours of work will be paid for at fifteen percent (15%) over the single time rate, except that production paving work shall be paid at 25% over the single time rate. Hours worked over eight (8) hours during said shift shall be paid for at the time and one-half rate.

(Local #1010)

#### **PLASTERER**

## **Plasterer**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$40.78

Supplemental Benefit Rate per Hour: \$26.80

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$40.78

Supplemental Benefit Rate per Hour: \$27.55

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013

**PUBLISH DATE: 1/1/2013** 

Page 69 of 91

#### **Overtime**

Time and one half the regular rate after a 7 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day

Martin Luther King Jr. Day

President's Day Good Friday

**Memorial Day** 

**Independence Day** 

Labor Day

Columbus Day

**Presidential Election Day** 

Thanksgiving Day

**Christmas Day** 

#### **Paid Holidays**

None

#### **Shift Rates**

When it is not possible to conduct alteration work during regular work hours, in a building occupied by tenants, said work shall proceed on a shift basis: however work over seven (7) hours in any twenty four (24) hour period, the time after seven (7) hours shall be considered overtime.

The second shift shall start at a time between 3:30 p.m. and 7:00 p.m. and shall consist of seven (7) working hours and shall receive eight (8) hours of wages and benefits at the straight time rate. The workers on the second shift shall be allowed one-half (½) hour to eat with this time being included in the seven (7) hours of work.

(Local #530)

#### **PLASTERER - TENDER**

# Plasterer - Tender

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$34.24

Supplemental Benefit Rate per Hour: \$24,40

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$34.50

Supplemental Benefit Rate per Hour: \$25.14

## vertime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s). New Year's Day
Washington's Birthday
Memorial Day
Independence Day
Labor Day
Presidential Election Day
Thanksgiving Day
Christmas Day

#### **Paid Holidays**

None

#### **Shift Rates**

When work commences outside regular work hours, workers receive an hour additional (differential) wage and supplement payment. Eight hours pay for seven hours work or nine hours pay for eight hours work.

(Mason Tenders District Council)

#### **PLUMBER**

## Plumber -

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$51.76

Supplemental Benefit Rate per Hour: \$37.19

Supplemental Note: Overtime supplemental benefit rate per hour: \$74.10

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$52.36

Supplemental Benefit Rate per Hour: \$37.34

Supplemental Note: Overtime supplemental benefit rate per hour: \$74.40

### **Overtime Description**

Double time the regular rate after a 7 hour day - unless for new construction site work where the plumbing contract price is \$1 million or less, and for public works jobs where the plumbing contract is \$1.5 million or less, the hours of labor can be 8 hours per day at the employers option. On Alteration jobs when other mechanical



trades at the site are working an eighth hour at straight time, then the plumber shall also work an eighth hour at straight time.

#### **Overtime**

Double time the regular time rate for Saturday. Double time the regular rate for Sunday.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).
New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

#### **Shift Rates**

Shift work, when directly specified in public agency or authority documents where plumbing contract is \$8 million or less, will be permitted. 30% shift premium shall be paid for wages and fringe benefits for 4:00 pm and midnight shifts Monday to Friday. 50% shift premium shall be paid for wages and fringe benefits for 4:00 pm and midnight shift work performed on weekends. For shift work on holidays, double time wages and fringe benefits shall be paid.

(Plumbers Local #1)

# PLUMBER (MECHNICAL EQUIPMENT AND SERVICE) (Mechanical Equipment and Service work shall include any repair and/or replacement of the present plumbing system.)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$32.96

Supplemental Benefit Rate per Hour: \$15.93

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$33.21

Supplemental Benefit Rate per Hour: \$16.43

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

**Overtime Holidays** 

me and one half the regular rate for work on the following holiday(s).

New Year's Day
President's Day
Memorial Day
Independence Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

## **Paid Holidays**

None

(Plumbers Local # 1)

# PLUMBER (RESIDENTIAL RATES FOR 1, 2 AND 3 FAMILY HOME CONSTRUCTION)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$36.69

Supplemental Benefit Rate per Hour: \$25.46

ective Period: 1/1/2013 - 6/30/2013

Vage Rate per Hour: \$37.11

Supplemental Benefit Rate per Hour: \$25.56

#### **Overtime**

Double time the regular rate after an 8 hour day. Double time the regular time rate for Saturday. Double time the regular rate for Sunday.

#### Overtime Holidays

Double time the regular rate for work on the following holiday(s).
New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

# Paid Holidays

None



#### Shift Rates

30% shift premium shall be paid for wages and fringe benefits for 4:00 pm and midnight shifts Monday to Friday. 50% shift premium shall be paid for wages and fringe benefits for 4:00 pm and midnight shift work performed on weekends. For shift work on holidays, double time wages and fringe benefits shall be paid.

(Plumbers Local #1)

# PLUMBER: PUMP & TANK (Installation and Maintenance)

## Plumber - Pump & Tank

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$52.31

Supplemental Benefit Rate per Hour: \$31.56

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

#### **Overtime Holidays**

Time and one half the regular rate for work on the following holiday(s).
New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

## **Paid Holidays**

None

#### **Shift Rates**

All work outside the regular workday (8:00 A.M. to 3:30 P.M.) is to be paid at time and one half the regular hourly rate

(Plumbers Local #1)

# OINTER - WATERPROOFER, CAULKER MECHANIC (EXTERIOR BUILDING RENOVATION)

# Pointer - Waterproofer, Caulker Mechanic

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$44.63

Supplemental Benefit Rate per Hour: \$23.10

#### **Overtime**

a william, Name of Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement

weather.

#### Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).

**New Year's Day** 

Martin Luther King Jr. Day

President's Day

**Memorial Day** 

Independence Day

Labor Dav

anksgiving Day

nristmas Day

## Paid Holidays

None:

#### Shift Rates

All work outside the regular work day (an eight hour workday between the hours of 6:00 A.M. and 4:30 P.M.) is to be paid at time and one half the regular rate.

ر تع<u>روس ر</u>ان رئينة علم سفو تمه السافيا الا

(Bricklayer District Council)

#### **ROOFER**

## Roofer

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$38.00

Supplemental Benefit Rate per Hour: \$27.07

jective Period: 1/1/2013 - 6/30/2013

**ADDENDUM 1** 

**EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013** 

Page 75 of 91

Wage Rate per Hour: \$39.00

Supplemental Benefit Rate per Hour: \$27.37

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

#### **Overtime Holidays**

Time and one half the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Presidential Election Day

Thanksgiving Day

Christmas Day

#### **Paid Holidays**

None

#### **Shift Rates**

Second shift - Regular hourly rate plus a 10% differential. Third shift - Regular hourly rate plus a 15% differential.

(Local #8)

# SANDBLASTER - STEAMBLASTER (Exterior Building Renovation)

## Sandblaster / Steamblaster

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$44.63

Supplemental Benefit Rate per Hour: \$23.10

#### Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Time and one half the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

## **Overtime Holidays**

Time and one half the regular rate for work on the following holiday(s).

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 76 of 91

New Year's Day
Jartin Luther King Jr. Day
resident's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

#### **Paid Holidays**

None

#### **Shift Rates**

All work outside the regular work day (an eight hour workday between the hours of 6:00 A.M. and 4:30 P.M.) is to be paid at time and one half the regular rate.

(Bricklayer District Council)

### SHEET METAL WORKER

#### **Sheet Metal Worker**

fective Period: 7/1/2012 - 12/31/2012

Vage Rate per Hour: \$45.65

Supplemental Benefit Rate per Hour: \$40.50

Supplemental Note: Supplemental benefit contributions are to be made at the applicable overtime rates.

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$45.65

Supplemental Benefit Rate per Hour: \$42.00

Supplemental Note: Supplemental benefit contributions are to be made at the applicable overtime rates.

# Sheet Metal Worker - Duct Cleaner

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$12.90

Supplemental Benefit Rate per Hour: \$8.07

# **Sheet Metal Worker - Fan Maintenance**

(The temporary operation of fans or blowers in new or existing buildings for heating and/or ventilation, and/or air conditioning prior to the completion of the project.)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$36.52

Supplemental Benefit Rate per Hour: \$40.50

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 77 of 91

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$36.52

Supplemental Benefit Rate per Hour: \$42.00

#### **Overtime**

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day

Martin Luther King Jr. Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

#### **Paid Holidays**

None

#### **Shift Rates**

Work that can only be performed outside regular working hours (seven hours of work between 7:30 A.M. and 3:30 P.M.) - First shift (work between 3:30 P.M. and 11:30 P.M.) - 10% differential above the established hourly rate. Second shift (work between 11:30 P.M. and 7:30 A.M.) - 15% differential above the established hourly rate.

For Fan Maintenance: On all full shifts of fan maintenance work the straight time hourly rate of pay will be paid for each shift, including nights, Saturdays, Sundays, and holidays. No journeyperson engaged in fan maintenance shall work in excess of forty (40) hours in any work week.

ł	Lo	cal	#2	8

# SHEET METAL WORKER - SPECIALTY (Decking & Siding)

# **Sheet Metal Specialty Worker**

The first worker to perform this work must be paid at the rate of the Sheet Metal Worker. The second and third workers shall be paid the Specialty Worker Rate. The ratio of One Sheet Metal Worker, then Two Specialty Workers shall be utilized thereafter.

ffective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$40.09

Supplemental Benefit Rate per Hour: \$22.06

Supplemental Note: Supplemental benefit contributions are to be made at the applicable overtime rates.

#### **Overtime**

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

#### Overtime Holidays

Double time the regular rate for work on the following holiday(s). New Year's Day
Martin Luther King Jr. Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Christmas Day

#### **Paid Holidays**

None

(Local #28)

# SIGN ERECTOR (Sheet Metal, Plastic, Electric, and Neon)

# Sign Erector

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$41.55

Supplemental Benefit Rate per Hour: \$39.32

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$42.80

Supplemental Benefit Rate per Hour: \$42.17

#### **Overtime**

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday.

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 79 of 91

Time and one half the regular rate for Sunday.

Time and one half the regular rate for work on the following holiday(s).

#### **Paid Holidays**

New Year's Day
Washington's Birthday
Memorial Day
Independence Day
Labor Day
Columbus Day
Election Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

#### **Shift Rates**

Time and one half the regular hourly rate is to be paid for all hours worked outside the regular workday either (7:00 A.M. through 2:30 P.M.) or (8:00 A.M. through 3:30 P.M.)

(Local #137)

#### STEAMFITTER

## Steamfitter I

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$50.75

Supplemental Benefit Rate per Hour: \$49,68

The factor to the thirther

Supplemental Note: Overtime supplemental benefit rate: \$98.62

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$51.25

Supplemental Benefit Rate per Hour: \$50.54

Supplemental Note: Overtime supplemental benefit rate: \$100.34

#### **Overtime**

Double time the regular rate after a 7 hour day. Double time the regular time rate for Saturday. Double time the regular rate for Sunday.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s). New Year's Day President's Day Memorial Day Independence Day Labor Day

Columbus Day
Teteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

# Paid Holidays

None

#### Shift Rates

Work performed between 3:30 P.M. and 7:00 A.M. and on Saturdays, Sundays and Holidays shall be at double time the regular hourly rate and paid at the overtime supplemental benefit rate above.

#### Steamfitter II

For heating, ventilation, air conditioning and mechanical public works contracts with a dollar value not to exceed \$15,000,000 and for fire protection/sprinkler public works contracts not to exceed \$1,500,000.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$50.75

Supplemental Benefit Rate per Hour: \$49.68

Supplemental Note: Overtime supplemental benefit rate: \$98.62

fective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$51.25

Supplemental Benefit Rate per Hour: \$50.54

Supplemental Note: Overtime supplemental benefit rate: \$100.34

# Overtime .....

Double time the regular rate after an 8 hour day.

Double time the regular time rate for Saturday.

Double time the regular rate for Sunday.

# Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving

Christmas Day

# **Paid Holidays**



None

#### Shift Rates

May be performed outside of the regular workday except Saturday, Sunday and Holidays. A shift shall consist of eight working hours. All work performed in excess of eight hours shall be paid at double time. No shift shall commence after 7:00 P.M. on Friday or 7:00 P.M. the day before holidays. All work performed after 12:01 A.M. Saturday or 12:01 A.M. the day before a Holiday will be paid at double time. When shift work is performed the wage rate for regular time worked is a thirty percent premium together with fringe benefits.

On Transit Authority projects, where work is performed in the vicinity of tracks all shift work on weekends and holidays may be performed at the regular shift rates.

Local #638

# STEAMFITTER - REFRIGERATION AND AIR CONDITIONER (Maintenance and Installation Service Person)

# Refrigeration and Air Conditioner Mechanic

Effective Period: 7/1/2012 - 42/31/2012

Wage Rate per Hour: \$36.30

Supplemental Benefit Rate per Hour: \$11.76

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$37.05

Supplemental Benefit Rate per Hour: \$12.26

# Refrigeration and Air Conditioner Service Person V (4th year)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$29.82

Supplemental Benefit Rate per Hour: \$10.71

Effective Period: 1/1/2013 - 6/30/2013 Wage Rate per Hour: \$30,44

Supplemental Benefit Rate per Hour: \$11.13

# Refrigeration and Air Conditioner Service Person IV (3rd year)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$24.71

Supplemental Benefit Rate per Hour: \$9.80

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$25.22

upplemental Benefit Rate per Hour: \$10.16

# Refrigeration and Air Conditioner Service Person III (2nd year)

Filter changing and maintenance thereof, oil and greasing, tower and coil cleaning, scraping and painting, general housekeeping, taking of water samples.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$21.21

Supplemental Benefit Rate per Hour: \$9.12

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$21.65

Supplemental Benefit Rate per Hour: \$9.44

# Refrigeration and Air Conditioner Service Person II (2nd six months)

Filter changing and maintenance thereof, oil and greasing, tower and coil cleaning, scraping and painting, general housekeeping, taking of water samples.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$17.60

Supplemental Benefit Rate per Hour: \$8.50

fective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$17.96

Supplemental Benefit Rate per Hour: \$8.78

# Refrigeration and Air Conditioner Service Person I (1st six months)

Filter changing and maintenance thereof, oil and greasing, tower and coil cleaning, scraping and painting, general housekeeping, taking of water samples.

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$10.95

Supplemental Benefit Rate per Hour: \$7.90

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$11.18

Supplemental Benefit Rate per Hour: \$8.10

#### Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

# **Overtime Holidays**

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 83 of 91

Double time the regular rate for work on the following holiday(s). New Year's Day Independence Day Labor Day Veteran's Day Thanksgiving Day Christmas Day

Double time and one half the regular rate for work on the following holiday(s). Martin Luther King Jr. Day President's Day Memorial Day Columbus Day

#### Paid Holidays

New Year's Day
Martin Luther King Jr. Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Christmas Day

(Local #638B)

#### STONE MASON - SETTER

## Stone Mason - Setters

Effective Period: 7/1/2012 - 6/30/2013 Period

Wage Rate per Hour: \$47.72

Supplemental Benefit Rate per Hour: \$35.28

#### Overtime


Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Him Land Bild of the American American

#### Overtime Holidays

Double time the regular rate for work on the following holiday(s).
New Year's Day
Washington's Birthday
Good Friday
Memorial Day
Independence Day
Labor Day

tare from the according to the



#### Paid Holidays

1/2 day on Christmas Eve if work is performed in the A.M.

#### Shift Rates

For all work outside the regular workday (8:00 A.M. to 3:30 P.M. Monday through Friday), the pay shall be straight time plus a ten percent (10%) differential.

(Bricklayers District Council)

#### **TAPER**

#### Drywall Taper

Effective Period: 7/1/2012 - 12/25/2012

Wage Rate per Hour: \$43.32

Supplemental Benefit Rate per Hour: \$21.66

Effective Period: 12/26/2012 - 6/30/2013

ge Rate per Hour: \$43.82

pplemental Benefit Rate per Hour: \$21.66

#### **Overtime**

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

### **Overtime Holidays**

Time and one half the regular rate for work on the following holiday(s). **New Year's Day** Martin Luther King Jr. Day

President's Day

**Good Friday** 

**Memorial Day** 

Independence Day

Labor Day

Columbus Day

Thanksgiving Day

**Christmas Day** 1,44 .412 / 1

#### Paid Holidays

Any worker who reports to work on Christmas Eve or New Year's Eve pursuant to his employer's instruction shall be entitled to three (3) hours afternoon pay without working.



#### **Shift Rates**

Time and one half the regular rate outside the regular work hours (8:00 A.M. through 3:30 P.M.)

(Local #1974)

# TELECOMMUNICATION WORKER (Voice Installation Only)

## **Telecommunication Worker**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$35,94

Supplemental Benefit Rate per Hour: \$13.19

Supplemental Note: The above rate applies for Manhattan, Bronx, Brooklyn, Queens. \$12.64 for Staten Island

only.

#### **Overtime**

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

# Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).
New Year's Day
Lincoln's Birthday
Washington's Birthday
Memorial Day
Independence Day
Labor Day
Columbus Day
Election Day
Veteran's Day
Thanksgiving Day

### **Paid Holidays**

**Christmas Day** 

New Year's Day
Lincoln's Birthday
Washington's Birthday
Memorial Day
Independence Day
Labor Day
Columbus Day
Election Day
Veteran's Day
Thanksgiving Day
Christmas Day

Employees have the option of observing either Martin Luther King's Birthday or the day after Thanksgiving stead of Lincoln's Birthday

### **Shift Rates**

For any workday that starts before 8A.M. or ends after 6P.M. there is a 10% differential for the applicable worker's hourly rate.

#### **Vacation**

(C.W.A.)

#### **TILE FINISHER**

#### Tile Finisher

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$38.17

Supplemental Benefit Rate per Hour: \$26.76

ective Period: 1/1/2013 - 6/30/2013

with the training of the read of the second

Wage Rate per Hour: \$38.49

Supplemental Benefit Rate per Hour: \$27.42

#### **Overtime**

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

**Good Friday** 

**Memorial Day** 

Independence Day

**Labor Day** 

**Columbus Day** 

**Veteran's Day** 

Thanksgiving Day

Day after Thanksgiving

**Christmas Day** 

### **Paid Holidays**

None

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 87 of 91

#### **Shift Rates**

Off shift work day (work performed outside the regular 8:00 A.M. to 3:30 P.M. workday): shift differential of one and one quarter (1½) times the regular straight time rate of pay for the seven hours of actual off-shift work.

(Local #7)

#### **TILE LAYER - SETTER**

#### Tile Layer - Setter

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$47.75

Supplemental Benefit Rate per Hour: \$30.83

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$48.55

Supplemental Benefit Rate per Hour: \$31.46

#### **Overtime**

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s). New Year's Day President's Day

President's Day
Good Friday
Memorial Day
Independence Day
Labor Day
Columbus Day

Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving

**Christmas Day** 

#### **Shift Rates**

Off shift work day (work performed outside the regular 8:00 A.M. to 3:30 P.M. workday): shift differential of one and one quarter (1½) times the regular straight time rate of pay for the seven hours of actual off-shift work.

(Local #7)

### **IMBERPERSON**

### **Timberperson**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$42.63

Supplemental Benefit Rate per Hour: \$41.99

#### **Overtime**

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement

Frankling Marie

weather.

#### **Overtime Holidays**

Double time the regular rate for work on the following holiday(s).

New Year's Day President's Day

Memorial Day

Independence Day

**Labor Day** 

**Columbus Day** 

Presidential Election Day

hanksgiving Day ristmas Day

## **Paid Holidays**

None

#### Shift Rates

Off shift work, commencing between 5:00 P.M. and 10:00 P.M., shall work eight and one half hours but will be paid for 9 hours, including benefits at the straight time rate for 8 hours.

(Local #1536)

## **TUNNEL WORKER**

# Blasters, Mucking Machine Operators (Compressed Air Rates)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$52.00

Supplemental Benefit Rate per Hour: \$46.85

# **Tunnel Workers (Compressed Air Rates)**

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 89 of 91

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$50.19

Supplemental Benefit Rate per Hour: \$45.29

## **Top Nipper (Compressed Air Rates)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$49.27

Supplemental Benefit Rate per Hour: \$44.51

# Outside Lock Tender, Outside Gauge Tender, Muck Lock Tender (Compressed Air Rates)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$48.37

Supplemental Benefit Rate per Hour: \$43.67

## Bottom Bell & Top Bell Signal Person: Shaft Person (Compressed Air Rates)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$48.37

Supplemental Benefit Rate per Hour: \$43.67

# Changehouse Attendant: Powder Watchperson (Compressed Air Rates)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$42.09

Supplemental Benefit Rate per Hour: \$41.41

en e e incregular tati altere e

# Blasters (Free Air Rates)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$49.62

Supplemental Benefit Rate per Hour: \$44.75

## **Tunnel Workers (Free Air Rates)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$47.48

Supplemental Benefit Rate per Hour: \$42.84

# All Others (Free Air Rates)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$43.87

Supplemental Benefit Rate per Hour: \$39.62

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 90 of 91

# icrotunneling (Free Air Rates)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$37.98

Supplemental Benefit Rate per Hour: \$34,27

#### **Overtime Description**

For Repair-Maintenance Work on Existing Equipment and Facilities - Time and one half the regular rate after a 7 hour day, or for Saturday, or for Sunday. Double time the regular rate for work on a holiday.

#### **Overtime**

Double time the regular rate after an 8 hour day.

Double time the regular time rate for Saturday.

Double time the regular rate for Sunday.

Double time the regular rate for work on the following holiday(s).

### Paid Holidays

New Year's Day
Lincoln's Birthday
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Tection Day
Thanksgiving Day

Christmas Day

(Local #147)

WELDER

TO BE PAID AT THE RATE OF THE JOURNEYPERSON IN THE TRADE PERFORMING THE WORK.

(NO TEXT ON THIS PAGE)

BANG BRIDS

.....

m og har kole kole som. Som ekker ember og kole bord

 $\label{eq:continuous_problem} \varphi_{i}(\mathbf{x}) = (\mathbf{x}_{i} + \hat{\mathbf{x}}_{i}) + (\mathbf{x}_{i} + \mathbf{x}_{i}) + (\mathbf{x}_{i} + \mathbf{x}_{i} + \mathbf{x}_{i}) + (\mathbf{x}_{i}$ 

Adama of A

A CONTRACTOR SERVICE

the real of the communication and also have the complete the second of the communication of t

e og kantin indelet

a da angawa (ili ili alim na da na Angaba da kasaya da j

Property of the Control of the Contr

A STATE OF THE STA

# OFFICE OF THE COMPTROLLER

# **CITY OF NEW YORK**

# 220 APPRENTICESHIP PREVAILING WAGE SCHEDULE

## **APPENDIX**

Pursuant to Labor Law §220 (3-e), only apprentices who are individually registered in a bona fide program to which the employer contractor is a articipant and registered with the New York State Department of Labor, may be employed on a public work project.

Any employee listed on a payroll at an apprentice wage rate, who is not registered as above, shall be paid the journey person wage rate for the classification of work he actually performed.

Apprentice ratios are established to ensure the proper safety, training and supervision of apprentices. A ratio establishes the number of journey workers required for each apprentice in a program and on a job site. Ratios are interpreted as follows: in the case of a 1:1, 1:4 ratio, there must be one journey worker for the first apprentice, and four additional journey workers for each subsequent apprentice.

# APPRENTICESHIP SCHEDULE OF PREVAILING WAGES AND SUPPLEMENTAL BENEFITS ADDENDUM EFFECTIVE PERIOD JANUARY 1, 2013 THROUGH JUNE 30, 2013

#### **List of Amended Classifications**

- 1. Boilermaker
- 2. House Wrecker
- 3. Iron Worker Ornamental
- 4. Iron Worker Structural
- 5. Mason Tender
- 6. Plasterer
- 7. Plumber

# **TABLE OF CONTENTS**

CLASSIFICATION	PAGE
ASBESTOS HANDLER	<u> </u>
BOILERMAKER	
BRICKLAYER	۳۹ ع
CARPENTER	7
CEMENT MASON	/ و
CEMENT AND CONCRETE WORKER	 R
DERRICKPERSON & RIGGER (STONE)	a
DOCKBUILDER/PILE DRIVER	10
ELECTRICIAN	10
ELEVATOR CONSTRUCTOR	12
ELEVATOR REPAIR & MAINTENANCE	13
ENGINEER	14
ENGINEER - OPERATING	14
FLOOR COVERER	15
GLAZIER	16
HEAT & FRUST INSULATOR	16
HOUSE WRECKER	17
IRON WORKER - ORNAMENTAL	18
IRON WORKER - STRUCTURAL	20
ABORER (FOUNDATION, CONCRETE, EXCAVATING, STREET PIPE LAYER & COMMO	DN)21
ARBLE MECHANICS	22
MASON TENDER	23
METALLIC LATHER	24
MILLWRIGHT	25
PAVER AND ROADBUILDER	26
PAINTER	26
PAINTER - STRUCTURAL STEEL	27
PLASTERER	
PLUMBER	29
POINTER - WATERPROOFER, CAULKER MECHANIC (EXTERIOR BUILDING RENOVATION OF THE PROOFER)	10N) .30
ROOFER	31
SHEET METAL WORKER	32
SIGN ERECTOR	33
STONE MACON CETTED	34
STONE MASON - SETTER	35
TAPER	36
TILE LAYER - SETTER	36
TIMBERPERSON	37

#### OFFICE OF THE COMPTROLLER, CITY OF NEW YORK §220 APPRENTICESHIP PREVAILING WAGE SCHEDULE

# ASBESTOS HANDLER

(Ratio of Apprentice Journeyperson: 1 to 1, 1 to 3)

# **Asbestos Handler (First 1000 Hours)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 78% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$14.85

# Asbestos Handler (Second 1000 Hours)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$14.85

# Asbestos\_Handler (Third 1000 Hours)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 83% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$14.85

# **Asbestos Handler (Fourth 1000 Hours)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 89% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$14.85

(Local #78)

#### BOILERMAKER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

# Boilermaker (First Year)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$27.41

Effective Period: 1/1/2013 - 3/31/2013

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$28.45

Effective Period: 4/1/2013 - 6/30/2013

Wage Rate Per Hour: 65% of Journeyperson's rate

#### OFFICE OF THE COMPTROLLER, CITY OF NEW YORK §220 APPRENTICESHIP PREVAILING WAGE SCHEDULE

والمناز والمراجع المراجع والمراجع

Supplemental Benefit Rate Per Hour: \$28.75

# oilermaker (Second Year: 1st Six Months)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 70% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$28.91

Effective Period: 1/1/2013 - 3/31/2013

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$30.03

Effective Period: 4/1/2013 - 6/30/2013

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$30.33

# **Boilermaker (Second Year: 2nd Six Months)**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$30.40

Effective Period: 1/1/2013 - 3/31/2013

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$31.61

Effective Period: 4/1/2013 - 6/30/2013

age Rate Per Hour: 75% of Journeyperson's rate

upplemental Benefit Rate Per Hour: \$31.91

# Boilermaker (Third Year: 1st Six Months)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$31,89

Effective Period: 1/1/2013 - 3/31/2013

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$33.19

Effective Period: 4/1/2013 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$33.49

# Boilermaker (Third Year: 2nd Six Months)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 85% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$33.38

Effective Period: 1/1/2013 - 3/31/2013

Wage Rate Per Hour: 85% of Journeyperson's rate

pplemental Benefit Rate Per Hour: \$34.76

ADDENDUM 1 EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013

**PUBLISH DATE: 1/1/2013** 

Page 5 of 38

#### OFFICE OF THE COMPTROLLER, CITY OF NEW YORK §220 APPRENTICESHIP PREVAILING WAGE SCHEDULE

Effective Period: 4/1/2013 - 6/30/2013

Wage Rate Per Hour: 85% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$35.06

#### Boilermaker (Fourth Year: 1st Six Months)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 90% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$34.88

Effective Period: 1/1/2013 - 3/31/2013

Wage Rate Per Hour: 90% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$36.34

Effective Period: 4/1/2013 - 6/30/2013

Wage Rate Per Hour: 90% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$36.64

# **Boilermaker (Fourth Year: 2nd Six Months)**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 95% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$36.38

Effective Period: 1/1/2013 - 3/31/2013

Wage Rate Per Hour: 95% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$37.90

Effective Period: 4/1/2013 - 6/30/2013

Wage Rate Per Hour: 95% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$38.20

(Local #5)

#### **BRICKLAYER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

# Bricklayer (First 750 Hours)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$16.60

# **Bricklayer (Second 750 Hours)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 60% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$16.60

### Bricklayer (Third 750 Hours)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 70% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$16.60

## **Bricklayer (Fourth 750 Hours)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$16.60

## **Bricklayer (Fifth 750 Hours)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 90% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$16.60

### **Bricklayer (Sixth 750 Hours)**

Effective Period: 7/1/2012 - 6/30/2013
Wage Rate Per Hour: 95% of Journeyperson's rate
Supplemental Benefit Rate Per Hour: \$16.60

生性 人口母说

(Bricklayer District Council)

#### **CARPENTER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

### Carpenter (First Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 40% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$27,69

## Carpenter (Second Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$27.69

### Carpenter (Third Year)

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 7 of 38

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 65% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$27.69

#### Carpenter (Fourth Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$27.69

(Carpenters District Council)

#### **CEMENT MASON**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

### Cement Mason (First Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's Rate

#### Cement Mason (Second Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's Rate

### Cement Mason (Third Year)

Effective Period: 7/1/2012 - 6/30/2013

Hari . Pomor byzak 1961 her

The state of the s

Wage and Supplemental Rate Per Hour: 70% of Journeyperson's Rate

(Local #780) of Breat After the American process of the control

### **CEMENT AND CONCRETE WORKER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

### Cement & Concrete Worker (0 - 500 hours)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$17.54

## Cement & Concrete Worker (501 - 1000 hours)

ffective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 65% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$18.37

## Cement & Concrete Worker (1001 - 2000 hours)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 65% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$23.75

## Cement & Concrete Worker (2001 - 4000 hours)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$24.57

(Cement Concrete Workers District Council)

## **DERRICKPERSON & RIGGER (STONE)**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 6)

Hardina to the first and a first the particular fraction of the state of the

## Derrickperson & Rigger (stone) - First Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: 50% of Journeyperson's rate

## Derrickperson & Rigger (stone) - Second Year: 1st Six Months

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: 75% of Journeyperson's rate

## Derrickperson & Rigger (stone) - Second Year: 2nd Six Months

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: 75% of Journeyperson's rate

## Derrickperson & Rigger (stone) - Third Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 90% of Journeyperson's rate

oplemental Benefit Rate Per Hour: 75% of Journeyperson's rate

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 9 of 38

(Local #197)

### DOCKBUILDER/PILE DRIVER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 6)

### **Dockbuilder/Pile Driver (First Year)**

Effective Period: 7/1/2012 - 6/30/2013 540 34

Wage Rate Per Hour: 40% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$27.69

## **Dockbuilder/Pile Driver (Second Year)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$27.69

## **Dockbuilder/Pile Driver (Third Year)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 65% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$27.69

## **Dockbuilder/Pile Driver (Fourth Year)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$27.69

tionis apparai.

(Carpenters District Council)

## ELECTRICIAN 10% of dourney parking

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

SHOW A CHARMANAMER SOND LEEDING.

## Electrician (First Year - Hired before 5/10/07)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$14.25

Supplemental Benefit Rate per Hour: \$11.19

Overtime Wage Rate Per Hour: \$21.38

Overtime Supplemental Rate Per Hour: \$11.96

## Electrician (First Year - Hired on or After 5/10/07)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$11.50

Supplemental Benefit Rate per Hour: \$9.86 Overtime Wage Rate Per Hour: \$17.25

Overtime Supplemental Rate Per Hour: \$10.48

## Electrician (Second Year - Hired before 5/10/07)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$17.05

Supplemental Benefit Rate per Hour: \$12.54

Overtime Wage Rate Per Hour: \$25.58

Overtime Supplemental Rate Per Hour: \$13.47

## Electrician (Second Year - Hired on or After 5/10/07)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$13.50

Supplemental Benefit Rate per Hour: \$10.83

Overtime Wage Rate Per Hour: \$20.25

Overtime Supplemental Rate Per Hour: \$11.56

## ectrician (Third Year - Hired before 5/10/07)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$19.15

Supplemental Benefit Rate per Hour: \$13,56

Overtime Wage Rate Per Hour: \$28.73

**Overtime Supplemental Rate Per Hour: \$14.60** 

## Electrician (Third Year - Hired on or After 5/10/07)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$15.50

Supplemental Benefit Rate per Hour: \$11.79

Overtime Wage Rate Per Hour: \$23.25

Overtime Supplemental Rate Per Hour: \$12.63

## Electrician (Fourth Year - Hired before 5/10/07)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$21.10

Supplemental Benefit Rate per Hour: \$14,50

Overtime Wage Rate Per Hour: \$31.65

**Overtime Supplemental Rate Per Hour: \$15.65** 

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 11 of 38

## Electrician (Fourth Year - Hired on or After 5/10/07)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$17.50

Supplemental Benefit Rate per Hour: \$12.76

Overtime Wage Rate Per Hour: \$26.25

Overtime Supplemental Rate Per Hour: \$13.71

### Electrician (Fifth Year - Hired before 5/10/07)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$25.30

Supplemental Benefit Rate per Hour: \$17.52

Overtime Wage Rate Per Hour: \$37.95

Overtime Supplemental Rate Per Hour: \$18.85

## Electrician (Fifth Year - Hired on or After 5/10/07)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$21.50

Supplemental Benefit Rate per Hour: \$15.71

Overtime Wage Rate Per Hour: \$32.25

Overtime Supplemental Rate Per Hour: \$16.84

#### Overtime Description

For "A" rated Apprentices (work in excess of 7 hours per day)
For "M" rated Apprentices (work in excess of 8 hours per day)

(Local #3)

#### **ELEVATOR CONSTRUCTOR**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 2)

## Elevator (Constructor) - First Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$25,40

Effective 3/17/2013 - Supplemental Rate Per Hour: \$26.87

### Elevator (Constructor) - Second Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$26.43

Effective 3/17/2013 - Supplemental Rate Per Hour: \$27.92

## Elevator (Constructor) - Third Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Rate Per Hour: \$27.84

Effective 3/17/2013 - Supplemental Rate Per Hour: \$29.38

### **Elevator (Constructor) - Fourth Year**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Rate Per Hour: \$29.25

Effective 3/17/2013 - Supplemental Benefit Per Hour: \$30.84

(Local #1)

## **ELEVATOR REPAIR & MAINTENANCE**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 2)

## **Elevator Service/Modernization Mechanic (First Year)**

ifective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Benefit Per Hour: \$25.33

Effective 3/17/2013 - Supplemental Benefit Per Hour: \$26.79

## Elevator Service/Modernization Mechanic (Second Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Benefit Per Hour: \$25.65

Effective 3/17/2013 - Supplemental Benefit Per Hour: \$27.12

## **Elevator Service/Modernization Mechanic (Third Year)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Benefit Per Hour: \$26.92

Effective 3/17/2013 - Supplemental Benefit Per Hour: \$28.43

## Elevator Service/Modernization Mechanic (Fourth Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Benefit Per Hour: \$28.19

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 13 of 38

Effective 3/17/2013 - Supplemental Benefit Per Hour: \$29.74

(Local #1)

#### **ENGINEER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 5)

#### **Engineer - First Year**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$21.64

Supplemental Benefit Rate per Hour: \$20.07

#### Engineer - Second Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$27.05

Supplemental Benefit Rate per Hour: \$20.07

#### Engineer - Third Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$29.75

Supplemental Benefit Rate per Hour: \$20.07

## **Engineer - Fourth Year**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$32.45

Supplemental Benefit Rate per Hour: \$20.07

(Local #15)

#### **ENGINEER - OPERATING**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 5)

## **Operating Engineer - First Year**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour 40% of Journeyperson's Rate

Supplemental Benefit Per Hour: \$18.65

## perating Engineer - Second Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's Rate

Supplemental Benefit Per Hour: \$18.65

## **Operating Engineer - Third Year**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 60% of Journeyperson's Rate

J. F. Burnellin T. Park S. L.

Supplemental Benefit Per Hour: \$18.65

(Local #14)

#### **FLOOR COVERER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

## Floor Coverer (First Year)

fective Period: 7/1/2012 - 6/30/2013

rage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$25.75

### Floor Coverer (Second Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$25.75

## Floor Coverer (Third Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Rate Per Hour: \$25.75

### Floor Coverer (Fourth Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$25.75

(Carpenters District Council)



#### **GLAZIER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

#### Glazier (First Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$11.97

### Glazier (Second Year)

Effective Period: 7/1/2012 - 10/31/2012

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$21.01

Effective Period: 11/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$21.13

#### Glazier (Third Year)

Effective Period: 7/1/2012 - 10/31/2012

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$23.38

Effective Period: 11/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$23.54

## Glazier (Fourth Year)

Effective Period: 7/1/2012 - 10/31/2012

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$28,14

Effective Period: 11/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$28,34

(Local #1281)

## HEAT & FROST INSULATOR

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

## Heat & Frost Insulator (First Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 40% of Journeyperson's rate

### Heat & Frost Insulator (Second Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's rate

#### Heat & Frost Insulator (Third Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 70% of Journeyperson's rate

## Heat & Frost Insulator (Fourth Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 80% of Journeyperson's rate

(Local #12)

## **DUSE WRECKER** (TOTAL DEMOLITION)

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

### House Wrecker - First Year

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$20.06

District Control of

Supplemental Benefit Rate per Hour: \$15.45

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$20.21

Supplemental Benefit Rate per Hour: \$15.80

### **House Wrecker - Second Year**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$21.06

Supplemental Benefit Rate per Hour: \$15.45

Effective Period: 1/1/2013 - 6/30/2013

ADDENDUM 1 EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 **PUBLISH DATE: 1/1/2013** 

Page 17 of 38

Wage Rate per Hour: \$21.26

Supplemental Benefit Rate per Hour: \$15.80

#### <u> House Wrecker - Third Year</u>

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$22.56

Supplemental Benefit Rate per Hour: \$15.45

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$22.81

Supplemental Benefit Rate per Hour: \$15.80

### House Wrecker - Fourth Year

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$25.06

Supplemental Benefit Rate per Hour: \$15.45

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$25.36

Supplemental Benefit Rate per Hour: \$15.80

(Local #79)

### **IRON WORKER - ORNAMENTAL**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

## Iron Worker (Ornamental) - 1st Four Months - Hired on or Before 8/1/08

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$32.06

### Iron Worker (Ornamental) 5 - 10 Months - Hired on or Before 8/1/08

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Rate Per Hour: \$32.89

## Iron Worker (Ornamental) 11 - 16 Months - Hired on or Before 8/1/08

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: \$33.73

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 18 of 38

Effective Period: 1/1/2013 - 6/30/2013

Vage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: \$34.34

## Iron Worker (Ornamental) 17 - 22 Months - Hired on or Before 8/1/08

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$35.39

## Iron Worker (Ornamental) 23 - 28 Months - Hired on or Before 8/1/08

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 85% of Journeyperson's rate

Supplemental Rate Per Hour: \$36.22

# Iron Worker (Ornamental) 29 - 36 Months - Hired on or Before 8/1/08

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 95% of Journeyperson's rate

Supplemental Rate Per Hour: \$37.89

## Iron Worker (Ornamental) - 1st Ten Months - Hired After 8/1/08

Effective Period: 7/1/2012 - 12/31/2012

age Rate Per Hour: 50% of Journeyperson's rate

upplemental Rate Per Hour: \$30.40

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$33,39

## Iron Worker (Ornamental) - 11 - 16 Months - Hired After 8/1/08

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$31.23

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate Per Hour; 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$34.34

## Iron Worker (Ornamental) - 17 - 22 Months - Hired After 8/1/08

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$32.06

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate Per Hour: 60% of Journeyperson's rate

pplemental Rate Per Hour: \$35.29

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013 Page 19 of 38

### Iron Worker (Ornamental) - 23 - 28 Months - Hired After 8/1/08

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: \$33.73

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: \$37.19

## Iron Worker (Ornamental) - 29 - 36 Months - Hired After 8/1/08

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$35,39

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$39.09

(Local #580)

# IRON WORKER - STRUCTURAL (Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 6)

## Iron Worker (Structural) - 1st Six Months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$23.62

Supplemental Benefit Rate per Hour: \$41.21

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$24.10

Supplemental Benefit Rate per Hour: \$43.12

## Iron Worker (Structural) - 7- 18 Months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$24.22

Supplemental Benefit Rate per Hour: \$41.21

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$24.70

Supplemental Benefit Rate per Hour: \$43.12

## ron Worker (Structural) - 19 - 36 months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$24.82

Supplemental Benefit Rate per Hour: \$41.21

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$25.30

Supplemental Benefit Rate per Hour: \$43.12

(Local #40 and #361)

# LABORER (FOUNDATION, CONCRETE, EXCAVATING, STREET PIPE LAYER & COMMON)

(Ratio Apprentice to Journeyperson: 1 to 1, 1 to 3)

# <u>Laborer (Foundation, Concrete, Excavating, Street Pipe Layer & Common) - First</u> <u>1000 hours</u>

fective Period: 7/1/2012 - 6/30/2013

age Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$31.75

# <u>Laborer (Foundation, Concrete, Excavating, Street Pipe Layer & Common) - Second 1000 hours</u>

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 60% of Journeyperson's rate

- Childrin Wallen

Supplemental Rate Per Hour: \$31.75

# <u>Laborer (Foundation, Concrete, Excavating, Street Pipe Layer & Common) - Third 1000 hours</u>

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Rate Per Hour; \$31.75

# <u>Laborer (Foundation, Concrete, Excavating, Street Pipe Layer & Common) - Fourth 1000 hours</u>

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 90% of Journeyperson's rate

Supplemental Rate Per Hour: \$31.75

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 21 of 38

(Local #731)

#### MARBLE MECHANICS

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

### Cutters & Setters - First 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's rate

NO BENEFITS PAID DURING THE FIRST TWO MONTHS (PROBATIONARY PERIOD)

### **Cutters & Setters - Second 750 Hours**

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 55% of Journeyperson's rate

## **Cutters & Setters - Third 750 Hours**

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 65% of Journeyperson's rate

## Cutters & Setters - Fourth 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 75% of Journeyperson's rate

### Cutters & Setters - Fifth 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 85% of Journeyperson's rate

### Cutters & Setters - Sixth 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 95% of Journeyperson's rate

### Polishers & Finishers - First 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's rate

NO BENEFITS PAID DURING THE FIRST TWO MONTHS (PROBATIONARY PERIOD)

ಆಶ್ಕಾಣದ ಕೃತ್ವ ಚಿತ್ರಮ

## Polishers & Finishers - Second 750 Hours

ifective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's rate

## Polishers & Finishers - Third 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 75% of Journeyperson's rate

## Polishers & Finishers - Fourth 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 90% of Journeyperson's rate

(Local #7)

#### **MASON TENDER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

## Mason Tender - First Year

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$20.33

Supplemental Benefit Rate per Hour: \$16.16

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$20.48

Supplemental Benefit Rate per Hour: \$16.51

### Mason Tender - Second Year

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$21.33

Supplemental Benefit Rate per Hour: \$16.16

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$21.53

Supplemental Benefit Rate per Hour: \$16.51

## Mason Tender - Third Year

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$22.83

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013 Page 23 of 38

Supplemental Benefit Rate per Hour: \$16.16

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$23.08

Supplemental Benefit Rate per Hour: \$16.51

#### Mason Tender - Fourth Year

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$25.33

Supplemental Benefit Rate per Hour: \$16.16

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$25.63

Supplemental Benefit Rate per Hour: \$16.51

(Local #79)

#### **METALLIC LATHER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

## Metallic Lather (First Year -Called Prior to 6/29/11)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$27.91

Supplemental Benefit Rate per Hour: \$22.79

## Metallic Lather (Second Year - Called Prior to 6/29/11)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$32.51

Supplemental Benefit Rate per Hour: \$24.44

## Metallic Lather (Third Year - Called Prior to 6/29/11)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$37,57

Supplemental Benefit Rate per Hour: \$25.59

## Metallic Lather (First Year -Called On Or After 6/29/11)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$17.71

Supplemental Benefit Rate per Hour: \$19.85

ADDENDUM 1

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 24 of 38

The one of the energy to state of the

## Metallic Lather (Second Year - Called On Or After 6/29/11)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$22.71

Supplemental Benefit Rate per Hour: \$19.85

## Metallic Lather (Third Year - Called On Or After 6/29/11)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$27.71

Supplemental Benefit Rate per Hour: \$19.85

(Local #46)

MILLWRIGHT

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

## Millwright (First Year)

fective Period: 7/1/2012 - 6/30/2013

age Rate per Hour: \$25.40

Supplemental Benefit Rate per Hour: \$28.67

## Millwright (Second Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$30.02

Supplemental Benefit Rate per Hour: \$31.87

## Millwright (Third Year)

Effective Period: 7/1/2012 - 6/30/2013 Wage Rate per Hour: \$34.64

Supplemental Benefit Rate per Hour: \$36.19

## Millwright (Fourth Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$43.88

Supplemental Benefit Rate per Hour: \$41.50



#### PAVER AND ROADBUILDER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

### Paver and Roadbuilder - First Year (Minimum 1000 hours)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$25.72

Supplemental Benefit Rate per Hour: \$15.75

### Paver and Roadbuilder - Second Year (Minimum 1000 hours)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$27.29

Supplemental Benefit Rate per Hour: \$15.75

(Local #1010)

#### PAINTER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

### Painter - Brush & Roller - First Year

Effective Period: 7/1/2012 - 10/31/2012

Wage Rate per Hour: \$14.20

Supplemental Benefit Rate per Hour: \$10.88

Effective Period: 11/1/2012 - 6/39/2013

Wage Rate per Hour: \$14.40

Supplemental Benefit Rate per Hour: \$10.88

## Painter - Brush & Roller - Second Year

Effective Period: 7/1/2012 - 10/31/2012

Wage Rate per Hour: \$17.75

Supplemental Benefit Rate per Hour: \$14.73

Effective Period: 11/1/2012 - 6/30/2013

Wage Rate per Hour: \$18.00

Supplemental Benefit Rate per Hour: \$14.73

## Painter - Brush & Roller - Third Year

Effective Period: 7/1/2012 - 10/31/2012

Wage Rate per Hour: \$21.30

Supplemental Benefit Rate per Hour: \$17.64

Effective Period: 11/1/2012 - 6/30/2013

Wage Rate per Hour: \$21.60

Supplemental Benefit Rate per Hour: \$17.64

## Painter - Brush & Roller - Fourth Year

Effective Period: 7/1/2012 - 10/31/2012

Wage Rate per Hour: \$28.40

Supplemental Benefit Rate per Hour: \$23.02

Effective Period: 11/1/2012 - 6/30/2013

Wage Rate per Hour: \$28.80

Supplemental Benefit Rate per Hour: \$23.02

(District Council of Painters)

## AINTER - STRUCTURAL STEEL

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

## Painters - Structural Steel (First Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 40% of Journeyperson's rate

## Painters - Structural Steel (Second Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's rate

## Painters - Structural Steel (Third Year)

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 80% of Journeyperson's rate

(Local #806)



EFFECTIVE PERIOD: JÚLY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 27 of 38

#### **PLASTERER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

## Plasterer - First Year: 1st Six Months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$14.61

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$15.36

#### <u> Plasterer - First Year: 2nd Six Months</u>

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 45% of Journeyperson's rate

Supplemental Rate Per Hour: \$15.09

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate Per Hour: 45% of Journeyperson's rate

Supplemental Rate Per Hour: \$15.84

## Plasterer - Second Year: 1st Six Months

Effective Period: 7/1/2012 - 12/31/2012 -

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$17,06

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$17.81

### Plasterer - Second Year: 2nd Six Months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$18.14

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$18.89

## Plasterer - Third Year: 1st Six Months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: \$20.31

Effective Period: 1/1/2013 - 6/30/2013

Vage Rate Per Hour: 70% of Journeyperson's rate

upplemental Rate Per Hour: \$21.06

## Plasterer - Third Year: 2nd Six Months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Rate Per Hour: \$21.39

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Rate Per Hour: \$22.14

(Local #530)

#### **PLUMBER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

## Plumber - First Year: 1st Six Months

fective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$14.00

Supplemental Benefit Rate per Hour: \$0.71

## Plumber - First Year: 2nd Six Months

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$14.00

Supplemental Benefit Rate per Hour: \$2.96

### Plumber - Second Year

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$17.96

Supplemental Benefit Rate per Hour: \$16.25

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$18.26

Supplemental Benefit Rate per Hour: \$16.32

### Plumber - Third Year

Effective Period: 7/1/2012 - 12/31/2012

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013

Page 29 of 38

Wage Rate per Hour: \$20.06

Supplemental Benefit Rate per Hour: \$16.25

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$20.36

Supplemental Benefit Rate per Hour: \$16.32

#### Plumber - Fourth Year

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$22.91

Supplemental Benefit Rate per Hour: \$16.25

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$23.21

Supplemental Benefit Rate per Hour: \$16.32

### Plumber - Fifth Year: 1st Six Months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$24.31

Supplemental Benefit Rate per Hour: \$16.25

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$24.61

Supplemental Benefit Rate per Hour: \$16.32

### Plumber - Fifth Year: 2nd Six Months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$36.38

Supplemental Benefit Rate per Hour: \$1.6.25

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$36.68 The first product of the appropriate rate

Supplemental Benefit Rate per Hour: \$16.32

e This care to the think the second and have the production of the first

(Plumbers Local #1) ভারত ভারত

# POINTER - WATERPROOFER, CAULKER MECHANIC (EXTERIOR BUILDING RENOVATION)

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

## Pointer - Waterproofer, Caulker Mechanic - First Year

Effective Period: 7/1/2012 - 6/30/2013

lage Rate per Hour: \$25.00

Supplemental Benefit Rate per Hour: \$3.45

## Pointer - Waterproofer, Caulker Mechanic - Second Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$27.25

Supplemental Benefit Rate per Hour: \$8.40

## Pointer - Waterproofer, Caulker Mechanic - Third Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$32,23

Supplemental Benefit Rate per Hour: \$11.15

## Pointer - Waterproofer, Caulker Mechanic - Fourth Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$38.66

Supplemental Benefit Rate per Hour: \$11.15

(Bricklayer District Council)

#### ROOFER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 2)

### Roofer - First Year

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 35% of Journeyperson's Rate

### Roofer - Second Year

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's Rate

### Roofer - Third Year

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's Rate

### Roofer - Fourth Year

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 PUBLISH DATE: 1/1/2013 Page 31 of 38

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 75% of Journeyperson's Rate

(Local #8)

#### **SHEET METAL WORKER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

### **Sheet Metal Worker - First Year**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 30% of Journeyperson's rate

Supplemental Rate Per Hour: \$15.37

### Sheet Metal Worker - Second Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 35% of Journeyperson's rate

Supplemental Rate Per Hour: \$18.24

## **Sheet Metal Worker - Third Year (1st Six Months)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$20.06

# Sheet Metal Worker - Third Year (2nd Six Months)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 45% of Journeyperson's rate

Supplemental Rate Per Hour: \$21.87

### Sheet Metal Worker - Fourth Year (1st Six Months)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$23.69

## **Sheet Metal Worker - Fourth Year (2nd Six Months)**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$25.33

## **Sheet Metal Worker - Fifth Year (1st Six Months)**

Effective Period: 7/1/2012 - 6/30/2013

Vage Rate Per Hour: 60% of Journeyperson's rate

upplemental Rate Per Hour: \$27.47

## Sheet Metal Worker - Fifth Year(2nd Six Months)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: \$31.23

(Local #28)

#### SIGN ERECTOR

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

## Sign Erector - First Year: 1st Six Months

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 35% of Journeyperson's rate

Supplemental Rate Per Hour: \$5.96

## gn Erector - First Year: 2nd Six Months

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$6.75

## Sign Erector - Second Year: 1st Six Months

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 45% of Journeyperson's rate

Supplemental Rate Per Hour: \$7.55

## Sign Erector - Second Year: 2nd Six Months

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$8.34

## Sign Erector - Third Year: 1st Six Months

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$9.13



EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 33 of 38

## Sign Erector - Third Year: 2nd Six Months

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$9.92

## Sign Erector - Fourth Year: 1st Six Months

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Rate Per Hour: \$10.72

#### Sign Erector - Fourth Year: 2nd Six Months

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: \$11.51

## Sign Erector - Fifth Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Rate Per Hour: \$12.30

#### Sign Erector - Sixth Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$12.30

(Local #137) CEPTER SECTION CONTROL OF THE PROPERTY OF THE PRO

## STEAMFITTER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

### Steamfitter - First Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate and Supplemental Per Hour: 40% of Journeyperson's rate

### Steamfitter - Second Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate and Supplemental Rate Per Hour: 50% of Journeyperson's rate.

#### Steamfitter - Third Year

ffective Period: 7/1/2012 - 6/30/2013

Wage Rate and Supplemental Rate per Hour: 65% of Journeyperson's rate.

## Steamfitter - Fourth Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate and Supplemental Rate Per Hour: 80% of Journeyperson's rate.

## Steamfitter - Fifth Year

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate and Supplemental Rate Per Hour: 85% of Journeyperson's rate.

(Local #638)

#### STONE MASON - SETTER

(Ratio Apprentice of Journeyperson: 1 to 1, 1 to 2)

## Stone Mason - Setters - First 750 Hours

⊏ffective Period: 7/1/2012 - 6/30/2013 ∘

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's rate

## Stone Mason - Setters - Second 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: 50% of Journeyperson's rate

## Stone Mason - Setters - Third 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: 50% of Journeyperson's rate

## Stone Mason - Setters - Fourth 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: 50% of Journeyperson's rate

## Stone Mason - Setters - Fifth 750 Hours



Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 90% of Journeyperson's rate

Supplemental Rate Per Hour: 50% of Journeyperson's rate

### Stone Mason - Setters - Sixth 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 100% of Journeyperson's rate

Supplemental Rate Per Hour: 50% of Journeyperson's rate

(Bricklayers District Council)

#### **TAPER**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

#### **Drywall Taper - First Year**

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 40% of Journeyperson's rate

#### **Drywall Taper - Second Year**

Effective Period: 7/1/2012 - 6/30/2013 and the contract of the state o

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's rate

### **Drywall Taper - Third Year**

Effective Period: 7/1/2012 - 6/30/2013

unspharement accounts the decreasing of the

Wage and Supplemental Rate Per Hour: 80% of Journeyperson's rate

(Local #1974)

Billion for a firm, was to a firm

TILE LAYER - SETTER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

### Tile Layer - Setter - First 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's rate

## Tile Layer - Setter - Second 750 Hours

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 36 of 38

Effective Period: 7/1/2012 - 6/30/2013

Vage and Supplemental Rate Per Hour: 55% of Journeyperson's rate

## Tile Layer - Setter - Third 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 65% of Journeyperson's rate

## Tile Layer - Setter - Fourth 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 75% of Journeyperson's rate

## Tile Layer - Setter - Fifth 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 85% of Journeyperson's rate

### Tile Layer - Setter - Sixth 750 Hours

Effective Period: 7/1/2012 - 6/30/2013

Wage and Supplemental Rate Per Hour: 95% of Journeyperson's rate

**⊈**ocal #7)

#### **TIMBERPERSON**

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 6)

### **Timberperson - First Year**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$27.49

### <u>Timberperson - Second Year</u>

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$27.49

## <u> Timberperson - Third Year</u>

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 65% of Journeyperson's rate

**ADDENDUM 1** 

EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013
PUBLISH DATE: 1/1/2013

Page 37 of 38

Supplemental Rate Per Hour: \$27.49

### <u>Timberperson - Fourth Year</u>

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$27.49

(Local #1536)

## OFFICE OF THE COMPTROLLER, CITY OF NEW YORK §6-109 PREVAILING WAGE SCHEDULE

#### NYC ADMINISTRATIVE CODE § 6-109 SCHEDULE OF "LIVING WAGES"

Contractors who provide the following services to the City of New York must post a copy of this Living Wage Schedule at their work site(s) as required by New York City Administrative Code § 6-109:

- Building Services,
- · Day Care Services,
- Food Services.
- Head Start Services.
- Homecare Services.
- Services to Persons with Cerebral Palsy, and
- Temporary Services.

In accordance with NYC Administrative Code § 6-109, the Comptroller of the City of New York promulgated this schedule of living wages for the above services on contracts for non-emergency work in excess of the small purchase limit set by the Procurement Policy Board; contracting agencies must annex this schedule to such contracts.

A city service contractor or subcontractor that provides homecare services, day care services, head start services or services to persons with cerebral palsy must pay its covered employees that directly render such services in performance of the city service contract or subcontract no less than the living wage and must provide its employees health benefits (supplemental benefits) or must supplement their hourly wage rate by an amount no less than the health benefits supplement rate. This requirement applies for each hour that the employee works performing the city service contract subcontract.

A city service contractor or subcontractor that provides building services, food services or temporary services must pay its employees that are engaged in performing the city service contract or subcontract no less than the living wage or the prevailing wage, whichever is greater. Where the living wage is greater than the prevailing wage, the city service contractor or subcontractor must either provide its employees health benefits or must supplement their hourly wage rate by an amount no less than the health benefits supplement rate. Where the prevailing wage is greater than the living wage, the city service contractor or subcontractor must provide its employees the prevailing wage and supplements. These requirements apply for each hour that the employee works performing the city service contract or subcontract.

The appropriate schedule of living wages must be posted at all work sites pursuant to NYC Administrative Code 6-109.

The schedule is applicable for work performed during the effective period, unless otherwise noted. You will be notified of any changes to this schedule by addenda published on our web site www.comptroller.nyc.gov. Schedules for future one-year periods will be published annually in the City Record on or about July 1<sup>st</sup> of each succeeding year and on our web site www.comptroller.nyc.gov.

The living wage rate and the health benefit supplement rate are known through June 30 of each year and those rates are listed in this schedule.

#### OFFICE OF THE COMPTROLLER, CITY OF NEW YORK §6-109 PREVAILING WAGE SCHEDULE

The living wage rates listed in this schedule may not include all hourly wage calculations for overtime, shift differential, Holiday, Saturday, Sunday or other premium time work. Similarly, this schedule does not set forth every living wage practice with which employers must comply.

050

Some of the rates in this schedule are based on collective bargaining agreements. These agreements are available for inspection by appointment. Requests for appointments may be made by calling (212) 669-4443, Monday through Friday between the hours of 9 a.m. and 5 p.m.

Answers to questions concerning prevailing wage practices may be obtained from the Classification Unit by calling (212) 669-7974. Please direct all other compliance issues to; Bureau of Labor Law, Attn: Wasyl Kinach, P.E., Office of the Comptroller, 1 Centre Street, Room 1122, New York, N.Y. 10007; Fax (212) 669-4002.

Contractors are solely responsible for maintaining original payroll records, which delineate, among other things, the hours each employee worked within a given classification. Contractors using rates and/or classifications not promulgated by the Comptroller do so at their own risk. Additionally, prior to bid, an agency's chief contracting officer must contact the Bureau of Labor Law to obtain a wage determination for a work classification not published in this schedule.

The information listed below is intended to assist you in meeting your living wage and prevailing wage obligation. Contractors are advised to review the Comptroller's Living Wage Schedule prior to submitting a bid for City work. Any wage rate error made by the contracting agency in the contract documents will <u>not</u> preclude a finding against the contractor for an underpayment of the applicable living wage or the applicable prevailing wage.

This schedule sets forth the living wage and benefit rates required to be annexed to and form part of the contract specifications for work covered by New York City Administrative Code § 6-109. Contractors performing such work are required to pay not less that the rates specified in this schedule for the applicable trade or occupation.

Benefits are paid for <u>EACH HOUR WORKED</u> unless otherwise noted.

Wasyl Kinach, P.E.
Director of Classifications
Bureau of Labor Law

#### OFFICE OF THE COMPTROLLER, CITY OF NEW YORK §6-109 PREVAILING WAGE SCHEDULE

## **TABLE OF CONTENTS**

PAGE	CLASSIFICATION
(OFFICE)4	BUILDING CLEANER AND MAIN
(RESIDENTIAL)6	BUILDING CLEANER AND MAIN
8	DAY CARE SERVICES
8	CLEANER (PARKING GARAGE).
8	
9	GARDENER
9	HEAD START SERVICES
10	HOMECARE SERVICES
10	SECURITY GUARD (ARMED)
11	
AL PALSY13	SERVICES TO PERSONS WITH C
14	MPORARY OFFICE SERVICES
15	WINDOW CLEANER

#### OFFICE OF THE COMPTROLLER, CITY OF NEW YORK §6-109 PREVAILING WAGE SCHEDULE

## **BUILDING CLEANER AND MAINTAINER (OFFICE)**

# Office Building Class "A" Cleaner/Porter, Elevator Operator, Exterminator, Fire Safety Director (Over 280,000 square feet gross area)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$22.65

Supplemental Benefit Rate per Hour: \$9.13

Supplemental Note: for new employee 0-12 months of employment - \$6.64; for new employee 13-24 months of

employment - \$8.81

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$22.97

Supplemental Benefit Rate per Hour: \$9.51

Supplemental Note: for new employee 0-12 months of employment - \$6.92; for new employee 13-24 months of

employment - \$9.18

NEW HIRE: Cleaner/Porter, Elevator Operator, Exterminator, Fire Safety Director may be paid 75% of the wage rate above for the first 21 months of employment, 85% of the wage rate above for the 22nd through 42nd months of employment, and upon the completion of 42 months of employment employee shall be paid the full wage rate. Note: New Hires hired before January 1, 2012 will continue to receive 80% of the wage rate above for the first 30 months, and upon the completion of 30 months of employment employee shall be paid the full wage rate. Upon completion of two years of employment the new hire receives the full supplemental benefit rate.

# Office Building Class "B" Cleaner/Porter, Elevator Operator, Exterminator, Fire Safety Director (Over 120,000 and less than 280,000 square feet gross area)

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$22.62

Supplemental Benefit Rate per Hour: \$9.13

Supplemental Note: for new employee 0-12 months of employment - \$6.64; for new employee 13-24 months of

employment - \$8.81

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$22.94

Supplemental Benefit Rate per Hour: \$9.51

Supplemental Note: for new employee 0-12 months of employment - \$6.92; for new employee 13-24 months of

employment - \$9.18

NEW HIRE: Cleaner/Porter, Elevator Operator, Exterminator, Fire Safety Director may be paid 75% of the wage rate above for the first 21 months of employment, 85% of the wage rate above for the 22nd through 42nd months of employment, and upon the completion of 42 months of employment employee shall be paid the full wage rate. Note: New Hires hired before January 1, 2012 will continue to receive 80% of the wage rate above for the first 30 months, and upon the completion of 30 months of employment employee shall be paid the full wage rate. Upon completion of two years of employment the new hire receives the full supplemental benefit rate.

# Office Building Class "C" Cleaner/Porter, Elevator Operator, Exterminator, Fire Safety Director (Less than 120,000 square feet gross area)

Effective Period: 7/1/2012 - 12/31/2012

PUBLISH DATE: 7/1/2012 EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 Page 4 of 17

Wage Rate per Hour: \$22.57

upplemental Benefit Rate per Hour: \$9.13

Supplemental Note: for new employee 0-12 months of employment - \$6.64; for new employee 13-24 months of

employment - \$8.81

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$22.90

Supplemental Benefit Rate per Hour: \$9.51

Supplemental Note: for new employee 0-12 months of employment - \$6.92; for new employee 13-24 months of

employment - \$9.18

NEW HIRE: Cleaner/Porter, Elevator Operator, Exterminator, Fire Safety Director may be paid 75% of the wage rate above for the first 21 months of employment, 85% of the wage rate above for the 22nd through 42nd months of employment, and upon the completion of 42 months of employment employee shall be paid the full wage rate. Note: New Hires hired before January 1, 2012 will continue to receive 80% of the wage rate above for the first 30 months, and upon the completion of 30 months of employment employee shall be paid the full wage rate. Upon completion of two years of employment the new hire receives the full supplemental benefit rate.

#### **Overtime**

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for work on a holiday plus the day's pay.

Time and one half the regular hourly rate after 40 hours in any work week.

#### Paid Holidays

New Year's Day
President's Day
Good Friday
emorial Day
mdependence Day
Labor Day
Columbus Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

#### **Vacation**

Less than 6 months of work	no vacation
6 months of work	
1 year of work	ten (10) days
5 years of work	
15 years of work	twenty (20) days
21 years of work	twenty-one (21) days
22 years of work	twenty-two (22) days
23 years of work	twenty-three (23) days
24 years of work	twenty-four (24) days
25 years or more of work	twenty-five (25) days
Plus two Personal Days per	vear.

Sick Leave:

10 sick days per year.

Unused sick leave paid in the succeeding January, one full day pay for each unused sick day.

(Local #32 B/J)

## **BUILDING CLEANER AND MAINTAINER (RESIDENTIAL)**

## Residential Building Class "A" Cleaner/Porter

Residential Buildings Class "A": buildings where the assessed value of the land and building, based upon the 1935 assessment, divided by the number of rooms in the building, gives an assessed value of over \$4000.00 a room.

Effective Period: 7/1/2012 - 4/20/2013

Wage Rate per Hour: \$20.77

Supplemental Benefit Rate per Hour: \$8.68

Supplemental Note: for new employee 0-12 months of employment - \$6.37; for new employee 13-24 months of

employment - \$8.43

Effective 1/1/2013 - \$9.43; for new employee 0-12 months of employment - \$6.92; for new employee 13-24 months

of employment - \$9.18

Effective Period: 4/21/2013 - 6/30/2013

Wage Rate per Hour: \$21.34

Supplemental Benefit Rate per Hour: \$9.43

Supplemental Note: for new employee 0-12 months of employment - \$6.92; for new employee 13-24 months of

employment - \$9.18

NEW HIRE: Porter/Cleaner, may be paid a starting rate of 80% of the hourly rate published above. Upon completion of 30 months of employment, the new hire shall be paid the full wage rate. Upon completion of two years of employment the new hire receives the full supplemental benefit rate.

# Residential Building Class "B" Cleaner/Porter

Residential Building Class "B": buildings where the assessed value of the land and building, based upon the 1935 assessment, divided by the number of rooms in the building, gives an assessed value of over \$2000.00 a room and not over \$4000.00 a room.

Effective Period: 7/1/2012 - 4/20/2013

Wage Rate per Hour: \$20.71

Supplemental Benefit Rate per Hour: \$8.68

Supplemental Note: for new employee 0-12 months of employment - \$6.37; for new employee 13-24 months of

employment - \$8.43

Effective 1/1/2013 - \$9.43; for new employee 0-12 months of employment - \$6.92; for new employee 13-24 months

of employment - \$9.18

Effective Period: 4/21/2013 - 6/30/2013

Wage Rate per Hour: \$21.28

Supplemental Benefit Rate per Hour: \$9.43

Supplemental Note: for new employee 0-12 months of employment - \$6.92; for new employee 13-24 months of

employment - \$9.18

NEW HIRE: Porter/Cleaner, may be paid a starting rate of 80% of the hourly rate published above. Upon completion of 30 months of employment, the new hire shall be paid the full wage rate. Upon completion of two years of employment the new hire receives the full supplemental benefit rate.

PUBLISH DATE: 7/1/2012 EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 Page 6 of 17

## Residential Building Class "C" Cleaner/Porter

Residential Building Class "C": buildings where the assessed value of the land and building, based upon the 1935 assessment, divided by the number of rooms in the building, gives an assessed value of \$2000.00 or less a room.

Effective Period: 7/1/2012 - 4/20/2013

Wage Rate per Hour: \$20.65

Supplemental Benefit Rate per Hour: \$8.68

Supplemental Note: for new employee 0-12 months of employment - \$6.37; for new employee 13-24 months of

employment - \$8.43

Effective 1/1/2013 - \$9.43; for new employee 0-12 months of employment - \$6.92; for new employee 13-24 months

of employment - \$9.18

Effective Period: 4/21/2013 - 6/30/2013

Wage Rate per Hour: \$21.23

Supplemental Benefit Rate per Hour: \$9.43

Supplemental Note: for new employee 0-12 months of employment - \$6.92; for new employee 13-24 months of

employment - \$9.18

NEW HIRE: Porter/Cleaner, may be paid a starting rate of 80% of the hourly rate published above. Upon completion of 30 months of employment, the new hire shall be paid the full wage rate. Upon completion of two years of employment the new hire receives the full supplemental benefit rate.

#### **Overtime**

Time and one half the regular rate after an 8 hour day.

me and one half the regular rate for work on a holiday plus the day's pay.

Time and one half the regular hourly rate after 40 hours in any work week.

## Paid Holidays

New Year's Day
Martin Luther King Jr. Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Election Day
Thanksgiving Day
Christmas Day

#### Vacation

6 months	three (3) days
1 year	ten (10) days
5 years	fifteen (15) days
15 years	twenty (20) days
21 years	twenty-one (21) days
22 years	twenty-two (22) days
23 years	twenty-three (23) days
24 years	twenty-four (24) days
25 years	twenty-five (25) days
Plus two Personal Days per year	(20) aujo

SICK LEAVE
After 1 year of service.....ten (10) days per year

(Local #32 B/J)

#### DAY CARE SERVICES

#### **Day Care Services**

'Day Care Services' means provision of day care services through the city's center-based day care program administered under contract with the city's Administration for Children's Services. No other day care programs shall be covered, including family-based day care programs administered by city-contracted day care centers.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$10.00

Supplemental Benefit Rate per Hour: \$1.50

(NYC Administrative Code §6-109)

## **CLEANER (PARKING GARAGE)**

## **Garage Cleaner**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$10.00

Supplemental Benefit Rate per Hour: \$1.50

#### **Overtime**

Time and one half the regular rate after an 8 hour day or after 40 hours in any work week.

(NYC Administrative Code §6-109)

#### FOOD SERVICE EMPLOYEES

## Cook

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$15.40

Supplemental Benefit Rate per Hour: \$1.72

## Cafeteria Attendant

Effective Period: 7/1/2012 - 6/30/2013

PUBLISH DATE: 7/1/2012 EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 Page 8 of 17

Wage Rate per Hour: \$10.24

Supplemental Benefit Rate per Hour: \$1.72

## Counter Attendant

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$10.31

Supplemental Benefit Rate per Hour: \$1.72

## Kitchen Helper / Dishwasher

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$9.83

Supplemental Benefit Rate per Hour: \$1.72

#### **Overtime**

Time and one half the regular hourly rate after 40 hours in any work week.

(Based on data from NYS Department of Labor Occupational Employment Statistics and US Department of Labor Bureau of Labor Statistics)

#### **GARDENER**

## ardener

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$17.04

Supplemental Benefit Rate per Hour: \$1.72

#### **Overtime**

Time and one half the regular rate after an 8 hour day or after 40 hours in any work week.

(Based on data from NYS Department of Labor Occupational Employment Statistics and US Department of Labor Bureau of Labor Statistics)

#### **HEAD START SERVICES**

## **Head Start Services**

'Head Start Services' means provision of head start services through the city's center-based head start program administered under contract with the city's Administration for Children's Services. No other head start programs shall be covered.

Effective Period: 7/1/2012 - 6/30/2013

PUBLISH DATE: 7/1/2012 EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 Page 9 of 17

Wage Rate per Hour: \$10.00

Supplemental Benefit Rate per Hour: \$1.50

(NYC Administrative Code §6-109)

#### **HOMECARE SERVICES**

## **Home Care Services**

'Homecare Services' means the provision of homecare services under the city's Medicaid Personal Care/Home Attendant or Housekeeping Programs, including but not limited to the In-Home Services for the Elderly Programs administered by the Department for the Aging.

For homecare services provided under the Personal Care Services program, the wage and supplemental benefit rate above shall apply only as long as the state and federal government maintain their combined aggregate proportionate share of funding and approved rates for homecare services in effect as of the date of the enactment of this section.

For contractors or subcontractors providing homecare services, the supplemental benefit rate may be waived by the terms of a bona fide collective bargaining agreement with respect to employees who have never worked a minimum of eighty (80) hours per month for two consecutive months for that covered employer, but such provision may not be waived for any employee once a minimum of eighty (80) hours for two consecutive months has been achieved.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$10.00

Supplemental Benefit Rate per Hour: \$1.50

(NYC Administrative Code §6-109)

## **SECURITY GUARD (ARMED)**

## **Security Guard (Armed)**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$27.75

Supplemental Benefit Rate per Hour: \$4.73

Supplemental Note: for new employee 0-30 days of employment - \$4.09; for new employee 31-120 days of

employment - \$4.26; for new employee 121 days - 2 years of employment - \$4.37

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$28.00

Supplemental Benefit Rate per Hour: \$4.90

Supplemental Note: for new employee 0-30 days of employment - \$4.26; for new employee 31-120 days of

employment - \$4.43; for new employee 121 days - 2 years of employment - \$4.54

Months of employment shall be defined as an Employee's length of service with the Employer or at the Facility, whichever is greater.

## **Overtime Description**

guard who works a holiday is paid the regular rate plus receives the paid holiday. Supplemental Benefits shall be paid for each hour paid, up to forty (40) paid hours per week.

#### **Overtime**

Time and one half the regular rate after an 8 hour day.

Time and one half the regular hourly rate after 40 hours in any work week.

#### Paid Holidays

New Year's Day President's Day Memorial Day Independence Day Labor Day Thanksgiving Day Christmas Day

#### Vacation

Months on payroll	Vacation with Pay
6	3 days
12	5 days
24	10 days
60	15 days
180	20 days
300	25 days

#### Sick Leave

aployees accrue paid sick leave at the rate of one (1) sick day for every six (6) months worked, up to a aximum of six (6) days a year.

(Local #32B/J)

# **SECURITY GUARD (UNARMED)**

# Security Guard (Unarmed) 0 - 6 months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$12.60

Supplemental Benefit Rate per Hour: \$4.37

Supplemental Note: for new employee 0-30 days of employment - \$4.09; for new employee 31-120 days of

employment - \$4.26

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$12.85

Supplemental Benefit Rate per Hour: \$4.54

Supplemental Note: for new employee 0-30 days of employment - \$4.26; for new employee 31-120 days of

employment - \$4.43

# Security Guard (Unarmed) 7 - 12 months

PUBLISH DATE: 7/1/2012 EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 Page 11 of 17

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$13.10

Supplemental Benefit Rate per Hour: \$4.37

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$13.35

Supplemental Benefit Rate per Hour: \$4.54

## Security Guard (Unarmed) 13 - 18 months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$13.60

Supplemental Benefit Rate per Hour: \$4.37

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$13.85

Supplemental Benefit Rate per Hour: \$4.54

## Security Guard (Unarmed) 19 - 24 months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$14.10

Supplemental Benefit Rate per Hour: \$4.37

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$14.35

Supplemental Benefit Rate per Hour: \$4.54

## Security Guard (Unarmed) 25 - 30 months

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$14.60

Supplemental Benefit Rate per Hour: \$4.73

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$14.85

Supplemental Benefit Rate per Hour: \$4.90

## Security Guard (Unarmed) 31 months or more

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$14.75

Supplemental Benefit Rate per Hour: \$4.73

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$15.15

Supplemental Benefit Rate per Hour: \$4.90

Months of employment shall be defined as an Employee's length of service with the Employer or at the Facility, whichever is greater.

## Pvertime Description

A guard who works a holiday is paid the regular rate plus receives the paid holiday.

Supplemental Benefits shall be paid for each hour paid, up to forty (40) paid hours per week.

#### **Overtime**

Time and one half the regular rate after an 8 hour day.

Time and one half the regular hourly rate after 40 hours in any work week.

## **Paid Holidays**

New Year's Day President's Day Memorial Day Independence Day Labor Day Thanksgiving Day Christmas Day

#### Vacation

Months on payroll	Vacation with Pay
6	3 daÿs
12	5 days
24	10 days
60	15 days
180	20 days
300	25 days

ck Leave

hployees accrue paid sick leave at the rate of one (1) sick day for every six (6) months worked, up to a maximum of six (6) days a year.

(Local #32B/J)

## SERVICES TO PERSONS WITH CEREBRAL PALSY

## Services To Person With Cerebral Palsy

'Services to Persons with Cerebral Palsy' means provision of services which enable persons with cerebral palsy and related disabilities to lead independent and productive lives through an agency that provides health care, education, employment, housing and technology resources to such persons under contract with the city or the department of education.

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$10.00

Supplemental Benefit Rate per Hour: \$1.50

(NYC Administrative Code §6-109)

#### **TEMPORARY OFFICE SERVICES**

## **Administrative Assistant**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$31.02

Supplemental Benefit Rate per Hour: None

## Cashier

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$11.50

Supplemental Benefit Rate per Hour: None

## Clerk (various)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$14.60

Supplemental Benefit Rate per Hour: None

## Computer Assistant

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$20.61

Supplemental Benefit Rate per Hour: None

## **Data Entry Operator**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$15.73

Supplemental Benefit Rate per Hour: None

## Receptionist

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$14.71

Supplemental Benefit Rate per Hour: None

## Secretary (various)

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$18.72

Supplemental Benefit Rate per Hour: None

## **Word Processor**

Effective Period: 7/1/2012 - 6/30/2013

Wage Rate per Hour: \$19.50

Supplemental Benefit Rate per Hour: None

## Pvertime

ime and one half the regular rate after a 40 hour week.

(Based on data from NYS Department of Labor Occupational Employment Statistics and US Department of Labor Bureau of Labor Statistics or NYC Administrative Code §6-109)

#### WINDOW CLEANER

## **Window Cleaner**

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$26.12

Supplemental Benefit Rate per Hour: \$9.13

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$26.44

Supplemental Benefit Rate per Hour: \$9.51

## Power Operated Scaffolds, Manual Scaffolds, and Boatswain Chairs

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$28.37

pplemental Benefit Rate per Hour: \$9.13

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$28.69

Supplemental Benefit Rate per Hour: \$9.51

# Window Cleaner Apprentice (0 - 3 months)

Employee must be a registered apprentice with the New York State Department of Labor

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$19.35

Supplemental Benefit Rate per Hour: \$0.00

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$19.59

Supplemental Benefit Rate per Hour: \$0.00

## Window Cleaner Apprentice (4 - 7 months)

Employee must be a registered apprentice with the New York State Department of Labor

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$20.92

PUBLISH DATE: 7/1/2012 EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 Page 15 of 17

Supplemental Benefit Rate per Hour: \$9.13

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$21.18

Supplemental Benefit Rate per Hour: \$9.51

## Window Cleaner Apprentice (8 - 11 months)

Employee must be a registered apprentice with the New York State Department of Labor

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$22.17

Supplemental Benefit Rate per Hour: \$9.13

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$22.44

Supplemental Benefit Rate per Hour: \$9.51

## Window Cleaner Apprentice (12 - 15 months)

Employee must be a registered apprentice with the New York State Department of Labor

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$23.43

Supplemental Benefit Rate per Hour: \$9.13

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$23.72

Supplemental Benefit Rate per Hour: \$9.51

## Window Cleaner Apprentice (16 - 17 months)

Employee must be a registered apprentice with the New York State Department of Labor

Effective Period: 7/1/2012 - 12/31/2012

Wage Rate per Hour: \$24.70

Supplemental Benefit Rate per Hour: \$9.13

Effective Period: 1/1/2013 - 6/30/2013

Wage Rate per Hour: \$25.01

Supplemental Benefit Rate per Hour: \$9.51

#### Overtime

Time and one half the regular rate after an 8 hour day.
Time and one half the regular rate for Saturday.
Double time the regular rate for Sunday.
Time and one half the regular rate for work on a holiday plus the day's pay.

## Paid Holidays

PUBLISH DATE: 7/1/2012 EFFECTIVE PERIOD: JULY 1, 2012 THROUGH JUNE 30, 2013 Page 16 of 17

New Year's Day
Martin Luther King Jr. Day
resident's Birthday
Good Friday
Memorial Day
Independence Day
Labor Day
Columbus Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day
Personal Day

## **Vacation**

After 7 months but less than 1 year of service	5 davs
1 year but less than 5 years of service	10 davs
5 years of service but less than 15 years of service	15 davs
15 years of service but less than 21 years of service	20 davs
21 years	21 davs
22 years	22 davs
23 years	23 davs
24 years	24 days
25 years or more of service	25 davs
Plus 1 day per year for medical visit	

#### SICK LEAVE:

10 days after one year worked. Unused sick days to be paid in cash.

ocal #32 B/J)

(NO TEXT ON THIS PAGE)



# THE CITY OF NEW YORK OFFICE OF THE COMPTROLLER 1 CENTRE STREET ROOM 1120 NEW YORK, N.Y. 10007-2341

TELEPHONE: (212) 669-362: FAX NUMBER: (212) 669-849!

ALAN G. HEVESI COMPTROLLER

#### **MEMORANDUM**

November 6, 2000

To

Agency Chief Contracting Officers

From:

Leonard A. Mancusi

Re:

Security at Construction Sites

Prior to the enactment of Administrative Code §6-109, security guards on construction sites were not subject to prevailing wages. Security guards under the New York State labor law are covered under §230 which provides that prevailing wages are to be paid for security guards in existing buildings. §6-109 of the Administrative Code which was enacted in 1996 closed this loophole by including all security guards working pursuant to a city contract as a prevailing wage trade.

Although some construction contract boilerplate language has been amended to include §6-109, sub-contractors performing security services have advised us that they were not aware of this provision and, since traditionally, security guards were not a covered trade on construction sites, and they were not advised by a prime contractor that they would have to pay prevailing wages, they have not been doing so.

To avoid the possibility of issuing stop payments against prime contractors for the failure of their security service sub-contractors to pay

prevailing wages, we suggest-that you write to all your existing security guard sub-contractors and their primes and in the future, upon approval of a security guard sub-contractor, advise the contractors of their obligation to pay prevailing wages under §6-109 of the Administrative Code.

As always, your cooperation is appreciated.

·LAM:er acco.security at sites



# INFRASTRUCTURE DIVISION BUREAU OF DESIGN

## **VOLUME 2 OF 3**

PROJECT ID: HWXP093B

RECONSTRUCTION OF

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK

MAM	Contra	china	r Cori	0	
85013B	0098001	8501	2013HW	ontractor.	
Dated	18ust	15,		20/3	
APPROVED AS T	and the second s				
Q-/Q	O LEGAL AUTH	ORITY		<u> </u>	204
l		Acti	ng Corporation	n Counsel	1/2/2013
Dated April	2		,	20_13	



# THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

30-30 THOMSON AVENUE LONG ISLAND CITY, NEW YORK 11101-3045 TELEPHONE (718) 391-1000 WEBSITE www.nyc.gov/buildnyc

**VOLUME 3 OF 3** 

SCHEDULE A ADDENDA NOS. 1 TO 4

FOR FURNISHING ALL LABOR AND MATERIALS NECESSARY AND REQUIRED FOR:

PROJECT ID: HWXP093B

**RECONSTRUCTION OF** 

BOLLER AVENUE FROM STATION 10+50 TO STATION 18+00 NEEDHAM AVENUE FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK



FOR THE DEPARTMENT OF TRANSPORTATION PREPARED BY STV Incorporated

**JANUARY 8, 2013** 

#### SPECIFICATIONS AND STANDARDS OF NEW YORK CITY

The following NYC Department of Transportation reference documents are available on-line at:

http://www.nyc.gov/html/ddc/html/pubs/pubs infrastdts.shtml or for purchase between 9:00 A.M. and 3:00 P.M. at 55 Water St., Ground Floor, NYC, N.Y. 10041. Contact: Ms Vivian Cruz, Tel. (212) 839-9434

- 1. New York City Standard Highway Specifications, November 1, 2010
- 2. New York City Standard Highway Details of Construction, July 1, 2010
- 3. New York City Division of Street Lighting Specifications
- 4. New York City Division of Street Lighting Standard Drawings
- 5. New York City Standard Specifications for Traffic Signals
- 6. New York City Standard Drawings for Traffic Signals

The following reference documents for Sewer Work are available on-line at: <a href="http://www.nyc.gov/html/ddc/html/pubs/pubs\_infrastdts.shtml">http://www.nyc.gov/html/ddc/html/pubs/pubs\_infrastdts.shtml</a> or for pick up between 8:00 A.M. and 4:00 P.M. at 30-30 Thomson Avenue, 3rd Floor, Division of Infrastructure, Long Island City, N.Y. 11101. Contact: Mr. William Patalano, Tel. (718) 391-2054

- 1. New York City DEP Standard Sewer Specifications, August 1, 2009
- 2. New York City DEP Instructions for Concrete Specifications, Jan. 92
- 3. New York City DEP General Specification 11-Concrete, November 1991
- 4. New York City DEP Sewer Design Standards, (September 2007) Revised January 2009

The following reference documents for Water Mains Work are available online at: <a href="http://www.nyc.gov/html/ddc/html/pubs/pubs\_infrastdts.shtml">http://www.nyc.gov/html/ddc/html/pubs/pubs\_infrastdts.shtml</a> or for pick up between 8:00 A.M. and 4:00 P.M. at 30-30 Thomson Avenue, 3rd Floor, Division of Infrastructure, Long Island City, N.Y. 11101. Contact: Mr. Robert Kuhlmann, Tel. (718) 391-2145

- 1. New York City Department of Environmental Protection, Standard Water Main Specifications, dated August 1, 2009
- 2. New York City Department of Environmental Protection Water Main Standard Drawings
- 3. Specifications for Trunk Main Work, dated February 2010

The water main work material specifications are available at the Department of Environmental Protection, 59-17 Junction Boulevard, 3rd Floor Low-Rise Building, Flushing, N.Y. 11373-5108.

Contact: Mr. Tarlock Sahansra, P.E., Tel. (718) 595-5302 E-mail: TSAHANSRA@DEP.NYC.GOV

Standard Specifications and Drawings for Fire Department Communications facilities of New York City are available at 87 Union Street, Engineering Office, Brooklyn, N.Y. 11231-1416.

Contact: Mr. Ed Durkin, Tel. (718) 624-3752

Tree Planting Standards of the City of New York Parks & Recreation are available at the following Department of Parks & Recreation website: http://www.nycgovparks.org/pagefiles/53/Tree-Planting-Standards.pdf

#### SPECIFICATIONS AND STANDARDS OF PRIVATE UTILITIES

The Following reference document for Private Utility Work is available for pick up between 8:30 A.M. and 4:00 P.M. at 30-30 Thomson Avenue, First Floor Bid Procurement Room, L.I.C., N.Y. 11101.

1. CET SPECIFICATIONS AND SKETCHES dated November 2010

(NO TEXT ON THIS PAGE)

# **SCHEDULE A**

	OOHE	DOLL A
REFERENCE	ITEM	REQUIREMENTS
Section 26 Information	Bid Security	See Attachment 1 (page A-1 of the Bid Booklet).
for Bidders	Performance Security Payment Security	See Attachment 1 (page A-1 of the Bid Booklet).
Article 14 Contract	Date for Substantial Completion	See Page SA-2
Article 15 Contract	Liquidated Damages	For Each Consecutive Calendar Day Over Completion Time: \$1500.00
Article 17 Contract	Subcontracts	Not to Exceed 50% of Contract Price
Article 24 Contract	Deposit as Guarantee	Percent of Contract Price 1%
Contract	Maintenance Period	Eighteen (18) Months, excluding Trees
		Twenty-four (24) Months for Tree Planting
Article 77 Contract	M/WBE Program	See Subcontract Utilization Plan in the Bid Booklet
Section 6.40 Standard Highway	Liquidated Damages For Engineer's Field Office	For Each Calendar Day of Deficiency \$250.00
Specifications		
Section 6.70 Standard Highway Specifications	Liquidated Damages For Maintenance and Protection of Traffic	For each instance of failure to comply with the Maintenance and Protection of Traffic requirements within three (3) hours after written notice from the Engineer: \$250.00
		For each and every hour of failing to open the entire width of roadway to traffic the morning following a night/weekend work operation:  \$500.00

Section 7.13	Liquidated Damages	For Each Calendar	Day, For Each
Standard Highway	For Maintenance of Site	Occurrence:	\$250.00
Specifications	If the Contractor fails to comnotice from the Engineer, with Site, the Contractor shall pay complied with or rescinded, the instance of such failure, as I default.	the requirements of <b>Sec</b> to the City of New York, he sum specified above	tion 7.13 - Maintenance of , until such notice has been per calendar day, for each

## Date for Substantial Completion (Reference: Article 14)

The Contractor shall substantially complete the Work within the Final Contract Duration determined in accordance with the terms and conditions set forth herein.

The Base Contract Duration for this project is \_\_\_\_\_ 365 \_\_\_\_ consecutive calendar days ("ccds").

The Final Contract Duration shall be the Base Contract Duration when a check mark is indicated before the word "NO", below, and shall be the Base Contract Duration adjusted by the table set forth below when a check mark is indicated before the word "YES", below.

√	Υ	ES	NO

When the Final Contract Duration is indicated above to be adjusted by the table below, the table may increase the Base Contract Duration depending on the date of scheduled substantial completion to avoid a scheduled substantial completion of the Work during the winter months. The date of scheduled substantial completion shall be determined by adding the Base Contract Duration to the date specified to commence work in the written Notice to Proceed. The Final Contract Duration shall then be determined as follows:

- (a) Find the row that corresponds to the month of substantial completion based on the Base Contract Duration added to the date specified to commence work in the written Notice to Proceed.
- (b) Find the number of days to be added to the Base Contract Duration in the table below. Add that number of days to the Base Contract Duration to obtain the Final Contract Duration in consecutive calendar days.

Month of Substantial Completion based on the Base Contract Duration	Number of Days of adjustment
January	150
February	120
March	90
April	60
May	30
June	0
July	0
August	0
September	0
October	0
November –December 15	. 0
December 16 – December 31	180

In addition, should Item No. 9.30, "Storm Water Pollution Prevention," exist in the Contract and the required Storm Water Pollution Prevention Plan (SWPPP) does not conform to NYSDEC's recommended Standards, an additional 60 ccd shall be added to the above Final Contract Duration.

(05/19/08)

## **SCHEDULE A**

## (RELATING TO ARTICLE 22 – INSURANCE)

# PART I. MINIMUM LIMITS AND SPECIAL CONDITIONS

Types of Insurance per Article 22 in its entirety, including listed paragraph)		Minimum Limits and Special Conditions	
Commercial General Liability	Art. 22.1.1	\$3,000,000 per occurrence	
		\$6,000,000 aggregate (applicable separately to this <b>Project</b> )	
		Additional Insureds: 1. City of New York, including its officials and employees, and	

# SCHEDULE A

## (RELATING TO ARTICLE 22 – INSURANCE)

## (PART I CONTINUED)

Types of Insurance (per Article 22 in its entirety, including listed paragraph)		Minimum Limits and Special Conditions
<ul> <li>■ Workers' Compensation</li> <li>■ Disability Benefits Insurance</li> <li>■ Employers' Liability</li> <li>□ Jones Act</li> <li>□ U.S. Longshoremen's and Harbor W. Compensation Act</li> </ul>	Art. 22.1.2 Art. 22.1.3 Art. 22.1.4 Vorkers Art. 22.1.4	Workers' Compensation: Statutory per New York State law without regard to jurisdiction  Disability Benefits Insurance: Statutory per New York State law without regard to jurisdiction  Employers' Liability: \$2,000,000 each accident  Additional Requirements:  (1) Two (2) certificates of such insurance or authority for self-insurance shall be furnished to the Director, Risk Management, MTA Risk and Insurance Management Standards, Enforcement and Claims Unit, 2 Broadway, 21st Floor, New York, NY 10004
□ Builders' Risk	Art. 22.1.5	% of total value of Work City of New York and the Contractor named as Loss Payee for the Work in order of precedence, as their interests may appear

#### **SCHEDULE A**

## (RELATING TO ARTICLE 22 – INSURANCE)

## (PART I CONTINUED)

Types of Insurance (per Article 22 in its entirety, including listed paragraph)	Minimum Limits and Special Conditions
■ Comprehensive Business Auto Coverage Art. 22.1.6	\$2,000,000 per accident  If vehicles are used for transporting hazardous materials, the Contractor shall provide pollution liability broadened coverage for covered autos (endorsement CA 99 48) as well as proof of MCS 90.  Additional Insureds:  (1) City of New York, including its officials and employees.
☐ Pollution/Environmental Liability Art. 22.1.7	\$ per occurrence \$ aggregate Additional Insureds: 1. City of New York, including its officials and employees, and 2 3
☐ Marine Protection and Indemnity Art. 22.1.8(a)	\$ per occurrence \$ aggregate Additional Insureds: 1. City of New York, including its officials and employees, and 2 3

## **SCHEDULE A**

## (RELATING TO ARTICLE 22 – INSURANCE)

## (PART I CONTINUED)

Types of Insurance (per Article 22 in its entirety, including listed paragraph)	Minimum Limits and Special Conditions	
☐ Ship Repairers Legal Liability Art. 22.1.8(b)	\$each occurrence [Contracting agency to fill in total value of City vessels involved]	
☐ Collision Liability/Towers Liability Art. 22.1.8(c)	\$ per occurrence	
	\$aggregate	
	Additional Insureds:	
	1. City of New York, including its officials and employees, and	
	2	
	3	
☐ Marine Pollution Liability Art. 22.1.8(d)	\$each occurrence	
	Additional Insureds: 1. City of New York, including its officials and employees, and	
	2	
	3	

## **SCHEDULE A**

## (RELATING TO ARTICLE 22 – INSURANCE)

## (PART I CONTINUED)

Types of Insurance (per Article 22 in its entirety, including listed paragraph)	Minimum Limits and Special Conditions	
[OTHER] Art. 22.1.9		
☐ Railroad Protection Liability Policy	\$2,000,000 per occurrence	
(ISO-RIMA or equivalent form) approved by Permittor covering the work to be performed at the designated site and affording protection for damages	\$ <u>6,000,000</u> annual aggregate	
arising out of bodily injury or death, physical damage to or destruction of property, including	Named Insureds:	
<ul> <li>damage to the Insured's own property and conforming to the following:</li> <li>Policy Endorsement CG 28 31 - Pollution Exclusion Amendment is required to be endorsed onto the policy when environmental-related work and/or exposures exist.</li> <li>Indicate the Name and address of the Contractor to perform the work, the Contract # and the name of the railroad property where the work is being performed and the Agency Permit.</li> </ul>	1. New York City Transit Authority (NYCTA), the Manhattan and Bronx	
	Surface Transit Operation Authority (MaBSTOA), the Staten Island Rapid Transit Operation Authority (SIRTOA), MTA Capital Construction Co., the Metropolitan Transportation Authority (MTA) including its subsidiaries and affiliates, the City of New York (as Owner) and all other indemnified parties.	
• Evidence of Railroad Protective Liability Insurance, must be provided in the form of the Original Policy. A detailed Insurance Binder (ACORD or Manuscript Form) will be accepted pending issuance of the Original Policy, which must be provided within 30 days of the Binder Approval.		

#### **SCHEDULE A**

## (RELATING TO ARTICLE 22 – INSURANCE)

## (PART I CONTINUED)

Insurance indicated by a blackened box ( $\blacksquare$ ) or by X in a  $\square$  to left will be required under this contract

Types of Insurance (per Article 22 in its entirety, including listed paragraph)	Minimum Limits and Special Conditions			
[OTHER]	Art. 22.1.9			
■ Professional Liability				
A. The Contractor's Professional Engineer shall made Liability Insurance in the minimum amount of \$1,000 include an endorsement to cover the liability assurance out of the negligent performance of profession or negligent act of the Contractor's Professional Engineer.	000,000 per claim. The policy or policies shall sumed by the Contractor under this Contract sional services or caused by an error, omission			
B. Claims-made policies will be accepted for Professional Liability Insurance. All such policies shall have an extended reporting period option or automatic coverage of not less than two (2) years. If available as an option, the Contractor's Professional Engineer shall purchase extended reporting period coverage effective on cancellation or termination of such insurance unless a new policy is secured with a retroactive date, including at least the last policy year.				
[OTHER] Art. 22.1.9				
■ Engineer's Field Office  Section 6.40, Standard Highway Specifications	Fire insurance, extended coverage and vandalism, malicious mischief and burglary, and theft insurance coverage in the amount of \$40,000			
[OTHER] Art. 22.1.9  The Following Additional Insurance Must Be Provided:				
Umbrella/Excess Liability Insurance - The Contractor shall provide Umbrella/Excess Liability Insurance in the minimum amount of \$10,000,000 per Occurrence and \$10,000,000 in Aggregate. The policy terms and condition should be at least as broad as the underlying policies. The underlying policies should comply with the insurance provision as outlined by the contract. Defense cost should be in addition to the limit of liability. The City of New York, including its officials and employees, should be included as additional insured as respects to				

the noted project.

#### **SCHEDULE A**

#### (RELATING TO ARTICLE 22 – INSURANCE)

#### PART II. BROKER'S CERTIFICATION

[Pursuant to Article 22.3.1(a) of the **Contract**, every Certificate of Insurance must be accompanied by either the following certification by the broker setting forth the following text and required information and signatures or complete copies of all policies referenced in the Certificate of Insurance. In the absence of completed policies, binders are acceptable.]

#### **CERTIFICATION BY BROKER**

The undersigned insurance broker represents to the City of New York that the attached Certificate of Insurance is accurate in all material respects, and that the described insurance is effective as of the date of this Certification.

		[Name of broker (typewritten)]
		[Address of broker (typewritten)]
		[Signature of authorized official or broker]
		[Name and title of authorized official (typewritten)]
Sworn to before me this day of	_, 200	
NOTARY PUBLIC		

(05/19/08)

#### **SCHEDULE A**

## (RELATING TO ARTICLE 22 – INSURANCE)

## PART III. ADDRESS OF COMMISSIONER

Wherever reference is made in Article 7 or Article 22 to documents to be sent to the Commissioner (e.g., notices, filings, or submissions), such documents shall be sent to the address set forth below or, in the absence of such address, to the Commissioner's address as provided elsewhere in this Contract.

 DDC Director, Insurance Risk Manager	
 30 – 30 Thomson Avenue, 4th Floor (IDCNY Building)	
Land Librard Cit. NEW 11101	
 Long Island City, NY 11101	

#### ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK
DEPARTMENT OF DESIGN AND CONSTRUCTION
INFRASTRUCTURE DIVISION
BUREAU OF DESIGN

PROJECT ID: HWXP093B

RECONSTRUCTION OF

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK

ADDENDUM NO. 1

DATED: February 8, 2013

#### THIS ADDENDUM IS HEREBY MADE A PART OF THE CONTRACT DOCUMENTS

The New York City Department of Transportation Standard Highway Specifications, dated November 1, 2010, (which include, but are not limited to, "General Conditions", "Basic Materials of Construction", "Combined Materials of Construction", "Construction Methods", "Inspection and Testing of Materials, Adjustments for Deficiencies, and Maintenance", and "Supplemental Construction Methods"), as modified by addenda issued prior to the opening of bids, shall apply to and become a part of the contract.

All references contained herein are to the New York City Department of Transportation, Standard Highway Specifications, dated November 1, 2010. The said Specifications are hereby revised. Included hereunder are the following REVISIONS:

- 1. Amendments to Standard Highway Specifications, Volume I
- Amendments to Standard Highway Specifications, Volume II, including Section 7.88 (Revised)
- 3. New Sections
- 4. Special Provisions

1. AMENDMENTS TO STANDARD HIGHWAY SPECIFICATIONS, VOLUME I

The following amendments to the Contract Requirements shall become a part of and apply to the contract:

#### [Added 12-09-2010]

Refer to Page 15, Subsection 1.06.23.(C) CONFORMANCE WITH FEDERAL, STATE AND CITY AGENCIES;

Add the following new paragraphs:

"The Contractor is notified that all vehicles that are owned, leased or operated by the Contractor or its subcontractors and used in connection with the Project shall comply with the following requirement:

Every truck, tractor, and tractor-trailer or semitrailer combination, having a gross vehicle weight rating of twenty-six thousand pounds or more, and a conventional cab configuration in which more than half of the engine length is forward of the foremost point of the windshield base, and the steering wheel hub is in the forward quarter of the vehicle length shall be equipped with a convex mirror on the front of such vehicle or combination of vehicles. Such convex mirror shall be adjusted so as to enable the operator of such vehicle or combination of vehicles to see all points on an imaginary horizontal line which is three feet above the road, is one foot directly forward from the midpoint of the front of such vehicle or combination of vehicles, and extends the full width of the front of such vehicle or combination of vehicles.

Any vehicle that does not comply with this provision may be prohibited from entering the Project site and/or supplying equipment or materials to the Project. The Contractor shall not be entitled to any damages as a result of such prohibition."

#### [Added 01-09-2011]

2. Refer to Page 240, Subsection 4.16.5.(B) STUMP REMOVAL;

Delete Subsection 4.16.5.(B) STUMP REMOVAL, in its entirety:

Substitute the following revised Subsection 4.16.5.(B):

#### "(B) STUMP REMOVAL

- 1. Tree stumps designated to be removed and their roots shall be completely excavated to a minimum depth of three (3) feet below the existing grade. A portable stump cutter may be required in some locations. It may be necessary to remove concrete, asphalt, pavers, and/or other types of material surrounding the base of the stump. All excess debris, including chips from tree stumps, shall be removed and disposed of by the Contractor, away from the site prior to backfilling and the area shall be restored by completion of the workday, to the satisfaction of the Engineer. The disposal of tree stumps by burning in open fires will not be permitted.
- 2. All voids and excavations left after the removal of the stump and roots shall be backfilled to grade with clean earth fill. Fill shall be placed and compacted to a minimum of 95 percent of Standard Proctor Maximum Density by acceptable methods to the satisfaction of the Engineer. Where paving blocks exist, they are to be reset to the existing grade as directed.
- 3. Maximum safety and care must be used by Contractor during stump removal. The Contractor shall carefully protect against damage all existing trees, plants, curbs, sidewalks and utilities and other features to remain. The Contractor is responsible for locating and protecting underground utilities from damage during stump removal procedures. During stump grinding operations, plywood must be used to protect adjacent vehicles, real property, and pedestrians. If, when removing stumps, existing sidewalks or curbs are disturbed, the Contractor shall restore and/or reset these sidewalks and curbs, at no additional cost to the City. Restoration work shall be done to match the existing, to the satisfaction of the Engineer. All damaged trees, curbs, sidewalks, real property, vehicles and utilities must be addressed within three (3) days."

#### [Added 04-18-2011]

3. Refer to Pages 218 and 219, Subsection 4.13.4.(H) PIGMENT;

Delete the first three (3) paragraphs on page 219:

Substitute the following revised three (3) paragraphs:

"Where the color of the concrete is required to simulate the color of dark gray bluestone, the concrete shall be integrally pigmented to produce a gray color equivalent to: Davis Colors No. 884-3%; Lansco Color No. 437 "Strong Black" 5 lbs. per 94 lbs. Light Grey Portland Cement and 3 parts sand; L.M. Scofield "Cool Black No. 4"; Bayferrox Limestone 330, 2 lbs. per 94 lbs. Light Gray Portland Cement; or an approved equivalent, unless otherwise specified.

Where the color of the concrete is required to simulate the color of light to medium gray granite, the concrete shall be integrally pigmented to produce a gray color equal to: Davis Colors No. 884-1%; Lansco Color No. 437 "Strong Black" 2.5 lbs. per 94 lbs. Light Grey Portland Cement and 3 parts sand; L.M. Scofield "Cool Black No. 1"; Bayferrox Silver 330, 1 lb. per 94 lbs. Light Gray Portland Cement; or an approved equivalent, unless otherwise specified.

Where the sidewalk is designated to have a saw cut joint finish the color of the concrete shall be integrally pigmented to produce a gray color equivalent to L.M. Scofield "Landmarks Grey" K-157-4; L.M. Scofield "Cool Black No. 4"; Davis Colors No. 884-3%; Lansco Color No. 437 "Strong Black" 5 lbs. per 94 lbs. Light Grey Portland Cement and 3 parts sand; Bayferrox NYC Landmark Commission Gray, 3.5 lbs. per 94 lbs. Light Gray Portland Cement; or an approved equivalent, unless otherwise specified."

#### [Added 07-01-2011]

- 4. Refer to Page 14, Subsection 1.06.23.(A) PERMITS;
  Delete line (b) under the first paragraph;
  Substitute the following text:
  - "(b) Any planned work requiring a DOT Construction Permit that may potentially be within 100 feet of a bridge structure will be placed on a Bridge Hold. If any proposed work is within 100 feet of a bridge structure, permittees must submit a scaled drawing showing the work and exact location, along with the following:
    - Plan layout of the project area.
    - The scope of work.
    - The contractor's means and methods.
    - Indicate if work will be done of the bridge itself or its abutments, and the type of work.

If the work is more than 100 feet away from the bridge structure, permittees may send a certification by e-mail stating so. Either response must be sent to the Division of Bridges at bridgeshold@dot.nyc.gov for review and release prior to commencing work. Emergency work will not be placed on hold and shall proceed in accordance with the New York City Highway Rules, section 2-11 (g);

(c) Permits from the Department of Sanitation for use of City landfills;"

#### [Added 07-27-2011]

- 5. Refer to Page 37, Subsection 1.06.46.(A) 6. Sign Graphics;

  Delete article "a." beginning with the words "All visual components of the sign are in an Adobe \*.pdf file, . . ." and ending with the words ". . . DDC to the Contractor (on a CD or via E-mail) for printing.", in its entirety;

  Substitute the following revised article "a":
  - "a. All visual components of the sign are in an Adobe \*.pdf file, which is provided by the Commissioner's representative. The file is not to be altered for composition, type font or image from the version provided by DDC. The Commissioner's representative shall provide a complete file with data and image. The digital file shall be provided by DDC to the Contractor (on a CD or via E-mail) for printing."

#### [Added 09-27-2012]

6. Refer to Page 36, Subsection 1.06.46. Project Sign;

Delete the words "Unless otherwise specified in the Special

Provisions of the contract, the following shall apply:";

Substitute the following revised text:

"The Contractor is notified that he shall be required to furnish, install, maintain, and remove, when directed, Construction Project Information Signs (CPIS) as per Sec. 2-02(c)(4) and (5) of the NYC DOT Highway Rule and the cost shall be deemed included under all scheduled items of the contract. In addition, unless otherwise specified in the Special Provisions of the contract, the following Project Sign shall also apply:"

2. AMENDMENTS TO STANDARD HIGHWAY SPECIFICATIONS, VOLUME II

#### [Added 01-25-2012]

Refer to Pages 365 and 366, Subsection 6.40.2.(C)(c)(1) Personal Computer(s) - Workstation Configuration;

Delete the text under Subsections (a), (b), (c), (d), (h), (i), and (m), in their entirety; Substitute the following revised text:

> "(a) Make and Model:

Dell; HP; Gateway; Acer; or, an approved equivalent. (Note: an approved equivalent requires written approval of the Assistant

Commissioner of ITS.)

(b) Processor: i5-2400 (6MB Cache, 3.1GHz) or faster computer - Single Processor.

(c) System Ram: Minimum of 4GB (Gigabytes) Dual Channel DDR3 SDRAM at

1333MHz - 2 DIMMSs

(d) Hard Disk Drive(s): 500 GB (Gigabytes) Serial ATA (7200RPM) w/DataBurst Cache, or

larger."

"(h) Video Display Card: HD Graphics (VGA, HDMI) with a

minimum of 64 MB of RAM.

(i) Monitor: 22" W. 23.0 Inch VIS, Widescreen,

VGA/DVI LCD Monitor."

"(m)

Software Requirements: Microsoft Windows 7 Professional

SP1, 64 bit; Microsoft Office Professional 2010; Microsoft Project 2010; Adobe Acrobat reader; Anti-Virus software package with 2 year updates subscription; and, either Auto Cad 2012 LT or Microsoft Visio 2010 Standard Edition, as directed by

the Engineer."

2. Refer to Page 366, Subsection 6.40.2.(C)(c)(2)(b); Delete the text under Subsection (b), which begins with the words "(b) One (1) 600 DPI HP Laser Jet . . ", in its entirety; Substitute the following revised text

> "(b) One (1) 600 DPI HP Color Laser Jet all-in-one Printer/Scanner/Copier/Fax (twelve (12) pages per minute or faster) with one (1) Extra Paper Tray (Legal Size) networked to all office computers."

3. Refer to Page 367, Subsection 6.40.3. SPECIFIC REQUIREMENTS FOR ENGINEERS FIELD OFFICE (TYPE A, B, C, CU, D OR DU), first paragraph;

Delete the text in the first paragraph of Subsection 6.40.3., in its entirety;

Substitute the following revised text:

**6.40.3.** SPECIFIC REQUIREMENTS FOR ENGINEER'S FIELD OFFICE (TYPE A, B, C, CU, D, OR DU). In addition to the general requirements, each type of Field Office shall have the minimum floor area indicated in Table 6.40-I calculated based on usable area only, excluding any loss factors. Loss factors are defined as those areas such as lobby, sidewalk window ledge, elevator shafts and stairways. The Contractor shall provide and maintain furnishings for each type of Field Office in the quantity specified in Table 6.40-I. The furnishings shall be new or used equipment satisfactory to the Engineer:

Refer to Page 368, TABLE 6.40-I, ADDITIONAL REQUIREMENTS SPECIFIC REQUIREMENTS: Delete the requirements for a Photocopy Machine shown in the 15th row of TABLE 6.40-I, in its entirety; Substitute the following revised requirements: Photocopying Machine - Stand-alone, heavy duty, electric, dry-1 1 process color photocopying type with a minimum production rate of 70 pages per minute and an adequate supply of sopy paper toner, etc. The machine shall be capable of duplex copying paper sizes of 8-1/2 x 11 inches, 8-1/2 x 14 inches and 11 x 17 inches, and have separate trays for each paper size. It shall have a document feeder, collator, stapler, and the capability to reduce/enlarge copies between each paper size. The supply of each size copy paper, toner etc. shall be replenished and the machines shall be maintained for the duration of the contract by the Contractor as required by the Engineer. Make and model can be Minolta, Canon, IBM, Epson, or an approved equivalent, and shall be networked to the office computers.

5. Refer to Page 368, TABLE 6.40-I, ADDITIONAL REQUIREMENTS SPECIFIC REQUIREMENTS;

<u>Insert</u> the following two additional requirements:

Heavy duty commercial grade diamond cut shredder with automatic start. The shredder shall be able to receive 8-1/2 inch wide paper and shred a minimum of 15 sheets simultaneously along with CDs and staples.	1	1	1	1	1	1
Projector – 1080p LCD with a min. of 2200 ANSI Lumins, 1920 x 1080, 16:9, 40,000:1 contrast ratio, HDMI, VGA, USB, and a 10 feet diagonal, 16:9 Projection Screen.	-	-	1	1	1	1

6. Refer to Page 496, Subsection 7.20.4. METHODS, last paragraph beginning with the words "When directed by the Engineer, due to the original conditions . . .";

Add the following sentence to the end of the last paragraph under Subsection 7.20.4:

"However, if the owner at his own expense supplies the replacement frame and doors or hatch covers the Contractor shall install the replacement frame and doors or hatch covers under this Item 7.20, as a basement access reset, in lieu of the steel safety closure plate."

#### [Added 07-16-2012]

7. Refer to Page 365, Subsection 6.40.2.(C)(c)(1) "Personal Computer(s) - Workstation Configuration";

Delete the text under Subsections (g) and (k), in their entirety; Substitute the following revised text:

"(g) I/O Ports:

Must have at least one (1) Serial

Port, one (1) Parallel Port, and

three (3) USB Ports.

(k) Network Interface:

Integrated 10/100/1000 Ethernet

card."

- 8. Refer to Page 366, Subsection 6.40.2.(C)(c)(2) "All field offices requiring computers shall be provided with the following:";

  Delete the text under Subsection (a), in its entirety;
  Substitute the following revised text:
  - "(a) One (1) broad-band internet service account. Wideband Internet connectivity at a minimum throughput of 15 Mbps download and 5 Mbps upload is required at each field office location with 1-5 staffers. For larger field offices see table below for minimum required upload speeds. Telephone service should be bundled together with Internet connectivity. Because of throughput requirements Verizon FIOS is the preferred connectivity provider where available.

Office Personnel #	Upload Speeds (Minimum)
1 - 5	5 Mbps
6 - 10	10 Mbps
11 - 15	15 Mbps
16 - 20	20 Mbps

This account will be active for the life of the project. The e-mail name for the account shall be the DDC Field Office/project Id (e.g. FLD K HWK666 McGuinness@earthlink.com)."

#### [Added 08-09-2012]

- 9. Refer to Page 366, Subsection 6.40.2.(C)(c)(2)(b), as amended by Article 2 on page A1-2 of this Addendum;

  Delete the text under Subsection (b), in its entirety;

  Substitute the following words: "(b) (No Text)."
- 10. Refer to Page 368, TABLE 6.40-I, ADDITIONAL REQUIREMENTS SPECIFIC REQUIREMENTS;

  Delete the requirements for a Photocopy Machine shown in the 15th row of TABLE 6.40-I, as modified by Article 4 on page A1-2a of this Addendum, in its entirety:

Substitute the following revised requirements:

Photocopying Machine – Stand-alone, heavy duty, electric, dry- process color photocopying type with color scan and send	1	1	1	1	1	1
capability via e-mail, a minimum production rate of 70 pages per minute and an adequate supply of copy pager, toner, etc. The						
machine shall be capable of duplex copying paper sizes of 8-1/2 x 11 inches, 8-1/2 x 14 inches and 11 x 17 inches, and have						
separate trays for each paper size. It shall have a document feeder, collator, stapler, and the capability to reduce/enlarge						
copies between each paper size. The supply of each size copy paper, toner, etc. shall be replenished and the machines shall be						
maintained for the duration of the contract by the Contractor as required by the Engineer. Make and model can be Minolta,						
Canon, IBM, Epson, or an approved equivalent, and shall be networked to the office computers.						

#### [Added 11-26-2012]

11. Refer to Pages 504 through 508, SECTION 7.88 - Rodent and Waterbug Pest Control;

Delete Section 7.88, in its entirety;

Substitute SECTION 7.88 (Revised), as contained on the following pages A1-2d throught A1-2i.

#### [Added 02-08-2013]

12. Refer to Page 394, Subsection 6.52.3. METHODS;

Insert the following new sentence to the end of the third paragraph:

"However, on Federally Funded Projects all uniformed full-time flagpersons paid under this item, irrespective of where they are used in Examples #1 and #2, shall be deemed to be Laborers and shall not be paid less than the highest minimum hourly rate as set forth by Federal, State or City laws."

# SECTION 7.88 (Revised) Rodent and Waterbug Pest Control

- **7.88.1. DESCRIPTION.** The Contractor shall provide all labor, materials, plant and equipment, and incidentals required to survey and monitor rodent activity and control any infestation or outbreak of rodents and waterbugs (American cockroaches) within the project limit.
- **7.88.2. MATERIALS.** All materials shall be approved by the New York State Department of Environmental Conservation and comply with the New York City Health Code for the intended usage.

Rodenticide weatherproof bait blocks shall be multiple dose anticoagulants such as Chlorophacinone or Dephacinone, or single feed rodenticides such as ContraMeal, ContracBait block, Quintox pellets or TalonG pellets, or an approved equivalent.

Tamper proof bait station boxes shall be designed to exclude other mammals and shall be used with poisoned bait to attract rats. Information on "tamper proof bait station boxes" is available from the NYC Bureau of Regulatory & Environmental Health Services, Pest Control Office (718-956-7103/4).

Live traps shall be of proper dimensions for trapping rats and shall <u>not</u> be used with poisoned bait.

Insecticide bait shall be a residual type such as phenol methyl carbamate (2%) bait or an approved equivalent.

#### (A) SUBMITTALS

Prior to commencement of construction activities the Contractor shall submit to the Engineer manufacturer's installation instructions for all materials required for rodent and waterbug pest control work and product data which shall include illustrations, catalog data, product characteristics, typical use, performance, and limitation criteria of all rodent and waterbug pest control materials required.

- **7.88.3. PERSONNEL.** The Contractor shall employ two independent licensed exterminators: one to engage in survey and monitoring work to establish the level of infestation of rodents and insects and provide recommendations for specific Integrated Pest Management (IPM) actions, and one to execute the rodent and waterbug pest control work to deal with such infestations. All pest control personnel employed by each exterminator company must be supervised by an exterminator licensed in categories 7A & 8. The Contractor shall submit the names and license credentials of the two exterminator companies to the Engineer for approval prior to the commencement of any work under this section.
- **7.88.4. METHODS.** Application and dosage of all materials shall be done in strict compliance with the manufacturer's recommendations. All surveying, monitoring, baiting, and/or live trapping work shall be performed in the presence of the Engineer, without which no payment will be made under this Section.

#### (A) GENERAL

The Contractor's construction activity is expected to disturb any established rodent and/or waterbug population that may exist within the project limits, possibly causing their dispersion. The Contractor shall take all appropriate action to eliminate and/or control these populations within the construction corridor: the construction corridor shall be defined as being the full width of streets under the contract and intersecting streets up to the limits of construction, from property line to property line, excluding buildings and under sidewalk building vaults.

Under the Maintenance of Site requirements for the contract, any unsanitary conditions, such as uncollected garbage or debris, resulting from the Contractor's activities which will provide food and shelter to the resident rodent population shall be corrected by the Contractor immediately after notification of such condition by the Engineer. Non-compliance shall be subject to the application of the "Nonconformance" provisions of the Item for Maintenance of Site, and no payment will be made for any additional application of rodenticide or insecticide needed to control resultant infestations.

## (B) SURVEY AND MONITORING WORK

- (1) Prior to Construction The Contractor's designated survey and monitoring exterminator shall execute a survey of the project area and estimate the level of rodent (Norway rat, House mouse) infestation and the waterbug population within the construction corridor. An appropriate sample of utility manholes (sewer, electrical, telephone, etc.) and catch basins should be opened and surveyed to the satisfaction of the Engineer. Contractor shall maintain all survey records in the manner described in 7.88.6., Records and Reports.
- (2) <u>During Construction</u> The Contractor shall monitor the rodent activity through trapping (snap, glue traps or live traps), fecal count methods, and inspection of the conditions of all installed baits every week during construction activity or as otherwise directed by the Engineer. Contractor shall maintain all monitoring records in the manner described in 7.88.6., Records and Reports.

#### (C) RODENT CONTROL WORK

- (1) Wetlands, Woodlands and Areas Within Seventy-five (75') feet of a Stream. In wetlands, woodlands and areas adjacent to a stream, special precautions must be taken to protect water quality and to ensure the safety of other wildlife. To prevent poisoned bait from entering streams, no poisoned bait shall be used in areas within seventy-five (75') feet of either streambank. Live traps must be used in these seventy-five (75') feet buffer zone areas and within wetland and woodland areas.
- (2) Outside Wetland Areas, Woodland Areas and Beyond Seventy-five (75') feet of a Stream. In areas outside the seventy-five foot zone of protection adjacent to streams, and areas outside wetlands and woodlands, tamper proof bait stations with poisoned bait shall be established during the period of construction and any consumed or decomposed bait shall be replenished as directed.

Rodent control shall be achieved in two stages as follows:

Stage I. At least <u>one month prior</u> to initiation of the construction work, and periodically thereafter, live traps and/or rodenticide bait, as directed above, shall be placed at locations [e.g., burrows, utility manholes (sewer, electrical, phone, etc.), and catch basins] that are inaccessible to pets, human beings, children and other non-target species, particularly wildlife (e.g., birds) in the construction corridor. Locations of initial bait placement and quantities of bait shall be determined by the survey and monitoring exterminator's written report of his survey and monitoring results, or as otherwise directed by the Engineer.

Stage II. <u>During Construction</u> - Infested sites as determined by the survey and monitoring exterminator's monitoring report shall be baited and/or rebaited, and live traps shall be collected and replaced, the rates and quantities of which shall be determined by the written monitoring reports submitted weekly or as otherwise directed by the Engineer in consultation with the City's Office of Pest Control.

The baiting exterminator shall be responsible for collecting and disposing of all trapped and poisoned rodents found in live traps and tamper proof bait stations. The baiting exterminator shall also be responsible for posting and maintaining signs announcing the baiting of each particular location.

The Contractor, under his maintenance of site operations, shall be responsible for the immediate collection and disposal of any visible rodent remains found on streets or sidewalk within the project limits. Any visible remains shall be placed into double plastic bags. No more than five (5) carcasses shall be placed into each bag. Each bag shall be a minimum of 3 mils thick, black plastic. No additional payment will be made for this work.

It is anticipated that public complaints will be addressed to the Engineer's Field Office. The Contractor, where directed by the Engineer, shall take appropriate Integrated Pest Management (IPM) actions, such as baiting, trapping, proofing, etc., to remedy the source of a complaint within the next six (6) hours of normal working time, which is defined herein, for the purposes of this section, as 7 A.M. to 6 P.M. on Mondays through Saturdays.

## (D) WATERBUG (AMERICAN COCKROACH) CONTROL

Infested sites (e.g., sewers) shall be baited at least 2 times per month with insecticides, or as directed by the Engineer in consultation with the exterminator monitoring the work and the City's Office of Pest Control.

**7.88.5. EDUCATION & TRAINING.** The Contractor shall post notices in all Construction Bulletin Boards advising workers, employees, and residents to call the Engineer's Field Office to report rodent and waterbug infestations. The Contractor shall provide and distribute literature pertaining to IPM techniques of rodent control to affected businesses and superintendents of nearby residential buildings to ensure their participation in maintaining their establishments free of unsanitary conditions, harborage removal and rodent proofing.

Prior to application of any chemicals, the Contractor shall furnish copies or sample labels for each pesticide, antidote information, and Material Data Safety Sheets (MSDS) for each chemical used.

## 7.88.6. RECORDS AND REPORTS.

#### (A) GENERAL

The Contractor shall be responsible for assigning within the construction corridor an identifying number to each manhole, catch basin, and other location where bait and/or live trap placement and/or waterbug control work is proposed by the survey and monitoring exterminator. The Contractor shall then provide that list of locations and corresponding reference numbers along with a drawing showing the locations, as a reference for the exterminator(s) performing the work, to indicate locations of bait placement and waterbug control work and rodent and waterbug activity (droppings, bait consumed, dead rodents, etc.).

#### (B) SURVEY AND MONITORING WORK

- (1) Prior to Construction Contractor shall submit to the Engineer, for approval, a written survey report including proposed IPM procedures, including specific materials, quantities, locations, methods, and time schedule for the implementation of the exterminating work. The written report shall also include a survey with a drawing (provided by the Contractor) marked with locations indicating all signs of rodent (Norway rat, House mouse) infestation and waterbug activity discovered during the execution of the survey indicating that rodent and waterbug pest control work is necessary.
- (2) <u>During Construction</u> Based on monitoring results, Contractor shall submit to the Engineer a weekly written monitoring report identifying all locations and conditions of installed bait and/or other rodent control work. The monitoring report shall also include any other recommended IPM techniques, such as baiting, trapping, proofing, etc., proposed for rodent and waterbug pest control.

The survey and monitoring exterminator shall keep a record of all rodent and waterbug infestation surveys s/he has conducted. The Contractor shall be required to submit a copy of all survey and monitoring reports to the Engineer each week, prior to payment.

## (C) RODENT AND WATERBUG CONTROL WORK

The baiting exterminator shall maintain records of all locations baited along with the type and quantity of rodenticide and insecticide bait used. These records will be kept by the City Inspector. A weekly report shall be prepared, signed and certified by the approved licensed exterminator, and such reports shall be submitted to the Engineer each week, prior to payment.

**7.88.7. NONCONFORMANCE.** If the Contractor fails to perform as directed to control the rodent and/or waterbug population at any location within the project limits for a period of more than one week, the Engineer will correct the adverse conditions by any means he deems appropriate, including but not limited to, the use of "outside services" and shall deduct the cost of the corrective work from any monies due to the Contractor. The deducted cost of this work shall be in addition to the non-payment for rodent and waterbug pest control.

#### 7.88.8. MEASUREMENT.

### (A) RODENT INFESTATION SURVEY AND MONITORING

The quantity to be measured for payment under Item No. 7.88 AA, RODENT INFESTATION SURVEY AND MONITORING, shall be a Lump Sum measurement.

#### (B) RODENT BAIT STATIONS

The quantity to be measured for payment under Item No. 7.88 AB, RODENT BAIT STATIONS, shall be the number of tamper-proof rodent bait station boxes and/or live traps satisfactorily installed or reinstalled after inspection within the construction corridor, as approved by the Engineer. However, the initial baiting, and subsequent rebaiting as may be required, of any bait station will be paid for under Item 7.88 AC.

#### (C) BAITING OF RODENT BAIT STATIONS

The quantity to be measured for payment under Item No. 7.88 AC, BAITING OF RODENT BAIT STATIONS, shall be the number of tamper-proof rodent bait station boxes, utility manholes, catch basins, or other locations approved by the Engineer, satisfactorily baited or rebaited to replenish consumed or decomposed bait within the construction corridor, as approved by the Engineer.

#### (D) WATERBUG BAIT APPLICATION

The quantity to be measured for payment under Item No. 7.88 AD, WATERBUG BAIT APPLICATIONS, shall be the number of blocks satisfactorily treated with insecticide bait within the construction corridor, as approved by the Engineer. A block shall be defined as the area of street, measured between property lines, from intersection to intersection. Each rebaiting of any block shall be considered as a new block for measurement purposes.

#### 7.88.9. PRICES TO COVER.

#### (A) RODENT INFESTATION SURVEY AND MONITORING

Payment will be made at the lump sum price bid for RODENT INFESTATION SURVEY AND MONITORING which shall include the cost of furnishing all the labor, materials, plant, equipment (traps, etc.), insurance, and other incidentals required, including but not limited to providing all required maintenance of traffic equipment, to perform a rodent infestation survey of the project area and then monitor the site each week for rodent activity, all in accordance with the specifications and the directions of the Engineer.

Ten (10%) percent of the lump sum price bid will be paid when the initial survey of the project area has been completed and the written survey report has been submitted to the satisfaction of the Engineer. The remainder will be paid in proportion to the percentage of contract completion.

## (B) RODENT BAIT STATIONS

The Contract price bid for RODENT BAIT STATIONS shall be a unit price per each tamper proof bait station box and/ or live trap installed or reinstalled after inspection and shall cover the cost of furnishing all labor, materials, plant, equipment (bait stations, etc.), insurance, and other incidentals, including but not limited to providing all required maintenance of traffic equipment, required to control the rodent population found within the project limits in accordance with the specifications and the directions of the Engineer.

In addition to the payment for Rodent Bait Stations installed or reinstalled under this Item 7.88 AB, the Contractor will also be paid for each baiting or rebaiting, when required, of each bait station, under Item No. 7.88 AC.

## (C) BAITING OF RODENT BAIT STATIONS

The Contract price bid for BAITING OF RODENT BAIT STATIONS shall be a unit price per each bait station, utility manhole, catch basin or other location approved by the Engineer satisfactorily baited or rebaited, when required, and shall cover the cost of furnishing all labor, materials, plant, equipment (bait), insurance, and other incidentals, in accordance with the specifications and directions of the Engineer. Installation or resetting of the bait station will be paid for under Item 7.88 AB.

## (D) WATERBUG BAIT APPLICATION

The Contract price bid for WATERBUG BAIT APPLICATION shall be a unit price per block treated by the exterminator and shall include the cost of furnishing all the labor, materials, plant, equipment (bait, etc.), insurance, and other incidentals, including but not limited to providing all required maintenance of traffic equipment, necessary to control the waterbug population found within the project limits for the duration of the contract in accordance with the specifications and the directions of the Engineer.

Item No.	Item	Pay Unit
7.88 AA	RODENT INFESTATION SURVEY AND MONITORING	L.S.
7.88 AB	RODENT BAIT STATIONS	EACH
7.88 AC	BAITING OF RODENT BAIT STATIONS	EACH
7.88 AD	WATERBUG BAIT APPLICATION	BLOCK

#### 3. NEW SECTIONS

# SECTION 4.11 BAA Earth Excavation for Subgrade Remediation

- **4.11BAA.1. INTENT.** This section describes earth excavation for subgrade remediation where ordered by the Engineer.
- **4.11BAA.2. DESCRIPTION.** Under this section the Contractor shall excavate and dispose of unsuitable materials where and as shown on the contract drawings or as directed by the Engineer.
- **4.11BAA.3. EXCAVATION SUPPORT MATERIAL ON HAND.** Prior to any excavation, the Contractor shall be required to have on site or at the Contractor's storage yard, available for immediate use, appropriate materials to provide at least 1,000 square feet of temporary excavation support materials. The temporary excavation support system provided will be the Contractor's choice according to the Contractor's proposed means and methods, subject to the approval of the Engineer. Within the roadway pavement opposite the Temporary Excavation Support Systems being paid for under Section 9.10 ESS, there will be no separate payment to provide excavation support and protection and the cost shall be deemed included in the various items under this Section 4.11 BAA.
- 4.11BAA.4. SUPPORT AND PROTECTION, OR RECONSTRUCTION, OF SEWER AND WATER FACILITIES. Under this section the Contractor shall support and protect existing sewer and water facilities within the project limits and shall set the price bid for this item to include the work of supporting and protecting sewer and water and sewer facilities. The Contractor shall submit for the Engineer's approval shop drawings signed and sealed by New York State Professional Engineer showing the details of supporting existing sewer and water mains at least 3 (three) weeks prior to starting excavation work. If any facilities (sewer, water mains, gas, electrical, telephone, etc.) are damaged during the Contractor's work operations, such facilities shall be promptly restored and replaced in conformance to the NYCDEP Standards or the Utility Standards at no cost to the City. The Contractor shall be responsible for all damages resulting from his earth excavation operations. No additional payment will be made for costs incurred for repairs and replacements required to satisfactorily remedy the damages incurred due to his operations.
- **4.11BAA.5. METHODS.** As per Section 4.11.4 in the NYC Department of Transportation Standard Specifications, except as outlined in the 'Notes' shown on the contract plans, the Engineer in consultation with the City's Soil Consultant will determine the locations and extent of earth excavation in order to expose any voids, unsatisfactory material or sinkholes in both the roadway and sidewalk pavement foundations/subgrade or where ordered by the Engineer.

Also, at no additional cost to the City, the Contractor shall prepare and submit to the Engineer for approval, the certified shop drawings and calculations for its proposed excavation scheme and details, at least 15 days prior to beginning of work. Certification of all shop drawings and calculations shall be done by a Professional Engineer currently registered in the State of New York and retained by the Contractor.

In determining the type of excavation support to be used under this item, the Contractor shall consider the location of the support, particularly when opposite or adjacent to Temporary Excavation Support Systems (Section 9.10 ESS herein this Addendum), and the sequencing of adjacent excavation.

- **4.11BAA.6. MEASUREMENT.** The Engineer will mark on the ground the limits to be excavated and disposed under these items. The quantity of cubic yards to be paid will be the in-place volume so marked, not the volume after excavation (the "truck" volume).
- **4.11BAA.7. PRICES TO INCLUDE.** The unit price bid for each incremental depth of Earth Excavation for Subgrade Remediation shall cover the cost of furnishing all labor, materials, plant, equipment, insurance, and necessary incidentals required, including, but not limited to, the cost for earth excavation for subgrade, removal and disposal of all materials of whatever nature encountered, except rock excavation as defined in Subsection 4.11.2 (C), preparing and furnishing shop drawings, computations, permits, and testing.

The unit price bid shall also cover the costs of all dewatering, protecting building foundations, supporting, protecting and reconstructing, as required by the Engineer, of water and sewer facilities, and installing, maintaining, and removing any sheeting and bracing required to support the excavation, excluding where temporary excavation support systems are identified for payment under Section 9.10 ESS.

Payment under this Section will be made for excavations ranging from 5 to 25 feet deep below the existing street or sidewalk grade. For example: If the total depth of the excavation from existing street grade is equal to 18 ft. then:

The excavation within 5 ft. of the existing street or sidewalk grade will be paid for under Item 6.02 AAN; the next 5 ft. of excavation will be paid for under Item 4.11 BAA0510; the next 5 ft. of excavation will be paid for under Item 4.11 BAA1015; and, the final 3 ft. of excavation will be paid for under Item 4.11 BAA1520.

Item No.	Item	Pay Unit
4.11 BAA0510	EARTH EXCAVATION FOR SUBGRADE REMEDIATION (5' TO UNDER 10' DEEP)	C.Y.
4.11 BAA1015	EARTH EXCAVATION FOR SUBGRADE REMEDIATION (10' TO UNDER 15' DEEP)	C.Y.
4.11 BAA1520	EARTH EXCAVATION FOR SUBGRADE REMEDIATION (15' TO UNDER 20' DEEP)	C.Y.
4.11 BAA2025	EARTH EXCAVATION FOR SUBGRADE REMEDIATION (20' UP TO 25' DEEP)	C.Y.

# SECTION 6.18 FG Aluminum Picket Fences and Gates

- **6.18 FG.1. INTENT.** This section describes the work of replacing free-standing walls and fences, removed to perform the subgrade remediation, with aluminum picket fences in accordance with the specifications, the Contract Drawings, and the directions of the Engineer.
- **6.18 FG.2. DESCRIPTION.** Under this section, the Contractor shall install aluminum picket fences and gates where free-standing walls or fencing were removed from private properties to perform the subgrade remediation, as directed by the Engineer. The Contractor shall also coordinate with the Engineer and property owners as required to complete the work.

#### 6.18 FG.3. SUBMITTALS.

- A. Product Data: Submit catalog cuts and specification sheets to the Engineer for approval.
- B. Samples: Provide samples, if requested by the Engineer, for approval.

#### 6.18 FG.4. MATERIALS.

#### A. ALUMINUM

- 1. Extrusions: ASTM B 221, Alloy 6063-T5.
- 2. Tubing: ASTM B 429, Alloy 6063-T6.

#### B. MISCELLANEOUS MATERIALS

- 1. Concrete: Concrete used for setting posts in earth shall be Class B-32, Type IA, complying with the requirements of **Section 3.05**.
- Non-shrink Grout: Non-shrink grout used for setting posts in voids in concrete, masonry, or rock shall be factory-packaged, nonstaining, noncorrosive, nongaseous grout complying with ASTM C 1107 and specifically recommended by manufacturer for exterior applications.

#### C. DECORATIVE ALUMINUM FENCES

- 1. Decorative Aluminum Fences: Fences shall be made from aluminum extrusions. The product installed shall be a "residential grade" fence. Subject to the approval by the Engineer, following are acceptable:
  - Ameristar Fence Products.
  - Delair Group, L.L.C.
  - Jerith Manufacturing Company, Inc.
  - Approved equivalent.
- 2. Height: 48 inches
- 3. Posts: Square extruded tubes, 2 by 2 inches with minimum 0.080-inch wall thickness. Gate posts shall have minimum 0.125-inch wall thickness.

- 4. Post Caps: Aluminum castings.
- 5. Rails: Extruded-aluminum channels, 1 by 1 inch, with minimum 0.080-inch-thick sidewalls and minimum 0.055-inch-thick top.
- 6. Pickets: Extruded-aluminum tubes, 5/8 inch square, with minimum 0.050-inch wall thickness. Picket Spacing: 4 inches center-to-center, maximum.
- 7. Fasteners: Manufacturer's standard, corrosion-resistant, color-coated fasteners matching fence components.
- 8. Finish: Baked enamel or powder coating.

#### D. SWING GATES

- 1. Swing gates shall be the same model/style as the replacement fence with the same color and gloss.
- 2. Height: 48 inches
- 3. Max. leaf width: 8 feet
- 4. Aluminum Frames and Bracing: Fabricate members from square extruded-aluminum tubes 1-1/2 by 1-1/2 inches with minimum 0.100-inch wall thickness.
- 5. Gate Posts: As recommended by the manufacturer for the specific model installed and gate opening covered
- Hardware: Latches permitting operation from both sides of gate, hinges, and keepers
  for each gate leaf more than 5 feet wide. Provide cane bolts for pairs of
  gates. Fabricate latches with integral eye openings for padlocking.
- 7. Aluminum Finish: Baked enamel or powder coating.

#### E. ALUMINUM FINISHES

- 1. Baked-Enamel or Powder-Coat Finish: AAMA 2603 except with a minimum dry film thickness of 2 mils.
- 2. Color and Gloss: As indicated by manufacturer's designations.

#### 6.18 FG.5. METHODS.

## A. COORDINATION WITH PROPERTY OWNERS

- 1. It shall be the Contractor's responsibility to coordinate with property owners for access to property and securing the work area(s).
- 2. Contractor shall be responsible for damages to all private properties and utilities caused by the Contractor's actions or the actions of the Contractor's sub-contractors.

#### B. DECORATIVE FENCE INSTALLATION

- 1. Install fences according to manufacturer's written instructions.
- 2. Conduct installation in a neat and workmanlike manner. Restore work area(s) to the satisfaction of the Engineer.

#### C. GATE INSTALLATION

- 1. Install gates according to manufacturer's written instructions, level, plumb, and secure for full opening without interference.
- 2. Attach hardware using tamper-resistant or concealed means.
- 3. Adjust hardware for smooth operation and lubricate where necessary.
- **6.18 FG.6. MEASUREMENT.** The quantity to be measured for payment shall be the number of linear feet of aluminum picket fence and gates satisfactorily installed, as ordered by the Engineer.
- **6.18 FG.7. PRICES TO INCLUDE.** The unit price bid per linear foot for aluminum picket fence and for aluminum picket gates, of the height specified, shall cover the cost of furnishing all labor, materials, plant, equipment, insurance, and incidentals required, including, but not limited to, furnishing and installing concrete for setting posts (for the fence and the gate), non-shrink grout and mortar; all in accordance with the Contract Drawings, the specifications and the directions of the Engineer.

Removal of existing free-standing walls and fencing will be paid under Item Nos. 6.27 M and 6.27 F, respectively.

Item No.	Item	Pay Unit
6.18 F	ALUMINUM PICKET FENCE, 4' HIGH	L.F.
6.18 G	ALUMINUM PICKET GATES, 4' HIGH	L.F.

# SECTION 6.27 MF Demolition of Structures

**6.27 MF.1. INTENT.** This section describes the demolition of structures indicated on the Contract Drawings or where ordered by the Engineer.

**6.27 MF.2. DESCRIPTION.** In addition to furnishing all necessary labor, materials, plant, equipment, insurance and necessary incidentals required, the work shall include the demolition, removal and disposal of entire or portions of structures, salvaging, cleaning and storing the stoop railings to be reused as indicated on the Contract Drawings, specified or directed by the Engineer, together with all appurtenances, fences, railings, stoops, steps, porches, debris and refuse of all kinds, and other miscellaneous structures.

Prior to bidding, the Contractor is advised to visit the site and note the nature of masonry and fences that may be need to be demolished in order to perform the subgrade remediation, and will use this information to enter his/her bid price for demolition of masonry structures and for demolition of fences.

#### 6.27 MF.3. GENERAL.

## (A) LAWS, PERMITS, ETC.

The Contractor shall comply with all laws, ordinances, statutes, rules and regulations relating to the demolition of structures; the removal and disposal of materials resulting from demolition operations; the protection of adjacent properties and the general public; and the furnishing and maintenance of passageways, guard fences and other protective facilities. He shall obtain all required permits and licenses, pay all fees and give all notices necessary for the prosecution of the work.

#### (B) DISPOSAL

All materials resulting from demolition operations or required to be excavated in connection with such operations, except as otherwise provided or directed, shall be disposed of by the Contractor away from the demolition site and the site of the contract work. Said materials shall not be dumped, placed, stored, or disposed of within the limits of any existing or projected public street or road. The burning of debris or other demolition materials will not be permitted

#### (C) DAMAGES

The Contractor shall be responsible for all damages resulting from and due to his demolition operations. Said responsibility shall include, but not be limited to, the grounds; buildings; structures; and portions of buildings or structures which are adjacent to the demolition site and are to remain. The Contractor shall also be responsible for all damages to underground or overhead utilities resulting from the demolition operations. No additional payment or compensation will be made or allowed the Contractor for costs incurred for repairs and replacements required to satisfactorily remedy the aforesaid damages or for the settlement of any claims resulting therefrom.

#### (D) SALVAGE BY OWNER

The owner of structures to be demolished shall be given the opportunity to salvage any

materials, at their own expense, before the Contractor begins the demolition work. Contractor shall give the owner a minimum of twenty (20) days written notice of the intent to demolish.

## (E) DUST SUPPRESSION

The Contractor shall prevent dust arising from the work by hosing down the items being demolished and surrounding areas as needed. The Contractor is required to provide all equipment and water for this work (no separate payment).

#### (F) BLASTING

Blasting operations will not be permitted.

#### 6.27 MF.4. METHODS.

#### (A) EXTENT OF REMOVAL

Within the limits shown, all structures and appurtenances shall be completely removed as directed by the Engineer.

#### (B) PARTIAL DEMOLITION

Where the demolition consists of only a portion of a building or structure, the Contractor shall cooperate with the owner of the remaining portion to the end that annoyance and inconvenience may be minimized. All work must meet the requirements of the Engineer and must have his approval. Workmanship shall be of the best and the finished work shall be neat in appearance.

## (C) REMOVAL AND DISPOSAL OF MATERIALS

All materials in structures demolished hereunder shall become the property of the Contractor, unless otherwise provided, and shall be removed and legally disposed of away from the site by him.

#### (D) BACKFILL

All areas of demolition shall be backfilled in accordance with the plans or as directed by the Engineer.

#### (E) CLEAN UP

The demolition areas and the portions of the streets affected by the work shall be cleaned of all materials resulting from or used in the work to be done hereunder and shall be left in a condition satisfactory to the Engineer. No separate payment for this work.

6.27 MF.5 LIMITS OF DEMOLITION. The demolition required under this contract will be dependent on the ultimate limits of subgrade remediation, which will be determined in the field. Therefore the Contractor shall be required to bid a unit price for two types of demolition: 1) demolition of masonry structures, such as free-standing walls and stoops; and, 2) demolition of fencing. Any of these items that are within the "limits of subgrade"

remediation work within private properties" area shown on Dwg. R-1 or are adjacent to the limits of the deep or shallow load transfer platforms may be ordered by the Engineer to be demolished. The Contractor shall be required to perform all demolition necessary for the subgrade remediation work within the project limits and will be paid at the price bid per cubic yard for demolition of masonry structures and the price bid per square foot for demolition of fencing.

**6.27 MF.6. MEASUREMENT.** The quantity to be measured for payment shall be the number of cubic yards of masonry or the number of square feet of fencing demolished and properly disposed by the Contractor. The cubic yards of masonry measured for payment will be the in-place volume of the structure (length x width x height), not the "cart" or "truck" volume. The square feet of fence measured for payment will be the in-place area of the fence (length x height of fence posts from ground or base).

#### 6.27 MF.7. PRICE TO COVER.

## (A) DEMOLITION OF MASONRY STRUCTURES

The unit price bid shall cover the cost of furnishing all labor, materials, plant, equipment, insurance, and necessary incidentals required and completing the work, including, but not limited, to demolition of stoop, cleaning and storage of stoop railing to be reused; all in accordance with the Contract Drawings, the specifications and the directions of the Engineer.

#### (B) DEMOLITION OF FENCING

The unit price bid shall cover the cost of furnishing all labor, materials, plant, equipment, insurance, and necessary incidentals required and completing the work, all in accordance with the Contract Drawings, the specifications and the directions of the Engineer.

Item No.	Item	Pay Unit
6.27 M	DEMOLITION OF MASONRY STRUCTURES	C.Y.
6.27 F	DEMOLITION OF FENCING	S.F.

## SECTION 6.34 A Temporary Chain Link Fence, 6'-0" High

- 6.34A.1. <u>DESCRIPTION</u>. Under this section, the Contractor shall furnish, erect, maintain, and remove, when directed, Temporary Chain Link Fence as shown on the Contract Drawings and directed by the Engineer.
- 6.34A.2. MATERIALS AND METHODS. All materials and methods shall be as specified in Section 6.34 of the Standard Highway Specifications, with the following modifications and additions:

Temporary Chain Link Fence to be furnished under Item 6.34 ACT, shall consist of chain link fence fabric, top and bottom tension wires, gates, posts to be embedded in the pavement, and all necessary incidental in accordance with the Contract Drawings and the directions of the Engineer.

When directed by the Engineer, the Contractor shall remove and dispose of the temporary chain link fence to the satisfaction of the Engineer. The Contractor shall then fill any holes left in the pavement with compacted clean sand to grade.

6.34A.3. MEASUREMENT. The quantities of Temporary Chain Link Fence to be measured for payment shall be the number of linear feet satisfactorily installed, complete, measured in place, from center to center of end posts.

Payment will be made for the Temporary Chain Link Fence only for the initial installation at any location. Whenever temporary chain link fence is moved to a new location, as required by the Plans or directed by the Engineer, payment will be made in the same manner as if it were an initial installation.

However, no payment will be made: for movements of the temporary chain link fence made for the Contractor's convenience; for movement of temporary chain link fence at a given location at the end of a work period and subsequent replacement at the same location at the beginning of the next work period; for movement of temporary chain link fence at a given location during a work period and subsequent replacement at the same location during the same work period; or for the interchanging of temporary chain link fence between initial installations.

6.34A.4. PRICE TO COVER. The price bid for the Temporary Chain Link Fence shall be a unit price per linear foot and shall cover the cost of all labor, materials, plant, equipment, insurance, and necessary incidentals required to furnish, install, maintain, and remove temporary chain link fence; all in accordance with the Contract Drawings, the specifications and the directions of the Engineer.

Temporary chain link fence shall also include, but not limited to, any gates as may be required.

Payment will be made under:

Item No.

Description

Pay Unit

6.34 ACT

TEMPORARY CHAIN LINK FENCE, 6'-0" HIGH

L.F.

# SECTION 6.59 PF Temporary Concrete Barrier with Fence

- 6.59PF.1. <u>Description</u>. The Contractor shall furnish, install, maintain and remove temporary concrete barriers with chain link fence in accordance with plans, specifications and directions of the Engineer.
- 6.59PF.2. <u>Materials</u>. The temporary concrete barrier shall conform to the requirements of New York State Department of Transportation Standard Sheet No. 619-01, modified to accommodate a chain link fence with posts. Top and bottom rails will not be required for the fence.

Chain link fencing and incidentals shall be in accordance with Section 607 and Materials Section 710, of the current Standard Specifications, Construction and Materials, New York State Department of Transportation, Office of Engineering. The Engineer will inspect all chain link fence material for conformance with specifications.

The Contractor shall be required to provide a solid, secure chain link fence system consisting of posts, post embedment, fence fabric, and all other incidentals as may be required. Fence posts shall be embedded in the concrete barrier and the chain link fence shall extend from the barrier to a height of at least five (5) feet above the barrier.

Maximum spacing of fence posts shall be eight (8) feet from center to center. The details for the embedment of fence posts to the concrete barrier shall be submitted to the Engineer for approval.

Fence fabrication shall be continuous for the length of the concrete barrier; however, at joints between concrete barriers, the gap between fence sections shall not be more than four (4) inches.

Barrier sections shall be pre-cast portable concrete units. The Manufacturer shall certify that the temporary concrete barrier units conform to the details shown on the aforementioned NYSDOT's Standard Sheet or approved drawing.

The Engineer will inspect the temporary concrete barrier sections, complete with fence, upon delivery to the project site for conformance to specifications. Any barrier sections having damage and/or defects in the concrete, fence and/or joint connections will be rejected by the Engineer when in his judgment the performance of the barriers will be affected.

The temporary concrete barrier sections with fence shall form a smooth and continuous barrier when joined together. Any sections damaged or misaligned while in service shall be corrected or replaced to the satisfaction of the Engineer, at no cost to the City.

Striped reflectorization on barriers is required. Striping pattern is to be alternating twelve (12) inch wide stripes of white and orange sloped downwards in the direction of traffic at 45 degrees.

Reflective sheeting material shall be used and it shall conform to photometric and color (Orange and White) requirements of Subsection 730-05.02, Reflective Sheeting (Class B), of the current Standard Specifications, Construction and Materials, New York State Department of Transportation, Office of Engineer.

 $6.59 \mathrm{PF.3.}$  Methods. The Contractor shall furnish, erect, move, and remove temporary concrete barriers with chain link fence as indicated on the plans or as directed by the Engineer.

Where indicated on the plans or in the proposal, temporary concrete barriers shall be supplemented by approved steady burning lights.

Each run, or bay, of temporary concrete barrier unit with chain link fence shall be fastened together to form a continuous chain. After placement, each successive unit shall be moved longitudinally to remove the slack in the joint between units. The units at each end of a run or bay shall be anchored as shown on the Standard Sheet. Where shown on the plans or directed by the Engineer, the ends of the barrier run shall be fitted with a tapered end section, flared back.

6.59PF.4. Measurement. The quantity to be measured for payment shall be the number of linear feet of temporary concrete barrier with chain link fence actually placed including transition sections, measured along the centerline of the top surface of each barrier.

Any movement of temporary concrete barrier with chain link fence, except movements of the concrete barrier necessary to maintain, realign, or replace damaged units will be considered as a movement to a new location and the Contractor will be entitled to payment for the movement.

6.59PF.5. Price to Cover. The contract price bid per linear foot for temporary concrete barrier with chain link fence shall cover the cost of all labor, materials, equipment, insurance and necessary to erect, maintain, and remove the required temporary concrete barrier with chain link fence. This work shall include, but not be limited to, any required connection devices, orange and white reflective stripes on the faces of the barriers, steady burning yellow lights when indicated on the plans, flashing amber lights, and filling holes left in the pavement with an epoxy grout after the barricades have been removed, all in accordance with the plans, the Specifications and the directions of the Engineer.

Payment will be made under:

Item No. Description

Pay Unit

6.59 PF TEMPORARY CONCRETE BARRIER WITH FENCE

L.F.

#### SECTION 7.68 A Geogrid

**7.68A.1. INTENT.** This section describes the installation of Geogrid for the purpose of reinforcing the select granular material fill in the load transfer platforms.

**7.28A.2. DESCRIPTION.** Under this section, the Contractor shall furnish and install biaxial geogrid in the manner shown on the Contract Drawings. The purpose of the geogrid is to reinforce the select granular material fill. The geogrid shall be installed in accordance with the Contract Drawings, the specifications and the directions of the Engineer.

#### 7.68A.3. DEFINITIONS.

- (A) Geogrid: A biaxial polymeric grid formed by a regular network of integrally connected tensile elements with apertures of sufficient size to allow interlocking with surrounding soil, rock, or earth to function primarily as reinforcement.
- (B) Minimum Average Roll Value (MARV): Property value calculated as typical, minus two standard deviations. Statistically it yields a 97.7 percent degree of confidence that any sample taken during quality assurance testing will exceed value reported.

#### 7.68A.4. SUBMITTALS.

Certification: The Contractor shall provide to the Engineer a certificate stating the name of the manufacturer, product name, style number, chemical composition and other pertinent product information to fully describe the geogrid. The certification shall state that the furnished geogrid meets MARV requirements of the specification as evaluated under the Manufacturer's quality control program. The certification shall be attested to by a person having legal authority to bind the Manufacturer.

#### 7.68A.5. QUALITY ASSURANCE.

- (A) Geogrids shall be subject to sampling and testing to verify conformance with this specification. Verification shall be based on manufacturer's certifications as a result of testing by the manufacturer of quality assurance samples obtained using the ASTM D4354 Procedure "B" for Sampling for Manufacturer's Quality Assurance (MQA) Testing. A lot size shall be considered to be the shipment quantity of the given product or a truckload of the given product, whichever is smaller.
- (B) Geogrid labeling, shipment and storage shall follow ASTM D4873. Product labels shall clearly show the manufacturer or supplier name, style and roll number.
- (C) Each geogrid roll shall be wrapped with a material that will protect the geosynthetic from damage due to shipment, water, sunlight, and contaminants.
- (D) During storage, geogrid rolls shall be elevated off the ground and adequately covered to protect them from the following: site construction damage, precipitation, extended ultraviolet radiation including sunlight, chemicals that are strong acids or strong bases, flames including welding sparks, excess temperatures, and any other environmental conditions that may damage the physical property values of the geogrid.

#### 7.68A.6. MATERIALS.

## (A) Reinforcement Geogrid

- Polymers used in the manufacture of geogrids shall consist of multiple layers of high strength, extruded, biaxially oriented, polypropylene geogrids. The layers shall be rolled and stitched or welded together without superimposing the grids, creating a geogrid with random sized apertures designed to accommodate a variety of fill materials.
- 2. The random aperture geometry, many tensile elements and multiple layers of the geogrid will enhance soil/geogrid interactions. "Punched and drawn" products shall not be acceptable.
- 3. The following geogrids and manufacturers, or an approved equal, may be incorporated into the work:
  - a. BaseGrid 22 by US Fabrics Inc., Cincinnati, OH
  - b. Tenax MS 220 by Syntec, Baltimore, MD
  - c. MacGrid EB2 by Maccaferri Inc., Williamsport, MD
- 4. The geogrid shall meet the requirements of Table 1. All numeric values in Table 1 represent MARV in the specified direction.

## TABLE 1 - GEOGRIDS TECHNICAL CHARACTERISTICS

TECHNICAL CHARACTERISTICS	TEST	UNIT	MD	TD	NOTES
	METHOD				
Strengths and Load Capacity:	ASTM D				
Peak Tensile Strength	6637	lb/ft (kN/m)	925 (13.5)	1,400 (20.5)	a,c,e
True Tensile Strength in Use:					
@ 2% Strain	ASTM D	lb/ft (kN/m)	301 (4.4)	450 (6.57)	a,c,e
@ 5% Strain	6637		616 (9.0)	920 (13.42)	
True Initial Modulus in Use	ASTM D				
	6637	lb/ft (kN/m)	15,508 (226)	24,667 (360)	a,c,e
Tensile Modulus:		· · · · · · · · · · · · · · · · · · ·			
@ 2% Strain	ASTM D	lb/ft (kN/m)	15,050 (220)	22,500 (328)	a,c,e
@ 5% Strain	6637	(,	12,320 (180)	18,400 (269)	' '
Structural Integrity: Junction			, , , , , , , , , , , , , , , , , , , ,		
Tensile Strength:			,		
@ 1% Strain	GRI&GG2	lb/ft (kN/m)	170 (2.48)	200 (2.92)	b,e
@ 2% Strain		(1.1.0)	235 (3.44)	300 (4.38)	1
Junction Tensile Modulus:					
@1% Strain	GRI&GG2	lb/ft (kN/m)	17,000 (248)	20,000 (292)	b,e
@ 2% Strain		12,77 (13,777)	11,780 (172)	15,000 (219)	-,-
Junction: Strength Efficiency	GRI&GG2	lb/ft (kN/m)	835 (12.2)	1,315 (19.2)	a,e
<b>.</b>	5552	%	90	90	","
Flexural Rigidity	ASTM D	mg-cm	250,000	250,000	b
,	1388	19 5	200,000	200,000	
Pullout Coefficient of	ASTM D		> 1.0	> 1.0	d
Interaction	6707		'."		
Durability:	ASTM D	%SC/%	>90/>90/90	>90/>90/90	f
Resistance to Installation	5818	SW/%GP	30,200,00	30, 30, 30	
Damage	30.0	3117,7031			

#### Notes:

- **a.** 95% lower confidence limit values, ISO 2602
- **b.** Typical value
- c. Tests performed using extensometers
- d. Single layer value
- e. MD: Machine direction (longitudinal to the roll) TD:Transversal direction (across the roll width)
- **f.** Tenax report GRID-TE-4: "Construction Damage Tests of Geogrids"
- (B) Manufacturing Quality Control: Testing shall be performed at a laboratory accredited by The Geosynthetic Accreditation Institute-Laboratory Accreditation Program (GAI-LAP) and American Association for Laboratory Accreditation (A2LA) for test required for the geosynthetic at a frequency meeting or exceeding ASTM D 4354.

#### 7.68A.7. METHODS.

## (A) Preparation

The installation site shall be prepared by clearing, grubbing and excavating or filling the area to the design grade. This includes removal of topsoil and vegetation.

## (B) Installation

1. The geogrid shall be laid smooth without wrinkles or folds on the prepared stone fill/subgrade in the direction of construction traffic. Adjacent geogrid rolls shall be overlapped as required in the plans. Overlaps shall be in the direction as shown on the plans. See Table 2 for overlap requirements.

TABLE 2 - GEOGRID OVERLAP REQUIREMENTS

Soil CBR	Method of Joining	
Greater than 3	12 – 18 inch overlap	
1 – 3	24 – 40 inch overlap	
0.5 – 1	40 inch overlap or sewn	
Less than 0.5	Sewn	
All roll ends	40 inch overlap or sewn	

- The base reinforcement geogrid shall be laid directly on the compacted subgrade. The intermediate reinforcement geogrid shall be laid beneath or within the stone courses as directed by the Engineer.
- On curves, the geogrid may be folded or cut to conform to the curves. The fold or overlap shall be in the direction of construction and held in place by pins, staples or piles of fill rock.
- 4. Prior to covering, the geogrid shall be inspected by the Engineer to ensure that the geogrid has not been damaged during installation. Damaged geogrid, as identified by the Engineer, shall be repaired immediately. Cover the damaged area with a geogrid patch which extends an amount equal to the required overlap beyond the damaged area.

- 5. The sub-base or base shall be placed by end dumping onto the geogrid from the edge, or over previously placed sub-base or base aggregate. On soils with CBR>3, most rubber-tired vehicles can be driven at slow speeds: less than 10 mph and in straight paths over the exposed geogrid without causing damage to the geogrid. Sudden braking and sharp turning should be avoided. Tracked construction equipment should not be operated directly upon the geogrid. A minimum fill soil thickness of 6 inches is required prior to operation of tracked vehicles over the geogrid. Turning of tracked vehicles should be kept to a minimum to prevent tracks from displacing the fill and damaging the geogrid.
- On subgrades having a CBR value of less than 1, the sub-base or base aggregate should be spread in its full thickness as soon as possible after dumping to minimize the potential of localized failure due to overloading of the subgrade.
- 7. Any ruts occurring during construction shall be filled with additional sub-base or base material and compacted to the specified density.
- 8. If placement of the backfill material causes damage to the geogrid, the damaged area shall be repaired as previously described above. The placement procedure shall then be modified to eliminate further damage from taking place.

**7.68A.8. MEASUREMENT.** The quantity to be measured for payment shall be the number of square yards of geogrid satisfactorily installed, computed between the limits specified by the Engineer. No quantity will be included for material used for repair of tears or for material used at the overlaps.

**7.68A.9. PRICE TO INCLUDE.** The unit price bid per square yard for Geogrid shall include the cost of furnishing all labor, materials, plant, equipment,insurance and incidentals necessary to complete the work of furnishing and installing the geogrid, all in accordance with the plans, the specifications and the directions of the Engineer.

Item No.	Item	Pay Unit
7.68 A	Geogrid	S.Y.

# SECTION 9.10 ESS Temporary Excavation Support System

**9.10ESS.1. INTENT.** This section describes methods of providing temporary excavation support systems (ESS) during construction within the influence lines of adjacent building foundations. A subsurface report shall also be prepared in order to establish the type and extent of temporary excavation support system to be used.

**9.10ESS.2. DESCRIPTION.** Under this work, the Contractor shall perform a subsurface investigation and if directed by the Engineer, the Contractor shall design, furnish, place, maintain and cutoff a Temporary Excavation Support System (ESS) at locations shown on the plans or as ordered by the Engineer. Details of the ESS must conform to the requirements of City, State, and Federal Regulations.

Temporary excavation support system shall be defined as a soldier pile and lagging system, timber and steel sheeting or other acceptable approved methods, which is designed to prevent ground movement and loss of soil adjacent to buildings. The requirements of any ESS shall be as contained in the following as detailed below:

- A. Title 29 Code of Federal Regulations, Part 1926, Safety and Health Regulations for Construction (OSHA)
- B. Industrial Code Rule 23 "Protection of Persons Employed in Construction and Demolition Work"
- C. 16NYCRR Part 753 of the Industrial Code "Protection of Underground Facilities" of the State of New York, Department of Labor, Board of Standards and Appeals
- D. Chapter 33 ("Safeguards During Construction or Demolition") of the NYC Building Code.
- **9.10ESS.3.** MATERIALS. The selection of ESS materials shall be the Contractor's option subject to approval of the Engineer.
- A. Temporary Timber Sheeting. Timber sheeting shall be new or used and consist of any acceptable species which can be placed satisfactorily. The sheeting shall have a preservative treatment conforming to the American Wood-Preservers Association (AWPA) Standard C-2, Soil Contact. Actual cross section or stress grade Stress grading and acceptance shall be in accordance with the requirements and provisions of the NYC Dept. of Transportation Standard Highway Specifications, Section 2.39, Stress Graded Timber and Lumber. The timbers shall be sound and free from any defects which might impair its strength or tightness. The materials shall include all necessary waling and bracing required.
- B. Temporary Steel Sheeting. Steel sheeting shall conform to the requirements of Section 2.35, Structural Steel, except that the steel shall conform to ASTM A328. If Contractor intends to incorporate previously used steel sheeting into the work he/she shall submit certification by a qualified Professional Engineer licensed in the State of New York that the material conforms to ASTM A328 and is in serviceable condition. Waling and bracing shall conform to the requirements of ASTM A36 and the NYC Dept. of Transportation Standard Highway Specifications, Section 2.35, Structural Steel. The Contractor shall furnish to the Engineer, certified copies of physical and chemical test results which shall include a sworn statement by a qualified mill representative to the effect that the subject material conforms to the requirements of the steel specified. If Contractor intends to incorporate previously used waling and bracing into the work he/she shall submit certification by a qualified Professional Engineer licensed in the State of New York that the material conforms to ASTM A36 and is in serviceable condition.

- C. Temporary Soldier Pile and Lagging Wall. Materials shall comply with the following requirements:
  - 1. STRUCTURAL STEEL: Structural Steel shall conform to the provisions of Section 2.35 Structural Steel.
  - 2. WOOD: The timber lagging shall have a preservative treatment conforming to the American Wood-Preservers Association (AWPA) Standard C-2, Soil Contact. Actual cross section or stress grade Stress grading and acceptance shall be in accordance with the requirements and provisions of Section 2.39, Stress Graded Timber and Lumber.
  - 3. CONCRETE: Concrete shall conform to the provisions of the NYC Dept. of Transportation Standard Highway Specifications, Section 3.05 Concrete.

## 9.10ESS.4 HEALTH AND SAFETY PLAN

Prior to any excavation, the Contractor shall have excavation safety measures included in his/her submitted and approved Health and Safety Plan, including, but not limited to:

- 1. Specific methods and procedures for protecting workers, residents, and the travelling public both during the excavation work and during non-working hours.
- 2. Specific procedures for responding to observations of movements exceeding the maximums defined in the Contractor's approved Pre-Construction Report.
- 3. Specific methods and procedures for responding immediately to unexpected failures of the excavation support system, including descriptions of the materials and equipment that will be on site for addressing any failures.

#### 9.10ESS.5 SUBMITTALS

The Contractor will be required to submit Shop Drawings detailing all excavation support systems proposed for use in conducting the work.

- A. The Contractor shall submit to the Engineer for approval five (5) copies of his Subsurface Report. This report and associated investigation shall be performed in the early phase of construction and shall be performed even if the Engineer does not direct the Contractor to install ESS for the project.
- B. The Contractor shall have the Subsurface Report prepared by a Licensed Professional Engineer specializing in Geotechnical Engineering, currently registered in the State of New York. The Contractor shall also retain a soil boring / testing laboratory subcontractor to obtain soil design parameters within the potential ESS limits of work. The Contractor shall require to take a minimum of 5 borings. The borings shall extend to rock and include 5 foot minimum deep rock cores. The Report shall contain data from the subsurface investigation including but not limited to, boring logs, test results, along with visual, olfactory and photographic descriptions of soil and rock samples. The report shall also include justification of all soil design parameters required to design the ESS. The report shall bear the imprint of the NYS Licensed Professional Engineer's seal and signature.
- C. The Contractor shall submit to the Engineer for approval five (5) copies of ESS drawings, and related details that the Contractor proposes to use for the work and allow a minimum of two (2) weeks to review same. This time requirement is to be considered in forming a work schedule.

- D. The Contractor shall have these drawings prepared by a NYS Licensed Professional Engineer, currently registered in the State of New York, who shall have a minimum of three (3) years of proven experience designing excavation support systems. Such drawings shall be submitted together with design calculations, references, tables and charts. Both drawings and design calculations shall bear the imprint of the Licensed Professional Engineer's seal and signature.
- E. The ESS drawings shall also include but not be limited to the following: the density of the soil, the internal angle of friction of the soil, the stress grade and type of lumber, the allowable steel stresses, whether or not the ESS will be removed or left in place, the method for backfilling and the sequence of construction operation where required.
- F. Shop drawings shall be on sheets twenty-seven (27) inches by forty (40) inches with a one-half (1/2) inch marginal space on three (3) sides and a two (2) inch marginal space for binding on the left side. Shop drawings shall be numbered consecutively and shall accurately and distinctly present the following:
  - (1) All working and erection dimensions.
  - (2) Arrangement and sectional views.
  - (3) Necessary details,
  - (4) Kinds of materials.
- G. Each shop drawing shall also be dated and contain:
  - (1) The name of this project and this contract number.
  - (2) The description name of contract item number or numbers under which it is or they are required.
  - (3) The locations or points at which the ESS is to be installed in the work.
- H. Submissions shall also reflect the means and methods chosen by the Contractor and approved by the Engineer to retain existing utilities in place.
- I. The submission of multiple ESS systems shall be kept to a minimum. Whenever the Contractor submits multiple systems they must be accompanied with a Location Plan shop drawing to indicate the exact location where these various systems are to be installed. Since the approval of multiple systems will delay the sheeting approval process the Contractor is requested to submit a schedule indicating the time frame that these systems are required. In addition the Contractor will be required to install these multiple systems at the locations indicated on the submitted Location Plan. Should the Contractor request to change the ESS system at any particular location, the Contractor will be required to resubmit the ESS shop drawing, for approval, even though the revised ESS system may have been approved at another location within the project area.

#### 9.10ESS.6 PERMITS

The Contractor shall apply for all permits required in order to work at the designated location(s), and shall adhere to all requirements of such permits. The Contractor shall obtain all permits and consents necessary or required for the installation of ESS system near the structures. Applications for consents to enter buildings and/or properties for the purpose of purpose of installing the temporary excavation support system shall state that, it is necessary to maintain the building and/or structure in a safe condition during the construction period. One counterpart of each such consent, duly signed, and acknowledged by the owner or one of the owners, executors or administrators for owner or owners and for owner or owners agents, lessees and

any other persons who shall have a vested or contingent interest in the building or structure, or notice of refusal, if consent is not obtained, shall be filed with the Engineer at least ten (10) days before the commencement of any work which would affect the building and/or structure.

The Contractor shall make application for permits to the Department of Buildings (DOB) or other City agencies having jurisdiction. Applications shall include all forms, drawings, cloth prints, insurance certificates, all required fees, etc. with the result that the Contractor shall have an approval by the City agency having jurisdiction before starting this work.

#### 9.10ESS.7 DESIGN CRITERIA

The following criteria shall be used in designing the temporary excavation support system(s).

- A. If directed by the Engineer the ESS will facilitate excavation to remediate substandard soil adjacent to existing buildings. When the ESS will be installed within the influence line of an existing structure the system shall be designed to minimize the potential of deflection including movement/settlement of the adjacent structure, i.e. providing supplemental raker or strut systems. The Contractor shall have a monitoring system in place, as per Section 9.71 A, herein this addendum, to assure that the ESS design is adequate.
- B. All compression members (struts) shall be designed with a factor of safety of two (2.0). The factor of safety of two (2.0) shall be a value above and beyond the allowable value for compressive stresses for steel as designated in the "Manual of Steel Construction" (AISC), and for wood as designated in the "National Design Specification for Stress-Grade Lumber and its Fastening". All other allowable stresses (not including compression members) may be increased by thirty-three and one-third (33-1/3) percent where sheeting and bracing is deemed a temporary structure.
- C. A factor of safety shall be used to determine the minimum embedment for sheeting as follows:

Vertical Timber - 15%

Soldier Beams - 20%

Steel Sheeting - 30%

- D. The Contractor is advised that the maximum allowable bending stress (Fb) for all timber members shall not exceed one thousand seven hundred fifty (1,750) pounds per square inch. If the Contractor elects to use a bending stress higher than Fb = 1,750-psi, written certification of bending stress test results shall be submitted to the Engineer prior to use of such material in construction.
- E. Limits of construction vibrations shall be as mentioned in Section 9.70 herein. As such the driving of piles will not be permitted. Soldier piles may be installed by pre-boring or other pre-excavating methods.
- F. Where it is anticipated that heavier crane or equipment loads will fall within the influence line of the excavation, design loads shall be increased accordingly.
- G. Welding shall be performed in accordance with AWS D1.1.
- H. The Contractor shall compute and include in the Contractor's submission of drawings and calculations the following:

- (1) Maximum bending stress
- (2) Maximum horizontal shear in wale
- (3) Compression perpendicular to grain
- (4) Maximum vertical shear stress

#### I. Decking

- (1) Unless otherwise specified in the contract documents or approved in writing by the Engineer, the minimum live load on decking shall be AASHTO HS20-44 or Contractor's equipment or heaviest truck loading (i.e. concrete trucks) whichever is greater plus an impact factor of thirty- three (33) percent.
- (2) Unless otherwise approved timber mats shall extend a minimum of three (3) feet from sheeting line on either side of trench.
- (3) Unless otherwise approved a minimum one thousand (1,000) pounds per square foot surcharge load shall be used for sheeting below decking.
- J. Maximum trench widths shown on sheeting details shall not exceed those allowed by the standards or specifications.
- K. Where the water table lies above the subgrade of excavation and a well point or deep well dewatering system is not used, the Contractor shall include the effect of hydrostatic loading in calculations for both watertight and non-watertight sheeting.
- L. Sheeting details shall accurately depict actual field operations. The Contractor shall be restricted to a maximum five (5) feet deep pilot cut and all details must reflect this. Additional braces and wales may be required to install sheeting due to the five (5) feet maximum pilot cut restriction. The Contractor shall not assume that additional pilot cut depths will be allowed.

#### 9.10ESS.8. METHODS.

- A. The ESS locations shown on the plans are to be used as a guide in preparing the estimate quantities to bid upon and to establish the pay limits when the ESS is installed. To define the actual requirement, the Contractor shall follow a suggested excavation sequence shown on the plans or the Contractor may define an alternative means approved by the Engineer.
- B. The following items shall be complete prior to any ESS installation:
  - 1. The Contractor shall have submitted the Preconstruction Report and shall have had it approved by the Engineer.
  - 2. The Contractor shall have installed all components of his/her Monitoring Program and be actively monitoring vibrations and ground movements.
  - 3. The Contractor shall have coordinated with property owners and building occupants as to the work to be performed and shall have made all necessary accommodations to define and allow access to property as required.
  - 4. The Contractor shall have submitted his/her ESS shop drawings and shall have had them approved by the Engineer.

- C. Excavation support elements shall be installed by the Contractor or sub contractor especially skilled in such work.
- D. The Contractor shall maintain, protect and support all City owned utilities and home owner's facilities within the influence lines of the excavation. The Contractor in accordance with the standards of the agencies having jurisdiction thereof shall perform such maintenance, protection and support.
- E. The Contractor shall also be required to maintain, protect and support private utilities within the excavation lines on private property (not covered by Section U) in accordance with the standards of the agencies having jurisdiction.
- F. The Contractor is advised that the Contractor will be responsible for, and shall solely at the Contractor's own expense, repair, replace and/or relocate all City owned utilities and/ or private utilities that are damaged and/or disturbed due to the Contractor's operation.
- G. The Contractor shall maintain the ESS in a safe condition. If unstable conditions, settlement or movement is observed, the Contractor shall respond immediately in accordance with the approved Health and Safety Plan as described in Section 9.10ESS.4 above. The Contractor shall immediately remedy those conditions, settlements, and movements by methods such as adding bracing and supports and, as a last resort, backfilling. Remedies shall be subject to acceptance by the Engineer and owner, except for emergencies.
- H. All damage to the adjacent houses/structures, pavement or ground caused by the use of the chosen ESS (e.g. ground settlement, physical damage to houses/structures) shall be repaired to the satisfaction of the Engineer in consultation with the owner at no additional cost to the City or the owner. Severe damage which directly affects the safety of the residents or the travelling public shall be immediately repaired to the satisfaction of the Engineer. The operation shall be halted until a satisfactory prevention method is instituted in accordance with the approved Health and Safety Plan.
- Unless otherwise specified in the plans or these specifications, the Contractor has the option to either remove or leave the ESS in place. However all walers, bracing and/or diagonal struts shall be removed to allow for proper backfill compaction. If the ESS is left in place, the Contractor must then cut down the system approximately 4 feet below proposed finished grade.
- J. The backfilling operation shall be performed in lifts not to exceed 12" in order to permit proper placement and compaction of material against the elements to remain and /or the earth bank. This work shall be accomplished in conjunction with the removal of wales, braces and diagonal struts to allow for proper compaction. In no case shall the lifts for backfilling exceed the specified or otherwise approved depth of compaction layer.
- **9.10ESS.9. MEASUREMENT**. The quantity of Temporary Excavation Support System to be paid for shall be the number of horizontal linear feet of ESS, as directed by the Engineer, installed between the incremental depths stated in Item Nos. 9.10 ESS0510, 9.10 ESS1015, 9.10 ESS1520, and 9.10 ESS2025. The upper limit from which the depth is measured shall be the ground surface existing at the site prior to the beginning of the work. Unless otherwise indicated on the plans or in the proposal, the lower payment line shall be the bottom of the excavation as ordered by the Engineer. The Contractor shall be entitled to payment under each ESS item when the excavation proceeds into a given depth increment even if the excavation stops prior to reaching the lower limit of that increment.

#### 9.10ESS.10. PRICES TO COVER.

(A) The unit price bid per linear foot for TEMPORARY EXCAVATION SUPPORT SYSTEM within each incremental depth of Earth Excavation shall include the cost of furnishing all labor, materials, plant, equipment, insurance, and incidentals necessary to complete this work, including, but not limited to, furnishing and installing steel, timber and concrete materials required for the ESS, excavation to install the ESS prior to excavation under other items (i.e. bored holes, rock sockets etc.), providing design services, and removal of any or all of the ESS. In addition, there will be no payment made for repairing, replacing and/or relocating City owned utilities that may be damaged or disturbed due to the Contractor's operation of installing or removing the ESS.

Payment under this Section will be made per linear foot of ESS installed for working within each incremental depth of excavation from 5 to 25 feet below the existing street or sidewalk grade. For example: If the total depth of the excavation from existing street grade is equal to 18 ft. then:

Any ESS required for excavations within 5 ft. of the existing street or sidewalk grade will be deemed included in the unit price bid for Item 6.02 AAN; payment per linear foot for ESS required under the next 5 ft. of excavation will be paid for under Item 9.10 ESS0510; payment per linear foot for ESS required under the next 5 ft. of excavation will be paid for under Item 9.10 ESS1015; and, payment per linear foot for ESS required under the final 3 ft. of excavation will be paid for under Item 9.10 ESS1520.

(B) The contract price for the "SUBSURFACE REPORT" shall be a lump sum price and shall include the cost of all labor, materials, plant, equipment insurance and incidentals necessary or required to prepare a subsurface report which shall include, but not be limited to, performing soil borings, clearing site and arraigning access for boring equipment, testing of soil samples, professional design services and to do all other work incidental thereto; all in accordance with the Contract Drawings, the specifications and as directed by the Engineer.

Payment for the SUBSURFACE REPORT shall be made under the Item No. 9.10 ESSR will be made in proportion to the work completed as follows:

Completion of field soil investigation 40% Acceptance of Subsurface Report 60%

Item No.	Item	Pay Unit
9.10 ESS0510	TEMPORARY EXCAVATION SUPPORT SYSTEM (5' up to 10' deep)	L.F.
9.10 ESS1015	TEMPORARY EXCAVATION SUPPORT SYSTEM (10' up to 15' deep)	L.F.
9.10 ESS1520	TEMPORARY EXCAVATION SUPPORT SYSTEM (15' up to 20' deep)	L.F.
9.10 ESS2025	TEMPORARY EXCAVATION SUPPORT SYSTEM (20' up to 25' deep)	L.F.
9.10 ESSR	SUBSURFACE REPORT	L.S.

## SECTION 9.70 PRE-CONSTRUCTION REPORT

#### 9.70.1. INTENT

The intent of this section is to prepare a preconstruction report for work to be performed under the contract in order to ensure that the Contractor's proposed means and methods of construction do not create or aggravate any potentially dangerous conditions. In order to ascertain the effects of construction on structures, the Contractor will be required to retain the services of a qualified firm with experience in structural engineering, soil mechanics, foundations, installation of piles, evaluation of the effect of construction on buildings and structures, effects of dewatering and the associated movement of soil due to dewatering and the effect of vibrations upon structures. All construction work (roadway, sidewalk, curb, sewer, water main, subgrade remediation, etc.) is subject to the preconstruction report.

## 9.70.2. SPECIAL EXPERIENCE REQUIREMENTS

Within thirty (30) days of the award of this contract, the Contractor shall submit to the Engineer qualifications of the firm it proposes to provide the engineering services described in this section. The proposed firm must meet the following special experience requirements.

- (1) Such firm must, within the last five (5) consecutive years, have successfully provided engineering services similar to the services described in this section on a minimum of three (3) comparable projects.
- (2) Such firm must carry professional liability insurance as specified in Schedule "A".

Compliance with such special experience requirements will be determined solely by the Engineer. Once a firm is approved, no substitution will be permitted, unless the Engineer has approved the qualifications of the proposed replacement in writing in advance. If the qualifications of the proposed firm are not acceptable, the Contractor shall submit the qualifications of another proposed firm within fifteen (15) days of notice to do so.

## 9.70.3. SUBMISSION OF PRECONSTRUCTION REPORT

Upon approval and prior to construction the chosen firm (hereinafter referred to as the firm) shall submit six (6) copies of a report incorporating their findings and recommendations. The report shall be prepared by or under the immediate direction of a New York State Licensed Professional Engineer as evidenced by the imprint of the Professional Engineer's seal and signature on the document. The report shall include but not be limited to the following:

- (A) A detailed description of the Contractor's proposed means and methods of construction including excavation support.
- (B) An inspection of the interior and exterior (including photographs and videotapes as required) of all building and/or structures that may be affected by the proposed means and methods of construction and dewatering.
- (C) A definition of the "radius of influence" that the proposed excavation, dewatering, temporary sheeting installation and other construction activity will impart on the surrounding soil.

- (D) A definition of the limits of horizontal and vertical movement each building and/or structure within the "radius of influence" can tolerate without damage to the structural integrity of that building and/or structure. Movements which shall be considered include, but are not limited to, vibration-related settlements, differential settlements, settlements from dewatering, and building movements and/or rotation due to excavation or construction-related work.
- (E) A complete study of the vibrations that each building can tolerate along with the anticipated vibrations promulgated by the means and methods of construction, taking into account the age and condition of the buildings.
- (F) A statement that the limits of movement and vibrations as defined in (D) and (E) above will not be exceeded as a result of the proposed means and methods of construction, as well as means and methods the Contractor, at the Contractor's own expense, will employ should any limits be exceeded.
- (G) A geological profile of the soils in the area. This profile shall be based upon the boring logs taken for this project.
- (H) A geotechnical summary including assumed values for the physical and strength characteristics of the soils and/or bedrock shown on the Record(s) of Borings, developed from, but not limited to available soil and/or rock descriptions, blow counts, and available geotechnical laboratory testing. Such physical and strength characteristics include, but are not limited to, a soil's unit weight, friction angle, cohesion, consolidation properties, and permeability/drainage properties.
- (I) Engineering computations to substantiate any values stated, recommended, or defined in (C), (D), and (E), using the appropriate data from (G) and (H), above.

The report shall include all field notes, measurements and photographs and videotapes, as required, of existing conditions which may be aggravated by the proposed construction work and shall include a visual inspection of the interior and exterior of all buildings within the radius of influence of construction activity and dewatering. A view of each exterior face of the building and/or structure is required. Additional interior photographs shall be taken to show any existing cosmetic or structural damage on buildings.

Applications for consents to enter buildings for the purpose of inspection shall state that the inspection is necessary to ensure the structural integrity of the building. One counterpart of each consent, duly signed and acknowledged by the owner or one of the owners, executors or administrators for the owner and for the owner's agents, lessee and any other persons who shall have a vested or contingent interest in the building, or notice of refusal if consent is not obtained shall be filed with the Engineer at least ten (10) days before the commencement of work which affect the building or structure.

The report shall also include recommendations or comments regarding any potentially dangerous and/or unsafe conditions uncovered along with all other additional information required pursuant to other sections of the specifications.

All results of the building or structure examinations shall be incorporated into the Preconstruction Report. No work may begin until the Department of Design and Construction has accepted the Preconstruction Report. This pertains to all contract work and no exceptions will be allowed unless otherwise stated in these specifications.

#### 9.70.4. PRICE TO COVER

The contract price for the "PRE-CONSTRUCTION REPORT" shall be a lump sum price and shall include the cost of all labor, materials, plant, equipment, and insurance necessary or required to prepare the preconstruction report, including but not limited to, building examinations and do all other work incidental thereto; all in accordance with the Contract Drawings, specifications and as directed by the Engineer.

#### **9.70.5 PAYMENT**

No payment for the Pre-construction Report will be made until after the Department of Design and Construction has accepted the Pre-construction Report.

Item No.	Item	•	Pay Unit
9.70	PRE-CONSTRUCTION REPORT		L.S.

# SECTION 9.71 A MONITORING AND POST-CONSTRUCTION REPORT

#### 9.71A.1. INTENT

The intent of this section is to monitor and summarize the effects of construction activities on structures located within the influence line of work to be performed under the contract to ensure that the Contractor's proposed means and methods of construction do not create or aggravate any potentially dangerous conditions. The Contractor shall be required to adhere to all criteria, requirements and recommendations of the Pre-Construction Report. The Contractor is notified that a Pre-Construction Report will be required in accordance with **Section 9.70 – Pre-Construction Report**, herein the Addendum.

#### 9.71A.2. SPECIAL EXPERIENCE REQUIREMENTS

Within thirty (30) days of the award of this contract, the Contractor shall submit to the Engineer qualifications of the firm it proposes to provide the engineering services described in this section. The proposed firm must meet the following special experience requirements.

- (1) Such firm must, within the last five (5) consecutive years, have successfully provided engineering services similar to the services described in this section on a minimum of three (3) comparable projects.
- (2) Such firm must carry professional liability insurance as specified in Schedule "A".

Compliance with such special experience requirements will be determined solely by the Engineer. Once a firm is approved, no substitution will be permitted, unless the Engineer has approved the qualifications of the proposed replacement in writing in advance. If the qualifications of the proposed firm are not acceptable, the Contractor shall submit the qualifications of another proposed firm within fifteen (15) days of notice to do so.

The firm approved for the preparation of the Pre-Construction Report may also be submitted for approval to perform the monitoring and post-construction report work.

#### 9.71A.3. SUBMISSIONS

The firm will be required to perform the monitoring during construction activity and submit reports to the Engineer on a weekly basis. These reports shall include sketches noting the location of all monitoring points. Should any of the criteria set forth in the Pre-Construction Report be exceeded, the Engineer shall be notified immediately. Monitoring shall include but not be limited to the following:

#### (A) Monitoring Settlement

A series of reference points shall be established outside of the "radius of influence" as previously described for monitoring structural settlements. All initial and subsequent readings shall be taken to the nearest one-hundredth (0.01) of a foot.

Structures and/or buildings shall be monitored daily for vertical and horizontal movement when work is being performed within the radius of influence. Upon completion of work within the radius of influence, buildings and/or structures shall be monitored weekly for the first month then

monthly for the next five (5) months. In the event of an unusual event (e.g. water main break or abnormal flooding) monitoring shall be performed within twenty-four (24) hours of the event.

All readings shall be done by or under the immediate supervision of a Surveyor Licensed by the State of New York as evidenced by the imprint of the Surveyor's seal and signature. The Contractor shall transmit a copy of all readings to the Engineer on the same day they are taken. Should the limit of horizontal and/or vertical movement, as set forth in the Preconstruction Report, of any building and/or structure be exceeded, the Contractor shall immediately and concurrently notify the Engineer and, at the Contractor's own expense, follow the steps included in the Preconstruction Report in **Subsection 9.70.3(F)** of this Addendum to rectify the situation and prevent further settlement of such building and/or structure. The Contractor shall be fully responsible for any damages to any foundations, walls or other portions of buildings and/or structures that may result during the courses of this construction. Any damage done by the Contractor, whether it is accidental or due to negligence or carelessness in performing the work included in this contract shall be made good by the Contractor at the Contractor's own expense.

## (B) Vibration Monitoring

Should the Contractor employ means and methods of construction that will result in vibrations being imparted to the surrounding soil and/or buildings and/or structures, the Contractor shall monitor and record particle velocity. Locations of the monitoring points shall be placed in such a manner so as to ensure recordings that reveal any possibility of damage to existing buildings.

These points shall be monitored at all times when means and methods of construction resulting in vibrations are employed. The maximum permissible peak particle velocity shall be that noted in the Pre-Construction Report. Should particle velocities be exceeded the Contractor shall immediately cease operations and resort to another method which will eliminate or minimize the effect of vibrations.

It shall be the Contractor's responsibility to restore any buildings or structures damaged as a result of the Contractor's operations to its original condition or better.

# (C) Post-Construction Report

Within thirty (30) days of the completion of all work that necessitated monitoring the chosen firm shall prepare a report detailing the results of the monitoring program. The report shall include a comparison of all assumptions and field-measured values. Should there be excessive discrepancies between the two, an explanation shall be presented within the report. This report shall include sketches of all monitoring points.

# 9.71A.4. RESPONSIBILITIES OF THE CONTRACTOR

Prior to bidding the Contractor shall examine the site and available subsurface investigation information and formulate means and methods of construction that will not result in any damage to existing structures. Should the Contractor lack the expertise in evaluating the effects of the Contractor's means and methods of construction, the Contractor should prepare the Contractor's bid in consultation with an experienced firm or authority. In any event, the Contractor will be held liable for any damage to any existing structures due to the Contractor's means and methods of construction.

In addition, should the results of the Pre-Construction Report indicate that damage will result from the Contractor's proposed means and methods of construction, the Contractor will be required to amend the Contractor's means and methods of construction in accordance with the Pre-Construction Report, at no additional cost to the City.

#### 9.71A.5. PRICE TO COVER

The contract price for the "MONITORING AND POST-CONSTRUCTION REPORT" shall be a lump sum price and shall include the cost of all labor, materials, plant, equipment and insurance necessary or required to prepare weekly reports, examine buildings and structures, perform the construction monitoring, prepare the post-construction report and do all other work incidental thereto; all in accordance with the Contract Drawings, specifications and as directed by the Engineer.

#### **9.71A.6. PAYMENT**

Payment for this work shall be made in proportion to the work completed as follows:

Completion of Field Monitoring 60% Acceptance of Post-Construction Report 40%

#### Payment will be made under:

Item No.	Item	Pay Unit
9.71 A	MONITORING AND POST-CONSTRUCTION REPORT	L.S.

#### 4. SPECIAL PROVISIONS

The following shall become a part of and apply to the Contract:

- DEMOLITION AND RECONSTRUCTION ON PRIVATE PROPERTY. The Engineer will determine the extent of demolition and reconstruction needed on private properties in order to perform the subgrade remediation. The Contractor shall be required to excavate and demolish items on private property as ordered by the Engineer, including, but not limited to walkways, driveways, fences, stoops, and free-standing walls. The Contractor shall provide and maintain temporary means to access private property to the satisfaction of the Engineer, the cost of which shall be included in the various demolition items. If demolition of a stoop is necessary, the Contractor shall salvage the existing handrails and incorporate them into the reconstruction at no separate payment. The Contractor shall coordinate with the homeowners and residents to limit inconvenience to the greatest extent possible, and shall perform reconstruction on private property in a neat and workmanlike manner. The Engineer will provide the Contractor with plans and details of the reconstruction work as necessary. Any damage to private property caused by the Contractor shall be immediately repaired to the satisfaction of the Engineer.
- B. <u>VIBRATION CRITERIA</u>. The Contractor's attention is directed to the need to minimize vibrations due to the construction activities. The Contractor shall govern his methods of operation, including driving of piling, such that the peak particle velocities measured from the sheet pile driving locations at the closest structures shall not exceed the values as indicated in the Pre-Construction Report to be prepared under Item No. 9.70. Similarly, the maximum hammer energy for driving sheet piling shall also be governed by the values as indicated in the Pre-Construction Report to be prepared under Item No. 9.70. These criteria will be strictly enforced and the Contractor is advised that he will be required to limit hammer energy and take all measures necessary, including possible hand excavation in front of sheet piling to keep vibrations within acceptable levels. The Contractor will be required to measure peak particle velocities and transmit this information to the Engineer.
- C. <u>UTILITY SERVICE CONNECTIONS</u>. The Contractor will be required to support and protect all private and City utility connections including but not limited to house connections during the excavation. The cost to support and protect all private and city utility connections within the excavation from the street Right of Way line to the face of building shall be deemed included in the prices bid for all scheduled items.
- D. <u>LINES AND GRADES</u>. The Contractor shall furnish lines and grades in accordance with Section 1.06.27 of the Standard Highway Specifications, except that survey controls established for this project may no longer exist and the Contractor shall be required to re-establish the survey control information using official Borough Survey Control Monuments and Bench Marks, where they exist. The

Contractor shall check with Topographic Section of the Borough President's Office as to the reliability and accuracy of the data to be used for lines and grades.

E. <u>SPECIFIC TRAFFIC STIPULATIONS</u>. Under this contract, the Contractor shall perform the work in strict accordance with the requirements of Section 6.70 in the Standard Highway Specifications, specific traffic stipulations as called for on the plans, OCMC Traffic Stipulations attached to the end of these Special Provisions, and the directions of the Engineer. In case of a conflict, the Engineer's decision shall be final.

In addition, the cost of compliance with requirements of the OCMC Traffic Stipulations, unless otherwise provided for, shall be deemed included in the prices bid for all scheduled items.

F. HOLIDAY CONSTRUCTION EMBARGO. A special Holiday Construction Embargo shall be in effect on the Friday of the week preceding Thanksgiving Day week from 6:00 AM to 11:59 PM and again from the Monday of Thanksgiving Day week from 6:00 AM through January 2, at 11:59 PM. Roadway and sidewalk construction activities will be restricted during the embargo period on the streets listed below\*.

Any permits issued prior to the date of this notice, for work during this embargo period on the streets listed below which do not already have the permit stipulation "410" are hereby suspended for the period noted above. All permittees must comply with this embargo unless a special waiver is granted by OCMC. Waiver requests must be filed at least thirteen days before Thanksgiving Day, in the Permit Office by filing a "Request for Roadway/Sidewalk Permits During "Embargo Periods" and submitting supporting documentation. Waiver requests should only be submitted for critical reasons for a specific project. If a waiver is granted, the applicant will be notified so they can apply for the approved permits. Waivers are not required for ongoing Building Construction Activity Permits which already include the "410" permit stipulation. Waiver request forms may be obtained at any Permit Office or on the Department of Transportation's website at: <a href="http://www.nyc.gov/html/dot/downloads/pdf/holidayembapp.pdf">http://www.nyc.gov/html/dot/downloads/pdf/holidayembapp.pdf</a>

Prior to this embargo period all necessary measures must be taken so that all roadways and sidewalks are in proper condition to allow for the expeditious and safe movement of vehicular, bicycle and pedestrian traffic. Tool carts, cable reels, containers, and material stored on roadways must be removed during the embargo period.

The opening of utility access covers is prohibited on any of the streets noted below between the hours of 6:00 AM and midnight unless the utility or Contractor files for an Emergency Authorization Number

<sup>\*</sup> Please note that this embargo only applies to NYCDOT construction permits.

<sup>\*</sup> List of street and maps of the affected locations are available by borough on the Department of Transportation's website at: http://www.nyc.gov/html/dot/html/motorist/trafalrt.shtml

as required by section 2-07 of the Department of Transportation's Highway Rules. The planned opening of utility access covers may occur during the hours of 12:01 AM and 5:59 AM where no authorization number is required.

Temporary restoration of the streets and sidewalks and removal thereof, if required for the Holiday Embargo period, will be paid for under the appropriate scheduled items.

No extension of time due to the shutdown period will be granted to the Contractor for completion of the work.

- G. CONTRACT ITEMS THAT INCLUDE BACKFILL AS A PART OF THEIR WORK. The following shall pertain to all contract items that have backfill as a part of their work: Backfilling shall comply with Subsection 4.11.3 of the Standard Specifications and no additional payment will be made for any Highway or Street Lighting work item requiring Contractor to furnish additional fill material to meet these requirements when backfilling.
- H. <u>DISPOSAL OF EXCESS EXCAVATED MATERIAL</u>. All excess excavated material, with the exception of contaminated material, shall become the property of the Contractor and shall be properly disposed of away from the site, at the Contractor's expense. Contaminated material shall be disposed of separately in accordance with contract requirements.
- I. SCHEDULING PRESENTATION. The Contractor shall submit construction schedule in the form of a bar chart using "Microsoft Project 2010", or in an approved equivalent program which shall be directly and fully translatable into Microsoft Project 2010 format, within seven days of the initial Pre-Construction Meeting. Each bar in the chart shall show dates the Contractor plans to start and complete each construction activity after the initial Pre-Construction Meeting. Bar chart shall show the order and interdependence of all activities necessary to complete the work and the sequence in which activity is to be accomplished as planned by the Contractor and in accordance with all subcontractors or suppliers whose work shall be shown on the bar chart. The Contractor shall submit the bar chart for the Engineer's review and revise it, if required, until approved by the Engineer.

The Contractor shall submit weekly progress status update reports or as otherwise directed by the Engineer. The Contractor shall submit updated bar chart every month. The revised bar chart shall be made in the same form and detail as the original submittal and shall be accompanied by an explanation of the reasons for the revisions all of which shall be subject to approval by the Engineer.

J. ACCELERATED PROJECT SCHEDULE AND COMBINATION OF STAGES.
Contractor shall plan and/or stage his/her work schedule using all hours/days available. Contractor is advised that all applicable unit prices shall include, for the purpose of this contract, all overtime costs, premium time costs, shift differentials required to complete

construction within the specified "Time(s) of Completion" stipulated in this contract.

Contractor shall be permitted to accelerate this project, to combine stages and/or work sequences. Any such changes shall be shown in the construction schedule, to be furnished in accordance with the General Provisions of the Standard Specifications and the above "SCHEDULING PRESENTATION" Article, and shall be submitted for approval of the Engineer.

- K. NO EXTENSION OF TIME FOR WINTER SHUT-DOWN. Where the Contractor's approved work schedule for installing sidewalk, curb, roadway base and/or pavement falls within the winter period of December 1st through April 1st, the Contractor will NOT be granted an extension of time for completion of this contract due to the winter shut-down period, unless otherwise provided in Schedule A.
- L. PRIVATE UTILITY HARDWARE ADJUSTMENTS will be performed by the owning utility company or its agent, at its expense. The Contractor shall notify the utility company 72 hours prior to start of work at each location where its hardware requires adjustment.
- M. <u>SURVEY MONUMENTS</u>. When working in the vicinity of survey monument the Contractor shall hand excavate per Item 8.02 A and 8.02 B at City Survey Monuments, for a distance of five (5) feet around each monument, as directed by the Engineer.
- N. RESTORATION OF ADJACENT AREAS. The Contractor shall be required to remove all form work. In planting strip areas, the Contractor shall be required to restore areas damaged as a result of his operations, to the satisfaction of the Engineer, with sod. The Contractor shall also, as directed by the Engineer, make safe adjacent areas to his work, such as: restoring missing or damaged pavement markings that were removed or damaged as a result of the Contractor's operations (as per requirements of Section 6.44 in the Standard Specifications); resetting granite blocks in tree pits; and, applying asphaltic concrete mixture (Item 4.02 CB) where badly broken sidewalk or curb may create a dangerous condition just outside his area of operation, where and when directed by the Engineer.

All restoration work shall be done to the satisfaction of the Engineer.

- O START OF CONTRACT WORK. The Contractor is notified that it is the intent of this Agency to commence work promptly after registration of the contract and to order the Contractor to commence work within two (2) months after registration.
- P. PRICES TO INCLUDE. No direct payment will be made for costs incurred in complying with the foregoing Special Provisions, unless otherwise provided. Said costs will be deemed to have been included in the prices bid for all the scheduled contract items.

Project ID: HWXP093B



# Department of Transportation

JANETTE SADIK-KHAN, Commissioner

#### OCMC TRAFFIC STIPULATIONS

October 23, 2012

OCMC FILE NO: CONTRACT NO: BXEC 12-376 HWXP093B

PROJECT:

Reconstruction of Boiler Avenue

LOCATION(S):

The Bronx, Boiler Avenue at Needham Avenue

PERMISSION IS HEREBY GRANTED TO THE NEW YORK CITY DEPARTMENT OF TRANSPORTATION, CAPITAL PROJECT ENGINEERING AND ITS DULY AUTHORIZED AGENT, TO ENTER UPON AND RESTRICT THE FLOW OF TRAFFIC AT THE ABOVE LOCATION AND ITS LOCAL ADJACENT STREETS FOR THE PURPOSE OF CARRYING OUT THE ABOVE NOTED PROJECT, SUBJECT TO THE STIPULATIONS, AS NOTED BELOW:

#### SPECIAL STIPULATIONS

- EMBARGOES A CONSTRUCTION EMBARGO WILL APPLY TO THOSE LOCATIONS BELOW WHICH FALL WITHIN THE HOLIDAY EMBARGO OR ANY OTHER SPECIAL EVENT EMBARGOES SUCH AS PUBLISHED BY THE BUREAU OF PERMIT MANAGEMENT AND CONSTRUCTION CONTROL.
- BIKE LANES IF WORK IS IN OR AFFECTING A BIKE LANE, THE CONTRACTOR MUST POST ADVANCE WARNING SIGNS 350 FEET AND 200 FEET PRIOR TO THE WORK ZONE STATING "CONSTRUCTION IN BIKE LANE AHEAD PROCEED WITH CAUTION", AND ALSO POST A SIGN AT THE WORK ZONE STATING "CONSTRUCTION IN BIKE LANE PROCEED WITH CAUTION". SUCH SIGNS SHALL BE ORANGE, 3' X 3', DIAMOND-SHAPED WITH 4" BLACK LETTERING. SIGNS SHALL BE POSTED IN ACCORDANCE WITH THE FEDERAL MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD).
- BUS STOPS THE CONTRACTOR SHALL PROVIDE WRITTEN NOTICE TO NYC DOT OCMC AND NEW YORK CITY TRANSIT (NYCT) A MINIMUM OF FIVE (5) WEEKS IN ADVANCE FOR LANE/STREET CLOSURES THAT AFFECT BUS ROUTES/BUS STOPS.
- METERS THE CONTRACTOR MAY NOT REMOVE OR RELOCATE PARKING METERS WITHOUT FIRST OBTAINING APPROVAL FROM NYCDOT PARKING METER DIVISION AT 718 - 894 - 8651
- ACCESS TO ABUTTING PROPERTIES THE CONTRACTOR SHALL COORDINATE ALL ACTIVITIES WITH ABUTTING PROPERTY OWNERS TO ENSURE ACCESS IS PROVIDED TO/FROM ENTRANCES/DRIVEWAYS AT ALL TIMES.
- AUTHORIZED PARKING PRIOR TO PERFORMING WORK WHICH IMPACTS AUTHORIZED PARKING, THE CONTRACTOR SHALL SUBMIT IN WRITING, AND COPY OCMC-STREETS, A REQUEST TO OCCUPY SPACE CURRENTLY USED BY AUTHORIZED VEHICLES. APPROVAL MUST BE RECEIVED FROM AUTHORIZED PARKING PRIOR TO OCCUPYING THESE AREAS.
- NOTIFICATION THE CONTRACTOR MUST AT LEAST TWO (2) WORKING DAYS BEFORE THE START OF CONSTRUCTION NOTIFY THE NYC FIRE DEPARTMENT, NYC POLICE DEPARTMENT, NYCEMS, LOCAL COMMUNITY BOARD, BOROUGH PRESIDENT'S OFFICE-CHIEF ENGINEER, NYCDOT OCMC OFFICE, AND ALL ABUTTING PROPERTY OWNERS.

#### ENHANCED MITIGATIONS

- O "NO STANDING ANYTIME-TEMPORARY CONSTRUCTION" SIGNS AND TEMPORARY PAVEMENT MARKINGS SHALL BE INSTALLED AND MAINTAINED AS WARRANTED BY THE MAINTENANCE AND PROTECTION OF TRAFFIC (MPT) REQUIRED TO FACILITATE TRAFFIC MOVEMENTS THROUGH THE WORK ZONE. ALL TEMPORARY SIGNS AND PAVEMENT MARKINGS SHALL BE REMOVED UPON COMPLETION OF THE PROJECT.
- O COMMUNITY OUTREACH SHALL BE PROVIDED FOR THE DURATION OF THE PROJECT.

# MAINTENANCE AND PROTECTION OF TRAFFIC OF THE RECONSTRUCTION OF BOILER AVENUE

- ISTAGE 11 INTERSECTION OF BOLLER AVENUE AND NEEDHAM AVENUE
  - Work hours shall be as follows: 7:00 am to 6:00 pm, Monday to Friday
  - 8:00 am to 6:00 pm, Saturday Contractor may close roadway at this intersection for the entire project duration.
  - Contractor may close sidewalk on North East corner and South East comer for reconstruction of sidewalk.

- ISTAGE -21 INTERSECTION OF BOLLER AVENUE AND NEEDHAM AVENUE

  Work hours shall be as follows: 7:00 am to 6:00 pm, Monday to Friday
  - 8:00 am to 6:00 pm, Saturday Contractor may close roadway at this intersection for the entire project duration.
- Contractor may close sidewalk on North West corner, and South West corner for reconstruction of sidewalk,

# ISTAGE -3 & 41 - INTERSECTION OF BOLLER AVENUE AND NEEDHAM AVENUE

- Work hours shall be as follows: 7:00 am to 6:00 pm, Monday to Friday 8:00 am to 6:00 pm, Saturday
- Contractor may close roadway at this intersection for the entire project duration.
- Contractor should open all sidewalks to pedestrians. Work only in roadway at this intersection.

# BOLLER AVENUE BETWEEN NEEDHAM AVENUE AND MAROLLA PLACE BOLLER AVENUE BETWEEN NEEDHAM AVENUE AND BOSTON ROAD NEEDHAM AVENUE BETWEEN BOLLER AVENUE AND PRAIT AVENUE NEEDHAM AVENUE BETWEEN BOLLER AVENUE ANDPALMER AVENUE

- Work hours shall be as follows: 7:00 am to 6:00 pm, Monday to Friday
  - 8:00 am to 6:00 pm, Saturday
- Contractor may close roadway at this intersection for the entire project duration. Contractor should open all sidewalks to pedestrians. Work only in roadway at this intersection. Contractor must maintain one 12 foot lane for local and emergency access at all times.

NYC Department of Transportation

**Bureau of Permit Management and Construction Control** 

55 Water Street - 7th Floor, New York, NY 10041 T: 212.839.9621 F: 212.839.8970

www.nyc.gov/dot

October 23, 2012 Page 2 of 2

OCMC FILE NO: CONTRACT NO: BXEC 12-376 HWXP093B

PROJECT:

Reconstruction of Boller Avenue

#### C. GENERAL NOTES

- 1. THIS IS NOT A PERMIT. THIS STIPULATION SHEET MUST BE SUBMITTED WITH ALL REQUESTS FOR PERMITS PERTAINING TO THE ABOVE CONTRACT AND PRESENT AT THE WORK SITE ALONG WITH ALL ACTIVE CONSTRUCTION PERMITS WHEN THE APPROVED WORK IS BEING PERFORMED.
- ALL RELOCATION WORK BY THE UTILITIES SUCH AS; CON EDISON, TELEPHONE, GAS AND CABLE COMPANIES SHALL PRECEDE THE CONTRACTORS'
  START OF WORK ON ALL AFFECTED ROADWAYS IN THE IMPACTED CONTRACT AREA.
- 3. THE CONTRACTOR IS ADVISED THAT OTHER CONTRACTORS MAY BE WORKING IN THE GENERAL AREA DURING THE FERM OF THIS STIPULATION. IN WHICH EVENT, THE CONTRACTOR MAY REQUIRE MODIFICATIONS BY THE OCMC-STREETS.
- 4. THE PERMITTEE IS NOT AUTHORIZED TO ENTER, OCCUPY OR USE ANY PUBLICLY-OWNED OR PRIVATELY OWNED, NON-PAVED, LANDSCAPE OR NON-LANDSCAPED LOCATION WITHOUT SPECIFIC WRITTEN PERMISSION. WHEN THE LOCATION IS WITHIN THE RIGHT-OF-WAY OF A LIMITED-ACCESS ARTERIAL HIGHWAY, WRITTEN APPROVAL FROM THE NYCDOT OCMC-HIGHWAYS IS REQUIRED. WHEN THE LOCATION IS WITHIN THE RIGHT-OF-WAY OF A PUBLIC STREET OR PUBLIC PARK, WRITTEN APPROVAL FROM THE NEW YORK CITY DEPARTMENT OF TRANSPORTATION OR NEW YORK CITY DEPARTMENT OF PARKS AND RECREATION IS REQUIRED. WHEN THE LOCATION IS WITHIN THE RIGHT-OF-WAY OF ANY OTHER JURISDICTION SUCH AS PRIVATE PROPERTY, STATE, FEDERAL ETC., IT IS THE PERMITTEE'S RESPONSIBILITY TO DETERMINE THE PROPERTY OWNER AND OBTAIN THE WRITTEN APPROVAL.
- 5. THE PERMITTEE SHALL ADHERE TO THE NYCDOT BUREAU OF BRIDGES' SPECIAL PROVISIONS FOR LANDSCAPE PROTECTION, MAINTENANCE AND RESTORATION, ITEMS 1.18.15 THROUGH 1.18.19, WHENEVER AND WHEREVER ANY OF THE PERMITTEE'S ACTIVITIES OCCUR WITHIN A LIMITED ACCESS ARTERIAL HIGHWAY RIGHT OF WAY.
- 6. NO DEVIATION OR DEPARTURE FROM THESE STIPULATIONS WILL BE PERMITTED WITHOUT THE PRIOR WRITTEN APPROVAL FROM THE OCMC-STREETS. REQUEST FOR SUCH MODIFICATIONS SHALL BE SUBMITTED TO THE OFFICE OF THE OCMC-STREETS, NEW YORK CITY DEPARTMENT OF TRANSPORTATION, A MINIMUM OF TWENTY (20) DAYS IN ADVANCE FOR CONSIDERATION.
- 7. FOR THIS PROJECT THE CONTRACTOR SHALL FURNISH, INSTALL AND MAINTAIN ALL NECESSARY ADVANCE WARNING AND DETOUR SIGNS, TEMPORARY CONTROL DEVICES, BARRICADES, LIGHTS AND FLASHING ARROW BOARDS IN ACCORDANCE WITH THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES," THE TYPICAL SCHEMES INCLUDED IN THIS SPECIFICATION; AND AS ORDERED BY THE ENGINEER-IN-CHARGE AND THE OCMC-STREETS.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR IDENTIFYING HIS CONSTRUCTION SIGNAGE. THE IDENTIFICATION SHALL INCLUDE THE CONTRACTOR'S
  NAME, SPONSORING AGENCY NAME AND THE CONTRACT NUMBER. THE IDENTIFICATION SHALL BE PLACED ON THE BACK OF THE SIGN. THE
  LETTERING SHALL BE THREE (3) INCHES HIGH.
- THE OCMC-Streets reserves the right to void or modify these stipulations should construction fail to commence within two (2)
  YEARS OF THE SIGNED DATE OF THESE STIPULATIONS.
- 10. THE CONTRACTOR MUST COMPLY WITH ALL CONSTRUCTION EMBARGOS ISSUED BY THE NYCDOT INCLUDING THE HOLIDAY EMBARGO.

JOSEPH P. NOTO
EXECUTIVE DIRECTOR
DCMC-STREETS

MILAGROS RIVERA
PROJECT MANAGER
OCMC-STREETS

JPN/db



# THE CITY OF NEW YORK Department of Sanitation

S. ELIZABETH SEARLE Assistant Commissioner for Legal Affairs

Bureau of Legal Affairs 44 Beaver Street New York, NY 10004 Telephone (212) 837-8110 FAX (212) 837-8243

Department of Sanitation Rules and Regulations Governing Non-Putrescible Solid Waste Transfer Stations

#### INTERPRETIVE MEMORANDUM # 2 February 14, 1995

Subject: Temporary Storage and Processing of Construction and Demolition Debris by New York City Agency Contractors

Contractors performing construction work for New York City agencies may be required to excavate dirt, concrete, rock, gravel and similar materials ("construction materials") from a contract site or to remove from a contract site construction materials resulting from construction, demolition, abertation, repair or venevation, of structures, streets or buildings. On street construction projects, construction materials required to be excavated or removed may also include asphalt. The purpose of this Interpretive Memorandum is to (a) define the circumstances under which the Department of Sanitation (the "Department") will not deem its Rules and Regulations Governing Non-Purescible Solid Waste Transfer Stations (the "Rules") to apply to the temporary storage, processing and/or stockpiling (collectively, "stockpiling") of such construction materials and (b) the procedure for ensuring such exemption. It is the responsibility of the contracting agency to oversee its contractors' compliance with the Rules and with this Interpretive Memorandum.

# When No Transfer Station Permit is Required

Where a City contractor has:

- (a) set aside an area of a contract site for stockpiling construction materials excavated from and/or intended for that site; or
- received written approval from the contracting agency for an off-site stockpiling location,

the Department will not deem such stockpiling location a transfer station and will not require the contractor to obtain a transfer station permit so long as:

- no construction materials or debris from off the contract site are received at the designated location for subsequent transfer to another location (other than the contract site); and
- (d) the temporary stockpiling location is clearly described as such in the contract or clearly approved by the construction agency and designated as such in writing to the Department by the agency; and
- (e) the construction agency represents in writing to the Department that such agency will monitor the temporary stockpiling location and ensure its clean-up and restoration pursuant to the procedures set out in this memorandum.



Help Reduce New York's Waste.



Example: Street Construction Projects

As part of a contract for street construction, the contractor may be working at one end of a street and using an area at the other end of the street for the temporary stockpiling of construction materials. Both ends of the street are part of the construction contract site. In addition, the contractor may have leased an off-site location for temporary stockpiling of materials, which, following processing, will be reincorporated into the contract site, with some portion of the remainder designated for delivery to a Department disposal facility. Neither location will be regulated by the Department as a transfer station so long as the procedures set out in this memorandum are followed.

#### 2. Procedure for Exception.

Upon a City construction agency's approval of any location to be designated as a temporary processing, storage or stockpiling area, that agency must determine that (a) its contract with the contractor provides for clean-up and restoration of such area by, for example, the contractor's posting of a restoration bond and/or by contractual set-off and (b) the agency has adequate procedures for monitoring the designated area to ensure that it does not violate the provisions set forth in this memorandum and that such location is cleaned up and restored at the completion of the contract work.

The City construction agency must submit an official letter to the Department acknowledging compliance with both (a) and (b) immediately above and representing that the agency will ensure the contractor's compliance. The letter to be submitted must be in substantially the following form, addressed to the Director, Bureau of Waste Disposal, Department of Sanitation, 125 Worth Street, Room 726, New York, NY 10013:

"The New York City Department of	(the "Agency")
Site) (the "Contractor") for work to be performed at	(Contract
a. This Agency has approved the following locations to be Contractor for the temporary storage, processing and/or stockpi construction materials (the "Stockpiling Locations") excavated construction site or intended for the construction site:	ling of
	*

- b. The terms of the contract require the Contractor to clean up and restore the Stockpiling Locations, whether on or off the contract site, at or before the completion of the contract work.
- c. This Agency assumes responsibility for the monitoring of Stockpiling Locations to ensure that only materials received from and/or intended for the construction site are stockpiled at such locations and we will enforce clean-up and restoration of such Locations at the end of their use for temporary stockpiling or at the termination of the contract, whichever occurs carlier, through restoration

bonding requirements and/or contractual set-off provisions such that the costs of clean-up and restoration will not become a charge to the Department or the City."

# 3. When a Transfer Station Permit is Required

A transfer station permit will be required under any circumstances other than those outlined above. Except in the specifically defined circumstances set forth in this memorandum, any operator of a location or facility which receives, processes, stores or stockpiles construction and demolition debris or fill material for purposes of transfer to another location, including to a New York City Department of Sanitation facility, and whether or not under contract to the Department for the delivery of such materials, will be fully subject to the Department's transfer station rules and liable for enforcement for violations.

#### ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK
DEPARTMENT OF DESIGN AND CONSTRUCTION
INFRASTRUCTURE DIVISION
BUREAU OF DESIGN

PROJECT ID: HWXP093B

**RECONSTRUCTION OF** 

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

**Together With All Work Incidental Thereto** 

**BOROUGH OF THE BRONX** 

**ADDENDUM NO. 2** 

**DATED: March 20, 2013** 

This Addendum is issued for the purpose of amending the requirements of the contract documents and is hereby made part of said contract documents to the same extent as if it was originally included therein.

The Standard Sewer Specifications of the Department of Environmental Protection (dated August 1, 2009), Sewer Design Standards of the Department of Environmental Protection (dated (September 2007) Revised January 2009), Standard Water Main Specifications of the Department of Environmental Protection (dated August 1, 2009), Water Main Standard Drawings of the Department of Environmental Protection (latest revisions), and the Standard Highway Specifications (Volumes I and II) of the Department of Transportation (dated November 1, 2010) of The City of New York, shall be included as part of the contract documents. These said specifications and standard drawings are hereby revised under the following section headings:

- A. NOTICE TO BIDDERS
- B. AMENDMENTS TO THE STANDARD HIGHWAY SPECIFICATIONS
- C. AMENDMENTS TO THE STANDARD SEWER SPECIFICATIONS
- D. AMENDMENTS TO THE STANDARD WATER MAIN SPECIFICATIONS

#### A. NOTICE TO BIDDERS

(1) (A) The Contractor is advised that copies of the Standard Sewer Specifications (dated August 1, 2009), Sewer Design Standards (dated (September 2007) Revised January 2009), Standard Water Main Specifications (dated August 1, 2009), Specifications For Trunk Main Work (dated March 2012) and Water Main Standard Drawings (latest revisions) are available to all prospective bidders at no cost upon presentation of receipt of purchase of Bid Package at the following location:

Department of Design and Construction Division of Infrastructure Design Services, Specifications, 3<sup>rd</sup> Floor 30-30 Thomson Avenue Long Island City, NY 11101

(B) The Contractor is advised that copies of the Standard Highway Specifications (Volume I and II) (dated November 1, 2010), Standard Highway Details of Construction (latest revisions), Division of Street Lighting Specifications (latest revisions), Division of Street Lighting Standard Drawings (latest revisions), Standard Specifications for Traffic Signals (latest revisions), and Standard Drawings for Traffic Signals (latest revisions) are available to all prospective bidders for a fee at the following location:

Department of Transportation 55 Water Street, Ground Floor New York City, NY 10041

- (2) The Contractor is notified that it is the intent of this Agency to commence work promptly after registration of the contract and to order the Contractor to commence work within two (2) months after registration.
- (3) The Contractor shall furnish, install, maintain and subsequently remove temporary Protective Tree Barriers. Protective Tree Barriers shall be Type B, unless otherwise directed by the Engineer, and shall be constructed and installed as shown on the Protective Tree Barrier sketch in Department Of Transportation, Standard Highway Details Of Construction, Drawing No. H-1046A, as directed by the Engineer, and in accordance with Department of Parks and Recreation requirements.
- (4) All utility locations and invert elevations are not guaranteed, nor is there any guarantee that all existing utilities, whether functional or abandoned within the project area are shown.
- (5) All existing house connections shall be maintained and supported during construction. The Contractor shall replace any existing house connection damaged as a result of the Contractor's construction operations as ordered by the Engineer at no cost to the City.
- (6) The Contractor is advised that any City owned light poles, traffic signals, traffic signs and encumbrances including, but not limited to, underground conduit displaced as the result of the installation of the new sewers, water mains, catch basins, catch basin connections and appurtenances shall be replaced in kind and as directed by the Engineer. The cost of such work shall be deemed included in the prices bid for all items of work under this contract.
- (7) The Contractor is notified that Victaulic Style 77 Coupling is no longer acceptable for use in any steel water main work. All reference to Victaulic Style 77 Coupling within the Standard Water Main Specifications of the Department of Environmental Protection (dated August 1, 2009), the Water Main Standard Drawings of the Department of Environmental Protection (latest revisions), the Specifications For Trunk Main Work (dated March 2012), and the contract drawings, shall be replaced with Bolted Split-Sleeve Restrained Coupling.

(8) The Contractor is responsible for any damage to the existing street and traffic signal equipment, including underground conduits and the safety of both pedestrian and vehicular traffic for the duration of the contract.

Should any conduits, cables or foundations need repair due to the Contractor's negligent operations during construction, all work shall be performed according to NYCDOT Bureau of Traffic's Standard Drawings and Specifications at the sole expense of the Contractor.

It is the Contractor's responsibility to secure an approved electrical contractor to perform all traffic signal work (if any). For list of approved electrical contractors, contact Mr. Michael R. LeFosse of New York City Department of Transportation at (718) 786-2236.

ADDENDUM NO. 2 PROJECT ID.: HWXP093B

# B. AMENDMENTS TO THE STANDARD HIGHWAY SPECIFICATIONS

(NO TEXT)

## C. AMENDMENTS TO THE STANDARD SEWER SPECIFICATIONS

- (1) Refer to Subsection 1.06.3 Hours Of Work, Page I-4:
  Add the following to Subsection 1.06.3:
  - (A) <u>HOLIDAY CONSTRUCTION EMBARGO</u> A special Holiday Construction Embargo shall be in effect on the Friday of the week preceding Thanksgiving Day week from 6:00 AM to 11:59 PM and again from the Monday of Thanksgiving Day week from 6:00 AM through January 2, at 11:59 PM. Roadway and sidewalk construction activities will be restricted during the embargo period on the streets listed below\*.

Any permits issued prior to the date of this notice, for work during this embargo period on the streets listed below which do not already have the permit stipulation "410" are hereby suspended for the period noted above. All permittees must comply with this embargo unless a special waiver is granted by OCMC. Waiver requests must be filed at least thirteen (13) days before Thanksgiving Day, in the Permit Office by filing a "Request for Roadway/Sidewalk Permits During Embargo Periods" and submitting supporting documentation. Waiver requests should only be submitted for critical reasons for a specific project. If a waiver is granted, the applicant will be notified so they can apply for the approved permits. Waivers <u>are not</u> required for ongoing Building Construction Activity Permits which already include the "410" permit stipulation. Waiver request forms may be obtained at any Permit Office or on the Department of Transportation's website at:

#### http://www.nyc.gov/html/dot/downloads/pdf/holidayembapp.pdf

Prior to this embargo period all necessary measures must be taken so that all roadways and sidewalks are in proper condition to allow for the expeditious and safe movement of vehicular, bicycle and pedestrian traffic. Tool carts, cable reels, containers, and material stored on roadways must be removed during the embargo period.

The opening of utility access covers is prohibited on any of the streets noted below between the hours of 6:00 AM and midnight unless the utility or contractor files for an Emergency Authorization Number as required by section 2-07 of the Department of Transportation's Highway Rules. The planned opening of utility access covers may occur during the hours of 12:01 AM and 5:59 AM where no authorization number is required.

Temporary restoration of the streets and sidewalks and removal thereof, if required for the Holiday Embargo period, will be paid for under the appropriate scheduled items.

No extension of time due to the shutdown period will be granted to the Contractor for completion of the work.

- \* Please note that this embargo only applies to NYCDOT construction permits. List of street and maps of the affected locations are available by borough on the Department of Transportation's website at: <a href="http://www.nyc.gov/html/dot/html/motorist/trafalrt.shtml">http://www.nyc.gov/html/dot/html/motorist/trafalrt.shtml</a>
- (2) Refer to Subsection 1.06.20 Contractor To Notify City Departments, Page I-12: Add the following to Subsection 1.06.20:
  - (1) N.Y.C. D.E.P., BUREAU OF WATER AND SEWERS OPERATIONS

The Contractor shall notify Mr. James Garin, P.E., Assistant Commissioner, Engineering at the Department of Environmental Protection, 59-17 Junction Blvd., 3rd floor low rise, Corona N.Y. 11368, at least thirty (30) days prior to the start of construction.

(2) N.Y.C. DEPARTMENT OF TRANSPORTATION

The Contractor shall notify Mr. Steve Galgano, P.E. Chief of Signal/Street Lighting Operations, 34-02 Queens Blvd., Long Island City, N.Y. 11101 at (718) 786-3550, at least seventy-two (72) hours prior to the start of construction.

(3) Refer to Subsection 1.06.27 - Salvageable Materials, Page I-14:

<u>Delete</u> the paragraph starting with the words, "No salvageable material...", and ending with the words, "...from the site.", in its entirety:

**Substitute** the following:

Except as specified below, no salvageable material shall be returned to the New York City Department of Environmental Protection regardless of condition. It shall become the property of the Contractor for removal and disposal, by the Contractor, away from the site.

The Contractor shall salvage and deliver to a designated NYCDEP yard all Metropolitan Valves (6" thru 20") removed during construction of the contract.

(4) Refer to Standard Sewer Specifications (August 1, 2009), Subsection 1.06.29 - Contractor To Provide For Traffic, Page I-15: Add the following to Subsection 1.06.29:

(1) Traffic Stipulations:

The Contractor shall refer to Traffic Stipulations identified in the maintenance of traffic requirements under Highway Contract No. HWXP093B.

(5) <u>Refer</u> to Section 1.08 - Miscellaneous Provisions, Page I-19: <u>Delete</u> Subsection 1.08.2 - Vendors in its entirety: <u>Substitute</u> the following new <u>Subsection 1.08.2</u>:

#### 1.08.2 VENDORS

Prior to starting work, the Contractor shall submit in writing to the Engineer the names of all vendors and manufacturers the Contractor intends to use. Unless otherwise specified in the contract documents or a written exception is granted by NYCDDC, the Contractor shall submit only one (1) vendor or manufacturer for each product that is to be incorporated in the contract. The use of multiple vendors or manufacturers to supply the same product will be prohibited, unless otherwise specified in the contract documents or a written exception is granted by NYCDDC. If the vendor or manufacturer is not approved, the Contractor will be notified to either submit another vendor or manufacturer, or have their proposed vendor or manufacturer submit a request for approval from NYCDDC. The Contractor will be prohibited from using the vendor or manufacturer until approval of the vendor or manufacturer has been acquired from NYCDDC.

(6) Refer to Section 1.08 - Miscellaneous Provisions, Page I-20: Add the following new Subsection 1.08.7:

## 1.08.7 SUBMITTAL OF SCHEDULE LOG

The Contractor's attention is directed to **Article 9 - Progress Schedule** of the Contract. The Contractor shall submit along with the proposed progress schedule the following: A schedule log in Excel Format (tied to the proposed progress schedule) indicating a description of and the schedule submission dates for all required submittals, shop drawings, approval requests, design mixes, reports, samples, etc., as required by the specifications and the terms of the contract.

(7) Refer to Section 2.05 - Precast Reinforced Concrete Pipe, Subsection 2.05.4 - Materials, Workmanship And Finish, Page II-10: Delete from Subsection 2.05.4, paragraph (A) CONCRETE in its entirety:

Substitute the following:

- (A) CONCRETE The Concrete shall comply with the requirements of **General Specification 11 Concrete**, **as modified in Section 2.15**, and be a homogeneous mixture of such proportions and quality that the pipe will conform to the design and test requirements of these specifications.
- (8) Refer to Section 2.15 Concrete, Subsection 2.15.3 Modifications, Page II-23:

  Delete from Subsection 2.15.3, Reference Number D 3.2.1 together with its paragraphs in their entirety:

  Substitute the following:
  - D 3.2.1 DELETE 3.2.1 to 3.2.9 of GS11 and SUBSTITUTE the following:

All concrete mix designs shall be subject to approval by DDC's Quality Assurance and Construction Safety (QACS) Bureau and in accordance with their "MIX DESIGN, LABORATORY AND PLANT APPROVAL PROTOCOL". Copies of this protocol may be obtained at the preconstruction meeting or from the Engineer. Before the Contractor begins to manufacture concrete, the Contractor shall secure DDC's QACS approval of the mix design the Contractor proposes to use.

The Contractor shall submit for this purpose a statement, in writing, of the sources of all ingredient materials, the type and brand of the cement and the number of pounds of each of the materials in a saturated surface-dry condition making up one (1) cubic yard of concrete. The range of water-cement ratios within which the concrete will be manufactured and the method of mixing to be employed shall also be stated. The mix design submittal shall include gradation of aggregates, specific gravities of ingredients, unit weight, mix proportion for each batch (a minimum of four (4) batches except in case of precast plants where one specific mix may be proposed), compressive strength test results for each mix at 7-days, 28-days (high-early strength mixes may require 6-hours, 24-hours, 3-days and shrinkage test as per the requirements), and graphical representation of strength vs. W/C projected in hours/days.

The Contractor may submit for approval concrete mixes that (within one (1) year of the contract) have been previously approved and used on other jobs with any Bureau of the Department of Environmental Protection or the Department of Design and Construction. Such submittals shall contain evidence that the concrete mix was approved within one (1) year of this contract and shall show that the concrete will be produced at the same mix plant, that the cement and admixtures are the same type (though not necessarily the same brand), that the water/cement ratio is the same and that adjustments have been made in the mix for air content, specific gravity and gradation of the aggregates.

If the Contractor elects to submit a concrete mix that was not previously approved, the Contractor shall submit the new concrete mix in accordance with Chapters 2 and 3 of General Specification 11 as modified herein.

- (9) Refer to Section 2.15 Concrete, Subsection 2.15.3 Modifications, Page II-26: Add to Subsection 2.15.3, before Reference Number D 8.2 the following:
  - D 7.3.3 ADD the following to Subsection 7.3.3 of GS11:

Each Portland cement concrete batching plant shall be subject to approval by DDC's Quality Assurance and Construction Safety (QACS) Bureau and in accordance with their

"MIX DESIGN, LABORATORY AND PLANT APPROVAL PROTOCOL". Copies of this protocol may be obtained at the preconstruction meeting or from the Engineer. The minimum requirement for approval is that the proposed Portland cement concrete batching plant must be on the New York State Department of Transportation (NYSDOT) approved list for the current construction season.

The minimum requirement for approval of a precast concrete plant is that the proposed plant must be on the NYSDOT approved list. A waiver for this requirement may be granted by the DDC's Quality Assurance and Construction Safety (QACS) Director for special products that no NYSDOT approved plant is capable of producing.

Each Portland cement concrete batching plant shall also be subject to auditing and approval of the DDC's Director of Quality Assurance and Construction Safety (QACS). The Director of QACS may at any time discontinue the use of any previously approved equipment if nonconformance with the specifications results during the progress of the work. When the Director of QACS discontinues the use of the plant, production will not be acceptable for Department work until corrective measures satisfactory to the Director are carried out.

(10) Refer to Section 2.15 - Concrete, Subsection 2.15.3 - Modifications, Page II-26:

<u>Delete</u> from <u>Subsection 2.15.3</u>, <u>Reference Number D 16.3</u> together with its paragraphs in their entirety:

Substitute the following:

D 16.3 Testing Service - <u>ADD</u> the following:

The Contractor shall retain the services of an independent testing laboratory to provide for the services outlined in 16.3.1.4 to 16.3.1.11 of GS11, with the exception of those tests specified herein to be performed by the Engineer and the City Retained Laboratory.

All laboratories shall be subject to approval by DDC's Quality Assurance and Construction Safety (QACS) Bureau and in accordance with their "MIX DESIGN, LABORATORY AND PLANT APPROVAL PROTOCOL". Copies of this protocol may be obtained at the preconstruction meeting or from the Engineer. The minimum requirement for approval is that the laboratory must have the current AMRL/AASHTO R-18 accreditation in the category of service proposed and must be currently licensed by the NYC Department of Buildings (DOB).

(11) Refer to Section 2.15 - Concrete, Subsection 2.15.3 - Modifications, Page II-26:

<u>Delete</u> from <u>Subsection 2.15.3</u>, <u>Reference Number D 16.8</u> together with its paragraphs in their entirety:

Substitute the following:

D 16.8 Responsibilities and Duties of Contractor - ADD the following:

The Contractor may, if the Contractor so desires, take cylinders corresponding to those taken by the Engineer for the City Retained Laboratory. However, determination of payment will be based solely on the cylinders taken by the Engineer for the City Retained Laboratory.

#### **CONCRETE TEST CYLINDERS**

The Contractor will be responsible for safe delivery of concrete cylinders to the Department of Design and Construction Laboratory, within two (2) days after molding, where they will be properly stored and cured until the date of test, and tested by others,

upon removal from the curing room. The Department of Design and Construction testing laboratory will provide the services for the curing and breaking of the test cylinders.

The Contractor shall provide empty cylinder molds and facilities for the proper care of these cylinders while on the site, and shall safeguard them against injury and protect them from the elements.

The Engineer will be responsible for the preparation, documentation and labeling of the cylinders and for notifying the Contractor, at least twenty-four (24) hours in advance, when a shipment of cylinders is ready for delivery, so that cylinders can be tested for the standard twenty-eight (28) day and seven (7) day tests. Cylinders are to be delivered by the Contractor to a designated area near 30-30 Thomson Avenue, Long Island City, New York, or where otherwise directed within the City of New York.

The Contractor shall make arrangements to protect all cylinders from damage during loading, transport to, and unloading at a Department of Design and Construction designated testing laboratory, and shall obtain a receipt for delivered cylinders, which shall be submitted to the Engineer.

# (12)Refer to Section 4.06 - Backfilling, Subsection 4.06.3 - Method Of Depositing All Backfill, Page IV-18:

## (A) Add the following paragraph to beginning of Subsection 4.06.3:

At the preconstruction meeting, the Contractor shall submit for approval a full description of the Contractor's proposed methods to be used for all backfilling operations including, but not limited to, equipment, backfill material, depth of compaction layers, and trench locations where each is to be employed. In the field, the Contractor shall be required to demonstrate that the Contractor's methods of backfilling and compaction shall obtain a minimum of ninety-five (95) percent of Standard Proctor Maximum Dry Density.

# (B) <u>Delete</u> from Subsection 4.06.3, the fourth paragraph in its entirety: <u>Substitute</u> the following:

Unless otherwise approved in writing by the Engineer, backfilling of the remainder of the trenches and excavations from a point not less than two (2) feet above the top of the sewer conduit (i.e. sewer pipes on cradles or encasements, reinforced concrete sewers, basin and house connections, culverts, etc.) to the underside of the pavement shall be progressively deposited in uniform and successive horizontal layers not exceeding twelve (12) inches in depth for the entire width of the trench or excavation and each successive layer shall be solidly compacted by mechanical tamping or other approved means so as to achieve the required density. In deep trenches defined as those requiring sheeting, the Contractor may submit to the Engineer, for approval, an alternate backfill method (i.e. jetting, deeper deposited layers not exceeding twenty-four (24) inches, etc.) for depositing and compacting the backfill from two (2) feet above the top of the sewer conduit to a plane five (5) feet below final surface elevation. However, approval of any alternate backfill method shall not relieve the Contractor from obtaining a minimum of ninety-five (95) percent of Standard Proctor Maximum Dry Density. Should the Engineer determine that the specified density is not being obtained, the area must be re-excavated and backfilled at the Contractor's own cost until the required compaction density is achieved.

# (C) <u>Delete</u> from **Subsection 4.06.3**, the seventh paragraph in its entirety: <u>Substitute</u> the following:

Backfill shall proceed simultaneously with the withdrawal of sheeting but at no time shall the withdrawal of sheeting exceed a height of six (6) inches above the deposited backfill. Withdrawal of sheeting below levels previously backfilled and compacted is prohibited.

(13)<u>Refer</u> to Section 5.01 - Reinforced Concrete Sewers, Subsection 5.01.4 - Precast Reinforced Concrete Sewer, Paragraph (C) - Details, second paragraph, first line, Page V-4:

<u>Change</u> the words "C789 or C850 (as required)", to "C1433":

(14)<u>Refer</u> to Section 5.05C - Reconstruction Of Existing Sewers Using D.E.P. Approved Cured-In-Place-Pipe (CIPP) Lining Method, Subsection 5.05C.6 - Separate Payment, third paragraph, second line, Page V-49

<u>Change</u> the word, "nine", to "eleven":

(15)<u>Refer</u> to Section 5.11 - Outfall Structures, Subsection 5.11.2 - Materials, Page V-95:

<u>Delete</u> from Subsection 5.11.1, paragraph (A) in its entirety:

<u>Substitute</u> the following:

(A) Concrete used for outfall structure (including headwalls, reinforced concrete sewer outfalls, cradles and encasements, chambers, manholes and catch basins) shall comply with the requirements of **General Specification 11 - Concrete**, **as modified in Section 2.15**; and, shall contain entrained air of six percent (6%), and a corrosion inhibitor. The corrosion inhibitor shall consist of a calcium nitrite solution, containing 30 ±2% calcium nitrite solids by weight and having a specific gravity of 1.27 ±0.02. The corrosion inhibitor when used in the manufacturing process shall not produce a significant amount of chloride ions in the final product (less than 1,000-ppm). The ph shall be greater than 8. The admixture shall not contain chemicals that produce a condition injurious to the quality and durability of the concrete or reinforcing steel. Calcium nitrite, which acts as an accelerator, may be used in conjunction with compatible retarding admixtures to control setting time and workability of the concrete; consult the manufacturer of the product. The corrosion inhibitor must be added to the mix immediately after air entraining and retarding admixtures have been introduced into the batch. Acceptance of calcium nitrite based corrosion inhibitor shall be based upon it being listed in the most current New York State Department of Transportation's "Approved List Of Calcium Nitrite Based Corrosion Inhibitors".

(16)<u>Refer</u> to Section 5.18A - Sewer Cleaning, Subsection 5.18A.3 - Disposal, Page V-124:

<u>Delete</u> from Subsection 5.18A.3, the first paragraph in its entirety:

<u>Substitute</u> the following:

All material removed from the sewers and sewer portions through the manholes under this contract shall become the property of the Contractor and shall be properly disposed of away from the site, at the Contractor's expense.

(17) Refer to Section 5.23 - Decking, Subsection 5.23.1 - Description, Page V-161: Delete from Subsection 5.23.1, the third paragraph in its entirety: Substitute the following:

Steel plates that are resting on pavement, that are not part of a decking system, and are used to temporarily span trenches and excavations for vehicular traffic and for pedestrian crossings and walkways shall not be included for payment under this decking section. The cost of all labor, materials, equipment, insurance and incidentals necessary to furnish, place, anchor and ramp these temporary steel plates, when and where directed, in order to comply with the requirements of the NYCDOT Office of Construction Mitigation and Coordination (OCMC) traffic stipulations, the directions of the Engineer, and the Contractor's construction operations shall be deemed included in the prices bid for all contract items of work.

(18)Refer to Section 5.23 - Decking, Subsection 5.23.4 - Design Criteria, Page V-162: Add the following to Subsection 5.23.4:

(C) The Contractor may substitute skid resistant steel plates for timber mats, subject to approval in accordance with **Subsection 4.05.5**. These steel plates shall be placed flush with the existing roadway and shall be installed in compliance with the requirements of **Subsection 4.05.6(G)**.

- (19)<u>Refer</u> to Subsection 5.32.4 Specific Pavement Restoration Provisions, Page V-185: <u>Add</u> the following to Subsection 5.32.4:
  - (E) Specific Pavement Restoration Provisions:
    - (1) Within the limits of the highway rehabilitation the restoration shall be accomplished and paid for in accordance with Specifications and directions of the Engineer for Highway Project ID. HWXP093B.
- (20)<u>Refer</u> to Section 5.36 Additional Earth Excavation Including Test Pits, Subsection 5.36.4 Price To Cover, Paragraph (3), fifth line, Page V-195:

  <u>Change</u> 16", to 16'.

## D. AMENDMENTS TO THE STANDARD WATER MAIN SPECIFICATIONS

- (1) Refer to Subsection 1.06.3 Hours Of Work, Page I-4: Add the following to Subsection 1.06.3:
  - (A) <u>HOLIDAY CONSTRUCTION EMBARGO</u> A special Holiday Construction Embargo shall be in effect on the Friday of the week preceding Thanksgiving Day week from 6:00 AM to 11:59 PM and again from the Monday of Thanksgiving Day week from 6:00 AM through January 2, at 11:59 PM. Roadway and sidewalk construction activities will be restricted during the embargo period on the streets listed below\*.

Any permits issued prior to the date of this notice, for work during this embargo period on the streets listed below which do not already have the permit stipulation "410" are hereby suspended for the period noted above. All permittees must comply with this embargo unless a special waiver is granted by OCMC. Waiver requests must be filed at least thirteen (13) days before Thanksgiving Day, in the Permit Office by filing a "Request for Roadway/Sidewalk Permits During Embargo Periods" and submitting supporting documentation. Waiver requests should only be submitted for critical reasons for a specific project. If a waiver is granted, the applicant will be notified so they can apply for the approved permits. Waivers <u>are not</u> required for ongoing Building Construction Activity Permits which already include the "410" permit stipulation. Waiver request forms may be obtained at any Permit Office or on the Department of Transportation's website at:

#### http://www.nyc.gov/html/dot/downloads/pdf/holidayembapp.pdf

Prior to this embargo period all necessary measures must be taken so that all roadways and sidewalks are in proper condition to allow for the expeditious and safe movement of vehicular, bicycle and pedestrian traffic. Tool carts, cable reels, containers, and material stored on roadways must be removed during the embargo period.

The opening of utility access covers is prohibited on any of the streets noted below between the hours of 6:00 AM and midnight unless the utility or contractor files for an Emergency Authorization Number as required by section 2-07 of the Department of Transportation's Highway Rules. The planned opening of utility access covers may occur during the hours of 12:01 AM and 5:59 AM where no authorization number is required.

Temporary restoration of the streets and sidewalks and removal thereof, if required for the Holiday Embargo period, will be paid for under the appropriate scheduled items.

No extension of time due to the shutdown period will be granted to the Contractor for completion of the work.

- \* Please note that this embargo only applies to NYCDOT construction permits. List of street and maps of the affected locations are available by borough on the Department of Transportation's website at: <a href="http://www.nyc.gov/html/dot/html/motorist/trafalrt.shtml">http://www.nyc.gov/html/dot/html/motorist/trafalrt.shtml</a>
- (2) Refer to Subsection 1.06.27 Salvageable Materials, Page I-14:

  Delete the paragraph starting with the words, "No salvageable material...", and ending with the words, "...from the site.", in its entirety:

Substitute the following:

Except as specified below, no salvageable material shall be returned to the New York City Department of Environmental Protection regardless of condition. It shall become the property of the Contractor for removal and disposal, by the Contractor, away from the site.

The Contractor shall salvage and deliver to a designated NYCDEP yard all Metropolitan Valves (6" thru 20") removed during construction of the contract.

(3) <u>Refer</u> to Standard Water Main Specifications (August 1, 2009), <u>Subsection 1.06.29 - Contractor To Provide For Traffic</u>, Page I-15:

Add the following to Subsection 1.06.29:

See amended Standard Sewer Specifications (August 1, 2009) **Subsection 1.06.29 - Contractor To Provide For Traffic** of this addendum.

(4) Refer to Section 1.08 - Miscellaneous Provisions, Page I-19: Delete Subsection 1.08.2 - Vendors in its entirety: Substitute the following new Subsection 1.08.2:

#### 1.08.2 **VENDORS**

Prior to starting work, the Contractor shall submit in writing to the Engineer the names of all vendors and manufacturers the Contractor intends to use. Unless otherwise specified in the contract documents or a written exception is granted by NYCDDC, the Contractor shall submit only one (1) vendor or manufacturer for each product that is to be incorporated in the contract. The use of multiple vendors or manufacturers to supply the same product will be prohibited, unless otherwise specified in the contract documents or a written exception is granted by NYCDDC. If the vendor or manufacturer is not approved, the Contractor will be notified to either submit another vendor or manufacturer, or have their proposed vendor or manufacturer submit a request for approval from NYCDDC. The Contractor will be prohibited from using the vendor or manufacturer until approval of the vendor or manufacturer has been acquired from NYCDDC.

(5) Refer to Section 1.08 - Miscellaneous Provisions, Page I-20: Add the following new Subsection 1.08.7:

#### 1.08.7 SUBMITTAL OF SCHEDULE LOG

The Contractor's attention is directed to **Article 9 - Progress Schedule** of the Contract. The Contractor shall submit along with the proposed progress schedule the following: A schedule log in Excel Format (tied to the proposed progress schedule) indicating a description of and the schedule submission dates for all required submittals, shop drawings, approval requests, design mixes, reports, samples, etc., as required by the specifications and the terms of the contract.

(6) <u>Refer</u> to Section 2.15 - Concrete, Subsection 2.15.3 - Modifications, Page II-11: <u>Delete</u> from <u>Subsection 2.15.3</u>, <u>Reference Number D 3.2.1</u> together with its paragraphs in their entirety:

Substitute the following:

#### D 3.2.1 DELETE 3.2.1 to 3.2.9 of GS11 and SUBSTITUTE the following:

All concrete mix designs shall be subject to approval by DDC's Quality Assurance and Construction Safety (QACS) Bureau and in accordance with their "MIX DESIGN, LABORATORY AND PLANT APPROVAL PROTOCOL". Copies of this protocol may be obtained at the preconstruction meeting or from the Engineer. Before the Contractor begins to manufacture concrete, the Contractor shall secure DDC's QACS approval of the mix design the Contractor proposes to use.

The Contractor shall submit for this purpose a statement, in writing, of the sources of all ingredient materials, the type and brand of the cement and the number of pounds of each of the materials in a saturated surface-dry condition making up one (1) cubic yard of concrete. The range of water-cement ratios within which the concrete will be

manufactured and the method of mixing to be employed shall also be stated. The mix design submittal shall include gradation of aggregates, specific gravities of ingredients, unit weight, mix proportion for each batch (a minimum of four (4) batches except in case of precast plants where one specific mix may be proposed), compressive strength test results for each mix at 7-days, 28-days (high-early strength mixes may require 6-hours, 24-hours, 3-days and shrinkage test as per the requirements), and graphical representation of strength vs. W/C projected in hours/days.

The Contractor may submit for approval concrete mixes that (within one (1) year of the contract) have been previously approved and used on other jobs with any Bureau of the Department of Environmental Protection or the Department of Design and Construction. Such submittals shall contain evidence that the concrete mix was approved within one (1) year of this contract and shall show that the concrete will be produced at the same mix plant, that the cement and admixtures are the same type (though not necessarily the same brand), that the water/cement ratio is the same and that adjustments have been made in the mix for air content, specific gravity and gradation of the aggregates.

If the Contractor elects to submit a concrete mix that was not previously approved, the Contractor shall submit the new concrete mix in accordance with Chapters 2 and 3 of General Specification 11 as modified herein.

- (7) Refer to Section 2.15 Concrete, Subsection 2.15.3 Modifications, Page II-13: Add to Subsection 2.15.3, before Reference Number D 8.2 the following:
  - D 7.3.3 ADD the following to Subsection 7.3.3 of GS11:

Each Portland cement concrete batching plant shall be subject to approval by DDC's Quality Assurance and Construction Safety (QACS) Bureau and in accordance with their "MIX DESIGN, LABORATORY AND PLANT APPROVAL PROTOCOL". Copies of this protocol may be obtained at the preconstruction meeting or from the Engineer. The minimum requirement for approval is that the proposed Portland cement concrete batching plant must be on the New York State Department of Transportation (NYSDOT) approved list for the current construction season.

The minimum requirement for approval of a precast concrete plant is that the proposed plant must be on the NYSDOT approved list. A waiver for this requirement may be granted by the DDC's Quality Assurance and Construction Safety (QACS) Director for special products that no NYSDOT approved plant is capable of producing.

Each Portland cement concrete batching plant shall also be subject to auditing and approval of the DDC's Director of Quality Assurance and Construction Safety (QACS). The Director of QACS may at any time discontinue the use of any previously approved equipment if nonconformance with the specifications results during the progress of the work. When the Director of QACS discontinues the use of the plant, production will not be acceptable for Department work until corrective measures satisfactory to the Director are carried out.

(8) Refer to Section 2.15 - Concrete, Subsection 2.15.3 - Modifications, Page II-14:

Delete from Subsection 2.15.3, Reference Number D 16.3 together with its paragraphs in their entirety:

Substitute the following:

D 16.3 Testing Service - ADD the following:

The Contractor shall retain the services of an independent testing laboratory to provide for the services outlined in 16.3.1.4 to 16.3.1.11 of GS11, with the exception of those tests specified herein to be performed by the Engineer and the City Retained Laboratory.

All laboratories shall be subject to approval by DDC's Quality Assurance and Construction Safety (QACS) Bureau and in accordance with their "MIX DESIGN, LABORATORY AND PLANT APPROVAL PROTOCOL". Copies of this protocol may be obtained at the preconstruction meeting or from the Engineer. The minimum requirement for approval is that the laboratory must have the current AMRL/AASHTO R-18 accreditation in the category of service proposed and must be currently licensed by the NYC Department of Buildings (DOB).

(9) Refer to Section 2.15 - Concrete, Subsection 2.15.3 - Modifications, Page II-14:
<u>Delete</u> from Subsection 2.15.3, Reference Number D 16.8 together with its paragraphs in their entirety:

Substitute the following:

D 16.8 Responsibilities and Duties of Contractor - ADD the following:

The Contractor may, if the Contractor so desires, take cylinders corresponding to those taken by the Engineer for the City Retained Laboratory. However, determination of payment will be based solely on the cylinders taken by the Engineer for the City Retained Laboratory.

#### **CONCRETE TEST CYLINDERS**

The Contractor will be responsible for safe delivery of concrete cylinders to the Department of Design and Construction Laboratory, within two (2) days after molding, where they will be properly stored and cured until the date of test, and tested by others, upon removal from the curing room. The Department of Design and Construction testing laboratory will provide the services for the curing and breaking of the test cylinders.

The Contractor shall provide empty cylinder molds and facilities for the proper care of these cylinders while on the site, and shall safeguard them against injury and protect them from the elements.

The Engineer will be responsible for the preparation, documentation and labeling of the cylinders and for notifying the Contractor, at least twenty-four (24) hours in advance, when a shipment of cylinders is ready for delivery, so that cylinders can be tested for the standard twenty-eight (28) day and seven (7) day tests. Cylinders are to be delivered by the Contractor to a designated area near 30-30 Thomson Avenue, Long Island City, New York, or where otherwise directed within the City of New York.

The Contractor shall make arrangements to protect all cylinders from damage during loading, transport to, and unloading at a Department of Design and Construction designated testing laboratory, and shall obtain a receipt for delivered cylinders, which shall be submitted to the Engineer.

- (10)Refer to Section 4.06 Backfilling, Subsection 4.06.3 Method Of Depositing All Backfill, Page IV-18:
  - (A) Add the following paragraph to beginning of Subsection 4.06.3:

At the preconstruction meeting, the Contractor shall submit for approval a full description of the Contractor's proposed methods to be used for all backfilling operations including, but not limited to, equipment, backfill material, depth of compaction layers, and trench locations where each is to be

employed. In the field, the Contractor shall be required to demonstrate that the Contractor's methods of backfilling and compaction shall obtain a minimum of ninety-five (95) percent of Standard Proctor Maximum Dry Density.

**(B)** <u>Delete</u> from <u>Subsection 4.06.3</u>, the fourth paragraph in its entirety: <u>Substitute</u> the following:

Unless otherwise approved in writing by the Engineer, backfilling of the remainder of the trenches and excavations from a point not less than twelve (12) inches above the top of the barrel of the water main pipe to the underside of the pavement shall be progressively deposited in uniform and successive horizontal layers not exceeding twelve (12) inches in depth for the entire width of the trench or excavation and each successive layer shall be solidly compacted by mechanical tamping or other approved means so as to achieve the required density. In deep trenches defined as those requiring sheeting, the Contractor may submit to the Engineer, for approval, an alternate backfill method (i.e. jetting, deeper deposited layers not exceeding twenty-four (24) inches, etc.) for depositing and compacting the backfill from twelve (12) inches above the top of the barrel of the water main pipe to a plane five (5) feet below final surface elevation. However, approval of any alternate backfill method shall not relieve the Contractor from obtaining a minimum of ninety-five (95) percent of Standard Proctor Maximum Dry Density. Should the Engineer determine that the specified density is not being obtained, the area must be re-excavated and backfilled at the Contractor's own cost until the required compaction density is achieved.

(C) <u>Delete</u> from **Subsection 4.06.3**, the seventh paragraph in its entirety: <u>Substitute</u> the following:

Backfill shall proceed simultaneously with the withdrawal of sheeting but at no time shall the withdrawal of sheeting exceed a height of six (6) inches above the deposited backfill. Withdrawal of sheeting below levels previously backfilled and compacted is prohibited.

(11)Refer to Section 5.02 - Laying Ductile Iron Pipe And Fittings, Subsection 5.02.3(F) - Bedding And Foundation Of Pipes, Page V-8:

<u>Delete</u> from Subsection 5.02.3(F), Paragraph (5) - Pier And Plate, in its entirety: <u>Substitute</u> the following new Paragraph (5):

(5) Shallow Cover: Where mains 24-inches and smaller are laid with covers of 2'-0" or less, the Contractor shall provide protection in accordance with **Standard Drawing No. 42063-Y** or as directed by the Engineer.

Where mains 24-inches and smaller are laid with covers between 2'-6" and 2'-0", the Contractor shall provide steel plates only over the main with dimensions as shown on **Standard Drawing No. 46464-Z** or as directed by the Engineer.

Where mains 30-inches and larger are laid with covers of 2'-6" or less, the Contractor shall provide protection in accordance with **Standard Drawing No. 46464-Z** or as directed by the Engineer.

Covers over the new mains shall not be less than 1'-6".

(12) Refer to Section 5.02 - Laying Ductile Iron Pipe And Fittings, Subsection 5.02.3 - Construction Methods, Paragraph (M) - Laying Temporary Connections, Page V-12:

<u>Delete Paragraph (M)</u>, in its entirety:
Substitute the following:

(M) LAYING TEMPORARY CONNECTIONS AND INSTALLING TEMPORARY CAP ASSEMBLIES AND/OR BULKHEADS

- (1) When new water mains are laid and it becomes necessary to provide a temporary connection between the existing main and new mains laid under this contract (regardless of whether the new and existing water mains are in the same trench or are offset in two different trenches), the Contractor shall, if ordered, provide all labor, equipment and facilities for laying, maintaining and removing when directed, temporary connections and appurtenances. If City forces do laying of temporary connections, the Contractor shall make all required equipment and facilities available to them. No payment will be made for providing temporary house services which may be required when making a temporary connection between the existing and new main.
- (2) (a) Temporary cap assemblies on distribution water mains (20" and less in diameter) shall consist of a 2-foot long spigot/spigot ductile iron pipe with a mechanical joint cap restrained to the pipe with a "wedge-type" retainer gland and a minimum 2-inch tap on the pipe section.
  - (b) Temporary cap assemblies on distribution water mains (20" and less in diameter) shall be restrained and braced in a manner sufficient to support system working pressures, and thrust forces.
  - (c) The 2-inch tap required as part of the temporary cap assembly is to be utilized to allow air to escape while filling the main in addition to allow for proper flushing of the main.
  - (d) Restraint and bracing as well as temporary cap assemblies/bulkheads for water mains greater than 20" in diameter shall be submitted for approval by the Engineer prior to being utilized.
- (13)<u>Refer</u> to Section 5.02 Laying Ductile Iron Pipe And Fittings, Subsection 5.02.5 Price To Cover, Paragraph (10), Page V-16:
  <u>Delete</u> Paragraph (10), in its entirety:
  <u>Substitute</u> the following:
  - (10)(a) No separate or additional payment will be made to the Contractor for furnishing, delivering, installing, restraining, bracing and removing temporary cap assemblies/bulkheads for water mains as ordered by the Engineer. The costs thereof shall be deemed included in the unit prices bid for all items of the contract.
    - (b) Payment for temporary valves (i.e. construction valves) and its associated fittings ordered by the Engineer during the course of the work to be installed will be paid for at the same rates as for valves and fittings permanently installed.
    - (c) If ordered by the Engineer, removal of valves (i.e. construction valves) and its associated fittings, including their transfer and disposal shall be deemed included in the prices bid for all items of the contract. No separate or additional payment will be made for this work.
    - (d) Payment For Temporary Connections: When new mains are laid and it becomes necessary to provide a temporary connection between the existing and new mains the following method of payment shall apply: The Contractor shall be paid once for furnishing and delivering pipes and fittings used in temporary connections. The Contractor shall also be paid for laying the temporary pipe connection and fitting using the appropriate pipe laying item for each time that the Contractor is directed to use them throughout the project as directed by the Engineer.
- (14)Refer to Subsection 5.04.4 Furnishing, Delivering And Installing Steel Tee, Paragraph (5), Item Numbers list, Page V-23:

<u>Delete</u> Item No. "60.23ST20T48", together with Description "FURNISHING, DELIVERING AND INSTALLING 48-INCH X 20-INCH STEEL TEE", and Pay Unit "EACH":

(15)Refer to Section 5.05 - Furnishing And Delivering Gate Valves, Page V-35:

(A) <u>Delete</u> from Subsection 5.05.1 - Description, the first paragraph in its entirety: <u>Substitute</u> the following:

This specification describes furnishing and delivering of double disc 3-inch to 20-inch gate valves, resilient seated 3-inch to 20-inch gate valves and resilient seated 3-inch to 12-inch tapping valves.

Unless otherwise specified in the contract documents or ordered in writing by the Engineer, only resilient seated gate valves and tapping valves shall be furnished and delivered by the Contractor on the contract.

(B) <u>Delete</u> from Subsection 5.05.2 - Materials, second paragraph, first line, the words, "6-inch hydrant":

Substitute the following words, "3-inch to 20-inch":

# (16) Refer to Section 5.06 - Setting Gate Valves, Page V-38:

(A) <u>Delete</u> from <u>Subsection 5.06.1 - Description</u>, the first paragraph in its entirety: <u>Substitute</u> the following:

This specification describes the installation of double disc 3-inch to 20-inch gate valves, resilient seated 3-inch to 20-inch gate valves and resilient seated 3-inch to 12-inch tapping valves. It also describes the installing of manhole frames (skirts and heads) and covers.

Unless otherwise specified in the contract documents or ordered in writing by the Engineer, only resilient seated gate valves and tapping valves shall be installed by the Contractor on the contract.

(B) <u>Delete</u> from Subsection 5.06.2 - Materials, second paragraph, first line, the words, "6-inch hydrant":

Substitute the following words, "3-inch to 20-inch":

(17) Refer to Section 5.23 - Decking, Subsection 5.23.1 - Description, Page V-73: Delete from Subsection 5.23.1, the third paragraph in its entirety: Substitute the following:

Steel plates that are resting on pavement, that are not part of a decking system, and are used to temporarily span trenches and excavations for vehicular traffic and for pedestrian crossings and walkways shall not be included for payment under this decking section. The cost of all labor, materials, equipment, insurance and incidentals necessary to furnish, place, anchor and ramp these temporary steel plates, when and where directed, in order to comply with the requirements of the NYCDOT Office of Construction Mitigation and Coordination (OCMC) traffic stipulations, the directions of the Engineer, and the Contractor's construction operations shall be deemed included in the prices bid for all contract items of work.

- (18)<u>Refer</u> to Section 5.23 Decking, Subsection 5.23.4 Design Criteria, Page V-74: <u>Add</u> the following to Subsection 5.23.4:
  - (C) The Contractor may substitute skid resistant steel plates (Non-Skid Textured Plates) for timber mats, subject to approval in accordance with **Subsection 4.05.5**. These steel plates shall be placed flush with the existing roadway and shall be installed in compliance with the requirements of **Subsection 4.05.6(G)**.
- (19)<u>Refer</u> to Standard Water Main Specifications (August 1, 2009), **Section 5.32 Final Restoration Of Pavements**, Page V-99:

<u>Add</u> the following to Subsection 5.32.4 - Specific Pavement Restoration Provisions:

See amended Standard Sewer Specifications (August 1, 2009) **Subsection 5.32.4 - Specific Pavement Restoration Provisions** of this addendum.

(20)<u>Refer</u> to Section 5.36 - Additional Earth Excavation Including Test Pits, Subsection 5.36.4 - Price To Cover, Paragraph (3), fifth line, Page V-114:

<u>Change</u> 16", to 16'.

END OF ADDENDUM NO. 2
This Addendum consists of nineteen (19) pages.

NO TEXT ON THIS PAGE

# THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

**JAUARAY 16, 2013** 

ADDENDUM NO. 3

**PROJECT ID: HWXP093B** 

#### **RECONSTRUCTION OF**

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

**Together With All Work Incidental Thereto** 

BOROUGH OF THE BRONX CITY OF NEW YORK

SPECIFICATIONS FOR
HANDLING, TRANSPORTATION AND DISPOSAL
OF NONHAZARDOUS AND POTENTIALLY HAZARDOUS
CONTAMINATED MATERIALS

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and hereby made part of said Contract Documents to the same extent as if it was originally included herein.

# **Table of Contents**

ITEM 8.01 C1	HANDLING, TRANPORTING AND DISPOSAL OF NON-HAZARDOUS		
	CONTAMINATED SOILS		A3-1
ITEM 8.01 C2	SAMPLING AND TESTING OF CONTAMINATED/POTENTIALLY		
	HAZARDOUS SOILS FOR DISPOSAL PARAMETERS		A3-7
ITEM 8.01 H	HANDLING, TRANPORTING AND DISPOSAL OF HAZARDOUS SOILS		A3-9
ITEM 8.01 S	HEALTH AND SAFETY	1	A3-15
ITEM 8.01 W1	REMOVAL, TREATMENT AND DISCHARGE/DISPOSAL OF		
	CONTAMINATED WATER		A3-20
ITEM 8.01 W2	SAMPLING AND TESTING OF CONTAMINATED WATER		A3-27

#### **Attachments**

- New York City Department of Environmental Protection Limitations for Effluent to Storm-Sanitary or Combined Sewers Parameters
- 2. Applicable Regulations
- 3. Definitions
- 4. Phase II Subsurface Corridor Investigation Report

# ITEM 8.01 C1 HANDLING, TRANSPORTING AND DISPOSAL OF NON-HAZARDOUS CONTAMINATED SOILS

#### 8.01 C1.1 WORK TO INCLUDE

General: This work shall consist of the handling, transportation and disposal of non-hazardous contaminated soils. The materials covered by this specification are soils that are contaminated with petroleum or chemical products but cannot be classified as hazardous waste. For the purpose of this specification, soil shall be defined as any material excavated below the pavement and base for pavement.

Non-hazardous contaminated soils are defined as soils exhibiting one or more of the following characteristics:

- ♦ Elevated Photo-Ionization Detector (PID) readings, subsequently confirmed by lab analysis
- Visual evidence of contamination
- Petroleum and/or chemical odors
- Soils that have been documented as contaminated in previous environmental reports

Non-hazardous contaminated soils must be stockpiled at an off-site approved location or secured onsite by the Contractor, meeting all required Federal, State and Local stipulations. Sampling and laboratory analysis must be conducted to determine if the soils are hazardous, unless the alternative procedure as defined under subsection 8.01 C1.1 A.5 has been agreed upon by treatment facilities. Contaminated soils determined to be non-hazardous shall be handled in accordance with the specifications herein for Item 8.01 C1. Contaminated soils determined to be hazardous shall be handled in accordance with the specifications for Item 8.01 H – Handling, Transporting and Disposal of Hazardous Soils.

The Contractor shall retain the services of an independent Environmental Consultant, as specified under Item 8.01 S – Health and Safety, to oversee the work required under this Item.

Non-hazardous soils shall be delivered to the disposal or treatment facility within thirty (30) calendar days after excavation.

The Contractor shall conduct sampling and analysis of the impacted soils as specified under Item 8.01 C2 – Sampling and Testing of Contaminated/Potentially Hazardous Soils for Disposal Parameters. The laboratory results shall be forwarded to DDC Program Administration, Engineering Support Services (ESS) for review to determine if the soils will be handled and disposed of as contaminated regulated soils or hazardous waste. No other soils shall be sampled or tested without the DDC's approval or direction.

The Contractor shall ensure that all operations associated with the handling, sampling, loading, transportation, and disposal of non-hazardous contaminated soils are in compliance with all applicable Federal, State, and City statutes and regulations.

The Contractor shall document the excavation, handling, transportation and disposal of non-hazardous contaminated soils. The Contractor shall supply all equipment, material and labor required to conduct the specified work of this Item.

A. <u>Material Handling Plan</u>: Within forty-five (45) calendar days after award of Contract, the Contractor shall submit to the Program Administration, ESS for review, a Material Handling Plan (MHP). The MHP must be approved by the Program Administration, ESS, prior to the Contractor's commencement of work. The MHP shall, at a minimum, consist of:

- 1. The Contractor's procedures for identifying non-hazardous contaminated soils during excavation, including the specific model and manufacturer of intended organic vapor monitoring equipment and calibration procedures to be used. It should also include the training and experience of the personnel who will operate the equipment.
- The Contractor's procedures for safely handling non-hazardous contaminated soils. The
  procedures must include personnel safety and health as well as environmental protection
  considerations.
- 3. Name, address, New York State Department of Health's (DOH) Environmental Laboratories Accreditation Program (ELAP) status and telephone number of the proposed laboratory for analysis of representative soil samples. The ELAP for the intended analysis must approve the laboratory.
- 4. Identification of the Contractor's proposed waste transporter(s). This information shall include:
  - a. Name and Waste Transporter Permit Number
  - b. Address
  - c. Name of responsible contact for the hauler
  - d. Telephone number for the contact
  - e. Any and all necessary permit authorizations for each type of waste transported
  - f. Previous experience in performing the type of work specified herein
- 5. All staging/stockpiling areas (if stockpiling areas are intended and available), or alternate procedures that will be used. Alternate procedures may include, but are not limited to, agreements from the intended disposal or treatment facilities to accept boring data and/or analytical data previously obtained during the site characterization so that materials may be directly loaded into vehicles for shipment to the disposal facility.
- 6. A backup facility should the staging/stockpile areas become unavailable, insufficient in area or not be present by some other unforeseen difficulty.
- 7. Identification of the Contractor's two proposed Treatment Storage or Disposal (TSD) facilities for non-hazardous contaminated soils (primary and back-up) for final disposal of the soils. The primary TSD shall be an approved soil recycling/treatment facility. The backup facility may be a recycling/treatment facility or a New York State Department of Environmental Conservation (DEC) approved lined landfill or other facility approved by DEC to accept this material. The information required for each facility shall include:
  - a. Facility name and the State identification number
    - (1) Facility location
    - (2) Name of responsible contact for the facility
    - (3) Telephone number for contact
    - (4) Signed letter of agreement to accept waste as specified in this contract
    - (5) Unit of measure utilized at facility for costing purposes
  - b. A listing of all permits, licenses, letters of approval, and other authorizations to operate, which are currently held and valid for the proposed facility.

- c. A listing of all permits, licenses, letters of approval, and other authorizations to operate which have been applied for by the proposed facility but not yet granted or issued.
- d. The Contractor shall specify and describe the disposal/containment unit(s) that the proposed facility will use to manage the waste. The Contractor shall identify the capacity available in the units and the capacity reserved for the subject waste.
- e. The Contractor shall provide the date of the proposed facility's last compliance inspection.
- f. A list of all active (unresolved) compliance orders (or agreements), enforcement notices, or notices of violations issued to the proposed facility shall be provided. The source and nature of the cause of violation shall be stated, if known.
- 8. Description of all sampling and field/laboratory analyses that will be needed to obtain disposal facility approval.

#### 8.01 C1.2 MATERIALS

- A. Containers shall be as required in the United State Department of Transportation (DOT) regulations.
- B. Polyethylene to be placed under (20 mil. thickness minimum) and over (10 mil. thickness minimum) soil piles.
- C. The Contractor shall assure that the waste hauler's appropriate choice of vehicles and operating practices shall prevent spillage or leakage of contaminated material from occurring en route.
- D. The Contractor shall provide, install and maintain any temporary loading facilities on site as required until completion of material handling activities. The location and design of any facilities shall be included in the MHP and be approved by the Program Administration, ESS.

# 8.01 C1.3 CONSTRUCTION DETAILS

# A. Material Handling

- 1. Immediately after excavation of non-hazardous contaminated soil the Contractor shall:
  - a. Load material directly onto trucks/tankers/roll offs for disposal off site; or
  - b. If interim stockpiling is required, place on a minimum of 20 mil. or equivalent plastic ground cloth and cover by minimum of 10 mil. polyethylene sheeting or equivalent to protect against leaching or runoff of contaminants into groundwater or stormwater. Weight or secure the sheeting by appropriate means and seal seams as approved by the DDC to prevent tearing or removal by weather. Grade surrounding surface to provide for positive drainage away from pile. Stockpile shall not exceed 100 cubic yards.
- Institute appropriate procedures and security measures to ensure the protection of site
  personnel and the public from contaminated materials as described in the approved MHP
  and Item 8.01 S Health and Safety.
- 3. Any soil encountered that appears to contain unknown contaminants (based on visual, odor, or other observation), or that vary substantially from the material originally

- identified must be segregated in stockpiles and the independent Environmental Consultant promptly notified. Construct stockpiles to the same requirements as stated in subsection A.1.b above.
- 4. Provide any dewatering that is necessary to complete the work. Contaminated water shall be disposed of in accordance with Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.
- 5. Provide and operate field organic vapor test equipment, a PID or a flame ionization detector (FID), to detect general organic vapor levels at intervals of approximately fifty (50) cubic yards of soil excavated, when visual or odor observations indicate the material may substantially differ from the soil previously excavated and/or as directed by the independent Environmental Consultant.

# B. Off-Site Transportation to Disposal or Treatment Facility

#### 1. General

- a. The Contractor shall furnish all labor, equipment, supplies and incidental costs required to transport contaminated material from the work area to the off-site disposal or treatment facility, and any other items and services required for transporting contaminated material for disposal at an off-site facility.
- b. The Contractor shall submit the name and location of the facility where an off-site scale is located. The Contractor shall also submit a plan to the DDC for review outlining procedures on controlling trucks leaving the work site and en-route to the off-site scale. The Contractor shall be responsible for tracking all material/vehicles from the site to the off-site scale.
- c. The Contractor shall provide to the DDC certified tare and gross weight slips for each load received at the accepted facility which shall be attached to each returned manifest.
- d. The Contractor shall coordinate the schedule for truck arrival and material deliveries at the job site to meet the approved project schedule.
- e. The Contractor shall inspect all vehicles leaving the project site to ensure that contaminated soils adhering to the wheels or undercarriage are removed prior to the vehicle leaving the site.
- f. The Contractor shall obtain letters of commitment from the waste haulers and the treatment, disposal or recovery facility to haul and accept shipments. The letter shall indicate agreement to handle and accept the specified estimated quantities and types of material during the time period specified in the project schedule and any time extension as deemed necessary.
- g. The Program Administration, ESS shall review and approve waste profiles before transportation to the TSD facility.

# 2. Hauling

a. The Contractor shall coordinate manifesting, placarding of shipments, and vehicle decontamination. All quantities shall also be measured and recorded upon arrival at the disposal or treatment facility. If any deviation between the two records occurs, the matter is to be reported immediately to the DDC and to be resolved by the Contractor to the satisfaction of the DDC.

- b. The Contractor shall be held responsible, at its own cost for any and all actions necessary to remedy situations involving material spilled in transit or mud and dust tracked off-site.
- c. The Contractor shall ensure that trucks are protected against contamination by properly covering and lining them with compatible material (such as polyethylene) or by decontaminating them prior to and between acceptances of loads.
- d. The Contractor shall be responsible for inspecting the access routes for road conditions, overhead clearance, and weight restrictions.
- e. The Contractor shall only use the transporter(s) identified in the MHP for the performance of work. Any use of substitute or additional transporters must have previous written approval from the Program Administration, ESS at no additional cost to the City.
- f. The Contractor shall develop, document, and implement a policy for accident prevention.
- g. The Contractor shall not combine contaminated materials from other projects with material from this project.
- h. No material shall be transported until approved by the DDC.

# 3. Off-Site Disposal

- a. The Contractor shall use only the facility(ies) identified in the MPH for the performance of the work. Substitutions or additions shall not be permitted without prior written approval from the Program Administration, ESS, and if approved shall be at no extra cost to the City.
- b. The Contractor shall be responsible for acceptance of the materials at an approved facility, for ensuring that the facility is properly permitted to accept the stated materials, and that the facility provides the stated treatment and/or disposal services.
- c. The DDC reserves the right to contact and visit the disposal or treatment facility and regulatory agencies to verify the agreement to accept the stated materials and to verify any other information provided.
- d. In the event that the identified and approved facility ceases to accept the stated materials or the facility ceases operations, it is the Contractor's responsibility to locate an alternate approved and permitted facility(ies) for accepting materials. The alternate facility(ies) must be approved in writing by the DDC in the same manner and with the same requirements as for the original facility(ies). This shall be done at no extra cost or delay to the City.
- e. The Contractor shall obtain manifest forms, and complete the shipment manifest records required by the appropriate regulatory agencies for verifying the material and quantity of each load in unit of volume and weight. Copies of each manifest shall be submitted to the DDC within four (4) business days following shipment, and within three (3) business days after notification of receipt of the facility. Any manifest discrepancies shall be reported immediately to the DDC and be resolved by the Contractor to the satisfaction of the DDC.

# 4. Equipment and Vehicle Decontamination

a. The Contractor shall design and construct a portable decontamination station to be

- used to decontaminate equipment and vehicles exiting from the exclusion zone. The cost for this work will be paid under Item 8.01 S Health and Safety.
- b. Water generated during the decontamination process shall be disposed of in accordance with Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.

# 8.01 C1.4 METHOD OF MEASUREMENT

Quantities for non-hazardous contaminated soils shall be measured in tons. The tonnage will be determined by off-site truck scales, as per Subsection 8.01 C1.3.B1, that are capable of generating load tickets.

# 8.01 C1.5 PRICE TO COVER

- A. The unit bid price bid per ton for Item 8.01 C1 shall include the cost of furnishing all labor, materials, plant, equipment, and insurance for excavation, handling, transportation, disposal, documentation, fees, permits, loading, stockpiling, hauling, and any other incidentals necessary to complete all the work as specified herein for handling, transporting, and disposal of non-hazardous contaminated soil.
- B. Final disposal of hazardous soil shall be paid for under Item 8.01 H Handling, Transporting and Disposal of Hazardous Soils. Disposal of decontamination water shall be paid for under Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.
- C. Backfill will be paid for under its respective item as specified in the contract document.
- D. The independent Environmental Consultant shall be paid under Item 8.01 S Health and Safety.

Payment will be made under:

ITEM NUMBER	ITEM	PAYMENT UNIT	
8.01 C1	Handling, Transporting, and Disposal of Non-Hazardous Contaminated Soil	Tons	

# ITEM 8.01 C2 SAMPLING AND TESTING OF CONTAMINATED/ POTENTIALLY HAZARDOUS SOIL FOR DISPOSAL PARAMETERS

# 8.01 C2.1 WORK TO INCLUDE

# A. <u>Description</u>

The work shall consist of collecting and analyzing representative soil samples for parameters typically requested by the disposal facilities.

# B. Sampling and Laboratory Analysis

- 1. At least thirty (30) days prior to the commencement of work, the Contractor's independent Environmental Consultant must submit a Soil Sampling Plan/Field Sampling Plan (SSP/FSP) to the Program Administration, Engineering Support Services (ESS) for review and approval. The plan shall include the name, address, DOH's ELAP status, and telephone numbers of the proposed laboratory. The plan shall also include training and experience of the personnel who will collect the samples.
- 2. The Contractor shall sample and analyze representative samples of the contaminated/potentially hazardous soils. For stockpiled soils, the Contractor shall collect and analyze one (1) composite sample per 100 cubic yards or fraction thereof. Each composite sample shall consist of a minimum of five (5) grab samples collected from greater than two (2) feet below the soil surface. For drummed soil, the Contractor shall collect one (1) composite sample per (ten) 10 drums or fraction thereof. Each composite sample shall consist of a grab sample from each of the ten (10) drums or fraction thereof. Each composite sample shall be analyzed for Resource Conservation and Recovery Act (RCRA) hazardous waste characteristics (Ignitability, Reactivity, Corrosivity), Full Toxicity Characteristic Leaching Procedure (TCLP) (including RCRA metals, volatile Organic Compounds (VOCs), Semi-Volatile Organic Compounds (SVOCs), pesticides, herbicides), Total Petroleum Hydrocarbons (TPH) and Polychlorinated Biphenyls (PCBs). All samples collected should be analyzed on a rush four (4) calendar days turn around time and analytical results must be submitted to Program Administration, ESS within five (5) calendar days after sample collection.
- 3. All sampling shall be conducted by a person trained in sampling protocols using standard accepted practices for obtaining representative samples.
- 4. The Contractor must also contact the disposal facility where the waste will be sent for permanent disposal, and arrange to collect any additional samples required by the facility. The cost associated with additional sampling and testing shall be included in the bid price of this Item.
- 5. The quality of the data from the sampling program is the Contractor's responsibility. The Contractor must furnish all qualified personnel, equipment and instruments necessary to carry out the sampling. Unless directed otherwise, all sampling procedures must follow the DEC sampling guidelines and protocols.
- 6. All sample containers shall be marked and identified with legible sample labels which shall indicate the project name, sample location and/or container, the sample number, the date and time of sampling, preservatives utilized and other information that may be useful in determining the character of the sample. Chain-of-custody shall be tracked from laboratory issuance of sample containers through laboratory receipt of the samples.

- 7. The Contractor shall maintain a bound sample logbook. The Contractor shall provide DDC access to it at all times and shall turn it over to the DDC in good condition at the completion of the work. The following information, as a minimum shall be recorded to the log:
  - 1. Sample identification number
  - 2. Sample location
  - 3. Field observation
  - 4. Sample type
  - 5. Analyses
  - 6. Date/time of collection
  - 7. Collector's name
  - 8. Sample procedures and equipment utilized
  - 9. Date sent to laboratory and name of laboratory
- 8. The City reserves the right to direct the Contractor to conduct alternative sampling in lieu of the parameters described in subsection B2, if the situation warrants. The substitute sampling parameters shall be of equal or lesser monetary value than those described in subsection B2, as determined by industry laboratory pricing standards.
- 9. Only dedicated sampling equipment may be used to collect these samples. All equipment involved in field sampling must be decontaminated before being brought to the sampling location, and must be properly disposed after use.
- 10. Soils exceeding any of the hazardous characteristic criteria meet the legal definition of hazardous soils (rather than non-hazardous contaminated soils) and shall be transported or disposed of under Item 8.01 H Handling, Transporting and Disposal of Hazardous Soils. All analyses must be done by a laboratory that has received approval from the ELAP for the methods to be used. The Contractor must specify the laboratory in the MHP.

# 8.01 C2.2 METHOD OF MEASUREMENT

Quantities for samples shall be measured as the number of sets of samples that are tested. A set shall be defined as one (1) composite sample analyzed for the full range of parameters as specified in subsection B2.

# 8.01 C2.3 PRICE TO COVER

The unit price bid per set for Item 8.01 C2 shall include the cost of furnishing all labor materials, plant, equipment, and insurance necessary for sampling, handling, transporting, testing, documentation, fees, permits and any other incidentals necessary to complete the work as specified herein for sampling and testing of contaminated/potentially hazardous soil.

Payment will be made under:

 ITEM NUMBER
 ITEM
 PAYMENT UNIT

 8.01 C2
 Sampling and Testing of Contaminated/
 Set

Potentially Hazardous Soil for Disposal Parameters

# ITEM 8.01 H HANDLING, TRANSPORTING, AND DISPOSAL OF HAZARDOUS SOILS

# 8.01 H.1 WORK TO INCLUDE

General: This work shall consist of the handling, transportation and disposal of soils or materials that are listed as hazardous wastes or exhibit any of the characteristics of a hazardous waste, namely ignitability, corrosivity, reactivity, and toxicity, as defined in 6 NYCRR Part 371, Section 371.3 and 40 CFR Section 261. For the purpose of this specification, soils shall be defined as any materials excavated below the pavement and base for pavement.

Contaminated soils determined to be hazardous under Item 8.01 C2 shall be handled, transported, and disposed of under Item 8.01 H in accordance with the specifications herein.

The independent Environmental Consultant retained by the Contractor, as specified under Item 8.01 S – Health and Safety, shall conduct sampling and analysis of above soils to determine which soils are hazardous.

All work under Item 8.01 H shall be performed under the direct supervision of the Contractor's Environmental Consultant, as approved by the Program Administration, Engineering Support Services (ESS).

The Contractor shall ensure that all operations associated with the handling, sampling, loading, transportation, and disposal of hazardous materials are in compliance with the applicable Federal, State, and Local statutes and regulations.

The Contractor shall document the excavation, handling, sampling, and testing, transportation and disposal of hazardous soils. The City shall be listed in the disposal documents as the waste generator.

The Contractor shall supply all equipment, material and labor required to conduct the specified work of this section.

The Contractor shall ensure that all operations associated with the handling, sampling, loading, transportation and disposal of hazardous soils are conducted in a manner to protect site personnel, the public and the environment, in accordance with all applicable Federal, State, and Local laws and regulations.

The Contractor shall decontaminate all equipment prior to its removal from the exclusion zone and/or following contact with hazardous materials, as detailed in Item 8.01 S - Health and Safety. Water generated during the decontamination process shall be disposed of under Item 8.01 W1 - Removal, Treatment and Discharge/Disposal of Contaminated Water.

- A. <u>Material Handling Plan</u>: Within forty-five (45) calendar days after award of Contract, the Contractor shall submit to the Program Administration, ESS for review, a Material Handling Plan (MHP). The MHP must be approved by the Program Administration, ESS, prior to the Contractor's commencement of work. The MHP shall, at a minimum, consist of:
  - 1. The Contractor's procedures for identifying contaminated/potentially hazardous soils during excavation, including instrumentation and calibration procedures to be used.
  - 2. The Contractor's procedures for safely handling hazardous soils or soils which have not yet been tested but are believed to be potentially hazardous.
  - 3. Identification of the Contractor's proposed waste transporter(s). This information shall include:
    - a. Name and waste transporter permit number

- b. Address
- c. Name of responsible contact for the hauler
- d. Telephone number for the contact
- e. Any and all necessary permit authorizations for each type of waste transported
- f. Previous experience in performing the type of work specified herein
- 4. All staging/stockpiling areas (if stockpiling areas are intended and available), or alternate procedures that will be used. Alternate procedures could include, but are not limited to, agreements from the intended disposal or treatment facilities to accept boring data and/or analytical data previously obtained during the site characterization so that materials may be directly loaded into vehicles for shipment to the disposal facility or the use of off-site stockpiling locations approved by the DEC.
- 5. A backup facility, should the staging/stockpile areas become unavailable, insufficient in area or not be present by some other unforeseen difficulty.
- 6. Identification of the Contractor's two proposed United State Environmental Protection Agency (EPA) or DEC approved RCRA TSD facilities for hazardous soils.
- 7. The Contractor shall submit the following information prior to any transportation of soils regarding the temporary and final off-site TSD or facilities where it is proposing to take hazardous soils. The expense of furnishing all information will be included in the Contractor's bid price:
  - a. General Information
    - (1) Facility name and the EPA identification number
    - (2) Facility location
    - (3) Name of responsible contact for the facility
    - (4) Telephone number for contact
    - (5) Signed letter of agreement to accept waste as specified in this contract
    - (6) Signed letter of agreement with a TSD for disposal of waste that may not be land-disposed
    - (7) Unit of measure utilized at each facility for costing purposes
  - b. A listing of all permits, licenses, letters of approval, and other authorizations to operate, which are currently held and valid for the proposed facility as they pertain to receipt and management of wastes derived from this Contract.
  - c. A listing of all permits, licenses, letters of approval, and other authorizations to operate which have been applied for by the proposed facility.
  - d. The Contractor shall specify and describe the disposal/containment unit(s) that the proposed facility will use to manage the waste. The Contractor shall identify the capacity available in the units and the capacity reserved for the subject waste.
  - e. The Contractor shall provide the date of the proposed facility(ies) last compliance inspection under RCRA.

- f. A list of all active (unresolved) compliance orders, agreements, enforcement notices or notices of violations issued to the proposed facility shall be approved. The source and nature of the cause of violation shall be stated, if known.
- 8. Description of all sampling and analyses that will be needed to obtain disposal facility approval.

#### 8.01 H.2 MATERIALS

- A. Containers shall be watertight as required in the DOT regulations and must meet all applicable regulations including but not limited to those in Attachment 2.
- B. Polyethylene (20 mil. thickness minimum) to be placed under and (10 mil. thickness minimum) over soil piles. If soils are placed in drums, polyethylene must be placed over the drums.

#### 8.01 H1.3 CONSTRUCTION DETAILS

## A. Material Handling

- 1. The Contractor shall institute procedures to protect site personnel and the public from the non-hazardous and hazardous materials as described in Section 8.01 S Health and Safety.
- 2. The Contractor shall handle hazardous soil as approved in the MHP.
- 3. Stockpiled materials at the temporary TSD facility shall be handled according to the facility requirements but at a minimum: shall be drummed or placed on and covered with polyethylene to protect against erosion and leaching into surrounding soils, the stockpile area shall be graded for positive drainage away from the pile, and shall be labeled while being held for sampling prior to permanent disposal.
- 4. Provide any dewatering that is necessary to complete the work. Water shall be disposed of in accordance with Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.

# B. Off-Site Transportation and Disposal

1. The Contractor shall furnish all labor, equipment and supplies required to transport hazardous materials from the work area to the off-site TSD facility(ies) and to acquire any other items and services required for transporting hazardous materials for storage and/or disposal at an approved off-site facility.

#### 2. Weight Measurement

- a. The Contractor shall submit the name and location of the facility where an off-site scale is located. The Contractor shall also submit a plan to the DDC for review outlining procedures on controlling trucks leaving the work site and on-route to the off-site scale. The Contractor shall be responsible for tracking all materials/vehicles from the site to the off-site scale.
- b. The Contractor shall provide to the DDC certified tare and gross weight slips for each load received at the accepted facility which shall be attached to each returned manifest.

#### 3. General

- a. Manifests: The Contractor shall organize and maintain the material shipment records/manifests required by law.
- b. The Contractor shall coordinate the schedule for truck arrival and material deliveries at the job site to meet the approved project schedule. The schedule shall be compatible with the availability of equipment and personnel for material handling at the job site.
- c. The Contractor shall inspect all vehicles leaving the project site to ensure that hazardous soils adhering to the wheels or under carriage are removed prior to the vehicle leaving the site.
- d. The Contractor shall obtain letters of commitment from the waste haulers and the TSD facility to haul and accept shipments. The letter shall indicate agreement to handle and accept the specified estimated quantities and types of material during the time period specified in the project schedule and any time extension as deemed as necessary.

# 4. Hauling

- a. The Contractor shall not deliver waste to any facility other than the TSD facility(ies) listed on the shipping manifest.
- b. The Contractor shall coordinate manifesting, placarding, of shipments, and vehicle decontamination. All quantities shall also be measured and recorded upon arrival at the TSD facility. If any deviation between the two records occurs, the matter is to be reported immediately to the DDC and to be resolved by the Contractor to the satisfaction of the DDC.
- c. The Contractor shall be held responsible, at its own expense, for any and all actions necessary to remedy situations involving material spilled in transit or mud and dust tracked off-site.
- d. The Contractor shall ensure that trucks are protected against contamination by properly covering and lining them with compatible material (such as polyethylene) or by decontaminating them prior to any use other than hauling hazardous materials.
- e. The Contractor shall be responsible for inspecting the access routes for road conditions, overhead clearance, and weight restrictions.
- f. The Contractor shall only use the transporter(s) identified in the MHP for the performance of work. Only a transporter with a current Part 364 Waste Transporter Permit from the DEC may transport this material. Any use of substitute or additional transporters must have previous written approval from the DDC at no additional cost to the City.
- g. The Contractor shall develop, document, and implement a policy for accident prevention.
- h. The Contractor shall not combine hazardous materials from other projects with material from this project.
- i. The Contractor shall obtain for the City an EPA hazardous waste generator identification number and a representative of Program Administration, ESS will review and sign the manifest as the generator.

j. No materials shall be transported until approved by the DDC.

# 5. Off-Site Disposal

- a. The Contractor shall be responsible for acceptance of the materials at an approved TSD facility, for ensuring that the facility is properly permitted to accept the stated materials, and that the facility provides the stated storage and/or disposal services.
- b. In the event that the identified and approved facility ceases to accept the stated materials or the facility ceases operations, it is the Contractor's responsibility to locate an alternate approved and permitted facility(ies) for accepting materials. The Contractor is responsible for making the necessary arrangements to utilize the facility(ies), and the alternate facility(ies) must be approved in writing by the DDC in the same manner and with the same requirements as for the original facility(ies). This shall be done with no extra cost or delay to the City.
- c. The Contractor shall submit all results and weights to the DDC.
- d. The Contractor is responsible to pay <u>all fees</u> associated with the generation and disposal of all excavated hazardous waste. These fees include, but are not limited to, the <u>New York State Department of Finance and Taxation (DFT) quarterly fees</u> for hazardous waste and the <u>New York State DEC annual hazardous waste regulatory fee program</u>. The Contractor shall submit a copy of proof of payment to the DDC and Program Administration, ESS.
- 6. Equipment and Vehicle Decontamination

The Contractor shall design and construct a portable decontamination station to be used to decontaminate equipment and vehicles exiting from the exclusion zone. The cost for this work shall be paid under Item 8.01 S - Health and Safety. Disposal of decontamination liquids is described under Item 8.01 W1 - Removal, Treatment and Discharge/Disposal of Contaminated Water.

# 7. Record Keeping

The Contractor shall obtain manifest forms, and complete the shipment manifest records required by the appropriate regulatory agencies for verifying the material and quantity of each load in unit of volume and weight. Copies of each manifest shall be submitted to the DDC within four (4) business days following shipment, and within three (3) business days after notification of receipt of the facility. Any manifest discrepancies shall be reported immediately to the DDC and be resolved by the Contractor to the satisfaction of the DDC.

# 8.01 H.4 METHOD MEASUREMENT

Quantities for hazardous soil shall be measured in tons satisfactorily delivered to the treatment, storage or disposal facility. The tonnage will be determined by off-site truck scales, as per subsection 8.01 H1.3.B.2, that are capable of generating load tickets.

# 8.01 H.5 PRICE TO COVER

A. The unit price bid per ton for Item 8.01 H shall include the cost of furnishing all labor, materials, plant, equipment, and insurance for excavation, handling, transportation, disposal, documentation, permits, fees, taxes, stockpiling, hauling, and any other incidentals necessary to

- complete the work as specified herein for handling, transporting and disposal of hazardous soils.
- B. Final disposal of non-hazardous materials shall be paid for under Item 8.01 C1 Handling, Transporting and Disposal of Non-Hazardous Soils. Disposal of decontamination water shall be paid under Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.
- C The independent Environmental Consultant shall be paid under Item 8.01 S Health and Safety.
- D. Backfill will be paid for under its respective item.

Payment will be made under:

ITEM NUMBER	M NUMBER ITEM	
8.01 H	Handling, Transporting, and Disposal of Hazardous Soils	Tons

# ITEM 8.01 S HEALTH AND SAFETY 8.01 S.1 WORK TO INCLUDE

# Health and Safety Requirements

# A. Scope of Work

It is the Contractor's responsibility to stage and conduct his work in a safe manner. The Contractor shall implement a Health and Safety Plan (HASP) for contaminated/hazardous soil intrusive activities as set forth in Occupational Safety and Health Administration (OSHA) Standards 1910.120 and 1926.650-652. The Contractor shall ensure that all workers have at a minimum hazard awareness training. The Contractor shall segregate contaminated work area in secured exclusion zones. These zones shall limit access to Contractor personnel specifically trained to enter the work area. The exclusion zone shall be set up to secure the area from the public and untrained personnel. The project health and safety program shall apply to all construction personnel including persons entering the work area. In addition, the Contractor shall protect the public from on-site hazards, including subsurface contaminants associated with on-site activities. The HASP shall be signed off by a Certified Industrial Hygienist and reviewed by Program Administration, Engineering Support Services (ESS).

Work shall include, but not be limited to:

- 1. Implementation of a baseline medical program.
- Providing safety equipment and protective clothing for site personnel, including
  maintenance of equipment on a daily basis; replacement of disposable equipment as
  required; decontamination of clothing, equipment and personnel; and providing all other
  health and safety measures.
- 3. Providing, installing, operating and maintaining on-site emergency medical first aid equipment as specified in this section for which payment is not provided under other pay items in this Contract.
- 4. Providing, installing, operating, maintaining and decommissioning all equipment and personnel decontamination facilities specified within this section, including, but not limited to, the decontamination pad, decontamination water supply, decontamination water collection equipment and all other items and services required for the implementation of the health and safety requirements for which pay items are not provided elsewhere in this Contract.
- 5. Provide the minimum health and safety requirements for excavation activities within the limits of this Contract.
- 6. Implement and enforce a HASP: The HASP as presented in these specifications is dynamic with provisions for change to reflect new information, new practices or procedures, changing site environmental conditions or other situations which may affect site workers and the public. The HASP will also address measures for community protection, accident prevention, personnel protection, emergency response/contingency planning, air monitoring, odor control and hazardous chemicals expected on site. Providing a Confined Space Entry Program as defined in the Occupational Safety and Health Act, Confined Space Entry Standard, 29 CFR 1910.146.

# B. Environmental Consulting Services

The Contractor shall retain an independent Environmental Consultant to obtain all permits and perform all field screening, air monitoring, community air monitoring, soil sampling, and health and safety services. The independent Environmental Consultant shall at a minimum provide documentation to the Program Administration, ESS demonstrating the minimum requirements as set forth below:

- 1. The independent Environmental Consultant project supervisor on site and other designated key personnel shall have a minimum of three (3) years experience in the environmental field dealing with issues associated with contaminated soils. Such experience shall include oversight on environmental, specifically volatile organic compound and dust monitoring services as a routine part of its daily operations.
- 2. The independent Environmental Consultant must be experienced in work of this nature, size, and complexity and must have previous experience in working with the DEC.
- 3. The independent Environmental Consultant shall furnish a project listing identifying the location, nature of services provided, owner, owner's contact, contact's telephone number, project duration and value for at least five (5) projects within the last three (3) years.
- 4. If conditions within the exclusion zone are deemed hazardous, then the Contractor and its independent Environmental Consultant shall ensure that all personnel working within identified exclusion zones and/or involved (direct contact) with the handling, storage or transport of hazardous and contaminated materials shall have completed a minimum of forty (40) hours of Health and Safety Training on Hazardous Waste Sites in accordance with 29 CFR 1910.120(e). The training program shall be conducted by a qualified safety instructor. If conditions in the exclusion zone are deemed to be non-hazardous, the independent Environmental Consultant shall provide site specific training.
- 5. The Contractor shall ensure that on-site management and supervisors directly responsible for or who supervise employees engaged in hazardous waste operations shall receive the training specified in above and at least eight (8) additional hours of specialized training on managing such operations at the time of job assignment.

#### C. Submittals

- 1. The Contractor shall submit, within forty-five (45) calendar days after the contract award, a written HASP as specified herein, to Program Administration, ESS for review and comment. The Contractor shall make all necessary revisions required by Program Administration, ESS and resubmit the HASP to the Program Administration, ESS for acceptance. Start-up work for the project will not be permitted until written acceptance has been issued by the Program Administration, ESS.
- 2. Daily safety logs shall be maintained by the Contractor and shall be submitted to the DDC either on request or on completion of the work. Training logs shall be maintained by the Contractor and submitted to the DDC either on request or on completion of the work. Daily logs on air monitoring during excavation activities shall be prepared and maintained by the Contractor and submitted to the DDC either on request or upon completion of the work.
- 3. A closeout report shall be submitted by the Contractor to the DDC upon completion of the work within the defined exclusion zones. This report shall summarize the daily safety and monitoring logs and provides an overview of the Contractor's performance

- regarding environmental and safety issues. The report shall carefully document all areas where contamination has been found including pictures, addresses of locations, and potential sources.
- 4. Medical Surveillance Examinations: The Contractor shall submit to the DDC the name, office address and telephone number of the medical consultant utilized. Evidence of baseline medical examinations together with the evidence of the ability to wear National Institute for Occupational Safety and Health (NIOSH) approved respirators (as specified in American National Standards Institute (ANSI) Z88.6) shall be provided to the DDC for all construction personnel who are to enter the exclusion zones.
- 5. Accident Reports: All accidents, spills, or other health and safety incidents shall be reported to the DDC.

# D. Health and Safety Plan

The HASP shall comply with OSHA regulations 29 CFR 1910.120/1926.65. This document shall at a minimum contain the following:

- 1. Description of work to be performed
- 2. Site description
- 3. Key personnel
- 4. Worker training procedures
- 5. Work practices and segregation of work area
- 6. Hazardous substance evaluation
- 7. Hazard assessment
- 8. Personal and community air monitoring procedures and action levels
- 9. Personal protective equipment
- 10. Decontamination procedures
- 11. Safety rules
- 12. Emergency procedures
- 13. Spill control, dust control, vapor/odor suppression procedures
- 14. Identification of the nearest hospital and route
- 15. Confined space procedures
- 16. Excavation safety procedures

# 8.01 S.2 MEASUREMENT

#### Health and Safety Requirements

A. 25% of the lump sum price will be paid when the following items are implemented or mobilized:

Medical surveillance program

Health and safety training

Health and safety plan

Environmental and personnel monitoring

Instrumentation

Spill control

Dust control

Personnel and equipment decontamination facilities

Personnel protective clothing

Communications

Mobilization

- B. 50% will be paid in proportional monthly amounts over the period of work.
- C 25% will be paid when the operation is demobilized and removed from the project site.

#### 8.01 S.3 PRICE TO COVER

# Health and Safety Requirements

The lump sum price bid for the health and safety requirements shall include all labor, materials, equipment, and insurance necessary to complete the work in accordance with these specifications. The price bid shall include, but not be limited to, the following:

- A. Providing training, safety personnel, air monitoring and medical examinations as specified.
- B. Providing safety equipment and protective clothing for site personnel, including maintenance of equipment on a daily basis; replacement of disposable equipment as required; decontamination of clothing, equipment and personnel; and all other health and safety activities or costs not paid for under other pay items in this Contract.
- C. Providing, installing, operating and maintaining on-site emergency medical and first aid equipment. This includes all furnishings, equipment, supplies and maintenance of all medical equipment, and all other health and safety items and services for which payment is not provided under other pay items in this Contract.
- D. Providing, installing, operating, maintaining, and decommissioning all personnel and equipment decontamination facilities, including decontamination pad, decontamination water supply, and all other items and services required for the implementation of the health and safety requirements for which pay items are not provided elsewhere in this Contract. Vehicle decontamination pads shall be included in the price of this item. Disposal of decontamination fluid shall be paid for under Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.

## E. Spill Control

- 1. Payment shall account for furnishing, installing, and maintaining all spill control equipment and facilities. Payment will include equipment and personnel to perform emergency measures required to contain any spillage and to remove spilled materials and soils or liquids that become contaminated due to spillage during work within the exclusion zones and handling of excavated soils and liquids from these areas. This collected spill material will be properly disposed of.
- 2. Payment under this item shall not include testing, handling, transportation or disposal of petroleum-contaminated/potentially hazardous soils excavated during construction. The price for this work will be paid for under Items 8.01 C1 Handling, Transporting and Disposal of Non-Hazardous Contaminated Soils, 8.01 C2 Sampling and Testing of Contaminated/Potentially Hazardous Soil for Disposal Parameters or 8.01 H Handling, Transporting and Disposal of Hazardous Soils, as appropriate.

#### F. Dust Control

Payment shall account for furnishing, installing, and maintaining dust control equipment and facilities to be used whenever applicable dust levels are exceeded. Payment will include all necessary labor, equipment, clean water, foam, and all other materials required by the Dust Control Plan. The DOH Community Air Monitoring Plan (CAMP) may be used as guidance.

# G. <u>Vapor/Odor Suppression</u>

Payment shall account for furnishing, installing and maintaining vapor/odor control equipment and facilities to be used whenever organic vapor monitoring or the presence of odors indicates that vapor suppression is required to protect workers or the public. Payment will include all necessary labor, equipment, clean water, foam and all other materials required by the Vapor/Odor Suppression Plan.

# H. Mobilization/Demobilization

# 1. Mobilization

Payment shall include but not be limited to:

- a. All work required to furnish, install and maintain all signs, fencing, support zone facilities, parking areas and all temporary utilities;
- b. All work required to furnish, install, and maintain an office space with phone and utilities for health and safety personnel;
- c. All work required for complete preparation of lay down area for roll-off containers, including sampling, and any required fencing;
- d. All direct invoiced cost from bonding companies and government agencies for permits and costs of insurance; and
- e. All other items and services required for mobilization and site preparation.

# 2. Demobilization

Payment shall include but not be limited to: All work required to sample the area; remove from the site all equipment, temporary utilities and supporting facilities; performance of necessary decontamination and repairs; disposal of disposable equipment and protective gear and other items and services required for complete demobilization.

Payment will be made under:

ITEM NUMBER	ITEM	PAYMENT UNIT
8.01 S	Health and Safety	Lump Sum

# ITEM 8.01 W1 REMOVAL, TREATMENT AND DISCHARGE/DISPOSAL OF CONTAMINATED WATER

# 8.01 W1.1 WORK TO INCLUDE

General: This work shall consist of the proper removal and disposal of all contaminated groundwater and decontamination water generated during construction operations. The Contractor shall be solely responsible for the proper disposal or discharge of all contaminated water generated at the job site. The Contractor will have the option of treating water on-site for discharge to the combined sanitary/storm sewer system or removing contaminated water for off-site disposal. The Contractor shall be responsible to choose a method compatible to the construction work and shall be compensated on a per day basis regardless of method employed. The Contractor will be compensated for only those days where the system is in full operation.

The Contractor shall retain a dewatering/water treatment Specialist (hereinafter the "Specialist") and laboratory as specified under Item 8.01 W2 – Sampling and Testing of Contaminated Water, to conduct any testing that may be required for disposal of impacted water.

The dewatering/water treatment Specialist is responsible to obtain all permits; perform all water sampling, testing; and provide ancillary services related to dewatering and water treatment. The Specialist shall at a minimum provide documentation to the Program Administration, Engineering Support Services (ESS) demonstrating the minimum requirements as set forth below:

- 1. The Specialist shall demonstrate that it has, at a minimum, three (3) years experience in the design of dewatering plans. The Specialist should demonstrate expertise dealing with issues associated with contaminated water. During that three (3) year period, the Specialist shall demonstrate that it provided dewatering and water treatment systems as a routine part of its daily operations.
- 2. The Specialist must be experienced in work of this nature, size, and complexity and must have previous experience in working with the DEC.
- 3. The Specialist shall furnish a project listing identifying the location, nature of services provided, owner, owner's contact, contact's telephone number, project duration and value for at least five (5) projects within the last three (3) years of a similar nature, size, and complexity to this one.
- 4. If conditions within the exclusion zone are deemed hazardous, then the Contractor and its independent Environmental Consultant shall ensure that all personnel working within identified exclusion zones and/or involved (direct contact) with the handling, storage or transport of hazardous and contaminated material shall have completed a minimum of forty (40) hours of Health and Safety Training on Hazardous Waste Sites in accordance with 29 CFR 1910.120(e). The training program shall be conducted by a qualified safety instructor. If conditions in the exclusion zone are deemed to be non-hazardous, the Specialist shall be responsible to provide site-specific training to its employees and other affected personnel.
- 5. The Contractor shall ensure that on-site management and supervisors directly responsible for or who supervise employees engaged in hazardous waste operations shall receive the training specified in above and at least eight (8) additional hours of specialized training on managing such operations at the time of job assignment.

The Contractor shall document all operations associated with the handling, sampling and disposal of contaminated water, and ensure that they are in compliance with applicable Federal, State and Local statutes and regulations.

The Contractor shall supply all labor, equipment, transport, plant, material, treatment, and other incidentals required to conduct the specified work of this section.

If water will be disposed of into the combined sanitary/storm sewer system, the Contractor shall ensure the Specialist treats the water to comply with the New York City Department of Environmental Protection (DEP) Sanitary/Combined and Storm Sewer Effluent Limit concentrations prior to discharge. The Contractor is responsible for providing settling or filtering tanks and any other apparatus required by DEP. Alternatively, the Contractor can provide a plan for transport and disposal at an off-site waste disposal facility.

Within forty-five (45) calendar days after award of Contract, the Contractor shall submit to the Program Administration, ESS for review, a Water Handling Plan (WHP). The WHP must be approved by the Program Administration, ESS, prior to the Contractor's commencement of work. The minimum requirements for the WHP are specified herein Item 8.01W 1.2, for each type of disposal (disposal into the combined sanitary/storm sewer or off-site disposal). The Contractor shall maintain a complete, up to date copy of the WHP on the job site at all times.

# 8.01 W1.2 CONSTRUCTION DETAILS

For each disposal method the Contractor proposes to utilize (disposal to combined sanitary/storm sewer or off-site disposal), the WHP shall include the information required in paragraphs A and B below, as appropriate.

- A. On-site treatment and discharge into New York City combined sanitary/storm sewers.
  - 1. Regulations: The Contractor shall comply with all applicable regulations. This includes but may not be limited to:
    - Title 15-New DEP Sewer Use Regulations.
  - 2. Permits: The Contractor is solely responsible to obtain all necessary and appropriate Federal, State and Local permits and approvals. The Contractor will be responsible for performing all and any system pilot tests required for permit approval. This includes but may not be limited to:
    - a. Industrial waste approval for the New York City sewer system.
    - b. Groundwater discharge permit for the New York City sewer system (DEP Division of Sewer Regulation and Control), if discharge to sewer exceeds 10,000 gallons per day.
    - c. The Contractor shall comply with DEC State Pollutant Discharge Elimination System (SPDES) Permit Number GP-0-10-001, General Permit for Stormwater Discharges.
    - d. Long Island well point permit for Brooklyn and Queens sites, if well points are used for dewatering.
    - e. Wastewater quality control application, DEP.
  - 3. The WHP for this portion of the work shall include at a minimum:

- a. Identification and design of Contractor's proposed treatment to assure that the water meets the DEP sewer use guidelines prior to discharge to the sewer, including identification of all materials, procedures, settling or filtering tanks, filters and other appurtenances proposed for treatment and disposal of contaminated water.
- b. The name, address and telephone number of the contact for the Contractor's proposed chemical laboratory, as well as the laboratory's certifications under Federal, State or non-governmental bodies.
- c. The name, address and telephone number of the contact for the Contractor's proposed independent Environmental Consultant.
- d. Copies of all submitted permit applications and approved permits the Contractor have received.

#### 4. Materials

The Contractor shall supply all settling or filtering tanks, pumps, filters, treatment devices and other appurtenances for treatment, temporary storage and disposal of contaminated water. All equipment shall be suitable for the work described herein.

## 5. Execution

- a. The Contractor is solely responsible for disposal of all water, in accordance with all Federal, State and Local regulations.
- b. The Contractor is solely responsible for any treatment required to assure that water discharged into the sewer is in compliance with all permits and Federal, State and Local statutes and regulations.
- c. The Contractor is solely responsible for the quality of the water disposed of into the sewers.
- d. The Contractor is responsible for sampling and testing of water for the DEP Sanitary/Combined and Storm sewer Effluent Limit concentrations. The quality of the data is the Contractor's responsibility. Any sampling and testing shall be conducted and paid in accordance with Item 8.01 W2 Sampling and Testing of Contaminated Water.
- e. The Contractor shall be responsible to maintain the discharge rate to the sewer such that all permit requirements are met, the capacity of the sewer is not exceeded and no surcharging occurs downstream due to the Contractor's actions. Dewatering by means of well points or deep wells will not be allowed in the Boroughs of Brooklyn or Queens where the rate of pumping exceeds forty-five (45) gallons per minute unless the appropriate permit has been secured from the DEC.

# f. Disposal of Treatment Media

- (1) The Contractor shall be responsible for disposal or recycling of treatment media in accordance with all Federal, State and Local regulations.
- (2) The Contractor shall provide the DDC with all relevant documentation concerning the disposal of treatment media, including manifests, bills of

- lading, certificates of recycling or destruction and other applicable documentation.
- (3) Disposal of treatment media shall not be considered as a separate pay item; instead it shall be considered as incidental work thereto and included in the unit price bid.

# B. Off-Site Disposal

- 1. Regulations: The Contractor shall conform to all applicable Federal, State and Local regulations pertaining to the transportation, storage and disposal of any hazardous and/or non-hazardous materials as listed in Attachment 2.
- 2. The following shall be submitted to the DDC prior to initiating any off-site disposal:
  - a. (1) Name and waste transporter permit number
    - (2) Address
    - (3) Name of responsible contact for the hauler
    - (4) Any and all necessary permit authorizations for each type of waste transported
    - (5) Previous experience in performing the type of work specified herein
  - b. General information for each proposed treatment/disposal facility and at least one backup treatment/disposal facility
    - (1) Facility name and EPA identification number
    - (2) Facility location
    - (3) Name of responsible contact for the facility
    - (4) Telephone number for contact
    - (5) Unit of measure utilized at facility for costing purposes
  - c. A listing of all permits, licenses, letters of approval and other authorizations to operate, which are currently held and valid for the proposed facility as they pertain to receipt and management of the wastes derived from this Contract.
  - d. A listing of all permits, licenses, letters of approval and other authorizations to operate which have been applied for by the proposed facility but not yet granted or issued. Provide dates of application(s) submitted. Planned submittals shall also be noted.
  - e. The Contractor shall specify and describe the disposal/containment unit(s) that the proposed facility will use to manage the waste and provide dates of construction and beginning of use, if applicable. Drawings may be provided. The Contractor shall identify the capacity available in the units and the capacity reserved for the subject waste.
  - f. The Contractor shall provide the date of the proposed facility's last compliance inspection.

- g. A list of all active (unresolved) compliance orders, agreements, enforcement notices or notices of violations issued to the proposed facility shall be submitted. The source and nature of the cause of violation shall be stated, if known. If groundwater contamination is noted, details of the facility's groundwater monitoring program shall be provided.
- h. Description of all sampling and field/laboratory analyses that will be needed to obtain disposal facility approval.

#### 3. Materials

All vessels for temporary storage and transport to an off-site disposal facility shall be as required in DOT regulations.

#### 4. Execution

#### a. General

- (1) The Contractor shall organize and maintain the material shipment records/manifests required by Federal, State and Local law. The Contractor shall include all bills of lading, certificates of destruction, recycling or treatment and other applicable documents.
- (2) The Contractor shall coordinate the schedule for truck arrival and material deliveries at the job site to meet the approved project schedule. The schedule shall be compatible with the availability of equipment and personnel for material handling at the job site.
- (3) The Contractor shall inspect all vehicles leaving the project site to ensure that contaminated liquids are not spilling and are contained for transport.
- (4) The Contractor shall obtain letters of commitment from the waste haulers and the treatment, disposal or recovery facility to haul and accept shipment. The letter shall indicate agreement to handle and accept the specified estimated quantities and types of material during the time period specified in the project schedule and any time extension as deemed as necessary.
- (5) The Contractor shall verify the volume of each shipment of water from the site.
- (6) The Contractor is responsible for sampling and testing of water for off-site disposal. The quality of the data is the Contractor's responsibility. Any sampling and testing shall be conducted and paid in accordance with Item 8.01 W2 Sampling and Testing of Contaminated Water.
- (7) The Contractor shall be responsible for any additional analyses required by the TSD facility, and for the acceptance of the water at an approved TSD facility.

#### b. Hauling

(1) The Contractor shall not deliver waste to any facility other than the TSD facility(ies) listed on the shipping manifest.

- (2) The Contractor shall coordinate manifesting, placarding of shipments, and vehicle decontamination. All quantities shall also be measured and recorded upon arrival at the TSD facility(ies). If any deviation between the two records occurs, the matter is to be reported immediately to the DDC and shall be resolved by the Contractor to the satisfaction of the DDC.
- (3) The Contractor shall be held responsible for any and all actions necessary to remedy situations involving material spilled in transit or mud and dust tracked off-site. This cleanup shall be accomplished at the Contractor's expense.
- (4) The Contractor shall be responsible for inspecting the access routes for road conditions, overhead clearance and weight restrictions.
- (5) The Contractor shall only use the transporter(s) identified in the WHP for the performance of work. Only a transporter with a current Part 364 Waste Transporter Permit from DEC may transport this material. Any use of substitute or additional transporters must have previous written approval from the DDC at no additional cost to the City.
- (6) The Contractor shall develop, document, and implement a policy for accident prevention.
- (7) The Contractor shall not combine waste materials from other projects with material from this project.
- (8) The Contractor shall obtain for the City a hazardous waste generator identification number and will sign the manifest as the generator, if necessary.
- (9) No material shall be transported until approved by the DDC.

#### c. Disposal Facilities

- (1) The Contractor shall use only the TSD facility(ies) identified in the WHP for the performance of the work. Substitutions or additions shall not be permitted without prior written approval from the Program Administration, ESS, and, if approved, shall be at no extra cost to the City.
- (2) The Contractor shall be responsible for acceptance of the material at an approved TSD facility, for ensuring that the facility is properly permitted to accept the stated material, and that the facility provides the stated storage and/or disposal services.
- (3) The DDC reserves the right to contact and visit the disposal facility and regulatory agencies to verify the agreement to accept the stated material and to verify any other information provided. This does not in any way relieve the Contractor of his responsibilities under this Contract.
- (4) In the event that the identified and approved facility ceases to accept the stated materials or the facility ceases operations, it is the Contractor's responsibility to locate an alternate approved and permitted facility(ies) for accepting materials. The Contractor is responsible for making the necessary arrangements to utilize the facility(ies), and the alternate facility(ies) must be

approved in writing by the DDC in the same manner and with the same requirements as for the original facility(ies). This shall be done with no extra cost or delay to the City.

# d. Equipment and Vehicle Decontamination

(1) The Contractor shall design and construct a portable decontamination station to be used to decontaminate equipment and vehicles exiting the exclusion zone. The cost for this work shall be paid under Item 8.01 S – Health and Safety.

# 8.01 W1.3 METHOD OF MEASUREMENT

The quantity for on-site treatment and discharge or off-site disposal shall be on a per day basis.

# 8.01 W1.4 PRICE TO COVER

- A. The per day price bid for Item 8.01 W1 shall include the cost of furnishing all labor, materials, plant, equipment, and insurance for handling, transportation, disposal, documentation, permits, hauling, mobilization and demobilization, and any other incidentals thereto to complete the work.
- B. The Contractor will not be paid for water that is within the DEP Sewer Discharge Limits.

Payment will be made under:

8.01 W1 Removal, Treatment and Disposal/Discharge of Contaminated Water

PAYMENT UNIT

Day

# ITEM 8.01 W2 SAMPLING AND TESTING OF CONTAMINATED WATER

## 8.01 W2.1 WORK TO INCLUDE

### A. <u>Description</u>

The work shall consist of sampling and testing of potentially contaminated groundwater, surface runoff within the excavated area and all contaminated water generated during the decontamination process.

# B. <u>Sampling and Testing</u>

- 1. The Contractor is responsible, at a minimum, for sampling and testing of contaminated water for the DEP Sanitary/Combined and Storm Sewer Effluent Limit concentrations as listed in Attachment 1. The quality of the data is the Contractor's responsibility. Any additional testing required by the Federal, State and/or disposal facilities shall be included in the bid price of this Item.
- 2. All sampling and testing shall be conducted by a person trained in sampling protocols using accepted standard practices and/or the DEC sampling guidelines and protocols.
- 3. All sample containers shall be marked with legible sample labels which shall indicate the project name, sample location and/or container, the sample number, the date and time of sampling, preservatives utilized, how the sample was chilled to 4 degrees Celsius, and other information that may be useful in determining the character of the sample.
- 4. Chain-of-custody shall be tracked from laboratory issuance of sample containers through receipt of the samples.
- 5. The Contractor shall maintain a bound sample log book. The Contractor shall provide the DDC access to it at all times and shall turn it over to the DDC in good condition at the completion of the work. The following information, as a minimum, shall be recorded to the log:
  - a. Sample identification number
  - b. Sample location
  - c. Field observation
  - d. Sample type
  - e. Analyses
  - f. Date/time of collection
  - g. Collector's name
  - h. Sample procedures and equipment used
  - Date sent to laboratory/name of laboratory
- 6. Only dedicated sampling equipment may be used to collect these samples. All equipment involved in field sampling must be decontaminated before being brought to the site, and must be properly disposed of after use.

- 7. Samples shall be submitted to the Contractor's laboratory within the holding times for the parameters analyzed.
- 8. All analyses must be done by a laboratory that has received approval from the DOH's ELAP for the methods to be done. The Contractor must specify the laboratory in the WHP.
- 9. Analytical results for water discharged to the sewer and for off-site disposal must be submitted to the DDC no later than five (5) days after sample collection.
- 10. The City reserves the right to direct the Contractor to conduct alternative sampling in lieu of the parameters described above, if the situation warrants. The substitute sampling parameters shall be of equal or lesser monetary value than those described above, as determined by industry laboratory pricing standards.

# 8.01 W2.2 METHOD OF MEASUREMENT

Quantities for samples shall be measured as the number of sets of samples that are tested for the DEP Sanitary/Combined and Storm Sewer Effluent Limit concentrations. A set shall be defined as one (1) representative sample analyzed for the full range of DEP parameters as specified in attachment 1.

### 8.01 W2.3 PRICE TO COVER

The unit price bid per set for Item 8.01 W2 shall include the cost of furnishing all labor, materials, plant, equipment, and insurance for handling, transport, sampling, testing, documentation, permits, other incidentals necessary to complete the work of sampling and testing of contaminated water. Any additional costs incurred by the Contractor for sampling and testing of contaminated water shall be included in the bid price of this Item.

Payment will be made under:

ITEM NUMBER	ITEM	PAYMENT UNIT
8.01 W2	Sampling and Testing of Contaminated Water	Set

# **ATTACHMENT 1**

New York City Department of Environmental Protection Limitations for Discharge To Storm, Sanitary/Combined Sewer

# NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF WASTEWATER TREATMENT

# Limitations for effluent to storm, sanitary or combined sewers

Parameter	Daily Limit	Units	Sample Type	Monthly Limit
Oil & Grease	15	mg/l	Instantaneous	Samuel Control of the
Total Petroleum Hydrocarbons	50	mg/l	Instantaneous	
pH Range (Storm sewer)	6.5-8.5	SU's	Instantaneous	
(Sanitary sewer)	5-11			
Benzene	134	ppb	Instantaneous	57
Ethyl benzene	380	ppb	Instantaneous	142
Toluene	74	ppb	Instantaneous	28
Xylenes Total	74	ppb	Instantaneous	28
Temperature	< 150	°F	Instantaneous	
Cadmium	2	mg/l	Instantaneous	
	0.69	mg/l	Composite	
Chromium VI	5	mg/l	Instantaneous	
Copper	5	mg/l	Instantaneous	
Lead	2	mg/l	Instantaneous	
Mercury	0.05	mg/l	Instantaneous	
Nickel	3	mg/l	Instantaneous	
Zinc	5	mg/l	Instantaneous	
Flash Point	> 140	°F	Instantaneous	
Total Suspended Solids	350	ppm	Instantaneous	
PCB's Total*	1	ppb	Composite	
Perc (Tetrachloroethylene)	20	ppb	Instantaneous	
MTBE (Methyl-Tert-Butyl-Ether)	10	ppb	Instantaneous	10
Naphthalene	47	ppb	Instantaneous	19
* A 1 ' C DOD'	· · · · · · · · · · · · · · · · · · ·			

<sup>\*</sup> Analysis for PCB's are requested only if both conditions listed below are met:

Analysis for PCB's must be conducted by USEPA Method 608 only with MDL = 65ppt

<sup>1)</sup> If proposed discharge > 10,000 gpd

<sup>2)</sup> If duration of discharge > 10 days

# **ATTACHMENT 2**

**Applicable Regulations** 

# Applicable regulations include, but are not limited to:

- 1. 49 CFR 100 to 179 DOT Hazardous Materials Transport and Manifest System Requirements
- 2. New York State Department of Environmental Conservation (DEC), Spills Technology and Remediation Series (STARS) Memo #1
- 3. 6 NYCRR 360-1 DEC Solid Waste Management Facilities
- 4. 6 NYCRR 364- Waste Transporter permits
- 5. Local restrictions on transportation of waste/debris
- 6. 40 CFR 260 to 272 Hazardous Waste Management (RCRA)
- 7. 6 NYCRR 371 Identification and Listing of Hazardous Wastes
- 8. 6 NYCRR 372 Hazardous Waste Manifest System and Related Standards for Generators, Transporters and Facilities
- 9. 6 NYCRR 373-1 Hazardous Waste Treatment, Storage and Disposal Facility Permitting Requirements
- 10. 6 NYCRR 376 Land Disposal Restrictions
- 11. Posted weight limitations on roads or bridges
- 12. Transportation Skills Programs, Inc. 1985 Hazardous Materials and Waste Shipping Papers and Manifests
- 13. Other local restrictions on transportation of waste/debris
- 14. Occupational Safety and Health Administration (OSHA), Standards and Regulations, 29 CFR 1910 (General Industry)
- 15. OSHA 29 CFR 1910.120 Hazardous Waste Operations and Emergency Response
- 16. OSHA Safety and Health Standards 29 CFR 1926 (Construction Industry)
- 17. OSHA 29 CFR 1910.146 Confined Space Entry Standard
- 18. Standard Operating Safety Guidelines, EPA Office of Emergency and Remedial Response Publication, 9285.1-03
- 19. NIOSH / OSHA / USCG / EPA Occupational Safety and Health Guidance Manual for Hazardous Waste Site Activities (1986)
- 20. U.S. Department of Health and Human Services (DHHS) "NIOSH Sampling and Analytical Methods," DHHS (NIOSH) Publication 84-100
- 21. ANSI, Practice for Respiratory Protection, Z88.2 (1980)
- 22. ANSI, Emergency Eyewash and Shower Equipment, Z41.1 (1983)
- 23. ANSI, Protective Footwear, Z358.1 (1981)
- 24. ANSI, Physical Qualifications for Respirator Use, Z88.6 (1984)
- 25. ANSI, Practice for Occupational and Educational Eye and Face Protection, Z87.1 (1968)
- 26. Water Pollution Control Federation "Manual of Practice No. 1, Safety in Wastewater Works"

- 27. NFPA No. 327 "Standard Procedures for Cleaning and Safeguarding Small Tanks and Containers"
- 28. Occupational Safety and Health Act Confined Space Entry Standard 29 CFR 1910.146.87
- 29. Department of Transportation 49 CFR 100 through 179
- 30. Department of Transportation 49 CFR 387 (46 FR 30974, 47073)
- 31. Environmental Protection Agency 40 CFR 136 (41 FR 52779)
- 32. Environmental Protection Agency 40 CFR 262 and 761
- 33. Resource Conservation and Recovery Act (RCRA)
- 34. Any transporter of hazardous or non-hazardous materials shall be licensed in the State of New York and all other states traversed in accordance with all applicable regulations.

**ATTACHMENT 3** 

**Definitions** 

- Contaminated Groundwater and Decontamination Fluids: Groundwater within the excavation trench or decontamination water that contains regulated compounds above the NYCDEP Discharge to Sanitary/Combined Sewer Effluent limits.
- **Disposal or Treatment Facility:** A facility licensed to accept either non-hazardous regulated waste or hazardous waste for either treatment or disposal.
- Exclusion Zone: Work area that will be limited to access by Contractor personnel specifically trained to enter the work area only. The exclusion zone will be set up to secure the area from the public and untrained personnel. The project health and safety program will apply to all construction personnel including persons entering the work area.
- **Hazard Assessment:** An assessment of any physical hazards that may be encountered on a work site.
- **Hazardous Soils:** Soils that exhibit any of the characteristics of a hazardous waste, namely ignitability, corrosivity, reactivity, and toxicity, as defined in 6 NYCRR Part 371, Section 371.3 and 40 CFR Section 261.
- Hazardous Substance Evaluation: An evaluation of the possible or known presence of any hazardous substances that may be encountered on a job site. This evaluation is included in the Health and Safety Plan and will include the identification and description of any hazardous substances expected to be encountered. Material Safety Data Sheets (MSDS) will be included for each substance.
- **Health and Safety Plan:** A plan employed at a work site that describes all the measures that will be taken to assure that all work is conducted in a safe manner, and that the health of the workers and the public will be insured.
- Material Handling Plan: A plan outlining the methods that will be employed to handle, transport and dispose of contaminated materials.
- Non-Hazardous Contaminated Soils: Soils which exhibit a distinct chemical or petroleum odor, or exhibit elevated photoionization detector readings but are not classified as hazardous waste under 6 NYCRR Part 371, Section 371.3 and 40 CFR Section 261.
- New York State Health Department's Environmental Laboratory Approval Program: A program by which the state of New York approves and accredits environmental testing laboratories.
- **PCBs:** Polychlorinated biphenyls are a group of toxic compounds commonly used as a coolant in transformers and other electrical components.
- **Photoionization Detector:** A hand held instrument used to measure volatile organic compounds in air. The instrument ionizes the organic molecules through the use of an ultraviolet lamp.
- RCRA Hazardous Waste Characteristics: Characteristics of a material which may indicate the material is hazardous. These include: ignitability corrosivity, reactivity, and toxicity.
- **Total Petroleum Hydrocarbons:** An analytical procedure used to determine the total amount of petroleum compounds in a material.

# **ATTACHMENT 4**

Phase II Subsurface Corridor Investigation Report

# SPECIFICATIONS FOR HANDLING, TRANSPORTATION AND DISPOSAL OF NON-HAZARDOUS AND POTENTIALLY HAZARDOUS CONTAMINATED MATERIALS

Reconstruction of Boller Avenue

**Borough of Bronx** 

DDC Project No. HWXP093B

Prepared By:

NEW YORK CITY DEPARTMENT OF DESIGN + CONSTRUCTION

30-30 Thomson Avenue, 3<sup>rd</sup> Floor Long Island City, New York 11101

Date: 1/16/2013

# ITEM 8.01 C1 HANDLING, TRANSPORTING AND DISPOSAL OF NON-HAZARDOUS CONTAMINATED SOILS

# 8.01 C1.1 WORK TO INCLUDE

General: This work shall consist of the handling, transportation and disposal of non-hazardous contaminated soils. The materials covered by this specification are soils that are contaminated with petroleum or chemical products but cannot be classified as hazardous waste. For the purpose of this specification, soil shall be defined as any material excavated below the pavement and base for pavement.

Non-hazardous contaminated soils are defined as soils exhibiting one or more of the following characteristics:

- ♦ Elevated Photo-Ionization Detector (PID) readings, subsequently confirmed by lab analysis
- Visual evidence of contamination
- Petroleum and/or chemical odors
- Soils that have been documented as contaminated in previous environmental reports

Non-hazardous contaminated soils must be stockpiled at an off-site approved location or secured onsite by the Contractor, meeting all required Federal, State and Local stipulations. Sampling and laboratory analysis must be conducted to determine if the soils are hazardous, unless the alternative procedure as defined under subsection 8.01 C1.1 A.5 has been agreed upon by treatment facilities. Contaminated soils determined to be non-hazardous shall be handled in accordance with the specifications herein for Item 8.01 C1. Contaminated soils determined to be hazardous shall be handled in accordance with the specifications for Item 8.01 H – Handling, Transporting and Disposal of Hazardous Soils.

The Contractor shall retain the services of an independent Environmental Consultant, as specified under Item 8.01 S – Health and Safety, to oversee the work required under this Item.

Non-hazardous soils shall be delivered to the disposal or treatment facility within thirty (30) calendar days after excavation.

The Contractor shall conduct sampling and analysis of the impacted soils as specified under Item 8.01 C2 – Sampling and Testing of Contaminated/Potentially Hazardous Soils for Disposal Parameters. The laboratory results shall be forwarded to DDC Program Administration, Engineering Support Services (ESS) for review to determine if the soils will be handled and disposed of as contaminated regulated soils or hazardous waste. No other soils shall be sampled or tested without the DDC's approval or direction.

The Contractor shall ensure that all operations associated with the handling, sampling, loading, transportation, and disposal of non-hazardous contaminated soils are in compliance with all applicable Federal, State, and City statutes and regulations.

The Contractor shall document the excavation, handling, transportation and disposal of non-hazardous contaminated soils. The Contractor shall supply all equipment, material and labor required to conduct the specified work of this Item.

A. <u>Material Handling Plan</u>: Within forty-five (45) calendar days after award of Contract, the Contractor shall submit to the Program Administration, ESS for review, a Material Handling Plan (MHP). The MHP must be approved by the Program Administration, ESS, prior to the Contractor's commencement of work. The MHP shall, at a minimum, consist of:

- c. A listing of all permits, licenses, letters of approval, and other authorizations to operate which have been applied for by the proposed facility but not yet granted or issued.
- d. The Contractor shall specify and describe the disposal/containment unit(s) that the proposed facility will use to manage the waste. The Contractor shall identify the capacity available in the units and the capacity reserved for the subject waste.
- e. The Contractor shall provide the date of the proposed facility's last compliance inspection.
- f. A list of all active (unresolved) compliance orders (or agreements), enforcement notices, or notices of violations issued to the proposed facility shall be provided. The source and nature of the cause of violation shall be stated, if known.
- 8. Description of all sampling and field/laboratory analyses that will be needed to obtain disposal facility approval.

#### 8.01 C1.2 MATERIALS

- A. Containers shall be as required in the United State Department of Transportation (DOT) regulations.
- B. Polyethylene to be placed under (20 mil. thickness minimum) and over (10 mil. thickness minimum) soil piles.
- C. The Contractor shall assure that the waste hauler's appropriate choice of vehicles and operating practices shall prevent spillage or leakage of contaminated material from occurring en route.
- D. The Contractor shall provide, install and maintain any temporary loading facilities on site as required until completion of material handling activities. The location and design of any facilities shall be included in the MHP and be approved by the Program Administration, ESS.

#### 8.01 C1.3 CONSTRUCTION DETAILS

#### A. Material Handling

- 1. Immediately after excavation of non-hazardous contaminated soil the Contractor shall:
  - a. Load material directly onto trucks/tankers/roll offs for disposal off site; or
  - b. If interim stockpiling is required, place on a minimum of 20 mil. or equivalent plastic ground cloth and cover by minimum of 10 mil. polyethylene sheeting or equivalent to protect against leaching or runoff of contaminants into groundwater or stormwater. Weight or secure the sheeting by appropriate means and seal seams as approved by the DDC to prevent tearing or removal by weather. Grade surrounding surface to provide for positive drainage away from pile. Stockpile shall not exceed 100 cubic yards.
- Institute appropriate procedures and security measures to ensure the protection of site personnel and the public from contaminated materials as described in the approved MHP and Item 8.01 S - Health and Safety.
- 3. Any soil encountered that appears to contain unknown contaminants (based on visual, odor, or other observation), or that vary substantially from the material originally

- b. The Contractor shall be held responsible, at its own cost for any and all actions necessary to remedy situations involving material spilled in transit or mud and dust tracked off-site.
- c. The Contractor shall ensure that trucks are protected against contamination by properly covering and lining them with compatible material (such as polyethylene) or by decontaminating them prior to and between acceptances of loads.
- d. The Contractor shall be responsible for inspecting the access routes for road conditions, overhead clearance, and weight restrictions.
- e. The Contractor shall only use the transporter(s) identified in the MHP for the performance of work. Any use of substitute or additional transporters must have previous written approval from the Program Administration, ESS at no additional cost to the City.
- f. The Contractor shall develop, document, and implement a policy for accident prevention.
- g. The Contractor shall not combine contaminated materials from other projects with material from this project.
- h. No material shall be transported until approved by the DDC.

#### 3. Off-Site Disposal

- a. The Contractor shall use only the facility(ies) identified in the MPH for the performance of the work. Substitutions or additions shall not be permitted without prior written approval from the Program Administration, ESS, and if approved shall be at no extra cost to the City.
- b. The Contractor shall be responsible for acceptance of the materials at an approved facility, for ensuring that the facility is properly permitted to accept the stated materials, and that the facility provides the stated treatment and/or disposal services.
- c. The DDC reserves the right to contact and visit the disposal or treatment facility and regulatory agencies to verify the agreement to accept the stated materials and to verify any other information provided.
- d. In the event that the identified and approved facility ceases to accept the stated materials or the facility ceases operations, it is the Contractor's responsibility to locate an alternate approved and permitted facility(ies) for accepting materials. The alternate facility(ies) must be approved in writing by the DDC in the same manner and with the same requirements as for the original facility(ies). This shall be done at no extra cost or delay to the City.
- e. The Contractor shall obtain manifest forms, and complete the shipment manifest records required by the appropriate regulatory agencies for verifying the material and quantity of each load in unit of volume and weight. Copies of each manifest shall be submitted to the DDC within four (4) business days following shipment, and within three (3) business days after notification of receipt of the facility. Any manifest discrepancies shall be reported immediately to the DDC and be resolved by the Contractor to the satisfaction of the DDC.

#### 4. Equipment and Vehicle Decontamination

a. The Contractor shall design and construct a portable decontamination station to be

# ITEM 8.01 C2 SAMPLING AND TESTING OF CONTAMINATED/ POTENTIALLY HAZARDOUS SOIL FOR DISPOSAL PARAMETERS

#### 8.01 C2.1 WORK TO INCLUDE

#### A. Description

The work shall consist of collecting and analyzing representative soil samples for parameters typically requested by the disposal facilities.

#### B. Sampling and Laboratory Analysis

- 1. At least thirty (30) days prior to the commencement of work, the Contractor's independent Environmental Consultant must submit a Soil Sampling Plan/Field Sampling Plan (SSP/FSP) to the Program Administration, Engineering Support Services (ESS) for review and approval. The plan shall include the name, address, DOH's ELAP status, and telephone numbers of the proposed laboratory. The plan shall also include training and experience of the personnel who will collect the samples.
- 2. The Contractor shall sample and analyze representative samples of the contaminated/potentially hazardous soils. For stockpiled soils, the Contractor shall collect and analyze one (1) composite sample per 100 cubic yards or fraction thereof. Each composite sample shall consist of a minimum of five (5) grab samples collected from greater than two (2) feet below the soil surface. For drummed soil, the Contractor shall collect one (1) composite sample per (ten) 10 drums or fraction thereof. Each composite sample shall consist of a grab sample from each of the ten (10) drums or fraction thereof. Each composite sample shall be analyzed for Resource Conservation and Recovery Act (RCRA) hazardous waste characteristics (Ignitability, Reactivity, Corrosivity), Full Toxicity Characteristic Leaching Procedure (TCLP) (including RCRA metals, volatile Organic Compounds (VOCs), Semi-Volatile Organic Compounds (SVOCs), pesticides, herbicides), Total Petroleum Hydrocarbons (TPH) and Polychlorinated Biphenyls (PCBs). All samples collected should be analyzed on a rush four (4) calendar days turn around time and analytical results must be submitted to Program Administration, ESS within five (5) calendar days after sample collection.
- 3. All sampling shall be conducted by a person trained in sampling protocols using standard accepted practices for obtaining representative samples.
- 4. The Contractor must also contact the disposal facility where the waste will be sent for permanent disposal, and arrange to collect any additional samples required by the facility. The cost associated with additional sampling and testing shall be included in the bid price of this Item.
- 5. The quality of the data from the sampling program is the Contractor's responsibility. The Contractor must furnish all qualified personnel, equipment and instruments necessary to carry out the sampling. Unless directed otherwise, all sampling procedures must follow the DEC sampling guidelines and protocols.
- 6. All sample containers shall be marked and identified with legible sample labels which shall indicate the project name, sample location and/or container, the sample number, the date and time of sampling, preservatives utilized and other information that may be useful in determining the character of the sample. Chain-of-custody shall be tracked from laboratory issuance of sample containers through laboratory receipt of the samples.

### ITEM 8.01 H HANDLING, TRANSPORTING, AND DISPOSAL OF HAZARDOUS SOILS

#### 8.01 H.1 WORK TO INCLUDE

General: This work shall consist of the handling, transportation and disposal of soils or materials that are listed as hazardous wastes or exhibit any of the characteristics of a hazardous waste, namely ignitability, corrosivity, reactivity, and toxicity, as defined in 6 NYCRR Part 371, Section 371.3 and 40 CFR Section 261. For the purpose of this specification, soils shall be defined as any materials excavated below the pavement and base for pavement.

Contaminated soils determined to be hazardous under Item 8.01 C2 shall be handled, transported, and disposed of under Item 8.01 H in accordance with the specifications herein.

The independent Environmental Consultant retained by the Contractor, as specified under Item 8.01 S – Health and Safety, shall conduct sampling and analysis of above soils to determine which soils are hazardous.

All work under Item 8.01 H shall be performed under the direct supervision of the Contractor's Environmental Consultant, as approved by the Program Administration, Engineering Support Services (ESS).

The Contractor shall ensure that all operations associated with the handling, sampling, loading, transportation, and disposal of hazardous materials are in compliance with the applicable Federal, State, and Local statutes and regulations.

The Contractor shall document the excavation, handling, sampling, and testing, transportation and disposal of hazardous soils. The City shall be listed in the disposal documents as the waste generator.

The Contractor shall supply all equipment, material and labor required to conduct the specified work of this section.

The Contractor shall ensure that all operations associated with the handling, sampling, loading, transportation and disposal of hazardous soils are conducted in a manner to protect site personnel, the public and the environment, in accordance with all applicable Federal, State, and Local laws and regulations.

The Contractor shall decontaminate all equipment prior to its removal from the exclusion zone and/or following contact with hazardous materials, as detailed in Item 8.01 S - Health and Safety. Water generated during the decontamination process shall be disposed of under Item 8.01 W1 – Removal, Treatment and Discharge/Disposal of Contaminated Water.

- A. Material Handling Plan: Within forty-five (45) calendar days after award of Contract, the Contractor shall submit to the Program Administration, ESS for review, a Material Handling Plan (MHP). The MHP must be approved by the Program Administration, ESS, prior to the Contractor's commencement of work. The MHP shall, at a minimum, consist of:
  - 1. The Contractor's procedures for identifying contaminated/potentially hazardous soils during excavation, including instrumentation and calibration procedures to be used.
  - 2. The Contractor's procedures for safely handling hazardous soils or soils which have not yet been tested but are believed to be potentially hazardous.
  - 3. Identification of the Contractor's proposed waste transporter(s). This information shall include:
    - a. Name and waste transporter permit number

- f. A list of all active (unresolved) compliance orders, agreements, enforcement notices or notices of violations issued to the proposed facility shall be approved. The source and nature of the cause of violation shall be stated, if known.
- 8. Description of all sampling and analyses that will be needed to obtain disposal facility approval.

#### 8.01 H.2 MATERIALS

- A. Containers shall be watertight as required in the DOT regulations and must meet all applicable regulations including but not limited to those in Attachment 2.
- B. Polyethylene (20 mil. thickness minimum) to be placed under and (10 mil. thickness minimum) over soil piles. If soils are placed in drums, polyethylene must be placed over the drums.

#### 8.01 H1.3 CONSTRUCTION DETAILS

#### A. Material Handling

- 1. The Contractor shall institute procedures to protect site personnel and the public from the non-hazardous and hazardous materials as described in Section 8.01 S Health and Safety.
- 2. The Contractor shall handle hazardous soil as approved in the MHP.
- 3. Stockpiled materials at the temporary TSD facility shall be handled according to the facility requirements but at a minimum: shall be drummed or placed on and covered with polyethylene to protect against erosion and leaching into surrounding soils, the stockpile area shall be graded for positive drainage away from the pile, and shall be labeled while being held for sampling prior to permanent disposal.
- 4. Provide any dewatering that is necessary to complete the work. Water shall be disposed of in accordance with Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.

#### B. Off-Site Transportation and Disposal

1. The Contractor shall furnish all labor, equipment and supplies required to transport hazardous materials from the work area to the off-site TSD facility(ies) and to acquire any other items and services required for transporting hazardous materials for storage and/or disposal at an approved off-site facility.

#### 2. Weight Measurement

- a. The Contractor shall submit the name and location of the facility where an off-site scale is located. The Contractor shall also submit a plan to the DDC for review outlining procedures on controlling trucks leaving the work site and on-route to the off-site scale. The Contractor shall be responsible for tracking all materials/vehicles from the site to the off-site scale.
- b. The Contractor shall provide to the DDC certified tare and gross weight slips for each load received at the accepted facility which shall be attached to each returned manifest.

j. No materials shall be transported until approved by the DDC.

#### 5. Off-Site Disposal

- a. The Contractor shall be responsible for acceptance of the materials at an approved TSD facility, for ensuring that the facility is properly permitted to accept the stated materials, and that the facility provides the stated storage and/or disposal services.
- b. In the event that the identified and approved facility ceases to accept the stated materials or the facility ceases operations, it is the Contractor's responsibility to locate an alternate approved and permitted facility(ies) for accepting materials. The Contractor is responsible for making the necessary arrangements to utilize the facility(ies), and the alternate facility(ies) must be approved in writing by the DDC in the same manner and with the same requirements as for the original facility(ies). This shall be done with no extra cost or delay to the City.
- c. The Contractor shall submit all results and weights to the DDC.
- d. The Contractor is responsible to pay all fees associated with the generation and disposal of all excavated hazardous waste. These fees include, but are not limited to, the New York State Department of Finance and Taxation (DFT) quarterly fees for hazardous waste and the New York State DEC annual hazardous waste regulatory fee program. The Contractor shall submit a copy of proof of payment to the DDC and Program Administration, ESS.
- 6. Equipment and Vehicle Decontamination

The Contractor shall design and construct a portable decontamination station to be used to decontaminate equipment and vehicles exiting from the exclusion zone. The cost for this work shall be paid under Item 8.01 S - Health and Safety. Disposal of decontamination liquids is described under Item 8.01 W1 - Removal, Treatment and Discharge/Disposal of Contaminated Water.

#### 7. Record Keeping

The Contractor shall obtain manifest forms, and complete the shipment manifest records required by the appropriate regulatory agencies for verifying the material and quantity of each load in unit of volume and weight. Copies of each manifest shall be submitted to the DDC within four (4) business days following shipment, and within three (3) business days after notification of receipt of the facility. Any manifest discrepancies shall be reported immediately to the DDC and be resolved by the Contractor to the satisfaction of the DDC.

#### 8.01 H.4 METHOD MEASUREMENT

Quantities for hazardous soil shall be measured in tons satisfactorily delivered to the treatment, storage or disposal facility. The tonnage will be determined by off-site truck scales, as per subsection 8.01 H1.3.B.2, that are capable of generating load tickets.

#### 8.01 H.5 PRICE TO COVER

A. The unit price bid per ton for Item 8.01 H shall include the cost of furnishing all labor, materials, plant, equipment, and insurance for excavation, handling, transportation, disposal, documentation, permits, fees, taxes, stockpiling, hauling, and any other incidentals necessary to

#### ITEM 8.01 S HEALTH AND SAFETY

#### 8.01 S.1 WORK TO INCLUDE

#### Health and Safety Requirements

#### A. Scope of Work

It is the Contractor's responsibility to stage and conduct his work in a safe manner. The Contractor shall implement a Health and Safety Plan (HASP) for contaminated/hazardous soil intrusive activities as set forth in Occupational Safety and Health Administration (OSHA) Standards 1910.120 and 1926.650-652. The Contractor shall ensure that all workers have at a minimum hazard awareness training. The Contractor shall segregate contaminated work area in secured exclusion zones. These zones shall limit access to Contractor personnel specifically trained to enter the work area. The exclusion zone shall be set up to secure the area from the public and untrained personnel. The project health and safety program shall apply to all construction personnel including persons entering the work area. In addition, the Contractor shall protect the public from on-site hazards, including subsurface contaminants associated with on-site activities. The HASP shall be signed off by a Certified Industrial Hygienist and reviewed by Program Administration, Engineering Support Services (ESS).

Work shall include, but not be limited to:

- 1. Implementation of a baseline medical program.
- 2. Providing safety equipment and protective clothing for site personnel, including maintenance of equipment on a daily basis; replacement of disposable equipment as required; decontamination of clothing, equipment and personnel; and providing all other health and safety measures.
- 3. Providing, installing, operating and maintaining on-site emergency medical first aid equipment as specified in this section for which payment is not provided under other pay items in this Contract.
- 4. Providing, installing, operating, maintaining and decommissioning all equipment and personnel decontamination facilities specified within this section, including, but not limited to, the decontamination pad, decontamination water supply, decontamination water collection equipment and all other items and services required for the implementation of the health and safety requirements for which pay items are not provided elsewhere in this Contract.
- 5. Provide the minimum health and safety requirements for excavation activities within the limits of this Contract.
- 6. Implement and enforce a HASP: The HASP as presented in these specifications is dynamic with provisions for change to reflect new information, new practices or procedures, changing site environmental conditions or other situations which may affect site workers and the public. The HASP will also address measures for community protection, accident prevention, personnel protection, emergency response/contingency planning, air monitoring, odor control and hazardous chemicals expected on site. Providing a Confined Space Entry Program as defined in the Occupational Safety and Health Act, Confined Space Entry Standard, 29 CFR 1910.146.

- regarding environmental and safety issues. The report shall carefully document all areas where contamination has been found including pictures, addresses of locations, and potential sources.
- 4. Medical Surveillance Examinations: The Contractor shall submit to the DDC the name, office address and telephone number of the medical consultant utilized. Evidence of baseline medical examinations together with the evidence of the ability to wear National Institute for Occupational Safety and Health (NIOSH) approved respirators (as specified in American National Standards Institute (ANSI) Z88.6) shall be provided to the DDC for all construction personnel who are to enter the exclusion zones.
- 5. Accident Reports: All accidents, spills, or other health and safety incidents shall be reported to the DDC.

#### D. Health and Safety Plan

The HASP shall comply with OSHA regulations 29 CFR 1910.120/1926.65. This document shall at a minimum contain the following:

- 1. Description of work to be performed
- 2. Site description
- 3. Key personnel
- 4. Worker training procedures
- 5. Work practices and segregation of work area
- 6. Hazardous substance evaluation
- 7. Hazard assessment
- 8. Personal and community air monitoring procedures and action levels
- 9. Personal protective equipment
- 10. Decontamination procedures
- 11. Safety rules
- 12. Emergency procedures
- 13. Spill control, dust control, vapor/odor suppression procedures
- 14. Identification of the nearest hospital and route
- 15. Confined space procedures
- 16. Excavation safety procedures

#### 8.01 S.2 MEASUREMENT

#### Health and Safety Requirements

A. 25% of the lump sum price will be paid when the following items are implemented or mobilized:

Medical surveillance program

Health and safety training

Health and safety plan

Environmental and personnel monitoring

Instrumentation

Spill control

Dust control

Personnel and equipment decontamination facilities

Personnel protective clothing

Communications

Mobilization

#### G. <u>Vapor/Odor Suppression</u>

Payment shall account for furnishing, installing and maintaining vapor/odor control equipment and facilities to be used whenever organic vapor monitoring or the presence of odors indicates that vapor suppression is required to protect workers or the public. Payment will include all necessary labor, equipment, clean water, foam and all other materials required by the Vapor/Odor Suppression Plan.

#### H. Mobilization/Demobilization

#### 1. Mobilization

Payment shall include but not be limited to:

- a. All work required to furnish, install and maintain all signs, fencing, support zone facilities, parking areas and all temporary utilities;
- b. All work required to furnish, install, and maintain an office space with phone and utilities for health and safety personnel;
- c. All work required for complete preparation of lay down area for roll-off containers, including sampling, and any required fencing;
- d. All direct invoiced cost from bonding companies and government agencies for permits and costs of insurance; and
- e. All other items and services required for mobilization and site preparation.

#### 2. Demobilization

Payment shall include but not be limited to: All work required to sample the area; remove from the site all equipment, temporary utilities and supporting facilities; performance of necessary decontamination and repairs; disposal of disposable equipment and protective gear and other items and services required for complete demobilization.

Payment will be made under:

ITEM NUMBER ITEM

PAYMENT UNIT

8.01 S

Health and Safety

Lump Sum

The Contractor shall document all operations associated with the handling, sampling and disposal of contaminated water, and ensure that they are in compliance with applicable Federal, State and Local statutes and regulations.

The Contractor shall supply all labor, equipment, transport, plant, material, treatment, and other incidentals required to conduct the specified work of this section.

If water will be disposed of into the combined sanitary/storm sewer system, the Contractor shall ensure the Specialist treats the water to comply with the New York City Department of Environmental Protection (DEP) Sanitary/Combined and Storm Sewer Effluent Limit concentrations prior to discharge. The Contractor is responsible for providing settling or filtering tanks and any other apparatus required by DEP. Alternatively, the Contractor can provide a plan for transport and disposal at an off-site waste disposal facility.

Within forty-five (45) calendar days after award of Contract, the Contractor shall submit to the Program Administration, ESS for review, a Water Handling Plan (WHP). The WHP must be approved by the Program Administration, ESS, prior to the Contractor's commencement of work. The minimum requirements for the WHP are specified herein Item 8.01W 1.2, for each type of disposal (disposal into the combined sanitary/storm sewer or off-site disposal). The Contractor shall maintain a complete, up to date copy of the WHP on the job site at all times.

#### 8.01 W1.2 CONSTRUCTION DETAILS

For each disposal method the Contractor proposes to utilize (disposal to combined sanitary/storm sewer or off-site disposal), the WHP shall include the information required in paragraphs A and B below, as appropriate.

- A. On-site treatment and discharge into New York City combined sanitary/storm sewers.
  - 1. Regulations: The Contractor shall comply with all applicable regulations. This includes but may not be limited to:
    - Title 15-New DEP Sewer Use Regulations.
  - 2. Permits: The Contractor is solely responsible to obtain all necessary and appropriate Federal, State and Local permits and approvals. The Contractor will be responsible for performing all and any system pilot tests required for permit approval. This includes but may not be limited to:
    - a. Industrial waste approval for the New York City sewer system.
    - b. Groundwater discharge permit for the New York City sewer system (DEP Division of Sewer Regulation and Control), if discharge to sewer exceeds 10,000 gallons per day.
    - c. The Contractor shall comply with DEC State Pollutant Discharge Elimination System (SPDES) Permit Number GP-0-10-001, General Permit for Stormwater Discharges.
    - d. Long Island well point permit for Brooklyn and Queens sites, if well points are used for dewatering.
    - e. Wastewater quality control application, DEP.
  - 3. The WHP for this portion of the work shall include at a minimum:

- lading, certificates of recycling or destruction and other applicable documentation.
- (3) Disposal of treatment media shall not be considered as a separate pay item; instead it shall be considered as incidental work thereto and included in the unit price bid.

#### B. Off-Site Disposal

- 1. Regulations: The Contractor shall conform to all applicable Federal, State and Local regulations pertaining to the transportation, storage and disposal of any hazardous and/or non-hazardous materials as listed in Attachment 2.
- 2. The following shall be submitted to the DDC prior to initiating any off-site disposal:
  - a. (1) Name and waste transporter permit number
    - (2) Address
    - (3) Name of responsible contact for the hauler
    - (4) Any and all necessary permit authorizations for each type of waste transported
    - (5) Previous experience in performing the type of work specified herein
  - b. General information for each proposed treatment/disposal facility and at least one backup treatment/disposal facility
    - (1) Facility name and EPA identification number
    - (2) Facility location
    - (3) Name of responsible contact for the facility
    - (4) Telephone number for contact
    - (5) Unit of measure utilized at facility for costing purposes
  - c. A listing of all permits, licenses, letters of approval and other authorizations to operate, which are currently held and valid for the proposed facility as they pertain to receipt and management of the wastes derived from this Contract.
  - d. A listing of all permits, licenses, letters of approval and other authorizations to operate which have been applied for by the proposed facility but not yet granted or issued. Provide dates of application(s) submitted. Planned submittals shall also be noted.
  - e. The Contractor shall specify and describe the disposal/containment unit(s) that the proposed facility will use to manage the waste and provide dates of construction and beginning of use, if applicable. Drawings may be provided. The Contractor shall identify the capacity available in the units and the capacity reserved for the subject waste.
  - f. The Contractor shall provide the date of the proposed facility's last compliance inspection.

- (2) The Contractor shall coordinate manifesting, placarding of shipments, and vehicle decontamination. All quantities shall also be measured and recorded upon arrival at the TSD facility(ies). If any deviation between the two records occurs, the matter is to be reported immediately to the DDC and shall be resolved by the Contractor to the satisfaction of the DDC.
- (3) The Contractor shall be held responsible for any and all actions necessary to remedy situations involving material spilled in transit or mud and dust tracked off-site. This cleanup shall be accomplished at the Contractor's expense.
- (4) The Contractor shall be responsible for inspecting the access routes for road conditions, overhead clearance and weight restrictions.
- (5) The Contractor shall only use the transporter(s) identified in the WHP for the performance of work. Only a transporter with a current Part 364 Waste Transporter Permit from DEC may transport this material. Any use of substitute or additional transporters must have previous written approval from the DDC at no additional cost to the City.
- (6) The Contractor shall develop, document, and implement a policy for accident prevention.
- (7) The Contractor shall not combine waste materials from other projects with material from this project.
- (8) The Contractor shall obtain for the City a hazardous waste generator identification number and will sign the manifest as the generator, if necessary.
- (9) No material shall be transported until approved by the DDC.

#### c. Disposal Facilities

- (1) The Contractor shall use only the TSD facility(ies) identified in the WHP for the performance of the work. Substitutions or additions shall not be permitted without prior written approval from the Program Administration, ESS, and, if approved, shall be at no extra cost to the City.
- (2) The Contractor shall be responsible for acceptance of the material at an approved TSD facility, for ensuring that the facility is properly permitted to accept the stated material, and that the facility provides the stated storage and/or disposal services.
- (3) The DDC reserves the right to contact and visit the disposal facility and regulatory agencies to verify the agreement to accept the stated material and to verify any other information provided. This does not in any way relieve the Contractor of his responsibilities under this Contract.
- (4) In the event that the identified and approved facility ceases to accept the stated materials or the facility ceases operations, it is the Contractor's responsibility to locate an alternate approved and permitted facility(ies) for accepting materials. The Contractor is responsible for making the necessary arrangements to utilize the facility(ies), and the alternate facility(ies) must be

#### ITEM 8.01 W2 SAMPLING AND TESTING OF CONTAMINATED WATER

#### 8.01 W2.1 WORK TO INCLUDE

#### A. <u>Description</u>

The work shall consist of sampling and testing of potentially contaminated groundwater, surface runoff within the excavated area and all contaminated water generated during the decontamination process.

#### B. Sampling and Testing

- 1. The Contractor is responsible, at a minimum, for sampling and testing of contaminated water for the DEP Sanitary/Combined and Storm Sewer Effluent Limit concentrations as listed in Attachment 1. The quality of the data is the Contractor's responsibility. Any additional testing required by the Federal, State and/or disposal facilities shall be included in the bid price of this Item.
- 2. All sampling and testing shall be conducted by a person trained in sampling protocols using accepted standard practices and/or the DEC sampling guidelines and protocols.
- 3. All sample containers shall be marked with legible sample labels which shall indicate the project name, sample location and/or container, the sample number, the date and time of sampling, preservatives utilized, how the sample was chilled to 4 degrees Celsius, and other information that may be useful in determining the character of the sample.
- 4. Chain-of-custody shall be tracked from laboratory issuance of sample containers through receipt of the samples.
- 5. The Contractor shall maintain a bound sample log book. The Contractor shall provide the DDC access to it at all times and shall turn it over to the DDC in good condition at the completion of the work. The following information, as a minimum, shall be recorded to the log:
  - a. Sample identification number
  - b. Sample location
  - c. Field observation
  - d. Sample type
  - e. Analyses
  - f. Date/time of collection
  - g. Collector's name
  - h. Sample procedures and equipment used
  - i. Date sent to laboratory/name of laboratory
- 6. Only dedicated sampling equipment may be used to collect these samples. All equipment involved in field sampling must be decontaminated before being brought to the site, and must be properly disposed of after use.

## **ATTACHMENT 1**

New York City Department of Environmental Protection Limitations for Discharge To Storm, Sanitary/Combined Sewer

## **ATTACHMENT 2**

Applicable Regulations

- 27. NFPA No. 327 "Standard Procedures for Cleaning and Safeguarding Small Tanks and Containers"
- 28. Occupational Safety and Health Act Confined Space Entry Standard 29 CFR 1910.146.87
- 29. Department of Transportation 49 CFR 100 through 179
- 30. Department of Transportation 49 CFR 387 (46 FR 30974, 47073)
- 31. Environmental Protection Agency 40 CFR 136 (41 FR 52779)
- 32. Environmental Protection Agency 40 CFR 262 and 761
- 33. Resource Conservation and Recovery Act (RCRA)
- 34. Any transporter of hazardous or non-hazardous materials shall be licensed in the State of New York and all other states traversed in accordance with all applicable regulations.

- Contaminated Groundwater and Decontamination Fluids: Groundwater within the excavation trench or decontamination water that contains regulated compounds above the NYCDEP Discharge to Sanitary/Combined Sewer Effluent limits.
- Disposal or Treatment Facility: A facility licensed to accept either non-hazardous regulated waste or hazardous waste for either treatment or disposal.
- Exclusion Zone: Work area that will be limited to access by Contractor personnel specifically trained to enter the work area only. The exclusion zone will be set up to secure the area from the public and untrained personnel. The project health and safety program will apply to all construction personnel including persons entering the work area.
- Hazard Assessment: An assessment of any physical hazards that may be encountered on a work site.
- Hazardous Soils: Soils that exhibit any of the characteristics of a hazardous waste, namely ignitability, corrosivity, reactivity, and toxicity, as defined in 6 NYCRR Part 371, Section 371.3 and 40 CFR Section 261.
- Hazardous Substance Evaluation: An evaluation of the possible or known presence of any hazardous substances that may be encountered on a job site. This evaluation is included in the Health and Safety Plan and will include the identification and description of any hazardous substances expected to be encountered. Material Safety Data Sheets (MSDS) will be included for each substance.
- Health and Safety Plan: A plan employed at a work site that describes all the measures that will be taken to assure that all work is conducted in a safe manner, and that the health of the workers and the public will be insured.
- Material Handling Plan: A plan outlining the methods that will be employed to handle, transport and dispose of contaminated materials.
- Non-Hazardous Contaminated Soils: Soils which exhibit a distinct chemical or petroleum odor, or exhibit elevated photoionization detector readings but are not classified as hazardous waste under 6 NYCRR Part 371, Section 371.3 and 40 CFR Section 261.
- New York State Health Department's Environmental Laboratory Approval Program: A program by which the state of New York approves and accredits environmental testing laboratories.
- **PCBs:** Polychlorinated biphenyls are a group of toxic compounds commonly used as a coolant in transformers and other electrical components.
- **Photoionization Detector:** A hand held instrument used to measure volatile organic compounds in air. The instrument ionizes the organic molecules through the use of an ultraviolet lamp.
- RCRA Hazardous Waste Characteristics: Characteristics of a material which may indicate the material is hazardous. These include: ignitability corrosivity, reactivity, and toxicity.
- **Total Petroleum Hydrocarbons:** An analytical procedure used to determine the total amount of petroleum compounds in a material.

#### - FINAL -

# Phase II Subsurface Corridor Investigation Report

For

Reconstruction of Boller Avenue
Boller Ave and Needham Rd by Boston Rd.
Bronx, New York

DDC PROJECT NO. HWXP093B

WORK ORDER NO. 7563-LBA-2R-7190

CONTRACT REGISTRATION NO. 20101402206

Prepared for:




Bureau of Environmental and Geotechnical Services 30-30 Thomson Avenue, Fifth Floor Long Island City, New York 11101

Prepared by:



Louis Berger & Assoc., PC 199 Water Street, 23<sup>rd</sup> Floor New York, NY 10038 Tel. (212) 612-7900 Fax (212) 363-4341 Project No. CKT890E9 June 7, 2011





<b>Tables</b>	1	Summary of Environmental Boring Data
•	2	Summary of TCL VOCs Detected in Soil
	3	Summary of TCL SVOCs Detected in Soil
	4	Summary of TAL Metals Detected in Soil
	5	Summary of Pesticides Detected in Soil
	6	Summary of Herbicides Detected in Soil
	7	Summary of PCBs Detected in Soil
•	8	Summary of Waste Classification Parameters Detected in Soil
<u>Figures</u>	1	Topographic Corridor Location Map
	2	Sample Location Plan
A		
Appendices	A	Boring Location Plan
	В	Geologic Boring Logs and Temporary Well Construction Details
	C	Laboratory Analytical Results



8270; (2) Target Analyte List (TAL) metals by EPA Method 6010B; (3) TCL herbicides and pesticides by EPA Method 8081A; and (4) TCL polychlorinated biphenyls (PCBs) by EPA Method 8082. Grab samples from borings SB01 through SB03 were analyzed for TCL volatile organic compounds (VOCs) by EPA Method 8260;

- The collection of one (1) composite waste characterization soil sample (SBTCLP). Composite sample SBTCLP was generated by compositing aliquots of the composite samples taken from SB01 through SB03. The waste characterization sample was analyzed for: (1) the EPA Full Toxicity Characteristics Leaching Procedure (TCLP) parameters by EPA Method SW846; and (2) the Resource Conservation and Recovery Act (RCRA) Characteristics (ignitability, reactivity and corrosivity) by EPA Method SW846; and
- The preparation of this report, which includes tables summarizing the laboratory analytical results and figures depicting boring locations, significant site features and, if applicable, contamination occurrence and distribution.

In order to evaluate subsurface soil quality, laboratory analytical results of grab and composite soil samples were compared with regulatory standards identified in: (1) NYSDEC Subpart 375-6: Remedial Program Unrestricted and Restricted Use (Track 1 and Track 2) Soil Cleanup Objectives (SCOs) and (2) NYSDEC CP-51 Soil Cleanup Guidance Supplemental Soil Cleanup Objectives (SSCOs) to NYSDEC Subpart 375-6 The laboratory analytical results of the waste classification soil samples were compared with the Toxicity Characteristic Regulatory Levels for Hazardous Waste published in RCRA and NYSDEC Part 371.

Based on the evaluation of the field screening data and the laboratory analytical results, and a comparison to applicable regulatory standards, the following conclusions are presented:

- No visual or olfactory evidence of possible petroleum contamination was observed in any of the soil borings advanced as part of this Phase II SCI. In addition, no PID readings were detected above the background level of 1 ppm;
- During this Phase II SCI, the Corridor was found to be underlain by at least 5 to 16 feet of Silt. This Silt was found to be dark yellowish brown to moderate yellowish brown with some to little sand and trace to some medium to fine gravel. Bedrock was encountered at a depth ranging between 5 and 16 ft bgs during this Phase II SCI;
- Laboratory results indicate low level detections of methylene chloride in samples SB01 through SB03. Methylene chloride is a common laboratory contaminant and the low level detections in samples SB01 through SB03 may be attributed to laboratory usage;
- Laboratory results indicate concentrations of benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene and indeno(1,2,3-cd)pyrene in sample SB03 in excess of Unrestricted Use (Track 1) and Residential Use (Track 2) SCOs. The exceedances in sample SB03 may be attributed to historic impacted stormwater runoff;

Louis Berger & Associates, P.C. DDC CAPIS ID No. HWXP093B

ES-2

June 7, 2011



necessary during construction activities within the Corridor, the contractor should be required to obtain NYCDEP sewer discharge permit;

- In addition, if discharge into storm sewers is required during dewatering, it must be done
  under the appropriate NYSDEC State Pollutant Discharge Elimination System (SPDES)
  permit. Additional sampling and laboratory analysis will be required to satisfy NYSDEC
  requirements prior to discharge into storm sewers; and
- Before beginning any excavation activity, the contractor shall submit a site-specific health and safety plan (HASP) that will meet the requirements set forth by the Occupational, Safety and Health Administration (OSHA), the New York State Department of Health (NYSDOH) and any other applicable regulations. The HASP should identify the possible locations and risks associated with the potential contaminants that may be encountered, and the administrative and engineering controls that will be utilized to mitigate concerns (i.e. dust control procedures for SVOCs and metals).



#### **HIGH RISK SITES**

- 1) Stars and Stripes Playground at Crawford Avenue and Palmer Avenue
- 2) Franks Tire Services and Auto Sales at 3890 Boston Road
- 3) Nicks Transmission and Auto Repair at 3880 Boston Road
- 4) Filomio Truck Sales at 3870 Boston Road
- 5) Toyota of the Bronx Service Department between 3850 and 3870 Boston Road
- 6) KO Custom Whips Auto Detail at 3855 Boston Road

#### 1.2 Scope of Work

The Phase II SCI consisted of a field investigation, laboratory analyses, and the preparation of this report, which includes tables summarizing the laboratory analytical results and figures depicting boring locations, significant site features and, if applicable, contamination occurrence and distribution. Drilling activities for the field investigation were performed by Aquifer Drilling & Testing, Inc. of New Hyde Park, New York. Oversight of drilling activities was performed by Mr. James McGarry, PE, Senior Environmental Engineer of LBA. Laboratory analyses were provided by CHEMTECH Consulting Group (CHEMTECH), of Mountainside, New Jersey, a NYS Department of Health (NYSDOH) approved laboratory (No. 11376). Field derived Quality Assurance/Quality Control samples (i.e. field blanks, trip blanks, and duplicates) were not collected for this project. The field investigation was conducted on May 4, 2011 and consisted of the following components:

- The advancement of three (3) soil borings (SB01 through SB03) to a maximum depth of twenty (20) feet below ground surface (ft bgs) or refusal, whichever was encountered first. Borings were advanced using a Geoprobe direct push drill rig. Prior to direct push advancement, borings were cleared to a depth of five (5) ft bgs using a hand auger and/or a vacuum excavator (Vactron). Soil samples were collected using 5-foot long, 2-inch diameter Macro Core stainless steel samplers equipped with acetate sleeves. The installation of two (2) temporary well points (TWPs) for groundwater sampling was proposed as part of this Phase II SCI; however, groundwater was not encountered during this investigation;
- Field screening, classification and identification of soils from the ground surface to the bottom of each boring. Soil samples were visually classified in the field using the USCS soil classification system. Field screening consisted of visual and olfactory indicators of impacts as well as screening with a photoionization detector (PID);
- The collection of one (1) composite and one (1) grab sample from borings SB01 through SB03. The composite samples taken from SB01 through SB03 were comprised of soil from the entire boring column. The grab samples were collected from either the 6-inch interval above the watertable or the bottom 6-inch interval of the boring;
- Composite samples from borings SB01 through SB03 were analyzed for: (1) Target Compound List (TCL) base neutral/acid (BN/A) extractable semi-volatile organic compounds (SVOCs) by United States Environmental Protection Agency (EPA) Method



#### 2.0 CORRIDOR INFORMATION

#### 2.1 Corridor Location, Description and Use

The Corridor is located in the Edenwald section of the Bronx, New York. The Corridor consists of the full length of Boller Avenue from Crawford Avenue to Boston Road; Needham Avenue from Palmer Avenue to Boston Road in Bronx, New York. The entire corridor is developed with a paved roadway, and existing infrastructure systems. The Corridor is approximately 0.4 miles long.

Manhole covers, asphalt patches, sidewalk lights and street lights are visible in roadway and sidewalk areas throughout the Corridor, and indicate the presence of multiple buried utilities including sewer, electric, water, gas and communications. In addition, fillports and vent pipes were observed by Weston on several residential properties while conducted the site investigation as part of the Phase I CAR indicating the potential presence of petroleum underground or above ground storage tanks (USTs/ASTs). These USTs/ASTs do not require registration with the NYSDEC and therefore, are not listed in their database. Unless specifically identified in the Phase I CAR, the potential presence of these USTs/ASTs are considered to be "Low" risk sites.

Property usage within the Corridor consists primarily of single family residential dwellings, a playground and a park. Stars and Stripes Playground is located on Crawford Avenue between Palmer Avenue and Boller Avenue and is considered a "High" risk site. Seton Falls Park is located on Crawford Avenue and Boller Avenue to Marolla Place and Pratt Avenue and has no environmental risk to the Corridor.

#### 2.2 Description of Surrounding Properties

Based on the Phase I CAR prepared by Weston and the field observations made during this Phase II SCI, the Corridor is primarily surrounded by commercial and residential properties. Commercial developments consist of retail buildings and auto repair facilities including Franks Tire Service and Auto Sales at 3890 Boston Road, Nicks Transmission and Auto Repair at 3880 Boston Road, Fimoio Truck Sales at 3870 Boston Road, KO Custom Whips Auto Detail at 3855 Boston Road, and Toyota of the Bronx Service Department at 3850 to 3870 Boston Road, which were identified as "High" risk sites. The area is bound to the west by Baychester Avenue, to the south, by Boston Road, to the east by Marolla Place and to the north by Stars and Stripes Park. Commercial developments are primarily located along Boston Road and single family residential dwellings are located throughout the rest of the surrounding area

#### 2.3 Corridor and Regional Topographic Setting

The United States Geologic Survey (USGS) 7.5-minute Topographic Quadrangle map for Mount Vernon, NY (1966/1979) (Figure 1) indicates that the highest point within the Boller Avenue Corridor is near the western edge of Needham Avenue (western extent of the Corridor) at approximately 70 feet above mean sea level (amsl). Topography slopes in a radial pattern away

4

Louis Berger & Associates, P.C. DDC CAPIS ID No. HWXP093B

June 7, 2011



#### 3.0 CORRIDOR EVALUATION

Proposed construction activities within the Corridor include soil excavation and may include dewatering, which in-turn requires that soils and groundwater along the Corridor be characterized to identify material handling requirements (i.e. use of protective equipment) and for material reuse, handling and/or waste disposal requirements. LBA provided oversight for the advancement of three (3) soil borings and the collection of soil samples during the field investigation at the designated areas in the vicinity of the planned construction. The soil samples from the borings were transferred into laboratory supplied sample jars, properly labeled and stored with ice in a cooler to preserve the samples at 4° Celsius prior to and during shipment. A chain-of-custody was prepared prior to sample shipment. A summary of the field observations, including the location of the sites and the details of the soil borings, is provided in Table 1.

#### 3.1 Soil Quality Investigation

Three (3) soil borings (SB01 through SB03) were advanced to a maximum depth of twenty (20) ft bgs, or refusal (whichever was encountered first), using a Geoprobe direct push drill rig. Prior to direct push advancement, borings were cleared to a depth of five (5) ft bgs using a hand auger and/or a vacuum excavator. Soil was recovered using a 5-foot long, 2-inch diameter Macro Core stainless steel sampler equipped with disposable acetate sleeves. Soil boring locations are depicted on Figure 2. The designations and sampling intervals for the samples that were submitted to the laboratory are included in Table 1. Maps depicting each boring location are included in Appendix A. Boring logs are provided in Appendix B. The locations of each boring are described below:


- SB01 -Advanced in the vicinity of a "High" risk site and located on the sidewalk along the east side of Boller Avenue, 180 feet north of the northeast corner of the intersection of Boller Avenue and Needham Avenue and 2 feet east of the curb along the east side of Boller Avenue.
- SB02 —Advanced in the vicinity of a "High" risk site and located on the sidewalk along the west side of Boller Avenue, 96 feet south of the southwest corner of the intersection of Boller Avenue and Needham Avenue, 2 feet west of the sidewalk along the west side of Boller Avenue.
- SB03 Advanced in the vicinity of a "High" risk site and located on the sidewalk along the north side of Needham Avenue, 43 feet west of the northwest corner of the intersection of Needham Avenue and Pratt Avenue and 2 feet north of the sidewalk along the north side of Needham Avenue.

Soil from each boring was classified and examined for visual evidence (i.e. staining, discoloration) and any olfactory indications (i.e. odors) of contamination. Continuous soil cores were collected from each of the borings at 5-foot intervals. In addition, a PID was used to screen the soil for VOC vapors.



#### 3.4 **Data Evaluation**

In order to evaluate subsurface soil quality, laboratory analytical results of grab and composite soil samples were compared with regulatory standards identified in: (1) NYSDEC Subpart 375-6: Remedial Program Unrestricted and Restricted Use (Track 1 and Track 2) Soil Cleanup Objectives (SCOs) and (2) NYSDEC CP-51 Soil Cleanup Guidance Supplemental Soil Cleanup Objectives (SSCOs) to NYSDEC Subpart 375-6 The laboratory analytical results of the waste classification soil samples were compared with the Toxicity Characteristic Regulatory Levels for Hazardous Waste published in RCRA and NYSDEC Part 371.





stormwater runoff and historic usage along the Corridor. Refer to Table 5 for a summary of pesticide detections.

The laboratory results indicate that there are no herbicides present in any of the soil samples collected as part of this Phase II SCI. Refer to Table 6 for a summary of herbicide detections

#### 4.2.5 PCBs in Soil

The laboratory results indicate that there are no PCBs present in any of the soil samples collected as part of this Phase II SCI. Refer to Table 7 for a summary of PCB detections.

#### 4.2.6 Waste Classification of Soil

The composite waste classification sample SBTCLP was analyzed for USEPA RCRA hazardous waste characteristics including corrosivity, ignitability, reactivity and toxicity. Results of these analyses indicate that the soil beneath the Corridor does not exhibit evidence of hazardous waste characteristics. Refer to Table 8 for a summary of TCLP parameters and RCRA characteristics.

10



Based on the results of the field investigation and laboratory analytical results, LBA recommends the following:

- The Contract documents should identify provisions and a contingency for managing, handling, transporting and disposing of SVOC, pesticide, and metals-impacted hazardous and non-hazardous soil. The Contractor should be required to submit a Material Handling Plan, to identify the specific protocol and procedures that will be employed to manage the waste in accordance with applicable regulations;
- Dust control procedures are recommended during excavation activities to minimize the creation and dispersion of fugitive airborne dust. The Contractor may implement dust control measures to minimize potential airborne contaminants released as a direct result of construction activities. A Community Air Monitoring Plan (CAMP) shall be developed in accordance with NYSDEC DER-10 Regulations. The CAMP requires real-time monitoring for particulates (i.e., dust) at the downwind perimeter of each designated work area when certain activities are in progress at contaminated sites. The CAMP is intended to provide a measure of protection for the downwind community from potential airborne contaminant releases as a direct result of investigative and remedial work activities. Specific requirements shall be reviewed for each situation in consultation with NYSDOH to ensure proper applicability;
- Groundwater was not encountered during this Phase II SCI; however, dewatering may be
  necessary during construction activities along the Corridor. Therefore, should dewatering be
  necessary during construction activities within the Corridor, the contractor should be
  required to obtain NYCDEP sewer discharge permit;
- In addition, if discharge into storm sewers is required during dewatering, it must be done
  under the appropriate NYSDEC State Pollutant Discharge Elimination System (SPDES)
  permit. Additional sampling and laboratory analysis will be required to satisfy NYSDEC
  requirements prior to discharge into storm sewers; and
- Before beginning any excavation activity, the contractor shall submit a site-specific health and safety plan (HASP) that will meet the requirements set forth by the Occupational, Safety and Health Administration (OSHA), the New York State Department of Health (NYSDOH) and any other applicable regulations. The HASP should identify the possible locations and risks associated with the potential contaminants that may be encountered, and the administrative and engineering controls that will be utilized to mitigate concerns (i.e. dust control procedures for SVOCs and metals).

12



#### STATEMENT OF LIMITATIONS

The data presented and the opinions expressed in this report are qualified as follows:

The sole purpose of the investigation and of this report is to assess the physical characteristics of the Site with respect to the presence or absence in the environment of oil or hazardous materials and substances as defined in the applicable state and federal environmental laws and regulations and to gather information regarding current and past environmental conditions at the Site.

LBA derived the data in this report primarily from visual inspections, examination of records in the public domain, interviews with individuals with information about the Site, and a limited number of subsurface explorations made on the dates indicated. The passage of time, manifestation of latent conditions or occurrence of future events may require further exploration at the Site, analysis of the data, and reevaluation of the findings, observations, and conclusions expressed in the report.

In preparing this report, LBA has relied upon and presumed accurate certain information (or the absence thereof) about the Site and adjacent properties provided by governmental officials and agencies, the Client, and others identified herein. Except as otherwise stated in the report, LBA has not attempted to verify the accuracy or completeness of any such information.

The data reported and the findings, observations, and conclusions expressed in the report are limited by the Scope of Services, including the extent of subsurface exploration and other tests. The Scope of Services was defined by the requests of the Client, the time and budgetary constraints imposed by the Client, and the availability of access to the Site.

Because of the limitations stated above, the findings, observations, and conclusions expressed by LBA in this report are not, and should not be considered, an opinion concerning the compliance of any past or present owner or operator of the site with any federal, state or local law or regulation. No warranty or guarantee, whether express or implied, is made with respect to the data reported or findings, observations, and conclusions expressed in this report. Further, such data, findings, observations, and conclusions are based solely upon site conditions in existence at the time of investigation.

This report has been prepared on behalf of and for the exclusive use of the Client, and is subject to and issued in connection with the Agreement and the provisions thereof.

Phase II Subsurface Corridor Investigation for Boller Avenue, Bronx, New York New York City Department of Design and Construction

Phase II Subsurface Corridor Investigation for Reconstruction of Boller Avenue Table 1. Summry of Environmental Boring Data Bronx, New York

		iple	
Other Comments	Composite Sample	Composite Sample and TCLP sample	Composite Sample
Total Depth (ftbgs)	16.0	5.5	5.0
Depth to Water (ftbgs)	N/A	N/A	N/A
Metals Exceed (Yes/No) <sup>1</sup>	Yes	Yes	Yes
Total SVOCs (mg/kg)	1.56	26.0	41.46
Total VOCs (mg/kg)	0.0043 JB	0.0045 JB	0.0041 JB
Sample Interval (ftbgs)	N/A	N/A	N/A
High PID (ppm)	7	7	۲۷
Sample ID	SB01	SB02	SB03
Boring No.	SB01	SB02	SB03

Metal(s) exceeds TAGM 4046 or Eastern USA Soil (EUS) Background (BG) guidance values.
 Soil samples were analyzed for Target Compound List (TCL) Volatile Organic Compounds, Semi-Volatile Organic Compounds (SVOCs)

Pesticides, PCBs, Tareget Analyte List (TAL) Metals and Total Petroleum Hydrocarbons (TPH).
All groundwater samples were analyzed for Target Compound List (TCL) Volatile Organic Compounds, Semi-Volatile Organic Compounds (SVOCs)

Pesticides, PCBs and Target Analyte List (TAL) Metals.

N/A = Not applicable. PID was not used door to poor weather.

ND = Not Detected

NE = Not Encountered

ftbgs = feet below ground surface

DDC Project Number: HWXP093B

Table 3. Summary of Target Compound List Semi-Volatile Organic Compounds Detected in Soil Phase II Subsurface Corridor Investigation for Reconstruction of Bolier Avenue Bronx, New York

	Unrestricted Use (Track 1)	Residential Use	Sample ID,	Date Collecte	d and Depth
TCL SVOC	Soil Cleanup Objectives (SCOs)	(Track 2) Soil Cleanup Objectives (SCOs)	SB01 5/4/2011	SB02 5/4/2011	SB03 5/4/2011
Acenaphthene	20	100	ND	ND	0.23 J
Acenaphthylene	100	100	ND	ND	0.48
Anthracene	100	100	0.069 J	ND	0.85
Benzo(a)anthracene	1	1	0.11 J	0.065 J	3.8 D
Benzo(a)pyrene	. 1	1	0.096 J	0.061 J	3.1
Benzo(b)fluoranthene	1	1	0.12 J	0.073 J	4.2 D
Benzo(g,h,i)perylene	100	100	0.066 J	ND	2.1
Benzo(k)fluoranthene	0.8	1	ND	ND	1.5
bis(2-Ethylhexyl)Phthalate	NS	NS	ND	ND	0.18 J
Butylbenzyiphthalate	NS	NS	ND	ND	0.066 J
Carbazole	NS	NS	ND	ND	0.31 J
Chrysene	1	1	0.11 J	0.065 J	3.7 D
Dibenz(a,h)anthracene	0.33	0.33	ND	ND	0.59
Dibenzofuran	7	14	ND	ND	0.14 J
Dimethyl Phthalate	NS	NS	0.34 JB	0.25 JB	0.38 JB
Fluoranthene	100	100	0.25 ป	0.12 J	7 D
Fluorene	30	100	ND	ND	0.28 J
Indeno(1,2,3-cd)Pyrene	0.5	0.5	0.063 J	ND	2.4
Naphthalene	12	100	ND	ND	0.088 J
Phenanthrene	100	100	0.13 J	0.061 J	3.6
Pentachlorophenol	0.8	2.4	ND	ND	0.068 J
Pyrene	100	100	0.21 J	ND	6.4 D

All concentrations are reported in parts per million (ppm or mg/kg)

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

NS = No Standard

J = Estimated concentration

B = Analyte Found in Associated Method Blank

D = Diluted

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006)

BOLD = Concentration exceeds Residential Use (Track 2) Soil Cleanup Objectives

Shading = Concentration exceeds Unrestricted Use (Track 1) Soll Cleanup Objectives

DDC Project Number: HWXP093B

New York City Department of Design and Construction Phase II Subsurface Corridor Investigation for Boller Avenue, Bronx, New York

Table 5. Summary of Pesticides Detected in Soil Phase II Subsurface Corridor Investigation for Reconstruction of Boller Avenue Bronx, New York

V.	Unrestricted Use	Residential Use	Sample ID, I	Sample ID, Date Collected and Depth	d and Depth
Pesticide	(Irack I)	(Track Z)	SB01	SB02	SB03
	OFFICE	Original (SCOs)	5/4/2011	5/4/2011	5/4/2011
-	Objectives (SCUS)	Colecuves (Scos)			
4,4-DDE	0.0033	1.8	ON	0.0077	0.037
4,4-DDT	0.0033	2.6	QN	0.023	0.13
Dieldrin	0.005	0.039	QN	ON	0.022
alpha-Chiordane	0.094	0.91	QN	QN	0.027
gamma-Chlordane	NS	NS	ON	QN	0.028

Notes:

All concentrations are reported in parts per million (ppm or mg/kg)

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

NS = No Standard

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006) Shading = Concentration exceeds Unrestricted Use (Track 1) Soil Cleanup Objectives **BOLD** = Concentration exceeds Residential Use (Track 2) Soil Cleanup Objectives

DDC Project Number: HWXP093B

New York City Department of Design and Construction Phase II Subsurface Corridor Investigation for Boller Avenue, Bronx, New York

Table 7. Summary of Polychlorinated Biphenyls Detected in Soil Phase II Subsurface Corridor Investigation for Reconstruction of Boller Avenue Bronx, New York

	Unrestricted Use	₹ Ses	Sample ID, C	Date Collecter	d and Depth
PCB	Soil Cleaning	Soll Cleanur	SB01	SB02	SB03
	Ohiectives (SCOs)	Objectives (SCOs) Objectives (SCOs)	5/4/2011	5/4/2011	5/4/2011
	صامحتانده (مصحه)	(cood camadao			
No PCBs were detected	ted		ND	QN	QN

# Notes.

All concentrations are reported in parts per million (ppm or mg/kg)

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

NS = No Standard

\* Refers to the total concentration of PCBs in the sample

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 20 BOLD = Concentration exceeds Residential Use (Track 2) Soil Cleanup Objectives

Shading = Concentration exceeds Unrestricted Use (Track 1) Soil Cleanup Objectives

DDC Project Number: HWXP093B



# FIGURE 1 – TOPOGRAPHIC CORRIDOR LOCATION MAP

Louis Berger & Associates, P.C. DDC CAPIS ID No. HWXP093B

June 7, 2011 Work Order Letter No. 7563-LBA-2R-7190



# FIGURE 2 – SAMPLE LOCATION PLAN

Louis Berger & Associates, P.C. DDC CAPIS ID No. HWXP093B

June 7, 2011 Work Order Letter No. 7563-LBA-2R-7190



# APPENDIX A BORING LOCATION PLAN

Louis Berger & Associates, P.C. DDC CAPIS ID No. HWXP093B

June 7, 2011 Work Order Letter No. 7563-LBA-2R-7190



# APPENDIX B GEOLOGIC BORING LOGS AND TEMPORARY WELL CONSTRUCTION DETAILS

			& Assoc., eet, 23rd				PRO	OJECT NO.: CKT890E9	BORING NO.: S	SB01
Nev	v Yorl	k, Nev	, New York 10038					Page 2 of 2	WELL NO.: N	√A
Well	Depth	Lith.	nscs	Interva	Rec.	Blows	ala	Description	l	Remarks
	10 -	# Grand	ML				NA NA	Dark yellowish brown (10YR4/2) Sand, trace medium to fine Gravel  Moderate yellowish brown (10YR fine Sand, trace medium to fine Gravel	; dry  5/4) SILT, some medium to	Sandy Silt
	16		ИL				NA	Moderate yellowish brown (10YR, fine Sand, trace medium to fine Gr	5/4) SILT, some medium to avel; dry	Refusal at 16

	**										
			& Assoc.					Drilling I	0.00	BORING ID: S	B03
	199 Water Street, 23rd Floor New York, New York 10038						Drilling Log				/A
CLIENT: New York City Departmen								Page 1 of 1			ronx, NY
CLIE	NI: I	vew )	ork Cit	y Dep	artme	nt of ]	Design	and Constructi	on		KT890E9
PROJ	ECT:	Reco	onstructi	on of	Bolle	r Ave.	Phase	II SCI	· · · · · · · · · · · · · · · · · · ·		WXP093B
DEIL	LING	ME	TRAC	TOR:	A	uifer	Drillin	g and Testing, l	inc.		63-LBA-2R-7190
DKILI			THOD: OLE DA		robe	Direct	Push		***************************************	DATE STARTED: 5	
Diame								WELL DA		DATE FINISHED: 5/	4/2011
	<u> </u>		2					meter:	N/A		. Iodice
Total I				0				oth (ft):	N/A	LBA INSPECTOR: J.	McGarry
Depth								ength (ft):	N/A		/A
Depth				/ <u>A</u>				Water (ft):	N/A	EASTING: N	/A
Depth			<del></del>				t Size:		N/A	SURFACE ELEVATI	ON: N/A
NOTE	ES: PI	D mal	lfunction	due to	raini	ıg					
Well Construction	Depth	Lithology	USCS	Sample Interval	Sample Recovery	Blows/6 in	PID (ppm)		Description		Remarks
	2		ML				NA	Dark yellowish Sand, little med	brown (10YR4/2) lium to fine Grave	SILT, little medium to fine	Silt, cleared with Air Knife to 5 feet bgs  Collected composite
	4 -										composite sample SB03.  Refusal at 5.0 ft bgs

Contractors/Consultants can obtain laboratory analytical results from New York City Department of Design and Construction Infrastructure Division, Program Administration – Engineering Support Services.

#### END OF ADDENDUM NO. 3

This Addendum consists of seventy-nine (79) pages.

NO TEXT ON THIS PAGE

# THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: HWXP093B

RECONSTRUCTION OF
BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
AND NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING, AND TRAFFIC WORK
TOGETHER WITH ALL WORK INCIDENTAL THERETO
BOROUGH OF THE BRONX
CITY OF NEW YORK

#### ADDENDUM NO.4

#### DATED: January 2, 2013

THIS ADDENDUM IS HEREBY MADE A PART OF THE CONTRACT DOCUMENTS

- 1. The Contractor shall be responsible for compliance with all the provisions of the following Sections and Schedules, which are hereby made a part of the original contract documents:
  - A. "SECTION U: Additional Contract Requirements Applying to Work Performed in the Presence of Privately Owned Utility Facilities" (Pages A4-3 through A4-13)
  - B. Schedule U-1 (Page A4-14)
  - C. Schedules U-2 (one for each Utility Company) (Pages A4-15 through A4-32);
  - D. Section U-3 Page A4-33 (as per the Private Utilities reference document for SECTION U called "CET SPECIFICATIONS AND SKETCHES", dated November 2010), in this Addendum)
  - E. Utility drawings (Sheet 1 of 7 through 7 of 7) and Con Edison Electrical Condition report (Sheet 1 of 1) attached to the Plans.
- 2. Each facility operator shall provide inspectors at the work site to inspect methods of interference work, verify quantities and items of Utility Work, and coordinate all phases of the facility operator operations.
- 3. In addition, the following statements are made to provide clarification of various paragraphs under Section U:
  - A. Section U, ¶4, requires the Contractor to immediately commence negotiations with each Company for an Interference Agreement under which the Company will compensate the Contractor for any Interference Work which the Company does not elect to perform with its own forces or by specialty contractors retained by the Company. Thus the Contractor is on notice that its work under the Contract may be affected by

- Interference Work performed by (a) the Contractor pursuant to a separate Interference Agreement with the Company, (b) the Company, or (c) partly by each.
- B. Section U, ¶2, informs the Contractor that the duration of the Contract as shown in Schedule A includes the time which may be necessary for the Contractor to perform the necessary Interference Work.
- C. The Contractor is hereby informed that the duration of the Contract as shown in Schedule A includes the time which may be necessary for the Company to perform whatever portion of the Interference Work which the Company elects to perform with its own forces or by specialty contractors retained by the Company.
- D. Section U informs the Contractor that the City has entered into a Utility Agreement with the Companies regarding interferences to the City work in this Contract created by the facilities owned and/or operated by such Companies. Pursuant to this Addendum, a sample of the Utility Agreement letter as executed by the Companies is annexed on page A4-13, as an Exhibit to the Contract. Signed copies of those Utility Agreement letters are on file with NYCDDC.
- E. The City has no contract with any of the Companies for work on or adjacent to the site of work under this Contract, and the Companies are not "Other Contractors" as defined for the purposes of this Contract. The Contractor is reminded, however, that pursuant to Section U, ¶4, the City will not compensate the Contractor for any direct and/or indirect costs related to Interference Work, regardless of whether such Interference Work is covered by an Interference Agreement between the Contractor and the Company or is performed by the Company using its own forces or by specialty contractors retained by the Company.
- F. Section U, ¶14, provides that the provisions of Section U are material provisions of the Contract and that the Contractor's failure to comply with the procedures set forth in Section U are sufficient for the Commissioner to declare the Contractor in default pursuant to Article 48 of the Contract.

Pursuant to this Addendum, the Contractor is informed that the Performance Bond required of the Contractor pursuant to the Contract is not deemed to guarantee performance of any of the Interference Work.

## Section U: Additional Contract Requirements Applicable to Work Performed in the Presence of Privately Owned Utility Facilities

The Contractor is hereby notified that pursuant to the law and franchise agreements issued by the City, certain private utility and public service companies named in Schedule U-1 ("the Companies") own and/or operate surface and/or subsurface facilities within the limits of this contract. The existence of these facilities impacts the productivity of the City work called for in the contract. In order to improve coordination of the City construction with the private utility facilities owned and/or operated by the Companies named in Schedule U-1, Article 1.06.30 of the Standard Highway Specifications of the New York City Department of Transportation, Dated November 1, 2010; Articles 1.06.14 through 1.06.17 of the General Provisions of the Standard Water Main Specifications of the New York City Department of Environmental Protection, dated August 1, 2009; and/or Articles 1.06.14 through 1.06.17 of the Standard Sewer Specifications of the New York City Department of Environmental Protection, Dated August 1, 2009; as applicable, are amended and will be implemented as follows:

#### 1. Pre-engineering:

The anticipated scopes of private utility facilities interferences and anticipated work items and specifications are included in this contract. The locations of these interferences are indicated on the plans and/or listed in the specifications for this contract, and a schedule of estimated quantities by type of interference expected to be encountered within the limits of this project area have been listed on Schedule U-2. In addition, in Section U-3 the Companies have provided standard details and methods for supporting, protecting, relocating, and/or working around their facilities when they are in interference with City contract work.

#### 2. Means and methods for City work:

- a) The Contractor is hereby notified that the utility interferences identified on the plans and/or listed in the Specifications to be known conditions which may impact the performance of, and/or interferes with, City work. The contractor will be required to perform such utility work as directed by the Resident Engineer in order to clear all utility interferences from the project site as required for satisfactory completion of City work within specified contract schedule.
- b) In areas serviced by overhead electric system, the contractor understands and by bidding for this contract agrees that he/she has reviewed the section 'U' package and that he/she will be required to perform the public work in the presence of energized

electrical overhead lines and appurtenances located in areas adjacent and/or within the project area. As a consequence he/she will select means and method of construction appropriate to maintain the safety clearances required or as permitted by contract specifications (e.g. "CET 350 – Overhead Accommodation Protection of Overhead Facilities, Poles, and Appurtenances") in order to avoid damaging the insulation or shielding of these lines and also to prevent knocking them down. The duration of the contract as shown in Schedule A thus includes the time which may be necessary for the Contractor to remove, repair, protect, support, shift, relocate, temporarily remove and replace, work around and/or work in the presence of the Companies' facilities ("Interference Work") as described on the plans and/or specifications of the contract during the progress of the City work.

#### 3. Field inspection prior to construction:

Prior to the start of any contract work in areas serviced by overhead electric lines, and after the award to the apparent low bidder for this contract, the contractor must request a field walk of the project area along with the operator of the overhead electrical facilities and the DDC Engineer-In-Charge. At that time the facility operator, pursuant to contract specification (e.g. "CET 350 — Overhead Accommodation Protection of Overhead Facilities, Poles, and Appurtenances") will confirm the type and condition of the overhead electrical lines and the sufficiency of their insulating properties with respect to the means and methods proposed by the contractor. The contractor must be prepared to describe in enough details his/her proposed means and methods of construction operations in order to anticipate the likelihood that electric lines insulation would be cut or otherwise compromised. Also such details will allow the facility operator to anticipate the need for added insulation and/or shielding of non-insulated lines.

#### 4. Compensation for interference work:

Compensation for Interference Work is a matter of adjustment between the Contractor and each private utility company located within the limits of the project area and whose utility facilities are affected by City contract work. In particular, the City will not compensate the Contractor for any direct and/or indirect costs related to Interference Work, including, but not limited to, lost profit, increased overhead, or any other impact costs. Upon receipt of a Notice of Award from the City, the Contractor shall immediately commence negotiations with each of the Companies concerning the manner in which and the price for which the Contractor, through its own forces or by others hired by it, will perform and be paid by the Company for all

necessary Interference Work as defined above that the Company(ies) choose(s) not to perform with its(their) own forces or by specialty Contractors hired by it (them) (as per "Interference Agreement"). (Specialty contractors' work is limited to (i) insulation installation and removal, (ii) live gas and steam work, (iii) cleanup and disposal of hazardous materials, (iv) splicing live electrical and telecommunications facilities, and (v) work not traditionally performed by general construction contractors.

#### 5. Interference Agreement:

- 1. The Companies have provided estimate of the quantity of each of the types of interferences expected to be encountered in the contract in Schedule U-2. Although the parties may negotiate an Interference Agreement in any format or manner they deem fit, the Contractor is hereby advised that the Companies have indicated to the City that they will agree to compensate the Contractor on a unit price basis according to the Quantity and Types of Interferences expected to be encountered on this Contract as stated in Schedule U-2.
- 2. Furthermore, in Section U-3, standard unit work measurement and payment provisions are specified and shall apply only if the Contractor and affected Utility companies enters into a unit price based Interference Agreement, otherwise the unit of work measurement, and payment provisions set forth in Section U-3 shall not apply. The Contractor shall notify the City upon concluding an Interference Agreement with each of the Companies, which shall be binding and final once concluded.

#### 6. City contract work to continue without Interference Agreement:

If, prior to the start of construction, as directed by the City's Order to work / Notice To Proceed (OTW/ NTP) date any of the Companies and the Contractor have not concluded an Interference Agreement as described above, then the City construction will proceed as ordered and the Contractor will be directed by the Resident Engineer to perform the City work on Time, Material and Equipment basis (T&M) as specified in standard City contract agreement Article 26.2. T&M records will include identification of types of utility facilities interfering with City work, utility facility owners, specifying the nature and quantity of any materials, plant and equipment furnished or used in connection with the performance of such work and crew size, such as: name and number of each worker employed on such work. T&M records will also indicate the hours of active time, standby time and idle time. The Company (ies) and the Contractor will maintain separate records of the actual quantity and cost of labor, materials, and equipment expended, and will provide copies of this information to the other party on a

daily basis for reconciliation. These T&M records along with cost evaluations will be submitted daily to the Resident Engineer for review and approval. The total cost of City work will be based on quantity of work performed multiplied by unit price contract bid items. The total interference cost will be calculated as the difference between the total T&M cost and total cost for City work. The Resident Engineer will conduct a monthly reconciliation session of the daily T&M records with the affected Company (ies) and contractor. If the contractor and affected utility companies cannot reconcile their T&M records, by the last day of each month, then the Resident Engineer will submit the approved City's T&M records along with total cost evaluations to the DDC Director of Construction who will review these records and recommend approval and validity certification by the DDC Deputy Commissioner.

- 1. Copies of the DDC approved and certified T&M records will then be transmitted by the DDC to the contractor and the utility companies. These certified records may be used by the contractor for compensation claims against the responsible private facility owners, or may be used by any party as supporting documentation in dispute regarding compensation for performing Interference Work as identified in Schedule U-2. The contractor will be required to perform City work while invoices are submitted by the contractor to the Utility companies for payment within 30 days, or while compensation disputes between contractor and affected company (ies) are submitted to Binding Arbitration process described in Paragraph 10.
- 2. All issues related to utility work and/ or delays due to compensation disputes or claims against utility companies are not allowable as justification for granting contract time extensions. The City may assess liquidated damages specified in the contract for net overall delays suffered by City contract work as a result of utility issues, disputes and claims.
- 3. The standard City contract dispute resolution process specified in Article 27 "Presentation of disputes to Commissioner", of the standard City contract agreement is not applicable to any disputes related to utility work and/ or compensation for such work or claim against utility companies. Utility work issues, disputes and claims may only be submitted to Binding Arbitration process described in Paragraph 10.
- 4. The contractor will notify the Resident Engineer when utility capital work not specified in Schedule U2 and/ or for utility work that require the intervention of company utility specialty crews causes excessive contractor's labor and equipment standby or idleness and, thereby jeopardizing the City project schedule. The Resident Engineer will submit

- the facts to the DDC Director of construction who will recommend to the Deputy Commissioner regarding the issuance of a "48 hours notice" to the concerned utility company as authorized by the New York City administrative Code Section 19-143 and/or Section 24-521 as applicable.
- 5. Utility delays caused by utility capital work not listed in Schedule U2 and/ or by unavailability of utility specialty crews cannot be discounted for earning any contractual bonus when such bonus clause is included in a contract. However, if such specified bonus is not earned or disallowed by the City or if the City assesses specified liquidated damages as a result of such excessive delays, the contractor may seek damages from the responsible utility company (ies).

### 7. Extra utility work with Utility Agreement:

If during construction the Contractor encounters utility facilities interferences or utility scope of work that it believes is not covered by the Interference Agreement as described above, then the Contractor shall immediately notify the Company in writing, with a copy to the City, describing the nature and location of the extra work in question. The Company then has five (5) business days to investigate the conditions and then:

- 1. Advise the Contractor and the City in writing that no interference with its facilities exists at the location in question, and hence that the Contractor may proceed with City work without providing for any impact from Company facilities;
- 2. Advise the Contractor and the City in writing that the Interference Agreement negotiated pursuant to Paragraph (6), above, provides for the scope of work encountered, specifying the exact unit items and/or terms of the agreement that cover the work;
- 3. Advise the Contractor and the City in writing that it intends to perform the necessary utility Work with company forces or with its own contractor including, but not limited to, relocating its facility out of the way of the proposed City work. In this case, the Company shall provide a written schedule for the performance of the utility work it proposes to perform, which shall be subject to approval by the City based on its impact to the Contractor's currently approved progress schedule. Upon approval of the Company's schedule by the City, the Contractor shall provide access to the worksite to the Company and/or any contractors hired by it to perform this utility work. If necessary, the City may grant a contract time extension for delays caused by the performance of such utility work by the company.

4. Reasonably specify in writing the scope of work to be performed by the Contractor on behalf of the Company that is not covered under the Interference Agreement negotiated pursuant to Paragraph (6), including, but not limited to, relocating, supporting, and/or protecting the Company's facilities, and/or shifting the City facility if approved by the Resident Engineer, and/or otherwise changing its operations to work in the presence of the Company's facilities. Should the Company elect this option, it must adequately define and provide an initial price offer for the work required to be performed.

### 8. Means and Methods for utility work:

Upon receipt of the Company's determination pursuant to paragraphs 7.2, or 7.4, above, the Contractor shall determine reasonable means and methods of performing the work defined by the Company. These means and methods are subject to approval of the Company, which shall not be unreasonably withheld. If, however, the Company objects to the Contractor's proposed means and methods then it shall define an alternate method of construction. Upon receipt of the Company's approval or its proposed alternate method of construction, the Contractor shall commence performance of the work defined by the Company as soon as possible, and shall perform the work in a good, workmanlike, and efficient manner, using the means and methods approved by the Company, in order to permit the City work to proceed in the most expeditious manner possible, but without imposing unreasonable and/or unnecessary costs on the Company. It is expressly understood by all parties that the City's rights pursuant to Article 4 of the Contract apply to Utility Work performed pursuant to this section.

### 9. Disputed utility work covered by a utility agreement:

The City Work will continue as described in paragraph 6 above. In the event of any dispute between the Company (ies) and the Contractor regarding any issue related to the performance of, or payment for, utility work, including, but not limited to, any indirect or impact costs incurred by the Contractor due to the Utility Work and/or to the existence of facilities owned or operated by the Company (ies) on the line of the work. The Company (ies) and the Contractor hereby agree to submit to each other a "Final Offer," in writing, by certified mail. Each party shall then have three business days to consider each other's Final Offer. In the event that neither party accepts the other's Final Offer within those three days, the Company (ies) and the Contractor agree to immediately submit the dispute to binding arbitration as described in Paragraph 10. During the pendency of any arbitration, the Company (ies) and the Contractor shall maintain separate records of the actual quantity and cost of labor, materials, and equipment expended, and to provide copies of this information to the other party on a daily

basis for reconciliation. Any and all disagreement with the records maintained and provided by the other, must be documented in writing to all parties. However, these records are solely for the benefit of presentation to the arbitrator, whose decision may not necessarily be based on these records and in any event is final. Both parties should be aware that the City will not confirm or deny the accuracy of any records maintained by either party for Utility work performed pursuant to a Utility Agreement. While the arbitration is pending, the Company shall pay the Contractor on a monthly basis, based on the price offered by the Company to the Contractor for the performance of the work.

#### 10. Arbitration of utility work:

The arbitration of the issues described above shall be conducted pursuant to the Construction Industry Arbitration Rules of the American Arbitration Association (hereinafter "the Rules" and "AAA") in effect on the date the arbitration is initiated except as set forth herein. The arbitration award shall be final and binding upon the parties to the arbitration and judgment upon the award may be entered in a court having jurisdiction.

- (a) Once an arbitrator(s) has been appointed by the AAA, the arbitration shall be scheduled as promptly as possible given the arbitrator(s) and the parties' schedules.
- (b) No later than seven days prior to the first arbitration hearing, Company and Contractor shall submit to the arbitrator(s), and to each other, a summary of each party's respective position and such other information as is deemed appropriate, along with a copy of each party's Final Offer as specified in paragraph 9.
- (c) The arbitration shall be conducted and concluded in two days.
- (d) On the morning of the first day of the arbitration, Contractor and/or representatives shall have 3 ½ hrs to make a presentation of its claim to the arbitrator. During its presentation, Contractor shall not be permitted to produce any documents or cost records which have not already been provided to the Company. Contractor shall be permitted to produce any analysis or description of its claim which has been prepared for the purpose of its presentation.
- (e) After lunch, Company and/or its representatives shall have two hours to ask Contractor questions about its claim and its presentation. Thereafter the arbitrator(s) shall have two hours to ask Contractor questions about its claim and its presentation.
- (f) On the morning of the second day of the arbitration, Company and/or its representatives shall have 3 ½ hours to make a presentation of its claim to the arbitrator. During its presentation, the Company shall not be permitted to produce any documents or cost

- records which have not already been provided to the Contractor. The Company shall be permitted to produce any analysis or description of its claim which has been prepared for the purpose of its presentation.
- (g) After lunch, Contractor and/or its representatives shall have two hours to ask Company questions about its claim and its presentation. Thereafter the arbitrator(s) shall have two hours to ask Company questions about its claim and its presentation.
- (h) Subject to the above time limitations, the arbitrator(s) may conduct the arbitration in such manner as the arbitrator(s) deems reasonable.
- (i) The arbitrator(s) shall then have one week to select in writing, as the arbitrator ('s) award, that party's Final Offer which appears to be more reasonable, based on the presentations at the arbitration hearings.
- (j) The arbitrator shall have no discretion to grant an award other than one of the two Final Offers submitted by the parties.
- (k) Any award for work that has already been performed shall be paid on the 7<sup>th</sup> day after receipt of the arbitrator's decision, or on the 30<sup>th</sup> day after completion of the work, whichever is later. Payment for work not yet completed at the time of the arbitrator's decision shall be paid within 30 days of completion of work. Interest shall accrue from the date payment is due at the rate of 9% per annum. Either party may cause judgment to be entered in accordance with the arbitrator(s) decision in a court in the State of New York, County of New York.
- (l) The arbitrator's fees and any other costs of the arbitration shall be initially shared equally by Company and Contractor. The non-prevailing party shall then pay all arbitrator's fees and costs of the arbitration and shall reimburse the prevailing party for its share of such fees and costs theretofore paid.
- (m) The parties may, at any time, settle any matter submitted to arbitration.

#### 11. Order-out waiver:

The Contractor and all subcontractors hired by it, if an Interference Agreement is executed as specified between the concerned parties, agree to waive any rights they may have, if any, under law, contract or otherwise to compel the City to assert any right the City may have, including the issuance of any directives required under the New York City Administrative Code, Section 19-143 and Section 24-521, to require any or all of the Companies to maintain, repair, replace, protect, support, shift, alter, relocate, and/or remove utility facilities in connection with the work to be performed under this contract. However, nothing in this section shall preclude the City from exercising its rights under the Law to issue such a directive to the Company.

#### 12. Cost of insurance:

Each of the named Companies, at their option and if an Interference Agreement is executed as specified between the concerned parties, may be named as an additional insured on all insurance policies required to be maintained under this contract. In the event that a Company opts to be so named as an additional insured, the actual incremental cost, if any, to the Contractor of providing such insurance coverage shall be borne by that Company. The Contractor shall provide a written statement from its insurance provider documenting the actual cost of this added coverage to the Company. Under no circumstances shall the cost of insurance coverage on behalf of any Company be borne by the City. Nothing in this paragraph shall be interpreted to imply the City's acceptance of any additional responsibility or liability for any matter related to the performance of Utility Work. In particular, the Company and the Contractor bear joint and full responsibility to ensure that any Utility Work performed by the Contractor is in compliance with all applicable government and Company regulations.

#### 13. Cost of utility interference work:

The Companies, by virtue of a prior agreement with the City, have agreed to perform their obligations described in this section. It is expressly understood that the cost of Utility Work shall not be a charge against the City, but shall be a matter for adjustment between the Contractor and the Company or Companies concerned. The City and the Contractor agree that the Companies are third party beneficiaries of this section of the contract, if a Utility Agreement is executed between the contractor and utility company (ies). The provisions of this section shall govern in all cases where Company property interferes with or is about to be disturbed by the City work, notwithstanding any other provision of the Contract, except for Natural Gas transmission/distribution facilities covered subject to the Gas Facility Cost Allocation Act (GFCAA) and covered separately in this contract.

#### 14. Default declaration:

The Contractor agrees that the provisions of this section are material provisions of the contract, and that the Contractor's failure to comply with the procedures set forth above are sufficient for the Commissioner to declare the Contractor in default pursuant to Article 48 of the Contract.

#### 15. NYS Labor Law:

The Contractor is hereby advised that New York State Labor Law applies to public work. The work described in this Section U of the contract performed by utility company (ies) with their own forces or vendors hired by such company (ies) is not public work.

#### 16. Facility operators:

The insurance requirements in Paragraph 12 of this Section U apply to: (i) additional Companies, if any, who were not named in Schedule "A" but which have executed a Utility Agreement with the contractor for utility work; and (ii) additional coverage, if any, paid for by Utility Companies whose utility facilities are located within the project limits, that they may require for the utility work pursuant to an utility agreement between the contractor and such utility companies.

[End]

## "STANDARD UTILITY LETTER OF AGREEMENT"

(Name)

Deputy Commissioner, Infrastructure Division Department of Design and Construction 30-30 Thomson Avenue

Long Island City, NY 11101	
RE: <u>City Work Performed in the P</u> Project No:	Presence of Private Utility Facilities
Dear (Name):	
This letter is to certify that of the attached "Section U: Additional contraperformed in the presence of privately owned the terms of this Section U and to submit a so the items and estimated quantities, and types protected at the company's own expenses due	d utility." The company agrees to abide by chedule listing the scope of work, including of utility facilities to be supported and
Sincerely,	
By: Authorized Company Representative	
Title	
NOTARY PUBLIC	
CERTIFIED AS TO FORM AND LEGAL AUTHORITY:	
By:	

## SCHEDULE U-1

HWXP093B

Reconstruction of Boller Avenue and Needham Avenue

## Listing of Companies for this Contract

COMPANY NAME	CONTACT NAME	TELEPHONE NUMBER	
Consolidated Edison	Donald M Soldiviero	(212) 460-4834	
Verizon	Michael Fitzpatrick	(718) 977-8142	
Cablevision	Simon Gomez	(718) 861-7353	

#### SCHEDULE U-2

### FOR INFORMATION ONLY

## ENGINEER'S ESTIMATE OF QUANTITY AND TYPES OF INTERFERENCE FOR CONSOLIDATED EDISON

#### HWXP093B

CETITEM	DESCRIPTION	UNITS	ESTIMATED QUANTITY
CET 100.1	UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TESTPIT (TYPE .1)	EA	1
CET 100.2	UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TESTPIT (TYPE .2)	EA	1
CET 200.1	EXTRA DEPTH EXCAVATION OF CATCH BASIN CHUTE CONNECTIONSS (INVERT DEPTH 4'-6" TO 5' FOR TYPE 2 OR UP TO 5'-6 FOR TYPE 3)	L.F.	80
CET 225.1A	INSTALLATION AND REMOVAL OF CATCH BASINS WITH UTILITY INTERFERENCES	EA	. 4
CET 330E-A.1	SUPPORT & PROTECT ELEC, GAS & STEAM FAC. DURING EXCAVATION OF CITY TRENCH WHEN FAC. LIE W/IN TRENCH LIMITS W/O SHEETING (TYPE .1)	L.F.	20
CET 330E-A.2	SUPPORT & PROTECT ELEC, GAS & STEAM FAC. DURING EXCAVATION OF CITY TRENCH WHEN FAC. LIE W/IN TRENCH LIMITS W/O SHEETING(TYPE .2)	L.F.	1,070
CET 330E-B.1	SUPPORT & PROTECT ELEC, GAS & STEAM FAC. DURING EXCAVATION OF CITY TRENCH WHEN FAC. LIE W/IN TRENCH LIMITS W/ SHEETING (TYPE .1)	L.F.	385
CET 330E-B.2	SUPPORT & PROTECT ELEC, GAS & STEAM FAC. DURING EXCAVATION OF CITY TRENCH WHEN FAC. LIE W/IN TRENCH LIMITS W/ SHEETING (TYPE .2)	L.F.	45
CET 350	OVERHEAD ACCOMMODATION, PROTECTION OF OVERHEAD FACILITIES AND APPURTENANCES	L.S.	1
CET 351	INSTALL AND REMOVE "A" FRAME ON UTILITY POLES	EA	6
CET 352E	SPECIAL CARE OPERATION - TREE REMOVAL	EA	1
CET 353E	SPECIAL CARE OPERATION - TREE PRUNING	EA	5
CET 400	TEST PITS FOR UTILITY FACILITIES	C.Y.	15
CET 401	TRENCH EXCAVATION FOR ADJUSTMENT OF UTILITIES	C.Y.	27
CET 402.2	EXISTING OCCUPIED NON-CONCRETE ENCASED CONDUITS PLACED IN FINAL POSITION W/O CONCRETE ENCASEMENT	L.F.	60
CET 405.1	EXCAVATION FOR INSTALLATION OF UTILITY FACILITIES WITH TOTAL DEPTHS LESS THAN 5 FEET (C.Y.)	C.Y.	52
CET 406	EXCAVATION FOR UTILITY STRUCTURE	C.Y.	8

#### HWXP093B

CET 400	TEST PITS FOR UTILITY FACILITIES	C.Y.
	At the following locations:	<b>C.1.</b>
	Various (as Directed By Con Edison)	
	Total quantity for CET 400 = 15	
CET 401	TRENCH EXCAVATION FOR ADJUSTMENT OF UTILITIES	C.Y.
	At the following locations:	
	Needham Avenue	
	AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET 401 = 27	
CET 402.2	EXISTING OCCUPIED NON-CONCRETE ENCASED CONDUITS PLACED IN FINAL POSITION W/O CONCRETE ENCASEMENT	L.F.
•	At the following locations:	
	Boller Avenue and Needham Avenue	
	AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
•	Total quantity for CET 402.2 = 60	
CET 405.1	EXCAVATION FOR INSTALLATION OF UTILITY FACILITIES WITH TOTAL DEPTHS LESS THAN 5 FEET (C.Y.)	C.Y.
	At the following locations:	
	Boller Avenue and Needham Avenue	
	Total quantity for CET 405.1 = 52	
CET 406	EXCAVATION FOR UTILITY STRUCTURE	6 W
	At the following locations:	C.Y.
	Boller Avenue and Needham Avenue	
	Total quantity for CET 406 = 8	
CET 450.2	CONSTRUCTION FIELD SUPPORT REQUIRING AVERAGE SMALL SIZE CREW CAPABLE OF PERFORMING VARIOUS TASKS (TYPE .2)	CRHRS
	At the following locations:	
	Boller Avenue and Needham Avenue	
	Total quantity for CET 450.2 = 16	

#### HWXP093B

CET 450.3	CONSTRUCTION FIELD SUPPORT REQUIRING A VERAGE MEDIUM SIZE CREW CAPABLE OF PERFORMING VARIOUS TASKS (TYPE .3)	CRHRS
	At the following locations:	
	Boller Avenue and Needham Avenue	
	Total quantity for CET 450.3 = 16	
CET 500	REMOVAL OF ABANDONED UTILITY CONDUITS (NON-CONCRETE ENCASED)	י או
	At the following locations:	L.F.
	Boller Avenue and Needham Avenue AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET 500 = 471	
CET 501	REMOVAL OF ABANDONED MASONRY FOR ELEC. AND TEL. FACILITIES  At the following locations:	C.Y.
	Boller Avenue and Needham Avenue AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET 501 = 1	,
600.2	INSTALL CONDUIT IN UNPAVED AREA. (2 EA. 4" CONDUIT - ALL TYPES)	L.F.
	At the following locations:	L.r.
	Boller Avenue and Needham Avenue AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET 600.2 = 416	
CET 600.3	INSTALL CONDUIT IN UNPAVED AREA (4 EA. 4" CONDUIT - ALL TYPES)	L.F.
	At the following locations:	L.F.
	Boller Avenue and Needham Avenue AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET 600.3 = 55	
CET 603E.1	INSTALL UTILITY CONDUITS PLACED IN FINAL POSITION WITHOUT CONCRETE ENCASEMENT  At the following locations:	L.F.
	Boller Avenue and Needham Avenue	
	Total quantity for CET 603E.1 = 1,052	

#### HWXP093B

CET 636 EA SW	ADJUSTMENT OF UTILITY HARDWARE IN SIDEWALK (UNDER 7" WIDTH)  At the following locations:	EA
	Boller Avenue and Needham Avenue AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET $636 EA S = 4$	
CET 636 EB RD	ADJUSTMENT OF UTILITY HARDWARE IN ROADWAY (7" TO UNDER 14" WIDTH)  At the following locations:	EA
	Boller Avenue and Needham Avenue AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET 636 EB $R = 2$	
CET 636 ED SW	ADJUSTMENT OF UTILITY HARDWARE IN SIDEWALK (30" TO UNDER 34" WIDTH)	EA
	At the following locations:	
	Boller Avenue and Needham Avenue AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET 636 ED $S = 12$	
CET 636 EG RD	ADJUSTMENT OF UTILITY HARDWARE IN ROADWAY (41" TO UNDER 75" WIDTH)	EA
	At the following locations:	i.a
	Boller Avenue and Needham Avenue AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET 636 EG R = 1	
CET 636 EH SW	ADJUSTMENT OF UTILITY HARDWARE IN SIDEWALK (75" TO UNDER 125" WIDTH)  At the following locations:	EA
	Boller Avenue and Needham Avenue AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET 636 EH S = 1	
CET 636 RM	REBUILDING & MODIFICATIONS OF UTILITY STRUCTURE  At the following locations:	C.Y.
	Various (as Directed By Con Edison) AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET 636 RM = 5	

#### SCHEDULE U-2

#### FOR INFORMATION ONLY

## ENGINEER'S ESTIMATE OF QUANTITY AND TYPES OF INTERFERENCE FOR CONSOLIDATED EDISON

#### HWXP093B

CET ITEM	DESCRIPTION	UNITS	ESTIMATED
		0.1	QUANTITY
CET 450.2	CONSTRUCTION FIELD SUPPORT REQUIRING AVERAGE SMALL SIZE CREW CAPABLE OF PERFORMING VARIOUS TASKS (TYPE .2)	CRHRS	16
CET 450.3	CONSTRUCTION FIELD SUPPORT REQUIRING AVERAGE MEDIUM SIZE CREW CAPABLE OF PERFORMING VARIOUS TASKS (TYPE .3)	CRHRS	16
CET 500	REMOVAL OF ABANDONED UTILITY CONDUITS (NON-CONCRETE ENCASED)	L.F.	471
CET 501	REMOVAL OF ABANDONED MASONRY FOR ELEC. AND TEL. FACILITIES	C.Y.	1
CET 600.2	INSTALL CONDUIT IN UNPAVED AREA. (2 EA. 4" CONDUIT - ALL TYPES)	L.F.	416
CET 600.3	INSTALL CONDUIT IN UNPAVED AREA (4 EA. 4" CONDUIT - ALL TYPES)	L.F.	55
CET 603E.1	INSTALL UTILITY CONDUITS PLACED IN FINAL POSITION WITHOUT CONCRETE ENCASEMENT	L.F.	1,052
CET 636 EA SW	ADJUSTMENT OF UTILITY HARDWARE IN SIDEWALK (UNDER 7" WIDTH)	EA	4
CET 636 EB RD	ADJUSTMENT OF UTILITY HARDWARE IN ROADWAY (7" TO UNDER 14" WIDTH)	EA	2
CET 636 ED SW	ADJUSTMENT OF UTILITY HARDWARE IN SIDEWALK (30" TO UNDER 34" WIDTH)	EA	12
CET 636 EG RD	ADJUSTMENT OF UTILITY HARDWARE IN ROADWAY (41" TO UNDER 75" WIDTH)	EA	1
CET 636 EH SW	ADJUSTMENT OF UTILITY HARDWARE IN SIDEWALK (75" TO UNDER 125" WIDTH)	EA ·	1
CET 636 RM	REBUILDING & MODIFICATIONS OF UTILITY STRUCTURE	C.Y.	5
CET 636 RS	STRUCTURAL REPAIR TO UTILITY STRUCTURES	C.Y.	8
CET 638N	INSTALLATION OF FIELD CONSTRUCTED UTILITY STRUCTURE	C.Y.	2
CET 638R	BREAK OUT AND REMOVE UTILITY STRUCTURE	C.Y.	2
CET 700	SPECIAL MOD. OF WORK METHODS TO ACCOMM./ PROTECT U.G. FACILITIES WITH LIMITED COVER	C.Y.	100

### SCHEDULE U-2

### FOR INFORMATION ONLY

## ENGINEER'S ESTIMATE OF QUANTITY AND TYPES OF INTERFERENCE FOR CONSOLIDATED EDISON

#### HWXP093B

CET ITEM	DESCRIPTION	UNITS	ESTIMATED QUANTITY
CET 710.1	REMOVAL OF ABANDONED UTILITY STEEL/CAST IRON/PLASTIC, UP TO AND INCL. 12" DIAMETER PIPES	L.F.	50
CET 802A	SPECIAL MODIFICATION OF WORK FOR INSTALLATION OF NEW SIDEWALKS	S.F.	6,451
CET 802B	SPECIAL MODIFICATION OF WORK FOR INSTALLATION OF NEW CURBS	L.F.	30

#### HWXP093B

CET 100.1	UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TESTPIT (TYPE .1)  At the following locations:	EA
	Boller Avenue and Needham Avenue	
	Total quantity for CET 100.1 = 1	
<b>CET 100.2</b>	UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TESTPIT (TYPE .2)	EA
	At the following locations:	LA
	Boller Avenue and Needham Avenue	
	Total quantity for CET 100.2 = 1	
CET 200.1	EXTRA DEPTH EXCAVATION OF CATCH BASIN CHUTE CONNECTIONSS (INVERT DEPTH 4'-6" TO 5' FOR TYPE 2 OR UP TO 5'-6 FOR TYPE 3)	L.F.
	At the following locations:	
	Boller Avenue and Needham Avenue	
	Total quantity for CET 200.1 = 80	
CET 225.1A	INSTALLATION AND REMOVAL OF CATCH BASINS WITH UTILITY INTERFERENCES	EA
	At the following locations:	LA
	Boller Avenue and Needham Avenue	
	Total quantity for CET 225.1A = 4	
CET 330E-A.1	SUPPORT & PROTECT ELEC, GAS & STEAM FAC. DURING EXCAVATION OF CITY TRENCH WHEN FAC. LIE W/IN TRENCH LIMITS W/O SHEETING (TYPE .1)	L.F.
	At the following locations:	
	Boller Avenue and Needham Avenue	
	Total quantity for CET 330E-A.1 = 20	
CET 330E-A.2	SUPPORT & PROTECT ELEC, GAS & STEAM FAC. DURING EXCAVATION OF CITY TRENCH WHEN FAC. LIE W/IN TRENCH LIMITS W/O SHEETING(TYPE .2)	L.F.
	At the following locations:	*
	Boller Avenue and Needham Avenue	
	Total quantity for CET 330E-A.2 = 1,070	

#### HWXP093B

CET 330E-B.1	SUPPORT & PROTECT ELEC, GAS & STEAM	I FA	FAC. DURING EXCAVATION OF CITY TRENCH WHEN	L.F
	FAC. LIE W/IN TRENCH LIMITS W/ SHEETI At the following locations:	NG (	G(TYPE .1)	
	Boller Avenue and Needham	4vei	enue	
	Total quantity for CET 330E-B.1	==	= 385	
CET 330E-B.2	SUPPORT & PROTECT ELEC, GAS & STEAM FAC. LIE W/IN TRENCH LIMITS W/ SHEETIN	FA	AC. DURING EXCAVATION OF CITY TRENCH WHEN	L.F.
	At the following locations:	(	(211212)	
	Boller Avenue and Needham A	\ver	enue	
	Total quantity for CET 330E-B.2	=	<b>45</b>	-
<b>CET 350</b>	OVERHEAD ACCOMMODATION, PROTECTS	ON	N OF OVERHEAD FACILITIES AND APPURTENANCES	L.S.
	At the following locations:		THE THE PART OF TH	L.S.
	Needham Avenue AS SHOWN ON CONTRACT	DO	OCUMENTS	
	Total quantity for CET 350	=		
CET 351	INSTALL AND REMOVE "A" FRAME ON UTI	LIT	TV POLES	
	At the following locations:		TITOLES	EA
	Needham Avenue			
	Total quantity for CET 351	=	<b>6</b>	
CET 352E	SPECIAL CARE OPERATION - TREE REMOV	AL		EA
	At the following locations:			LA
	Needham Avenue			
	Total quantity for CET 352E	=	<b>1</b> .	
CET 353E	SPECIAL CARE OPERATION - TREE PRUNIN	G		
	At the following locations:	•		EA
	Needham Avenue			
	Total quantity for CET 353E	=	5	

#### HWXP093B

<b>CET 636 RS</b>	STRUCTURAL REPAIR TO UTILITY STRUCTURES  At the following locations:	C.Y.
	Various (as Directed By Con Edison) AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET 636 RS = 8	
CET 638N	INSTALLATION OF FIELD CONSTRUCTED UTILITY STRUCTURE  At the following locations:	C.Y.
	Boller Avenue and Needham Avenue	
	Total quantity for CET 638N = 2	
CET 638R	BREAK OUT AND REMOVE UTILITY STRUCTURE  At the following locations:	C.Y.
	Boller Avenue and Needham Avenue AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET $638R = 2$	
<b>700</b>	SPECIAL MOD. OF WORK METHODS TO ACCOMM./ PROTECT U.G. FACILITIES WITH LIMITED COVER	C.Y.
	At the following locations:	
	Boller Avenue and Needham Avenue AS SHOWN ON CONTRACT DRAWINGS AND DIRECTED BY A CON EDISON REP	·.
	Total quantity for CET 700 = 100	•
CET 710.1	REMOVAL OF ABANDONED UTILITY STEEL/CAST IRON/PLASTIC, UP TO AND INCL. 12" DIAMETER PIPES	L.F.
	At the following locations:	
	Boller Avenue and Needham Avenue	
	Total quantity for CET 710.1 = 50	
CET 802A	SPECIAL MODIFICATION OF WORK FOR INSTALLATION OF NEW SIDEWALKS  At the following locations:	S.F.
	Various (as Directed By Con Edison) AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE	
	Total quantity for CET $802A = 6,451$	

### HWXP093B

**Boller Avenue and Needham Avenue** 

**CET 802B** 

SPECIAL MODIFICATION OF WORK FOR INSTALLATION OF NEW CURBS

L.F.

At the following locations:

Various (as Directed By Con Edison)

AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE

Total quantity for CET 802B

= 30

#### SECTION U WORKSHEET

#### HWXP093B

#### FOR INFORMATION ONLY

## ENGINEER'S ESTIMATE OF QUANTITY AND TYPES OF INTERFERENCE

#### FOR EMPIRE CITY SUBWAY

### RECONSTRUCTION OF BOLLER AVENUE

#### **BOROUGH OF THE BRONX**

CET ITEM NUMBER	DESCRIPTION	Unit of Measure	Estimated Quantity
CET 100.1	UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TEST PIT (TYPE .1)	EA.	1.00
CET 108.1	UTILITIES CROSSING TRENCH FOR WATERMAIN UP TO AND INCL. 12" DIAMETER (TYPE .1)	EA.	1.00
CET 300	SPECIAL CARE EXCAVATION & BACKFILLING	C.Y.	891.70
CET 330T	SUPPORT & PROTECTION OF COMMUNICATION UTILITY FACILITIES DURING EXCAVATION OF CITY TRENCH WHEN FACILITIES LIE IN OR CLOSE PROXIMITY TO TRENCH LIMITS	L.F.	100.00
	OVERHEAD ACCOMMODATION, PROTECTION OF OH FACILITIES & APPURTENANCES	L.S.	1.00
	INSTALL AND REMOVE "A" FRAMES ON UTILITY POLES	EA.	4.00
RD	ADJUSTMENT OF UTILITY HARWARE IN ROADWAY (14" TO UNDER 30" WIDTH )	EA.	12.00
CET 636 EE RD	ADJUSTMENT OF UTILITY HARWARE IN ROADWAY (34" TO UNDER 41" WIDTH )	EA.	1.00

#### EMPIRE CITY SUBWAY CET SCOPE OF WORK

#### **SUPPORT & PROTECTION**

#### HWXP093B

#### RECONSTRUCTION OF BOLLER AVENUE

#### BOROUGH OF THE BRONX

CET 100.1 UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TEST PIT (TYPE .1)

EA.

At the following locations:

AS ENCOUNTERED OR DIRECTED BY ECS FIELD REPRESENTATIVE

Total quantity for

CET 100.1

1.00

CET 108.1 UTILITIES CROSSING TRENCH FOR WATERMAIN UP TO AND INCL. 12" DIAMETER (TYPE .1)

EA.

At the following locations:

AS ENCOUNTERED OR DIRECTED BY ECS FIELD REPRESENTATIVE

Total quantity for

CET 108.1

1.00

CET 300 SPECIAL CARE EXCAVATION & BACKFILLING

C.Y.

At the following locations:

BOLLER AVENUE BTW. MAROLLA PLACE AND NEEDHAM AVENUE NEEDHAM AVENUE BTW. BOLLER AVENUE AND PRATT AVENUE

Total quantity for

**CET 300** 

891.70

CET 330T SUPPORT & PROTECTION OF COMMUNICATION UTILITY FACILITIES DURING EXCAVATION OF CITY TRENCH WHEN FACILITIES LIE IN OR CLOSE PROXIMITY TO TRENCH LIMITS

L.F

At the following locations:

BOLLER AVENUE BTW. MAROLLA PLACE AND NEEDHAM AVENUE

Total quantity for

**CET 330T** 

100.00

CET 350 OVERHEAD ACCOMMODATION, PROTECTION OF OH FACILITIES & APPURTENANCES

L.S.

At the following locations:

AS ENCOUNTERED OR DIRECTED BY ECS FIELD REPRESENTATIVE

Total quantity for

CET 350

1.00

CET 351 INSTALL AND REMOVE "A" FRAMES ON UTILITY POLES

EA.

At the following locations:

AS ENCOUNTERED OR DIRECTED BY ECS FIELD REPRESENTATIVE

Total quantity for

CET 351

4.00

CET 636 EC RD ADJUSTMENT OF UTILITY HARWARE IN ROADWAY (14" TO UNDER 30" WIDTH)

EA.

At the following locations:

BOLLER AVENUE BTW. MAROLLA PLACE AND NEEDHAM AVENUE

Total quantity for

CET 636 EC RD =

12.00

#### EMPIRE CITY SUBWAY CET SCOPE OF WORK

#### SUPPORT & PROTECTION

HWXP093B

#### RECONSTRUCTION OF BOLLER AVENUE

BOROUGH OF THE BRONX

CET 636 EE RD ADJUSTMENT OF UTILITY HARWARE IN ROADWAY ( 34" TO UNDER 41" WIDTH )

EA.

At the following locations:

BOLLER AVENUE BTW. MAROLLA PLACE AND NEEDHAM AVENUE

Total quantity for

CET 636 EE RD =

1.00

## HWXP093B - Reconstruction of Boller Ave., Bronx

Schedule U-2 Preliminary Engineer's Estimate of Quantity and Types of Interference Expected to be Encountered

CET ITEM	UNITS	ESTIMATED	DESCRIPTION
		QUANTITY	
100.1	EACH	1	UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECTION
			& /OR TEST PIT (TYPE.1)
225	EACH	1	INSTALLATION AND REMOVAL OF CATCH BASINS WITH UTILITY
		_	INTERFERENCES
330	LF	1,580	SUPPORT AND PROTECTION OF COMMUNICATION UTILITY FACILITIES
		• .	DURING EXCAVATION OF CITY TRENCH WHEN FACILITIES LIE IN OR IN
·			CLOSE PROXIMITY TO TRENCH LIMITS
350	LS	1	OVERHEAD ACCOMMODATION, PROTECTION OF OVERHEAD
			FACILITIES, POLES & APPURTENANCES
400	CY	10	TEST PITS FOR UTILITY FACILITIES
·			
401	CY	10	TRENCH EXCAVATION FOR ADJUSTMENT OF UTILITY FACILITIES
401AC	CY	10	SPECIAL CARE PAVEMENT EXCAVATION FOR ADJUSTMENT OF
			CABLE TV FACILITIES CONNECTED TO OR NEAR THE
		1	BASE PAVEMENT
402.2	LF	10	EXISTING NON-CONCRETE ENCASED CONDUITS PLACED IN
			FINAL POSITION WITHOUT CONCRETE ENCASEMENT
403	SF	100	PLACING STEEL PROTECTION PLATES FOR UTILITY FACILITIES
500	LF	100	REMOVAL OF ABANDONED UTILTIY CONDUITS (NON-CONC ENCASED)
636 EE	EACH	8	ADJUSTMENT OF UTILITY HARDWARE (34" TO UNDER 41")
636RM	CY	16	REBUILDING AND MODIFICATIONS TO UTILITY STRUCTURES
700	CY	10	SPECIAL MODIFICATION OF WORK METHODS TO ACCOMMODATE/
			PROTECT UNDERGROUND FACILITIES WITH LIMITED COVER
8.02A	SF	7150	SPECIAL MODIFICATION OF WORK METHODS FOR INSTALLATION
			OF NEW SIDEWALK
8.02B	LF	50	SPECIAL MODIFICATION OF WORK METHODS FOR INSTALLATION
			OF NEW CURB

## DDC Contract HWXP093B - Reconstruction of Boller Avenue, Bronx Schedule U-2: Scope of Work for CET items

**CET 100.1** 

UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECTION AND/OR TEST PIT (TYPE.1)

@ THE FOLLOWING LOCATIONS	QT	Y(EA)
SWC OF INT OF BOLLER AVENUE & NEEDHAM AVENUE		1
CET 100.1	TOTAL	1

**CÉT 225** 

INSTALLATION AND REMOVAL OF CATCH BASINS WITH UTILITY INTERFERENCES

@ THE FOLLOWING LOCATIONS	QTY(	(EA)
SWC OF INT OF BOLLER AVENUE & NEEDHAM AVENUE		1
CET 225	TOTAL	1

**CET 330** 

## SUIPPORT & PROTECTION OF UTILITY FACILITIES DURING EXCAVATION OF CITY TRENCH WHEN FACILITIES LIE WITHIN TRENCH LIMITS

@ THE FOLLOWING LOCATIONS (	QTY(LF)
EAST SIDE OF BOLLER AVENUE BETWEEN MAROLLA PLACE &	520
NEEDHAM AVENUE IN SIDEWALK	
WEST SIDE OF BOLLER AVENUE BETWEEN MAROLLA PLACE &	910
NEEDHAM AVENUE IN SIDEWALK	
BOLLER AVENUE BETWEEN MAROLLA PLACE &	40
NEEDHAM AVENUE	
NORTH SIDE OF NEEDHAM AVENUE BETWEEN BOLLER AVENUE	E 100
& PALMER AVENUE	
SOUTH SIDE OF NEEDHAM AVENUE BETWEEN BOLLER AVENUE	10
& PALMER AVENUE	
CET 30 TOTAL	1,580 LF

**CET 350** 

OVERHEAD ACCOMMODATION. PROTECTION OF OVERHEAD FACILITIES, POLES & APPURTENNACES

EST TOTAL: 1.0 LS
AS ENCOUNTERED & DIRECTED BY THE CABLEVISION FIELD REP

October 2012

DDC Contract HWXP093B - Reconstruction of Boller Avenue, Bronx			
Schedu	le U-2: Scope o	f Work for CET items	,

**CET 400** 

TEST PITS FOR UTILTIY FACILITIES

**EST TOTAL: 10 CY** 

AS ENCOUNTERED & DIRECTED BY THE CABLEVISION FIELD REP

**CET 401** 

TRENCH EXCAVATION FOR ADJUSTMENT OF UTILITY FACILITIES

@ THE FOLLOWING LOCATIONS QTY(CY)
AS ENCOUNTERED & DIRECTED BY THE CABLEVISION FIELD REP. 10

CET 401 TOTAL 10

CET 401AC

SPECIAL CARE PAVEMENT EXCAVATION FOR ADJUSTMENT OF CABLE TV FACILITIES CONNECTED TO OR NEAR THE BASE PAVEMENT

@ THE FOLLOWING LOCATIONS QTY(CY)
AS ENCOUNTERED & DIRECTED BY THE CABLEVISION FIELD REP. 10
CET 401AC TOTAL 10

**CET 402.2** 

EXISTING NON-CONCRETE ENCASED CONDUITS PLACED IN FINAL POSITION WITHOUT CONCRETE ENCASEMENT

@ THE FOLLOWING LOCATIONS QTY(LF)

AS ENCOUNTERED & DIRECTED BY THE CABLEVISION FIELD REP. 10
CET 402.2 . 10

CET 403
PLACING STEEL PROTECTION PLATES FOR UTILITY FACILITIES

EST TOTAL: 100 SF
AS ENCOUNTERED & DIRECTED BY THE CABLEVISION FIELD REP

### DDC Contract HWXP093B - Reconstruction of Boller Avenue, Bronx

Schedule U-2: Scope of Work for CET items

**CET 500** 

#### REMOVAL OF ABANDONED UTILTIY CONDUITS (NON-CONC. ENCASED) @ THE FOLLOWING LOCATIONS

EST TOTAL: 100 LF

AS ENCOUNTERED & DIRECTED BY THE CABLEVISION FIELD REPRESENTATIVE

CET	626	TO 300
6 H. I	hih	H.H.

#### ADJUSTMENT OF UTILITY HARDWARE (34" TO UNDER 41" WIDTH)

@ THE FOLLOWING LOCATIONS QTY(EA)

EAST SIDE OF BOLLER AVENUE BETWEEN MAROLLA PLACE & NEEDHAM AVENUE IN SIDEWALK	2
WEST SIDE OF BOLLER AVENUE BETWEEN MAROLLA PLACE &	5
NEEDHAM AVENUE IN SIDEWALK SOUTH SIDE OF NEEDHAM AVENUE BETWEEN BOLLER AVENUE	1
& PALMER AVENUE CET 636EE TOTAL	8
	*

#### **CET 6.36RM**

#### REBUILIDING AND MODIFICATIONS TO UTILITY STRUCTURES

@ THE FOLLLOWING LOCATIONS QTY(	(CY)
EAST SIDE OF BOLLER AVENUE BETWEEN MAROLLA PLACE &	4
NEEDHAM AVENUE IN SIDEWALK	
WEST SIDE OF BOLLER AVENUE BETWEEN MAROLLA PLACE &	10
NEEDHAM AVENUE IN SIDEWALK	
SOUTH SIDE OF NEEDHAM AVENUE BETWEEN BOLLER AVENUE	2
& PALMER AVENUE	•
CET 636RM TOTAL	16

**CET 700** 

SPECIAL MODIFICATION OF WORK METHODS TO ACCOMMODATE/PROTECT UNDERGROUND FACILTIES WITH LIMITED COVER

**EST TOTAL: 10 CY** 

AS ENCOUNTERED & DIRECTED BY THE CABLEVISION FIELD REP

### DDC Contract HWXP093B - Reconstruction of Boller Avenue, Bronx

#### Schedule U-2: Scope of Work for CET items

**CET 8.02A** 

#### SPECIAL CARE EXCAVATION AND RESTORATION FOR SIDEWALK WORK

@ THE FOLLOWING LOCATIONS	QTY(SF)
EAST SIDE OF BOLLER AVENUE BETWEEN MAROLLA PLACE &	2450
NEEDHAM AVENUE IN SIDEWALK	
WEST SIDE OF BOLLER AVENUE BETWEEN MAROLLA PLACE &	3900
NEEDHAM AVENUE IN SIDEWALK	
NORTH SIDE OF NEEDHAM AVENUE BETWEEN BOLLER AVENU	JE 700
& PALMER AVENUE	
SOUTH SIDE OF NEEDHAM AVENUE BETWEEN BOLLER AVENU	JE 100
& PALMER AVENUE	
CET 8.02A TOTA	L 7,150

**CET 8.02B** SPECIAL CARE EXCAVATION AND RESTORATION FOR CURB WORK

EST TOTAL: 50 LF AS ENCOUNTERED & DIRECTED BY THE CABLEVISIONFIELD REP

## SECTION U-3

(NO TEXT IN THIS SECTION)

PROJECT ID: HWXP093B

## END OF ADDENDUM No. 4

This Addendum consists of Thirty Four (34) Pages And Eight (8) Pages of Contract Drawings .



# INFRASTRUCTURE DIVISION BUREAU OF DESIGN

## **VOLUME 3 OF 3**

PROJECT ID: HWXP093B

RECONSTRUCTION OF

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK

		 Contractor.
·		 
Dated		, 20

Project ID: HWXP093B

# CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

## **ADDENDA CONTROL SHEET**

BID OPENING DATE: May 24, 2013
PROJECT NO.: HWXP093B
TITLE: RECONSTRUCTION OF BOLLER AVENUE

Attached are the following Documents	No. of Drawings	DATE
#1: Amendments to Standard Highway Specs.		2/8/2013
#2: Sewer and Water Main Specifications		3/20/2013
#3: Hazardous Materials		1/16/2013
#4: Private Utility		1/2/2013
#5: Additional Amendments		5/14/2013

.

#### ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK
DEPARTMENT OF DESIGN AND CONSTRUCTION
INFRASTRUCTURE DIVISION
BUREAU OF DESIGN

Project ID: HWXP093B

RECONSTRUCTION OF

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK

ADDENDUM NO. 5

DATED: May 14, 2013

THIS ADDENDUM IS HEREBY MADE A PART OF THE CONTRACT DOCUMENTS

- 1. See the attached page of "Questions Submitted by a Bidder and DDC's Responses".
- 2. Refer to the Bid and Contract Documents, Volume 3 of 3, Addendum No. 1, pages A1-16, Subsection 7.68A.6., MATERIALS;
  Delete Subsection 7.68A.6.(A), in its entirety;
  Substitute the following revised Subsection 7.68A.6.(A):

" (A) Geogrid

 The geogrid shall be a commercially available biaxial geogrid with a minimum Long Term Design Strength (LTDS) Geosynthic Research Institute (GRI) GG4 of 300 plf in each direction."

By signing in the space provided below, the bidder acknowledges receipt of this Addendum consisting of <u>one (1)</u> page and <u>one (1)</u> page of attachment.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BID

MOHSEN ZARGARELAHI, P.E.

Assistant Commissioner

Name of Bidder

### Questions Submitted by a Bidder and DDC's Responses

QUESTION #1: Refer to Page A1-35 of Bid Documents Volume 3 - Paragraph O "Start of Contract Work" states that is the intent of the Agency to start work two (2) months after registration. Does the Agency have a target date for registration?

ANSWER #1: No.

QUESTION #2: Refer to Contract Drawing TS1 (Sheet 6) - The typical section shows that direct payment for the temporary excavation support system occurs only when the sheeting system is within the influence line of buildings. The quantity for the typical support of excavation item is 270'. According to our analysis, approximately 185' of direct paid sheeting will develop along the North-East side of Boller Avenue, and the remaining 85' in the return at Needham Avenue. Please advise if the South-East corner of Boller Avenue is to be included in the areas of sheeting within the influence line of building.

ANSWER #2: The temporary excavation support system shall also be installed on the southeast corner of Boller and Needham avenues unless otherwise directed by the Engineer.

QUESTION #3: Refer to Page A1-16 of Bid Documents Volume 3 - After contacting all the suggested geogrid manufacturers, we understand that the specified products are no longer available. All the manufacturers are offering replacement products that partially meet the required Technical Characteristics, please advise if this is acceptable.

ANSWER #3: Please refer to Article No.1 on page A5-1 of this addendum.

QUESTION #4: Due to the current bid schedule and the pending RFI's, we respectfully request a one (1) week bid postponement. Please advise.

ANSWER #4: The current bid date shall remain unchanged.


# CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

## **ADDENDA CONTROL SHEET**

BID OPENING DATE:	May 24, 2013		
PROJECT NO.: HWXP09	3B		

TITLE: RECONSTRUCTION OF BOLLER AVENUE

No. of Drawings	DATE
	2/8/2013
	3/20/2013
	1/16/2013
	1/2/2013
	5/14/2013
	5/21/2013
	<u>                                     </u>
	No. of Drawings



### ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK
DEPARTMENT OF DESIGN AND CONSTRUCTION
INFRASTRUCTURE DIVISION
BUREAU OF DESIGN

Project ID: HWXP093B

RECONSTRUCTION OF

FROM STATION 10+50 TO STATION 18+00 NEEDHAM AVENUE FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK

ADDENDUM NO. 6

DATED: May 21, 2013

THIS ADDENDUM IS HEREBY MADE A PART OF THE CONTRACT DOCUMENTS

1. Refer to the Bid and Contract Documents, Volume 3 of 3, Addendum No. 3, pages A3-37 through A3-77;
Delete pages A3-37 through A3-77, in their entirety;
Substitute the following attached pages A3-37 (Revised) through A3-79 (Revised).

By signing in the space provided below, the bidder acknowledges receipt of this Addendum consisting of <u>one (1)</u> page and <u>forty-three (43)</u> page of attachment.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BID

MOHSEN ZARGARELAHI, P.E.

Assistant Commissioner

### - FINAL -

## Phase II Subsurface Corridor Investigation Report For

# Reconstruction of Boller Avenue Boller Ave and Needham Rd by Boston Rd. Bronx, New York

DDC PROJECT NO. HWXP093B WORK ORDER NO. 7563-LBA-2R-7190 CONTRACT REGISTRATION NO. 20101402206

Prepared for:



Bureau of Environmental and Geotechnical Services 30-30 Thomson Avenue, Fifth Floor Long Island City, New York 11101

Prepared by:



Louis Berger & Assoc., PC 199 Water Street, 23<sup>rd</sup> Floor New York, NY 10038 Tel. (212) 612-7900 Fax (212) 363-4341 Project No. CKT890E9 June 7, 2011



## TABLE OF CONTENTS

EX	ECUI	TIVE SUMMARY	FS_1
1.0			
	1.1	TRODUCTION	1
	1.2	TO THE TOTAL ALL VIOLO EN VIKTINMENTAL INVESTIGATIONS	
		SCOPE OF WORK	2
2.0	CO	PRRIDOR INFORMATION	
	2.1		
	2.2	- LOCKET HOLL OF BURKEN MUNICIPALITIES	
	2.3	OUR OF WALL RESIDENCE TO THE REPORT OF THE PROPERTY OF THE PRO	
	2.4		
	2.5	CORRIDOR AND REGIONAL HYDROGEOLOGY	5
3.0	CO	RRIDOR EVALUATION	_
	3.1	SOLD CONDITION THE PROPERTY OF	_
	3.2	CHOOLD WATER COALITY INVESTIGATION	_
	3.3	- DOIGHORT FRANCISCO	_
	3.4	Data Evaluation	7
4.0	FIN	FIELD SCREENING	_
	4.1	THE OCKERNING	_
	4.2	4.2 SOIL AND GROUNDWATER LABORATORY ANALYTICAL RESULTS	
		4.2.1 Volatile Organic Compounds (VOCs) in Soil.	9
		4.2.2 Semi-Volatile Organic Compounds (SVOCs) in Soil.	9
		112.0 2 WEST ARMINIC LINE MEMILY ( A) MOTOR IN CALL	_
		4.2.4 Pesticides and Herbicides in Soil	9
		1 CDS III DUIL	
		4.2.6 Waste Classification of Soil	10
5.0	CON	NCLUSIONS AND RECOMMENDATIONS	**
			······································
6.0	STA	ATEMENT OF LIMITATIONS	12



New York City Department of Design and Construction Final Phase II Subsurface Corridor Investigation Report Reconstruction of Boller Ave, Bronx, NY

<u>Tables</u>	1 2 3 4 5 6	Summary of Environmental Boring Data Summary of TCL VOCs Detected in Soil Summary of TCL SVOCs Detected in Soil Summary of TAL Metals Detected in Soil Summary of Pesticides Detected in Soil Summary of Herbicides Detected in Soil
	7	Summary of PCBs Detected in Soil
	8	Summary of Waste Classification Parameters Detected in Soil
Figures .	1	Topographic Corridor Location Map
	2	Sample Location Plan
Appendices	A	Boring Location Plan
	В	Geologic Boring Logs and Temporary Well Construction Details
	<sup>^</sup> C	Laboratory Analytical Results



### **EXECUTIVE SUMMARY**

On behalf of the New York City Department of Design and Construction (NYCDDC), Louis Berger & Associates, P.C. (LBA) conducted a Phase II Subsurface Corridor Investigation (Phase II SCI) for Boller Avenue between Crawford Avenue and Boston Road in the Bronx, New York (hereinafter referred to as the "Corridor"). The Corridor consists of the full length of Boller Avenue from Crawford Avenue to Boston Road; Needham Avenue from Palmer Avenue to Boston Road in Bronx, New York.

Excavation is proposed as part of the installation and/or repair of storm sewers, catch basins, appurtenances, and the reconstruction of sidewalks, pedestrian ramps, and upgrade traffic signals, street lighting, etc. The Phase II SCI was conducted to determine if the Corridor's environmental condition might impact proposed construction activities.

Weston Solutions of New York, Inc. (Weston) prepared a Phase I Corridor Assessment Report (Phase I CAR) dated May 2010, which presented the results of a survey conducted along the Corridor to assess the presence of potential sources of subsurface contamination within, and in the immediate vicinity of, the Corridor. The Phase I CAR identified six (6) sites that had a potential "High" risk to impact the subsurface (soil and/or groundwater) of the Corridor, and recommended the completion of a Phase II SCI. The objective of the Phase II SCI was to assess the presence of subsurface contamination that might impact proposed construction activities. The Phase II SCI consisted of the following components:

- The advancement of three (3) soil borings (SB01 through SB03) to a maximum depth of twenty (20) feet below ground surface (ft bgs) or refusal, whichever was encountered first. Borings were advanced using a Geoprobe direct push drill rig. Prior to direct push advancement, borings were cleared to a depth of five (5) ft bgs using a hand auger and/or a vacuum excavator (Vactron). Soil samples were collected using 5-foot long, 2-inch diameter Macro Core stainless steel samplers equipped with acetate sleeves. The installation of two (2) temporary well points (TWPs) for groundwater sampling was proposed as part of this Phase II SCI; however, groundwater was not encountered during this investigation;
- Field screening, classification and identification of soils from the ground surface to the bottom of each boring. Soil samples were visually classified in the field using the USCS soil classification system. Field screening consisted of visual and olfactory indicators of impacts as well as screening with a photoionization detector (PID);
- The collection of one (1) composite and one (1) grab sample from borings SB01 through SB03. The composite samples taken from SB01 through SB03 were comprised of soil from the entire boring column. The grab samples were collected from either the 6-inch interval above the watertable or the bottom 6-inch interval of the boring;
- Composite samples from borings SB01 through SB03 were analyzed for: (1) Target Compound List (TCL) base neutral/acid (BN/A) extractable semi-volatile organic compounds (SVOCs) by United States Environmental Protection Agency (EPA) Method



8270; (2) Target Analyte List (TAL) metals by EPA Method 6010B; (3) TCL herbicides and pesticides by EPA Method 8081A; and (4) TCL polychlorinated biphenyls (PCBs) by EPA Method 8082. Grab samples from borings SB01 through SB03 were analyzed for TCL volatile organic compounds (VOCs) by EPA Method 8260;

- The collection of one (1) composite waste characterization soil sample (SBTCLP). Composite sample SBTCLP was generated by compositing aliquots of the composite samples taken from SB01 through SB03. The waste characterization sample was analyzed for: (1) the EPA Full Toxicity Characteristics Leaching Procedure (TCLP) parameters by EPA Method SW846; and (2) the Resource Conservation and Recovery Act (RCRA) Characteristics (ignitability, reactivity and corrosivity) by EPA Method SW846; and
- The preparation of this report, which includes tables summarizing the laboratory analytical results and figures depicting boring locations, significant site features and, if applicable, contamination occurrence and distribution.

In order to evaluate subsurface soil quality, laboratory analytical results of grab and composite soil samples were compared with regulatory standards identified in: (1) NYSDEC Subpart 375-6: Remedial Program Unrestricted and Restricted Use (Track 1 and Track 2) Soil Cleanup Objectives (SCOs) and (2) NYSDEC CP-51 Soil Cleanup Guidance Supplemental Soil Cleanup Objectives (SSCOs) to NYSDEC Subpart 375-6 The laboratory analytical results of the waste classification soil samples were compared with the Toxicity Characteristic Regulatory Levels for Hazardous Waste published in RCRA and NYSDEC Part 371.

Based on the evaluation of the field screening data and the laboratory analytical results, and a comparison to applicable regulatory standards, the following conclusions are presented:

- No visual or olfactory evidence of possible petroleum contamination was observed in any of the soil borings advanced as part of this Phase II SCI. In addition, no PID readings were detected above the background level of 1 ppm;
- During this Phase II SCI, the Corridor was found to be underlain by at least 5 to 16 feet of Silt. This Silt was found to be dark yellowish brown to moderate yellowish brown with some to little sand and trace to some medium to fine gravel. Bedrock was encountered at a depth ranging between 5 and 16 ft bgs during this Phase II SCI;
- Laboratory results indicate low level detections of methylene chloride in samples SB01 through SB03. Methylene chloride is a common laboratory contaminant and the low level detections in samples SB01 through SB03 may be attributed to laboratory usage;
- Laboratory results indicate concentrations of benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene and indeno(1,2,3-cd)pyrene in sample SB03 in excess of Unrestricted Use (Track 1) and Residential Use (Track 2) SCOs. The exceedances in sample SB03 may be attributed to historic impacted stormwater runoff;



- Several metals were detected at concentrations above regulatory standards in all soil samples. Mercury and zinc in sample SB02 and zinc in sample SB03 were detected above Unrestricted Use (Track 1) SCOs. Barium and mercury in sample SB03 were detected above Residential Use (Track 2) SCOs. In addition, lead was detected in all soil samples above Unrestricted Use (Track 1) SCOs at concentrations ranging from approximately 68 to 240 ppm; however, TCLP analysis on composite waste classification sample SBTCLP indicates that soil beneath the surface of the Corridor is nonhazardous. Elevated metals levels may be attributed to historic impacted stormwater runoff and may be partially attributed to native background conditions;
- Laboratory results indicate exceedances of the Unrestricted Use (Track 1) SCOs for the
  pesticides 4,4'-DDE, 4,4'-DDT and dieldrin detected in sample SB03 and 4,4'-DDE and
  4,4'-DDT in sample SB02. Exceedances of pesticides may be attributed to historic impacted
  stormwater runoff and historic usage along the Corridor; and
- The composite waste classification sample SBTCLP was analyzed for USEPA RCRA hazardous waste characteristics including corrosivity, ignitability, reactivity and toxicity. Results of these analyses indicate that the soil beneath the Corridor does not exhibit evidence of hazardous waste characteristics.

Based on the results of the field investigation and laboratory analytical results, LBA recommends the following:

- The Contract documents should identify provisions and a contingency for managing, handling, transporting and disposing of SVOC, pesticide, and metals-impacted hazardous and non-hazardous soil. The Contractor should be required to submit a Material Handling Plan, to identify the specific protocol and procedures that will be employed to manage the waste in accordance with applicable regulations;
- Dust control procedures are recommended during excavation activities to minimize the creation and dispersion of fugitive airborne dust. The Contractor may implement dust control measures to minimize potential airborne contaminants released as a direct result of construction activities. A Community Air Monitoring Plan (CAMP) shall be developed in accordance with NYSDEC DER-10 Regulations. The CAMP requires real-time monitoring for particulates (i.e., dust) at the downwind perimeter of each designated work area when certain activities are in progress at contaminated sites. The CAMP is intended to provide a measure of protection for the downwind community from potential airborne contaminant releases as a direct result of investigative and remedial work activities. Specific requirements shall be reviewed for each situation in consultation with NYSDOH to ensure proper applicability;
- Groundwater was not encountered during this Phase II SCI; however, dewatering may be necessary during construction activities along the Corridor. Therefore, should dewatering be



necessary during construction activities within the Corridor, the contractor should be required to obtain NYCDEP sewer discharge permit;

- In addition, if discharge into storm sewers is required during dewatering, it must be done
  under the appropriate NYSDEC State Pollutant Discharge Elimination System (SPDES)
  permit. Additional sampling and laboratory analysis will be required to satisfy NYSDEC
  requirements prior to discharge into storm sewers; and
- Before beginning any excavation activity, the contractor shall submit a site-specific health and safety plan (HASP) that will meet the requirements set forth by the Occupational, Safety and Health Administration (OSHA), the New York State Department of Health (NYSDOH) and any other applicable regulations. The HASP should identify the possible locations and risks associated with the potential contaminants that may be encountered, and the administrative and engineering controls that will be utilized to mitigate concerns (i.e. dust control procedures for SVOCs and metals).



### 1.0 INTRODUCTION

On behalf of the New York City Department of Design and Construction (NYCDDC), Louis Berger & Associates, P.C. (LBA) conducted a Phase II Subsurface Corridor Investigation (Phase II SCI) for Boller Avenue between Crawford Avenue and Boston Road in the Bronx, New York (hereinafter referred to as the "Corridor"). The Corridor consists of the full length of Boller Avenue from Crawford Avenue to Boston Road; Needham Avenue from Palmer Avenue to Boston Road in Bronx, New York. The Corridor location is identified on the Topographic Map on Figure 1.

Excavation is proposed as part of the installation and/or repair of storm sewers, catch basins, appurtenances, and the reconstruction of sidewalks, pedestrian ramps, and upgrade traffic signals, street lighting, etc. The Phase II SCI was conducted to determine if the Corridor's environmental condition might impact proposed construction activities.

### 1.1 Summary of Previous Environmental Investigations

Weston Solutions of New York, Inc. (Weston) prepared a Phase I Corridor Assessment Report (Phase I CAR) in May 2010, which presented the results of a survey conducted along the Corridor to assess the presence of potential sources of subsurface contamination within, and in the immediate vicinity of, the Corridor. The survey also included a review of fire insurance maps to document historical use and a limited review of the New York State databases to identify sites that are known to be contaminated.

The Phase I CAR identified five (5) initial "High" risk sites which may have the potential to impact the subsurface of the Corridor. Based on modifying information, Weston recommended that three (3) of the five (5) initial "High" risk sites be reclassified as "Low" risk sites.

The sites identified in the Phase I CAR were re-classified because they were found to be outside of the Corridor limits or were identified on one or more of the regulatory agency databases but modifying information or professional judgment indicated a lower risk to the Corridor. Modifying information included sites with spills that had been closed by the New York State Department of Environmental Conservation (NYSDEC), sites identified on one or more databases with no evidence or records of spills or other concerns, or older sites that were redeveloped or located such that they no longer posed significant risks to proposed activities within the Corridor.

During the site inspection, Weston identified four (4) additional "High" risk sites that were not listed in the regulatory database. Therefore, the final evaluation identified six (6) final "High" risk sites with respect to potential impact on the project corridor. The final "High" risk sites are listed below:

1



### HIGH RISK SITES

- 1) Stars and Stripes Playground at Crawford Avenue and Palmer Avenue
- 2) Franks Tire Services and Auto Sales at 3890 Boston Road
- 3) Nicks Transmission and Auto Repair at 3880 Boston Road
- 4) Filomio Truck Sales at 3870 Boston Road
- 5) Toyota of the Bronx Service Department between 3850 and 3870 Boston Road
- 6) KO Custom Whips Auto Detail at 3855 Boston Road

### 1.2 Scope of Work

The Phase II SCI consisted of a field investigation, laboratory analyses, and the preparation of this report, which includes tables summarizing the laboratory analytical results and figures depicting boring locations, significant site features and, if applicable, contamination occurrence and distribution. Drilling activities for the field investigation were performed by Aquifer Drilling & Testing, Inc. of New Hyde Park, New York. Oversight of drilling activities was performed by Mr. James McGarry, PE, Senior Environmental Engineer of LBA. Laboratory analyses were provided by CHEMTECH Consulting Group (CHEMTECH), of Mountainside, New Jersey, a NYS Department of Health (NYSDOH) approved laboratory (No. 11376). Field derived Quality Assurance/Quality Control samples (i.e. field blanks, trip blanks, and duplicates) were not collected for this project. The field investigation was conducted on May 4, 2011 and consisted of the following components:

- The advancement of three (3) soil borings (SB01 through SB03) to a maximum depth of twenty (20) feet below ground surface (ft bgs) or refusal, whichever was encountered first. Borings were advanced using a Geoprobe direct push drill rig. Prior to direct push advancement, borings were cleared to a depth of five (5) ft bgs using a hand auger and/or a vacuum excavator (Vactron). Soil samples were collected using 5-foot long, 2-inch diameter Macro Core stainless steel samplers equipped with acetate sleeves. The installation of two (2) temporary well points (TWPs) for groundwater sampling was proposed as part of this Phase II SCI; however, groundwater was not encountered during this investigation;
- Field screening, classification and identification of soils from the ground surface to the bottom of each boring. Soil samples were visually classified in the field using the USCS soil classification system. Field screening consisted of visual and olfactory indicators of impacts as well as screening with a photoionization detector (PID);
- The collection of one (1) composite and one (1) grab sample from borings SB01 through SB03. The composite samples taken from SB01 through SB03 were comprised of soil from the entire boring column. The grab samples were collected from either the 6-inch interval above the watertable or the bottom 6-inch interval of the boring;
- Composite samples from borings SB01 through SB03 were analyzed for: (1) Target Compound List (TCL) base neutral/acid (BN/A) extractable semi-volatile organic compounds (SVOCs) by United States Environmental Protection Agency (EPA) Method



8270; (2) Target Analyte List (TAL) metals by EPA Method 6010B; (3) TCL herbicides and pesticides by EPA Method 8081A; and (4) TCL polychlorinated biphenyls (PCBs) by EPA Method 8082. Grab samples from borings SB01 through SB03 were analyzed for TCL volatile organic compounds (VOCs) by EPA Method 8260;

- The collection of one (1) composite waste characterization soil sample (SBTCLP). Composite sample SBTCLP was generated by compositing aliquots of SB01 through SB03. The waste characterization sample was analyzed for: (1) the EPA Full Toxicity Characteristics Leaching Procedure (TCLP) parameters by EPA Method SW846; and (2) the Resource Conservation and Recovery Act (RCRA) Characteristics (ignitability, reactivity and corrosivity) by EPA Method SW846; and
- The preparation of this report, which includes tables summarizing the laboratory analytical results and figures depicting boring locations, significant site features and, if applicable, contamination occurrence and distribution.

3



### 2.0 CORRIDOR INFORMATION

### 2.1 Corridor Location, Description and Use

The Corridor is located in the Edenwald section of the Bronx, New York. The Corridor consists of the full length of Boller Avenue from Crawford Avenue to Boston Road; Needham Avenue from Palmer Avenue to Boston Road in Bronx, New York. The entire corridor is developed with a paved roadway, and existing infrastructure systems. The Corridor is approximately 0.4 miles long.

Manhole covers, asphalt patches, sidewalk lights and street lights are visible in roadway and sidewalk areas throughout the Corridor, and indicate the presence of multiple buried utilities including sewer, electric, water, gas and communications. In addition, fillports and vent pipes were observed by Weston on several residential properties while conducted the site investigation as part of the Phase I CAR indicating the potential presence of petroleum underground or above ground storage tanks (USTs/ASTs). These USTs/ASTs do not require registration with the NYSDEC and therefore, are not listed in their database. Unless specifically identified in the Phase I CAR, the potential presence of these USTs/ASTs are considered to be "Low" risk sites.

Property usage within the Corridor consists primarily of single family residential dwellings, a playground and a park. Stars and Stripes Playground is located on Crawford Avenue between Palmer Avenue and Boller Avenue and is considered a "High" risk site. Seton Falls Park is located on Crawford Avenue and Boller Avenue to Marolla Place and Pratt Avenue and has no environmental risk to the Corridor.

### 2.2 Description of Surrounding Properties

Based on the Phase I CAR prepared by Weston and the field observations made during this Phase II SCI, the Corridor is primarily surrounded by commercial and residential properties. Commercial developments consist of retail buildings and auto repair facilities including Franks Tire Service and Auto Sales at 3890 Boston Road, Nicks Transmission and Auto Repair at 3880 Boston Road, Fimoio Truck Sales at 3870 Boston Road, KO Custom Whips Auto Detail at 3855 Boston Road, and Toyota of the Bronx Service Department at 3850 to 3870 Boston Road, which were identified as "High" risk sites. The area is bound to the west by Baychester Avenue, to the south, by Boston Road, to the east by Marolla Place and to the north by Stars and Stripes Park. Commercial developments are primarily located along Boston Road and single family residential dwellings are located throughout the rest of the surrounding area

### 2.3 Corridor and Regional Topographic Setting

The United States Geologic Survey (USGS) 7.5-minute Topographic Quadrangle map for Mount Vernon, NY (1966/1979) (Figure 1) indicates that the highest point within the Boller Avenue Corridor is near the western edge of Needham Avenue (western extent of the Corridor) at approximately 70 feet above mean sea level (amsl). Topography slopes in a radial pattern away



from this high point within the Corridor to an elevation of approximately 50 feet amsl near the intersection of Marolla Place and Boller Avenue (northern extent of the Corridor), approximately 50 feet amsl near the eastern edge of Needham Avenue (eastern extent of the Corridor), and approximately 60 feet amsl near the intersection of Boston Road and Boller Avenue (southern extent of the Corridor). Surface runoff is expected to flow in a radial pattern away from the high point of the Corridor near the western edge of Needham Avenue.

## 2.4 Corridor and Regional Geology

During this Phase II SCI, the Corridor was found to be underlain by at least 5 to 16 feet of Silt. This Silt was found to be dark yellowish brown to moderate yellowish brown with some to little sand and trace to some medium to fine gravel. Bedrock was encountered at a depth ranging between 5 and 16 feet below ground surface (bgs) during this Phase II SCI.

The NYC Reconnaissance Soil Survey (2005) maps the soil type underlying the Corridor as the Chatfield-Greenbelt-Pavement and Buildings complex. Chatfield-Greenbelt-Pavement and Buildings complex consists of nearly level to gently sloping areas of bedrock controlled hills and ridges that have been partially cut and filled for parks and low density residential use. Impervious surfaces such as asphalt, concrete and buildings account for approximately 15 to 49 percent of this complex.

According to the 1989 Geology and Engineering Geology of the New York Metropolitan Area and the 1992 Bedrock and Engineering Geologic Maps of Bronx County and Parts of New York and Queens Counties, the Silt identified during this Phase II SCI is underlain by unstratified layers of Pleistocene glacial deposits composed of brown clay, sand, and boulders. These glacial deposits were not encountered during this Phase II SCI; the Silt is underlain by the Middle Ordovician to Lower Cambrian age Pelham Bay Member of the Hartland Formation. The Pelham Bay Member is generally composed of sillimanite-grade gneiss and is expected to reach a depth of greater than 1,600 feet bgs in the vicinity of the Site (Baskerville, 1992).

## 2.5 Corridor and Regional Hydrogeology

According to the the US Fish and Wildlife Service digital wetland mapping software (USFWS, 2011), Freshwater Emergent wetlands are located adjacent to the northern edge of the Corridor in a wooded area along Marolia Place. In addition, Estuarine and Marine Deepwater wetlands are located along the Hutchinson River, which is also the nearest surface water body. The Hutchinson River is located approximately 0.7 miles east of the eastern edge of the Corridor. During this Phase II SCI, groundwater beneath the Corridor was not encountered to a maximum depth of 16 feet bgs. Based on the land elevation and the elevation of the Hutchinson River it is estimated that groundwater would be encountered between 20 and 30 feet bgs. Under natural conditions, groundwater would be expected to flow east toward the Hutchinson River. However, groundwater flow directions may vary due to tidal influence, seasonal fluctuations in precipitation, local usage demands, underground utilities, or dewatering operations.

5



#### 3.0 CORRIDOR EVALUATION

Proposed construction activities within the Corridor include soil excavation and may include dewatering, which in-turn requires that soils and groundwater along the Corridor be characterized to identify material handling requirements (i.e. use of protective equipment) and for material reuse, handling and/or waste disposal requirements. LBA provided oversight for the advancement of three (3) soil borings and the collection of soil samples during the field investigation at the designated areas in the vicinity of the planned construction. The soil samples from the borings were transferred into laboratory supplied sample jars, properly labeled and stored with ice in a cooler to preserve the samples at 4° Celsius prior to and during shipment. A chain-of-custody was prepared prior to sample shipment. A summary of the field observations, including the location of the sites and the details of the soil borings, is provided in Table 1.

#### 3.1 Soil Quality Investigation

Three (3) soil borings (SB01 through SB03) were advanced to a maximum depth of twenty (20) ft bgs, or refusal (whichever was encountered first), using a Geoprobe direct push drill rig. Prior to direct push advancement, borings were cleared to a depth of five (5) ft bgs using a hand auger and/or a vacuum excavator. Soil was recovered using a 5-foot long, 2-inch diameter Macro Core stainless steel sampler equipped with disposable acetate sleeves. Soil boring locations are depicted on Figure 2. The designations and sampling intervals for the samples that were submitted to the laboratory are included in Table 1. Maps depicting each boring location are included in Appendix A. Boring logs are provided in Appendix B. The locations of each boring are described below:

- SB01 -Advanced in the vicinity of a "High" risk site and located on the sidewalk along the east side of Boller Avenue, 180 feet north of the northeast corner of the intersection of Boller Avenue and Needham Avenue and 2 feet east of the curb along the east side of Boller Avenue.
- SB02 —Advanced in the vicinity of a "High" risk site and located on the sidewalk along the west side of Boller Avenue, 96 feet south of the southwest corner of the intersection of Boller Avenue and Needham Avenue, 2 feet west of the sidewalk along the west side of Boller Avenue.
- SB03 Advanced in the vicinity of a "High" risk site and located on the sidewalk along the north side of Needham Avenue, 43 feet west of the northwest corner of the intersection of Needham Avenue and Pratt Avenue and 2 feet north of the sidewalk along the north side of Needham Avenue.

Soil from each boring was classified and examined for visual evidence (i.e. staining, discoloration) and any olfactory indications (i.e. odors) of contamination. Continuous soil cores were collected from each of the borings at 5-foot intervals. In addition, a PID was used to screen the soil for VOC vapors.



In order to identify representative conditions relative to the presence of SVOCs, metals, pesticides and PCBs over the entire soil column in each boring, composite soil samples were collected by mixing the soil from the entire column in a stainless steel bowl. Boring composite samples were taken from locations SB01 through SB03, advanced in the vicinity of the "High" risk sites identified in Weston's Phase I CAR. No contamination was observed in the borings.

In order to identify representative conditions relative to the presence of VOCs, grab soil samples were collected from 6-inch interval above the water table or the bottom 6-inch interval of borings SB01 through SB03.

In order to identify representative conditions for disposal purposes, one (1) waste classification samples was collected from locations SB01 through SB03. Composite sample SBTCLP was generated by compositing aliquots of SB01 through SB03.

Soil classification information, including stratigraphy, is documented on the boring logs included in Appendix B. All boring equipment was cleaned by being rinsed with tap water, scrubbed with Alconox, then rinsed with deionized water again between each sample interval. In addition, a disposable acetate liner was used inside the sampler for recovery of the soil cores. Following the completion of each boring, the boreholes were back-filled with drill cuttings, and then sealed with asphalt, if appropriate.

## 3.2 Groundwater Quality Investigation

LBA proposed the advancement of two (2) TWPs and the collection of two (2) groundwater samples as part of this Phase II SCI; however, groundwater was not encountered during this investigation. Therefore, groundwater quality at the Corridor could not be assessed.

### 3.3 Laboratory Analyses

Soil samples were submitted to CHEMTECH Consulting Group (CHEMTECH), of Mountainside, New Jersey, a NYS Department of Health (NYSDOH) approved laboratory (No. 11376). Field derived Quality Assurance/Quality Control samples (i.e. field blank, trip blank, duplicate) were not collected for this project. Laboratory analytical reports are included in Appendix C.

Grab soil samples collected from SB01 through SB03 were analyzed for USEPA TCL VOCs by Method 8260. All boring composite soil samples were analyzed for: (1) TCL BN/A extractable SVOCs by EPA Method 8270; (2) TAL metals by EPA Method 6010B; (3) TCL pesticides by EPA Method 8081A; and (4) PCBs by EPA Method 8082.

The waste characterization soil sample was analyzed for: (1) EPA Full TCLP parameters and (2) RCRA Characteristics (ignitability, reactivity and corrosivity).

			,
,			



#### 3.4 Data Evaluation

In order to evaluate subsurface soil quality, laboratory analytical results of grab and composite soil samples were compared with regulatory standards identified in: (1) NYSDEC Subpart 375-6: Remedial Program Unrestricted and Restricted Use (Track 1 and Track 2) Soil Cleanup Objectives (SCOs) and (2) NYSDEC CP-51 Soil Cleanup Guidance Supplemental Soil Cleanup Objectives (SSCOs) to NYSDEC Subpart 375-6 The laboratory analytical results of the waste classification soil samples were compared with the Toxicity Characteristic Regulatory Levels for Hazardous Waste published in RCRA and NYSDEC Part 371.



### 4.0 FINDINGS

This section discusses the analytical data and findings for activities discussed in Section 3.0. Boring logs and well installation records can be found in Appendix B. Complete analytical data reports are included in Appendix C.

### 4.1 Field Screening

Field screening consisted of visual and olfactory indicators of impacts as well as screening with a PID. No evidence of visual or olfactory contamination was observed and PID readings were not detected above the background level of 1 ppm at any soil boring location. Refer to Table 1 for a summary of environmental boring data.

## 4.2 Soil and Groundwater Laboratory Analytical Results

## 4.2.1 Volatile Organic Compounds (VOCs) in Soil

Laboratory results indicate low level detections of methylene chloride in samples SB01 through SB03. Methylene chloride is a common laboratory contaminant and the low level detections in samples SB01 through SB03 may be attributed to laboratory usage. Refer to Table 2 for a summary of VOC detections.

## 4.2.2 Semi-Volatile Organic Compounds (SVOCs) in Soil

Laboratory results indicate concentrations of benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene and indeno(1,2,3-cd)pyrene in sample SB03 in excess of Unrestricted Use (Track 1) and Residential Use (Track 2) SCOs. The exceedances in sample SB03 may be attributed to historic impacted stormwater runoff. Refer to Table 3 for a summary of SVOC detections.

## 4.2.3 Target Analyte List Metals (TAL Metals) in Soil

Several metals were detected at concentrations above regulatory standards in all soil samples. Mercury and zinc in sample SB02 and zinc in sample SB03 were detected above Unrestricted Use (Track 1) SCOs. Barium and mercury in sample SB03 were detected above Residential Use (Track 2) SCOs. In addition, lead was detected in all soil samples above Unrestricted Use (Track 1) SCOs at concentrations ranging from approximately 68 to 240 ppm; however, TCLP analysis on composite waste classification sample SBTCLP indicates that soil beneath the surface of the Corridor is nonhazardous. Elevated metals levels may be attributed to historic impacted stormwater runoff and may be partially attributed to native background conditions. Refer to Table 4 for a summary of metals detections.

### 4.2.4 Pesticides and Herbicides in Soil

Laboratory results indicate exceedances of the Unrestricted Use (Track 1) SCOs for the pesticides 4,4'-DDE, 4,4'-DDT and dieldrin detected in sample SB03 and 4,4'-DDE and 4,4'-DDT in sample SB02. Exceedances of pesticides may be attributed to historic impacted



stormwater runoff and historic usage along the Corridor. Refer to Table 5 for a summary of pesticide detections.

The laboratory results indicate that there are no herbicides present in any of the soil samples collected as part of this Phase II SCI. Refer to Table 6 for a summary of herbicide detections

#### 4.2.5 PCBs in Soil

The laboratory results indicate that there are no PCBs present in any of the soil samples collected as part of this Phase II SCI. Refer to Table 7 for a summary of PCB detections.

#### 4.2.6 Waste Classification of Soil

The composite waste classification sample SBTCLP was analyzed for USEPA RCRA hazardous waste characteristics including corrosivity, ignitability, reactivity and toxicity. Results of these analyses indicate that the soil beneath the Corridor does not exhibit evidence of hazardous waste characteristics. Refer to Table 8 for a summary of TCLP parameters and RCRA characteristics.



## 5.0 CONCLUSIONS AND RECOMMENDATIONS

Based on the evaluation of the field screening data and the laboratory analytical results, and a comparison to applicable regulatory standards, the following conclusions are presented:

- No visual or olfactory evidence of possible petroleum contamination was observed in any of
  the soil borings advanced as part of this Phase II SCI. In addition, no PID readings were
  detected above the background level of 1 ppm;
- During this Phase II SCI, the Corridor was found to be underlain by at least 5 to 16 feet of Silt. This Silt was found to be dark yellowish brown to moderate yellowish brown with some to little sand and trace to some medium to fine gravel. Bedrock was encountered at a depth ranging between 5 and 16 ft bgs during this Phase II SCI;
- Laboratory results indicate low level detections of methylene chloride in samples SB01 through SB03. Methylene chloride is a common laboratory contaminant and the low level detections in samples SB01 through SB03 may be attributed to laboratory usage;
- Laboratory results indicate concentrations of benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene and indeno(1,2,3-cd)pyrene in sample SB03 in excess of Unrestricted Use (Track 1) and Residential Use (Track 2) SCOs. The exceedances in sample SB03 may be attributed to historic impacted stormwater runoff;
- Several metals were detected at concentrations above regulatory standards in all soil samples. Mercury and zinc in sample SB02 and zinc in sample SB03 were detected above Unrestricted Use (Track 1) SCOs. Barium and mercury in sample SB03 were detected above Residential Use (Track 2) SCOs. In addition, lead was detected in all soil samples above Unrestricted Use (Track 1) SCOs at concentrations ranging from approximately 68 to 240 ppm; however, TCLP analysis on composite waste classification sample SBTCLP indicates that soil beneath the surface of the Corridor is nonhazardous. Elevated metals levels may be attributed to historic impacted stormwater runoff and may be partially attributed to native background conditions;
- Laboratory results indicate exceedances of the Unrestricted Use (Track 1) SCOs for the pesticides 4,4'-DDE, 4,4'-DDT and dieldrin detected in sample SB03 and 4,4'-DDE and 4,4'-DDT in sample SB02. Exceedances of pesticides may be attributed to impacted stormwater runoff and historic usage along the Corridor; and
- The composite waste classification sample SBTCLP was analyzed for USEPA RCRA
  hazardous waste characteristics including corrosivity, ignitability, reactivity and toxicity.
  Results of these analyses indicate that the soil beneath the Corridor does not exhibit evidence
  of hazardous waste characteristics.



Based on the results of the field investigation and laboratory analytical results, LBA recommends the following:

- The Contract documents should identify provisions and a contingency for managing, handling, transporting and disposing of SVOC, pesticide, and metals-impacted hazardous and non-hazardous soil. The Contractor should be required to submit a Material Handling Plan, to identify the specific protocol and procedures that will be employed to manage the waste in accordance with applicable regulations;
- Dust control procedures are recommended during excavation activities to minimize the creation and dispersion of fugitive airborne dust. The Contractor may implement dust control measures to minimize potential airborne contaminants released as a direct result of construction activities. A Community Air Monitoring Plan (CAMP) shall be developed in accordance with NYSDEC DER-10 Regulations. The CAMP requires real-time monitoring for particulates (i.e., dust) at the downwind perimeter of each designated work area when certain activities are in progress at contaminated sites. The CAMP is intended to provide a measure of protection for the downwind community from potential airborne contaminant releases as a direct result of investigative and remedial work activities. Specific requirements shall be reviewed for each situation in consultation with NYSDOH to ensure proper applicability;
- Groundwater was not encountered during this Phase II SCI; however, dewatering may be
  necessary during construction activities along the Corridor. Therefore, should dewatering be
  necessary during construction activities within the Corridor, the contractor should be
  required to obtain NYCDEP sewer discharge permit;
- In addition, if discharge into storm sewers is required during dewatering, it must be done
  under the appropriate NYSDEC State Pollutant Discharge Elimination System (SPDES)
  permit. Additional sampling and laboratory analysis will be required to satisfy NYSDEC
  requirements prior to discharge into storm sewers; and
- Before beginning any excavation activity, the contractor shall submit a site-specific health and safety plan (HASP) that will meet the requirements set forth by the Occupational, Safety and Health Administration (OSHA), the New York State Department of Health (NYSDOH) and any other applicable regulations. The HASP should identify the possible locations and risks associated with the potential contaminants that may be encountered, and the administrative and engineering controls that will be utilized to mitigate concerns (i.e. dust control procedures for SVOCs and metals).

#### 6.0 STATEMENT OF LIMITATIONS

The data presented and the opinions expressed in this report are qualified as stated in the attachment to this section of the report.

Report Prepared By:

Evan Mankoff, P.G.

Manager, Subsurface Investigations

Unchuel J The Cluby

Report Reviewed By:

Michael J. McCloskey, P.G.

Vice President, Operations



### STATEMENT OF LIMITATIONS

The data presented and the opinions expressed in this report are qualified as follows:

The sole purpose of the investigation and of this report is to assess the physical characteristics of the Site with respect to the presence or absence in the environment of oil or hazardous materials and substances as defined in the applicable state and federal environmental laws and regulations and to gather information regarding current and past environmental conditions at the Site.

LBA derived the data in this report primarily from visual inspections, examination of records in the public domain, interviews with individuals with information about the Site, and a limited number of subsurface explorations made on the dates indicated. The passage of time, manifestation of latent conditions or occurrence of future events may require further exploration at the Site, analysis of the data, and reevaluation of the findings, observations, and conclusions expressed in the report.

In preparing this report, LBA has relied upon and presumed accurate certain information (or the absence thereof) about the Site and adjacent properties provided by governmental officials and agencies, the Client, and others identified herein. Except as otherwise stated in the report, LBA has not attempted to verify the accuracy or completeness of any such information.

The data reported and the findings, observations, and conclusions expressed in the report are limited by the Scope of Services, including the extent of subsurface exploration and other tests. The Scope of Services was defined by the requests of the Client, the time and budgetary constraints imposed by the Client, and the availability of access to the Site.

Because of the limitations stated above, the findings, observations, and conclusions expressed by LBA in this report are not, and should not be considered, an opinion concerning the compliance of any past or present owner or operator of the site with any federal, state or local law or regulation. No warranty or guarantee, whether express or implied, is made with respect to the data reported or findings, observations, and conclusions expressed in this report. Further, such data, findings, observations, and conclusions are based solely upon site conditions in existence at the time of investigation.

This report has been prepared on behalf of and for the exclusive use of the Client, and is subject to and issued in connection with the Agreement and the provisions thereof.

.



#### **TABLES**

- TABLE 1 SUMMARY OF ENVIRONMENTAL BORING DATA
- TABLE 2 SUMMARY OF TCL VOCs DETECTED IN SOIL
- TABLE 3 SUMMARY OF TCL SVOCs DETECTED IN SOIL
- TABLE 4 SUMMARY OF TAL METALS DETECTED IN SOIL
- TABLE 5 SUMMARY OF PESTICIDES DETECTED IN SOIL
- TABLE 6 SUMMARY OF HERBICIDES DETECTED IN SOIL
- TABLE 7 SUMMARY OF PCBs DETECTED IN SOIL
- TABLE 8 SUMMARY OF WASTE CLASSIFICATION PARAMETERS DETECTED IN SOIL

New York City Department of Design and Construction Phase II Subsurface Corridor Investigation for Boller Avenue, Bronx, New York

Phase II Subsurface Corridor Investigation for Reconstruction of Boller Avenue Table 1. Summry of Environmental Boring Data **Bronx, New York** 

Boring S No.	Sample ID	High PID (ppm)	Sample Interval (ftbgs)	Total VOCs (mg/kg)	Total SVOCs (mg/kg)	Metals Exceed (Yes/No) <sup>1</sup>	Depth to Water (ftbgs)	Depth to Total Depth Water (ftbgs)	Other Comments
<b>=</b> .	SB01	۷1	N/A	0.0043 JB	1.56	Yes	N/A	16.0	Composite Sample
	SB02	<1	N/A	0.0045 JB	0.97	Yes	N/A	5.5	Composite Sample and TCLP sample
1	SB03	۲>	N/A	0.0041 JB	41.46	Yes	N/A	5.0	Composite Sample

## Notes:

1. Metal(s) exceeds TAGM 4046 or Eastern USA Soil (EUS) Background (BG) guidance values.

All soil samples were analyzed for Target Compound List (TCL) Volatile Organic Compounds, Semi-Volatile Organic Compounds (SVOCs) Pesticides, PCBs, Tareget Analyte List (TAL) Metals and Total Petroleum Hydrocarbons (TPH).

All groundwater samples were analyzed for Target Compound List (TCL) Volatile Organic Compounds, Semi-Volatile Organic Compounds (SVOCs) Pesticides, PCBs and Target Analyte List (TAL) Metals.

N/A = Not applicable. PID was not used door to poor weather.

ND = Not Detected

NE = Not Encountered

itbgs = feet below ground surface

DDC Project Number: HWXP093B

New York City Department of Design and Construction Phase II Subsurface Corridor Investigation for Boller Avenue, Bronx, New York

Table 2. Summary of Target Compound List Volatile Organic Compounds Detected in Soil Phase II Subsurface Corridor Investigation for Reconstruction of Boller Avenue Bronx, New York

	Unrestricted Use	Residential Use	Sample ID,	Sample ID, Date Collected and Depth	and Depth
TCL VOC	Coil Cloum	(Tack Z)	SB01	SB02	SB03
	Objective (800-)	Original (CCCa)	5/4/2011	5/4/2011	5/4/2011
	colecuves (acus)	njectives (acus)   Objectives (acus)			
ethylene Chloride	0.05	51	0.0043 JB	0.0045 JB	0.0041 JB

# Notes:

All concentrations are reported in parts per million (ppm or mg/kg)

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

NS = No Standard

J = Estimated concentration

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006)

BOLD = Concentration exceeds Residential Use (Track 2) Soil Cleanup Objectives

Shading = Concentration exceeds Unrestricted Use (Track 1) Soil Cleanup Objectives

DDC Project Number: HWXP093B

		,
	·	

Table 3. Summary of Target Compound List Semi-Volatile Organic Compounds Detected in Soil Phase II Subsurface Corridor Investigation for Reconstruction of Boller Avenue Bronx, New York

	Unrestricted Use (Track 1)	Residential Use	Sample ID, I	Date Collecte	d and Depth
TCL SVOC	Soil Cleanup	Soil Cleanup	SB01	SB02	SB03
1.	Objectives (SCOs)	Objectives (SCOs)	5/4/2011	5/4/2011	5/4/2011
Acenaphthene	20	100	ND	ND	0.23 J
Acenaphthylene	100	100	ND	ND	0.48
Anthracene	100	100	0.069 J	ND	0.85
Benzo(a)anthracene	1	1	0.11 J	0.065 J	3.8 D
Benzo(a)pyrene	1	1	0.096 J	0.061 J	3.1
Benzo(b)fluoranthene	1	1	0.12 J	0.073 J	4.2 D
Benzo(g,h,i)perylene	100	100	0.066 J	ND	2.1
Benzo(k)fluoranthene	8.0	1	ND	ND	1.5
bis(2-Ethythexyl)Phthalate	NS	NS	ND	ND	0.18 J
Butylbenzylphthalate	NS	NS	ND	ND	0.066 J
Carbazole	NS	NS	ND	ND	0.31 J
Chrysene	1	1	0.11 J	0.065 J	3.7 D
Dibenz(a,h)anthracene	0.33	0.33	ND	ND	0.59
Dibenzofuran	7	14	ND	ND	0.14 J
Dimethyl Phthalate	NS	NS	0.34 JB	0.25 JB	0.38 JB
Fluoranthene	100	100	0.25 J	0.12 J	7 D
Fluorene	30	100	ND	ND	0.28 J
Indeno(1,2,3-cd)Pyrene	0.5	0.5	0.063 J	ND	2.4
Naphthaiene	12	100	ND	ND	0.088 J
Phenanthrene	100	100	0.13 J	0.061 J	3.6
Pentachlorophenol	0.8	2.4	ND	ND	0.068 J
Pyrene	<b>10</b> 0	100	0.21 J	ND	6.4 D

#### Notes:

All concentrations are reported in parts per million (ppm or mg/kg)

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

NS = No Standard

J = Estimated concentration

B = Analyte Found in Associated Method Blank

D = Diluted

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006)

BOLD = Concentration exceeds Residential Use (Track 2) Soil Cleanup Objectives

Shading = Concentration exceeds Unrestricted Use (Track 1) Soil Cleanup Objectives

DDC Project Number: HWXP093B

Table 4. Summary of Target Analyte List Metals Detected in Soil
Phase II Subsurface Corridor Investigation for Reconstruction of Boller Avenue
Bronx, New York

Towns Ameliate	Unrestricted Use	Residential Use (Track 2)	Sample I	D, Date Collected a	and Depth
Target Analyte List Metal	(Track 1) Soil Cleanup Objectives (SCOs)	Soil Cleanup Objectives (SCOs)	SB01 5/4/2011	SB02 5/4/2011	SB03 5/4/2011
Aluminum	NS	NS .	6260	6770	5890
Antimony	NS	NS	ND	ND	ND
Arsenic	13	· 16	ND	ND	0.42 J
Barium	350	350	98.5	85.3	413
Beryllium	7.2	14	0.42	0.42	0.35
Cadmium	2.5	2.5	0.16 J	0.99	0.52
Calcium	NS	NS .	3080	2110	14600
Chromium	30	36	10.2	11.6	12.5
Cobalt	NS	NS	5.78	5.32	4.92
Copper	50	270	24.1	46.4	34.9
Iron	NS	NS	11300	12000	10300
Lead	63	400	68.6	97.2	240
Magnesium	NS	NS	3120	2330	3250
Manganese	1600	2000	236	207	151
Mercury	0.18	0.81	0.14	0.277	0.382
Nickel	- 30	140	11.1	12.5	12.8
Potassium	NS	NS	1670	1270	1440
Selenium	3.9	36	0.87	1.39	1.22
Silver	2	36	ND	ND	0.33 J
Sodium	NS	NS	238	158	114
Thallium	NS	NS	0.47 J	ND	ND
Vanadium	NS	NS	23	21.7	27
Zinc	109	2200	85.2	352	294

#### Notes:

All concentrations are in parts per million (ppm or mg/kg)

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

NS = No Standard

BOLD = Concentration exceeds Residential Use (Track 2) Soil Cleanup Objectives

Shading = Concentration exceeds Unrestricted Use (Track 1) Soil Cleanup Objectives

DDC Project Number: HWXP093B

			•
			•

New York City Department of Design and Construction Phase II Subsurface Corridor Investigation for Boller Avenue, Bronx, New York

Table 5. Summary of Pesticides Detected in Soil Phase II Subsurface Corridor Investigation for Reconstruction of Boller Avenue Bronx, New York

	Unrestricted Use	Residential Use	Sample ID, I	Date Collecte	Sample ID, Date Collected and Depth
Pesticide	Quil Closuus	Coll Cleaning	SB01	SB02	SB03
	Objectives (SCOs)	Objectives (SCOs)	5/4/2011	5/4/2011	5/4/2011
	(	(0000) 0000000			
4,4-DDE	0.0033	1.8	ΩN	0.0077	0.037
4,4-DDT	0.0033	2.6	QN	0.023	0.13
Dieldrin	0.005	0.039	QN	S	0.022
alpha-Chlordane	0.094	0.91	QN	S	0.027
gamma-Chlordane	SN	SN	N	QN	0.028

# Notes:

All concentrations are reported in parts per million (ppm or mg/kg)

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

NS = No Standard

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006) **BOLD** = Concentration exceeds Residential Use (Track 2) Soil Cleanup Objectives

Shading = Concentration exceeds Unrestricted Use (Track 1) Soil Cleanup Objectives

DDC Project Number: HWXP093B

.

New York City Department of Design and Construction Phase II Subsurface Corridor Investigation for Boller Avenue, Bronx, New York

Table 6. Summary of Herbicides Detected in Soil Phase II Subsurface Corridor Investigation for Reconstruction of Boller Avenue Bronx, New York

	Unrestricted Use	Residential Use Sample ID, Date Collected and Depth	Sample ID, L	ate Collecte	d and Depth
Herbicide	(Track I)	Coil Closum	SB01	SB02	SB03
	dniiselo lioc	Objective (CCOs)	5/4/2011	5/4/2011	5/4/2011
	(Sone) savingalan	(sone) sakinaling (sone) sakinaling			
No Herbicides were detected	SN	NS	ΩN	QN	QN

# Notes:

All concentrations are reported in parts per million (ppm or mg/kg)


ND = Compound not detected above method detection limit (see attached lab report for mdl's)

NS = No Standard

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006) BOLD = Concentration exceeds Residential Use (Track 2) Soil Cleanup Objectives

Shading = Concentration exceeds Unrestricted Use (Track 1) Soil Cleanup Objectives

DDC Project Number: HWXP093B



New York City Department of Design and Construction Phase II Subsurface Corridor Investigation for Boller Avenue, Bronx, New York

Table 7. Summary of Polychlorinated Biphenyls Detected in Soil Phase II Subsurface Corridor Investigation for Reconstruction of Boller Avenue Bronx, New York

	Unrestricted Use	Residential Use Sample ID, Date Collected and Depth	Sample ID, E	Date Collecte	d and Depth
PCB	(Irack 1)	(Track Z)	SB01	SB02	SB03
	Soli Cleanup	Soil Cleanup	5/4/2011	5/4/2011	5/4/2011
	Objectives (SCUS)				
No PCBs were detected	scted		ΟN	ND	ND

# Notes.

All concentrations are reported in parts per million (ppm or mg/kg)

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

NS = No Standard

\* Refers to the total concentration of PCBs in the sample

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 20 **BOLD** = Concentration exceeds Residential Use (Track 2) Soil Cleanup Objectives

Shading = Concentration exceeds Unrestricted Use (Track 1) Soil Cleanup Objectives

DDC Project Number: HWXP093B

Table 8. Summary of Waste Classification Parameters Detected in Soil
Phase II Subsurface Corridor Investigation for Reconstruction of Boller Avenue
Bronx, New York

	RCRA		3	ID and Date	
Parameter	Hazardous	•	Collected		
				3TCLP 4/2011	
	Levels	Levels			
Ignitability	>140	°F	ND	l°F	
pH	>2 and < 12.5		8.34		
Reactive Cyanide	250	mg/kg		mg/kg	
Reactive Sulfide	500	mg/kg		mg/kg	
1,1-Dichloroethene	0.7	mg/L		ma/L	
1,2-Dichloroethane	0.5	mg/L		mg/L	
1,4-Dichlorobenzene	7.5	mg/L		mg/L	
2-Butanone	200	ma/L		ma/L	
Benzene	0.5	mg/L		mg/L	
Carbon tetrachloride	0.5	mg/L		mg/L	
Chlorobenzene	100	mg/L		ma/L	
Chloroform	6	ma/L		ma/L	
Tetrachloroethene	0.7	mg/L		ma/L	
Trichloroethene	0.5	mg/L		mg/L	
Vinyl Chloride	0.2	mg/L		mg/L	
2,4,5-Trichlorophenol	400	mg/L		mg/L	
2,4,6-Trichlorophenol	2	mg/L		ma/L	
2,4-Dinitrotoluene	0.13	mg/L		mg/L	
2-Methylphenol	200	mg/L		mg/L	
3&4-Methylphenol	200	mg/L			
lexachlorobenzene	0.13	mg/L		mg/L	
lexachlorobutadiene	0.13	mg/L		mg/L	
iexachioroethane	3	mg/L		mg/L	
Nitrobenzene	2	mg/L		mg/L	
Pentachiorophenol	100			mg/L	
Pyridine	5	mg/L		mg/L	
Chlorodane	0.03	mg/L		mg/L	
Endrin	0.03	mg/L		mg/L	
Gamma-BHC	0.02	mg/L		mg/L	
Heptachlor	0.008	mg/L		mg/L	
Heptachlor epoxide		mg/L		mg/L	
Methoxychlor	0.008	mg/L		mg/L	
Toxaphene	10	mg/L		mg/L	
2,4-D	0.5	mg/L		mg/L	
Silvex	10	mg/L		mg/L	
Arsenic	1	mg/L		mg/L	
Arsenic Barium	5	mg/L		mg/L	
Cadmium	100	mg/L	1.54		
Cadmidm Chromium		mg/L	0.0194 J		
	5	mg/L	0.0454 J		
Lead	5	mg/L	0.501		
Mercury	0.2	mg/L	ND	mg/L	
Selenium	1	mg/L		mg/L	
Silver	5	mg/L	ND	mg/L	

#### Notes:

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

N/A = Not Analyzed


**Bold** = Positive detection

Shaded = Concentration exceeds RCRA Hazardous Waste Level

.




### FIGURE 1 – TOPOGRAPHIC CORRIDOR LOCATION MAP



A3 - 68 (Revised)



### FIGURE 2 - SAMPLE LOCATION PLAN




•



### APPENDIX A BORING LOCATION PLAN

Louis Berger & Associates, P.C. DDC CAPIS ID No. HWXP093B

June 7, 2011 Work Order Letter No. 7563-LBA-2R-7190





# APPENDIX B GEOLOGIC BORING LOGS AND TEMPORARY WELL CONSTRUCTION DETAILS

			& Assoc.,				1	Drilling T	BORING ID:	SB0	1
			eet, 23rd			İ	1	Drilling Log	WELL ID:	N/A	
			w York 1			<u> </u>		Page 1 of 2	LOCATION:	Bro	ıx, NY
			~~~					and Construction	PROJECT NO:	CK?	7890E9
			nstructio						FMS ID#:	HW	XP093B
								g and Testing, Inc.	WOL #:	7563	-LBA-2R-719
DRILI			HOD:		robe :	Direct	Push		DATE STARTED	: 5/4/	2011
		***********	DLE DA	TA				WELL DATA	DATE FINISHED	: 5/4/2	2011
Diame		<u> </u>	2			We	ell Dia	meter: N/A	DRILLER:	C. Id	odice
Total 1				.00		Tot	al Der	oth (ft): N/A	LBA INSPECTO	R: J. M	cGarry
Depth				.00	·	Scr	een L	ength (ft): N/A	NORTHING:	N/A	
Depth				····		De	pth to	Water (ft): N/A	EASTING:	N/A	
Depth	to Ro	ck (ft	): 16			Slo	t Size:	: N/A	SURFACE ELEV	ATIO	N: N/A
NOTE	S: PI	D mal	function	due to	rainii	ng					
				1=	<b>P.</b>		T		<u> </u>		
Well Construction				Sample Interval	Sample Recovery	æ	<b>=</b>				
Well	Depth	Lithology	USCS	Į Š	Sec	Blows/6 in	PID (ppm)	Description			Remarks
<b>V</b>	å	i i	5	ple	흥	<b>3</b> €		·			Remains
. Ŭ				l E	I III	_	<b>a</b>				
	10-		ML	XXX	Ö		NA	Dowle vollowish have (103/DA	O OT TE Vale F	<u> </u>	Silt, cleared
			IVIL	<b>****</b>	1			Dark yellowish brown (10YR4/ Sand, little medium to fine Grav		nne .	with Air Knif
				<b>****</b>	1						to 5 feet bgs
	-				1						
		田		<b>※</b>	1						
				<b>***</b>	1						
	2 -			<b>****</b>	1						
				$\otimes$							
				$\otimes$							
				<b>****</b>							
	-										
				<b>****</b>							
				<b>****</b>							
	4 -			<b>****</b>							
		÷==		<b>***</b>							
	-						NT A				
			ML	<b>****</b>			NA	Moderate yellowish brown (10)	YR5/4) SILT, little media	um to	
		-==		$\otimes\!\!\!\otimes$				fine Sand, little medium to fine	Graver; dry		
	6 -			<b>***</b>							
				<b>****</b>							
	1										
					1						
											•
	8 -	<u> </u>									Collected
											composite
1	1	<b>:::</b>		<b>***</b>							sample SB01
	i			XXX	a I		1				1

A3 - 74 (Revised)

	Louis Berger & Assoc., P.C. 199 Water Street, 23rd Floor						PRO	DJECT NO.: CKT890E9	BORING NO.: S	B01	
L				w York 1					Page 2 of 2	WELL NO.: N	[/A
	Well	Depth	Lith.	nscs	Interval	Rec.	Blows	PID	Description		Remarks
		12 -		ML ML				NA NA	Dark yellowish brown (10YR4/2) Sand, trace medium to fine Gravel  Moderate yellowish brown (10YR fine Sand, trace medium to fine Gravel	; dry  5/4) SILT, some medium to	Sandy Silt
		-16		ML				NA	Moderate yellowish brown (10YR fine Sand, trace medium to fine Gr		Refusal at 16 ft bgs

		•		
Louis Berger & Assoc., P.C.		D.:::: T	BORING ID: SB	02
199 Water Street, 23rd Floor		Drilling Log	WELL ID: N/A	
New York, New York 10038		Page 1 of 1		nx, NY
CLIENT: New York City Department	t of Design	and Construction		T890E9
PROJECT: Reconstruction of Boller	Ave, Phase	II SCI		/XP093B
DRILLING CONTRACTOR: Aqu	ifer Drillin	g and Testing, Inc.	T	3-LBA-2R-719
DRILLING METHOD: Geoprobe Di	irect Push		DATE STARTED: 5/4	
BOREHOLE DATA		WELL DATA	DATE FINISHED: 5/4/	
Diameter (in): 2	Well Dia	meter: N/A		odice
Total Depth (ft): 5.5	Total Dep		LBA INSPECTOR: J. M	
Depth to Refusal (ft): 5.5	Screen L	ength (ft): N/A	NORTHING: N/A	
Depth to Water (ft): N/A		Water (ft): N/A	EASTING: N/A	
Depth to Rock (ft): 5.5	Slot Size:	N/A	SURFACE ELEVATIO	N: N/A
NOTES: PID malfunction due to raining				
Construction Depth Lithology USCS Sample Interval	Blows/6 in PID (ppm)	Description		Remarks
2 111111111111111111111111111111111111	NA	Dark yellowish brown (10YR4/2) Sand, some medium to fine Grave	SILT, little medium to fine el; dry	Gravelly Silt, cleared with Air Knife to 5 feet bgs  Collected composite sample SB02.

Dark yellowish brown (10YR4/2) SILT, little medium to fine Sand, some medium to fine Gravel; dry

Refusal at 5.5 ft bgs

NA

Louis Berger & Assoc., P.C. 199 Water Street, 23rd Floor New York, New York 10038					Drilling Log	BORING ID: SB WELL ID: N/A	1			
								Page 1 of 1	LOCATION: Bro	nx, NY
								and Construction		T890E9
			nstructio							/XP093B
								g and Testing, Inc.		3-LBA-2R-719
DKILI	_		HOD:		robe	Direct	Push		DATE STARTED: 5/4	
D:			DLE DA	TA				WELL DATA	DATE FINISHED: 5/4	<b>′</b> 2011
Diame			2					meter: N/A		odice
Total I			5.0					oth (ft): N/A	LBA INSPECTOR: J. N	/IcGarry
Depth					····			ength (ft): N/A	NORTHING: N/A	<u> </u>
Depth								Water (ft): N/A	EASTING: N/A	A.
Depth	to Ro	ck (ft	): 5.0	)	-	Slo	ot Size	N/A	SURFACE ELEVATION	N: N/A
Well Construction	Oepth	Lithology	nscs	Sample Interval	Sample Recovery	Blows/6 in	PID (ppm)	Description		Remarks
	2 -		ML				NA	Dark yellowish brown (10YR4/2 Sand, little medium to fine Grav		Silt, cleared with Air Knife to 5 feet bgs  Collected composite sample SB03.

Refusal at 5.0 ft bgs



# APPENDIX C LABORATORY ANALYTICAL RESULTS

Contractors/Consultants can obtain laboratory analytical results from New York City Department of Design and Construction Infrastructure Division, Program Administration – Engineering Support Services.

### END OF ADDENDUM NO. 3

This Addendum consists of forty-three (43) pages.

Project ID: HWXP093B

# CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

### **ADDENDA CONTROL SHEET**

BID OPENING DATE:	May 24, 2013
PROJECT NO.: HWXP093E	3

TITLE: RECONSTRUCTION OF BOLLER AVENUE

Attached are the following Documents	No. of Drawings	DATE
#1: Amendments to Standard Highway Specs.		2/8/2013
#2: Sewer and Water Main Specifications		3/20/2013
#3: Hazardous Materials		1/16/2013
#4: Private Utility		1/2/2013
#5: Additional Amendments		5/14/2013

#### ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK
DEPARTMENT OF DESIGN AND CONSTRUCTION
INFRASTRUCTURE DIVISION
BUREAU OF DESIGN

Project ID: HWXP093B

RECONSTRUCTION OF

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK

ADDENDUM NO. 5

DATED: May 14, 2013

THIS ADDENDUM IS HEREBY MADE A PART OF THE CONTRACT DOCUMENTS

- 1. See the attached page of "Questions Submitted by a Bidder and DDC's Responses".
- 2. Refer to the Bid and Contract Documents, Volume 3 of 3, Addendum No. 1, pages A1-16, Subsection 7.68A.6., MATERIALS;

  Delete Subsection 7.68A.6.(A), in its entirety;

  Substitute the following revised Subsection 7.68A.6.(A):

"(A) Geogrid

 The geogrid shall be a commercially available biaxial geogrid with a minimum Long Term Design Strength (LTDS) Geosynthic Research Institute (GRI) GG4 of 300 plf in each direction."

By signing in the space provided below, the bidder acknowledges receipt of this Addendum consisting of one (1) page and one (1) page of attachment.

THIS ADDENDUM MUST	DE MANES BY	ALL DIDDEDO	AND ATTACHE	B 20 WIND BIL
	RESIGNED BY	ALL BUNNEDS		IN IO LULIU DIL
THE PROPERTY OF THE PROPERTY O		<b>TEE DIDDEISO</b>	AND ALLACIL	D IO HIER DID

MOHSEN ZARGARELAHI, P.E. Assistant Commissioner

	Name of Bidder	
By:		

v

### Questions Submitted by a Bidder and DDC's Responses

QUESTION #1: Refer to Page A1-35 of Bid Documents Volume 3 - Paragraph O "Start of Contract Work" states that is the intent of the Agency to start work two (2) months after registration. Does the Agency have a target date for registration?

ANSWER #1: No.

QUESTION #2: Refer to Contract Drawing TS1 (Sheet 6) - The typical section shows that direct payment for the temporary excavation support system occurs only when the sheeting system is within the influence line of buildings. The quantity for the typical support of excavation item is 270'. According to our analysis, approximately 185' of direct paid sheeting will develop along the North-East side of Boller Avenue, and the remaining 85' in the return at Needham Avenue. Please advise if the South-East corner of Boller Avenue is to be included in the areas of sheeting within the influence line of building.

ANSWER #2: The temporary excavation support system shall also be installed on the southeast corner of Boller and Needham avenues unless otherwise directed by the Engineer.

QUESTION #3: Refer to Page A1-16 of Bid Documents Volume 3 - After contacting all the suggested geogrid manufacturers, we understand that the specified products are no longer available. All the manufacturers are offering replacement products that partially meet the required Technical Characteristics, please advise if this is acceptable.

ANSWER #3: Please refer to Article No.1 on page A5-1 of this addendum.

QUESTION #4: Due to the current bid schedule and the pending RFI's, we respectfully request a one (1) week bid postponement. Please advise.

ANSWER #4: The current bid date shall remain unchanged.

## CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

### **ADDENDA CONTROL SHEET**

BID OPENING DATE:	June 4, 2013	
PROJECT NO.: HWXP0	93B	

TITLE: RECONSTRUCTION OF BOLLER AVENUE

Attached are the following Documents	No. of Drawings	DATE
#1: Amendments to Standard Highway Specs.		2/8/2013
#2: Sewer and Water Main Specifications		3/20/2013
#3: Hazardous Materials		1/16/2013
#4: Private Utility		1/2/2013
5: Additional Amendments		5/14/2013
6: Additional Amendments		5/21/2013
7: Additional Amendments		5/23/2013

### ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK
DEPARTMENT OF DESIGN AND CONSTRUCTION
INFRASTRUCTURE DIVISION
BUREAU OF DESIGN

Project ID: HWXP093B

RECONSTRUCTION OF

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK

ADDENDUM NO. 7

DATED: May 23, 2013

THIS ADDENDUM IS HEREBY MADE A PART OF THE CONTRACT DOCUMENTS

1. Refer to the Bid and Contract Documents, Volume 1 of 3, Attachment
No. 1, Bid Information on Page A-1;
Change the date shown for Submission of Bids To: and for Bid
Opening from "May 24, 2013" to read "June 4, 2013".

By signing in the space provided below, the bidder acknowledges receipt of this Addendum consisting of one (1) page.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BID

MOHSEN ZARGARELAHI, P.E.

Assistant Commissioner

## CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

## **ADDENDA CONTROL SHEET**

BID OPENING DATE:	June 4, 2013
PROJECT NO.: HWXP093E	3

TITLE: RECONSTRUCTION OF BOLLER AVENUE

Attached are the following Documents	No. of Drawings	DATE
#1: Amendments to Standard Highway Specs.		2/8/2013
#2: Sewer and Water Main Specifications		3/20/2013
#3: Hazardous Materials		1/16/2013
#4: Private Utility		1/2/2013
#5: Additional Amendments		5/14/2013
#6: Additional Amendments		5/21/2013
#7: Additional Amendments		5/23/2013
#8: Additional Amendments		5/29/2013

#### ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK
DEPARTMENT OF DESIGN AND CONSTRUCTION
INFRASTRUCTURE DIVISION
BUREAU OF DESIGN

Project ID: HWXP093B

RECONSTRUCTION OF

BOLLER AVENUE
FROM STATION 10+50 TO STATION 18+00
NEEDHAM AVENUE
FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK

ADDENDUM NO. 8

DATED: May 29, 2013

THIS ADDENDUM IS HEREBY MADE A PART OF THE CONTRACT DOCUMENTS

- 1. Refer to the Bid and Contract Documents, Volume 1 of 3, pages
  B 3 through B 32 of the BID SCHEDULE;

  Delete pages B 3 through B 32, in their entirety;

  Substitute the revised BID SCHEDULE as contained on the attached pages B 3 [REVISION # 1] through B 32 [REVISION # 1].
- Refer to the Bid and Contract Documents, Volume 3 of 3, Page A1-28 in Addendum No. 1;
  Insert the attached new pages A1-28a and A1-28b after page A1-28.
- 3. Refer to the Bid and Contract Documents, Volume 3 of 3, Special Provisions, Article O, on Page A1-35 in Addendum No. 1;

  Insert the following new Article O1 between Articles O and P:
  - "01. THE CONTRACTOR IS NOTIFIED that for use of City water under this project the Contractor shall be required to obtain a water use permit from the Department of Environmental Protection at the Contractor's own cost."

4. Refer to the Contract Drawings SHEET 6 OF 35 (TS1/TS3), TYPICAL SECTIONS (1 OF 3), upper left side of the TYPICAL SECTION - SUBGRADE REMEDIATION AS ORDERED BY THE ENGINEER, located in the top half of the sheet;

Modify the leaders coming from the words "UNCLASSIFIED EXCAVATION", located in the upper left side of the TYPICAL SECTION - SUBGRADE REMEDIATION AS ORDERED BY THE ENGINEER, as shown in the attached Sketch No. 1.

By signing in the space provided below, the bidder acknowledges receipt of this Addendum consisting of two (2) pages and <u>thirty-three (33)</u> pages of attachment.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BID

MOHSEN ZARGARELAHI, P.E.

Assistant Commissioner

•

05/29/2013 9:08AM Ver 5:00.01



Contract PIN 8502013HW0024C Project ID HWXP093B

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

# BID SCHEDULE

- share of the Bidder's anticipated profit, overhead costs, and other indirect which do not reflect reasonable actual costs plus a reasonable proportionate An unbalanced bid is considered to be one containing lump sum or unit items The Agency may reject a bid if it contains unbalanced bid prices. costs, anticipated for the performance of the items in question. <u>T</u> NOTE:
- The following bid prices on Unit Price Contracts are to be paid for the actual quantities of the several classes of work in the completed work or structure, appliances of every description necessary to complete the entire work, as specified, and the removal of all debris, temporary work and appliances. and they cover the cost of all work, labor, material, tools, plant and (5)
- PLEASE BE SURE A LEGIBLE BID IS ENTERED, IN INK, FOR EACH ITEM. Alterations must be initialed in ink by the bidder. (3)
- The Extended Amount entered in Column 5 shall be the product of the Estimated Quantity in Column 2 times the Unit Price Bid in Column 4. (4)
- before bidding, must advise the Commissioner, in writing, if any Prospective bidders must examine the Bid Schedule carefully and, pages are missing, and must request that such missing pages be consecutively, as follows: B - 3 through B - 32 [REVISION # 1] furnished them. The pages of this Bid Schedule are numbered (2)

B - 3 [REVISION # 1]

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION

8502013HW0024C HWXP093B Project ID

05/29/2013		Contract PIN	8502013HW00
9:08AM BID PAGES	NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION	Project ID	HWXP093B
	DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN		
•			

1 COL. 2 COL. 3 COL. 4 COL. 5	MABER ENGINEER'S CLASSIFICATIONS UNIT PRICES EXTENDED AMOUNTS  (IN FIGURES) (IN FIGURES)	5,522.0 ASPHALT MACADAM PAVEMENT, 6" THICK	S.Y.	484.0 ASPHALTIC CONCRETE WEARING COURSE, 2" THICK	S.Y.		1,657.0 ASPHALTIC CONCRETE MIXTURE	TONS	79.0 CONCRETE IN STRUCTURES, CLASS A-40	G.Y.	
COL. 1	ITEM NUMBER	4.01 RAG	(001)	4.02 AF-R	(005)		4.02 CB	(6003)	4.06	(004)	

BID PAGES 9:08AM

Contract PIN

Project ID

8502013HW0024C HWXP093B

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

	COL. 4 COL. 5	UNIT PRICES EXTENDED AMOUNTS (IN FIGURES)	DOLLARS CTS DOLLARS CTS		40			w.		44,000	w.		w.	
DESCRIPTION OF THE PROPERTY OF DESIGNATION OF THE PROPERTY OF	COL. 3	CLASSIFICATIONS		CONCRETE CURB (21" DEEP)		STRAIGHT STEEL FACED CONCRETE CURB (21"	DEEP)		CORNER STEEL FACED CONCRETE CURB (21" DEEP)			ROCK EXCAVATION IN STREETS, TRENCHES AND STRUCTURES		
	COL. 2	ENGINEER'S ESTIMATE OF OUANTITIES		2,000.0	H.	132.0	L.F.		91.0	L.H.	Ÿ	34.0 C.Y.		
	COL. 1	ITEM NUMBER (SEOUENCE NO.)		4.08 BA	(002)	4.09 AE	(900)		4.09 CE	(002)		4.11 AA (008)		

9:08AM

**BID PAGES** 

**NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION** DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN

8502013HW0024C HWXP093B Project ID

CTS EXTENDED AMOUNTS (IN FIGURES) . COL. 5 DOLLARS €. CIS UNIT PRICES (IN FIGURES) COL. 4 DOLLARS ROCK AT DEPTHS GREATER THAN FIVE (5) FEET IN TRENCHES AND FOR STRUCTURES EARTH EXCAVATION FOR SUBGRADE REMEDIATION EARTH EXCAVATION FOR SUBGRADE REMEDIATION EARTH EXCAVATION FOR SUBGRADE REMEDIATION ADDITIONAL INCREMENTAL COST TO EXCAVATE CLASSIFICATIONS COL. 3 (10' TO UNDER 15' DEEP) (15' TO UNDER 20' DEEP) (5' TO UNDER 10' DEEP) 39.0 C.Y. 5,794.0 5,391.0 ENGINEER'S ESTIMATE OF C.Y. 5,794.0 OUANTITIES COL. 2 (SEQUENCE NO.) ITEM NUMBER COL. 1 4.11 BAA0510 4.11 BAA1015 4.11 BAA1520 4.11 BAA (600) (010) (011) (012)

05/29/2013 9:08AM BID PAGES

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN Project ID

| 8502013HW0024C | HWXP093B

	COL. 5	ES EXTENDED AMOUNTS (IN FIGURES)	CTS DOLLARS CTS		<i>w</i>								w-	
	COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS		w.	-		<b>.</b>		v			w	
DIVISION OF INFRASTRUCTORE - BUREAU OF DESIGN	<u>COT. 3</u>	CLASSIFICATIONS		EARTH EXCAVATION FOR SUBGRADE REMEDIATION (20' TO 25' DEEP)		FILL, PLACE MEASUREMENT			SELECT GRANULAR FILL, PLACE MEASUREMENT		4" CONCRETE SIDEWALK (UNPIGMENTED)			
5	COL. 2	ENGINEER'S ESTIMATE OF		4,683.0 C.Y.		24,918.0	C. Y.		4,596.0		9,216.0	S.E.		
	COL. 1	ITEM NUMBER		4.11 BAA2025 (013)		4.11 CA	(014)		4.11 CC		4.13 AAS	(016)		

05/29/2013 9:08AM BID PAGES

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN

8502013HW0024C

HWXP093B Project ID

COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS				<b>-</b>						
	- <del>-</del>	CIS		<u>ه</u>		U	<u>,</u>		<u>w</u>		w	
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS		v		·	<u> </u>		w.		w.	
COL. 3	CLASSIFICATIONS		4" CONCRETE SIDEWALK ON EXISTING FOUNDATION (UNPIGMENTED)		7" CONCRETE SIDEWALK (UNPIGMENTED)			EMBEDDED PREFORMED DETECTABLE WARNING UNITS		STEEL REINFORCEMENT BARS		
COL. 2	ENGINEER'S ESTIMATE OF		750.0 S.F.		8,616.0	Ω Ή		0.88	Ω Ħ	15,840.0		
COL. 1	ITEM NUMBER		4.13 AAT (017)		4.13 BAS	(018)		4.13 DE	(019)	4.14 (020)		

05/29/2013 BID PAGES 9:08AM

8502013HW0024C Contract PIN Project ID

HWXP093B

9:08AM BID PAGES	NEV	NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN	Project ID	HWXP093B	
COL. 1	COL. 2	COL. 3	COL. 4	COL. 5	
SEOUENCE NO.)	ESTIMATE OF OUANTITIES	CLASSIFICATIONS	UNIT PRICES (IN FIGURES)	EXTENDED AMOUNTS (IN FIGURES)	SIL
			DOLLARS	S DOLLARS	CTS
4.14 W	218.0	WELDED STEEL WIRE FABRIC			
(021)	LBS.				
			40-	w.	
4.16 AA	13.0	TREES REMOVED (4" TO UNDER 12" CALIPER)			
(022)	ЕАСН				·
			w.	w.	
4.16 CA	18.0	TREES PLANTED, 3" TO 3-1/2" CALIPER, ALL			
(023)	ЕАСН	TYPES			
			<b>.</b>		<u> </u>
4.18 A	12.0	MAINTENANCE TREE PRUNING (UNDER 12" CAL.)			
(024)	EACH				
			w-	w	

BID PAGES 9:08AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN

8502013HW0024C HWXP093B

Project ID

	., 4 COL. 5	UNIT PRICES EXTENDED AMOUNTS (IN FIGURES)	S CTS DOLLARS CTS			<i>w</i>	-			47			\(\frac{1}{2}\)			w.	
	COL.	UNIT (IN F	DOLLARS			€.				so.			w			\$	
DIVISION OF INFRASTRUCTORE - BUREAU OF DESIGN	COL. 3	CLASSIFICATIONS		SODDING				TREE CONSULTANT				COVER		STANDARD CATCH BASIN, TYPE 1			
5	COL. 2	ENGINEER'S ESTIMATE OF		1,661.0	S.Y.			1,560.0	P/HR		6.0	ЕАСН		6.0	EACH		
	COL. 1	ITEM NUMBER		4.19	(025)			4.21	(026)		51.23RF	(027)		51.418001	(028)		

9:08AM BID PAGES

Contract PIN 8

IN 8502013HW0024C HWXP093B

Project ID NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

COL. 4 COL. 5	UNIT PRICES EXTENDED AMOUNTS (IN FIGURES)	RS CTS DOLLARS CTS			<i>y</i>	-						## A Part of the P			w-	
COL. 3	CLASSIFICATIONS UNI	DOLLARS	12" DUCTILE IRON PIPE BASIN CONNECTION		es.		ABANDONING BASINS AND INLETS		w.	CLEARING AND GRUBBING		SP.	UNCLASSIFIED EXCAVATION		w.	
COL. 2	ENGINEER'S ESTIMATE OF		231.0	L.F.			1.0	ЕАСН		1,210.0	S.Y.		13,298.0	C.Y.		
COL. 1	ITEM NUMBER		52.11D12	(029)			55.11AB	(030)		6.01 AC	(031)		6.02 AAN	(032)		

9:08AM BID PAGES

Contract PIN 8502013HW0024C

Project ID

HWXP093B

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

	Mounts Res)	CIIS					<u> </u>		
COL. 5		DOLLARS							
		CTS	<u>ν,</u>		ه. م		<u>∞</u> δ.		<b>%</b> '
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS	v <sub>r</sub>		\$		w		<b>S</b>
COL. 3	CLASSIFICATIONS		ALUMINUM PICKET FENCE, 4' HIGH	ALUMINUM PICKET GATES, 4' HIGH		BROKEN STONE BALLAST	Unit price bid shall not be less than: \$ 50.40	TEMPORARY SIGNS	
COL. 2	ENGINEER'S ESTIMATE OF		838.0 L.F.	293.0	ਮ	4,037.0 C.Y.		660.0 S.F.	
COL. 1	ITEM NUMBER		6.18 F (033)	6.18 G		6.20		6.25 RS (036)	

**BID PAGES** 9:08AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN

8502013HW0024C HWXP093B Project ID

	S	CIS			!			-						
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS			w			w-			*			·
		CIS												
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS			·		-	•			·			···
COL. 3	CLASSIFICATIONS		TIMBER CURB			DEMOLITION OF FENCING			DEMOLITION OF MASONRY STRUCTURES			LIGHTED TIMBER BARRICADES		
COL. 2	ENGINEER'S ESTIMATE OF		1,936.0	다. 된		4,620.0	편. 편.		68.0	C.Y.		1,056.0	L.F.	
COL. 1	ITEM NUMBER		6.26	(037)		6.27 F	(038)		6.27 M	(039)		6.28 AA	(040)	

05/29/2013 9:08AM BID PAGES

Contract PIN 8

8502013HW0024C HWXP093B

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION

DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

BID PAGES 9:08AM

Contract PIN

8502013HW0024C HWXP093B Project ID

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

COL. 1         COL. 2         COL. 3         COL. 4         COL. 5	EM NUMBER ENGINEER'S CLASSIFICATIONS UNIT PRICES EXTENDED AMOUNTS  (IN FIGURES)  (IN FIGURES)		18.0 ENGINEER'S FIELD OFFICE (TYPE D)	MONTH	w		1,584.0 PHOTOGRAPHS	SETS		1,243.0 THERMOPLASTIC REFLECTORIZED PAVEMENT	L.F. MARKINGS (4" WIDE)	· · · · · · · · · · · · · · · · · · ·	921.0 DENSE-GRADED STONE BASE	C.Y.	**************************************	
COL. 1	ITEM NUMBER	2	6.40 D	(045)		,	6.43	(046)		6.44	(047)		6.46	(048)		

BID PAGES 9:08AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN

8502013HW0024C HWXP093B Project ID

	COI. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS		 - ·					_							
		S)	CILS			<u>~</u>			<u>~</u>				<u>••</u>			<u>.</u>	
	COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS			\$			8				en.			8	
	COL. 3	CLASSIFICATIONS		TEMPORARY PAVEMENT MARKINGS (4" WIDE)			CLEANING OF DRAINAGE STRUCTURES				UNIFORMED FULL-TIME FLAGPERSON			SAWCUTTING EXISTING PAVEMENT			
	COL. 2			1,822.0	L.F.		6.0	EACH			176.0	P/HR		199.0	L.F.		
	COL. 1	ITEM NUMBER		6.49	(049)		6.50	(020)			6.52	(051)		6.55	(052)		

BID PAGES 9:08AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

8502013HW0024C Contract PIN

Project ID

HWXP093B

		S.	CIS										1				
	COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS			w				w.			w.			8	
			CIS														
	COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS			w-				w			ø.			· ·	
DIVISION OF INFRASIRUCTURE - BUREAU OF DESIGN	COL. 3	CLASSIFICATIONS		TEMPORARY CONCRETE BARRIER WITH FENCE			DIASHIT THEO EXPORT				GRINDING EXISTING ASPHALTIC CONCRETE	WEARING COURSE			SIGNS		
	COL. 2	ENGINEER'S ESTIMATE OF OUANTITIES		2,726.0	다.		14 530 0	0.000/11	S.Y.		28.0	C.Y.		19.0	S. н.		
	COL. 1	ITEM NUMBER (SEOUENCE NO.)		6.59 PF	(053)		6.68		(054)		6.75	(055)		6.82 A	(056)		

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN Project ID

8502013HW0024C HWXP093B

	IS	CTS										
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS		w			<b>S</b>		ø.			<b>S</b>
		CIS										
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS		w			w		w-			8
COL. 3	CLASSIFICATIONS		REMOVING EXISTING TRAFFIC AND STREET NAME SIGN POSTS		FURNISHING NEW TRAFFIC SIGN POSTS			FURNISHING NEW REFLECTORIZED TRAFFIC SIGNS		INSTALLING TRAFFIC SIGNS		
COL. 2	ENGINEER'S ESTIMATE OF OUANTITIES		40.0 L.F.		26.0	L.F.		14.0	ν F	14.0	SQ EA	
COL. 1	ITEM NUMBER (SEOUENCE NO.)		6.82 B (057)		6.83 AB	(058)		6.83 AR	(6co)	6.83 BA	(090)	

9:08AM BID PAGES

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN

8502013HW0024C HWXP093B

Project ID

COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS			· ·						·			8	
	w 🙃	CIS		- <del>-</del> -	_	 		_	 		_				
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS			S.			\$			\$			₩.	
COL. 3	CLASSIFICATIONS		INSTALLING TRAFFIC SIGN POSTS			FURNISHING NEW STREET NAME SIGNS			FURNISHING NEW STREET NAME SIGN POSTS			INSTALLING STREET NAME SIGNS			
COL. 2	ENGINEER'S ESTIMATE OF		26.0	L.F.		4.0	ου [편	<u>.</u>	15.0	L.F.		4.0	된.		
COL. 1	ITEM NUMBER (SEOUENCE NO.)		6.83 BB	(061)		6.86 AA	(062)		6.86 AB	(063)		6.86 BA	(064)		

Contract PIN

8502013HW0024C HWXP093B Project ID

		DIVISION OF INTRASTRUCTORE - BUREAU OF DESIGN			
COL. 1	COL. 2	COL. 3	COL. 4	COL. 5	
ITEM NUMBER	ENGINEER'S ESTIMATE OF	CLASSIFICATIONS	UNIT PRICES (IN FIGURES)	EXTENDED AMOUNTS (IN FIGURES)	S E
(SEKOENCE NO.)	STITION		DOLLARS CTS	DOLLARS	CIIS
6.86 BB	15.0	INSTALLING STREET NAME SIGN POSTS			
(065)	. H.				
			w-	87	
6.87	660.0	PLASTIC BARRELS			
(990)	EACH				
			\$		
6.91	199.0	REFLECTIVE CRACKING MEMBRANE (18" WIDE)			
(067)	1.F.				
			w-	v <sub>r</sub>	
6.99	1.0	AUDIO AND VIDEO DOCUMENTATION SURVEY			
(890)	F				

05/29/2013 BID PAGES

9:08AM

Contract PIN Project ID

8502013HW0024C HWXP093B

9:08AM BID PAGES	NEV DIV	NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN	Project ID	нихр093в	
COL. 1	COL. 2	COL. 3	COL. 4	COL. 5	
ITEM NUMBER	ENGINEER'S ESTIMATE OF	CLASSIFICATIONS	UNIT PRICES (IN FIGURES)	EXTENDED AMOUNTS (IN FIGURES)	SI
(SEQUENCE NO.)	OUANTITIES		DOLLARS	DOLLARS	CILS
62.14FS	4.0	FURNISHING, DELIVERING AND INSTALLING HYDRANT FENDERS			
	EACH		·	w.	
7.12 A	0.67	PROCTOR ANALYSIS			
(070)	ЕАСН				
			W-	w-	
7.12 B	237.0	IN-PLACE SOIL DENSITY TEST			
(071)	EACH				
			<u> </u>	w-	
7.13 B	12.0	MAINTENANCE OF SITE			
(072)	MONTH				
		Unit price bid shall not be less than: \$7,875.00		· ·	
	_				

05/29/2013	•	<b>.</b>	Contract PIN	8502013HW0024C	
9:08AM BID PAGES	NEV	NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN	Project ID	нихр093в	
COL. 1	COL. 2	COL. 3	COL. 4	COL. 5	
ITEM NUMBER	ENGINEER'S	CLASSIFICATIONS	UNIT PRICES	EXTENDED AMOUNTS	
(SEQUENCE NO.)	OUANTITIES		DOLLARS CTS	DOLLARS CTS	ي ا
7.15	135.0	TEMPORARY WOODEN STEPS			. 1
(073)	T.		· ·		
			*	85-	
7.16 D	0.09	TEST PITS			
(074)	C.Y.		-		
				·	
7.18 CM	263.0	CONTROLLED LOW STRENGTH MATERIAL (CLSM)			
(075)	C.Y.				
				W.	
7.36	5,119.0	PEDESTRIAN STEEL BARRICADES			
(076)	L.F.		<del></del> -		

05/29/2013 9:08AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN

8502013HW0024C HWXP093B

Project ID BID PAGES

COL. 1	COL. 2	<u>COL. 3</u>	COL. 4		COL. 5	
ITEM NUMBER	ENGINEER'S ESTIMATE OF	CLASSIFICATIONS	UNIT PRICES (IN FIGURES)		EXTENDED AMOUNTS (IN FIGURES)	တ္
			DOLLARS	CIS	DOLLARS	CTS
7.68 A	13,760.0	GEOGRID				
(077)	S.Y.					
			\$	<u>∞,</u>		
7.88 AA	1.0	RODENT INFESTATION SURVEY AND MONITORING				
(078)	L.S.					
		Unit price bid shall not be less than: \$ 2,200.00	w-	· σν'		
7.88 AB	72.0	RODENT BAIT STATIONS				
(079)	ЕАСН					
	:	Unit price bid shall not be less than: \$ 67.20	es-	<u>ம'</u>		
7.88 AC	72.0	BAITING OF RODENT BAIT STATIONS				
(080)	EACH					
		Unit price bid shall not be less than: \$9.71	·	   		1

Contract PIN

Project ID

1 8502013HW0024C HWXP093B

COL. 4 COL. 5	UNIT PRICES EXTENDED AMOUNTS (IN FIGURES)	DOLLIARS CTS DOLLIARS CTS			w-	L OF	CO.	SOIL FOR	<i>w</i>	. OF	w.
COL. 3	CLASSIFICATIONS		WATERBUG BAIT APPLICATIONS		Unit price bid shall not be less than: \$72.45	HANDLING, TRANSPORTING AND DISPOSAL OF NON-HAZARDOUS CONTAMINATED SOIL		SAMPLING AND TESTING OF CONTAMINATED/POTENTIALLY HAZARDOUS SOIL FOR DISPOSAL PURPOSES		HANDLING, TRANSPORTING AND DISPOSAL OF	
COL. 2	ENGINEER'S ESTIMATE OF		4.0	BLOCK		3,000.0 TONS		2.0 SETS		1.0 TONS	
COL. 1	ITEM NUMBER		7.88 AD	(081)		8.01 C1 (082)		8.01 C2 (083)		8.01 H (084)	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN Project ID

IN 8502013HW0024C HWXP093B

COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS			w		 -							-	-
	ES ES)	CTS			 			  - 	 					  -   	
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS			w.			\$			8			8	
COL. 3	CLASSIFICATIONS		HEALTH AND SAFETY				OF CONTAMINATED WATER		SAMPLING AND TESTING OF WATER			SPECIAL CARE EXCAVATION AND RESTORATION FOR	SIDEMPLA WOKK		
COL. 2	ENGINEER'S ESTIMATE OF		1.0	L.S.		7.0	DAY		1.0	SETS		1,320.0	Н.	-	
COL. 1	ITEM NUMBER		8.01 s	(082)		8.01 W1	(980)		8.01 WZ	(087)		8.02 A	(088)		

05/29/2013 BID PAGES 9:08AM

Contract PIN

8502013HW0024C HWXP093B Project ID

COL. 4 COL. 5	UNIT PRICES EXTENDED AMOUNTS (IN FIGURES)	DOLLARS CTS DOLLARS CTS		<b>30</b>	50,000.00	en-	w
COL. 3	CLASSIFICATIONS		SPECIAL CARE EXCAVATION AND RESTORATION FOR CURB WORK	w.	ALLOWANCE FOR ANTI-FREEZE ADDITIVE IN CONCRETE PRICE BID SHALL BE FOR THE FIXED SUM OF \$ 50,000.00	TEMPORARY EXCAVATION SUPPORT SYSTEM (5' TO UNDER 10' DEEP)	TEMPORARY EXCAVATION SUPPORT SYSTEM (10' TO UNDER 15' DEEP)
COL. 2	ENGINEER'S ESTIMATE OF		660.0 L.F.		1.0 F.S.	270.0 L.F.	270.0 L.F.
COL. 1	ITEM NUMBER		8.02 B (089)		9.04 HW (090)	9.10 ESS0510	9.10 ESS1015 (092)

Contract PIN

Project ID

8502013HW0024C HWXP093B

. 1 COL. 2 COL. 3 COL. 4 COL. 5	NUMBER ENGINEER'S CLASSIFICATIONS UNIT PRICES EXTENDED AMOUNTS  ESTIMATE OF (IN FIGURES) (IN FIGURES)	270.0 TEMPORARY EXCAVATION SUPPORT SYSTEM (15' TO L.F. UNDER 20' DEEP)	270.0 TEMPORARY EXCAVATION SUPPORT SYSTEM (20' TO L.F. 25' DEEP)	1.0 SUBSURFACE REPORT L.S.	Sp		* Z50,000.00
COL. 1	ITEM NUMBER	9.10 ESS1520 (093)	9.10 ESS2025 (094)	9.10 ESSR (095)		9.60)	

**BID PAGES** 9:08AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

8502013HW0024C Contract PIN

Project ID

HWXP093B

	ស្ន	CTS														
COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS			8			w.			8	<del>,                                    </del>			83-	
		CIS													-	
COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS			\$	-		\$			\$				**	
COL. 3	CLASSIFICATIONS		PRE-CONSTRUCTION REPORT			MONITORING AND POST-CONSTRUCTION REPORT			FURNISH AND INSTALL	BOLT FOUNDATION, AS PER DRAWING E-3788			<u> </u>	FOUNDATION		
COL. 2	ENGINEER'S ESTIMATE OF		1.0	L.S.		1.0	L.S.		7.0	EACH			7.0	EACH		
COL. 1	ITEM NUMBER		9.70	(097)		9.71 A	(860)		SL-20.02.02	(660)			SL-20.08.01	(100)		

9:08AM BID PAGES

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN

COMLIACE FI

		ស	CIS				
	COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS	w.	φ.	<b>3</b>	•
			CTS				
	COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS	w	8-	80	w.
	COL. 3	CLASSIFICATIONS		FURNISH AND INSTALL TYPE 2S, 4S, 6S, 8S OR 12S LAMPPOST WITH TRANSFORMER BASE	REMOVE STANDARD FABRICATED STEEL, SPUN ALUMINUM NO. 10, ETC. WITH ARM(S), LUMINAIRE(S), CONTROL(S) WITH ALL ATTACHMENTS, IF ANY.	FURNISH AND INSTALL TYPE COBRA HEAD LUMINAIRE WITH 150 WATT HPS WITH SOLID STATE BALLAST AND STRAY VOLTAGE INDICATOR FOR 100 VOLT LAMP.	REMOVE LUMINAIRE AND CONTROL, IF ANY, OTHER THAN PARK TYPE OR LOW PRESSURE SODIUM
	COL. 2	ENGINEER'S ESTIMATE OF		7.0 <b>EA</b> CH	7.0 ЕАСН	17.0 EACH	6.0 EACH
	COL. 1	ITEM NUMBER		SL-21.03.02 (101)	SL-21.09.05 (102)	SL-22.03.18 (103)	SL-22.09.02 (104)

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

Contract PIN

8502013HW0024C

HWXP093B

Project ID

			۱ "							•	
		SH	CIS	· 	<u> </u>						
	COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS		W-		·				\$
			CTS								
DIVISION OF INTRASTRUCTORE - BUREAU OF DESIGN	COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS		w.		w	Anna Anna A	<b>v</b>		w.
	<u>COL. 3</u>	CLASSIFICATIONS		REMOVE BRACKET, LUMINAIRE AND CONTROL, IF ANY, FROM WOOD POLE		FURNISH AND INSTALL FABRICATED STEEL 8 Ft. BRACKET WITH HARDWARE ON WOOD POLE, AS PER DRAWING J-3585.		FURNISH AND INSTALL ALUMINUM BRACKET 12 Ft. OR 15 Ft. LONG WITH HARDWARE ON WOOD POLE		FURNISH AND INSTALL, OR FURNISH AND REPLACE A PLUG-IN SOLID STATE PHOTOELECTRIC CONTROL	
A TO	COL. 2	ENGINEER'S ESTIMATE OF		2.0 EACH		3.0 EACH		1.0 EACH		17.0 EACH	
	COL. 1	ITEM NUMBER		SL-24.01.04 (105)		SL-24.01.05 (106)		SL-24.01.07 (107)		SL-26.01.01 (108)	

05/29/2013 9:08AM

Contract PIN

8502013HW0024C

Project ID

			1	1			
		S	CIS				
HWXP093B	COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS		w-		v.
			CTS			****	
Project ID	COL. 4	UNIT PRICES (IN FIGURES)	DOLLARS		w.		· ·
:							
NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN	COL. 3	CLASSIFICATIONS		FURNISH, INSTALL, MAINTAIN AND REMOVE EQUIPMENT FOR TEMPORARY LIGHTING (PYLON), AS PER DRAWINGS F-5005 AND F-5005A		1,000.0 FURNISH AND INSTALL NO. 6 AWG XLP COPPER L.F.	
NE) DIV	COL. 2	ENGINEER'S ESTIMATE OF		4.0 EACH		1,000.0 L.F.	
9:08AM BID PAGES	COL. 1	ITEM NUMBER	(SEKOENCE NO.)	SL-29.01.01 (109)		SL-33.02.02 (110)	

2013	Σ	GES
29/	08AM	PA
05/	დ ::	BID



Contract PIN

8502013HW0024C HWXP093B

Project ID

-		T.S	CILS						
	COL. 5	EXTENDED AMOUNTS (IN FIGURES)	DOLLARS		v.		vr.	w	
		S)	CIS		·;	:			
	COL. 4 UNIT PRICES		DOLLARS		SUB-TOTAL:		SHALL NOT EXCEED 4% OF THE ABOVE SUB-TOTAL	TOTAL BID PRICE:	A LEGIBLE BID IS ENTERED FOR EACH ITEM.
				,		·	THE ABOV		RED FOR
		•				,	48 OF		IS ENTE
	COL. 3	CLASSIFICATIONS					T EXCEED		CE BID
	CLASSIF			- -		NO	SHALL NO		A LEGIB
					ı	MOBILIZATION	BID		
						HOM	PRICE PRICE.		PLEASE BE SURE
	COL. 2	ENGINEER'S ESTIMATE OF	OUANTITIES			1.0	LUMP SUM		TIA
		ENG	OUA	:			<b>T</b>		
		UMBER	CE NO.)		·				
	COL. 1	ITEM NUMBER	(SEQUENCE NO.)			6.39 A	(111)	·	
						•		,	•

# THE BIDDER SHALL INSERT THE TOTAL BID PRICE IN THE BID FORM ON PAGE C-4 OF THIS BID BOOKLET.

## SECTION 9.60 Underpinning

- 9.60.1. <u>DESCRIPTION</u>. Under this Section, the Contractor shall provide all labor, material, plant, equipment, insurance, and incidentals needed to underpin buildings and/or backfill voids adjacent to the limits of excavation shown on the plans, as approved and directed by the Engineer.
- 9.60.2. MATERIALS AND METHODS. During the installation, maintenance and removal of the temporary Excavation Support System (ESS) under Item Nos. 9.10 ESS0510, 9.10 ESS1015, 9.10 ESS1520, and 9.10 ESS2025, should the in place monitoring of buildings and/or visual observations identify soil movement that may potentially impact existing buildings adjacent to the work zone, the Contractor shall immediately stop work and notify the Engineer. If the Engineer then determines that underpinning and/or other corrective actions are required to prevent the undermining of adjacent building foundations, the Contractor shall be directed to prepare a corrective plan and its cost estimate. The proposed method of stabilization and/or underpinning of foundations shall be designed by the Contractor's New York State licensed Professional Engineer and shall be submitted to the Engineer for review and approval. In addition, the Contractor shall be required to obtain all required NYC Department of Buildings and/or other related agency permits as required, and property owner consent (if the work extends beneath the building).

However, if the cause of the undermining of building foundations is determined by the Engineer to be due to the Contractor's use of either improper or non-approved constructive methods or materials, the Contractor shall be responsible for the repair of any damage to building, the underpinning of the foundations and filling of voids to stabilize the foundations as may be required, all to the satisfaction of the Engineer, at no cost to the City.

9.60.3. PRICE TO COVER. The unit price bid under this item shall be a Fixed Sum to be paid in accordance with the requirements of Article 26 in the Standard Construction Contract. No guarantee is given that this allowance item will in fact be required in this contract. The estimated "fixed sum" amount shown in the Bid Schedule is included in the total bid solely to ensure a method of payment for this work of underpinning building foundations and stabilizing the foundations by filling voids located behind the temporary excavation support system installed under Section 9.10 ESS, as directed by the Engineer.

However, should the Contractor choose, with the Engineer's approval, to underpin existing buildings as a substitution for furnishing and installing the temporary excavation support system under Section 9.10 ESS, then no payment for will be made under this Item 9.60. Instead the Contractor will be compensated for the underpinning of a building at the unit price bid for Item 9.10 ESS0510 multiplied by the linear footage of the Lot line, of the building to be underpinned, along or adjacent to the street right of way. No separate or additional payment shall be made if underpinning is required on the side or back of a building not adjacent to the street right of way. Also, no additional payment will be made to the Contractor for the cost of designing and implementing the underpinning and stabilization methods, for obtaining all required Department of Buildings or related agency permits and property owner consent (should underpinning extend beneath building) in order to perform the work, for any additional excavation and backfilling

outside the limits shown on the plans, and all other incidental work thereto, the cost of which shall be deemed to be included in the payment made under item 9.10 ESS0510. No payment for this work will be made under item 9.60.

If excavation is required below the zone of Item 9.10 ESS0510, the Contractor shall be paid accordingly under the respective 9.10ESS and 4.11 BAA items per the limits shown on the plans.

Payment will be made under:

Item No.


Item

Pay Unit

9.60

**UNDERPINNING** 

F.S.





# INFRASTRUCTURE DIVISION BUREAU OF DESIGN

### **VOLUME 3 OF 3**

PROJECT ID: HWXP093B

RECONSTRUCTION OF

BOLLER AVENUE FROM STATION 10+50 TO STATION 18+00 NEEDHAM AVENUE FROM STATION 11+09 TO STATION 14+75

INCLUDING STREET LIGHTING AND TRAFFIC WORK

Together With All Work Incidental Thereto

BOROUGH OF THE BRONX CITY OF NEW YORK

	Contractor.
	Connucwi.
Dated	