

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

30-30 THOMSON AVENUE LONG ISLAND CITY, NEW YORK 11101-3045 TELEPHONE (718) 391-1000 WEBSITE www.nyc.gov/buildnyc

LAW

VOLUME 1 OF 3 BID BOOKLET

FOR FURNISHING ALL LABOR AND MATERIALS NECESSARY AND REQUIRED FOR:

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto
BOROUGH OF BROOKLYN
CITY OF NEW YORK

FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION PREPARED BY IN-HOUSE DESIGN



March 26, 2015

M 5-152

\$1.7⁶

Safety Agreement Between the New York City Department of Design and Construction And Bedford-Carp Construction, Inc. Project ID: SE851

This SAFETY AGREEMENT entered into between the New York City Department of Design and Construction, with an office located at 30-30 Thomson Avenue, Long Island City, N.Y. 11101 (hereinafter "DDC") and Bedford-Carp Construction Inc., with an office located at 77 Bloomfield Avenue, Staten Island, N.Y. 10314 (hereinafter "BCCI")

WITNESSETH

WHEREAS, DDC opened bids for the Construction of Storm, Combined, Sanitary Sewers and Water Mains and Appurtenances in Flatlands Avenue Between East 98th Street, Etc. in the Borough of Brooklyn, Contract SE-851 on July 23, 2015; and

WHEREAS, BCCI submitted the apparent lowest bid in the amount of \$56,556, 556.56; and

WHEREAS, upon review of the Safety Questionnaire submitted to DDC in connection with BCCI's bid, BCCI revealed that on a prior non-City construction project, a BCCI worker was killed while unloading pipe materials designated for the project; and

WHEREAS, in order to ensure the safety of both BCCI's and all other workers and the general public in connection with the current project, DDC has made it a condition of any award of contract to BCCI that BCCI engage, at its own cost and expense, a NYC Department of Buildings Certified Site Safety Manager trained and certified as a safety professional in all aspects of the construction work that BCCI will perform in connection with this project; and

WHEREAS, the parties having discussed these safety concerns and agreed as to the proper course of action, DDC hereby agrees to award this contract to BCCI and BCCI agrees to accept the award under the terms of this Agreement and the contract safety terms and conditions attached herein as Exhibit "A".

NOW, THEREFORE, in consideration of the mutual covenants and conditions contained herein, the parties hereto agree as follows:

Article 1. Employment of Certified Site Safety Manager

At all times during the period of performance of this project, Bedford will, at no cost to the DDC, contract for the services of a certified site safety consultant who is, at minimum, a New York City Department of Buildings Certified Site Safety Manager ("CSSM"), trained and certified as a safety professional in all aspects of the construction that Bedford will perform. The CSSM required by this Agreement shall be an independent firm/consultant approved by the DDC.

The CSSM will perform the following functions:

A. Develop and submit for approval by the DDC, a Site Specific Health and Safety Plan ("SHASP") addressing all tasks to be performed. The SHASP shall contain a detailed task- by-risk analysis with specific measures outlines to mitigate identified risks.

The Project SHASP shall be developed in accordance with industry standards and regulations, including, but not limited to:

The DDC's Safety Manual;

OSHA Standards for the Construction Industry (29 CRF Part 1926);

OSHA Standards for General Industry (29 CFR Part 1910);

NYC Building Code, Chapter 33; and

All other standards and regulations relevant to the prime contract being performed.

B. The CSSM shall be present on-site during the actual performance of any work by Bedford and its subcontractor, and shall ensure that such performance complies with all relevant standards, including without limitation, those identified in this Safety Agreement and the DDC Contract safety Requirements, a copy of which is attached hereto as Exhibit "B". In addition, the following logs must be maintained on site:

Daily Safety Logs: and Weekly Tools Box Meeting's Minutes

C. The CSSM shall conduct daily inspections of the Project work site while work is being performed. The CSSM shall also prepare and submit to the DDC Construction Project Manager and its Safety Unit a daily written safety inspection report, identifying hazards and/or violations found (if any), abatement of such conditions, and recommendations for avoidance of future hazards and/or violations.

In addition, the CSSM shall investigate all accidents/incidents, prepare comprehensive investigation reports and implements corrective actions to prevent future occurrences. The complete investigation report (s) shall be submitted to DDC, QA & Construction Safety Unit, WIHTIN 36 HOURS of the occurrence.

- D. The CSSM shall work with BCCI to review any all safety violations issued by the DDC's Safety Unit or any OSHA safety inspection personnel. The CSSM shall review violations, make recommendations to correct unsafe conditions, and perform necessary reinspections to ensure compliance with the recommendations.
- E. The CSSM shall ensure that all of the following are located on the Project site and kept current and available for immediate review and reference:
 - a. Copy of the SHASP;
 - b. All safety and health programs, i.e., hazard, communication, combined space entry, excavation and trenching, and emergency response plans;

•

- c. Copies of OSHA 1926 Standards for the Construction Industry;
- d. The DDC Contract Safety Requirements Safety reports, meetings minutes, training records, licenses, certifications, and
- e. Injury/illness records, for BCCI's workers.
- F. The CSSM shall be named and submitted for approval immediately, but nevertheless prior to the issuance of a Notice to Proceed. DDC has the exclusive and absolute right to reject any firm identified by BCCI as a CSSM and direct BCCI to replace any CSSM at any time during the term of this Safety Agreement. Any changes to the CSSM may be made only with the DDC's prior written approval.

Article II. Performance of Work

BCCI acknowledges that its obligation to protect safety and health is of paramount importance regarding all work performed by BCCI and its subcontractors.

All construction work performed shall be in full and complete compliance with the DDC's Contract Safety Requirements (Exhibit "B") as well as all applicable local, city, state and federal regulations; standards and laws including, but not limited to OSHA Safety & Health Standards for the construction industry (29CFR) Part 126, NYC Industrial Rule 753 (Call Before You Dig), and the MUTCD.

By signing this agreement, BCCI agrees that it shall not perform work on the Project site in the absence of a BCCI Competent Person (as defined by OSHA Regulations, Occupational Safety & Health Standards for the Construction Industry, 29 CFI (Part1926.032(f)). As part of its bid package and/or Subcontract Approval Forms, BCCI will identify the name and qualification of BCCI's Competent Person for the Project.

BCCI's Competent Person shall have successfully completed either the thirty (30) hour OSHA training course. Written evidence of such of training shall be sent by BCCI to the attention of the Director of the DDC's Safety Unit immediately, but nevertheless prior to the issuance of a Notice to Proceed.

If the DDC cites BCCI for a safety violation that identifies a serious risk of life or health that is caused by BCCI or by any of its subcontractors, this will, by itself, constitute adequate and sufficient grounds for default of this Safety Agreement, and may, at the DDC's sole discretion, terminate the contract for cause. This termination may be imposed after BCCI has been notified that a "serious" violation of a safety standard has been committed, and after the DDC has issued an Unsatisfactory Performance Evaluation for safety. A "reasonable time period" shall mean immediately for conditions imminently dangerous to life and health, and within forty-eight (48) hours for all other conditions.

		•	

Article III. General Provisions

This Safety Agreement is for the benefit of the undersigned parties only and is not for the benefit of any other person or entity that is not a party to this Safety Agreement.

Each undersigned party, by affixing his/her signature hereto, attests that he/she has read this Safety Agreement and that their respective organizations agree to comply with all terms hereof.

Department of Design and Construction	
By Compissioner	
By:	
Date 2/1/2016	
By: MOHAMMAD HAJISAFAL, V	۲.
Data 1/26/2016	

.

CITY OF NEW YORK

DEPARTMENT OF DESIGN AND CONSTRUCTION

SAFETY REQUIREMENTS

THE	DDC SAFETY REQUIREMENTS INCLUDE THE FOLLOWING SECTIONS:
I.	POLICY ON SITE SAFETY
II.	PURPOSE
m.	DEFINITIONS
IV.	RESPONSIBILITIES
V.	SAFETY QUESTIONNAIRE
VI.	SAFETY PROGRAM AND SITE SAFETY PLAN
VII.	KICK-OFF/PRE-CONSTRUCTION MEETINGS AND SAFETY REVIEW
VIII.	EVALUATION DURING WORK IN PROGRESS
X .	SAFETY PERFORMANCE EVALUATION

City of New York Department of Design and Construction: Safety Requirements Technical Support Division – Bureau of Quality Assurance and Construction Safety

I. POLICY ON SITE SAFETY

The City of New York Department of Design and Construction (DDC) is committed to a policy of injury and illness prevention and risk management for construction work that will ensure the safety and health of the workers engaged in the projects and the protection of the general public. Therefore, it is DDC's policy that work carried out by Contractors on DDC jobsites must, at a minimum, comply with applicable federal, state and city laws, rules and regulations, including without limitation:

- U. S. Department of Labor 29 Code of Federal Regulations (CFR) Part 1926 and applicable Sub-parts of Part 1910 U.S. Occupational Safety and Health Administration (OSHA) including, but not limited to "Respiratory Protection" (29 CFR 1910.134), "Permit-Required Confined Spaces" (29 CFR 1910.146), and "Hazard Communication" (29 CFR 1910.1200);
 □ New York State Department of Labor Industrial Code Rule 23 Protection in Construction Demolition and
- New York State Department of Labor Industrial Code Rule 23 Protection in Construction, Demolition and Excavation;
- ☐ New York City Construction Codes, Title 28
- NYC Department of Transportation Title 34 Chapter 2 Highway Rules
- New York State Department of Labor Industrial Code Rule 753
- ☐ NYC Local Law No. 113 (2005) Noise Control Code

In addition, all regulations promulgated by the NYC Department of Transportation, including requirements for Maintenance and Protection of Traffic (MPT), are applicable when contained in contract specifications. While MPT is a significant component of work in our Infrastructure Division, it does not supersede or exempt Contractors from complying with other applicable health and safety standards (for example, excavating and trenching standards, operation of heavy equipment and compliance with City environmental and noise regulations).

IL PURPOSE

The purpose of this policy is to ensure that Contractors perform their work and supervise their employees in accordance with all applicable federal, state and city rules and regulations. Further, Contractors will be expected to minimize or eliminate jobsite and public hazard, through a planning, inspection, auditing and corrective action process. The goal is to control risks so that injuries, illnesses and accidents to contractors' employees, DDC employees and the general public, as well as damage to city-owned and private property, are reduced to the lowest level feasible.

III. DEFINITIONS

Agency Chief Contracting Officer (ACCO): The ACCO shall mean the person delegated authority by the Commissioner to organize and supervise the procurement activity of subordinate Agency staff in conjunction with the CCPO.

Competent Person: As defined by OSHA, an individual who is capable of identifying existing and predictable hazards in the surroundings or working conditions that are unsanitary, hazardous, or dangerous to employees or the general public, and who has authorization to take prompt corrective measures to eliminate them.

Construction Safety Auditor: A representative of the QACS Construction Safety Unit who provides inspection and assessment services to enhance health and safety on all DDC construction projects. The activities of the Construction Safety Auditor include performing site surveys, reviewing health and safety plans, reviewing construction permits, and rendering technical advice and assistance to DDC Resident Engineers and Project Managers.

City of New York Department of Design and Construction: Safety Requirements Technical Support Division – Bureau of Quality Assurance and Construction Safety

Construction Safety Unit: A part of QACS within the Division of Technical Support that assesses contractor safety on DDC jobsites and advises responsible parties of needed corrective actions.

Construction Superintendent: A representative of the contractor responsible for overseeing performance of the required construction work. This individual must engage in sound construction practices, and is responsible to maintain a safe work site. In the case of a project involving the demolition, alteration or new construction of buildings, the Construction Superintendent must be licensed by the NYC Department of Buildings.

Contractor: For purposes of these Safety Requirements, the term "Contractor" shall mean any person or entity that enters into a contract for the performance of construction work on a DDC project. The term "Contractor" shall include any person or entity which enters into any of the following types of contracts: (1) a prime construction contract for a specific project, (2) a prime construction contract using the Job Order Contracting System ("JOCS Contract"), and (3) a subcontract with a CM/Builder ("First Tier Subcontract").

Director - Quality Assurance and Construction Safety (QACS): Responsible for the operations of the QACS Construction Safety Unit and the DDC Site Safety management programs.

Job Hazard Assessment (JHA): A process of identifying site-specific hazards that may be present during construction and establishing the means and methods to reduce or eliminate those hazards.

Jobsite Safety Coordinator: A person designated by the Contractor to be onsite during all activities. This individual shall have received, at a minimum, the OSHA 10-hour construction safety program. Other examples of acceptable training are the 30-hour OSHA Safety and Health Standards for the Construction Industry training program (OSHA 510) or a degree/certificate in a safety and health from a college-level curriculum. This person does not necessarily have to be dedicated full-time to site safety, but must have sufficient experience and authority to undertake corrective action and must qualify to be a competent person. For certain projects, as defined in NYC Construction Codes – Title 28, this person may be required to have a Site Safety Manager's License issued by the NYC DOB.

Qualified Person: As defined by OSHA, an individual who, by possession of a recognized degree, certificate, license or professional standing, or who by extensive knowledge, training, and experience, has successfully demonstrated his or her ability to solve problems relating to the subject matter, the work, or the project. Qualified Persons are required under regulation to address issues pertaining, but without limit, to fall protection, scaffold design and trenching and shoring, among others.

Resident Engineer (RE) / Construction Project Manager (CPM): Representative of the Commissioner duly designated by the Commissioner to be his/her representative at the site of the work. (The RE/CPM may be a third-party consultant, including a CM, retained by DDC.)

Safety Program: Established by the Contractor that covers all operations of that Contractor and establishes the Contractor's overall safety policy, regulatory compliance plan and minimum safety standards. The Safety Program must be submitted prior to the commencement of work at the site and is subject to review and acceptance by the Construction Safety Unit.

Safety Questionnaire: Used by DDC to evaluate Contractor's current and past safety performance. It is required to be completed by all Contractors initially when submitting bids for Construction work, or when being pre-qualified and updated annually or as requested by the DDC.

Site Safety Plan: A site-specific safety plan developed by the Contractor for a specific project. The Site Safety Plan must identify hazards associated with the project, and include specific safety precautions and training appropriate and necessary to complete the work. The Site Safety Plan must be submitted prior to the commencement of work at the site and is subject to review and acceptance by the Construction Safety Unit.

City of New York Department of Design and Construction: Safety Requirements Technical Support Division – Bureau of Quality Assurance and Construction Safety

Unsafe or Unhealthy Condition: A condition that could be potentially hazardous to the health and safety of personnel or the public, and/or damaging to equipment, machinery, property or the environment.

Weekly Safety Meetings: Weekly documented jobsite safety meetings, given to all jobsite personnel by contractor, with the purpose of discussing general safety topics and job specific requirements encountered at the DDC work site.

IV. RESPONSIBILITIES

All persons who manage, perform, and provide support for construction projects shall conduct operations in compliance with the requirements identified in this Policy and all applicable governing regulatory agency requirements and guidelines pertaining to safety in construction.

A. Resident Engineer / Construction Project Manager / Construction Manager

- Monitors the issuance of safety-related permits, approvals and drawings and maintains copies on site.
- Monitors construction-related work activities to confirm that they are conducted in accordance with DDC policies
 and all applicable regulations that pertain to construction safety.
- Maintains documentation and periodically attends weekly safety meeting.
- Notifies the Construction Safety Unit and the ACCO's Insurance and Risk Management Unit of project-related accidents and emergencies, as per DDC's Construction Safety Emergency Protocol.
- Gathers facts related to all accidents and prepares DDC Accident Reports.
- Notifies the Construction Safety Unit of outside regulatory agency inspections and forwards a copy of the inspection report within three days of its receipt.
- Monitors the conditions at the site for conformance with the Site Safety Plan and DDC construction documents.
- Notifies the contractor and DDC in the event that any condition or activity exists that is not in compliance with the Site Safety Plan, applicable federal, state or local codes or any condition that presents a potential risk of injury to the public or workers or possible damage to property.
- Notifies DDC of any emergency condition and directs the contractor to provide such labor, materials, equipment
 and supervision to abate such conditions.
- Reports gross safety violations to the Construction Safety Unit immediately.

B. Contractors

- · Complete a Safety Questionnaire and submit with its bid or as part of a pre-qualification package.
- Provide a Written Job Hazard Assessment (JHA) that identifies expected safety issues of the work to be performed. JHA shall be included with the Site Safety Plan submitted by the contractor.
- Submit a Site Safety Plan and Safety Program within 15 days of issuance of the Notice to Proceed, or as
 otherwise directed. The Site Safety Plan and Safety Program are subject to review and acceptance by the
 Construction Safety Unit prior to the commencement of work at the site. The Site Safety Plan shall be revised and
 updated as necessary.
- Ensure that all employees are aware of the hazards associated with the project through formal and informal training and/or other communications. Conduct and document weekly safety meetings for the duration of the project. Documentation to be provided to the RE/CPM/CM on a monthly basis.
- Name a Construction Superintendent, if required.
- Name a Job Site Safety Coordinator. The Contractor will be required to identify the Job Site Safety Coordinator
 in the Site Safety Plan.
- Comply with all mandated federal, state and local safety and health rules and regulations.
- · Comply with all provisions of the Site Safety Plan.
- As part of the Site Safety Plan, prepare a site specific MPT (if not otherwise provided in the contract documents)
 and comply with all of its provisions.

		•
		•

City of New York Department of Design and Construction: Safety Requirements Technical Support Division – Bureau of Quality Assurance and Construction Safety

- Conduct and document site-specific safety orientation for Contractor personnel to review the hazards associated
 with the project as identified in the Site Safety Plan and the specific safety procedures and controls that will be
 used to protect workers, the general public and property. The Job Site Safety Coordinator will conduct this
 training prior to mobilization and provide documentation to the RE/CPM/CM.
- Provide, replace and adequately maintain at or around the project site, suitable and sufficient signage, lights, barricades and enclosures (fences, sidewalk sheds, netting, bracing, etc.).
- Report unsafe conditions or hazards to the DDC RE/CPM/CM as soon as practical, but no more than 24 hours after discovery, and take action to remove or abate such conditions.
- Report any accident involving injuries to workers or the general public, as well as property damage, to the DDC RE/CPM/CM within two (2) hours.
- Notify the DDC RE/CPM/CM within two (2) hours of the start of an inspection by any regulatory agency personnel, including OSHA.
- Maintain all records pertaining to all required compliance documents and accident and injury reports.
- Respond to DDC recommendations on safety, which shall in no way relieve the Contractor of its responsibilities for safety on the project. The Contractor has sole responsibility for safety.

V. SAFETY QUESTIONNAIRE

DDC requires that all Contractors provide information regarding their current and past safety and environmental performance and programs. This will be accomplished by the use of the DDC Safety Questionnaire. As a part of the bid submittal package, the contractor must submit a completed DDC Safety Questionnaire listing their workers' compensation experience modification rating and OSHA Incidence Rates for the three (3) years prior to the date of the bid opening. DDC may request a Contractor to update its Questionnaire at any time or to provide more detailed information. The Contractor must provide the requested update within 30 days.

The following criteria will be used by DDC in reviewing the Contractor's responsibility, which will be based on the information provided on the questionnaire:

- Criteria 1: OSHA Injury and Illness Rates (I&IR) are no greater than the average for the industry (based on the most current Bureau of Labor Statistics data for the Contractors SIC code); and
- Criteria 2: Insurance workers compensation Experience Modification Rate (EMR) equal to or less than 1.0; and
- Criteria 3: Any willful violations issued by OSHA or NYC DOB within the last three years; and
- Criteria 4: A fatality (worker or member of public) experienced on or near Contractor's worksite within the last three (3) years; and
- Criteria 5: An unacceptable rating by QACS based on past performance on DDC projects; and
- Criteria 6: Contractor has in place an acceptable corporate safety program and its employees shall have completed all documented relative safety training; and
- Criteria 7: Contractor shall provide OSHA Injury Records (currently OSHA 300 Log) for the last three (3) years.

If the Contractor fails to meet the basic criteria listed above, the Construction Safety Unit may request, through the ACCO, more detail concerning the Contractor's safety experience. DDC may request the Contractor to provide copies of, among other things, OSHA records, OSHA and DOB citations, EPA citations and written Safety Programs.

		•
		•

VI. SAFETY PROGRAM AND SITE SAFETY PLAN

Within fifteen (15) days of issuance of the Notice to Proceed, or as otherwise directed, the Contractor shall submit the following: (1) Safety Program, and (2) Site Safety Plan. The Safety Program shall set forth the Contractor's overall safety policy, regulatory compliance plan and minimum safety standard, and the Site Safety Plan shall identify hazards associated with the project, and include specific safety precautions and training appropriate and necessary to complete the work. The Safety Program and the Site Safety Plan are subject to review and acceptance by the Construction Safety Unit prior to the commencement of work at the site. Failure by the contractor to submit an acceptable Site Safety Plan and Safety Program shall be grounds for default.

The Site Safety Plan shall apply to all Contractor and subcontractor operations, and shall have at a minimum, the following elements. Each element shall be described in a separate section in the written document. It may be necessary to modify the basic format for certain unique or high-risk projects (such as tunnels or high-rise construction). The basic elements are as follows:

- 1. Responsibility and Organization: Identify the person or persons with authority and responsibility for implementing the Site Safety Plan. Provide an organization chart and define levels of authority and responsibility. Identify the Competent Person, the Construction Superintendent (if required), the Job Safety Coordinator and the Qualified Person required for this project.
- 2. Communication: Establish a system for communicating with employees and subcontractors on matters relating to worker and public safety and health and environmental protection, including provisions designed to encourage employees to inform the employer of hazards at the worksite without fear of reprisal. An emergency response notification protocol is to be established that also includes after hours contact numbers. The plan must also include provisions for weekly safety meetings held by the Job Site Safety Coordinator.
- 3. Job Hazard Assessment: A written document submitted by the contractor, used to identify expected job hazards and public safety risks and state the specific means and methods to reduce, control or eliminate those hazards. This part of the Site Safety Plan must also include how on-going evaluations of those risks and hazards will be carried out, including plans for periodic inspections to identify unsafe conditions, work practices and public safety hazards.
- 4. Accident/Exposure Investigation: Establish a procedure to investigate and report occupational and public injury or illness, property damage, vehicle accidents or other mishaps.
- 5. Hazard Correction: Establish means, methods and/or procedures for correcting unsafe or unhealthy conditions that might be exposing both the public and workers to hazards. Corrective actions must be taken immediately when observed or discovered. Should an imminent hazard exist which cannot be immediately abated without endangering employees, the public and/or property, remove or restrict all exposed persons from the area except those necessary to correct the existing condition. Employees necessary to correct the hazardous condition shall be provided the necessary safeguards. When corrective actions cannot be taken immediately, temporary measures should be taken until such time permanent measures are taken to eliminate the potential risks or hazards
- 6. Training: Describe site-specific hazard training programs. In addition to the required safety orientation, additional site specific training, in the form of required weekly safety meetings, will be required. Contractors must also initiate training when: a) new employees are hired; b) employees are given new job assignments for which training has not been previously received; c) new substances, processes, procedures or equipment are introduced that might represent a new public or worker hazard; d) the employee is made aware of a new or previously unrecognized hazard; e) new supervisors are assigned to familiarize themselves with the safety and health hazards to which employees under their immediate direction and control may be exposed; and f) after a jobsite incident or accident has occurred.

		•
		1
		_
		- -
		•

City of New York Department of Design and Construction: Safety Requirements Technical Support Division – Bureau of Quality Assurance and Construction Safety

Recordkeeping: Establish procedures to maintain records of scheduled and periodic inspections, weekly safety
meetings, and training records. Updated records shall be maintained at the jobsite, accessible to the Construction
Safety Auditors and/or Quality Assurance Auditors/RE/CPM, and retained in accordance with DDC policy.

The most critical component of the Site Safety Plan is the Job Hazard Assessment section. This section must address specific hazards that are anticipated throughout the project. Each Site Safety Plan must address, at a minimum:

- Public and pedestrian safety
- Fall protection
- Electrical hazards
- Scaffolding
- Fire protection
- Emergency notification & response
- Housekeeping / debris removal
- Dust control

- Maintenance and protection of traffic
- Trenching and excavating
- Heavy equipment operations
- Material / equipment storage
- Environmental contamination
- Sheeting and shoring
- Alcohol and Drug Abuse Policy

The following additional hazards must be addressed, if applicable, based on the contract safety specifications and/or the results of the JHA (the list is not all-inclusive):

- Basic Personal Protective Equipment
- Compressed Air
- Compressed Gas Cylinders
- · Cranes, Derricks and Hoists
- Demolition
- Electrical safety
- Excavations and Trenching
- Fall Protection Floor openings/Stairways
- Fall Protection Guardrails Toe boards etc
- Fall Protection Leading Edge
- Fall Protection Personal Fall Protection Devices
- Fire Protection and Fire Prevention
- Hazard Communication (RIGHT TO KNOW)
- Hazardous Energy & Lock Out / Tag Out
- Housekeeping/Sanitation
- Maintenance and Protection of Traffic (MPT)
- Man Lifts / Aerial Lifts
- Marine Operations
- Motor Vehicle Safety
- Overhead Power lines
- Permit Required Confined Space
- Portable Ladders
- Powered Actuated Tools
- Powered Material Handling Equipment
- Scaffolds Mobile
- Scaffolds Stationary
- Scaffolds Suspended
- Slings
- Steel Erection

			•	

City of New York Department of Design and Construction: Safety Requirements Technical Support Division – Bureau of Quality Assurance and Construction Safety

- Welding and Cutting (Hot Work)
- Airborne Contaminants Particulates General
- Asbestos
- Blood borne Pathogens
- Hearing Protection
- Lead in Construction
- Mercury in Construction
- PCB's
- Respiratory Protection
- Silica
- Thermal Stress
- West Nile Virus
- Rodents and Vermin
- Noise Mitigation Plan

Certain DDC programs, such as Job Order Contracting System (JOCS), may not necessarily require Site Safety Plans. The JOCS contractor will be required to submit a Safety Program. In addition, certain DDC Operating Units may establish program or client-specific safety requirements. The contractor's Site Safety Plan must address such program or client specific safety requirements.

VII. KICK-OFF MEETINGS/PRE-CONSTRUCTION AND SAFETY REVIEW

As part of the construction kick-off meeting, a Site Safety Plan review will be part of the agenda. A QACS representative will participate in this meeting with the contractor prior to the start of the project for the purpose of:

- A. Reviewing the safety issues detailed in the contract.
- B. Reviewing the Site Safety Plan.
- C. Reviewing any new issues or information that was not previously addressed.
- D. Discussing planned inspections and audits of the site by DDC personnel.

VIII. EVALUATION DURING WORK IN PROGRESS

The Contractor's adherence to these Safety Requirements will be monitored throughout the project. This will be accomplished by the following:

- A. Use of a safety checklist by a representative of the Construction Safety Unit or other designated DDC representative or Consultant during regular, unannounced inspections of the job site. Field Exit Conferences will be held with the RE/CPM, Contractor Superintendents or Safety Representatives.
- B. The RE/CPM will continually monitor the safety and environmental performance of the contractor's employees and work methods. Deficiencies shall be brought to the attention of the contractor's representative on site for immediate correction. The DDC representative will maintain a written record of these deficiencies and forward them to the Construction Safety Unit on a weekly basis. Any critical deficiencies shall be immediately reported to QACS phone# (718) 391-1624 or (718) 391-1911.
- C. If the Contractor's safety performance during the project is not up to DDC standards (safety performance measure, accident/incident rate, etc.) the Director-QACS, or designee will meet with the Contractor's safety representative, the DDC project manager, the RE/CPM, or the DDC Environmental Specialist (if environmental issues are involved). The purpose of this meeting is to 1) determine the level of non-compliance; 2) explain and clarify the safety/environmental provisions; 3) agree on a future course of action to correct the deficiencies.


		٠.
		į
		_

City of New York Department of Design and Construction: Safety Requirements Technical Support Division - Bureau of Quality Assurance and Construction Safety

- D. If the deficiencies continue to occur with inadequate attention by the contractor, this shall, among other remedies available, be grounds for default.
- E. The contractor shall inform the Construction Safety Unit and ACCO Insurance and Risk Management Unit of all medical injuries or illnesses that require doctors' treatment resulting from an on-the-job incident within 24 hours of the occurrence. The Construction Safety Unit shall also be immediately informed of all fatalities, catastrophic accidents with more than one employee hospitalized, any injuries to members of the general public and major equipment damage (e.g., property damage, equipment rollovers, loads dropped from crane). QACS shall maintain a record of all contractor injuries and illnesses during the project and provide regular reports to the Agency.
- F. The Construction Safety Unit shall be immediately notified at the start of any NYS-DOL/ NYC-COSH/OSHA/ EPA inspections. The Director of Quality Assurance & Construction Safety shall maintain a log of all contractor OSHA/EPA inspections and citations during the project.

IX. SAFETY PERFORMANCE EVALUATION

The contractor's safety record, including all DDC inspection results, will be considered as part of the Contractor's performance evaluation at the conclusion of the project. Poor safety performance during the course of the project shall be a reason to rate a Contractor unsatisfactory which will be reflected in the City's Vendex system and will be considered for future procurement actions as set forth in the City's Procurement Policy Board Rules.



(NO TEXT ON THIS PAGE)

		•
		-

SPECIFICATIONS FOR HANDLING, TRANSPORTATION AND DISPOSAL OF NON-HAZARDOUS AND POTENTIALLY HAZARDOUS CONTAMINATED MATERIALS

Installation of High Level Storm Sewer in Fresh Creek Area

Phase 1A

Borough of Brooklyn

DDC Project No. SE851

Prepared By:


NEW YORK CITY DEPARTMENT OF DESIGN + CONSTRUCTION

30-30 Thomson Avenue, 3rd Floor Long Island City, New York 11101

Date: 3/11/2015

Table of Contents

ITEM 8.01 C1	HANDLING, TRANSPORTING AND DISPOSAL OF NON-HAZARDOUS	
Çê T	CONTAMINATED SOILS	1
ITEM 8.01 C2	SAMPLING AND TESTING OF CONTAMINATED/POTENTIALLY	
	HAZARDOUS SOILS FOR DISPOSAL PARAMETERS	7
ITEM 8.01 H	HANDLING, TRANSPORTING AND DISPOSAL OF HAZARDOUS SOILS	9
ITEM 8.01 S	HEALTH AND SAFETY	
ITEM 8.01 W1	REMOVAL, TREATMENT AND DISCHARGE/DISPOSAL OF	
	CONTAMINATED WATER	20
ITEM 8.01 W2	SAMPLING AND TESTING OF CONTAMINATED WATER.	
Attachments	I. New York City Department of Environmental Protection Limitations for	
	Effluent to Storm-Sanitary or Combined Sewers Parameters	
	3. Definitions	
	4. Phase II Subsurface Corridor Investigation Report	



ITEM 8.01 S HEALTH AND SAFETY

8.01 S.1 WORK TO INCLUDE

Health and Safety Requirements

A. Scope of Work

It is the Contractor's responsibility to stage and conduct his work in a safe manner. The Contractor shall implement a Health and Safety Plan (HASP) for contaminated/hazardous soil intrusive activities as set forth in Occupational Safety and Health Administration (OSHA) Standards 1910.120 and 1926.650-652. The Contractor shall ensure that all workers have at a minimum hazard awareness training. The Contractor shall segregate contaminated work area in secured exclusion zones. These zones shall limit access to Contractor personnel specifically trained to enter the work area. The exclusion zone shall be set up to secure the area from the public and untrained personnel. The project health and safety program shall apply to all construction personnel including persons entering the work area. In addition, the Contractor shall protect the public from on-site hazards, including subsurface contaminants associated with on-site activities. The HASP shall be signed off by a Certified Industrial Hygienist and reviewed by Program Administration, Engineering Support Services (ESS).

Work shall include, but not be limited to:

- 1. Implementation of a baseline medical program.
- Providing safety equipment and protective clothing for site personnel, including
 maintenance of equipment on a daily basis; replacement of disposable equipment as
 required; decontamination of clothing, equipment and personnel; and providing all other
 health and safety measures.
- Providing, installing, operating and maintaining on-site emergency medical first aid
 equipment as specified in this section for which payment is not provided under other pay
 items in this Contract.
- 4. Providing, installing, operating, maintaining and decommissioning all equipment and personnel decontamination facilities specified within this section, including, but not limited to, the decontamination pad, decontamination water supply, decontamination water collection equipment and all other items and services required for the implementation of the health and safety requirements for which pay items are not provided elsewhere in this Contract.
- Provide the minimum health and safety requirements for excavation activities within the limits of this Contract.
- 6. Implement and enforce a HASP: The HASP as presented in these specifications is dynamic with provisions for change to reflect new information, new practices or procedures, changing site environmental conditions or other situations which may affect site workers and the public. The HASP will also address measures for community protection, accident prevention, personnel protection, emergency response/contingency planning, air monitoring, odor control and hazardous chemicals expected on site. Providing a Confined Space Entry Program as defined in the Occupational Safety and Health Act, Confined Space Entry Standard, 29 CFR 1910.146.

B. Environmental Consulting Services

The Contractor shall retain an independent Environmental Consultant to obtain all permits and perform all field screening, air monitoring, community air monitoring, soil sampling, and

health and safety services. The independent Environmental Consultant shall at a minimum provide documentation to the Program Administration, ESS demonstrating the minimum requirements as set forth below:

- The independent Environmental Consultant project supervisor on site and other
 designated key personnel shall have a minimum of three (3) years experience in the
 environmental field dealing with issues associated with contaminated soils. Such
 experience shall include oversight on environmental, specifically volatile organic
 compound and dust monitoring services as a routine part of its daily operations.
- 2. The independent Environmental Consultant must be experienced in work of this nature, size, and complexity and must have previous experience in working with the DEC.
- The independent Environmental Consultant shall furnish a project listing identifying the location, nature of services provided, owner, owner's contact, contact's telephone number, project duration and value for at least five (5) projects within the last three (3) years.
- 4. If conditions within the exclusion zone are deemed hazardous, then the Contractor and its independent Environmental Consultant shall ensure that all personnel working within identified exclusion zones and/or involved (direct contact) with the handling, storage or transport of hazardous and contaminated materials shall have completed a minimum of forty (40) hours of Health and Safety Training on Hazardous Waste Sites in accordance with 29 CFR 1910.120(e). The training program shall be conducted by a qualified safety instructor. If conditions in the exclusion zone are deemed to be non-hazardous, the independent Environmental Consultant shall provide site specific training.
- 5. The Contractor shall ensure that on-site management and supervisors directly responsible for or who supervise employees engaged in hazardous waste operations shall receive the training specified in above and at least eight (8) additional hours of specialized training on managing such operations at the time of job assignment.

C. Submittals

- 1. The Contractor shall submit, within forty-five (45) calendar days after the contract award, a written HASP as specified herein, to Program Administration, ESS for review and comment. The Contractor shall make all necessary revisions required by Program Administration, ESS and resubmit the HASP to the Program Administration, ESS for acceptance. Start-up work for the project will not be permitted until written acceptance has been issued by the Program Administration, ESS.
- 2. Daily safety logs shall be maintained by the Contractor and shall be submitted to the DDC either on request or on completion of the work. Training logs shall be maintained by the Contractor and submitted to the DDC either on request or on completion of the work. Daily logs on air monitoring during excavation activities shall be prepared and maintained by the Contractor and submitted to the DDC either on request or upon completion of the work.
- 3. A closeout report shall be submitted by the Contractor to the DDC upon completion of the work within the defined exclusion zones. This report shall summarize the daily safety and monitoring logs and provides an overview of the Contractor's performance regarding environmental and safety issues. The report shall carefully document all areas where contamination has been found including pictures, addresses of locations, and potential sources.
- Medical Surveillance Examinations: The Contractor shall submit to the DDC the name, office address and telephone number of the medical consultant utilized. Evidence of

baseline medical examinations together with the evidence of the ability to wear National Institute for Occupational Safety and Health (NIOSH) approved respirators (as specified in American National Standards Institute (ANSI) Z88.6) shall be provided to the DDC for all construction personnel who are to enter the exclusion zones.

5. Accident Reports: All accidents, spills, or other health and safety incidents shall be reported to the DDC.

D. Health and Safety Plan

The HASP shall comply with OSHA regulations 29 CFR 1910.120/1926.65. This document shall at a minimum contain the following:

- 1. Description of work to be performed
- 2. Site description
- 3. Key personnel
- 4. Worker training procedures
- 5. Work practices and segregation of work area
- 6. Hazardous substance evaluation
- 7. Hazard assessment
- 8. Personal and community air monitoring procedures and action levels
- 9. Personal protective equipment
- 10. Decontamination procedures
- 11. Safety rules
- 12. Emergency procedures
- 13. Spill control, dust control, vapor/odor suppression procedures
- 14. Identification of the nearest hospital and route
- 15. Confined space procedures
- 16. Excavation safety procedures

8.01 S.2 MEASUREMENT

Health and Safety Requirements

A. 25% of the lump sum price will be paid when the following items are implemented or mobilized:

Medical surveillance program

Health and safety training

Health and safety plan

Environmental and personnel monitoring

Instrumentation

Spill control

Dust control

Personnel and equipment decontamination facilities

Personnel protective clothing

Communications

Mobilization

- B. 50% will be paid in proportional monthly amounts over the period of work.
- C 25% will be paid when the operation is demobilized and removed from the project site.

8.01 S.3 PRICE TO COVER

Health and Safety Requirements

		* r	

The lump sum price bid for the health and safety requirements shall include all labor, materials, equipment, and insurance necessary to complete the work in accordance with these specifications. The price bid shall include, but not be limited to, the following:

- A. Providing training, safety personnel, air monitoring and medical examinations as specified.
- B. Providing safety equipment and protective clothing for site personnel, including maintenance of equipment on a daily basis; replacement of disposable equipment as required; decontamination of clothing, equipment and personnel; and all other health and safety activities or costs not paid for under other pay items in this Contract.
- C. Providing, installing, operating and maintaining on-site emergency medical and first aid equipment. This includes all furnishings, equipment, supplies and maintenance of all medical equipment, and all other health and safety items and services for which payment is not provided under other pay items in this Contract.
- D. Providing, installing, operating, maintaining, and decommissioning all personnel and equipment decontamination facilities, including decontamination pad, decontamination water supply, and all other items and services required for the implementation of the health and safety requirements for which pay items are not provided elsewhere in this Contract. Vehicle decontamination pads shall be included in the price of this item. Disposal of decontamination fluid shall be paid for under Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.

E. Spill Control

- 1. Payment shall account for furnishing, installing, and maintaining all spill control equipment and facilities. Payment will include equipment and personnel to perform emergency measures required to contain any spillage and to remove spilled materials and soils or liquids that become contaminated due to spillage during work within the exclusion zones and handling of excavated soils and liquids from these areas. This collected spill material will be properly disposed of.
- 2. Payment under this item shall not include testing, handling, transportation or disposal of petroleum-contaminated/potentially hazardous soils excavated during construction. The price for this work will be paid for under Items 8.01 C1 Handling, Transporting and Disposal of Non-Hazardous Contaminated Soils, 8.01 C2 Sampling and Testing of Contaminated/Potentially Hazardous Soil for Disposal Parameters or 8.01 H Handling, Transporting and Disposal of Hazardous Soils, as appropriate.


F. Dust Control

Payment shall account for furnishing, installing, and maintaining dust control equipment and facilities to be used whenever applicable dust levels are exceeded. Payment will include all necessary labor, equipment, clean water, foam, and all other materials required by the Dust Control Plan. The DOH Community Air Monitoring Plan (CAMP) may be used as guidance.

G. Vapor/Odor Suppression

Payment shall account for furnishing, installing and maintaining vapor/odor control equipment and facilities to be used whenever organic vapor monitoring or the presence of odors indicates that vapor suppression is required to protect workers or the public. Payment will include all necessary labor, equipment, clean water, foam and all other materials required by the Vapor/Odor Suppression Plan.

H. Mobilization/Demobilization



1. Mobilization

Payment shall include but not be limited to:

- All work required to furnish, install and maintain all signs, fencing, support zone facilities, parking areas and all temporary utilities;
- b. All work required to furnish, install, and maintain an office space with phone and utilities for health and safety personnel;
- All work required for complete preparation of lay down area for roll-off containers, including sampling, and any required fencing;
- d. All direct invoiced cost from bonding companies and government agencies for permits and costs of insurance; and
- e. All other items and services required for mobilization and site preparation.

2. Demobilization

Payment shall include but not be limited to: All work required to sample the area; remove from the site all equipment, temporary utilities and supporting facilities; performance of necessary decontamination and repairs; disposal of disposable equipment and protective gear and other items and services required for complete demobilization.

Payment will be made under:

ITEM NUMBER ITEM

PAYMENT UNIT

8.01 S

Health and Safety

Lump Sum



DR. FENIOSKY A. PEÑA-MORA

IOHN GODDARD Agency Chief Contracting Officer

January 14, 2016

CERTIFIED MAIL - RETURN RECEIPT REQUEST BEDFORD/CARP CONSTRUCTION INC. 77 BLOOMFIELD AVENUE STATEN ISLAND, NY 10314

> RE: FMS ID: SE-851

> > E-PIN: 85015B0141001 DDC PIN: 8502014SE0021C


FOR THE CONSTRUCTION OF STORM. **COMBINED, SANITARY SEWERS AND** WATER MAINS AND APPURTENANCES IN: FLATLANDS AVE. BTWN EAST 98TH ST, ETC... - BOROUGH OF BROOKLYN

NOTICE OF AWARD

Dear Contractor:

You are hereby awarded the above referenced contract based upon your bid in the amount of \$56,556,556.56 submitted at the bid opening on July 23, 2015. Within ten (10) days of your receipt of this notice of award, you are required to take the actions set forth in Paragraphs (1) through (3) below. For your convenience, attached please find a copy of Schedule A of the General Conditions to the Contract, which sets forth the types and amounts of insurance coverage required for this contract.

- Execute four copies of the Agreement in the Contracts Unit, 30-30 Thomson Avenue, 1st (1) Floor, Long Island City, New York (IDCNY Building). A Commissioner of Deeds will be available to witness and notarize your signature. The Agreement must be signed by an officer of the corporation or a partner of the firm.
- (2) Submit to the Contracts Unit four properly executed performance and payment bonds. If required for this contract, copies of performance and payment bonds are attached.
- (3) Submit to the Contracts Unit the following insurance documentation: (a) original certificate of insurance for general liability in the amount required by Schedule A, and (b) original certificates of insurance or other proof of coverage for workers' compensation and disability benefits, as required by New York State Law. The insurance documentation specified in this paragraph is required for registration of the contract with the Comptroller's Office.






On or before the contract commencement date, you are required to submit all other certificates of insurance and/or policies in the types and amounts required by Schedule A. Such certificates of Insurance and/or policies must be submitted to the Agency Chief Contracting Office, Attention: Risk Manager, Fourth Floor at the above indicated department address.

Your attention is directed to the section of the Information for Bidders entitled "Failure to Execute Contract". As indicated in this section, in the event you fail to execute the contract and furnish the required bonds within the (10) days of your receipt of this notice of award, your bid security will be retained by the City and you will be liable for the difference between your bid price and the price for which the contract is subsequently awarded, less the amount of the bid security retained.

Singerely,

John Goddard




SPECIAL NOTICE TO BIDDERS

The New York City Department of Small Business Services (SBS), in conjunction with the New York Business Development Corporation (NYBDC), have established a **NYC Construction Loan** pilot program to provide prime contractors and subcontractors financing for mobilization costs on certain City construction projects.

Under this initiative, loans are available for early stage mobilization needs such as insurance, labor, supplies and equipment. Bidders are strongly encouraged to visit "Growing Your Business" at www.nyc.gov/nycbusiness to learn more about the loan or contact contact constructionloan@sbs.nyc.gov / (212) 513-6444 to obtain details and to determine preliminary eligibility.

A successful loan applicant will be required to make an assignment of its contract (or subcontract) payments to the lender NYBDC until the loan is repaid. If the loan is to a subcontractor, a prime contractor must honor the terms of such an assignment.

A prime contractor may not discriminate against a subcontractor or potential subcontractor by reason of the subcontractor's participation, or nonparticipation, in the NYC Construction Loan program.



CITY OF NEW YORK

DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

BID BOOKLET

FOR FURNISHING ALL LABOR AND MATERIALS NECESSARY AND REQUIRED FOR:

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J;

EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J:

CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto BOROUGH OF BROOKLYN

PROJECT ID: SE851

CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

BID BOOKLET

TABLE OF CONTENTS

SECT	TION	PAGE
PART	T A	
1.	Table of Contents	1
2.	Special Notice to Bidders	2
3.	Attachment 1 – Bid Information	A-1
4.	Bid Schedule	B-1
5.	Bid Form	C-1
6.	Affirmation	C-6
7.	Bid Bond	C-7
8.	M/WBE Program: M/WBE Utilization Plan	5
9.	Apprenticeship Program Requirements	19
PART	В	
10.	Safety Questionnaire	21
11.	Pre-award Process.	24
12.	Project Reference Form	26
13.	Contract Certificate	29
14.	Vendex Compliance	30
15.	Iran Divestment Act Compliance Rider	31
16.	Construction Employment Report	33

1

CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

SPECIAL NOTICE TO BIDDERS

BID SUBMISSION REQUIREMENTS

THE FOLLOWING DOCUMENTS ARE TO BE COMPLETED AND SUBMITTED WITH THE BID:

- 1. Bid Schedule and Bid Form, including Affirmation
- 2. Bid Security (if required, see Attachment 1 on Page A-1)
- 3. Schedule B: M/WBE Utilization Plan (if participation goals have been established)

FAILURE TO SUBMIT ITEMS (1), (2) AND (3) WILL RESULT IN THE DISQUALIFICATION OF THE BID.

- 4. Safety Questionnaire
- 5. Construction Employment Report (if bid is \$1,000,000 or more)
- 6. Contract Certificate (if bid is less than \$1,000,000)
- 7. Confirmation of Vendex Compliance
- 8. Bidder's Certification of Compliance with Iran Divestment Act
- 9. Special Experience Requirements (if applicable)
- 10. Apprenticeship Program Questionnaire (if applicable)
- 11. Any addenda issued prior to the receipt of bids

FAILURE TO SUBMIT ITEMS (4) THROUGH (11) MAY RESULT IN THE DISQUALIFICATION OF THE BID.

NOTES:

- (1) All of the above referred to blank forms to be completed and submitted with the bid are included in the BID BOOKLET.
- (2) If the bidder has any questions or requires additional information, please contact the Department of Design and Construction by phone (718-391- 2601) or by fax (718-391-2615).
- (3) <u>VENDEX QUESTIONNAIRES</u>: The Bidder is advised that Vendex Questionnaires and procedures have been changed. Vendex Questionnaires, as well as detailed instructions, may be obtained at <u>www.nyc.gov/vendex</u>. The bidder may also obtain Vendex forms and instructions by contacting the Agency Chief Contracting Officer or the contact person for this contract.
- (4) <u>SPECIAL EXPERIENCE REQUIREMENTS</u>: The Bidder is advised that Special Experience Requirements may apply to this contract. Such requirements are set forth on pages 3, 3a, 3b and 4 of this Bid Booklet.

SPECIAL NOTICE TO BIDDERS

SPECIAL EXPERIENCE REQUIREMENTS (Revised 03/2014)

(A) SPECIAL EXPERIENCE REQUIREMENTS FOR THE BIDDER: The Special Experience Requirements set forth below apply to the bidder. Compliance with such Special Experience Requirements will be determined solely by the City prior to an award of contract. Failure to comply with the Special Experience Requirements will result in rejection of the bid as non-responsive.

The requirements in this Section (A) apply to this contract where indicated by a blackened box (II).

The bidder must, within the last seven (7) consecutive years prior to the bid opening, have successfully completed in a timely fashion at least one (1) project similar in scope and type to the required work. Such prior project may have been performed as a prime contractor, subcontractor or sub-subcontractor.

The Special Experience Requirements next to the blackened box below apply to the bidder. If the bidder intends to perform such work itself, it must demonstrate compliance with the Special Experience Requirements. If the bidder intends to subcontract this work, the proposed subcontractor or sub-subcontractor must demonstrate compliance with the Special Experience Requirements. The contractor, subcontractor or sub-subcontractor (hereinafter referred to as the "entity") that will perform any specific area of work indicated by the blackened box below, may have performed the required prior project(s) as a prime contractor, subcontractor or sub-subcontractor. Once approved, no substitution will be permitted, unless the qualifications of the proposed replacement have been approved in writing in advance by the City.

- Trunk Water Main Work: The entity that will perform the trunk water main work must, within the last seven (7) consecutive years prior to the bid opening, have successfully completed in a timely fashion at least one (1) project similar in scope and type to the required work.
- Best Management Practice Work: Best Management Practice ("BMP") Work is any item of work in the Bid Schedule that begins with the prefix "BMP". The entity that will perform any BMP Work must, within the last five (5) consecutive years prior to the bid opening, have successfully completed in a timely fashion at least three (3) projects similar in scope and type to the required work.

For professional services in connection with BMP Work, (i.e., monitoring and reporting services), the individual who will perform the required services must, within the last five (5) consecutive years prior to the bid opening, have successfully completed in a timely fashion at least three (3) projects similar in scope and type to the required work. Additional requirements are set forth below.

- The individual serving as the Restoration Specialist (Construction Monitor) must be a Registered Landscape Architect licensed by the state of New York, or must have equivalent professional experience.
- The individual serving as the Erosion and Sediment Control Licensed/Certified Professional must be a Certified Professional in Erosion and Sediment Control (CPESC), certified by CPESC, Inc.

Micro-Tunneling/Pipe Jacking Work: The entity that will perform the micro-tunneling/pipe jacking work must, within the last five (5) consecutive years prior to the bid opening, have successfully completed in a timely fashion at least two (2) projects similar in scope and type to the required work.
OTHER:

(B) <u>SPECIAL EXPERIENCE REQUIREMENTS FOR SPECIFIC AREAS OF WORK (to be provided after an award of contract)</u>:

The requirements in this Section (B) apply to this contract where indicated by a blackened box (11).

The Special Experience Requirements set forth below apply to the contractor, subcontractor or subsubcontractor that will perform the specific area of work. Compliance with such Special Experience Requirements will be determined solely by the City after an award of contract. After an award of contract, when requested by the City, the contractor will be required to submit the qualifications of the contractor, subcontractor or sub-subcontractor that will perform the specific area of work. If the bidder intends to perform such work itself, it must demonstrate compliance with the Special Experience Requirements. If the bidder intends to subcontract this work, the proposed subcontractor or sub-subcontractor must demonstrate compliance with the Special Experience Requirements. Once approved, no substitution will be permitted, unless the qualifications of the proposed replacement have been approved in writing in advance by the City.

Special Experience Requirements apply to the contractor, subcontractor or sub-subcontractor (hereinafter referred to as the "entity") that will perform any specific area of work indicated by a blackened box. The entity may have performed the required prior project(s) as a prime contractor, subcontractor or subsubcontractor.

- Hazmat Work: Hazmat Work is any item of work in the Bid Schedule that begins with the prefix 8.01. The entity that will perform any Hazmat Work must, within the last three (3) consecutive years prior to the bid opening, have successfully completed in a timely fashion at least five (5) projects similar in scope and type to the required work.
- Pile, CFA Pile, and/or Mini-Pile Work: The entity that will perform the Pile, CFA Pile and/or Mini-Pile Work must, within the last three (3) consecutive years prior to the bid opening, have successfully completed in a timely fashion at least two (2) projects similar in scope and type to the required work.

For professional services in connection with Pile Work, (i.e., engineering and inspection services), the individual who will perform the required services must be a Professional Engineer licensed by the state of New York. Such individual must also comply with the above requirements for prior projects.

Construction Report, Monitoring And Post-Construction Report, and Continuous Real-Time Monitoring For Vibrations And Movements And Post-Construction Report Work: The entity that will perform the Construction Report, Monitoring For Vibrations And Movements, and Post-Construction Report Work must, within the last three (3) consecutive years prior to the bid opening, have successfully completed in a timely fashion at least two (2) projects similar in scope and type to the required work.

For professional services in connection with Reporting and Monitoring Work, (i.e., engineering and inspection services), the individual who will perform the required services must be a Professional Engineer licensed by the state of New York. Such individual must also comply with the above requirements for prior projects.

OTHER:_			

- (C) <u>SPECIFICATIONS</u>: In the event of any conflict, omission or inconsistency between (1) the Specifications and/or Contract Drawings, and (2) the Special Experience Requirements in Section (B) of the Special Notice To Bidders, the special experience listed in the Specifications and/or Contract Drawings shall be controlling. The Special Experience Requirements in Section (B) of this Special Notice To Bidders are only for the convenience of the bidders.
- (D) <u>SUBMISSION REQUIREMENTS</u>: For each project submitted to demonstrate compliance with the Special Experience Requirements, the bidder must complete and submit the Qualification Form included in the Bid Booklet. The City will only evaluate a project if the following criteria are met: (1) the project is described on the Qualification Form, and (2) all information on the Qualification Form is provided. The City will not evaluate any project which does not comply with the criteria set forth herein, including any project which is referred to only on the resume of an individual.

If Special Experience Requirements are indicated for any specific area of work, the submission requirement set forth above shall apply to the entity that will perform the specific area of work.

- (E) <u>CONDITIONS</u>: In determining compliance with the Special Experience Requirements for the bidder set forth above, the City may consider prior projects completed by principal(s) or other employees of the bidder while affiliated with another entity, subject to the conditions set forth below.
 - Any principal or other employee on whose prior experience the bidder is relying to demonstrate compliance with this special experience requirement must have held the following: (a) a significant management role in the prior entity with which he/she was affiliated, and (b) a significant management role in the entity submitting the bid for a period of six (6) months or more from the inception of the bidding entity.
 - The bidder may not rely on the experience of its principals or other employees to demonstrate compliance with any other requirements, including without limitation, financial requirements or requirements for a specified minimum amount of annual gross revenues.
- (F) <u>JOINT VENTURES</u>: In the event the bidder is a joint venture, at least one firm in the joint venture must meet the above described experience requirements.

Qualification Form

List previous projects completed to meet the special experience requirements for this contract. Please photocopy this form for submission of all required projects.

Name of Contractor: Bedfoar - Cap Construction Inc.
Name of Project: WP-169, ER-ACZ Alley Cell Dramaje
Location of Project: Queens, N.Y.
Owner or Owner's representative (Architect or Engineer) who is familiar with the work performed:
Name: Ray Mesh Kati, P.E. Title: Project Ensineer Phone Number: (78) 595-6123
Phone Number: (78) 595-6123
Brief description of the Project completed or the Project in progress: Construction of Storm / Santagy Sewers and water mains
and water facilities
Was the Project performed as a prime, a subcontractor or a sub-subcontractor:
Amount of Contract, Subcontract or Sub-subcontract: \$100, 153, 79425
Start Date and Completion Date: 5 12/2002, C 10/16/2007

Name of Contractor: Bedford - Caep Construction Inc.
Name of Project: HWQP171-PR
Location of Project: Queens, My.
Owner or Owner's representative (Architect or Engineer) who is familiar with the work performed:
Name: Frank Mesiti
Title: E. T. C. Phone Number: (718) 595-6123
Brief description of the Project completed or the Project in progress: Peconstruction of the Project completed or the Project in progress: Peconstruction of the Project completed or the Project in progress: Peconstruction of the Project completed or the Project in progress:
Was the Project performed as a prime, a subcontractor or a sub-subcontractor:
Amount of Contract, Subcontract or Sub-subcontract: #15, 115, 115.
Start Date and Completion Date: 5 7/2006, C 12/15/2009

Qualification Form

List previous projects completed to meet the special experience requirements for this contract. Please photocopy this form for submission of all required projects.

Name of Contractor:
Name of Project:
Location of Project:
Owner or Owner's representative (Architect or Engineer) who is familiar with the work performed:
Name:
Title: Phone Number:
Brief description of the Project completed or the Project in progress:
Was the Project performed as a prime, a subcontractor or a sub-subcontractor:
Amount of Contract, Subcontract or Sub-subcontract:
Start Date and Completion Date:

Name of Contractor:
Name of Project:
Location of Project:
Owner or Owner's representative (Architect or Engineer) who is familiar with the work performed:
Name:
Fitle: Phone Number:
Brief description of the Project completed or the Project in progress:
Was the Project performed as a prime, a subcontractor or a sub-subcontractor:
Amount of Contract, Subcontract or Sub-subcontract:
Start Date and Completion Date:

ATTACHMENT 1 - BID INFORMATION

PROJECT ID: SE851 PIN: 8502014SE0021C

Description and Location of Work: For The Construction Of Storm, Combined, Sanitary Sewers And Water Mains And Appurtenances In: Flatlands Avenue Between East 98th Street And East 108th Street; Avenue J Between East 98th Street And East 108th Street; East 108th Street Between Flatlands Avenue And Avenue J; East 107th Street Between Flatlands Avenue And Avenue J; East 106th Street Between Flatlands Avenue And Avenue J; East 105th Street Between Flatlands Avenue And Avenue J; East 104th Street Between Flatlands Avenue And Avenue J; East 102nd Street Between Flatlands Avenue And Avenue J; East 101st Street Between Flatlands Avenue And Avenue J; East 100th Street Between Conklin Avenue And Avenue J; East 99th Street Between Flatlands Avenue And Avenue And Avenue And Avenue And Avenue And Avenue And East 108th Street; Flatlands 1st Street Between East 105th Street And East 108th Street; Flatlands 2nd Street Between East 105th Street And East 108th Street; East 99th Street Between Conklin Avenue And Glenwood Road; And East 98th Street Between Conklin Avenue And Glenwood Road, Together With All Work Incidental Thereto, Borough Of Brooklyn.

Street; East 99th Street Bety	ween Conklin Avenue And Glenwood Road; And East 98th Street Between wood Road, Together With All Work Incidental Thereto, Borough
Documents Available At:	30-30 Thomson Avenue First Floor Bid Procurement Room Long Island City, New York 11101 8:30 A.M. to 4:00 P.M Monday through Friday
Submission of Bids To:	30-30 Thomson Avenue First Floor Bid Procurement Room Long Island City, New York 11101 Before 11:00 A.M. on
Bid Opening:	30-30 Thomson Avenue First Floor Bid Procurement Room Long Island City, New York 11101
	Time and Date: 11:00 A.M. on June 23, 2015
Pre-Bid Conference:	Yes NoX
	If Yes, Mandatory: Optional: Time and Date: Location:
secu	Security is required in the amount set forth below; provided, however, bid rity is not required if the TOTAL BID PRICE set forth on the Bid Form is than \$1,000,000.00.
(1) (2)	Bond in an amount not less than 10% of the TOTAL BID PRICE set forth on the Bid Form, OR Certified Check in an amount not less than 2% of the TOTAL BID PRICE set forth on the Bid Form.
	ecurity: Required for contracts in the amount of \$1,000,000 or more. syment Security shall each be in an amount equal to 100% of the Contract
Agency Contact Person:	Lorraine Holley Phone: 718-391-2601 FAX: 718-391-2615

BID SCHEDULE

NOTICE TO BIDDERS

Items listed in this Bid Schedule which have one (1) digit followed by a decimal (e.g. 4.02 AG), excluding items beginning with the number "8.01", shall comply with the requirements of the corresponding numerical Sections of the NYCDOT Standard Highway Specifications as amended by Addendum No. 1 and Addendum No. 2, herein Volume 3 of 3.

Items listed in this Bid Schedule beginning with the number "8.01" (e.g. 8.01 C1) shall comply with the requirements of Addendum No. 5, herein Volume 3 of 3.

Items listed in this Bid Schedule which have two (2) digits beginning with the number "5" followed by a decimal (e.g. 50.31CC15) shall comply with the requirements of the New York City Department of Environmental Protection (NYCDEP) Standard Sewer and Water Main Specifications dated July 1, 2014, as amended by Addendum No. 2, herein Volume 3 of 3.

Items listed in this Bid Schedule which have two (2) digits beginning with the number "6" followed by a decimal (e.g. 60.11R612) shall comply with the requirements of the New York City Department of Environmental Protection (NYCDEP) Standard Sewer and Water Main Specifications dated July 1, 2014, as amended by Addendum No. 2, herein Volume 3 of 3.

Items listed in this Bid Schedule which have two (2) digits beginning with the number "7" followed by a decimal (e.g. 70.31FN) shall comply with the requirements of the New York City Department of Environmental Protection (NYCDEP) Standard Sewer and Water Main Specifications dated July 1, 2014, as amended by Addendum No. 2, herein Volume 3 of 3.

Items listed in this Bid Schedule beginning with the prefix "T-" (e.g. T-2.15) are Traffic Items which shall be done in accordance with the requirements of Sub-Section 1.06.23.(D) and Section 1.06.49 in the Standard Highway Specifications.

Items listed in this Bid Schedule beginning with the prefix "UTL-" (e.g. UTL-6.01.8) are for Gas Cost Sharing (EP-7) work and shall comply with the requirements of Addendum No. 3, herein Volume 3 of 3.

Items listed in this Bid Schedule beginning with the prefix "BMP" (e.g. BMP-7.502) shall comply with the requirements of the corresponding alphanumeric sections incorporated in Addendum No. 6, herein Volume 3 of 3.

Project ID: SE851



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

CONTRACT PIN: 8502014SE0021C

PROJECT ID: SE851

BID SCHEDULE

- NOTE: (1) The Agency may reject a bid if it contains unbalanced bid prices. An unbalanced bid is considered to be one containing lump sum or unit items which do not reflect reasonable actual costs plus a reasonable proportionate share of the Bidder's anticipated profit, overhead costs, and other indirect costs, anticipated for the performance of the items in question.
 - (2) The following bid prices on Unit Price Contracts are to be paid for the actual quantities of the item numbers in the completed work or structure, and they cover the cost of all work, labor, material, tools, plant and appliances of every description necessary to complete the entire work, as specified, and the removal of all debris, temporary work and appliances.
 - (3) PLEASE BE SURE A LEGIBLE BID IS ENTERED, IN INK, FOR EACH ITEM. Alterations must be initialed in ink by the bidder.
 - (4) The Extended Amount entered in Column 6 shall be the product of the Estimated Quantity in Column 3 times the Unit Price Bid in Column 5.
 - (5) Prospective bidders must examine the Bid Schedule carefully and, before bidding, must advise the Commissioner, in writing, if any pages are missing, and must request that such missing pages be furnished them. The pages of this Bid Schedule are numbered consecutively, as follows:
 B - 3 [REVISION # 1] Through B - 49 [REVISION # 1]

PLEASE BE SURE A LEGIBLE BID IS ENTERED FOR EACH ITEM.
THE BIDDER SHALL INSERT THE TOTAL BID PRICE IN
THE BID FORM ON PAGE C-4 OF THIS BID BOOKLET.

6/19/2015 12:00 AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL.1	COL.,2 FIEM NUMBER and DESCRIPTION (1)	COES ENGINEERIS ESCIMATE GEOLAGITAL	60L4	COL 5 UNIT PRICE (IN FIGURES) DOLLARS		GOL: 6 EXTENDED AMOUNT ((IN: FIGURES)) DOLLARS	CIS
001	4.02 AB-R ASPHALTIC CONCRETE WEARING COURSE, 1-1/2" THICK	5,000.00	S.Y.	12_	-	60,000	-
002	4.02 AF-R ASPHALTIC CONCRETE WEARING COURSE, 2" THICK	70,000.00	S.Y.	15	-	1,050,000	_
003	4.02 CA BINDER MIXTURE	19,000.00	TONS	150	_	2,850,000	_
004	4.04 H CONCRETE BASE FOR PAVEMENT, VARIABLE THICKNESS FOR TRENCH RESTORATION, (HIGH-EARLY STRENGTH)	6,300.00	C.Y.	220		1,386,000	
005	4.05 AX HIGH-EARLY STRENGTH REINFORCED CONCRETE PAVEMENT (BUS STOPS)	110.00	C.Y.	500		55,000	
006	4.08 AA CONCRETE CURB (18" DEEP)	3,100.00	L.F.	23		71,300	_



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL 2 TIEM NUMBER and DESCRIPTION	TIGGLES LENAIN ASTAIS LENAIN AGE LEOF COUNTRIES	i decembra	COLASI UNIN PRIGE (AN PROGRAS VOCIANAS	合本 不是的 研究性的	GOLG EXTENDED AMOUNT (INTEGURES)
007	4.08 BA CONCRETE CURB (21" DEEP)	1,400.00	L.F.	26		36,400 -
800	4.09 AD STRAIGHT STEEL FACED CONCRETE CURB (18" DEEP)	1,500.00	L.F.	60		90,000 -
009	4.09 AE STRAIGHT STEEL FACED CONCRETE CURB (21" DEEP)	1,000.00	L.F.	65	-	65,000 -
010	4.09 CD CORNER STEEL FACED CONCRETE CURB (18" DEEP)	2,200.00	L.F.	80	1	176,000 -
011	4.09 CE CORNER STEEL FACED CONCRETE CURB (21" DEEP)	800.00	L.F.	90	-	72,000 -
012	4.13 AAS 4" CONCRETE SIDEWALK (UNPIGMENTED)	28,600.00	S.F.	7		200,200 -

6/19/2015 12:00 AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL.1	COL.2 TEM:NUMBER and DESCRIPTION	COLAS LENGINHER'S ESTAMATE OF QUANTITY	GOL4	GOL 5 UNIT PRIGE (IN FIGURES) DOLLARS		GOL 8 EXTENDED AMOUNT (IN FIGURES) DOWARS	CTS
013	4.13 BAS 7" CONCRETE SIDEWALK (UNPIGMENTED)	19,400.00	S.F.	8		155,200	
014	4.13 DE EMBEDDED PREFORMED DETECTABLE WARNING UNITS	1,500.00	S.F.	35	1	52,500	_
015	4.16 AA TREES REMOVED (4" TO UNDER 12" CALIPER)	3.00	EACH	150	1	450	1
016	4.16 BA405 TREES PLANTED, 2-1/2" TO 3" CALIPER, ALL TYPES, IN 4' X 5' TREE PITS	8.00	EACH	950)	7,600	1
017	4.18 A MAINTENANCE TREE PRUNING (UNDER 12" CAL.)	60.00	EACH	200		12,000	
018	4.18 B MAINTENANCE TREE PRUNING (12" TO UNDER 18" CAL.)	65.00	EACH	250		16,250	



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1 SEQ. NO	COL 2 TEM NUMBER and DESCRIPTION	COLLS JENGINHERS JESTIMATE OLOUANIETY	COLA MARIE ONIT	COL 5 UNFIGURES UNFIGURES DOLLARS		COL-6 EXTENDED AMOUNT (IN FIGURES), DOLLARS	CIS
037	50.31MC15 15" E.S.V.P. STORM SEWER, ON CONCRETE CRADLE	230.00	L.F.	615		155, 250	
038	50.31MC18 18" E.S.V.P. STORM SEWER, ON CONCRETE CRADLE	181.00	L.F.	675	1	122,175	_
039	50.31ME15 15" E.S.V.P. STORM SEWER, ENCASED IN CONCRETE	649.00	L.F.	615	\	438,075	
040	50.31ME18 18" E.S.V.P. STORM SEWER, ENCASED IN CONCRETE	1,796.00	L.F.	675	1	1,212,300	_
041	50.31SC10 10" E.S.V.P. SANITARY SEWER, ON CONCRETE CRADLE	157.00	L.F.	650		102,050	-
042	50.31SC12 12" E.S.V.P. SANITARY SEWER, ON CONCRETE CRADLE	690.00	L.F.	650	•	448,500	J

6/19/2015 12:00 AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1 SEQ NO	COL.2 NO. TEM NUMBER and DESCRIPTION.	OOLS ENGLEERS ESTIMATE OF CHANGING	COLA COLA UNIO	COL25 UNICPRICE (IN FIGURES) DOLEARS		COL 6 EXTENDEDAMOUNT PINFIGURES) DOLLARS	CTS
031	50.21M3E030W 30"W X 19"H R.C.P. CLASS HE-III STORM SEWER, ENCASED IN CONCRETE	814.00	L.F.	800		651,200	
032	50.21M3E038W 38"W X 24"H R.C.P. CLASS HE-III STORM SEWER, ENCASED IN CONCRETE	496.00	L.F.	850	1	421,600	
033	50.31CC15 15" E.S.V.P. COMBINED SEWER, ON CONCRETE CRADLE	272.00	L.F.	675	1	183,600	
034	50.31CC18 18" E.S.V.P. COMBINED SEWER, ON CONCRETE CRADLE	332.00	L.F.	700	_	232,400	
035	50.31CE12 12" E.S.V.P. COMBINED SEWER, ENCASED IN CONCRETE	45.00	L.F.	615	1	30, 375	_
036	50.31MC12 12" E.S.V.P. STORM SEWER, ON CONCRETE CRADLE	259.00	L.F.	650		168, 350	



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1 SEQ NO	CGE 2 TEMINOMBER ANTIDESCRIPTION	CONST PAGINERIS PESTAMORE OF ORANINAY	(5) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	COS 5 UNITERRIGIE CUMS (GWRSS DOLLARS)	Company of the second	CCEL 8 LEQUENDED AMOUNT SEN ÉTEURIES	
019	4.18 C MAINTENANCE TREE PRUNING (18" TO UNDER 24" CAL.)	70.00	EACH	450		31,500	CIS:
020	4.18 D MAINTENANCE TREE PRUNING (24" CAL. AND OVER)	45.00	EACH	600	-	27,000	
021	4.20 SEEDING	1,700.00	S.Y.	10		17,000)
022	4.21 TREE CONSULTANT	1,040.00	P/HR	65		67,600	_
023	50.11MS040020 4'-0"W X 2'-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER	252.00	L.F.	1,000		252,000	_
024	50.11MS046026 4'-6"W X 2'-6"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER.	1,025.00	L.F.	1,100		1,127,500	7

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL.2	COBS ENGREER'S ESTHANE OF QUANTITY	COL. 4 UNIT	COL 5 UNITAPRIGE (IN FIGURES) DOLLARS		COL 6 EXTENDED AMOUNT VIN FIGURES) DOLLARS CTS
025	50.11MS050026 5'-0"W X 2'-6"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER	1,558.00	L.F.	1,200	-	1,869,600
026	50.11MS060030 6'-0"W X 3'-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER	1,298.00	L.F.	2,000)	2,596,000 -
027	50.11MS096050 9'-6"W X 5'-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER	197.00	L.F.	3,500	-	689,500 -
028	50.11MS130040 13'-0"W X 4'-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER	1,499.00	L.F.	4,000	_	5,996,000 -
029	50.21C3E024D 24" R.C.P. CLASS III COMBINED SEWER, ENCASED IN CONCRETE	118.00	L.F.	1,000		118,000 -
030	50.21M3E024D 24" R.C.P. CLASS III STORM SEWER, ENCASED IN CONCRETE	1,151.00	L.F.	1,000		1,151,000 -



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL.1	COL 2. TEM NUMBER and DESCRIPTION		r cor	CONTRACT CONTRACT CONTRACT		COL 8 DOJENIO ED AMOUNT (IN FIGURES)
043	50.41C6C24 24" D.I.P. CLASS 56 COMBINED SEWER, ON CONCRETE CRADLE	276.00	L.F.	700		193, 200 -
044	50.41C6E24 24" D.I.P. CLASS 56 COMBINED SEWER, ENCASED IN CONCRETE	24.00	L.F.	750	1	18,000 -
045	50.41M6E12 12" D.I.P. CLASS 56 STORM SEWER, ENCASED IN CONCRETE	39.00	L.F.	650	_	25,350 -
046	51.11C001 CHAMBER NO. 1	1.00	EACH	300,000	-	300,000 -
047	51.11C002 CHAMBER NO. 2	1.00	EACH	200,000		200,000 -
048	51.11C003 CHAMBER NO. 3	1.00	EACH	200,000	_	200,000 -

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1 SEQ.NO	COL-2 ITEM NUMBER and DESCRIPTION	COLS ENGINEERS ESSIMATE OF GEACHERY	COLIA UNIT	COLLS UNIT PRICE (IN FIGURES!) DOLLARS C	COL 6 EXTENDED: AMOUNT (IN FIGURES) TS DOLLARS CTS
049	51.11C004 CHAMBER NO. 4	1.00	EACH	400,060	- 400,000 -
050	51.11C005 CHAMBER NO. 5	1.00	EACH	300,000	300,000 -
051	51.11C006 CHAMBER NO. 6	1.00	EACH	150,000	150,000 -
052	51.11C007 CHAMBER NO. 7	1.00	EACH	150,000	150,000
053	51.11C008 CHAMBER NO. 8	1.00	EACH	150,000	150,000 -
054	51.11C009 CHAMBER NO. 9	1.00	EACH	150,000	- 150,000 -



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	Col. 2					_	
SEQ. NO		ENGIL SEE	(OS)11-24 (CS)25-25 (CS)25	GOLS UKUPPAGE VINFIGURES		COLIF CECTENDED AMOUNT (UN FIGURES)	
055	51.11C010 CHAMBER NO. 10	1.00	EACH	180,000		War was a series of the series	CI
056	51.11C011 CHAMBER NO. 11	1.00	EACH	200,000		200,000	
057	51.11C012 CHAMBER NO. 12	1.00	EACH	110,000		110,000	
058	51.11C013 CHAMBER NO. 13	1.00	EACH	120,000	_	120,000	
059	51.11P004 STANDARD 4'-0" DIAMETER PRECAST MANHOLE	14.00	EACH	10,000		140,000	
060	51.11P005 STANDARD 5'-0" DIAMETER PRECAST MANHOLE	3.00	EACH	12,000		36,000	-

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1 SEQ. NO	COL.2	EOLS ENGINEERS ESTIMATE OF GEAVERTY	Precisa.	GOL/5 UNIT PRICE (IN FIGURES) DOLLARS		COL 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS	CIS
061	51.11P006 STANDARD 6'-0" DIAMETER PRECAST MANHOLE	4.00	EACH	13,500	_	54,000	_
062	51.11P007 STANDARD 7'-0" DIAMETER PRECAST MANHOLE	1.00	EACH	15,000	-	15,000	_
063	51.11S000 SIPHON CHAMBER	1.00	EACH	1,050,000		1,050,000	
064	51.21A00000C ACCESS MANHOLE	23.00	EACH	1,000	-	23,000	
065	51.21A00000E ACCESS MANHOLE ON EXISTING SEWER	1.00	EACH	10,000	-	10,000	
066	51.21S0A1000V STANDARD MANHOLE TYPE A-1	22.00	EACH	10,000		220,000	



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

HEVNINGED AND AND AND AND AND AND AND AND AND AN	EKGIK HERU ABSTAN	0.622	COL 57 VVII HAKE		GOLAS EXTENDED AMOUNT	
51.21S0A2000V STANDARD MANHOLE TYPE A-2	OF COUNCEDAY.	EACH	(O ₁ OOO	OTS	LO, DOO	Y C1
51.21S0A3000V STANDARD SHALLOW MANHOLE TYPE A-3	24.00	EACH	6,500	-	156,000	
51.21S0B1000V STANDARD MANHOLE TYPE B-1	2.00	EACH	10,000	-	20,000	
51.41P000 SPECIAL CATCH BASIN	2.00	EACH	10,000	-	20,000	
51.41S001 STANDARD CATCH BASIN, TYPE 1	124.00	EACH	10,000	-	1, 240,000	_
51.41S003 STANDARD CATCH BASIN, TYPE 3	4.00	EACH	5,000	-	20,000	_
	51.21S0A2000V STANDARD MANHOLE TYPE A-2 51.21S0A3000V STANDARD SHALLOW MANHOLE TYPE A-3 51.21S0B1000V STANDARD MANHOLE TYPE B-1 51.41P000 SPECIAL CATCH BASIN 51.41S001 STANDARD CATCH BASIN, TYPE 1	51.21S0A2000V 1.00 51.21S0A3000V 24.00 51.21S0B1000V 2.00 51.21S0B1000V 2.00 51.41P000 2.00 51.41S001 124.00 51.41S003 124.00	51.21S0A2000V 1.00 EACH 51.21S0A3000V 24.00 EACH 51.21S0B1000V 2.00 EACH 51.21S0B1000V 2.00 EACH 51.41P000 2.00 EACH 51.41P001 2.00 EACH 51.41S001 124.00 EACH 51.41S003 4.00 EACH	STANDARD MANHOLE TYPE A-2 1.00 EACH 10,000	STANDARD MANHOLE TYPE A-2 1.00 EACH 10 000 -	STANDARD MANHOLE TYPE A-2 1.00 EACH 10,000 - 10,000 - 10,000 - 10,000 - 10,000 - 10,000 - 10,000 - 10,000 - 10,000 - 10,000 - 10,000 -

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL. 2	GOES GENERALS AESEMATE ROFOLANTIN	GGISA SINIP	COL 5 UNIT PRIGE (IN FIGURES) DOLLARS	CTS.	COL:6 EXTENDED AMOUNT (IN FIGURES) DOLLARS	CTS
SEQ. NO.	THEM NUMBER and DESCRIPTION 51.41W000 SHALLOW CATCH BASIN	5.00	EACH	2,500		ι2, S60	_
074	51.42S1SO INCREMENTAL COST OF STANDARD CATCH BASIN TYPE 3 WITH CURB PIECE IN LIEU OF STANDARD CATCH BASIN TYPE 1	1.00	EACH	5,000	1	5,000	_
075	51.61F000 OUTFALL	1.00	EACH	1,110,060		1,110,000	
076	52.11D12 12" DUCTILE IRON PIPE BASIN CONNECTION	2,270.00	L.F.	400	/	908,000	_
077	52.21V08 8" E.S.V.P. RISER FOR HOUSE CONNECTION	16.00	V.F.	200	-	3,200	
078	52.31V06C12 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 12" E.S.V.P. COMBINED SEWER	2.00	EACH	150	1	300	-



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL. 2	COLUMN AUTOMOTIVA (COLUMN AUTOMO	(50 <u>1</u> .4	COLS UNIT PRICE		SOL S EXTENDED AMOUNT	
SEG: NO	52.31V06C15 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 15" E.S.V.P. COMBINED SEWER	4.00	EACH	DOLLARS 200		(INPIGURES). DOLLARS SOC	6
080	52.31V06C18 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 18" E.S.V.P. COMBINED SEWER	4.00	EACH	250		1,000	
081	52.31V06M12 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 12" E.S.V.P. STORM SEWER	1.00	EACH	150	-	150	-
082	52.31V06M15 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 15" E.S.V.P. STORM SEWER	63.00	EACH	200	_	12,600	-
083	52.31V06M18 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 18" E.S.V.P. STORM SEWER	97.00	EACH	250)	24,250	-
084	52.31V06S10 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 10" E.S.V.P. SANITARY SEWER	8.00	EACH	150	-	1, 200	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL.1	COL: 2: ITEM NUMBER and DESCRIPTION	GOL 3 ENGINEERS ESTIMATE OF OUR MITTER	Catuat Sensor	COL:5 UNIT PRICE (IN FIGURES)		COL/6 EXTENDED AMOUNT (IN FIGURES) DOLLARS	СТS
085	52.31V08C15 8" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 15" E.S.V.P. COMBINED SEWER	1.00	EACH	200	1	200	_
086	52.41V06R 6" E.S.V.P. HOUSE CONNECTION DRAIN ON CONCRETE CRADLE (RECONNECTION)	5,456.00	L.F.	100		545,600	_
087	52.41V08R 8" E.S.V.P. HOUSE CONNECTION DRAIN ON CONCRETE CRADLE (RECONNECTION)	60.00	L.F.	150	-	9,000	-
088	53.11DR TELEVISION INSPECTION AND DIGITAL AUDIO-VISUAL RECORDING OF SEWERS	13,120.00	L.F.	5	-	65,600	1
089	6.01 AC CLEARING AND GRUBBING	3,000.00	S.Y.	l		3,000	_
090	6.02 AAN UNCLASSIFIED EXCAVATION	10,250.00	C.Y.	[0	-	102,500	_



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

SEQ NO	COL 2 TEMNUMBER and DESCRIPTION	oolo Edelkaare Sandare		CORS Braderios Corres		OOL 6 EXPENDED AM JUNE (IN FIGURES)	
091	6.23 AB REMOVE EXISTING FIRE ALARM POST	3.00	EACH	450		DOMARS	6
092	6.23 BA FURNISH AND INSTALL FIRE ALARM POST AND SUBBASE IN ACCORDANCE WITH F.D. STD. DWG. #141	3.00	EACH	1,700		5, 100	
093	6.23 BD FURNISH AND INSTALL 4-PAIR FIRE ALARM CABLE	1,340.00	L.F.	8	1	10,720	-
094	6.23 BE FURNISH AND INSTALL FIRE DEPARTMENT MANHOLE TYPE "A" WITH FRAME AND COVER IN ACCORDANCE WITH F.D. STD. DWG. #140, #144 & #144E	4.00	EACH	5,700	_	22,800	-
l	6.23 BES FURNISH AND INSTALL FIRE DEPARTMENT SLOTTED MANHOLE TYPE "A" WITH FRAME AND COVER IN ACCORDANCE WITH F.D. STD. DWG. #140, #144S & #144E	3.00	EACH	5,700	_	17, 100	-
					1		:

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL.1-	THEN NUMBER AND DESCRIPTION	COLES ENGINEERS ESTIMATE OF GUANTITY	SECOLA :	COLIS UNIT PRICE: (IN FIGURES) DOLLARS	CTS	COL 6 EXTENDED AMOUNT (IN:FIGURES) DOLLARS	CTS
096	6.23 BFB FURNISH AND INSTALL FIRE DEPARTMENT 24 WIRE TERMINAL BOX AND TERMINATE FIRE ALARM CABLES	2.00	EACH	1,900	-	3,800	
097	6.23 BFC FURNISH AND INSTALL FIRE DEPARTMENT 12 WIRE TERMINAL BOX AND TERMINATE FIRE ALARM CABLES	1.00	EACH	1,350	-	1,350	-
098	6.23 BGS FURNISH AND INSTALL 4" P.V.C. CONDUIT, SCHEDULE 40, U.L. 651 (WITHOUT PAVEMENT EXCAVATION)	1,205.00	L.F.	15	1	18,075	—
099	6.23 BGSE FURNISH AND INSTALL 4" P.V.C. CONDUIT, SCHEDULE 40, U.L. 651 (WITH PAVEMENT EXCAVATION)	30.00	L.F.	30	1	900	
100	6.23 BHE FURNISH AND INSTALL 4" 90-DEGREE P.V.C. WIDE BEND, SCHEDULE 40, U.L. 651 (WITH PAVEMENT EXCAVATION) IN ACCORDANCE WITH F.D. STD. DWG. #141 OR #145AA	3.00	EACH	270	-	810	
101	6.23 BP FURNISH AND INSTALL FIRE ALARM PEDESTAL BUMPERS (2 REQUIRED PER SET) IN ACCORDANCE WITH F.D. STD. DWG. #168	3.00	SETS	250		750	-



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	Section 2 COL 2						
SEO NO	TEM NÜMBER and DESCRIPTION	Eldliggs Albudaes	601-72 13-13-14 13-14-14	COL 5 Unit Price Unit Price Unit Res		COL:8 EGENDED AMOUNT (UN FIGURES.)	
102	6.23 DC FURNISH AND INSTALL 10 PAIR FIRE ALARM CABLE	60.00	L.F.	20	CIS	DOLLARS 1, 200	(C)
103	6.23 RM REMOVE EXISTING F.D.N.Y. MANHOLE	1.00	EACH	250	-	250	
104	6.25 RS TEMPORARY SIGNS	6,200.00	S.F.	5		31,000	
105	6.26 TIMBER CURB	52,100.00	L.F.	3	-	156,300	
	6.28 AA LIGHTED TIMBER BARRICADES	4,700.00	L.F.	5	-	23,500	
	6.34 ACT TEMPORARY CHAIN LINK FENCE, 6'-0" HIGH	90.00	L.F.	50	+	4,500	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL. 1	COL.Z	COLS TENSINEERS ESMIMATE OF QUARTITY	GOLA TONIT	COL 5' UNIT PRICE (IN FIGURES) DOLLARS		COL: 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS	<u>CTS</u>
108	6.40 D ENGINEER'S FIELD OFFICE (TYPE D)	42.00	MONTH	19000	7	420,000	_
109	6.42 A06 BEAM BARRIERS FOR DEAD-END STREETS, TYPE 6	1.00	EACH	5,000	7	5,000	
110	6.44 THERMOPLASTIC REFLECTORIZED PAVEMENT MARKINGS (4" WIDE)	18,500.00	L.F.	0	80	14,800	
111	6.49 TEMPORARY PAVEMENT MARKINGS (4" WIDE)	13,600.00	L.F.	0	80	10,880	
112	6.52 CG CROSSING GUARD	2,600.00	P/HR	25		65,000	
113	6.53 REMOVE EXISTING LANE MARKINGS (4" WIDE)	16,950.00	L.F.	ð	80	13,560	



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

EQ. NO	TIEWNUMBER and DESCRIPTION	asusikiseks Vistallage Seitlagean		United Rich Will Riguries		ECENDERAMOUNI; (IN FIGURES)	
114	6.85 A TRAFFIC ENFORCEMENT AGENTS PRICE BID SHALL BE FOR THE FIXED SUM OF \$ 760,295.52	1.00	F.S.	760,296	52	760,296	52
115	6.87 PLASTIC BARRELS	3,450.00	EACH	5	-	17,250	_
116	60.11R520 FURNISHING AND DELIVERING 20-INCH DUCTILE IRON RESTRAINED JOINT PIPE (CLASS 55)	4,400.00	L.F.	300	_	1,320,000	-
117	60.11R606 FURNISHING AND DELIVERING 6-INCH DUCTILE IRON RESTRAINED JOINT PIPE (CLASS 56)	600.00	L.F.	100	1	60,000	_
118	60.11R608 FURNISHING AND DELIVERING 8-INCH DUCTILE IRON RESTRAINED JOINT PIPE (CLASS 56)	8,800.00	L.F.	150		1,320,000	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL::11-	COL 2	GOBO ENGINEER'S ESTEMATE OF OBANTHIEY	COLA ONE	COL 5 UNIT PRICE (IN FIGURES) HOGEARS		COL 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS	CIS
119	60.11R612 FURNISHING AND DELIVERING 12-INCH DUCTILE IRON RESTRAINED JOINT PIPE (CLASS 56)	4,800.00	L.F.	200	1	960,000	
120	60.12D06 LAYING 6-INCH DUCTILE IRON PIPE AND FITTINGS	660.00	L.F.	300	1	198,000	_
121	60.12D08 LAYING 8-INCH DUCTILE IRON PIPE AND FITTINGS	9,700.00	L.F.	300	1	2,910,000	
122	60.12D12 LAYING 12-INCH DUCTILE IRON PIPE AND FITTINGS	5,300.00	L.F.	300		1,590,000	
123	60.12D20 LAYING 20-INCH DUCTILE IRON PIPE AND FITTINGS	4,850.00	L.F.	400		1,940,000	
124	60.13M0A24 FURNISHING AND DELIVERING DUCTILE IRON MECHANICAL JOINT 24-INCH DIAMETER AND SMALLER FITTINGS, INCLUDING WEDGE TYPE RETAINER GLANDS	53.00	TONS	6,500		344, 500)



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

SEQ. NO		eol zec Hanneta Isabana	60.4	Cart Extrante (Nerolita		COLE EXILEMBED AMOUNT (INTIGURES)	
125	61.11DMM06 FURNISHING AND DELIVERING 6-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	9F GIVANAMAY 64.00	EACH	2,000	230	A STATE OF THE PARTY OF THE PAR	g
126	61.11DMM08 FURNISHING AND DELIVERING 8-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	29.00	EACH	3,000		87,000	_
127	61.11DMM12 FURNISHING AND DELIVERING 12-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	24.00	EACH	5,000	-	120,000	_
	61.11DMM20 FURNISHING AND DELIVERING 20-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	10.00	EACH	25,000	_	250,000	_
. [61.11TWC03 FURNISHING AND DELIVERING 3-INCH WET CONNECTION TAPPING VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	2.00	EACH	300		600 -	_

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1 SEO NO	CONTRACTOR OF STREET,	GOL 3 SENGINEER'S ESTIMATE OF QUANTICITY	GOL 4	COL:5 UNIT:PRICE (IN:FIGURES) DOLLARS	.50	COL: 8 EXTENDED AMOUNT (IN FIGURES.) DOLLARS.	-CTS
130	61.11TWC04 FURNISHING AND DELIVERING 4-INCH WET CONNECTION TAPPING VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	5.00	EACH	350	-	1,750	
131	61.12DMM06 SETTING 6-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	64.00	EACH	400	/	25,600	
132	61.12DMM08 SETTING 8-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	29.00	EACH	450	\	13,050	_
133	61.12DMM12 SETTING 12-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	24.00	EACH	550	1	13, 200	
134	61.12DMM20 SETTING 20-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	10.00	EACH	850	1	8,500	_
135	61.12TWC03 SETTING 3-INCH WET CONNECTION TAPPING VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	2.00	EACH	250		500	



PROJECT ID: SE851
CONTRACT PIN: 8502014SE0021C

SEQ. NO	TEM NUMBER and DESCRIPTION	ENG (2178) (1271)	G G E	COLE Silva BANTERICE Silva GINTERVIES		COLUB EXTENSED AMOUNT (IN FIGURES)	
136	61.12TWC04 SETTING 4-INCH WET CONNECTION TAPPING VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	5.00	EACH	2 <i>5</i> 0	0.33	1,250	e Con
137	62.11SD FURNISHING AND DELIVERING HYDRANTS	64.00	EACH	3,000	-	192,000	
138	62.12SG SETTING HYDRANTS COMPLETE WITH WEDGE TYPE RETAINER GLANDS	64.00	EACH	1,500	-	96,000	
139	62.13RH REMOVING HYDRANTS	58.00	EACH	500		29,000	
140	62.14FS FURNISHING, DELIVERING AND INSTALLING HYDRANT FENDERS	128.00	EACH	200	-	25,600	
141	63.11VC FURNISHING AND DELIVERING VARIOUS CASTINGS	45.00	TONS	750	+	33,750	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL. 1	COL 2 TTEM NUMBER and DESCRIPTION	COLS -ENGINEER'S ESTHATE GEOVANIUM	CDL4	COLIS UNIT PRICE (IN FIGURES) DOLLARS	A CONTRACTOR OF THE PARTY OF TH	GOL.6 EXTENDED AMOUNT (IN FIGURES) DOLLARS	стѕ
142	64.11EL WITHDRAWING AND REPLACING HOUSE SERVICES USING 1-1/2-INCH OR LARGER SCREW TAPS	200.00	EACH	150	_	30,000	
143	64.11ST WITHDRAWING AND REPLACING HOUSE SERVICES USING SMALLER THAN 1-1/2-INCH SCREW TAPS	500.00	EACH	125		62,500	
144	64.12COEG CUTTING AND OFFSETTING HOUSE SERVICE WATER CONNECTIONS (EQUAL TO OR GREATER THAN 3-INCH DIAMETER)	150.00	L.F.	40	/	6,000	-
145	64.12COLT CUTTING AND OFFSETTING HOUSE SERVICE WATER CONNECTIONS (LESS THAN 3-INCH DIAMETER)	4,600.00	L.F.	35		161,000	
146	64.12ESEG EXTENDING HOUSE SERVICE WATER CONNECTIONS (EQUAL TO OR GREATER THAN 3-INCH DIAMETER)	50.00	L.F.	35	_	1,750	
147	64.12ESLT EXTENDING HOUSE SERVICE WATER CONNECTIONS (LESS THAN 3-INCH DIAMETER)	200.00	L.F.	30	1	6,000	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

GOL1 SEQ.NO	COL-2. FIEM NUMBER and DESCRIPTION.	COLE PENCHARES ISSELVARES OF OUR CREEKY	GOL #	COLIS UNID PRICE (ANIFICATES)		GOE 6 EXTENDES AMOUNT (IN EXSURES)	
148	64.13WC08 FURNISHING, DELIVERING AND INSTALLING WET CONNECTION SLEEVE ON 8-INCH WATER MAIN PIPE WITH VARIOUS OUTLETS	3.00	EACH	1,560		4,500	GIS
149	64.13WC12 FURNISHING, DELIVERING AND INSTALLING WET CONNECTION SLEEVE ON 12-INCH WATER MAIN PIPE WITH VARIOUS OUTLETS	1.00	EACH	2,500)	2,500	
150	64.13WC20 FURNISHING, DELIVERING AND INSTALLING WET CONNECTION SLEEVE ON 20-INCH WATER MAIN PIPE WITH VARIOUS OUTLETS	3.00	EACH	3,000	1	9,000	
151	65.11BR FURNISHING, DELIVERING AND INSTALLING BANDS, RODS, WASHERS, ETC., COMPLETE, FOR RESTRAINING JOINTS	2,000.00	LBS.	0	50	1,000	1
152	65.21PS FURNISHING AND PLACING POLYETHYLENE SLEEVE Unit price bid shall not be less than: \$ 0.50	1,200.00	L.F.	0	50	600	
153	65.31FF FURNISHING, DELIVERING AND PLACING FILTER FABRIC Unit price bid shall not be less than: \$ 0.10	150,000.00	S.F.	0	10	15,000	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL 2 AND MEM NUMBER and DESCRIPTION	COLS ENGINEERS ESTIMATE OF OLANTITY	COOL A	COL 5 UNIT PRICE (IN FIGURES) DOLLARS		COL 6 EXTENDED AMOUNT (INFIGURES) DOLLARS	CTS
154	65.51PC FURNISHING AND PLACING CAST-IN-PLACE CONCRETE CLASS 40 AND PRECAST CONCRETE CLASS 50	50.00	C.Y.	250	_	12,500	-
155	65.61SS FURNISHING, DELIVERING AND PLACING STRUCTURAL, REINFORCING AND MISCELLANEOUS STEEL	48,000.00	LBS.	. 1	1	48,000	<u> </u>
156	65.71SG FURNISHING, DELIVERING AND PLACING SCREENED GRAVEL OR SCREENED BROKEN STONE BEDDING	1,100.00	C.Y.	35	1	38 ₁ 500	_
157	7.13 B MAINTENANCE OF SITE Unit price bid shall not be less than: \$7,500.00	36.00	MONTH	7,500	1	270,000	—
158	7.19 LOAD TRANSFER JOINT	4.00	L.F.	l	-	4	_
159	7.36 PEDESTRIAN STEEL BARRICADES	25,500.00	L.F.	l	-	25,500)



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	Col-2						
SEQ. NO	TEMNUMBER BRADESCRIPTION	GENGINEERS		COLS UNICERIO MEGALINICIDALIS		EXTENDED AMOUNT (IN FIGURES)	
160	7.88 AA RODENT INFESTATION SURVEY AND MONITORING Unit price bid shall not be less than: \$ 14,250.00	1.00	L.S.	14,250	<i>্</i> র	14, 250	C
161	7.88 AB RODENT BAIT STATIONS Unit price bid shall not be less than: \$60.00	1,250.00	EACH	60		75,000	
162	7.88 AC BAITING OF RODENT BAIT STATIONS Unit price bid shall not be less than: \$9.25	1,250.00	EACH	9	25	11,562	50
163	7.88 AD WATERBUG BAIT APPLICATIONS Unit price bid shall not be less than: \$65.00	500.00	BLOCK	65	-	32,500	-
	70.11TT TIMBER PILES (TREATED) Unit price bid shall not be less than: \$ 17.50	22,100.00	V.F.	17	50	386,750	-
	70.12AN CONTINUOUS FLIGHT AUGER (CFA) PILES	106,900.00	V.F.	35	-	3,741,500	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL-1 SEQ: NO	COL 2	COLASALA PENGKEERS ESIMATE ROF OLANNIY	GOLA - UNITA	COL 5 UNIGPRICE (UN FIGURES) DOLLARS	400	COL 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS	GIS
166	70.12AT CONTINUOUS FLIGHT AUGER (CFA) PILES, LOAD TEST	4.00	EACH	5,000		20,000	_
167	70.21DK DECKING	4,900.00	S.Y.	10		49,000	
168	70.31FN FENCING Unit price bid shall not be less than: \$ 2.00	29,100.00	L.F.	2	_	58,200	_
169	70.41K082350342 SHORING, BRACING, UNDERPINNING, SUPPORTING, PROTECTING AND MAINTAINING OF BUILDING AT BROOKLYN BLOCK NO. 8235, LOT NO. 342 - ONE (1) STORY BRICK, COMMERCIAL (913 EAST 108 STREET)	1.00	L.S.	15,000	\	15,000	
170	70.51EO EXCAVATION OF BOULDERS IN OPEN CUT Unit price bid shall not be less than: \$ 75.00	50.00	C.Y.	75	-	3,750	



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

SEQ. NO		COL LECKORGEARES POSSILVARIES	(GM_4)	COL.5 ANTIPRICE (W.F.GURES))	COL 8 EXCENDED AMOUNTS
171	70.61RE ROCK EXCAVATION	45.00	C.Y.	75 -	JOHERNES) DOLLARS G 3,375
172	70.71SB STONE BALLAST Unit price bid shall not be less than: \$ 15.00	4,000.00	C.Y.	35 -	140,000 -
173	70.81CB CLEAN BACKFILL Unit price bid shall not be less than: \$ 15.00	6,150.00	C.Y.	15 -	92,250 -
174	70.91SW12 FURNISHING AND PLACING SHEETING AND BRACING IN TRENCH FOR WATER MAIN PIPE 12-INCH IN DIAMETER AND LESS	17,000.00	S.F.	0 10	1,700 -
175	70.91SW20 FURNISHING AND PLACING SHEETING AND BRACING IN TRENCH FOR WATER MAIN PIPE 20-INCH IN DIAMETER	61,000.00	S.F.	0 10	6,100 -
1	72.11HF HYDRAULIC FILL FOR ABANDONED SEWERS AND WATER MAINS	600.00	C.Y.	25 -	15,000 -

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL-2	DOSES III. LENGINIERIS ESTIMATE	GOLA RESIL	COL 5 SUNT PRICE (IN FIGURES) DOLLARS	CIS	COL 6 EXTENDED AMOUNT (AN FIGURES) DOLLARS	CTS
SEQ. NO	73.11AB ADDITIONAL BRICK MASONRY Unit price bid shall not be less than: \$ 62.50	475.00	C.Y.	Project Control of the Control of th	50	A CHARLES OF THE PARTY OF THE P	50
178	73.21AC ADDITIONAL CONCRETE Unit price bid shall not be less than: \$ 62.50	2,350.00	C.Y.	62	50	146,875	
179	73.31AE0 ADDITIONAL EARTH EXCAVATION INCLUDING TEST PITS (ALL DEPTHS) Unit price bid shall not be less than: \$ 20.00	5,300.00	C.Y.	20	_	106,000	
180	73.41AG ADDITIONAL SELECT GRANULAR BACKFILL Unit price bid shall not be less than: \$ 15.00	1,150.00	C.Y.	15	-	17,250	
181	73.51AS ADDITIONAL STEEL REINFORCING BARS Unit price bid shall not be less than: \$ 1.00	250,000.00	LBS.	1	-	250,000	
182	73.61AT ADDITIONAL STONE BALLAST Unit price bid shall not be less than: \$ 15.00	1,000.00	C.Y.	15		15,000	



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	CQL 2 TEM:NUMBER and DESCRIPTION	COLOR CALENGUERES ESPERATE OF OPERATORY	Cote S	COMEST SURFICIAL COMESTICARES COMESTICARES	C. 40 10 12 34 34 36 45	GGL 6 EXTENDED AMOUNT (IM FIGURES) DOLLARS	
183	76.11CR CONSTRUCTION REPORT	1.00	L.S.	5,000		5,060	
184	76.21MR MONITORING AND POST-CONSTRUCTION REPORT	1.00	L.S.	5,000		5,000	
185	8.01 C1 HANDLING, TRANSPORTING AND DISPOSAL OF NON-HAZARDOUS CONTAMINATED SOIL	12,000.00	TONS	25	1	300,000	1
186	8.01 C2 SAMPLING AND TESTING OF CONTAMINATED/POTENTIALLY HAZARDOUS SOIL FOR DISPOSAL PURPOSES	30.00	SETS	3,000		90,000	_
187	8.01 H HANDLING, TRANSPORTING AND DISPOSAL OF HAZARDOUS SOIL	1,000.00	TONS	75		75,000	
188	8.01 S HEALTH AND SAFETY	1.00	L.S.	5,000		5,000	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1 SEQ NO	COL 2 ITEM NUMBER and DESCRIPTION	COBS TENGINEERISA ESTEMATE OF QUANTITY	SOEM.	COL.5 UNH PRICE UNH PRICE UNH GURES DOLLARS		COL. 5 EXTENDED AMOUNT. (IN FIGURES!) DOLLARS	i CTS
189	8.01 W1 REMOVAL, TREATMENT, AND DISCHARGE/DISPOSAL OF CONTAMINATED WATER	90.00	DAY	500		45,000	
190	8.01 W2 SAMPLING AND TESTING OF CONTAMINATED WATER	8.00	SETS	500	1	4,000	
191	8.08 VARIABLE MESSAGE BOARD	4.00	EACH	5,000		20,000	_
192	9.30 STORM WATER POLLUTION PREVENTION	1.00	L.S.	5,000	1	5,000	/
193	BMP-7.09 LICENSED SURVEYOR	2.00	DAY	3,000		6,000	
194	BMP-7.307-A GRADING	26,700.00	S.F.	0	50	13, 350	7



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL 2 ·	SOLS ENGINEERS ESTIMATE OF OUR DESTRE	(4.00 a 2.2	COLE COMERCICA COMEIGURES COMERCE COMERCE		GOLAS RECRENDED AMOUNTS (INSEGURES) DOLLARS CTS
195	BMP-7.401-I SEEDING	25,300.00	With the second of the control of the second	The second of the second secon	25	6,325
196	BMP-7.401-J HERBACEOUS PLANTS (PLUGS)	8,195.00	EACH	5)	40,975
197	BMP-7.404-A RESTORATION SPECIALIST	720.00	HRS	75	1	54,000
198	BMP-7.404-B EROSION AND SEDIMENT CONTROL LICENSED/CERTIFIED PROFESSIONAL	50.00	DAY	750	1	37,500 -
199	BMP-7.407-A EROSION CONTROL MAT	25,300.00	S.F.	t	•	25,300 -
200	BMP-7.408-B HERBICIDE APPLICATION	2.00	CREW DAY	2,500		5,000

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL 2 TEM NUMBER and DESCRIPTION	SOL: ENGINEER'S RESIDIMATE FOE OUTSTITING	COLALL.	COL-5 UNITEPRICE UN FIGURES DOLLARS	Application of the second	COL 6 EXTENDED AMOUNT: (IN FIGURES.) DOLLARS	CIS
201	BMP-7.413 TEMPORARY GOOSE EXCLUSION FENCE	1,480.00	L.F.	5		7,400	
202	BMP-7.415 INVASIVE VINE AND PLANT REMOVAL	5.00	CREW DAY	2,560		12,500	
203	BMP-7.417 DEBRIS EXCLUSION FENCE	700.00	L.F.	5	_	3,500	_
204	BMP-7.418 CLEAN SAND FOR RESTORED AREA	290.00	C.Y.	35		10,150	
205	BMP-7.421 ROOT BARRIER	200.00	S.F.	20)	4,000	
206	BMP-7.502 CONSTRUCTION LIMIT FENCE	70.00	L.F.	10	,	700	



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL.1 SEQ.NO	COL 2 TEM NUMBER and PESCRIPTION	Control (Control (Con	GOLW.	900) 5 UNIO PALCIE ELANCA SURES		COL 6 EXTENDED AMOUNT (N.F.(BURES))	
207	BMP-7.504A SILT FENCE	440.00	L.F.	DOILLARS [O	1	4,400	© CIS
208	BMP-7.509-A STABILIZED CONSTRUCTION ENTRANCE	1.00	EACH	2,500		2,500	1
209	BMP-7.510 PORTABLE SEDIMENT TANK	1.00	EACH	1,500	1	1,500)
210	BMP-7.511 STORM DRAIN INLET PROTECTION	5.00	EACH	500	-	2,500	
211	BMP-7.516 TURBIDITY CURTAIN	290.00	L.F.	15		4,350	
212	T-1.20 REMOVE TYPE "M" SERIES FOUNDATION	1.00	EACH	250		250	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL: 2 TEM NUMBER and DESCRIPTION	COLS EXCIVERS ESTIVATE OF QUANTITY	COLA L	GOL 5 Unit price (In Figures) Dollars	A C 4 C 1 C 4 C 1 C 1 C 1 C 1 C 1 C 1 C 1	COLE EXTENDED AMOUNT (IN FIGURES) DOLLARS	: CIS
213	T-1.3 INSTALL TYPE "M2-5S" FOUNDATION	1.00	EACH	1,300		1,300	
214	T-1.5 INSTALL TYPE "M2-2S" FOUNDATION	1.00	EACH	1,300		1,300	_
215	T-2.24 REMOVE TYPE "M" SERIES POST	1.00	EACH	900		900	
216	T-2.28 REMOVE MAST ARM FROM ANY POST	1.00	EACH	Sov		500	
217	T-2.4 INSTALL TYPE "M-2" POST	1.00	EACH	1,150		1,150	
218	T-20021 b) FURNISH 1" ANCHOR BOLT ASSEMBLIES FOR F-1 (EACH) (4 REQUIRED PER POST)	4.00	EACH	29		116	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL.2 THEM NUMBER and DESCRIPTION	ENGINEERVS ESSILVATE OFFOLIAVITORIVE	celi 7	COLS CANACARISE CANACARISMAS COMARS	A 25 CO. 100 CO. 100 CO.	COL 6 EXPENDED AMOUNT (INFIGURES)	B Ropera e
219	T-20160 FURNISH 20 FOOT SIGNAL MAST ARM POLE ASSEMBLY TYPE "M-2"	1.00	EACH	3,800		3,800	© IS . →
220	T-20220 c) FURNISH 1-1/4" ANCHOR BOLT ASSEMBLIES FOR M-2 (EACH) (4 REQUIRED PER POST)	8.00	EACH	40		320	
221	T-3.1 INSTALL "ONE-WAY" SIGNAL UNIT ON MAST ARM OR TOP OF TRAFFIC POST	6.00	EACH	230		1,380	_
222	T-3.18 REMOVE SIGNAL HEAD FROM ANY TYPE POST	2.00	EACH	230		460	
223	T-3.2 INSTALL "ONE-WAY" SIGNAL UNIT ON THE SHAFT OF ANY POST	1.00	EACH	340		340	
224	T-3.21 REMOVE PEDESTRIAN SIGNAL OR SIGN UNIT OR OTHER ILLUMINATED SIGNS FROM ANY POST	5.00	EACH	230	1	1,150	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL 2	COES ENGINEERS ESTIMATE	COET	COL 5 UNIT PRICE UN FIGURES		COL-6 EXPENDED AMOUNT (IN FIGURES)	
SEQ. NO. 225	T-3.6 INSTALL PEDESTRIAN SIGNAL ON ANY TYPE POST	5.00	EACH	300	CIS:	V SOU	*G S
226	T-30013L FURNISH ADJST 3 SCTN 1-WAY TRAFFIC SIGNAL, 8" - W/LED LENS	6.00	EACH	450		2,700	
227	T-31200 e) "VB" ASSEMBLY *ASSEMBLY IS EQUAL TO ONE PAIR	1.00	EACH	80		80	
228	T-31210 h) "HUB" ASSEMBLY *ASSEMBLY IS EQUAL TO ONE PAIR	3.00	EACH	30		90	_
229	T-31225 c) "3MS"	2.00	EACH	280		560	
230	T-31340 f) "VB-P" ASSEMBLY *ASSEMBLY IS EQUAL TO ONE PAIR	1.00	EACH	100		(00	



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL2	1=1(M)(1:05) 3>1(1:1)=1	eot./	idolog UNINPRIGE		COL 8 EXTENDED AMOUNT	
SEQ. NO. 231	TEM NUMBER and DESCRIPTION T-31351 g) "VB-2P" ASSEMBLY *ASSEMBLY IS EQUAL TO ONE PAIR	2.00	EACH	2,50	COTS.	DOLLARS 500	CTS
232	T-33000L FURNISH POLYCARBONATE INCANDESCENT PED SIGNAL W/LED LENS	1.00	EACH	350		350	
233	T-33001-L FURNISH POLYCARBONATE PEDESTRIAN SIGNAL (16 X 16) W/LED COUNT LENS (SPECIFICATION A-L)	4.00	EACH	440		1,760	
234	T-4.22 INSTALL ANY TYPE OF ADVANCED SOLID STATE TRAFFIC SIGNAL CONTROLLER AND CABINET ON METAL POLE	1.00	EACH	1,450	/	1,450	_
235	T-4.8 REMOVE ONE CONTROL BOX AND CONTROLLER FROM ANY POST OR SUPPORT	1.00	EACH	900	_	900	
236	T-5.1 FURNISH AND INSTALL 2" RIGID UNDERGROUND CONDUIT IN UNPAVED ROADWAY	150.00	L.F.	38	_	5,700	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL.1 SEQ. NO	COL: 2. THEM NUMBER and DESCRIPTION	A (GOLSOL) ENGINEERS ESSUMATE OF OUGHNESSY	COLA URA	COL 5 UNIT PRICE (IN FIGURES DOLLARS	CTS	COL: 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS	OFFS
237	T-5.2 FURNISH AND INSTALL 2" RIGID UNDERGROUND CONDUIT IN PAVED ROADWAY	30.00	L.F.		00	1,140	CTS
238	T-5.32 RESTORING PERMANENT ROADWAY (INCLUDING SAWCUT)	30.00	L.F.	10	\	300	_
239	T-5.36 REMOVE CONDUIT FROM POST	10.00	L.F.	23		230	_
240	T-5.7 FURNISH AND INSTALL ADDITIONAL 2" RIGID UNDERGROUND CONDUIT	20.00	L.F.	38	80	760	
241	T-6.10 REMOVE CABLE (INCLUDES OVERHEAD)	800.00	L.F.	3		2,400	/
242	T-6.2 INSTALL MULTIPLE CABLE (INCLUDES OVERHEAD)	800.00	L.F.	6		4,800	



PROJECT ID: SE851
CONTRACT PIN: 8502014SE0021C

GOL 1 SEO: NO	COL 2 THEM NUMBER AND DESCRIPTION	ENGLASSES ESULVASE		ON 5 Signapaig On Figures		EXTENDED AMOUNT SOLINE (GURES)	
243	T-60000B FURNISH 2 c # 10B (SEE SPEC) (BREAKDOWN = 2#10 WITH 3RD WIRE FOR GROUNDING).	800.00	L.F.	3	016)	2,400	GIS.
244	T-60040 c) 7 CONDUCTOR, 14 A.W.G.	400.00	L.F.	3		1,200	
245	T-60190 e) 13 CONDUCTOR, 14 A.W.G.	900.00	L.F.	4		3,600	
246	T-8.10 RELOCATE CONCRETE PYLON WITH POST	2.00	EACH	1,170	/	2,340	_
247	T-8.8 INSTALL CONCRETE PYLON	2.00	EACH	1,000	/	2,000	—
248	T-8.9 REMOVE CONCRETE PYLON	2.00	EACH	460	1	920	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	COL, 2 ITEM NUMBER and DESCRIPTION	COLO CENCIMERAS ESTIMADE OF OUNTERNY	COL 4	COL 5 UNIFPRICE ('AVFIGURES) DOBLARS		COL 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS	CTS
249	T-81000 FURNISH CONCRETE PYLON	2.00	EACH	600	1	1, 200	-
250	UTL-6.01.1 GAS MAIN CROSSING SEWER UP TO 24" IN DIAMETER (S6.01) Unit price bid shall not be less than: \$ 1,040.00	5.00	EACH	1,040		5,200	_
251	UTL-6.01.2A GAS MAIN CROSSING 38"W X 24"H HORIZONTAL ELLIPTICAL REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$ 1,870.00	1.00	EACH	1,870	1	1,870	_
252	UTL-6.01.4A GAS MAIN CROSSING 4'-0"W X 2'-0"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$ 1,960.00	1.00	EACH	1,960	1	1,960	
253	UTL-6.01.4N GAS MAIN CROSSING 4'-6"W X 2'-6"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$ 2,120.00	2.00	EACH	2,120		4,240	
254	UTL-6.01.5C GAS MAIN CROSSING 5'-0"W X 2'-6"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$ 2,340.00	2.00	EACH	2,340		4,680	



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COLA SEG. NO	GOL 2 PERFORMANTANTANTANTANTANTANTANTANTANTANTANTANTA	EXCRETES SOPROBLES	G0_7	ool 5 Skinterios On Fours		COL-5 EXPENDED AMOUNT (4N.FIGURES)	
255	UTL-6.01.6E GAS MAIN CROSSING 6'-0"W X 3'-0"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$ 2,540.00	6.00	EACH	2,540	es.	15,240	
256	UTL-6.01.700 GAS MAIN CROSSING 13'-0"W X 4'-0"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$ 2,740.00	3.00	EACH	2,740		8,270	-
257	UTL-6.01.8 GAS SERVICES CROSSING TRENCHES AND/OR EXCAVATIONS (S6.01) Unit price bid shall not be less than: \$ 465.00	30.00	EACH	465	_	13,950	
258	UTL-6.01.9 GAS MAIN CROSSING WATER MAIN UP TO 20" IN DIAMETER (S6.01) Unit price bid shall not be less than: \$485.00	44.00	EACH	485	/	21,340	
259	UTL-6.02 EXTRA EXCAVATION FOR THE INSTALLATION OF CATCH BASIN SEWER DRAIN PIPES WITH GAS INTERFERENCES (S6.02) Unit price bid shall not be less than: \$ 715.00	10.00	EACH	715		7,150	
260	UTL-6.03 REMOVAL OF ABANDONED GAS FACILITIES. ALL SIZES. (S6.03) Unit price bid shall not be less than: \$ 15.00	5,000.00	L.F.	15	_	75,000	

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL 1	: 13.1 VE 3.2	COLS AND ENGMEEPSAL ESTIMATE -:	:COL/4	COL 5 UNITAPRIGE (IN FIGURES)		COLIS- EXTENDED AMOUNT - (IN FIGURES)	Maria Section of the Section of the Section of the
SEQ. NO	TIEM NUMBER aND DESCRIPTIONS	OF OUTERING	estaliteta.	ODEARS OF	ଔଷ	DOLLARS	CTS
261	UTL-6.03.1 REMOVAL OF ABANDONED GAS FACILITIES WITH POSSIBLE COAL TAR WRAP. ALL SIZES. (\$6.03) Unit price bid shall not be less than: \$25.00	15,000.00	L.F.	25		375,000	
262	UTL-6.04 ADJUST HARDWARE TO GRADE USING SPACER RINGS/ADAPTORS. (STREET REPAVING.) (S6.04) Unit price bid shall not be less than: \$ 35.00	250.00	EACH	35	_	8,150	1
263	UTL-6.05 ADJUST HARDWARE TO GRADE BY RESETTING. (ROAD RECONSTRUCTION.) (S6.05) Unit price bid shall not be less than: \$65.00	250.00	EACH	65	1	16,250	1
264	UTL-6.06 SPECIAL CARE EXCAVATION AND BACKFILLING (S6.06) Unit price bid shall not be less than: \$ 180.00	1,500.00	C.Y.	180	-	270,000	1
265	UTL-6.06A SPECIAL CARE EXCAVATION AND BACKFILLING FOR TRANSMISSION MAINS (TRANSMISSION MAIN IS DESCRIBED AS ANY GAS MAIN WITH A MAOP GREATER THAN 124-PSIG) (S6.06A) Unit price bid shall not be less than: \$ 230.00	800.00	C.Y.	230	/	184,000	
266	UTL-6.07 TEST PITS FOR GAS FACILITIES (S6.07) Unit price bid shall not be less than: \$ 100.00	500.00	C.Y.	100		50,000	



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

267	UTL-GCS-2WS GAS INTERFERENCES AND ACCOMMODATIONS PRICE BID SHALL BE FOR THE FIXED SUM OF \$ 150,000.00	1.00	F.S.	150,000 00	150,000 00
COL 1	COL 2 FIEM NUMBER and DESCRIPTION	ASSESSED OF THE SECOND OF THE	Coled Bhr	COLS UNHIPRICE (UNHIQUES)	COLENDED AMOUNT (IN FIGURES)

SUB-TOTAL: \$ 54,390,30%. 52

268	6.39 A MOBILIZATION	1.00	L.S.	nk mik
	BID PRICE OF MOBILIZATION SHALL NOT EXCEED 4% OF THE ABOVE SUB-TOTAL PRICE.			2,166,190 04

TOTAL BID PRICE: \$ 56,556,556,

PLEASE BE SURE A LEGIBLE BID IS ENTERED FOR EACH ITEM.
THE BIDDER SHALL INSERT THE TOTAL BID PRICE IN
THE BID FORM ON PAGE C-4 OF THIS BID BOOKLET.



CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

BID SCHEDULE

- proportionate share of the Bidder's anticipated profit, overhead costs, and other indirect costs, anticipated NOTE: (1) The Agency may reject a bid if it contains unbalanced bid prices. An unbalanced bid is considered to be one containing lump sum or unit items which do not reflect reasonable actual costs plus a reasonable for the performance of the items in question.
- (2) The following bid prices on Unit Price Contracts are to be paid for the actual quantities of the item numbers appliances of every description necessary to complete the entire work, as specified, and the removal of all in the completed work or structure, and they cover the cost of all work, labor, material, tools, plant and debris, temporary work and appliances.
- (3) PLEASE BE SURE A LEGIBLE BID IS ENTERED, IN INK, FOR EACH ITEM. Alterations must be initialed in ink by the bidder.
- (4) The Extended Amount entered in Column 6 shall be the product of the Estimated Quantity in Column 3 times the Unit Price Bid in Column 5.
- Commissioner, in writing, if any pages are missing, and must request that such missing pages be furnished Prospective bidders must examine the Bid Schedule carefully and, before bidding, must advise the them. The pages of this Bid Schedule are numbered consecutively, as follows: B - 3 Through B - 50 <u>(2</u>

PLEASE BE SURE A LEGIBLE BID IS ENTERED FOR EACH ITEM.
THE BIDDER SHALL INSERT THE TOTAL BID PRICE IN
THE BID FORM ON PAGE C-4 OF THIS BID BOOKLET.

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 5 COL. 6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) DOLLARS CTS DOLLARS						
COL. 4	S.Y.	S.Y.	TONS	C.Y.	C.Y.	L.F.
COL 3 ENGINEER'S ESTIMATE OF QUANTITY	5,000.00	70,000.00	19,000.00	6,300.00	110.00	3,100.00
COL.2 TTEM NUMBER and DESCRIPTION	4.02 AB-R ASPHALTIC CONCRETE WEARING COURSE, 1-1/2" THICK	4.02 AF-R ASPHALTIC CONCRETE WEARING COURSE, 2" THICK	4.02 CA BINDER MIXTURE	4.04 H CONCRETE BASE FOR PAVEMENT, VARIABLE THICKNESS FOR TRENCH RESTORATION, (HIGH-EARLY STRENGTH)	4.05 AX HIGH-EARLY STRENGTH REINFORCED CONCRETE PAVEMENT (BUS STOPS)	4.08 AA CONCRETE CURB (18" DEEP)
COL 1 SEQ. NO	001	005	£00	004	900	900



PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 1 SEQ. NO	COL. 2 TEM NUMBER and DESCRIPTION	COL 3 ENGINEER'S ESTIMATE OF QUANTITITY	COL.4	COL.5 UNIT PRICE (IN FIGURES) DOLLARS CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS
200	4.08 BA CONCRETE CURB (21" DEEP)	1,400.00	L.F.		
800	4.09 AD STRAIGHT STEEL FACED CONCRETE CURB (18" DEEP)	1,500.00	L.F.		
600	4.09 AE STRAIGHT STEEL FACED CONCRETE CURB (21" DEEP)	1,000.00	L.F.		
010	4.09 CD CORNER STEEL FACED CONCRETE CURB (18" DEEP)	2,200.00	LF.		
011	4.09 CE CORNER STEEL FACED CONCRETE CURB (21" DEEP)	800.00	L.F.		
012	4.13 AAS 4" CONCRETE SIDEWALK (UNPIGMENTED)	28,600.00	ъ.		

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION **DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN**

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

013 013 015	TEM NUMBER and DESCRIPTION 4.13 BAS 7" CONCRETE SIDEWALK (UNPIGMENTED) 4.13 DE EMBEDDED PREFORMED DETECTABLE WARNING UNITS TREES REMOVED (4" TO UNDER 12" CALIPER)	COL 3 ENGINEER'S ESTIMATE OF QUANTITITY 19,400.00 1,500.00	S.F. S.F.	COL 5 UNIT PRICE (IN FIGURES) DOLLARS (CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS
016	4.16 BA405 TREES PLANTED, 2-1/2" TO 3" CALIPER, ALL TYPES, IN 4' X 5' TREE PITS	8.00	ЕАСН		
017	4.18 A MAINTENANCE TREE PRUNING (UNDER 12" CAL.)	00.09	ЕАСН		
018	4.18 B MAINTENANCE TREE PRUNING (12" TO UNDER 18" CAL.)	65.00	ЕАСН		

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL 1 SEQ. NO	COL. 2 ITEM NUMBER and DESCRIPTION	COL.3 ENGINEER'S ESTIMATE OF QUANTITIY	COL.4.	COL. 5 UNIT PRICE (IN FIGURES) DOLLARS: CTS	COL.6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS
019	4.18 C MAINTENANCE TREE PRUNING (18" TO UNDER 24" CAL.)	70.00	ЕАСН		
020	4.18 D MAINTENANCE TREE PRUNING (24" CAL. AND OVER)	45.00	ЕАСН		
021	4.20 SEEDING	1,700.00	S.Y.		
022	4.21 TREE CONSULTANT	1,040.00	P/HR		
023	50.11MS040020 4:0"W X 2'-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER	252.00	LF.		
024	50.11MS046026 4'-6"W X 2'-6"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER.	1,025.00	.F.		

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

ON PROJECT ID: SE851
CONTRACT PIN: 8502014SE0021C

COL 1 SEQ. NO	COL. 2 TEM NUMBER and DESCRIPTION	COL 3 ENGINEER'S · ESTIMATE OF QUANTITY	COL 4	COL. 5 UNIT PRICE (IN FIGURES) DOLLARS ; CTS	COL.6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS
	50.11MS050026 5-0"W X 2-6"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER	1,558.00	H.		
	50.11MS060030 6-0"W X 3-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER	1,298.00	LF.		
	50.11MS096050 9-6"W X 5-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER	197.00	<u>"</u>		
	50.11MS130040 13'-0"W X 4'-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER	1,499.00	.F.		
	50.21C3E024D 24" R.C.P. CLASS III COMBINED SEWER, ENCASED IN CONCRETE	118.00	 		
	50.21M3E024D 24" R.C.P. CLASS III STORM SEWER, ENCASED IN CONCRETE	1,151.00	г.		



PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 1 SEQ. NO	COL. 2 TEM NUMBER and DESCRIPTION	COL.3 ENGINEER'S ESTIMATE OF QUANTITY	COL.4	COL. 5 UNIT PRICE (IN FIGURES) DOLLARS : CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS
031	50.21M3E030W 30"W X 19"H R.C.P. CLASS HE-III STORM SEWER, ENCASED IN CONCRETE	814.00	i.F.		
032	50.21M3E038W 38"W X 24"H R.C.P. CLASS HE-III STORM SEWER, ENCASED IN CONCRETE	496.00	L.F.		
033	50.31CC15 15" E.S.V.P. COMBINED SEWER, ON CONCRETE CRADLE	376.00	L.F.		
034	50.31CC18 18" E.S.V.P. COMBINED SEWER, ON CONCRETE CRADLE	226.00	L.F.		
035	50.31CE12 12" E.S.V.P. COMBINED SEWER, ENCASED IN CONCRETE	45.00	L.F.		
980	50.31MC12 12" E.S.V.P. STORM SEWER, ON CONCRETE CRADLE	259.00	LF.		

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

::0L1	7)00	COL 3 ENGINEER'S ESTIMATE	8 1 4	COL.5. UNIT PRICE	COL 6 ÉXTENDED AMOUNT
SEQ. NO	ITEM NUMBER and DESCRIPTION	OF QUANTITIY	TINO	DOLLARS CTS	DOLLARS CTS
037	50.31MC15 15" E.S.V.P. STORM SEWER, ON CONCRETE CRADLE	230.00	F.		
038	50.31MC18 18" E.S.V.P. STORM SEWER, ON CONCRETE CRADLE	181.00	ا. ج		
039	50.31ME15 15" E.S.V.P. STORM SEWER, ENCASED IN CONCRETE	649.00	<u></u>		
040	50.31ME18 18" E.S.V.P. STORM SEWER, ENCASED IN CONCRETE	1,796.00	F		
041	50.31SC10 10" E.S.V.P. SANITARY SEWER, ON CONCRETE CRADLE	157.00	Ä,		
042	50.31SC12 12" E.S.V.P. SANITARY SEWER, ON CONCRETE CRADLE	00.069	ι. L		



PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

SEG. NO ITEM NUMBER and DESCRIPTION 043 50.41C6C24 24" D.I.P. CLASS 56 COMBINED SEWER, ON CONCRETE CRADLE 24" D.I.P. CLASS 56 COMBINED SEWER, ENCASED IN CONCRETE 24" D.I.P. CLASS 56 COMBINED SEWER, ENCASED IN CONCRETE 12" D.I.P. CLASS 56 STORM SEWER, ENCASED IN CONCRETE CHAMBER NO. 1 CHAMBER NO. 2 CHAMBER NO. 2 CHAMBER NO. 3 CHAMBER NO. 3
SEG. NC 943 943 945 945 948 948 948

4/17/2015 12:00 AM

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 6 EXTENDED AMOUNT (IN FIGURES) CTS DOLLARS CTS						
COL.4 COL.5 UNIT PRICE (IN FIGURES) UNIT DOLLARS	ЕАСН	ЕАСН	ЕАСН	ЕАСН	ЕАСН	ЕАСН
COL.3 ENGINEERS ESTIMATE OF QUANTITY	1.00 E	1.00 E	1.00	1.00	1.00	1.00
COL. 2 TEM NUMBER and DESCRIPTION	51.11C004 CHAMBER NO.	51.11C005 CHAMBER NO. 5	51.11C006 CHAMBER NO. 6	51.11C007 CHAMBER NO. 7	51.11C008 CHAMBER NO. 8	51.11C009 CHAMBER NO. 9
COL 1 SEQ. NO	049	020	051	052	053	054

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

SEQ. NO 055 15 055 055 055 055 055 055 055 055	51.11C010 CHAMBER NO. 10 51.11C011 CHAMBER NO. 11 CHAMBER NO. 12 CHAMBER NO. 12 CHAMBER NO. 13 CHAMBER NO. 13	ENGINEER'S ESTIMATE OF QUANTITY 1.00 1.00 1.00	EACH EACH	COL.5 UNIT PRICE (IN FIGURES) DOLLARS CIS	EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS
57	51.11P004 STANDARD 4:0" DIAMETER PRECAST MANHOLE	5.00	ЕАСН		
3 એ	51.11P005 STANDARD 5'-0" DIAMETER PRECAST MANHOLE	3.00	ЕАСН		

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION **DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN**

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

COL. 5 COL. 6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) DOLLARS GTS DOLLARS CTS						
COL 4 UNIT	ЕАСН	ЕАСН	ЕАСН	ЕАСН	ЕАСН	ЕАСН
COL.3 ENGINEER'S ESTIMATE OF QUANTITY	4.00	1.00	00.6	1.00	23.00	1.00
COL.2 TIEM NUMBER and DESCRIPTION	51.11P006 STANDARD 6'-0" DIAMETER PRECAST MANHOLE	51.11P007 STANDARD 7:-0" DIAMETER PRECAST MANHOLE	51.11P04 STANDARD 4:-0" DIAMETER PRECAST MANHOLE	51.11S000 SIPHON CHAMBER	51.21A000000C ACCESS MANHOLE	51.21A000000E ACCESS MANHOLE ON EXISTING SEWER
COL. 1 SEQ. NO	061	062	690	064	065	990

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL 1 SEQ. NO	COL. 2 TEM NUMBER and DESCRIPTION	COL 3 ENGINEER'S ESTIMATE OF QUANTITY	COL.4 COL.5 UNIT PRICE (IN FIGURES) UNIT DOLLARS CIS	COL 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS
190	51.21S0A1000V STANDARD MANHOLE TYPE A-1	22.00		
890	51.21S0A2000V STANDARD MANHOLE TYPE A-2	1.00	ЕАСН	
690	51.21S0A3000V STANDARD SHALLOW MANHOLE TYPE A-3	24.00	ЕАСН	
070	51.21SOB1000V STANDARD MANHOLE TYPE B-1	2.00	ЕАСН	
071	51.41P000 SPECIAL CATCH BASIN	2.00	ЕАСН	
072	51.41S001 STANDARD CATCH BASIN, TYPE 1	124.00	ЕАСН	

4/17/2015 12:00 AM

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

COL 1 SEQ. NO	COL 2 TEM NUMBER and DESCRIPTION	COL.3 ENGINEER'S ESTIMATE OF QUANTITIY	COL 4 UNIT	COL. 5 UNIT PRICE (IN FIGURES) DOLLARS : CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS	
073	51.41S003 STANDARD CATCH BASIN, TYPE 3	4.00	ЕАСН			
074	51.41W000 SHALLOW CATCH BASIN	5.00	ЕАСН			
075	51.42S1SO INCREMENTAL COST OF STANDARD CATCH BASIN TYPE 3 WITH CURB PIECE IN LIEU OF STANDARD CATCH BASIN TYPE 1	1.00	ЕАСН			
920	51.61F000 OUTFALL	1.00	ЕАСН			
770	52.11D12 12" DUCTILE IRON PIPE BASIN CONNECTION	2,270.00	L.F.			 1
078	52.21V08 8" E.S.V.P. RISER FOR HOUSE CONNECTION	16.00	V.F.			·



PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 1 SEQ. NO	COL. 2 ITEM NUMBER and DESCRIPTION	COL. 3 ENGINEER'S ESTIMATE OF QUANTITY	COL 4 UNIT	COL.5 UNIT PRICE (IN FIGURES) DOLLARS:::CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS
620	52.31V06C12 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 12" E.S.V.P. COMBINED SEWER	2.00	ЕАСН		
080	52.31V06C15 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 15" E.S.V.P. COMBINED SEWER	4.00	ЕАСН		
081	52.31V06C18 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 18" E.S.V.P. COMBINED SEWER	4.00	ЕАСН		
082	52.31V06M12 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 12" E.S.V.P. STORM SEWER	1.00	ЕАСН		
083	52.31V06M15 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 15" E.S.V.P. STORM SEWER	63.00	ЕАСН		
084	52.31V06M18 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 18" E.S.V.P. STORM SEWER	97.00	ЕАСН		

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS						
COL 5 UNIT PRICE EXT (IN FIGURES) DOLLARS CTS						
COL.4	ЕАСН	ЕАСН	F.	L.F.	F.	S.Y.
COL. 3 ENGINEER'S ESTIMATE OF QUANTITY	8.00	1.00	5,456.00	00.09	13,120.00	3,000.00
COL. 2 TEM NUMBER and DESCRIPTION	52.31V06S10 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 10" E.S.V.P. SANITARY SEWER	52.31V08C15 8" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 15" E.S.V.P. COMBINED SEWER	52.41V06R 6" E.S.V.P. HOUSE CONNECTION DRAIN ON CONCRETE CRADLE (RECONNECTION)	52.41V08R 8" E.S.V.P. HOUSE CONNECTION DRAIN ON CONCRETE CRADLE (RECONNECTION)	53.11DR TELEVISION INSPECTION AND DIGITAL AUDIO-VISUAL RECORDING OF SEWERS	6.01 AC CLEARING AND GRUBBING
COL. 1 SEQ. NO	085	980	087	880	680	060



PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL.1 SEQ.NO	COL 2 TEM NUMBER and DESCRIPTION	COL 3 ENGINEERS ESTIMATE OF QUANTITY	COLL	COL 5 UNIT PRICE (IN FIGURES) DOLLARS ;CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS : CTS
091	6.02 AAN UNCLASSIFIED EXCAVATION	10,250.00	C.Y.		
092	6.23 AB REMOVE EXISTING FIRE ALARM POST	3.00	ЕАСН		
093	6.23 BA FURNISH AND INSTALL FIRE ALARM POST AND SUBBASE IN ACCORDANCE WITH F.D. STD. DWG. #141	3.00	ЕАСН		
094	6.23 BD FURNISH AND INSTALL 4-PAIR FIRE ALARM CABLE	1,340.00	<u> </u>		
095	6.23 BE FURNISH AND INSTALL FIRE DEPARTMENT MANHOLE TYPE "A" WITH FRAME AND COVER IN ACCORDANCE WITH F.D. STD. DWG. #140, #144 & #144E	4.00	ЕАСН		

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 5 COL. 6 UNIT PRICE EXTENDED AMOUNT. (IN FIGURES) (IN FIGURES) DOLLARS CTS DOLLARS CTS					
COL 4 UNIT	ЕАСН	ЕАСН	ЕАСН	L.F.	L.F.
COL. 3 ENGINEER'S ESTIMATE OF QUANTITY	3.00	2.00	1.00	1,205.00	30.00
COL. 2 ITEM NUMBER and DESCRIPTION	6.23 BES FURNISH AND INSTALL FIRE DEPARTMENT SLOTTED MANHOLE TYPE "A" WITH FRAME AND COVER IN ACCORDANCE WITH F.D. STD. DWG. #140, #144S & #144E	6.23 BFB FURNISH AND INSTALL FIRE DEPARTMENT 24 WIRE TERMINAL BOX AND TERMINATE FIRE ALARM CABLES	6.23 BFC FURNISH AND INSTALL FIRE DEPARTMENT 12 WIRE TERMINAL BOX AND TERMINATE FIRE ALARM CABLES	6.23 BGS FURNISH AND INSTALL 4" P.V.C. CONDUIT, SCHEDULE 40, U.L. 651 (WITHOUT PAVEMENT EXCAVATION)	6.23 BGSE FURNISH AND INSTALL 4" P.V.C. CONDUIT, SCHEDULE 40, U.L. 651 (WITH PAVEMENT EXCAVATION)
COL 1 SEQ. NO	960	260	860	660	100

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

macement page, his all 2.52	©0L. 2 THEM NI MODED and DESCRIPTION	COL 3 ENGINEERS ESTIMATE	50L.4	5 (ICE RES)	TNUC S.)
6 . 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	6.23 BHE FURNISH AND INSTALL 4" 90-DEGREE P.V.C. WIDE BEND, SCHEDULE 40, U.L. 651 (WITH PAVEMENT EXCAVATION) IN ACCORDANCE WITH F.D. STD. DWG. #141 OR #145AA	3.00	EACH		SC C S C C C S C C C S C C C S C C C S C C C S C C C S C
O E E	6.23 BP FURNISH AND INSTALL FIRE ALARM PEDESTAL BUMPERS (2 REQUIRED PER SET) IN ACCORDANCE WITH F.D. STD. DWG. #168	3.00	SETS		
9 II	6.23 DC FURNISH AND INSTALL 10 PAIR FIRE ALARM CABLE	00.00	ñ.		
9 2	6.23 RM REMOVE EXISTING F.D.N.Y. MANHOLE	1.00	ЕАСН		
9 ⊥	6.25 RS TEMPORARY SIGNS	6,200.00	e. F.		
 - -	6.26 TIMBER CURB	52,100.00	r.		

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION **DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN**

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL. 1 SEQ. NO	COL. 2 TEM NUMBER and DESCRIPTION	COL.3 ENGINEER'S ESTIMATE OF QUANTITY	COL 4	COL. 5 UNIT PRICE (IN FIGURES) DOLLARS CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS
107	6.28 AA LIGHTED TIMBER BARRICADES	4,700.00	L.F.		
108	6.34 ACT TEMPORARY CHAIN LINK FENCE, 6'-0" HIGH	90.00	Ä,		
109	6.40 D ENGINEER'S FIELD OFFICE (TYPE D)	42.00	MONTH		
110	6.42 A06 BEAM BARRIERS FOR DEAD-END STREETS, TYPE 6	1.00	ЕАСН		
11	6.44 THERMOPLASTIC REFLECTORIZED PAVEMENT MARKINGS (4" WIDE)	18,500.00	L.F.		
112	6.49 TEMPORARY PAVEMENT MARKINGS (4" WIDE)	13,600.00	L.F.		



PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL 1 SEQ. NO	COL 2 TEM NUMBER and DESCRIPTION	COL 3 ENGINEER'S ESTIMATE OF QUANTITY	50L.4 UNIT	COL 5 UNIT PRICE (IN FIGURES) DOLLARS	EXT.	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS	S
113	6.52 CG CROSSING GUARD	2,600.00	P/HR				
411	6.53 REMOVE EXISTING LANE MARKINGS (4" WIDE)	16,950.00	LF.				
115	6.85 A TRAFFIC ENFORCEMENT AGENTS PRICE BID SHALL BE FOR THE FIXED SUM OF \$ 760,295.52	1.00	R.S.	760,296 52	25	760,296	25
116	6.87 PLASTIC BARRELS	3,450.00	ЕАСН				
117	60.11R520 FURNISHING AND DELIVERING 20-INCH DUCTILE IRON RESTRAINED JOINT PIPE (CLASS 55)	4,400.00	L.F.				

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

COL 1 SEG, NO	COL.2 TTEM NUMBER and DESCRIPTION	COL. 3 ENGINEER'S ESTIMATE OF QUANTITY	COL. 4	COL 5 UNIT PRICE . (IN FIGURES) DOLLARS :CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS
118	60.11R606 FURNISHING AND DELIVERING 6-INCH DUCTILE IRON RESTRAINED JOINT PIPE (CLASS 56)	600.00	r.		
119	60.11R608 FURNISHING AND DELIVERING 8-INCH DUCTILE IRON RESTRAINED JOINT PIPE (CLASS 56)	8,800.00	Ä,		
120	60.11R612 FURNISHING AND DELIVERING 12-INCH DUCTILE IRON RESTRAINED JOINT PIPE (CLASS 56)	4,800.00	H.		
121	60.12D06 LAYING 6-INCH DUCTILE IRON PIPE AND FITTINGS	00.099	Ä.		
122	60.12D08 LAYING 8-INCH DUCTILE IRON PIPE AND FITTINGS	9,700.00	ı.		
123	60.12D12 LAYING 12-INCH DUCTILE IRON PIPE AND FITTINGS	5,300.00	<u> </u>		

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL 1 SEQ. NO	COL. 2 ITEM NUMBER and DESCRIPTION	COL 3 ENGINEER'S ESTIMATE OF QUANTITY	COL. 4.	COL. 5 UNIT PRICE (IN FIGURES) DOLLARS:CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS	CIS
124	60.12D20 LAYING 20-INCH DUCTILE IRON PIPE AND FITTINGS	4,850.00	L.F.			
125	60.13M0A24 FURNISHING AND DELIVERING DUCTILE IRON MECHANICAL JOINT 24 INCH DIAMETER AND SMALLER FITTINGS, INCLUDING WEDGE TYPE RETAINER GLANDS	53.00	TONS			
126	61.11DMM06 FURNISHING AND DELIVERING 6-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	64.00	ЕАСН			
127	61.11DMM08 FURNISHING AND DELIVERING 8-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	29.00	ЕАСН			
128	61.11DMM12 FURNISHING AND DELIVERING 12-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	24.00	ЕАСН			

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION

DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 5 COL. 6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) DOLLARS CTS DOLLARS CTS						
COL 4 UNIT	ЕАСН	ЕАСН	ЕАСН	ЕАСН	ЕАСН	EACH
COL. 3 ENGINEER'S ESTIMATE OF QUANTITIY	10.00	2.00	2.00	64.00	29.00	24.00
COL. 2 ITEM NUMBER and DESCRIPTION	61.11DMM20 FURNISHING AND DELIVERING 20-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	61.11TWC03 FURNISHING AND DELIVERING 3-INCH WET CONNECTION TAPPING VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	61.11TWC04 FURNISHING AND DELIVERING 4-INCH WET CONNECTION TAPPING VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	61.12DMM06 SETTING 6-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	61.12DMM08 SETTING 8-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS	61.12DMM12 SETTING 12-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS
COL. 1 SEQ. NO	129	130	131	132	133	134

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

URE - BUREAU OF DESIGN CONT

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL 1 SEQ. NO	COL. 2 ITEM NUMBER and DESCRIPTION	COL.3 ENGINEERS ESTIMATE OF QUANTITY	COL 4	COL.5 UNIT PRICE (IN FIGURES) DOLLARS CTS	EXTENDED AMOUNT (IN FIGURES) DOI 1 ARS	
	62.14FS FURNISHING, DELIVERING AND INSTALLING HYDRANT FENDERS	128.00	ЕАСН			
142	63.11VC FURNISHING AND DELIVERING VARIOUS CASTINGS	45.00	TONS			Т -
	64.11EL WITHDRAWING AND REPLACING HOUSE SERVICES USING 1-1/2- INCH OR LARGER SCREW TAPS	200.00	ЕАСН			
	64.11ST WITHDRAWING AND REPLACING HOUSE SERVICES USING SMALLER THAN 1-1/2-INCH SCREW TAPS	200.00	ЕАСН			<u> </u>
	64.12COEG CUTTING AND OFFSETTING HOUSE SERVICE WATER CONNECTIONS (EQUAL TO OR GREATER THAN 3-INCH DIAMETER)	150.00	규 -			T
	64.12COLT CUTTING AND OFFSETTING HOUSE SERVICE WATER CONNECTIONS (LESS THAN 3-INCH DIAMETER)	4,600.00	L.F.			T



PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) DOLLARS (CTS DOLLARS						
COL 4	<u>.</u>	S. F.	C.Y.	LBS.	C.Y.	MONTH
COL.3 ENGINEER'S ESTIMATE OF QUANTITY	1,200.00	150,000.00	50.00	48,000.00	1,100.00	36.00
	65.ZTPS FURNISHING AND PLACING POLYETHYLENE SLEEVE Unit price bid shall not be less than: \$ 0.50	65.31FF FURNISHING, DELIVERING AND PLACING FILTER FABRIC Unit price bid shall not be less than: \$0.10	65.51PC FURNISHING AND PLACING CAST-IN-PLACE CONCRETE CLASS 40 AND PRECAST CONCRETE CLASS 50	65.61SS FURNISHING, DELIVERING AND PLACING STRUCTURAL, REINFORCING AND MISCELLANEOUS STEEL	65.71SG FURNISHING, DELIVERING AND PLACING SCREENED GRAVEL OR SCREENED BROKEN STONE BEDDING	7.13 B MAINTENANCE OF SITE Unit price bid shall not be less than: \$7,500.00
COL 1 SEG. NO	<u>2</u>	154	155	156	157	158

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL 1 SEQ. NO	COL. 2 TEM NUMBER and DESCRIPTION	COL.3 ENGINEER'S ESTIMATE OF QUANTITY	COL. 4	COL 5 UNIT PRICE (IN FIGURES) DOLLARS : CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS : CTS
159	7.19 LOAD TRANSFER JOINT	4.00	Ä.		
160	7.36 PEDESTRIAN STEEL BARRICADES	25,500.00	r.		
161	7.88 AA RODENT INFESTATION SURVEY AND MONITORING Unit price bid shall not be less than: \$ 14,250.00	1.00	L.S.		
162	7.88 AB RODENT BAIT STATIONS Unit price bid shall not be less than: \$60.00	1,250.00	ЕАСН		
163	7.88 AC BAITING OF RODENT BAIT STATIONS Unit price bid shall not be less than: \$9.25	1,250.00	ЕАСН		
164	7.88 AD WATERBUG BAIT APPLICATIONS Unit price bid shall not be less than: \$65.00	200.00	ВГОСК		

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C **BID SCHEDULE FORM**

COL		COL.3 ENGINEER'S ESTIMATE	4 100	ළ ක ්	8 =	
SEQ. NO	ITEM NUMBER and DESCRIPTION	OF QUANTITIY	LIND	DOLLARS	S DOLLARS	2
165	70.11TT	22,100.00	V.F.			
	Unit price bid shall not be less than: \$ 17.50					
166	70.12AN	106,900.00	V.F.			
	CONTINUOUS FLIGHT AUGER (CFA) PILES					
167	70.12AT	4.00	ЕАСН			
	CONTINUOUS FLIGHT AUGER (CFA) PILES, LOAD TEST					
168	70.21DK	4,900.00	S.Y.			
	DECKING					

29,100.00

Unit price bid shall not be less than: \$ 2.00

70.31FN

169

FENCING

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

S 1-1	COL.2	COL 3 ENGINEER'S ESTIMATE	4 TOC	COLS UNIT PRICE	COL. 6 EXTENDED AMOUNT
	ITEM NUMBER and DESCRIPTION	OF QUANTITIY	UNIT	(IN FIGURES) DOLLARS CTS	(IN FIGURES) DOLLARS CTS
	70.41K082350342 SHORING, BRACING, UNDERPINNING, SUPPORTING, PROTECTING AND MAINTAINING OF BUILDING AT BROOKLYN BLOCK NO. 8235, LOT NO. 342 - ONE (1) STORY BRICK, COMMERCIAL (913 EAST 108 STREET)	1.00	L.S.		
	70.51EO EXCAVATION OF BOULDERS IN OPEN CUT Unit price bid shall not be less than: \$ 75.00	50.00	C.Y.		
	70.61RE ROCK EXCAVATION	45.00	C.Y.		
	70.71SB STONE BALLAST Unit price bid shall not be less than: \$ 15.00	4,000.00	C.Y.		
	70.81CB CLEAN BACKFILL Unit price bid shall not be less than: \$15.00	6,150.00	C.Y.		

4/17/2015 12:00 AM NEW YORK (

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 1 SEQ. NO	COL. 2 THEM NUMBER and DESCRIPTION	COL.3 ENGINEER'S ESTIMATE OF QUANTITY	COL.4 UNIT	COL.5 UNIT PRICE (IN FIGURES) DOLLARS::CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS : CTS
1	70.91SW12 FURNISHING AND PLACING SHEETING AND BRACING IN TRENCH FOR WATER MAIN PIPE 12-INCH IN DIAMETER AND LESS	17,000.00	Ω. π.		
<u> </u>	70.91SW20 FURNISHING AND PLACING SHEETING AND BRACING IN TRENCH FOR WATER MAIN PIPE 20-INCH IN DIAMETER	61,000.00	S.F.		
<u> </u>	72.11HF HYDRAULIC FILL FOR ABANDONED SEWERS AND WATER MAINS	00:009	C.Y.		
	73.11AB ADDITIONAL BRICK MASONRY Unit price bid shall not be less than: \$62.50	475.00	C.Y.		
	73.21AC ADDITIONAL CONCRETE Unit price bid shall not be less than: \$62.50	2,350.00	C.Y.		
	73.31AE0 ADDITIONAL EARTH EXCAVATION INCLUDING TEST PITS (ALL DEPTHS) Unit price bid shall not be less than: \$20.00	5,300.00	C.Y.		

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL.2 COL.6	AR BACKFILL C.Y. c.Y. s than: \$15.00	SING BARS 250,000.00 LBS. sthan: \$1.00	1,000.00 C.Y.	1.00 L.S.	STRUCTION REPORT	8.01 C1 HANDLING, TRANSPORTING AND DISPOSAL OF NON-HAZARDOUS CONTAMINATED SOIL
TEMINUMBE	73.41AG ADDITIONAL SELECT GRANULAR BACKFILL Unit price bid shall not be less than: \$ 15.00	73.51AS ADDITIONAL STEEL REINFORCING BARS Unit price bid shall not be less than: \$1.00	73.61AT ADDITIONAL STONE BALLAST Unit price bid shall not be less than: \$ 15.00	76.11CR CONSTRUCTION REPORT	76.21MR MONITORING AND POST-CONSTRUCTION REPORT	8.01 C1 HANDLING, TRANSPORTING A CONTAMINATED SOIL
COL 1 SEQ. NO	181	182	183	184	185	186

4/17/2015 12:00 AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION **DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN**

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

COL 1	COL. 2 ITEM NUMBER and DESCRIPTION	COL3 ENGINEER'S ESTIMATE OF QUANTITY	50 P	COL. 5 UNIT PRICE (IN FIGURES) DOILARS	COL 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS
187	8.01 C2 SAMPLING AND TESTING OF CONTAMINATED/POTENTIALLY HAZARDOUS SOIL FOR DISPOSAL PURPOSES	30.00	SETS		
188	8.01 H HANDLING, TRANSPORTING AND DISPOSAL OF HAZARDOUS SOIL	1,000.00	SNOT		
189	8.01 S HEALTH AND SAFETY	1.00	r.s.		
190	8.01 W1 REMOVAL, TREATMENT, AND DISCHARGE/DISPOSAL OF CONTAMINATED WATER	90.00	DAY		
191	8.01 W2 SAMPLING AND TESTING OF CONTAMINATED WATER	8.00	SETS		
192	8.08 VARIABLE MESSAGE BOARD	4.00	ЕАСН		

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

COL. 6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) CIN FIGURES) DOLLARS CTS BOLLARS CTS					
COLA UNIT	DAY	n.	R.	EACH	HRS S
COL.3 ENGINEER'S ESTIMATE OF QUANTITITY 1.00	2.00	26,700.00	25,300.00	8,195.00	720.00
COL. 2 ITEM NUMBER and DESCRIPTION 9.30 STORM WATER POLLUTION PREVENTION	BMP-7.09 LICENSED SURVEYOR	BMP-7.307-A GRADING	BMP-7.401-I SEEDING	BMP-7.401-J HERBACEOUS PLANTS (PLUGS)	BMP-7.404-A RESTORATION SPECIALIST
SEQ. NO	194	195	196	197	198

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION

4/17/2015 12:00 AM

CONTRACT PIN: 8502014SE0021C DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

COL.5 COL.6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) DOLLARS CTS						
COL 4 UNIT	DAY	α, π.	CREW DAY	L.F.	5.00 CREW DAY	ñ,
COL 3 ENGINEER'S ESTIMATE OF QUANTITY	50.00	25,300.00	2.00	1,480.00	5.00	700.00
COL. 2 TEM NUMBER and DESCRIPTION	BMP-7.404-	BMP-7.407-A EROSION CONTROL MAT	BMP-7.408-B HERBICIDE APPLICATION	BMP-7.413 TEMPORARY GOOSE EXCLUSION FENCE	BMP-7.415 INVASIVE VINE AND PLANT REMOVAL	BMP-7.417 DEBRIS EXCLUSION FENCE
COL.1 SEQ. NO	199	200	201	202	203	204



PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL 1 SEQ. NO	COL. 2 ITEM NUMBER and DESCRIPTION	COL.3 ENGINEER'S ESTIMATE OF QUANTITY	COL.4	COL 5. COL 6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) DOLLARS COL 6 COL 7 COL	6 AMOUNT RES) · CTS
205	BMP-7.418 CLEAN SAND FOR RESTORED AREA	290.00	C.Y.		
206	BMP-7.421 ROOT BARRIER	200.00	a.		
207	BMP-7.502 CONSTRUCTION LIMIT FENCE	70.00	5		
208	BMP-7.504A SILT FENCE	440.00	<u>"</u>		
209	BMP-7.509-A STABILIZED CONSTRUCTION ENTRANCE	1.00	ЕАСН		
210	BMP-7.510 PORTABLE SEDIMENT TANK	1.00	ЕАСН		

4/17/2015 12:00 AM

O CONSTRUCTION PROJECT ID: SE851 O OF DESIGN CONTRACT PIN: 8502014SE0021C

COL.2 COL.6 ENGINEER'S COL.4 COL.6 UNIT PRICE EXTENDED AMOUNT ESTIMATE (IN FIGURES) (IN FIGURES) OF QUANTITY UNIT DOLLARS : CTS DOLLARS : CTS	BMP-7.511 STORM DRAIN INLET PROTECTION	BMP-7.516 TURBIDITY CURTAIN	T-1.20 T-00 EACH REMOVE TYPE "M" SERIES FOUNDATION	T-1.3 1.00 EACH INSTALL TYPE "M2-5S" FOUNDATION	T-1.5 INSTALL TYPE "M2-28" FOUNDATION	T-2.24 T-2.24 T-2.24 REMOVE TYPE "M" SERIES POST
	BMP-7.511 STORM DRAIN INLE	BMP-7.516 TURBIDITY CURTA	T-1.20 REMOVE TYPE "M"	T-1.3 INSTALL TYPE "M2	T-1.5 INSTALL TYPE "M2	T-2.24 REMOVE TYPE "W
COL. 1 SEQ. NO	211	212	213	214	215	216

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

T-2.28 REMOVE MAST ARM FROM ANY POST T-2.4 INSTALL TYPE "M-2" POST B) FURNISH 1" ANCHOR BOLT ASSEMBLIE REQUIRED PER POST) T-20160 FURNISH 20 FOOT SIGNAL MAST ARM POLT FURNISH 20 FOOT SIGNAL MAST ARM POLT ASSEMBRED FOR POST) T-20220 c) FURNISH 20 FOOT SIGNAL MAST ARM POLT ASSEMBRED FOR POST) T-3.1	COL. 3 COL. 4 COL. 5 COL. 6 ENGINEER'S UNIT PRICE EXTENDED AMOUNT ESTIMATE (IN FIGURES) (IN FIGURES) CRIPTION CRIPTION COL. 6 CAL. 6 COL. 7 COL. 7 COL. 7 COL. 7 COL. 8 COL.	1.00 EACH	1.00 EACH	S FOR F-1 (EACH) (4	1.00 EACH	8.00 EACH	6.00 EACH
	ESCRIPTION	MAST ARM FROM ANY POST	T-2.4 INSTALL TYPE "M-2" POST	T-20021 b) FURNISH 1" ANCHOR BOLT ASSEMBLIES FOR F-1 (EACH) (4 REQUIRED PER POST)	T-20160 FURNISH 20 FOOT SIGNAL MAST ARM POLE ASSEMBLY TYPE "M-2"	T-20220 c) FURNISH 1-1/4" ANCHOR BOLT ASSEMBLIES FOR M-2 (EACH) (4 REQUIRED PER POST)	T-3.1 INSTALL "ONE-WAY" SIGNAL UNIT ON MAST ARM OR TOP OF

4/17/2015 12:00 AM NEW Y

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) TOOLLARS (CTS	Ξ.	Ξ.	王	Ξ.	天	天
COL 4	EACH	EACH	ЕАСН	ЕАСН	ЕАСН	ЕАСН
COL.3 ENGINEER'S ESTIMATE OF QUANTITY	2.00	1.00	5.00	5.00	0.00	1.00
COL. 2 TEM NUMBER and DESCRIPTION	T-3.18 REMOVE SIGNAL HEAD FROM ANY TYPE POST	T-3.2 INSTALL "ONE-WAY" SIGNAL UNIT ON THE SHAFT OF ANY POST	T-3.21 REMOVE PEDESTRIAN SIGNAL OR SIGN UNIT OR OTHER ILLUMINATED SIGNS FROM ANY POST	T-3.6 INSTALL PEDESTRIAN SIGNAL ON ANY TYPE POST	T-30013L FURNISH ADJST 3 SCTN 1-WAY TRAFFIC SIGNAL, 8" - W/LED LENS	T-31200 e) "VB" ASSEMBLY *ASSEMBLY IS EQUAL TO ONE PAIR
COL 1 SEQ. NO	223	224	225	226	227	228

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL.5 COL.6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) DOLLARS COL.6		T				
COL 4	EACH	EACH	ЕАСН	ЕАСН	ЕАСН	ЕАСН
COL.3 ENGINEER'S ESTIMATE OF QUANTITY	3.00	2.00	1.00	2.00	1.00	4.00
COL. 2 TEM NUMBER and DESCRIPTION	T-31210 h) "HUB" ASSEMBLY *ASSEMBLY IS EQUAL TO ONE PAIR	T-31225 c) "3MS"	T-31340 f) "VB-P" ASSEMBLY *ASSEMBLY IS EQUAL TO ONE PAIR	T-31351 g) "VB-2P" ASSEMBLY *ASSEMBLY IS EQUAL TO ONE PAIR	T-33000L FURNISH POLYCARBONATE INCANDESCENT PED SIGNAL W/LED LENS	T-33001-L FURNISH POLYCARBONATE PEDESTRIAN SIGNAL (16 X 16) W/LED COUNT LENS (SPECIFICATION A-L)
COL. 1 SEQ. NO	229	230	231	232	233	234

4/17/2015 12:00 AM NEW YORK

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 1 SEQ. NO	COL.2 TEM NUMBER and DESCRIPTION	COL 3 ENGINEER'S ESTIMATE OF QUANTITY	COL. 4 COL. 5 UNIT PRICE (IN FIGURES) UNIT DOLLARS	. 5 RICE JRES) S ; CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS: CTS
235	T-4.22 INSTALL ANY TYPE OF ADVANCED SOLID STATE TRAFFIC SIGNAL CONTROLLER AND CABINET ON METAL POLE	1.00	ЕАСН		
236	T-4.8 REMOVE ONE CONTROL BOX AND CONTROLLER FROM ANY POST OR SUPPORT	1.00	ЕАСН		
237	T-5.1 FURNISH AND INSTALL 2" RIGID UNDERGROUND CONDUIT IN UNPAVED ROADWAY	150.00	L.F.		
238	T-5.2 FURNISH AND INSTALL 2" RIGID UNDERGROUND CONDUIT IN PAVED ROADWAY	30.00	H.		
239	T-5.32 RESTORING PERMANENT ROADWAY (INCLUDING SAWCUT)	30.00	H.		
240	T-5.36 REMOVE CONDUIT FROM POST	10.00	Ä.		

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL. 2 COL. 3 COL. 4 COL. 5 COL. 6 ENGINEER'S (IN FIGURES) (IN FIGURES) TIEM NUMBER and DESCRIPTION OF QUANTITY UNIT DOLLARS CITS DOLLARS CITS	20.00 L.F. 20.00 L.F.	T-6.10 REMOVE CABLE (INCLUDES OVERHEAD)	T-6.2 800.00 L.F. INSTALL MULTIPLE CABLE (INCLUDES OVERHEAD)	T-60000B FURNISH 2 c. # 10B (SEE SPEC) (BREAKDOWN = 2#10 WITH 3RD WIRE FOR GROUNDING).	T-60040 c) 7 CONDUCTOR, 14 A.W.G.	T-60190 e) 13 CONDUCTOR, 14 A.W.G.
COL 1 SEQ. NO TIEN	241 T-5.7 FURNISH AND INSTA	242 T-6.10 REMOVE CABLE (INC	243 T-6.2 INSTALL MULTIPLE C	T-60000B FURNISH 2 c. # 10B (8 FOR GROUNDING).	245 T-60040 c) 7 CONDUCTOR, 14	246 T-60190 e) 13 CONDUCTOR, 1

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

COL. 5 COL. 6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) COLLARS CTS DOLLARS CTS						
COL 4	ЕАСН	ЕАСН	ЕАСН	ЕАСН	ЕАСН	ЕАСН
COL 3 ENGINEER'S ESTIMATE OF QUANTITY	2.00	2.00	2.00	2.00	2:00	1.00
COL. 2 ITEM NUMBER and DESCRIPTION	T-8.10 RELOCATE CONCRETE PYLON WITH POST	T-8.8 INSTALL CONCRETE PYLON	T-8.9 REMOVE CONCRETE PYLON	T-81000 FURNISH CONCRETE PYLON	UTL-6.01.1 GAS MAIN CROSSING SEWER UP TO 24" IN DIAMETER (S6.01) Unit price bid shall not be less than: \$ 1,040.00	UTL-6.01.2A GAS MAIN CROSSING 38"W X 24"H HORIZONTAL ELLIPTICAL REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$ 1,870.00
COL. 1 SEQ. NO	247	248	249	250	251	252



PROJECT ID: SE851
CONTRACT PIN: 8502014SE0021C

COL 2 COL 2 COL 2 ENGINEER'S ESTIMATE (IN FIGURES) ITEM NUMBER and DESCRIPTION OF QUANTITY: OF QUANTITY:	О	UTL-6.01.4N GAS MAIN CROSSING 4'-6"W X 2'-6"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$ 2,120.00	UTL-6.01.5C GAS MAIN CROSSING 5:-0"W X 2'-6"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$2,340.00	UTL-6.01.6E GAS MAIN CROSSING 6'-0"W X 3'-0"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$2,540.00	UTL-6.01.700 GAS MAIN CROSSING 13:0"W X 4:0"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$2,740.00	UTL-6.01.8 GAS SERVICES CROSSING TRENCHES AND/OR EXCAVATIONS (S6.01) Unit price bid shall not be less than: \$465.00
COL.4	Э					
COL.5 COL.6 NIT PRICE EXTENDED AMOUNT FIGURES) (IN FIGURES) LARS (CTS DOLLARS						

4/17/2015 12:00 AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

COL. 5 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) DOLLARS : CTS						
80L4	ЕАСН	EACH	LF.	L.F.	ЕАСН	ЕАСН
COL. 3 ENGINEER'S ESTIMATE OF QUANTITY	44.00	10.00	5,000.00	15,000.00	250.00	250.00
COL. 2 TEM NUMBER and DESCRIPTION	UTL-6.01.9 GAS MAIN CROSSING WATER MAIN UP TO 20" IN DIAMETER (S6.01) Unit price bid shall not be less than: \$ 485.00	UTL-6.02 EXTRA EXCAVATION FOR THE INSTALLATION OF CATCH BASIN SEWER DRAIN PIPES WITH GAS INTERFERENCES (S6.02) Unit price bid shall not be less than: \$715.00	UTL-6.03 REMOVAL OF ABANDONED GAS FACILITIES. ALL SIZES. (S6.03) Unit price bid shall not be less than: \$15.00	UTL-6.03.1 REMOVAL OF ABANDONED GAS FACILITIES WITH POSSIBLE COAL TAR WRAP, ALL SIZES, (56.03) Unit price bid shall not be less than: \$ 25.00	UTL-6.04 ADJUST HARDWARE TO GRADE USING SPACER RINGS/ADAPTORS. (STREET REPAVING.) (S6.04) Unit price bid shall not be less than: \$35.00	UTL-6.05 ADJUST HARDWARE TO GRADE BY RESETTING. (ROAD RECONSTRUCTION.) (S6.05) Unit price bid shall not be less than: \$65.00
COL. 1 SEQ. NO	259	260	261	262	263	264



PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

COL.1 SEQ. NO	COL 2 ITEM NUMBER and DESCRIPTION	COL 3 ENGINEER'S ESTIMATE OF QUANTITY	COL 4	COL 5 UNIT PRICE (IN FIGURES) DOLLARS CTS	COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS : CTS
265	UTL-6.06 SPECIAL CARE EXCAVATION AND BACKFILLING (S6.06) Unit price bid shall not be less than: \$ 180.00	1,500.00	C.Y.		
266	UTL-6.06A SPECIAL CARE EXCAVATION AND BACKFILLING FOR TRANSMISSION MAINS (TRANSMISSION MAIN IS DESCRIBED AS ANY GAS MAIN WITH A MAOP GREATER THAN 124-PSIG) (S6.06A) Unit price bid shall not be less than: \$ 230.00	800.00	C.Y.		
267	UTL-6.07 TEST PITS FOR GAS FACILITIES (S6.07) Unit price bid shall not be less than: \$ 100.00	200.00	C.Y.		
268	UTL-GCS-2WS GAS INTERFERENCES AND ACCOMMODATIONS PRICE BID SHALL BE FOR THE FIXED SUM OF \$ 150,000.00	1.00	Ř.	150,000 00	150,000 00

4/17/2015 12:00 AM

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

A.	SEO :
	2
	U
Ξ	
COL. 6 XTENDED AMOUN (IN FIGURES)	
COL 6 NDED AMO N FIGURES	DOLLARS
COL (IDED A FIGUR	3
	3
7 Z	đ
0	
	STO:
1.5	K
	٠.
男 名	
COL. 5 UNIT PRICE IN FIGURES)	
리면 편	H
	М
	DOLLARS
	9
Section 1	
T i	느
⊼	Š
22 ш	Ĕ
の音を	E
I H 별 홈	
	4
O 호 전	8
COL. 3 ENGINEER'S ESTIMATE	OF QUANTITI
ENG.	OFQUA
D ENG	OFQUA
D ENG	OFQUA
ENGI	OFQUA
) ENGI ESI	OF QUA
CK ENG	OFQUA
ENGI	AUQ IOFQUA
ENGI	ION OF QUA
ENGI	PTION
DNG!	SRIPTION
ENGI	SCRIPTION
2 ENGI	DESCRIPTION
L.2 ENGI	IN DESCRIPTION OF QUA
COL.2 COL.2 ENGI	Rand DESCRIPTION
COL 2 COL 2 ENGI	SER and DESCRIPTION OF QUA
COL.2 ENGI	IMBER and DESCRIPTION OF QUA
COL.2 ENGI	NUMBER and DESCRIPTION PROMISE OF QUA
COL.2 ENGI	EM NUMBER and DESCRIPTION
COL. 2 COL. 2 ENGI	ITEM NUMBER and DESCRIPTION
COL 2 COL 2 ENGI	ITEM NUMBER and DESCRIPTION OF QUA
COL 2 COL 2 ENGI	THEM NUMBER and DESCRIPTION OF QUA
COL 2 COL 2 ENGI	ITEM NUMBER and DESCRIPTION OF QUA
COL 2 COL 2 ENGI	ITEM NUMBER and DESCRIPTION OF QUA
COL.2 ENGI	TEM NUMBER and DESCRIPTION OF QUA
COL.2 ENGI	ITEM NUMBER and DESCRIPTION OF QUA
1 COL.2 COL.2 ENGI	VO TEM NUMBER and DESCRIPTION OF OUR
OL-1 COL.2 COL.2 ENGI	2, NO ITEM NUMBER and DESCRIPTION OF QUA
COL-1 COL.2 COL.2 ENGI	SEQ, NO TEM NUMBER and DESCRIPTION OF QUA

SUB-TOTAL: \$_

269	6.39 A	1.00	L.S.		
	MOBILIZATION			·	
	BID PRICE OF MOBILIZATION SHALL NOT EXCEED 4% OF THE ABOVE SUB-TOTAL PRICE.				

TOTAL BID PRICE: \$

PLEASE BE SURE A LEGIBLE BID IS ENTERED FOR EACH ITEM.
THE BIDDER SHALL INSERT THE TOTAL BID PRICE IN
THE BID FORM ON PAGE C-4 OF THIS BID BOOKLET.

BID FORM THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

BID FOR FURNISHING ALL LABOR AND MATERIAL NECESSARY AND REQUIRED FOR:

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS IST STREET BETWEEN EAST 105TH STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET BETWEEN EAST 108TH STREET BETWEEN EAST 108TH STREET AND EAST 108TH STREET BETWEEN EAST 10

Together With All Work Incidental Thereto BOROUGH OF BROOKLYN

Name of Bidder: Bedford - Capp Construction Inc.
Date of Bid Opening: June 23, 2015
Bidder is: (Check one, whichever applies) Individual () Partnership () Corporation () Place of Business of Bidder: 77 Bloom frew At, Staten Island, N.Y. 10314 Bidder's Telephone Number: (718) 494-8600 Fax Number: (718) 494-7666 Bidder's E-Mail Address: M. Hojisafari @ Uerizoh. Het
Residence of Bidder (If Individual): If Bidder is a Partnership, fill in the following blanks:
Names of Partners Residence of Partners
If Bidder is a Corporation, fill in the following blanks: Organized under the laws of the State of New York One of the State
Name and Home Address of President: Anthony Chapmiello, 260 W 26th St. Apt BK, Ny. Ny. 10010
Name and Home Address of Secretary: John Bawles, 27 Samp gap Street Staten Island, Hy. 10312
Name and Home Address of Treasurer: The mas Banks, 17 Sea Gate Road State of Tisland, N.Y., 10305
CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION C-1 BID BOOKLET DECEMBER 2013

BID FORM

The above-named Bidder affirms and declares:

- 1. The said bidder is of lawful age and the only one interested in this bid; and no person, firm or corporation other than hereinbefore named has any interest in this bid, or in the Contract proposed to be taken.
- 2. By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief: (1) the prices in this bid have been arrived at independently without collusion, consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor; (2) unless otherwise required by law, the prices quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and (3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.
- 3. No councilman or other officer or employee or person whose salary is payable in whole or in part from the City Treasury is directly or indirectly interested in this bid, or in the supplies, materials, equipment, work or labor to which it relates, or in any of the profits thereof.
- 4. The bidder is not in arrears to the City of New York upon debt or contract or taxes, and is not a defaulter, as surety or otherwise, upon any obligation of the City of New York, and has not been declared not responsible, or disqualified, by any agency of the City of New York or State of New York, nor is there any proceeding pending relating to the responsibility or qualification of the bidder to receive public contracts except as set forth on the Affirmation included as page C-6 of this Bid Booklet.

The bidder hereby affirms that it has paid all applicable City income, excise and other taxes for all years it has conducted business activities in New York City.

5. The bidder, as an individual, or as a member, partner, director or officer of the bidder, if the same be a firm, partnership or corporation, executes this document expressly warranting and representing that should this bid be accepted by the City and the Contract awarded to him, he and his subcontractors engaged in the performance: (1) will comply with the provisions of Section 6-108 of the Administrative Code of the City of New York and the non-discrimination provisions of Section 220a of the New York State Labor Law, as more expressly and in detail set forth in the Agreement; (2) will comply with Section 6-109 of the Administrative Code of the City of New York in relation to minimum wages and other stipulations as more expressly and in detail set forth in the Agreement; (3) have complied with the provisions of the aforesaid laws since their respective effective dates, and (4) will post notices to be furnished by the City, setting forth the requirements of the aforesaid laws in prominent and conspicuous places in each and every plant, factory, building and structure where employees engaged in the performance of the Contract can readily view it, and will continue to keep such notices posted until the supplies, materials and equipment, or work labor and services required to be furnished or rendered by the Contractor have been finally accepted by the City. In the event of any breach or violation of the foregoing, the Contractor may be subject to damages, liquidated or otherwise, cancellation of the Contract and suspension as a bidder for a period of three years. (The words, "the bidder", "he", "his", and "him" where used herein shall mean the individual bidder, firm, partnership or corporation executing the bid).

6. Compliance Report

The bidder, as an individual, or as a member, partner, director, or officer of the bidder, if the same be a firm, partnership, or corporation, (1) represents that his attention has been specifically drawn to Executive Order No. 50, dated, April 25, 1980, on Equal Employment Compliance of the contract, and (2) warrants that he will comply with the provisions of Executive Order No. 50. The Employment Report must be submitted as part of the bid.

The bidder, as an individual, or as a member, partner, director, or officer of the bidder, if the same be a firm, partnership, or corporation, executes this document expressly warranting that he will comply with: (1) the provision of the contract on providing records, Chapter 8.

- 7. By submission of this bid, the bidder certifies that it now has and will continue to have the financial capability to fully perform the work required for this contract. Any award of this contract will be made in reliance upon such certification. Upon request therefor, the bidder will submit written verification of such financial capability in a form that is acceptable to the department.
- 8. In accordance with Section 165 of the State Finance Law, the bidder agrees that tropical hardwoods, as defined in Section 165 of the State Finance Law, shall not be utilized in the performance of this Contract, except as the same are permitted by the foregoing provision of law.
- 9. The bidder has visited and examined the site of the work and has carefully examined the Contract in the form approved by the Corporation Counsel, and will execute the Contract and perform all its items, covenants and conditions, and will provide, furnish and deliver all the work, materials, supplies, tools and appliances for all labor and materials necessary or required for the hereinafter named work, all in strict conformity with the Contract, for the prices set forth in the Bid Schedule:
- 10. M/WBE UTILIZATION PLAN: By signing its bid, the bidder agrees to the Vendor Certification and Required Affirmations set forth below, unless a full waiver of the Participation Goals is granted. The Vendor Certification and Required Affirmations will be deemed to satisfy the requirement to complete Section V of Part II of Schedule B: M/WBE Utilization Plan.

Section V: Vendor Certification and Required Affirmations:

I hereby:

- 1) acknowledge my understanding of the M/WBE participation requirements as set forth in this Contract and the pertinent provisions of Section 6-129 of the Administrative Code of the City of New York and the rules promulgated thereunder;
- 2) affirm that the information supplied in support of the M/WBE Utilization Plan is true and correct;
- 3) agree, if awarded this Contract, to comply with the M/WBE participation requirements of this Contract, the pertinent provisions of Section 6-129, and the rules promulgated thereunder, all of which shall be deemed to be material terms of this Contract;
- 4) agree and affirm that it is a material term of this Contract that the Vendor will award the total dollar value of the M/WBE Participation Goals to certified MBEs and/or WBEs, unless a full waiver is obtained or such goals are modified by the Agency; and
- 5) agree and affirm, if awarded this Contract, to make all reasonable, good faith efforts to meet the M/WBE Participation Goals, or If a partial waiver is obtained or such goals are modified by the Agency, to meet the modified Participation Goals by soliciting and obtaining the participation of certified MBE and/or WBE firms.

(NO TEXT ON THIS PAGE)

BID FORM

PROJECT ID: SE851

<u>TOTAL BID PRICE</u>: In the space provided below, the Bidder shall indicate its Total Bid Price in figures. Such Total Bid Price is set forth on the final page of the Bid Schedule.

TOTAL BID PRICE: (a/k/a BID PROPOSAL)

s 56,556, 556. 56 7/23/15 1815

BIDDER'S SIGNATURE AND AFFIDAVIT

Bidder: Bedfird - (gap Construction Inc.

By: 200. 12 Mr. V. (1

(Signature of Partner or corporate officer)

Attest: (Corporate Seal)

Secretary of Corporate Bidder

Affidavit on the following page should be subscribed and sworn to before a Notary Public

Notary are Richard County
Openation of Richard County
Ny Commission Expuss tiek 14, 2011

BID FORM (TO BE NOTARIZED)

AFFIDAVIT WHERE BIDDER IS AN INDIVIDUAL

ATE OF NEW YORK, COUNTY O		ss:	being duly sworn says:
m the person described in and who expects true.	recuted the foregoing bid, and the	e several mati	ers therein stated are in all
	(0)	-Cale a margan	who signed the Bid)
	· -	of the person	who signed the Didy
bscribed and sworn to before me this day of			
	, .		
Notary Public	·		
			n
<u>AFFIDA</u>	AVIT WHERE BIDDER IS A PA	ARTNERSHI	<u>Ľ</u>
TATE OF NEW YORK, COUNTY O			being duly sworn says:
am a member of	the firm de thereto on behalf of the firm, and	escribed in and the several n	d which executed the foregoing matters therein stated are in all
	. (Signatur	re of Partner	who signed the Bid)
ubscribed and sworn to before me this,	s		
Notary Public			
<u>AFFID</u>	AVIT WHERE BIDDER IS A CO	ORPORATIO	<u>ON</u>
TATE OF NEW YORK COUNTY	of Richmons	ss:	
nuhammad Hallsatar	_		being duly sworn says:
		ration whose i	N.J. 07701
have knowledge of the several matter	rs therein stated, and they are in	all respects to	
nave knowledge of the of the harm	m.,	1/4a/1/	
•	(Signatu	re of Partner	who signed the Bid)
subscribed and sworn to before me th			·
23° day of June,	2015		
Danaen CO Les			
Notary Public		₹ .	
·	DOREEN A FORMI	ľ	
	NO. 01F06294164		
CITY OF NEW YORK	Qualified in Richmond Gound Commission Expires Dec 16, 2017	1	BID BOOKLET DECEMBER 2013
TATE OF NEW YORK, COUNTY Of Muhammad Hausafar Ram the View Pres 1 Bent executed the foregoing bid. I reside at have knowledge of the several matter day of June, Notary Public	of the above named corpore of the above named corpore 102 Borowand Dr. L. rs therein stated, and they are in a (Signature DOREEN A FORNI Notary Public - State of New York NO. 01F06294164	ss: ration whose incret+	being duly sworn says name is subscribed to and v N.J. 07701 who signed the Bid)

AFFIRMATION

PROJECT ID: SE851

not b	act or tax een decla	ed bidder affirms and declares that said bidder is not in arrears to the C es and is not a defaulter, as surety or otherwise, upon obligation to the red not responsible, or disqualified, by any agency of the City of New anding relating to the responsibility or qualification of the bidder to rece	City of New York, and has York, nor is there any
(If no	ne, the b	dder shall insert the word "None" in the space provided above.)	
Addr	Name of I	Blown heis Are, Staten Island	0314
CHE	CK ONE	BOX AND INCLUDE APPROPRIATE NUMBER:	
/	A -	Individual or Sole Proprietorship* SOCIAL SECURITY NUMBER	
		-	
	В-	Partnership, Joint Venture or other unincorporated organization EMPLOYER IDENTIFICATION NUMBER	
			·
	C-	Corporation EMPLOYER IDENTIFICATION NUMBER 80-095 1159	
Ву:	Signa	m. /defleriv. P	-
Title:_		P.	
	If a com	poration, place seal here	-

This affirmation must be signed by an officer or duly authorized representative.

*Under the Federal Privacy Act the furnishing of Social Security Numbers by bidders on City contracts is voluntary. Failure to provide a Social Security Number will not result in a bidder's disqualification. Social Security Numbers will be used to identify bidders, proposers or vendors to ensure their compliance with laws, to assist the City in enforcement of laws, as well as to provide the City a means of identifying of businesses which seek City contracts.

(NO TEXT ON THIS PAGE)

BID FORM THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

BID FOR FURNISHING ALL LABOR AND MATERIAL NECESSARY AND REQUIRED FOR:

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 98TH STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto BOROUGH OF BROOKLYN

Name of Bidder:
Date of Bid Opening:
Bidder is: (Check one, whichever applies) Individual () Partnership () Corporation ()
Place of Business of Bidder:
Bidder's Telephone Number: Fax Number:
Bidder's E-Mail Address:
Residence of Bidder (If Individual):
If Bidder is a Partnership, fill in the following blanks:
Names of Partners Residence of Partners
If Bidder is a Corporation, fill in the following blanks:
Organized under the laws of the State of
Name and Home Address of President:
Name and Home Address of Secretary:
Name and Home Address of Treasurer:

C-1

BID BOOKLET

DECEMBER 2013

CITY OF NEW YORK

DEPARTMENT OF DESIGN AND CONSTRUCTION

BID FORM

The above-named Bidder affirms and declares:

- 1. The said bidder is of lawful age and the only one interested in this bid; and no person, firm or corporation other than hereinbefore named has any interest in this bid, or in the Contract proposed to be taken.
- 2. By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief: (1) the prices in this bid have been arrived at independently without collusion, consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor; (2) unless otherwise required by law, the prices quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and (3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.
- 3. No councilman or other officer or employee or person whose salary is payable in whole or in part from the City Treasury is directly or indirectly interested in this bid, or in the supplies, materials, equipment, work or labor to which it relates, or in any of the profits thereof.
- 4. The bidder is not in arrears to the City of New York upon debt or contract or taxes, and is not a defaulter, as surety or otherwise, upon any obligation of the City of New York, and has not been declared not responsible, or disqualified, by any agency of the City of New York or State of New York, nor is there any proceeding pending relating to the responsibility or qualification of the bidder to receive public contracts except as set forth on the Affirmation included as page C-6 of this Bid Booklet.

The bidder hereby affirms that it has paid all applicable City income, excise and other taxes for all years it has conducted business activities in New York City.

5. The bidder, as an individual, or as a member, partner, director or officer of the bidder, if the same be a firm, partnership or corporation, executes this document expressly warranting and representing that should this bid be accepted by the City and the Contract awarded to him, he and his subcontractors engaged in the performance: (1) will comply with the provisions of Section 6-108 of the Administrative Code of the City of New York and the non-discrimination provisions of Section 220a of the New York State Labor Law, as more expressly and in detail set forth in the Agreement; (2) will comply with Section 6-109 of the Administrative Code of the City of New York in relation to minimum wages and other stipulations as more expressly and in detail set forth in the Agreement; (3) have complied with the provisions of the aforesaid laws since their respective effective dates, and (4) will post notices to be furnished by the City, setting forth the requirements of the aforesaid laws in prominent and conspicuous places in each and every plant, factory, building and structure where employees engaged in the performance of the Contract can readily view it, and will continue to keep such notices posted until the supplies, materials and equipment, or work labor and services required to be furnished or rendered by the Contractor have been finally accepted by the City. In the event of any breach or violation of the foregoing, the Contractor may be subject to damages, liquidated or otherwise, cancellation of the Contract and suspension as a bidder for a period of three years. (The words, "the bidder", "he", "his", and "him" where used herein shall mean the individual bidder, firm, partnership or corporation executing the bid).

6. Compliance Report

The bidder, as an individual, or as a member, partner, director, or officer of the bidder, if the same be a firm, partnership, or corporation, (1) represents that his attention has been specifically drawn to Executive Order No. 50, dated, April 25, 1980, on Equal Employment Compliance of the contract, and (2) warrants that he will comply with the provisions of Executive Order No. 50. The Employment Report must be submitted as part of the bid.

The bidder, as an individual, or as a member, partner, director, or officer of the bidder, if the same be a firm, partnership, or corporation, executes this document expressly warranting that he will comply with: (1) the provision of the contract on providing records, Chapter 8.

- 7. By submission of this bid, the bidder certifies that it now has and will continue to have the financial capability to fully perform the work required for this contract. Any award of this contract will be made in reliance upon such certification. Upon request therefor, the bidder will submit written verification of such financial capability in a form that is acceptable to the department.
- 8. In accordance with Section 165 of the State Finance Law, the bidder agrees that tropical hardwoods, as defined in Section 165 of the State Finance Law, shall not be utilized in the performance of this Contract, except as the same are permitted by the foregoing provision of law.
- 9. The bidder has visited and examined the site of the work and has carefully examined the Contract in the form approved by the Corporation Counsel, and will execute the Contract and perform all its items, covenants and conditions, and will provide, furnish and deliver all the work, materials, supplies, tools and appliances for all labor and materials necessary or required for the hereinafter named work, all in strict conformity with the Contract, for the prices set forth in the Bid Schedule:
- 10. <u>M/WBE UTILIZATION PLAN</u>: By signing its bid, the bidder agrees to the Vendor Certification and Required Affirmations set forth below, unless a full waiver of the Participation Goals is granted. The Vendor Certification and Required Affirmations will be deemed to satisfy the requirement to complete Section V of Part II of Schedule B: M/WBE Utilization Plan.

Section V: Vendor Certification and Required Affirmations:

I hereby:

- 1) acknowledge my understanding of the M/WBE participation requirements as set forth in this Contract and the pertinent provisions of Section 6-129 of the Administrative Code of the City of New York and the rules promulgated thereunder;
- 2) affirm that the information supplied in support of the M/WBE Utilization Plan is true and correct;
- 3) agree, if awarded this Contract, to comply with the M/WBE participation requirements of this Contract, the pertinent provisions of Section 6-129, and the rules promulgated thereunder, all of which shall be deemed to be material terms of this Contract;
- 4) agree and affirm that it is a material term of this Contract that the Vendor will award the total dollar value of the M/WBE Participation Goals to certified MBEs and/or WBEs, unless a full waiver is obtained or such goals are modified by the Agency; and
- 5) agree and affirm, if awarded this Contract, to make all reasonable, good faith efforts to meet the M/WBE Participation Goals, or If a partial waiver is obtained or such goals are modified by the Agency, to meet the modified Participation Goals by soliciting and obtaining the participation of certified MBE and/or WBE firms.

(NO TEXT ON THIS PAGE)

BID FORM

PROJECT ID: SE851

<u>TOTAL BID PRICE</u>: In the space provided below, the Bidder shall indicate its Total Bid Price in figures. Such Total Bid Price is set forth on the final page of the Bid Schedule.

TOTAL BID PRICE: (a/k/a BID PROPOSAL)

\$

BIDDER'S SIGNATURE AND AFFIDAVIT

Bidder:	
Ву:	(Signature of Double or and CC)
	(Signature of Partner or corporate officer)
Attest: (Corporate Seal)	Secretary of Corporate Bidder

Affidavit on the following page should be subscribed and sworn to before a Notary Public

BID FORM (TO BE NOTARIZED)

AFFIDAVIT WHE	RE BIDDER IS AN INDIVIDUAL
STATE OF NEW YORK, COUNTY OF	1 i
am the person described in and who executed the respects true.	e foregoing bid, and the several matters therein stated are in all
	(Signature of the person who signed the Bid)
Subscribed and sworn to before me this day of	
Notary Public	
AFFIDAVIT WHE	ERE BIDDER IS A PARTNERSHIP
STATE OF NEW YORK, COUNTY OF	being duly sworn says:
I am a member of	the firm described in and which executed the foregoing behalf of the firm, and the several matters therein stated are in all
	(Signature of Partner who signed the Bid)
Subscribed and sworn to before me this day of,	(Signature of Faither who signed the Bid)
D.H.	
Notary Public	
AFFIDAVIT WHE	ERE BIDDER IS A CORPORATION
STATE OF NEW YORK, COUNTY OF	ss:
I am the of the	being duly sworn says: e above named corporation whose name is subscribed to and which
I am the of the executed the foregoing bid. I reside at I have knowledge of the several matters therein st	
Thave knowledge of the several matters distributed	
	(Signature of Partner who signed the Bid)
Subscribed and sworn to before me this,,	
_	
Notary Public	
CITY OF NEW YORK	C-5 BID BOOKLE
CITY OF NEW YORK DEBARTMENT OF DESIGN AND CONSTRUCTION	DECEMBER 201

DEPARTMENT OF DESIGN AND CONSTRUCTION

AFFIRMATION

PROJECT ID: SE851

The undersigned bidder affirms and declares that said bidder is not in arrears to the City of New York upon debt, contract or taxes and is not a defaulter, as surety or otherwise, upon obligation to the City of New York, and has not been declared not responsible, or disqualified, by any agency of the City of New York, nor is there any proceeding pending relating to the responsibility or qualification of the bidder to receive public contracts except:

Full N	ame of	of Bidder:	
Addre City	ss:	StateZip Code	
		StateZip Code	
CHEC	K ONI	E BOX AND INCLUDE APPROPRIATE NUMBER:	
/	A -	Individual or Sole Proprietorship* SOCIAL SECURITY NUMBER	
/	В-	Partnership, Joint Venture or other unincorporated organization EMPLOYER IDENTIFICATION NUMBER	
/	C-	Corporation EMPLOYER IDENTIFICATION NUMBER	
By:			
-	Sign	gnature	

This affirmation must be signed by an officer or duly authorized representative.

*Under the Federal Privacy Act the furnishing of Social Security Numbers by bidders on City contracts is voluntary. Failure to provide a Social Security Number will not result in a bidder's disqualification. Social Security Numbers will be used to identify bidders, proposers or vendors to ensure their compliance with laws, to assist the City in enforcement of laws, as well as to provide the City a means of identifying of businesses which seek City contracts.

(NO TEXT ON THIS PAGE)

BID BOND 1 FORM OF BID BOND

	Bedford-Carp Construction, Inc.
	77 Bloomfield Avenue, Staten Island, NY 10314
	hereinafter referred to as the "Principal", and
	Liberty Mutual Insurance Company
	1200 Macarthur Boulevard , Mahwah, NJ 07430
	hereinafter referred to as the "Surety" are held and firmly bound to THE CITY OF NEW YORK, hereinafter referred to as the "CITY", or to its successors and assigns in the penal sum of
	Ten Percent of Amount Bid
	(\$
108th St betw St between F between Con- between East	Whereas, the Principal is about to submit (or has submitted) to the City the accompanying proposal, hereby made a part hereof, to enter into a contract in writing for Project ID: SE851 of Storm, Combined, Sanitary Sewers and Water Mains and Appurtenances in: Flatlands Ave between East 98th St and East 108th St; Ave J Between East 98th St and East 108th St; East een Flatlands Ave and Ave K; East 107th St between Flatlands Ave and Ave J; East 106th St between Flatlands Ave and Ave J; East 105th St between Flatlands Ave and Ave J; East 103rd St between Flatlands Ave and Ave J; East 102nd St between Flatlands Ave and Ave J; East 101st St between Flatlands Ave and Ave J; East 100th St kin Ave and Ave J; East 99th St between Flatlands Ave and Ave J; East 106th St between East 98th St and East 106th St: Flatlands 1st St 105th and East 108th; Flatlands 2nd St between East 105th St and East 108th St; East 99th St between Conklin Ave and Glenwood Rd; and East 98th St between Conklin Ave and Brooklyn, NY
	NOW, THEREFORE, the conditions of this obligation are such that if the Principal shall not withdraw said Proposal without the consent of the City for a period of forty-five (45) days after the opening of bids and in the event of acceptance of the Principal's Proposal by the City, if the Principal shall:
	(a) Within ten (10) days after notification by the City, execute in quadruplicate and deliver to the City all the executed counterparts of the Contract in the form set forth in the Contract Documents, in accordance with the proposal as accepted, and
e e e e e e e e e e e e e e e e e e e	(b) Furnish a performance bond and separate payment bond, as may be required by the City, for the faithful performance and proper fulfullment of such Contract, which bonds shall be satisfactory in all respects to the City and shall be executed by good and sufficient sureties, and
	(c) In all respects perform the agreement created by the acceptance of said Proposal as provided in the Information for Bidders, bound herewith and made a part hereof, or if the City shall reject the aforesaid Proposal, then this obligation shall be null and void; otherwise to remain in full force and effect.

BID BOND 2

In the event that the Proposal of the Principal shall be accepted and the Contract be awarded to him the Surety hereunder agrees subject only to the payment by the Principal of the premium therefore, if requested by the City, to write the aforementioned performance and payment bonds in the form set forth in the Contract Documents.

It is expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall in no event exceed the penal amount of this obligation as herein stated.

There shall be no liability under this bond if, in the event of the acceptance of the Principal's Proposal by the City, either a performance bond or payment bond, or both, shall not be required by the City on or before the 30th day after the date on which the City signs the Contract.

The surety, for the value received, hereby stipulates and agrees that the obligations of the Surety and its bond shall in no way be impaired or affected by any postponements of the date upon which the City will receive or open bids, or by any extensions of time within which the City may accept the Principal's Proposal, or by any waiver by the City of any of the requirements of the Information for Bidders, and the Surety hereby waives notice of any such postponements, extensions, or waivers.

their proper officers the _	23rd	day of	June	<u>, 2015</u>	•	
(Seal)			Bedford-C	arp Construction	, Inc.	(L.S.
		By:	0	Principal	h	
		·	Moham	mas Hajisa	Tari V.P.	
(Seal)			Liberty Mu	tual Insurance C	Company	
,	SUN INSURA	By:		Surety	1 OBin	
(1912 E. K. M.CHUSE		Dennis M.	O'Brien	Attorney-in-Fact	

BID BOND 3

ACKNOWLEDGEMENT OF PRINCIPAL, IF A CORPORATION

monamas † resides at 102 that he is the Use the corporation de corporation; that	Bernand Dr. Lincroft, e President of Bed scribed in and which executed the for	ss:
м	DOREEN A FORNI Notary Public - State of New York NO. 01F06294164 Qualified in Richmond County y Commission Expires Dec 16, 2017	Notary Public
	ACKNOWLEDGEMENT	OF PRINCIPAL, IF A PARTNERSHIP
State of	County of	ss:
On this	day of to me known and	known to me to be one of the members of the firm of
acknowledged to	me that he executed the same as and f	of the act and deed of said thin
		Notary Public
	ACKNOWLEDGEMENT	OF PRINCIPAL, IF AN INDIVIDUAL
State of	County of	ss:
On this	day of	known to me to be the person described in and who
	going instrument and acknowledged the	
		Notary Public

AFFIX ACKNOWLEDGEMENTS AND JUSTIFICATION OF SURETIES

CONTRACTOR OF THE PROPERTY OF

Individual Acknowledgment State of County of On this _____day of_____, 20___, before me personally came to me known, and known to me to be the individual in and who executed the foregoing instrument, and acknowledged to me that he/she executed the same. My commission expires Notary Public **Corporation Acknowledgment** State of _____ County of _____ On the _____ day of _____, ____ before me personally came ____ to me known; who being by me duly sworn, did depose and say that he/she/they reside(s) in ______ that he/she/they is (are) the _____, the corporation described in and which executed the above instrument; that he/she/they know(s) the seal of said corporation; that the seal affixed to said instrument is such corporate seal; that it was so affixed by authority of the board of directors of said corporation, and that he/she/they signed his/her/their name(s) thereto by like authority. My commission expires Notary Public **Surety Acknowledgment** State of New York County of Westchester On the 23rd day of June, 2015 personally came Dennis M. O'Brien to me known, who being by me duly sworn did depose and say that he/she is an Attorney-in-Fact of Liberty Mutual Insurance Company in and which executed the above Instrument know(s) the corporate seal of said corporation; that the seal affixed to the within instrument is such corporate seal, and that he/she/they signed the said instrument and affixed the said seal as Attorney-in-fact by authority of the Board of Directors of said corporation and by authority of this office under the standing resolution thereof. NOTARY PUBLIC-STATE OF NEW YORK

Qualified in Westchester Count Notary Public

My Commission Expires August 04, 2016

My commission expires __

American Fire and Casualty Company
The Ohio Casualty Insurance Company

Liberty Mutual Insurance Company West American Insurance Company

POWER OF ATTORNEY

KNOWN ALL PERSONS BY THESE PRESENTS: That American Fire & Casualty Company and The Ohio Casualty Insurance Company are corporations duly organized under the laws of the State of New Hampshire, that Liberty Mutual Insurance Company is a corporation duly organized under the laws of the State of Massachusetts, and West American Insurance Company is a corporation duly organized under the laws of the State of Indiana (herein collectively called the "Companies"), pursuant to and by authority herein set forth, does hereby name, constitute and appoint, Dennis M. O'Brien of the city of White Plains, state of NY its true and lawful attorney-in-fact, with full power and authority hereby conferred to sign, execute and acknowledge the

following surety bond:

Principal Name: Bedford-Carp Construction, Inc.

Obligee Name: The City of New York

Surety Bond Number: Bid Bond

Bond Amount: See Bond Form

IN WITNESS WHEREOF, this Power of Attorney has been subscribed by an authorized officer or official of the Companies and the corporate seals of the Companies have been affixed thereto this 18th day of November, 2013.









American Fire and Casualty Company The Ohio Casualty Insurance Company Liberty Mutual Insurance Company West American Insurance Company

David M. Carey, Assistant Secretary

BV: Sail flay

STATE OF PENNSYLVANIA COUNTY OF MONTGOMERY

33

On this 18th day of November, 2013, before me personally appeared David M. Carey, who acknowledged himself to be the Assistant Secretary of American Fire and Casualty Company, Liberty Mutual Insurance Company, The Ohio Casualty Company, and West American Insurance Company, and that he, as such, being authorized so to do, execute the foregoing instrument for the purposes therein contained by signing on behalf of the corporations by himself as a duly authorized officer.

IN WITNESS WHEREOF, I have hereunto subscribed my name and affixed my notarial seal at Plymouth Meeting, Pennsylvania, on the day and year first above written.



COMMONWEALTH OF PENNSYLVANIA

Notarial Seal Teresa Pastella, Notary Public Plymouth Twp., Montgomery County My Commission Expires March 28, 2017

Member, Pennsylvania Association of Notaries

This Power of Attorney is made and executed pursuant to and by authority of the following By-laws and Authorizations of American Fire and Casualty Company, The Ohio Casualty Insurance Company, Liberty Mutual Insurance Company, and West American Insurance Company which resolutions are now in full force and effect reading as follows:

ARTICLE IV - OFFICERS - Section 12. Power of Attorney. Any officer or other official of the Corporation authorized for that purpose in writing by the Chairman or the President, and subject to such limitation as the Chairman or the President may prescribe, shall appoint such attorneys-in-fact, as may be necessary to act in behalf of the Corporation to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations. Such attorneys-in-fact, subject to the limitations set forth in their respective powers of attorney, shall have full power to bind the Corporation by their signature and execution of any such instruments and to attach thereto the seal of the Corporation. When so executed, such instruments shall be as binding as if signed by the President and attested to by the Secretary. Any power or authority granted to any representative or attorney-in-fact under the provisions of this article may be revoked at any time by the Board, the Chairman, the President or by the officer or officers granting such power or authority.

ARTICLE XIII - Execution of Contracts - SECTION 5. Surety Bonds and Undertakings. Any officer of the Company authorized for that purpose in writing by the chalman or the president, and subject to such limitations as the chalman or the president may prescribe, shall appoint such attorneys-in-fact, as may be necessary to act in behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations. Such attorneys-in-fact subject to the limitations set forth in their respective powers of attorney, shall have full power to bind the Company by their signature and execution of any such instruments and to attach thereto the seal of the Company. When so executed such instruments shall be as binding as if signed by the president and attested by the secretary.

Certificate of Designation – The President of the Company, acting pursuant to the Bylaws of the Company, authorizes David M. Carey, Assistant Secretary to appoint such attorneys-in-fact as may be necessary to act on behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations.

Authorization – By unanimous consent of the Company's Board of Directors, the Company consents that facsimile or mechanically reproduced signature of any assistant secretary of the Company, wherever appearing upon a certified copy of any power of attorney issued by the Company in connection with surety bonds, shall be valid and binding upon the Company with the same force and effect as though manually affixed.

I, Gregory W. Davenport, the undersigned, Assistant Secretary, of American Fire and Casualty Company, The Ohio Casualty Insurance Company, Liberty Mutual Insurance Company, and West American Insurance Company do hereby certify that the original power of attorney of which the foregoing is a full, true and correct copy of the Power of Attorney executed by said Companies, is in full force and effect and has not been revoked.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed the seals of said Companies this 23rd day of June , 2015









By: Gregory W. Davenport, Assistant Secretary



LIBERTY MUTUAL INSURANCE COMPANY

FINANCIAL STATEMENT — DECEMBER 31, 2014

Assets	Liabilities				
Cash and Bank Deposits\$744,221,142	Unearned Premiums				
*Bonds — U.S Government	Reserve for Claims and Claims Expense 16,879,324,618				
*Other Bonds	Funds Held Under Reinsurance Treaties				
	Reserve for Dividends to Policyholders				
*Stocks	Additional Statutory Reserve 40,877,587				
Real Estate	Reserve for Commissions, Taxes and				
Agents' Balances or Uncollected Premiums 4,150,041,316	Other Liabilities				
Accrued Interest and Rents	Total\$26,085,858,680				
Other Admitted Assets	Special Surplus Funds \$53,954,363				
Other Admitted Assets	Capital Stock 10,000,000				
	Paid in Surplus 8,829,117,542				
	Unassigned Surplus 7,676,228,083				
Total Admitted Assets	Surplus to Policyholders 16,569,299,988				
	Total Liabilities and Surplus\$42,655,158,668				



* Bonds are stated at amortized or investment value; Stocks at Association Market Values.

The foregoing financial information is taken from Liberty Mutual Insurance Company's financial statement filed with the state of Massachusetts Department of Insurance.

I, TIM MIKOLAJEWSKI, Assistant Secretary of Liberty Mutual Insurance Company, do hereby certify that the foregoing is a true, and correct statement of the Assets and Liabilities of said Corporation, as of December 31, 2014, to the best of my knowledge and belief.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the seal of said Corporation at Seattle, Washington, this 20th day of March, 2015.

Assistant Secretary

Amiholajewski.

BID BOND 1 FORM OF BID BOND

KNOW ALL MEN BY THESE PRESENTS. That we,
hereinafter referred to as the "Principal", and
hereinafter referred to as the "Surety" are held and firmly bound to THE CITY OF NEW YORK, hereinafter referred to as the "CITY", or to its successors and assigns in the penal sum of
(\$), Dollars lawful money of the United States, for the payment of which said sum of money well and truly to be made, we, and each of us, bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
Whereas, the Principal is about to submit (or has submitted) to the City the accompanying proposal, hereby made a part hereof, to enter into a contract in writing for
NOW, THEREFORE, the conditions of this obligation are such that if the Principal shall not withdraw said Proposal without the consent of the City for a period of forty-five (45) days after the opening of bids and in the event of acceptance of the Principal's Proposal by the City, if the Principal shall:
(a) Within ten (10) days after notification by the City, execute in quadruplicate and deliver to the City all the executed counterparts of the Contract in the form set forth in the Contract Documents, in accordance with the proposal as accepted, and
(b) Furnish a performance bond and separate payment bond, as may be required by the City, for the faithful performance and proper fulfillment of such Contract, which bonds shall be satisfactory in all respects to the City and shall be executed by good and sufficient sureties, and
(c) In all respects perform the agreement created by the acceptance of said Proposal as provided in the Information for Bidders, bound herewith and made a part hereof, or if the City shall reject the aforesaid Proposal, then this obligation shall be null and void; otherwise to remain in full force and effect.

BID BOND 2

In the event that the Proposal of the Principal shall be accepted and the Contract be awarded to him the Surety hereunder agrees subject only to the payment by the Principal of the premium therefore, if requested by the City, to write the aforementioned performance and payment bonds in the form set forth in the Contract Documents.

It is expressly understood and agreed that the liability of the Surety for any and all claims hereunder shall in no event exceed the penal amount of this obligation as herein stated.

There shall be no liability under this bond if, in the event of the acceptance of the Principal's Proposal by the City, either a performance bond or payment bond, or both, shall not be required by the City on or before the 30th day after the date on which the City signs the Contract.

The surety, for the value received, hereby stipulates and agrees that the obligations of the Surety and its bond shall in no way be impaired or affected by any postponements of the date upon which the City will receive or open bids, or by any extensions of the time within which the City may accept the Principal's Proposal, or by any waiver by the City of any of the requirements of the Information for Bidders, and the Surety hereby waives notice of any such postponements, extensions, or waivers.

IN WITNESS WHEREOF, the Princ and such of them as are corporations have of presents to be signed by their proper officers to	caused their	corporate seals to be	e hereto affixed and these
presents to be signed by their proper officers to		au y 01	
•			
			(T. C.)
(Seal)		Deingingl	(L.S.)
		Principal	
	By:		
	-		
(5.1)			
(Seal)		Surety	
		Duroty	
	By:		
•			

BID BOND 3

ACKNOWLEDGMENT OF PRINCIPAL, IF A CORPORATION

State of	County of	ss: , before me personally came to me known, who, being by me duly sworn, did depose and sa
On this	day of	, before me personally came
		to me known, who, being by me duly sworn, did depose and sa
that he resides at		. , , , , , , , , , , , , , , , , , , ,
that he is the		of
corporation; that one	of the seals affixed	xecuted the foregoing instrument; that he knows the seal of said to said instrument is such seal; that it was so affixed by order of the signed his name thereto by like order.
		Notary Public
. 4	ACKNOWLEDGME	ENT OF PRINCIPAL, IF A PARTNERSHIP
firm of		ss: , before me personally appeared to me known and known to me to be one of the members of the described in and who executed the foregoing hat he executed the same as and for the act and deed of said
		Notary Public
		ENT OF PRINCIPAL, IF AN INDIVIDUAL
State of On this and who executed the	County of day of foregoing instrumer	ss: , before me personally appeared to me known and known to me to be the person described in and acknowledged that he executed the same.
		Notary Public
AF	FIX ACKNOWLEDG	MENTS AND JUSTIFICATION OF SURETIES

(NO TEXT ON THIS PAGE)

M/WBE PROGRAM

M/WBE UTILIZATION PLAN

<u>M/WBE Program Requirements</u>: The requirements for the M/WBE Program are set forth on the following pages of this Bid Booklet, in the section entitled "Notice to All Prospective Contractors".

Schedule B: M/WBE Utilization Plan: Schedule B: M/WBE Utilization Plan for this Contract is set forth in this Bid Booklet on the pages following the section entitled "Notice to All Prospective Contractors". The M/WBE Utilization Plan (Part I) indicates whether Participation Goals have been established for this Contract. If Participation Goals have been established for this Contract, the bidder must submit an M/WBE Utilization Plan (Part II) with its bid.

<u>Waiver</u>: The bidder may seek a full or partial pre-award waiver of the Participation Goals in accordance with the "Notice to All Prospective Contractors" (See Part A, Section 10). The bidder's request for a waiver must be submitted at least seven (7) calendar days prior to the bid date. Waiver requests submitted after the deadline will not be considered. The form for requesting a waiver of the Participation Goals is set forth in the M/WBE Utilization Plan (Part III).

Rejection of the Bid: The bidder must complete Schedule B: M/WBE Utilization Plan (Part II) set forth in this Bid Booklet on the pages following the section entitled "Notice to All Prospective Contractors". A Schedule B submitted by the bidder which does not include the Vendor Certification and Required Affirmations (See Section V of Part II) will be deemed to be non-responsive, unless a full waiver of the Participation Goals is granted (Schedule B, Part III). In the event that the City determines that the bidder has submitted a Schedule B where the Vendor Certification and Required Affirmations are completed but other aspects of the Schedule B are not complete, or contain a copy or computation error that is at odds with the Vendor Certification and Required Affirmations, the bidder will be notified by the Agency and will be given four (4) calendar days from receipt of notification to cure the specified deficiencies and return a completed Schedule B to the Agency. Failure to do so will result in a determination that the Bid is non-responsive. Receipt of notification is defined as the date notice is emailed or faxed (if the bidder has provided an email address or fax number), or no later than five (5) calendar days from the date of mailing or upon delivery, if delivered.

<u>Impact on LBE Requirements</u>: If Participation Goals have been established for the participation of M/WBEs, the contractor is not required to comply with the Locally Based Enterprise Program ("LBE"). The LBE Program is set forth in Article 67 of the Contract.

NOTICE TO ALL PROSPECTIVE CONTRACTORS

PARTICIPATION BY MINORITY-OWNED AND WOMEN-OWNED BUSINESS ENTERPRISES IN CITY PROCUREMENT

ARTICLE I. M/WBE PROGRAM

Local Law No. 129 of 2005 added and Local Law 1 of 2013 amended Section 6-129 of the Administrative Code of the City of New York (hereinafter "Section 6-129"). Section 6-129 establishes the program for participation in City procurement ("M/WBE Program") by minority- owned business enterprises ("MBEs") and women-owned business enterprises ("WBEs"), certified in accordance with Section 1304 of the New York City Charter. As stated in Section 6-129, the intent of the program is to address the impact of discrimination on the City's procurement process, and to promote the public interest in avoiding fraud and favoritism in the procurement process, increasing competition for City business, and lowering contract costs. The contract provisions contained herein are pursuant to Section 6-129, and the rules of the Department of Small Business Services ("DSBS") promulgated thereunder.

If this Contract is subject to the M/WBE Program established by Section 6-129, the specific requirements of MBE and/or WBE participation for this Contract are set forth in Schedule B of the Contract (entitled the "M/WBE Utilization Plan"), and are detailed below. The Contractor must comply with all applicable MBE and WBE requirements for this Contract.

All provisions of Section 6-129 are hereby incorporated in the Contract by reference and all terms used herein that are not defined herein shall have the meanings given such terms in Section 6-129. Article I, Part A, below, sets forth provisions related to the participation goals for construction, standard and professional services contracts. Article I, Part B, below, sets forth miscellaneous provisions related to the M/WBE Program.

PART A

<u>PARTICIPATION GOALS FOR CONSTRUCTION, STANDARD</u> <u>AND PROFESSIONAL SERVICES CONTRACTS OR TASK ORDERS</u>

1. The MBE and/or WBE Participation Goals established for this Contract or Task Orders issued pursuant to this Contract, ("Participation Goals"), as applicable, are set forth on Schedule B, Part I to this Contract (see Page 1, line 1 Total Participation Goals) or will be set forth on Schedule B, Part I to Task Orders issued pursuant to this Contract, as applicable.

The **Participation Goals** represent a percentage of the total dollar value of the Contract or Task Order, as applicable, that may be achieved by awarding subcontracts to firms certified with New York City Department of Small Business Services as MBEs and/or WBEs, and/or by crediting the participation of prime contractors and/or qualified joint ventures as provided in Section 3 below, unless the goals have been waived or modified by Agency in accordance with Section 6-129 and Part A, Sections 10 and 11 below, respectively.

- 2. If **Participation Goals** have been established for this Contract or Task Orders issued pursuant to this Contract, Contractor agrees or shall agree as a material term of the Contract that Contractor shall be subject to the **Participation Goals**, unless the goals are waived or modified by Agency in accordance with Section 6-129 and Part A, Sections 10 and 11 below, respectively.
- 3. If Participation Goals have been established for this Contract or Task Order issued pursuant to this Contract, a Contractor that is an MBE and/or WBE shall be permitted to count its own participation toward fulfillment of the relevant Participation Goal, provided that in accordance with Section 6-129 the value of Contractor's participation shall be determined by subtracting from the total value of the Contract or Task Order, as applicable, any amounts that the Contractor pays to direct subcontractors (as defined in Section 6-129(c)(13)), and provided further that a Contractor that is certified as both an MBE and a WBE may count its own participation either toward the goal for MBEs or the goal for WBEs, but not both.

- A Contractor that is a qualified joint venture (as defined in Section 6-129(c)(30)) shall be permitted to count a percentage of its own participation toward fulfillment of the relevant **Participation Goal**. In accordance with Section 6-129, the value of Contractor's participation shall be determined by subtracting from the total value of the Contract or Task Order, as applicable, any amounts that Contractor pays to direct subcontractors, and then multiplying the remainder by the percentage to be applied to total profit to determine the amount to which an MBE or WBE is entitled pursuant to the joint venture agreement, provided that where a participant in a joint venture is certified as both an MBE and a WBE, such amount shall be counted either toward the goal for MBEs or the goal for WBEs, but not both.
- 4. A. If Participation Goals have been established for this Contract, a prospective contractor shall be required to submit with its bid or proposal, as applicable, a completed Schedule B, M/WBE Utilization Plan, Part II (see Pages 2-4) indicating: (a) whether the contractor is an MBE or WBE, or qualified joint venture; (b) the percentage of work it intends to award to direct subcontractors; and (c) in cases where the contractor intends to award direct subcontracts, a description of the type and dollar value of work designated for participation by MBEs and/or WBEs, and the time frames in which such work is scheduled to begin and end. In the event that this M/WBE Utilization Plan indicates that the bidder or proposer, as applicable, does not intend to meet the Participation Goals, the bid or proposal, as applicable, shall be deemed non-responsive, unless Agency has granted the bidder or proposer, as applicable, a pre- award waiver of the Participation Goals in accordance with Section 6-129 and Part A, Section 10 below.
- B. (i) If this Contract is for a master services agreement or other requirements type contract that will result in the issuance of Task Orders that will be individually registered ("Master Services Agreement") and is subject to M/WBE Participation Goals, a prospective contractor shall be required to submit with its bid or proposal, as applicable, a completed Schedule B, M/WBE Participation Requirements for Master Services Agreements That Will Require Individually Registered Task Orders, Part II (page 2) indicating the prospective contractor's certification and required affirmations to make all reasonable good faith efforts to meet participation goals established on each individual Task Order issued pursuant to this Contract, or if a partial waiver is obtained or such goals are modified by the Agency, to meet the modified Participation Goals by soliciting and obtaining the participation of certified MBE and/or WBE firms. In the event that the Schedule B indicates that the bidder or proposer, as applicable, does not intend to meet the Participation Goals that may be established on Task Orders issued pursuant to this Contract, the bid or proposal, as applicable, shall be deemed nonresponsive.
- (ii) Participation Goals on a Master Services Agreement will be established for individual Task Orders issued after the Master Services Agreement is awarded. If Participation Goals have been established on a Task Order, a contractor shall be required to submit a Schedule B M/WBE Utilization Plan For Independently Registered Task Orders That Are Issued Pursuant to Master Services Agreements, Part II (see Pages 2-4) indicating: (a) whether the contractor is an MBE or WBE, or qualified joint venture; (b) the percentage of work it intends to award to direct subcontractors; and (c) in cases where the contractor intends to award direct subcontracts, a description of the type and dollar value of work designated for participation by MBEs and/or WBEs, and the time frames in which such work is scheduled to begin and end. The contractor must engage in good faith efforts to meet the Participation Goals as established for the Task Order unless Agency has granted the contractor a pre-award waiver of the Participation Goals in accordance with Section 6-129 and Part A, Section 10 below.
- C. THE BIDDER/PROPOSER MUST COMPLETE THE SCHEDULE B INCLUDED HEREIN (SCHEDULE B, PART II). A SCHEDULE B SUBMITTED BY THE BIDDER/PROPOSER WHICH DOES NOT INCLUDE THE VENDOR CERTIFICATION AND REQUIRED AFFIRMATIONS (SEE SECTION V OF PART II) WILL BE DEEMED TO BE NON-RESPONSIVE, UNLESS A FULL WAIVER OF THE PARTICIPATION GOALS IS GRANTED (SCHEDULE B, PART III). IN THE EVENT THAT THE CITY DETERMINES THAT THE BIDDER/PROPOSER HAS SUBMITTED A SCHEDULE B WHERE THE VENDOR CERTIFICATION AND REQUIRED AFFIRMATIONS ARE COMPLETED BUT OTHER ASPECTS OF THE SCHEDULE B ARE NOT COMPLETE, OR CONTAIN A COPY OR COMPUTATION ERROR THAT IS AT ODDS WITH THE VENDOR CERTIFICATION AND AFFIRMATIONS, THE BIDDER/PROPOSER WILL BE NOTIFIED BY THE AGENCY AND WILL BE GIVEN FOUR (4) CALENDAR DAYS FROM RECEIPT OF NOTIFICATION TO CURE THE SPECIFIED DEFICIENCIES AND RETURN A COMPLETED SCHEDULE B TO THE AGENCY. FAILURE TO DO

7

SO WILL RESULT IN A DETERMINATION THAT THE BID/PROPOSAL IS NON-RESPONSIVE. RECEIPT OF NOTIFICATION IS DEFINED AS THE DATE NOTICE IS E-MAILED OR FAXED (IF THE BIDDER/PROPOSER HAS PROVIDED AN E-MAIL ADDRESS OR FAX NUMBER), OR NO LATER THAN FIVE (5) CALENDAR DAYS FROM THE DATE OF MAILING OR UPON DELIVERY, IF DELIVERED.

- Where an M/WBE Utilization Plan has been submitted, the Contractor shall, within 30 days of issuance by 5. Agency of a notice to proceed, submit a list of proposed persons or entities to which it intends to award subcontracts within the subsequent 12 months. In the case of multiyear contracts, such list shall also be submitted every year thereafter. The Agency may also require the Contractor to report periodically about the contracts awarded by its direct subcontractors to indirect subcontractors (as defined in Section 6-129(c)(22)). PLEASE NOTE: If this Contract is a public works project subject to GML §101(5) (i.e., a contract valued at or below \$3M for projects in New York City) or if the Contract is subject to a project labor agreement in accordance with Labor Law §222, and the bidder is required to identify at the time of bid submission its intended subcontractors for the Wicks trades (plumbing and gas fitting; steam heating, hot water heating, ventilating and air conditioning (HVAC); and electric wiring), the Contractor must identify all those to which it intends to award construction subcontracts for any portion of the Wicks trade work at the time of bid submission, regardless of what point in the life of the contract such subcontracts will occur. In identifying intended subcontractors in the bid submission, bidders may satisfy any Participation Goals established for this Contract by proposing one or more subcontractors that are MBEs and/or WBEs for any portion of the Wicks trade work. In the event that the Contractor's selection of a subcontractor is disapproved, the Contractor shall have a reasonable time to propose alternate subcontractors.
- 6. MBE and WBE firms must be certified by DSBS in order for the Contractor to credit such firms' participation toward the attainment of the **Participation Goals**. Such certification must occur prior to the firms' commencement of work. A list of MBE and WBE firms may be obtained from the DSBS website at www.nyc.gov/buycertified, by emailing DSBS at buyer@sbs.nyc.gov, by calling (212) 513-6356, or by visiting or writing DSBS at 110 William St., New York, New York, 10038, 7th floor. Eligible firms that have not yet been certified may contact DSBS in order to seek certification by visiting www.nyc.gov/getcertified, emailing MWBE@sbs.nyc.gov, or calling the DSBS certification helpline at (212) 513-6311. A firm that is certified as both an MBE and a WBE may be counted either toward the goal for MBEs or the goal for WBEs, but not both. No credit shall be given for participation by a graduate MBE or graduate WBE, as defined in Section 6-129(c)(20).
- Where an M/WBE Utilization Plan has been submitted, the Contractor shall, with each voucher for payment, and/or periodically as Agency may require, submit statements, certified under penalty of perjury, which shall include, but not be limited to,: the total amount the Contractor paid to its direct subcontractors, and, where applicable pursuant to Section 6-129(j), the total amount direct subcontractors paid to indirect subcontractors; the names, addresses and contact numbers of each MBE or WBE hired as a subcontractor by the Contractor, and, where applicable, hired by any of the Contractor's direct subcontractors; and the dates and amounts paid to each MBE or WBE. The Contractor shall also submit, along with its voucher for final payment: the total amount it paid to subcontractors, and, where applicable pursuant to Section 6-129(j), the total amount its direct subcontractors paid directly to their indirect subcontractors; and a final list, certified under penalty of perjury, which shall include the name, address and contact information of each subcontractor that is an MBE or WBE, the work performed by, and the dates and amounts paid to each.
- 8. If payments made to, or work performed by, MBEs or WBEs are less than the amount specified in the Contractor's M/WBE Utilization Plan, Agency shall take appropriate action, in accordance with Section 6-129 and Article II below, unless the Contractor has obtained a modification of its M/WBE Utilization Plan in accordance with Section 6-129 and Part A, Section 11 below.
- 9. Where an M/WBE Utilization Plan has been submitted, and the Contractor requests a change order the value of which exceeds the greater of 10 percent of the Contract or Task Order, as applicable, or \$500,000, Agency shall review the scope of work for the Contract or Task Order, as applicable, and the scale and types of work involved in the change order, and determine whether the **Participation Goals** should be modified.

- 10. Pre-award waiver of the **Participation Goals**. (a) A bidder or proposer, or contractor with respect to a Task Order, may seek a pre-award full or partial waiver of the **Participation Goals** in accordance with Section 6-129, which requests that Agency change one or more **Participation Goals** on the grounds that the **Participation Goals** are unreasonable in light of the availability of certified firms to perform the services required, or by demonstrating that it has legitimate business reasons for proposing a lower level of subcontracting in its M/WBE Utilization Plan.
- (b) To apply for a full or partial waiver of the Participation Goals, a bidder, proposer, or contractor, as applicable, must complete Part III (Page 5) of Schedule B and submit such request no later than seven (7) calendar days prior to the date and time the bids, proposals, or Task Orders are due, in writing to the Agency by email at poped@ddc.nyc.gov or via facsimile at (718) 391-1886. Bidders, proposers, or contractors, as applicable, who have submitted requests will receive an Agency response by no later than two (2) calendar days prior to the due date for bids, proposals, or Task Orders; provided, however, that if that date would fall on a weekend or holiday, an Agency response will be provided by close-of-business on the business day before such weekend or holiday date.
- (c) If the Agency determines that the **Participation Goals** are unreasonable in light of the availability of certified firms to perform the services required, it shall revise the solicitation and extend the deadline for bids and proposals, or revise the Task Order, as applicable.
- (d) Agency may grant a full or partial waiver of the Participation Goals to a bidder, proposer or contractor, as applicable, who demonstrates—before submission of the bid, proposal or Task Order, as applicable—that it has legitimate business reasons for proposing the level of subcontracting in its M/WBE Utilization Plan. In making its determination, Agency shall consider factors that shall include, but not be limited to, whether the bidder, proposer or contractor, as applicable, has the capacity and the bona fide intention to perform the Contract without any subcontracting, or to perform the Contract without awarding the amount of subcontracts represented by the Participation Goals. In making such determination, Agency may consider whether the M/WBE Utilization Plan is consistent with past subcontracting practices of the bidder, proposer or contractor, as applicable, has made efforts to form a joint venture with a certified firm, and whether the bidder, proposer, or contractor, as applicable, has made good faith efforts to identify other portions of the Contract that it intends to subcontract.
- 11. Modification of M/WBE Utilization Plan. (a) A Contractor may request a modification of its M/WBE Utilization Plan after award of this Contract. PLEASE NOTE: If this Contract is a public works project subject to GML §101(5) (i.e., a contract valued at or below \$3M for projects in New York City) or if the Contract is subject to a project labor agreement in accordance with Labor Law §222, and the bidder is required to identify at the time of bid submission its intended subcontractors for the Wicks trades (plumbing and gas fitting; steam heating, hot water heating, ventilating and air conditioning (HVAC); and electric wiring), the Contractor may request a Modification of its M/WBE Utilization Plan as part of its bid submission. The Agency may grant a request for Modification of a Contractor's M/WBE Utilization Plan if it determines that the Contractor has established, with appropriate documentary and other evidence, that it made reasonable, good faith efforts to meet the Participation Goals. In making such determination, Agency shall consider evidence of the following efforts, as applicable, along with any other relevant factors:
- (i) The Contractor advertised opportunities to participate in the Contract, where appropriate, in general circulation media, trade and professional association publications and small business media, and publications of minority and women's business organizations;
- (ii) The Contractor provided notice of specific opportunities to participate in the Contract, in a timely manner, to minority and women's business organizations;
- (iii) The Contractor sent written notices, by certified mail or facsimile, in a timely manner, to advise MBEs or WBEs that their interest in the Contract was solicited;
- (iv) The Contractor made efforts to identify portions of the work that could be substituted for portions originally designated for participation by MBEs and/or WBEs in the M/WBE Utilization Plan, and for which the Contractor claims an inability to retain MBEs or WBEs;

- (v) The Contractor held meetings with MBEs and/or WBEs prior to the date their bids or proposals were due, for the purpose of explaining in detail the scope and requirements of the work for which their bids or proposals were solicited;
- (vi) The Contractor made efforts to negotiate with MBEs and/or WBEs as relevant to perform specific subcontracts, or act as suppliers or service providers;
- (vii) Timely written requests for assistance made by the Contractor to Agency's M/WBE liaison officer and to DSBS;
- (viii) Description of how recommendations made by DSBS and Agency were acted upon and an explanation of why action upon such recommendations did not lead to the desired level of participation of MBEs and/or WBEs.

Agency's M/WBE officer shall provide written notice to the Contractor of the determination.

- (b) The Agency may modify the Participation Goals when the scope of the work has been changed by the Agency in a manner that affects the scale and types of work that the Contractor indicated in its M/WBE Utilization Plan would be awarded to subcontractors.
- 12. If this Contract is for an indefinite quantity of construction, standard or professional services or is a requirements type contract and the Contractor has submitted an M/WBE Utilization Plan and has committed to subcontract work to MBEs and/or WBEs in order to meet the Participation Goals, the Contractor will not be deemed in violation of the M/WBE Program requirements for this Contract with regard to any work which was intended to be subcontracted to an MBE and/or WBE to the extent that the Agency has determined that such work is not needed.
- 13. If Participation Goals have been established for this Contract or a Task Order issued pursuant to this Contract, at least once annually during the term of the Contract or Task Order, as applicable, Agency shall review the Contractor's progress toward attainment of its M/WBE Utilization Plan, including but not limited to, by reviewing the percentage of work the Contractor has actually awarded to MBE and/or WBE subcontractors and the payments the Contractor made to such subcontractors.
- 14. If **Participation Goals** have been established for this Contract or a Task Order issued pursuant to this Contract, Agency shall evaluate and assess the Contractor's performance in meeting those goals, and such evaluation and assessment shall become part of the Contractor's overall contract performance evaluation.

PART B: MISCELLANEOUS

- 1. The Contractor shall take notice that, if this solicitation requires the establishment of an M/WBE Utilization Plan, the resulting contract may be audited by DSBS to determine compliance with Section 6-129. See §6-129(e)(10). Furthermore, such resulting contract may also be examined by the City's Comptroller to assess compliance with the M/WBE Utilization Plan.
- 2. Pursuant to DSBS rules, construction contracts that include a requirement for an M/WBE Utilization Plan shall not be subject to the law governing Locally Based Enterprises set forth in Section 6-108.1 of the Administrative Code of the City of New York.
- 3. DSBS is available to assist contractors and potential contractors in determining the availability of MBEs and/or WBEs to participate as subcontractors, and in identifying opportunities that are appropriate for participation by MBEs and/or WBEs in contracts.
- 4. Prospective contractors are encouraged to enter into qualified joint venture agreements with MBEs and/or WBEs as defined by Section 6-129(c)(30).

5. By submitting a bid or proposal the Contractor hereby acknowledges its understanding of the M/WBE Program requirements set forth herein and the pertinent provisions of Section 6-129, and any rules promulgated thereunder, and if awarded this Contract, the Contractor hereby agrees to comply with the M/WBE Program requirements of this Contract and pertinent provisions of Section 6-129, and any rules promulgated thereunder, all of which shall be deemed to be material terms of this Contract. The Contractor hereby agrees to make all reasonable, good faith efforts to solicit and obtain the participation of MBEs and/or WBEs to meet the required Participation Goals.

ARTICLE II. ENFORCEMENT

- 1. If Agency determines that a bidder or proposer, as applicable, has, in relation to this procurement, violated Section 6-129 or the DSBS rules promulgated pursuant to Section 6-129, Agency may disqualify such bidder or proposer, as applicable, from competing for this Contract and the Agency may revoke such bidder's or proposer's prequalification status, if applicable.
- 2. Whenever Agency believes that the Contractor or a subcontractor is not in compliance with Section 6-129 or the DSBS rules promulgated pursuant to Section 6-129, or any provision of this Contract that implements Section 6-129, including, but not limited to any M/WBE Utilization Plan, Agency shall send a written notice to the Contractor describing the alleged noncompliance and offering the Contractor an opportunity to be heard. Agency shall then conduct an investigation to determine whether such Contractor or subcontractor is in compliance.
- 3. In the event that the Contractor has been found to have violated Section 6-129, the DSBS rules promulgated pursuant to Section 6-129, or any provision of this Contract that implements Section 6-129, including, but not limited to, any **M/WBE** Utilization Plan, Agency may determine that one of the following actions should be taken:
- (a) entering into an agreement with the Contractor allowing the Contractor to cure the violation;
- (b) revoking the Contractor's pre-qualification to bid or make proposals for future contracts;
- (c) making a finding that the Contractor is in default of the Contract;
- (d) terminating the Contract;
- (e) declaring the Contractor to be in breach of Contract;
- (f) withholding payment or reimbursement;
- (g) determining not to renew the Contract;
- (h) assessing actual and consequential damages;
- (i) assessing liquidated damages or reducing fees, provided that liquidated damages may be based on amounts representing costs of delays in carrying out the purposes of the M/WBE Program, or in meeting the purposes of the Contract, the costs of meeting utilization goals through additional procurements, the administrative costs of investigation and enforcement, or other factors set forth in the Contract;
- (j) exercising rights under the Contract to procure goods, services or construction from another contractor and charge the cost of such contract to the Contractor that has been found to be in noncompliance; or
- (k) taking any other appropriate remedy.
- 4. If an M/WBE Utilization Plan has been submitted, and pursuant to this Article II, Section 3, the Contractor has been found to have failed to fulfill its Participation Goals contained in its M/WBE Utilization Plan or the Participation Goals as modified by Agency pursuant to Article I, Part A, Section 11, Agency may assess liquidated damages in the amount of ten percent (10%) of the difference between the dollar amount of work required to be awarded to MBE and/or WBE firms to meet the Participation Goals and the dollar amount the Contractor actually awarded and paid, and/or credited, to MBE and/or WBE firms. In view of the difficulty of accurately ascertaining the loss which the City will suffer by reason of Contractor's failure to meet the Participation Goals, the foregoing amount is hereby fixed and agreed as the liquidated damages that the City will suffer by reason of such failure, and not as a penalty. Agency may deduct and retain out of any monies which may become due under this Contract the amount of any such liquidated damages; and in case the amount which may become due under this Contract shall be less than the amount of liquidated damages suffered by the City, the Contractor shall be liable to pay the difference.

- 5. Whenever Agency has reason to believe that an MBE and/or WBE is not qualified for certification, or is participating in a contract in a manner that does not serve a commercially useful function (as defined in Section 6-129(c)(8)), or has violated any provision of Section 6-129, Agency shall notify the Commissioner of DSBS who shall determine whether the certification of such business enterprise should be revoked.
- 6. Statements made in any instrument submitted to Agency pursuant to Section 6-129 shall be submitted under penalty of perjury and any false or misleading statement or omission shall be grounds for the application of any applicable criminal and/or civil penalties for perjury. The making of a false or fraudulent statement by an MBE and/or WBE in any instrument submitted pursuant to Section 6-129 shall, in addition, be grounds for revocation of its certification.
- 7. The Contractor's record in implementing its M/WBE Utilization Plan shall be a factor in the evaluation of its performance. Whenever Agency determines that a Contractor's compliance with an M/WBE Utilization Plan has been unsatisfactory, Agency shall, after consultation with the City Chief Procurement Officer, file an advice of caution form for inclusion in VENDEX as caution data.

Tax ID #:	-		APT E- PIN #:	85015B0141	
SCHEDULE B - M/WBE					
Part I: M/WBE Participa					
	l by contracting agency				
Contract Overview					
APT E- Pin #	85015B0141	FMS P	roject ID#:	SE-851	
Project Title/ Agency PIN #	CONSTRUCTION OF STO MAINS AND APPURTENA	RM, COMBINED NCES/8502014S	, SANITARY S E0021C	EWERS AND WATER	
Bid/Proposal Response Date	June 23, 2015				
Contracting Agency	Department of Design and	d Construction			
Agency Address	30-30 Thomson Avenue	City Long Islan	d City State	NY Zip Code 11	101
Contact Person	Monika Beci	Title	_MWBE Liais	on & Compliance Analys	st_
Telephone #	(718) 391-1128	Email	BeciMo@dd		
Project Description (att	ach additional pages if necessary)				
	PRO	JECT ID: SE851	er em el ser	erk kon kironikon irreko arrekoren eta era eta 2002a zila eta eta eta eta eta eta eta eta eta et	*
AVENUE BETWEEN EAST 98 EAST 108TH STREET BETWE J; EAST 106TH STREET BETWEEN BETWEEN BETWEEN BETWEEN BETWEEN BETWEEN BETWEEN BETWEEN EAST 100TH STREET BETWEEN EAST 10	OF STORM, COMBINED, SANITARY STH STREET AND EAST 108TH STRE EN FLATLANDS AVENUE AND AVEN ETWEEN FLATLANDS AVENUE AND REET BETWEEN FLATLANDS AVENU ND STREET BETWEEN FLATLANDS ST 100TH STREET BETWEEN FLATLA RST 98TH STREET BETWEEN FLATLA REET; FLATLANDS 1ST STREET BE 5TH STREET AND EAST 108TH STRI AD; AND EAST 98TH STREET BETW	ET; AVENUE J BETW IUE K; EAST 107TH S AVENUE J; EAST 109 IE AND AVENUE J; EA AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND ATWEEN EAST 105TH EET; EAST 99TH STR	/EEN EAST 98TH S TREET BETWEEN 5TH STREET BETV AST 103RD STREE UE J; EAST 991 AVENUE J; EAST 991 AVENUE J; CONKL STREET AND EAS EET BETWEEN CO	TREET AND EAST 108TH STRE FLATLANDS AVENUE AND AVE VEEN FLATLANDS AVENUE AND THE BETWEEN FLATLANDS TREET BETWEEN FLATLANDS TO STREET BETWEEN FLATLANDS TO STREET BETWEEN FLATLANDS TO STREET; FLATLAND	ET; ENUE D IUE S NDS BTH 2ND
	BOROUG	II Work Incidental The 3H OF BROOKLYN OF NEW YORK	ereto		
M/WBE Participation G Enter the percentage amount f Professional Services. Prime Contract Industr	oals for Services or each group or for an unspecified g		there are no goals	for Asian Americans in	
		entage			
harden Al de manufactur profession de la companya del companya de la companya de la companya del companya de la companya del la companya de l	<u>Unspecified</u> *	7%		SS S-SHIPAS SHIPAS WAS SANGER SHIPAS	
The second secon	or				
	Black American UNS	SPECIFIED*			

Black American UNSPECIFIED*
Hispanic American UNSPECIFIED*
Asian American UNSPECIFIED*
Women UNSPECIFIED*
Total Participation Goals 7% Line 1

*Note: For this procurement, individual ethnicity and gender goals are not specified. The Total Participation Goal for onstruction contracts may be met by using either Black-American, Hispanic-American, Asian American, or Women certified jirms or any combination of such firms.

			APT E-		
Tax ID #:	_		PIN #:		85015B0141
SCHEDULE B - Part II: M/WBE Partici	nation Plan			-	
Part II to be completed by the bidder/prop Please note: For Non-M/WBE Prime Co entire contract, you must obtain a FULL submitting it to the contracting agency granted, it must be included with your bi bid or proposal.	ooser. Ontractors who will N waiver by completing oursuant to the Notic	g the e to	e Waiver Application on Prospective Contractor	page s. O	es 17 and 18 and timely nce a FULL WAIVER is
Section I: Prime Contractor Contact Info	ormation				
Tax ID #			FMS Vendor ID#		
Business Name			Contact Person		
Address		,			
Telephone #	Email				
Section II: M/WBE Utilization Goal Calculation Frime CONTRACTOR ADOPTING A				ubsed	ction.
For Prime Contractors (including Qualified Joint Ventures and M/WBE firms) adopting Agency M/WBE Participation Goals.	Total Bid/Proposal Value		Agency Total Participation Goals (Line 1, Page 13)		Calculated M/WBE Participation Amount
Calculate the total dollar value of your total bid that you agree will be awarded to M/WBE subcontractors for services and/or credited to an M/WBE prime contractor or Qualified Joint Venture.					
Please review the Notice to Prospective Contractors for more information on how to obtain credit for M/WBE participation.	\$	x		=	\$ Line 2
PRIME CONTRACTOR OBTAINED PARTICIPATION GOALS	ARTIAL WAIVER AP	PRC	OVAL: ADOPTING MO	DIFII	ED M/WBE
For Prime Contractors (including Qualified Joint Ventures and M/WBE firms) adopting Modified M/WBE	Total Bid/Proposal Value		Adjusted Participation Goal (From Partial Waiver)		Calculated M/WBE Participation Amount
Participation Goals. Calculate the total dollar value of your total bid that you agree will be awarded to M/WBE subcontractors for services and/or credited to an M/WBE prime contractor or Qualified Joint Venture.					
Please review the Notice to Prospective Contractors for more information on how to obtain credit for M/WBE participation.	\$	x		=	\$ Line 3

APT E-

Tax ID #:	APT E- PIN #: <u>85015B0141</u>
review the Notice to Prospec	Plan: How Proposer/Bidder Will Fulfill M/WBE Participation Goals. Please tive Contractors for more information on how to obtain credit for M/WBE ble box. The Proposer or Bidder will fulfill the M/WBE Participation Goals:
work subcontracted to non-M/M Please check all that apply to P MBE	
and/or the value of any work su above, as applicable. The value fulfillment of M/WBE Participatie. As a non M/WBE Prime Co.	ntractor that will enter into subcontracts with M/WBF firms the value of which is at
Section IV: General Contract In What is the expected percent services, regardless of M/WB	formation tage of the total contract dollar value that you expect to award in subcontracts for
✓ Scopes of Subcontract Work	Enter brief description of the type(s) and dollar value of subcontracts for all/any services you plan on subcontracting if awarded this contract. For each item, indicate whether the work is designated for participation by MBEs and/or WBEs and the time frame in which such work is scheduled to begin and end. Use additional sheets if necessary. 1

¯ax ID #:	APT E- PIN #:	85015B0141
Section V: Vendor Certification and Required Affirmations I hereby: 1) acknowledge my understanding of the M/WBE participation repertinent provisions of Section 6-129 of the Administrative Code 129"), and the rules promulgated thereunder; 2) affirm that the information supplied in support of this M/WBE to 3) agree, if awarded this Contract, to comply with the M/WBE pathe pertinent provisions of Section 6-129, and the rules promulgated deemed to be material terms of this Contract; 4) agree and affirm that it is a material term of this Contract that value of the M/WBE Participation Goals to certified MBEs and/or or such goals are modified by the Agency; and 5) agree and affirm, if awarded this Contract, to make all reasons M/WBE Participation Goals, or If a partial waiver is obtained or set to meet the modified Participation Goals by soliciting and obtaining and/or WBE firms.	of the City of Not the City of Not the Italian requested thereunder the Vendor will willess able, good faith uch goals are it	is true and correct; irements of this Contract, r, all of which shall be award the total dollar a full waiver is obtained an efforts to meet the modified by the Agency,
Signature Date		
Print Name Title		

SCHEDULE B – PART III – REQUEST FOR WAIVER OF M/WBE PARTICIPATION REQUIREMENT

Tax ID #	FMS Vendor ID #					
Business Name		_				
Contact Name	Teleph	one #	Email			
Type of Procurement	☐ Competitive Sealed Bids		Bid/Response Due Date			
APT E-PIN # (for this			Contracting Agency:	·		
procurement):			Contracting Agency.			
M/WBE Participatio	n Goals as described in bid/s	olicitation dod	euments			
	Agency M/WBE Participation Go	al				
	cipation Goal as anticipated by		g waiver			
				44		
fo	r the total contract value anticip or services and/or credited to ar	n M/WBE Prim	<u>aith</u> by the bidder/proposer to be subcontrac e Contractor or Qualified Joint Venture.	ted		
PAGE AND A CAPACITY CONTROL OF THE PROPERTY OF THE PAGE AND A SECOND PAGE AND A SECO	HENDER OF THE PROPERTY OF THE		ອີດໄກ່ຍົມໄດ້ໃນ (ອີກເອັດຄົງ ສັດໄດ້ເກີດຄືນສັດໄດ້ອອກເຄືອນ ເສັດໄດ້	N. S.		
		e capacity an	d good faith intention to perform all such w	vork		
itself with its own emplo	oyees.					
			than bid/solicitation describes, and has th			
capacity and good faith the vendor will self-perf	intention to do so on this con orm and subcontract to other	tract. (Attacl vendors or co	n subcontracting plan outlining services the onsultants.)	at		
capacity and good faith the vendor will self-perf Vendor has other le	intention to do so on this con orm and subcontract to other	tract. (Attacl vendors or co	subcontracting plan outlining services the	at		
capacity and good faith the vendor will self-perf	intention to do so on this con orm and subcontract to other	tract. (Attacl vendors or co	n subcontracting plan outlining services the onsultants.)	at		
capacity and good faith the vendor will self-perf Vendor has other leg under separate cover.	intention to do so on this con orm and subcontract to other gitimate business reasons for	tract. (Attacl vendors or co	n subcontracting plan outlining services the onsultants.)	at		
capacity and good faith the vendor will self-perf Vendor has other leg under separate cover.	intention to do so on this con orm and subcontract to other gitimate business reasons for	tract. (Attacl vendors or co proposing th	n subcontracting plan outlining services the pusultants.) e M/WBE Participation Goal above. Explain	at n		
capacity and good faith the vendor will self-perf Vendor has other leg under separate cover. References List 3 most recent contra	intention to do so on this con orm and subcontract to other gitimate business reasons for	tract. (Attacl vendors or conproposing the state of the s	n subcontracting plan outlining services the onsultants.)	at n		
capacity and good faith the vendor will self-perf Vendor has other leg under separate cover. References List 3 most recent contra	intention to do so on this conform and subcontract to other gitimate business reasons for cts performed for NYC agencies tracts. Add more pages if necessions	tract. (Attacl vendors or control proposing the state of	n subcontracting plan outlining services the posultants.) e M/WBE Participation Goal above. Explain the management of t	at n		
capacity and good faith the vendor will self-performed Vendor has other legunder separate cover. References List 3 most recent contraperformance of such con	intention to do so on this conform and subcontract to other gitimate business reasons for cts performed for NYC agencies tracts. Add more pages if necessions	tract. (Attacl vendors or control proposing the state of	n subcontracting plan outlining services the pusultants.) e M/WBE Participation Goal above. Explain	at n		
capacity and good faith the vendor will self-performed vendor has other legunder separate cover. IReferences List 3 most recent contraperformance of such contract Amount \$	intention to do so on this conform and subcontract to other gitimate business reasons for cts performed for NYC agencies tracts. Add more pages if necessary and subcontracts.	tract. (Attacl vendors or control proposing the second sec	n subcontracting plan outlining services the posultants.) e M/WBE Participation Goal above. Explain the management of t	at n		
capacity and good faith the vendor will self-performed vendor has other legunder separate cover. IReferences List 3 most recent contraperformance of such contract Amount \$ Item of Work	intention to do so on this conform and subcontract to other gitimate business reasons for cts performed for NYC agencies tracts. Add more pages if necessarily and subcontracts and subcontracts.	tract. (Attacl vendors or comproposing the second s	n subcontracting plan outlining services the possible M/WBE Participation Goal above. Explain ude information for each subcontract awards DATE COMPLETED	at n		
capacity and good faith the vendor will self-performed vendor has other legunder separate cover. IReferences List 3 most recent contraperformance of such contract Amount \$	intention to do so on this conform and subcontract to other gitimate business reasons for cts performed for NYC agencies tracts. Add more pages if necessary and subcontracts.	proposing the signal of the si	n subcontracting plan outlining services the possible M/WBE Participation Goal above. Explain ude information for each subcontract awards	at n		
capacity and good faith the vendor will self-perfect when the vendor will self-perfect when the vendor has other legunder separate cover. IReferences List 3 most recent contraperformance of such contract Amount \$ ltem of Work Subcontracted and	intention to do so on this comporm and subcontract to other gitimate business reasons for gitimate business reasons for a cts performed for NYC agencies tracts. Add more pages if necessariates and subcontracted s	proposing the signal of the si	n subcontracting plan outlining services the onsultants.) e M/WBE Participation Goal above. Explain ude information for each subcontract awards DATE COMPLETED Item of Work Subcontracted and	at n		
capacity and good faith the vendor will self-performed vendor has other legunder separate cover. IRESERBICES List 3 most recent contraperformance of such contract Amount Item of Work Subcontracted and	intention to do so on this comporm and subcontract to other gitimate business reasons for gitimate business reasons for agencies tracts. Add more pages if necessariant and subcontracted by Value of subcontracted value of subcontracted value of subcontracted by the subcontracted by the subcontracted value of subcontracted by the subcontracted b	proposing the signal of the si	n subcontracting plan outlining services the onsultants.) e M/WBE Participation Goal above. Explain ude information for each subcontract awards DATE COMPLETED Item of Work Subcontracted and	at n		
Capacity and good faith the vendor will self-perferences. Vendor has other legunder separate cover. Contract Contract Amount Subcontracted and Value of subcontract Contract Contrac	intention to do so on this comporm and subcontract to other gitimate business reasons for gitimate business reasons for agencies tracts. Add more pages if necessariates. Add more pages if necessariates and subcontracted by the subcontracted	proposing the pr	n subcontracting plan outlining services the onsultants.) e M/WBE Participation Goal above. Explain ude information for each subcontract awards DATE COMPLETED Item of Work Subcontracted and Value of subcontract	at n		
capacity and good faith the vendor will self-perfect with the vendor will self-perfect with the vendor will self-perfect with the vendor has other legunder separate cover. IRESERBICES AND WITH A SUBSECTION OF TOTAL CONTRACT NO. Total Contract with the contract of subcontract with the contract of subcontract with the contract of the contract with the vendor subcontract with the vendor subcontract with the vendor subcontract with the vendor wi	intention to do so on this comporm and subcontract to other gitimate business reasons for gitimate business reasons for gitimate business reasons for a cts performed for NYC agencies tracts. Add more pages if necessariates. Add more pages if necessariates and subcontracted value of subcontracted value of subcontracted and subcontracte	tract. (Attacl vendors or comproposing the proposing the second s	n subcontracting plan outlining services the onsultants.) e M/WBE Participation Goal above. Explain ude information for each subcontract awards DATE COMPLETED Item of Work Subcontracted and Value of subcontract DATE COMPLETED	at n		
Capacity and good faith the vendor will self-performance of such contract Amount \$ ltem of Work Subcontracted and Value of subcontract CONTRACT NO. Total Contract Amount \$ ltem of Work Subcontracted and Value of subcontract CONTRACT NO. Total Contract Total Contract CONTRACT NO. Total Contract	intention to do so on this comporm and subcontract to other gitimate business reasons for gitimate business reasons for agencies tracts. Add more pages if necessariates. Add more pages if necessariates and subcontracted by the subcontracted	tract. (Attacl vendors or comproposing the proposing the second vendors or comproposing the second vendors of the vendors of t	n subcontracting plan outlining services the onsultants.) e M/WBE Participation Goal above. Explain ude information for each subcontract awards DATE COMPLETED Item of Work Subcontracted and Value of subcontract DATE COMPLETED Item of Work Subcontract	at n		
capacity and good faith the vendor will self-perfect with the vendor will self-perfect with the vendor will self-perfect with the vendor has other legunder separate cover. References Vendor Vend	intention to do so on this comporm and subcontract to other gitimate business reasons for gitimate business reasons for gitimate business reasons for gitimate business reasons for agencies tracts. Add more pages if necessariates. Add more pages if necessariates and gitimate gitimat	tract. (Attacl vendors or comproposing the proposing the p	n subcontracting plan outlining services the onsultants.) e M/WBE Participation Goal above. Explain ude information for each subcontract awards DATE COMPLETED Item of Work Subcontracted and Value of subcontract DATE COMPLETED	at n		
Capacity and good faith the vendor will self-perfect with the vendor will self-perfect with the vendor will self-perfect with the vendor has other legunder separate cover. The legences with the vendor of such contract of such contract of such contract of work subcontracted and value of subcontract of subcontract of the vendor of work subcontract of work subcontracted and subcontracted a	intention to do so on this comporm and subcontract to other gitimate business reasons for gittimate busin	tract. (Attacl vendors or comproposing the proposing the p	n subcontracting plan outlining services the onsultants.) e M/WBE Participation Goal above. Explain and information for each subcontract awards DATE COMPLETED Item of Work Subcontracted and Value of subcontract DATE COMPLETED Item of Work Subcontracted and Value of Subcontracted and Value of Subcontracted and Subcontracted and Subcontracted and Subcontracted and	at n		
capacity and good faith the vendor will self-perferences. Vendor has other legunder separate cover. CONTRACT NO. Total Contract Amount Value of subcontract Amount Value of Subcontract Amount CONTRACT NO. Total Contract CONTRACT NO. Total Contract CONTRACT NO. Total Contract	intention to do so on this comporm and subcontract to other gitimate business reasons for gitimate git	proposing the second se	n subcontracting plan outlining services the onsultants.) e M/WBE Participation Goal above. Explain ude information for each subcontract awards DATE COMPLETED Item of Work Subcontracted and Value of subcontract DATE COMPLETED Item of Work Subcontracted and Value of subcontracted and Va	at n		
capacity and good faith the vendor will self-perfect with the vendor has other legunder separate cover. Contract	intention to do so on this comporm and subcontract to other gitimate business reasons for gitimate business reasons for gitimate business reasons for gitimate business reasons for agencies tracts. Add more pages if necessariates. Add more pages if necessariates and gitimate gitimates and gitimates gitimates and gitimates git	tract. (Attacl vendors or comproposing the proposing the p	n subcontracting plan outlining services the onsultants.) e M/WBE Participation Goal above. Explain ude information for each subcontract awards DATE COMPLETED Item of Work Subcontracted and Value of subcontract DATE COMPLETED Item of Work Subcontracted and Value of subcontracted and Value of subcontracted and Value of subcontracted and Value of subcontracted DATE COMPLETED	at n		
capacity and good faith the vendor will self-perferences. Well capacity and good faith the vendor will self-perferences. Well capacity and recent contral performance of such contract Amount \$ Item of Work Subcontracted and Value of subcontract Amount \$ Item of Work Subcontracted and Value of subcontract Amount \$ Item of Work Subcontracted and Value of subcontracted and Value of subcontracted CONTRACT NO. Total Contract CONTRACT NO. Total Contract	intention to do so on this comporm and subcontract to other gitimate business reasons for gitimate git	proposing the seary. ENCY count acted \$ Work d and count acted \$ Work down the acted \$ Work down the acted \$ Work	n subcontracting plan outlining services the onsultants.) e M/WBE Participation Goal above. Explain ude information for each subcontract awards DATE COMPLETED Item of Work Subcontracted and Value of subcontract DATE COMPLETED Item of Work Subcontracted and Value of subcontracted and Va	at n		

List 3 most recent contracts performed for other entities. Include information for each subcontract awarded in performance of such contracts. Add more pages if necessary.

(Complete ONLY if vendor has performed fewer than 3 New York City contracts.)

TYPE OF Contract		E	NTITY		DATE COMPLETED)
Manager at enti	ty that hired vendor	(Name/Phone No./	Email)		•	
Total Contract Amount	\$	Total Amount Subcontracted	\$		***************************************	
Type of Work Subcontracted		-				
					•	
TYPE OF Contract		AGENCY/E	NTITY		DATE COMPLETED)
Manager at agency/e No./Email)	entity that hired vend	dor (Name/Phone				
Total Contract	_	Total Amount	_			
Amount_	\$	Subcontracted	\$			
Item of Work		Item of Work Subcontracted			Item of Worl	
Subcontracted and		and Value of			Subcontracted and	-
Value of subcontract_		subcontract			Value of subcontrac	
					•	
TYPE OF Contract		AGENCY/E	NTITY		DATE COMPLETED	
Manager at entit	ty that hired vendor	(Name/Phone No./	Email)			
Total Contract	A	Total Amount	*			
Amount_	3	Subcontracted	>			
Item of Work		Item of Work Subcontracted			Item of Worl	•
Subcontracted and		and Value of			Subcontracted and	
Value of subcontract		subcontract	MILE VIE.		Value of subcontrac	t
VENDOR CERTIFIC correct, and that this						is true and
				Date:		
Print Name:				Title:		
					,	
Shaded area below is	sfor gaenevæmmile	tion sonly				
AGENCY CHIEF C			L			
Signature:				Date:		
CITY CHIEF PROC	UREMENT OFFICE	ER APPROVAL	· · · · · · · · · · · · · · · · · · ·			
Signature:				Date:	•	
				· .		
Waiver Determinati	ion					
Full Waiver Approve	id- []					
Waiver Denied:	ч. Ц			*		·.
Partial Waiver Appro	oved:	•				
Revised Participation						

APPRENTICESHIP PROGRAM QUESTIONNAIRE

PROJECT ID:

SE851

The bidder must submit a completed and signed Apprenticeship Program Questionnaire.

1.	Does the bidder have an Apprenticeship Pro [Note: Participation may be by either direct	gram appropriate for sponsorship or throu	the type and scope of work to be performed gh collective bargaining agreement(s).]
		YES	NO
2.	Has the bidder's Apprenticeship Program Commissioner of Labor?	been registered wi	ith, and approved by, the New York Stat
	· .	YES	NO
3.	Has the bidder's Apprenticeship Program opportunities?	had three years of	f successful experience in providing caree
		YES	NO
exper	answer to Question #3 is "Yes", the bidd- ience the Apprenticeship Program has had in if necessary.	providing career opp	portunities. The bidder may attach additional
			11
		· · · · · · · · · · · · · · · · · · ·	
-			
	· · · · · · · · · · · · · · · · · · ·		
Bidder	:		
By:		<u>, </u>	Title:
Date:	(Signature of Partner or Corpor	rate Officer)	
	F NEW YORK TMENT OF DESIGN AND CONSTRUCTION	20	BID BOOKLET

DECEMBER 2013

APPRENTICESHIP PROGRAM REQUIREMENTS

Bidders are advised that the Apprenticeship Program Requirements set forth below apply to each contract for which a check mark is indicated before the word "Yes". Compliance with these requirements will be determined solely by the City.

1ES1O

(1) Apprenticeship Program Requirements

Notice to Bidders: Please be advised that, pursuant to the authority granted to the City under Labor Law Section 816-b, the Department of Design and Construction hereby requires that the contractor awarded a contract as a result of this Invitation for Bids, and any of its subcontractors with subcontracts worth one million dollars or over, have, prior to entering into such contract or subcontract, apprenticeship agreements appropriate for the type and scope of work to be performed that have been registered with, and approved by, the New York State Commissioner of Labor. In addition, the contractor and its subcontractors will be required to show that such apprenticeship programs have three years of current, successful experience in providing career opportunities.

The failure to prove, upon request, that these requirements have been met shall result in the contract not being awarded to the contractor or the subcontract not being approved.

Please be further advised that, pursuant to Labor Law Section 220, the allowable ratio of apprentices to journeypersons in any craft classification shall not be greater than the ratio permitted to the contractor as to its workforce on any job under the registered apprenticeship program.

(2) Apprenticeship Program Questionnaire

The bidder must submit a completed and signed Apprenticeship Program Questionnaire. The Questionnaire is set forth on the following page of the Bid Booklet.

SAFETY QUESTIONNAIRE

The bidder must include, with its bid, all information requested on this Safety Questionnaire. Failure to provide a completed and signed Safety Questionnaire at the time of bid opening may result in disqualification of the bid as non-responsive.

1. Bidder Information:	_	
Company Name: Bedford - Car	p Construction :	Inc.
DDC Project Number: SE 85		
Company Size: Ten (10)	employees or less	
Greater	than ten (10) employees	
Company has previously worked for DDC	YES	NO
2. Type(s) of Construction Work		
TYPE OF WORK General Building Construction Residential Building Construction Nonresidential Building Construction Heavy Construction, except building Highway and Street Construction Heavy Construction, except highways Plumbing, Heating, HVAC Painting and Paper Hanging Electrical Work Masonry, Stonework and Plastering Carpentry and Floor Work Roofing, Siding, and Sheet Metal Concrete Work Specialty Trade Contracting Asbestos Abatement Other (specify)	LAST 3 YEARS	THIS PROJECT
3. Experience Modification Rate: The Experience Modification Rate (EMR) is a insurance (NCCI). This rating is used to determsurance. The contractor may obtain its EMR contractor cannot obtain its EMR, it must submitted to the contractor cannot obtain its EMR, it must submit to the contractor cannot obtain its EMR, it must submit to the contractor cannot obtain its EMR, it must submit to the contractor cannot obtain its EMR.	mine the contractor's premius by contacting its insurance h	m for worker's compensa

		Project ID. SE85
The Contractor must contractors with less	indicate its <u>Intrastate</u> and <u>Interstate</u> EMR for the than three years of experience, the EMR will be	e past three years. [Note: For
YEAR	<u>INTRA</u> STATE RATE	INTERSTATE RATE
2014		<u> H A </u>
2013		<u> </u>
2012		MA
contractor must atta	d/or Interstate EMR for any of the past three ach, to this questionnaire, a written explanat ion was taken to correct the situation resultin	ion for the rating and identity
4. OSHA Informati	ion:	
YESN	NO Contractor has received a willful violation Department of Buildings (NYCDOB) with	issued by OSHA or New York City nin the last three years.
YESN	NO Contractor has had an incident requiring (work-related fatalities) or an incident required hours (all work-related impatient hospitality) losses of an eye).	iring OSHA notification within 24
amployees on a vear	ifety and Health Act (OSHA) of 1970 requires end basis to complete and maintain on file the form. This form is commonly referred to as the OS.	rm entitled "Log of work-related
The OSHA 300 Log employees.	must be submitted for the last three years for co	ontractors with more than ten
The Contractor must payroll records for the	indicate the total number of hours worked by it ne past three years.	s employees, as reflected in
past three years. T For each given year illnesses reported of employees working	st submit the Incident Rate for Lost Time Incident Rate is calculated in accordance, the total number of incidents is the total on the OSHA 300 Log. The 200,000 hour forty hours a week, fifty weeks per year.	e with the formula set forth below. I number of non-fatal injuries and s represents the equivalent of 100
Incident Rate =	Total Number of Ir Total Number of H	ours Worked by Employees
YEAR	TOTAL NUMBERS OF HOURS WORKED B' EMPLOYEES	
2014	67, 490	11.85
2012	29 597	11.85

2013

2012

22

If the contractor's Incident Rate for any of the past three years is one point higher than the Incident Rate for the type of construction it performs (listed below), the contractor must attach, to this questionnaire, a written explanation for the relatively high rate.

General Building Construction	8.5
Residential Building Construction	7.0
Nonresidential Building Construction	10.2
Heavy Construction, except building	(8.7)
Highway and Street Construction	9.7
Heavy Construction, except highways	8.3
Plumbing, Heating, HVAC	11.3
Painting and Paper Hanging	6.9
Electrical Work	9.5
Masonry, Stonework and Plastering	10.5
Carpentry and Floor Work	12.2
Roofing, Siding, and Sheet Metal	10.3
Concrete Work	8.6
Specialty Trade Contracting	8.6

5	Safety	Performance on	Previous	DDC	Project(s)
J.	Saicty	r ci ioi mance on	LICVIOUS	$\nu\nu$	Liniecusi

YESNO	Contractor previously audited by the DDC Office of Site Safety.
/	DDC Project Number(s):,
YESNO	Accident on previous DDC Project(s).
	DDC Project Number(s):,
YES NO	Fatality or Life-altering Injury on DDC Project(s) within the last three years. [Examples of a life-altering injury include loss of limb, loss of a sense (e.g., sight, hearing), or loss of neurological function].
	DDC Project Number(s):,
Date: June 23, 2	Old By: (Signature of Owner, Partner, Corporate Officer)
	Title: U.P.

(NO TEXT ON THIS PAGE)

JSHA'S FORM 300 (Rev. 01/2004)

.og of Work-Related Injuries and Illnesses

employee neath and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used for occupational safety and health purposes.

Year 20 <u>1</u> 3 (🗐

U.S. Department of Labor Occupational Safety and Health Administration

Form approved OMB no. 1218-0176

cay staten is band state MY

Establishmen name Budbord Coup Construction Corp

u must record information about every work-related death and about every work-related injury or illness that involves loss of consciousness, restricted work activity or job transfer, ys away from work, or medical freatment beyond first aid. You must also record significant work-related injuries and illnesses that are diagnosed by a physician or licensed health tre professional. You must also record work-related injuries and illness that meet any of the specific recording criteria listed in 29 CFR Part 1904.8 through 1904.12. Feel free to two lines for a single case if you need to. You must complete an injury and illness incident Report (OSHA Form 301) or equivalent form for each injury or illness recorded on this m. If you're not sure whether a case is recordable, call your local OSHA office for help.

dentify the person

Describe the case

Classify the case

ublic reporting b														De Libe			Ģ	•
ublic reporting burden for this collection of information is estimated to average 14 minutes per response, including time to re- te instructions, search and gather the data needed, and complete and review the collection of information. Fersons are not rec- te control to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number. If you have any comments respond to the collection of information unless it displays a currently valid OMB control number.														chnam-Bakhsb	Abbas			(B) Employee's name
ublic reporting burden for this collection of information is estimated to average 14 minutes per response, including time to real instructions, search and gather the data needed, and complete and review the collection of information. Persons are not real response to the collection of information unless it displays a currendy valid OMB control number. If you have any comments a respond to the collection of information unless it displays a currendy valid OMB control number. If you have any comments are provided as a part of the provided of the collection of information unless it displays a currendy valid OMB control number. If you have any comments are provided in the collection of information unless it displays a currendy valid OMB control number. If you have any comments are not reported in the collection of information in the collection in the c														CICHIAC OTO	•		(e.g., Weider)	(C) Job title
severage 14 minutes review the collection of valid OMB control no	montroay	-	month/day	month/day	month/day	month/day	month/day	month/day	nonth/day	month/day	month/day	month/day	month/day	O CONTRACTOR	?		of illness	(D) Date of injury
ublic reporting burden for this collection of information is estimated to average 14 minutes per response, including time to review the instructions, search and gather the data needed, and complete and review the collection of information. Persons are not required trespond to the collection of information unless it displays a currently valid OMB control number. If you have any comments														coming is all the			(e.g., Louising work interesting)	(E) Where the event occurred
-	Page tota													Courins 15 and Pipes tataling orders III. Half		right forearm from acetylene torch)	or made person ill (e.g., Second degree burns on	(F) Describe injury or illness, parts of body affected
isfer these tota	₹														-	Death		
als to the Sum	' Ь	_		_	0	0		_ _		0	0	<u> </u>	0	0	1	Days away		based on the n
mary page (Fon	, 0			0	0		0	0	0			0	₽			3 1	Rema	based on the most serious outcome for that case:
Be sure to transfer these totals to the Summary page (Form 300A) before you post it.	þ	0	0	ø	0	0	O		-		0					ler Other record-	Remained at Work	outcome for
ost it.	0	days days		Away On job from transfer or work restriction		Enter the number of days the injured or Ill worker was:												
Injus Skin disord Respirator condition Poisonir			0.0000	0 0 0 0			0 0 0 0								(2) (3) (4) (5)	Injury Skin disor Respirator condition Poisoning fearing k	y	Check the "injury" column or choose one type of lineser

COLE OF CHILL SOL Injury and Illness Incident Report

employee health and must be used in a manner that possible while the information is being used tor protects the confidentiality of employees to the extent occupational safety and health purposes.

U.S. Department of Lab

Occupational Safety and Health Administrati Form approved OMB no. 1218-01

Information about the employee

accompanying Summary, these forms help the and severity of work-related incidents. employer and OSHA develop a picture of the extent the Log of Work-Related Injuries and Illrasses and the related injury or illness has occurred. Together with first forms you must fill out when a recordable work-This Injury and Illness Invident Report is one of the Within 7 calendar days after you receive

isked for on this form. any substitute must contain all the information substitutes. To be considered an equivalent form, insurance, or other reports may be acceptable equivalent. Some state workers' compensation, illness has occurred, you must fill out this form or an information that a recordable work-related injury or

which it pertains. his form on file for 5 years following the year to 1904, OSHA's recordkeeping rule, you must keep According to Public Law 91-596 and 29 CFR

nay photocopy and use as many as you need. If you need additional copies of this form, you

" ('entroller

9) Was employee hospitalized overnight as an in-patient?

one (118) 494-8600 pare 9, 3,13

impleted by TJ MOORE

8) Was employee treated in an emergency room? D Yes	CityStateZIP	7) If treatment was given away from the worksite, where was it given? Facility $\int Q$	6) Name of physician or other health care professional h	Information about the physician or other health capprofessional	5) 🗹 Male	1) Date of birth <u>04</u> / <u>31</u> / <u>58</u> 1) Date bired <u>04</u> / <u>330</u> / <u>13</u>	on Staten Island sum NY zur 1030	1) some SI Marvin Road	1) Full name Albhas Dehnam - Bakhsh	

 Date of injury or illness 10) Case number from the Log 106614 _(Transfer the case number from the Log after you record the case.)

Information about the case

Time of event 12) Time employee began work _ AM / PM OCheck if time cannot be determined

14) What was the employee doing just before the incident occurred? Describe the activity, as well as the tools, equipment, or material the employee was using. Be specific. Examples: "climbing a ladder while carrying roofing materials"; "spraying chlorine from hand sprayer"; "daily computer key-entry."

Standing by a 950 Whee Loader

15) What happened? Tell us how the injury occurred. Examples: "When ladder slipped on wet floor, works fell 20 feet"; "Worker was sprayed with chlorine when gasket broke during replacement"; "Worker developed soreness in wrist over time."

As pipes were removed from the

truck, the straps that held the pipes together broke 19 What was affected and how it was affected;

more specific than "hurt," "pain," or sore." Examples: "strained back"; "chemical burn, hand"; "carp tunnel syndrome."

17) What object or substance directly harmed the employee? Examples: "concrete floor"; "chlorine"; The pipes fatally crushed must below

Pipe 15' x 24" weighing five to six "rudial arm saw." If this question does not apply to the incident, leave it blank.

18) If the employee died, when did death occur? Date of death 0.05/15

c reporting burden for this collection of information is estimated to average 22 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Persons are not required to respond to the stion of information unless it displays a current valid OMB control number. If you have any comments about this estimate or any other supects of this data collection, including suggestions for reducing this burden, contact: US Department of Labor, OSHA Office of Statistical Analysis, Room N-864, 4,00 Constitution Avenue, N1 ington, DC 20210. Do not send the completed forms to this office.

OSHA'S Form 300A (Rev. 01/2004)

Summary of Work-Related Injuries and Illnesses

Year 20 1 3 (1)

U.S. Department of Labor

Occupational Safety and Health Administration Form approved OMB no. 1218-017

to verify that the entries are complete and accurate before completing this summary. All establishments covered by Part 1904 must complete this Summary page, even if no work-related injuries or illnesses occurred during the year. Remember to review the Log

Using the Log, count the individual entries you made for each category. Then write the totals below, making sure you've added the entries from every page of the Log. If you

its equivalent. See 29 CFR Part 1904.35, in OSHA's recordkeeping rule, for further details on the access provisions for these forms. Employees, former employees, and their representatives have the right to review the OSHA Form 300 in its entirely. They also have limited access to the OSHA Form 301 or Stre You

Number of Cases Total number of Total case	Ses Total number of cases with days	Total number of cases with job	Total number of other recordable
(G)	3 0	⊕ O	s 0
Number of Days)ys		
Total number of days away from work		Total number of days of job transfer or restriction	
3	1	€ 0	
Injury and Illness Types	ness Types		
Total number of (M) (1) Injuries	þ	(4) Poisonings	o þ
(2) Skin disorders (3) Respiratory conditions		(6) All other illnesses	, pk

Post this Summary page from February 1 to April 30 of the year following the year covered by the form.

Public reporting burden for this collection of information is estimated to average 58 minutes per response, including time to review the instructions, search and gather the data needed, and complete and review the collection of information. Fersons are not required to respond to the collection of information under it displays a currently valid OMB control number. If you have any comments about these estimates or any other aspects of this data collection, contact: US Department of Labor, OSHA Office of Statistical Analysis, Room N-3644, 200 Constitution Avenue, NW, Washington, DC 20210. Do not send the completed forms to this office.

Establishment information
Your establishment name Bedford Carp Construction Comp
succes 17 Bloomfield fice
city Staken Island sure NY ZIP 10314
Industry description (e.g., Manufacture of motor truck trailers) HEAVA CONSTITUTION
Standard Industrial Classification (SIC), if known (e.g., 3715)
OR
North American Industrial Classification (NAICS), if known (e.g., 336212)

Worksheet on the back of this page to estimate.) Employment information (If you don't have these figures, see the

Total hours worked by all employees last year Annual average number of employees

Knowingly falsifying this document may result in a fine.

knowledge the entries are true, accurate, and complete. certify that I have examined this document and that to the best of my

(118) 494-8600 Controller .

DSHA's Form 300A (Rev. 01/2004)

Summary of Work-Related Injuries and Illnesses

Year 204 (1)

Occupational Safety and Health Administration individual and the substitution of the substit U.S. Department of Labor

I establishments covered by Part 1904 must complete this Summary page, even if no injuries or resses occurred during the year. Remember to review the Log to verify that the entries are complete

sing the Log, count the individual entries you made for each category. Then write the totals below, aking sure you've added the entries from every page of the log. If you had no cases write "0."

s entirety. They also have limited access to the OSHA Form 301 or its equivalent. See 29 CFR 304.35, in OSHA's Recordkeeping rule, for further details on the access provisions for these form mployees former employees, and their representatives have the right to review the OSHA Form 300 in

	(1)	(H)	(G)
cases	restriction 0	away from work	0
Total number of other recordable	Total number of cases with job transfer or	Total number of cases with days	otal number of eaths
			The second secon

(3)	otal number of ays away from	
(t)	Total number of days of job transfer or restriction	

otal number of...

Respiratory 2) Skin Disorder ondition Unjury C 3 (6) All Other Illnesses (4) Poisoning(5) Hearing Loss

ost this Summary page from February 1 to April 30 of the year following the year covered by the form

bitic reporting burden for this collection of information is estimated to average 58 minutes per response, including time to review the instruction, search and other the data needed, and complete and review the collection of information. Persons are not required to respond to the collection of information unless it splays a currently valid OMB control number. If you have any comments about these estimates or any aspects of this data collection, contact: US Department abor. OSHA Office of Statistics. Room N-3844, 200 Constitution Ave. NW. Washington, DC 20210. Do not send the completed forms to this office.

Establishment information	
Your establishment name BEDFORD CARP CONSTRUCTION CORP.	
Street 77 BLOOMFIELD AVENUE	
City STATEN ISLAND State NY	Zip 10314
Industry description (e.g., Manufacture of motor truck trailers) HEAVY CONSTRUCTION	
Standard Industrial Classification (SIC), if known (e.g., SIC 3715)	
1 6 2 9 OR North American Industrial Classification (NAICS), if known (e.g., 336212)	
Employment information	
Annual average number of employees 35.5	
Total hours worked by all employees last 67,490,50	
Sign here	
Knowingly falsifying this document may result in a fine.	
I certify that I have examined this document and that to the best of my knowledge the entries are true, accurate, and complete.	e entries are true, accurate, and
T.J. MOORE THE Company executive	CONTROLLER
719-494-8600 Phone	422/15 Date

•

OSHA's Form 300 (Rev. 01/2004)

Log of Work-Related Injuries and Illnesses

office for help

to employee health and must be used in a manner that protects the confidentiality of employees to the extent possible while the information is being used Attention: This form contains information relating



Form approved OMB no. 1218-0176

Stoken Island State New York

Bedford Carp Construction Cerp

You must record information about every work-related injury or illness that involves loss of consciousness, restricted work activity or job transfer, days away from work, or medical treatment beyond first aid. You must also record significant work-related injuries and illnesses that are diagnosed by a physician or licensed health care professional. You must also record work-related injuries and illnesses that meet any of the specific recording criteria listed in 29 CFR 1904.8 through 1904.12. Feel free to use two lines for a single case if you need to. You must complete an injury and illness incident report (OSHA Form 301) or equivalent form for each injury or illness recorded on this form. If you're not sure whether a case is recordable, call your local OSHA for occupational safety and health purposes. Establishment name

											,		4.										
		L										H		*	٤							Case	
								1				Sampulado San	TOTAL CHARGE STATE OF THE STATE	TAILING Charles		David M. Adams Ob. Ena						(B) Employee's Name	
		-					1					LO XXX	1 6 P. C.	F	7	5 0. Ena			_			(C) Job Title (e.g., Welder)	
												1.00.	1 1 1			1-20-14			(mo./day)	illness	onset of	(D) Date of injury or	
												700 July - (2)	Chick House		_	Crushim Station						(E) Where the event occurred (e.g. Loading dock north end)	
Be sure to transfer these totals to the Summary page (Form 300A) before you post it.	Page totals										(Kydit chor Hul, left love are, brosses	Citation Dick	The sound of the s		10 ft had show with mer				forearm from acetylene torch)	person ill (e.g. Second degree hums on right	(F) Describe injury or illness, parts of body affected, and object/substance that directly injured or made	
otals to	_	L	L	L	\downarrow	\downarrow	1	\downarrow		L	L	200	1	1	1	1					duc	F	
the Su	6	L		ļ	ļ	+	+	-			_	L	+	\downarrow	+	10	<u> </u>	-		ŀ		CHECK O	0.60
mmary p	0																					NLY ONE I	
age (Form	0															Ξ	or restriction					CHECK ONLY ONE box for each case the most serious outcome for that case:	
300A) before	0											<	<	<	\ \	9	able cases					based on	
you post	0											b	b	2	C)3	(days)	No.	Away		Secretary Secretary	Enter the number of days the injured or ill worker was:	
. =*	0											C	0	c	C)©	(days)	restriction	transfer or		and the state of t	Imber of ured or ill	
njury	0					Ī		1				~	K	<	<	(≘	Injury			3	A A	Check t	
rder	0							1								2	- Skin (Diso	rder	•	decisions in the	he "injury	
itory lition	0					L	L	1	4	_			_		L	(3)	Respi Condi		ry		A V	Check the "injury" column or choose one type of illness:	
ning	0						L	-	1	1	\downarrow					3	Poiso	ning			Company of the Compan	o.	
.088	0	_	_				L	\downarrow	\downarrow	1	_	_				5	Hearir -	ng L	088		Management of the state of	ise one t	
ses	0						L									<u> </u>	All oth	er il	Ines	ses	and second	ype of	

not send the completed forms to this office. Department of Labor, OSHA Office of Statistics, Room N-3644, 200 Constitution Ave, NW, Washington, DC 20210. Do number. If you have any comments about these estimates or any aspects of this data collection, contact: US Persons are not required to respond to the collection of information unless it displays a currently valid OMB control to review the instruction, search and gather the data needed, and complete and review the collection of information. Public reporting burden for this collection of information is estimated to average 14 minutes per response, including time

> In Skin Disor Respira Condi Poisor

> > Hearing L

3 3 ω Œ

ල

OSHA's Form 301

Injuries and Illnesses Incident Report

occupational safety and health purposes. possible while the information is being used for protects the confidentiality of employees to the exteni employee health and must be used in a manner that Attention: This form contains information relating to

Information about the case

Occupational Safety and Health Administration Form approved OMB no. 1218-0176 U.S. Department of Labor

mployer and OSHA develop a picture of the extent nd severity of work-related incidents. Within 7 calendar days after you receive	e accompanying Summary , these forms help the	e I og of Work-Related injuries and Illnesses and
elated injury or illness has occurred. Together with ne Log of Work-Related injuries and Illnesses and ne accompanying Summary, these forms help the	elated injury or illness has occurred. Together with	
rst forms you must fill out when a recordable work- elated injury or illness has occurred. Together with ne Log of Work-Related injuries and Illnesses and ne accompanying Summary, these forms help the	rst forms you must fill out when a recordable work- slated injury or illness has occurred. Together with the I on of Work-Related injuries and Illnesses and	rst forms you must fill out when a recordable work-

equivalent. Some state workers' compensation, any substitute must contain all the information substitutes. To be considered an equivalent form, liness has occurred, you must fill out this form or an nsurance, or other reports may be acceptable nformation that a recordable work-related injury or

which it pertains his form on file for 5 years following the year to 1904, OSHA's recordkeeping rule, you must keep According to Public Law 91-596 and 29 CFR

may photocopy and use as many as you need. If you need additional copies of this form, you

Was employee hospitalized overnight as an in-patient?	8) Was employee treated in an emergency room? ——Yes ——No	CityState	Street	Facility Ma	If treatment was given away from the worksite, where was it given?	nja.	Name of physician or other health care professional	Information about the physician or other health care professional	5) Male Female	4) Date hired 4-1-13	3) Date of birth 01-09-56	city Frehold state O	2) Street 540 Elton Adelphia Road	1) Full Name David M. Adams	Information about the employee
as an in-patient?	cy room?	itateZip			vorksite, where was it given?		professional	or other health care				State N Zip 07728	tdelphia Road	lams	
	17			<u></u>			3			4	13	12	=	5	

18) If the employee died, when did death occur? Date of death $\,{\cal N}\!{\cal A}$ Case number from the Log Time of event ?) Time employee began work 7:00 Date of injury or illness What was the employee doing just before the incident occurred? Describe the activity, as well What was the injury or illness? Tell us the part of the body that was affected and how it was What object or substance directly harmed the employee? Examples: "concrete floor", "chlorine", "radial arm saw." If this question does not apply to the incident, leave it blank. affected; be more specific than "hurt", "pain", or "sore." Examples: "strained back", "chemical burn, Mr. Adams was at the Crushing Station cleaning/ removing a rock looped in the treder. The Orushing machine was off.) What happened? Tell us how the injury occurred. Examples: "When ladder slipped on wet floor, ladder while carrying roofing materials", "spraying chlorine from hand sprayer"; "daily computer keyas the tools, equipment or material the employee was using. Be specific. Examples: "climbing a hand": "caroal tunnel syndrome." "Worker developed soreness in wrist over time." worker fell 20 feet", "Worker was sprayed with chlorine when gasket broke during replacement" upon attempting to dislodge rack, another rack Cansout. Mr. Adous left heet was struck with or rock. 11:15 AMPM Check if time cannot be determined (Transfer the case number from the Log after you record the case.)

Public reporting burden for this collection of information is estimated to average 22 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Persons are not required to respond to the collection of information unless it displays a current valid OMB control number. If you have any comments about this estimate or any other aspects of this data collection, including suggestions for reducing this burden, contact: US Department of Labor, OSHA Office of Statistics, Room N-3644, 200 Constitution Ave, NW, Washington, DC 20210. Do not send the completed forms to this office.

Phone 118:494-86 Date

Completed by T.J. MOOKE

Controller

OSHA's Form 301 Injuries and Illnesses Incident Report

2 2 2 3 Attention: This form contains information relating to

Occupational Safety and Health Administration U.S. Department of Labor

Form approved OMB no. 1218-0176

irst forms you must fill out when a recordable workand severity of work-related incidents. employer and OSHA develop a picture of the extent he Log of Work-Related injuries and Illnesses and elated injury or illness has occurred. Together with This Injury and Illness Incident Report is one of the he accompanying S*ummary* , these forms help the Within 7 calendar days after you receive

any substitute must contain all the information liness has occurred, you must fill out this form or ar nformation that a recordable work-related injury or substitutes. To be considered an equivalent form, nsurance, or other reports may be acceptable equivalent. Some state workers' compensation,

which it pertains his form on file for 5 years following the year to 904, OSHA's recordkeeping rule, you must keep According to Public Law 91-596 and 29 CFR

nay photocopy and use as many as you need. If you need additional copies of this form, you

	Information about the employee		Information about the case
	1) Full Name Daniel DeRoss	ġ	Case number from the Log
	2) Street 182 Hope Quenue	3	Date of injury or illness 324-14
	City Staten Islandsum nu zip 10300	12)	Time employee began work 7:00 MJPM
	3) Date of birth 5-20-94	13)	Time of event (b:30 AMPM Check if time cannot be determined
	4) Date hired	<u>4</u>	What was the employee doing just before the incident occurred? Describe the activity, as well
-	5) Whate		as the tools, equipment or material the employee was using. Be specific. Examples: "climbing a ladder while carrying roofing materials"; "spraying chlorine from hand sprayer"; "daily computer key-
	Female		entry."
	information about the physician or other health care professional		LEALURAIN OF PRIENCY CHURCH LARGELL OF CALL
	6) Name of physician or other health care professional	5	What happened? Tell us how the injury occurred. Examples: "When ladder slipped on wet floor, worker fell 20 feet", "Worker was sprayed with chlorine when gasket broke during replacement", "Worker developed soreness in wrist over time."
	7) If treatment was given away from the worksite, where was it given?		trom under the vall before clearing uncertainings.
	Facility Physicians of University Hospital	<u>6</u>	What was the injury or iliness? Tell us the part of the body that was affected and how it was
	street One Expander Street - 6th Floor		affected; be more specific than "hurt", "pain", or "sore." Examples: "strained back"; "cnemical burn, hand"; "carbal tunnel syndrome."
	City Staten Island State Ny Zip 10505-1900		cut to the back of the head.
	8) Was employee treated in an emergency room?	1	. What ablest as substance dispetts begand the employee? Evernler, "concrete floor", "oblicing."
	No G	;	"radial arm saw." If this question does not apply to the incident, leave it blank.
	Nues employee hospitalized overnight as an in-patient?		Van
_	Yes		
	S	8	If the employee died, when did death occur? Date of death $f)/Q$

Public reporting burden for this collection of information is estimated to average 22 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information is estimated to average 22 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information is estimated to average 22 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information is estimated to average 22 minutes per response, including time for reviewing instructions, searching data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information is estimated to average 22 minutes per response, including time for reviewing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information is estimated to average 22 minutes per response, including time for reviewing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information is estimated to average 22 minutes per response, including time for reviewing data sources, gathering and maintaining the data needed, and completing and reviewing the data needed, and completing and reviewing the data needed, and completing and reviewing the data needed, and completing the data needed, and complet रoom N-3644, 200 Constitution Ave, NW, Washington, DC 20210. Do not send the completed forms to this office.

Centroller

Completed by TJ MOORE

•

USHA'S Form 301

Injuries and Illnesses Incident Report

"... This form contains information relating to

Occupational Safety and Health Administration U.S. Department of Labor

Form approved OMB no. 1218-0176

occupational safety and health purposes.	possible while the info	protects the confidenti	employee health and r
nd health purposes.	possible while the information is being used for	protects the confidentiality of employees to the	employee health and must be used in a manner

st forms you must fill out when a recordable work- slated injury or illness has occurred. Together with the Log of Work-Related injuries and Illnesses and
--

substitutes. To be considered an equivalent form, equivalent. Some state workers' compensation, liness has occurred, you must fill out this form or an any substitute must contain all the information nsurance, or other reports may be acceptable ntormation that a recordable work-related injury or

which it pertains his form on file for 5 years following the year to 1904, OSHA's recordkeeping rule, you must keep According to Public Law 91-596 and 29 CFR

nay photocopy and use as many as you need. If you need additional copies of this form, you

18)	Yes	
17)	8) Was employee treated in an emergency room? Yes Was employee treated in an emergency room?	
	Street	
6)	Facility No.	
	7) If treatment was given away from the worksite, where was it given?	
<i>5</i>	6) Name of physician or other health care professional	
	Information about the physician or other health care professional	
	5) X Male	
14)	4) Date hired 12-4-13	
13)	3) Date of birth 11-13-59	
12)	city Plainview state ny zip 11803	
<u>.</u>	2) Street 2 A Kheror Drive	
<u>.</u>	1) Full Name Thomas Chorusey	
	Information about the employee	

Public reporting burden for this collection of information is estimated to average 22 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information unless it displays a current valid OMB control number. If you have any comments about this estimate or any other aspects of this data collection, including suggestions for reducing this burden, contact. US Department of Labor, OSHA Office of Statistics, Room N-3644, 200 Constitution Ave, NW, Washington, DC 20210. Do not send the completed forms to this office.

If the employee died, when did death occur? Date of death Ol Q____

"radial arm saw." If this question does not apply to the incident, leave it blank.

mer rappy

What object or substance directly harmed the employee? Examples: "concrete floor": "chlorine";

affected; be more specific than "hurt", "pain", or "sore." Examples: "strained back", "chemical burn, What was the injury or illness? Tell us the part of the body that was affected and how it was

hand": "carbal tunnel svndrome."

offaired back

pain in his back.

worker fell 20 feet", "Worker was sprayed with chlorine when gasket broke during replacement" What happened? Tell us how the injury occurred. Examples: "When ladder slipped on wet floor,

"Worker developed soreness in wrist over time."

ladder while carrying roofing materials", "spraying chlorine from hand sprayer", "daily computer keyas the tools, equipment or material the employee was using. Be specific. Examples: "climbing a What was the employee doing just before the incident occurred? Describe the activity, as well

Lifting a water Jug

Time of event

9:00 AM/PM) Check if time cannot be determined

Time employee began work 7:00 (AM)PM

Date of injury or illness

4-22-14

_(Transfer the case number from the Log after you record the case.)

Case number from the Log

Information about the case

Phone (16)44 SGODDate

ンな子

Completed by HJ MOORE

Controller

Project ID.	
-------------	--

SAFETY QUESTIONNAIRE

The bidder must include, with its bid, all information requested on this Safety Questionnaire. Failure to provide a completed and signed Safety Questionnaire at the time of bid opening may result in disqualification of the bid as non-responsive.

employees or less	
han ten (10) employees	
YES	NO
LAST 3 YEARS	THIS PROJECT
	nan ten (10) employees YES

			Pro	ject ID
The Contractor n	nust indicates	cate its <u>Intrastate and Interstate EMF</u> three years of experience, the EMR	R for the past three will be considered	ee years. [Note: For ed to be 1.00].
YEAR		INTRASTATE RATE	INT	ERSTATE RATE
			·	
	t attach	Interstate EMR for any of the pas to this questionnaire, a written ex was taken to correct the situation	ріянаноп тог сп	ic rating and records
4. OSHA Infor	mation:			
YES	NO	Contractor has received a willful v Department of Buildings (NYCDC	riolation issued by DB) within the last	y OSHA or New York City at three years.
YES	NO	Contractor has had an incident req work-related fatalities) or an incid hours (all work-related impatient h losses of an eye).	ent requiring OS	HA notification within 24
employees, on a Injuries and Illn for 2001 and ear	yearly besses".	and Health Act (OSHA) of 1970 re asis to complete and maintain on fil This form is commonly referred to a	s the OSHA 300	Log (OSHA 200 Log
employees.		at be submitted for the last three yea		
payroll records	for the p			
For each given	rs. The n year, t ted on t	ubmit the Incident Rate for Lost Incident Rate is calculated in acc he total number of incidents is t the OSHA 300 Log. The 200,00 ty hours a week, fifty weeks per y	he total numbe to hours repres	r of non-fatal injuries ar
Incident Rate =		Total Num	ber of Incidents 2	X 200,000
		Total Num	ber of Hours Wo	rked by Employees
YEAR		TOTAL NUMBERS OF HOURS WO EMPLOYEES	RKED BY	INCIDENT RATE
				
	_			

Project 1	D.	

If the contractor's Incident Rate for any of the past three years is one point higher than the Incident Rate for the type of construction it performs (listed below), the contractor must attach, to this questionnaire, a written explanation for the relatively high rate.

General Building Construction	8.5
Residential Building Construction	7.0
Nonresidential Building Construction	10.2
Heavy Construction, except building	8.7
Highway and Street Construction	9.7
Heavy Construction, except highways	8.3
Plumbing, Heating, HVAC	11.3
Painting and Paper Hanging	6.9
Electrical Work	9.5
Masonry, Stonework and Plastering	10.5
Carpentry and Floor Work	12.2
Roofing, Siding, and Sheet Metal	10.3
Concrete Work	8.6
Specialty Trade Contracting	8.6

5. Safety Performance on Previous DDC Project(s)

YES	NO	Contractor previously audited by the DDC Office of Site Safety.
•		DDC Project Number(s):
YES	NO	Accident on previous DDC Project(s).
		DDC Project Number(s):
YES	NO	Fatality or Life-altering Injury on DDC Project(s) within the last three years [Examples of a life-altering injury include loss of limb, loss of a sense (e.g. sight, hearing), or loss of neurological function].
		DDC Project Number(s):,
Date:		By:(Signature of Owner, Partner, Corporate Officer)
		Title:

(NO TEXT ON THIS PAGE)

Pre-Award Process

The bidder is advised that as part of the pre-award review of its bid, it may be required to submit the information described in Sections (A) through (D) below. If required, such information must be submitted by the bidder within five (5) business days following receipt of notification from DDC that it is among the low bidders. Such notification from DDC will be by facsimile or in writing and will specify the types of information must be submitted. The types of information the bidder may be required to submit are described below. In the event the bidder fails to submit the required information within the specified time frame, its bid may be rejected as nonresponsive.

- (A) **Project Reference Form**: If required, the bidder must complete and submit the Project Reference Form set forth on pages 26 through 28 of this Bid Booklet. The Project Reference Form consists of 3 parts: (1) Similar Contracts Completed by the Bidder, (2) Contracts Currently Under Construction by the Bidder, and (3) Pending Contracts Not Yet Started by the Bidder.
- (B) Copy of License: If required, the bidder must submit a copy of the license under which the bidder will be performing the work. Such license must clearly show the following: (1) Name of the Licensee, (2) License Number, and (3) Expiration date of the License. A copy of the license will be required from bidders for the following contracts: Plumbing Work, Electrical Work and Asbestos Abatement.
- (C) Financial Information: If required, the bidder must submit the financial information described below:
 - (1) Audited Financial Statements: Financial statements (Balance Sheet and Income Statement) of the entity submitting the bid, as audited by an independent auditor licensed to practice as a certified public accountant (CPA). Audited financial statements for the three most recent fiscal years must be submitted. Each such financial statement must include the auditor's standard report.

If the bidder does not have audited financial statements, it must submit an affidavit attesting to the fact that the bidder does not have such statements. In addition, the bidder must submit the following documentation covering the three most recent fiscal years: signed federal tax returns, unaudited financial statements, and a "certified review letter" from a certified public accountant (CPA) verifying the unaudited financial statements.

Unless the most recent audited or unaudited financial statement was issued within ninety (90) days, the bidder must submit interim financial information that includes data on financial position and results of operation (income data) for the current fiscal year. Such information may be summarized on a monthly or quarterly basis or at other intervals.

(2) Schedule of Aged Accounts Receivable, including portion due within ninety (90) days.

- (D) **Project Specific Information**: If required, the bidder must submit the project specific information described below:
 - (1) Statement indicating the number of years of experience the bidder has had and in what type of construction.
 - (2) Resumes of all key personnel to be involved in the project, including the proposed project superintendent.
 - (3) List of significant pieces of equipment expected to be used for the contract, and whether such equipment is owned or leased.
 - (4) Description of work expected to be subcontracted, and to what firms, if known.
 - (5) List of key material suppliers.
 - (6) Preliminary bar chart time schedule
 - (7) Contractor's expected means of financing the project. This should be based on the assumption that the contractor is required to finance 2X average monthly billings throughout the contract period.
 - (8) Any other issues the contractor sees as impacting his ability to complete the project according to the contract.

In addition to the information described in Sections (A) through (D) above, the bidder shall submit such additional information as the Commissioner may require, including without limitation, an explanation or justification for specific unit price items.

The bidder is further advised that it may be required to attend a pre-award meeting with DDC representatives. If such a meeting is convened, the bidder will be advised as to any additional material to be provided.



List all contracts substantially completed within the last 4 years similar to the contract being awarded, A. PROJECT REFERENCES . SIMILAR CONTRACTS COMPLETED BY THE BIDDER up to a maximum of 10, in descending order of date of substantial completion.

Project & Location	Contra Type	Contract Amount (\$000)	Date Completed	Owner Reference & Tel. No.	Architect/Engineer Reference & Tel. No. if different from owner
801 GOVISWALL: SWLL/232 & SWOF/232 GOVERNORS ISLAND CORP D/B/A THE TRUST FOR GOVERNORS ISLAND FULL SEWALL REHABILITATION	G.C.	36,636,636.00	January 31, 2015	ROBERT PELLEGRINO (212) 809-6124	TURNER CONSTRUCTION CO GOVERNORS ISLAND FACILITIES BATTERY MARITIME BLG, SLIP 7 10SOUTH ST, NEW YORK 10004
PARK & PUBLIC SPACE PHASE II HILLS - EXCAVATION OF TRENCHES FOR ELECTRICAL CONDUIT	SUB	1,000,000.00	January 15, 2015	NICK CUMMINGS (718) 982-4872	TURNER CONSTRUCTION CO GOVERNORS ISLAND FACILITIES BATTERY MARITIME BLG, SLIP 7 10SOUTH ST, NEW YORK 10004/ ADCO ELECTRICAL CORP.
		·			

(6) We are a union contractor and we participate in collective bargaining agreements.

The following portion(s) of the project may be performed by different Subcontractors which is unknown at this time: Paving, trucking, concrete work: sidewalk/curb saw cutting, landscaping, Hazmat work, piles, CFA Piles and professional services, etc.

B) Please see the attached list of Current Projects (3) references, financial statements and cash flow management plans.

If you have any questions, or if you require further information please contact our office.

Very truly yours, Bedford Carp Construction, Inc.

Mohammad Hafisafans, V. B.

Mohammad Hajisafari, P.E. Vice President

CARP CONSTRUCTION CORP.

REFERENCES SIMILAR CONTRACTS COMPLETED BY THE BIDA

PROJ

List all contracts substantially completed within the last 4 years similar to the contract being awarded, up to a maximum of 10, in descending order of date of substantial completion.

Project & Location	Contract Type	Contract Amount (\$000)	Date Completed	Owner Reference & Tel. No.	Architect/Engineer Reference & Tel. No. if different from owner
SE-552B 226th STREET, QUEENS CONSTRUCTION OF SANITARY/STORM SEWER & WATER MAIN	G.C.	15,959,595.00	December 31, 1998	WILLIAM LIPSKY, P.E. (718) 391-1900 WILLIAM SVILAR, P.E.(718) 391-2427	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
QED-964 CRESCENTSTREET, QUEENS CONSTRUCTION OF SANITARY/STORM SEWER & WATER MAIN	G.C.	2,424,242.00	June 15, 1999	WILLIAM LIPSKY, P.E. (718) 391-1900 WILLIAM SVILAR, P.E.(718) 391-2427	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
SE-424B 134TH ST ROCKAWAY BEACH, QUEENS CONSTRUCTION OF SANITARY/STORM SEWER & WATER MAIN	G.C.	3,933,000.00	June 1, 1999	WILLIAM SVILAR, P.E.(718) 391-2427 BEN AHORAIE, P.E. (718) 391-1953	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
SEQ-200286 BELL BLVD., QUEENS CONSTRUCTION OF SANITARY/STORM SEWER & WATER MAIN	G.C.	1,111,111.00	June 21, 1999	WILLIAM LIPSKY, P.E. (718) 391-1900 WILLIAM SVILAR, P.E. (718) 391-2427	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
SER-002176 ROSSVILLE AVE., STATEN ISLAND CONSTRUCTION OF SANITARY/STORM SEWER & WATER MAIN	G.C.	3,303,303.03	September 1, 2000	RICHARD MYHRE, P.E. (718) 605-2174	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
SE-738A NETHERLAND AVE., STATEN ISLAND CONSTRUCTION OF SANITARY/STORM SEWER & WATER MAIN	G.C.	17,654,321.00	December 1, 2000	RICHARD MYHRE, P.E. (718) 605-2174	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
SER-002185 KINGSLEY AVE., STATEN ISLAND CONSTRUCTION OF SANITARY/STORM SEWER & WATER MAIN	G.C.	1,919,919.19	August 1, 2001	RICHARD MYHRE, P.E. (718) 605-2174	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION



CARP CONST CTION CORP.

PROJECT REFERENCES - SIMILAR CONTRACTS COMPLETED BY THE BIDDER

List all contracts substantially completed within the last 4 years similar to the contract being awarded, up to a maximum of 10, in descending order of date of substantial completion.

A

Project & Location	Contract Type	Contract Amount (\$000)	Date Completed	Owner Reference & Tel. No.	Architect/Engineer Reference & Tel. No. if different from owner
SER-20083, 002169 MILL ROAD, STATEN ISLAND CONSTRUCTION OF SANITARY/STORM SEWER & WATER MAIN	G.C.	4,944,944.94	March 1, 2001	JOHN KHACHMANIAN, P.E. (718) 605-2324	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
SEQ-002496 JUSTICE AVENUE, QUEENS CONSTRUCTION OF SANITARY/STORM SEWER & WATER MAIN	G.C.	2,345,678.90	January 1, 2001	AHMAD BASHJAWISH, PE. (718) 365-7486 TIM WEISS, P.E.(212) 563-3933	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
SER-200142 ABINGDON AVENUE, STATEN ISLAND CONSTRUCTION OF SANITARY/STORM SEWER & WATER MAIN	G.C.	963,963.00	December 24, 2002	RICHARD MYHRE, P.E. (718) 605-2174 AHMED IBRAHIM (718) 605-0968	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
SE752/753 FOSTER ROAD, STATEN ISLAND CONSTRUCTION OF SANITARY/STORM SEWER & WATER MAIN	G.C.	20,220,220.00	December 1, 2004	RICHARD MYHRE, P.E. (718) 605-2174 ADAM ALWEISS, P.E. (718) 605-2375	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
JFK 981.302 JFK AIRPORT, QUEENS CONSTRUCTION - MICROTUNNELING OF SANITARY/STORM SEWER & WATER MAIN	G.C.	8,500,000.00	September 1, 2004	OMAR ASTACIO (718) 244-4791	PORT AUTHORITY OF NY & NJ
EDC CONTRACT NO. 15740001 EDWARD CURRY AVENUE BEAUTIFICATION	G.C.	1,196,104.00	February 1, 2004	VIN LINZA (718) 447-1400	NYC E.D.C.
QED-968 GRAND AVE QUEENS CONSTRUCTION OF STORM/SANITARY SEWER & WATER MAIN	G.C.	8,480,480.48	August 5, 2008	WILLIAM SVILAR, P.E. (718) 391-2427 RAOULE FRANCOEUR (718) 821-5052	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
RED-362 WATER MAIN INSTALLATION FOR NEW BUILDINGS ETC. STATEN ISLAND/BROOKLYN	G.C.	3,263,263.63	March 7, 2008	ROBERT YUEH (718) 250-5047	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION

CARP CONSTRUCTION CORP.

List all contracts substantially completed within the last 4 years similar to the contract being awarded, REFERENCES . SIMILAR CONTRACTS COMPLETED BY THE BIDD PROJ

up to a maximum of 10, in descending order of date of substantial completion.

Project & Location	Contract Type	Contract Amount (\$000)	Date Completed	Owner Reference & Tel. No.	Architect/Engineer Reference & Tel. No.
WP-169 ALLEY CREEK DRAINAGE, QUEENS CONSTRUCTION OF STORM/SANITARY SEWER, & WATER MAIN & WATER FACILITIES	G.C.	100,153,794.25	October 16, 2007	RAY MESHKATI, P.E. (718) 595-6123	NEW YORK CITY DEPT OF ENVIRONMENTAL PROTECTION
HED-549B CITY ISLAND & PELHAM BAY PARK, BRONX CONSTRUCTION OF STORM/SANITARY SEWERS & WATER MAIN	G.C.	21,221,221.21	December 15, 2008	NARENDRA PATEL, P.E. (718) 365-2106	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION
HWQP171-RR RECONSTRUCTION OF 54TH AVE. ETC. BOROUGH OF QUEENS	G.C.	15,115,115.15	December 15, 2009	FRANCO MESITI, E.I.C. (718)365-1557	NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION
ER-AC2 EAST RIVER CSO ABATEMENT FACILITIES ALLEYCREEK CSO ABATEMENT FACILITIES, QUEENS	G.C.	29,929,929.29	December 1, 2012	RAY MESHKATI, P.E. (718)595-6123	NEW YORK CITY DEPT OF ENVIRONMENTAL PROTECTION
R-149 INSTALLATION OF NATURAL GAS SVC & REMOVAL OF UNDERGROUND PETROLEUM BULK STORAGE TANKS ROCKAWAY, QUEENS	Ö	5,111,111.11	February 1, 2013	RAY MESHKATI, P.E. (718)595-6123	NEW YORK CITY DEPT OF ENVIRONMENTAL PROTECTION
SER002313 CONSTRUCTION OF STORM & SANITARY SEWERS & APPURTANCES IN MCBAINE AVENUE STATEN ISLAND, NY	G.C.	19,502,800.00	December 1, 2013	MARWAN HAMDI (917) 444-2843	NEW YORK CITY DEPT OF DESIGN AND CONSTRUCTION

ARMAND CARPINIELLO

QUALIFICATIONS

Equipment Management for Major Construction Projects

Responsible for managing, overseeing servicing, buying, leasing and selling of 3.5 million dollars worth of construction equipment. Skills include operating on sewer, water main, sheeting, dewatering, heavy highway, concrete, excavation and utility jobs.

PROFESSIONAL EXPERIENCE

2013-Present Bedford Carp Construction Inc.

Staten Island, NY

Equipment Manager/Operating Engineer

Manage operate and maintain equipment for 35 Million dollar New York City Governors Island project.

1997-2013

Carp Construction Corp.

Staten Island, NY

Equipment Manager/Operating Engineer

Manage operate and maintain equipment for 16 Million dollar New York City Department of Environmental Protection project.

1986-1997

Techno Construction Corp.

Port Chester, NY

Equipment Manager/Operating Engineer

Manage, operate and maintain equipment for 14 Million dollar New York City Department of Design and Construction project.

1973-1985

Naclerio Contracting Corp.

Bronx, NY

Operating Engineer

Operate equipment for construction of sewers and water mains at Webster Ave., Bronx, NY. 9 Million dollar project for New York City Department of Environmental Protection.

Operate equipment for reconstruction of Pennsylvania Ave., Brooklyn, NY. 10 Million dollar project for New York City Department of Environmental Protection.

Operate equipment for reconstruction of W125th St. Manhattan, NY. 4.5 Million dollar project for New York City Department of Environmental Protection.

Oakwood Beach Interceptor, Staten Island, NY. 9 Million dollar project for New York City Department of Environmental Protection.

REFERENCES

Carp Construction Corp. • 77 Bloomfield • Staten Island, NY 10314

Techno Construction Corp. • 29 Haines Blvd. • Port Chester, NY 10573

Naclerio Contracting Corp. • 1 Salvatore R. Naclerio Plaza • Bronx, NY 10466

Catapano Construction Co. • R.T. Sewer Co. • Marveco Construction Co.



P PROJECT REFERENCES – SIMILAR CONTRACTS COMPLETED BY THE BIDDER

List all contracts substantially completed within the last 4 years similar to the contract being awarded, up to a maximum of 10, in descending order of date of substantial completion.

				Project & Location
				Contract Type
				Contract Amount (\$000)
				Date Completed
				Owner Reference & Tel. No.
				Architect/Engineer Reference & Tel. No. if different from owner

CITY OF NEW YORK
DEPARTMENT OF DESIGN AND CONSTRUCTION

26

BID BOOKLET DECEMBER 2013

₿. PROJECT REFERENCES – CONTRACTS CURRENTLY UNDER CONSTRUCTION BY THE BIDDER

List all contracts currently under construction even if they are not similar to the contract being awarded.

			Project & Location
			Contract Type
			Contract Amount (\$000)
			Subcontracted to Others (\$000)
			Uncompleted Portion (\$000)
	-		Date Scheduled to Complete
			Owner Reference & Tel. No.
			Architect/En gineer Reference & Tel. No. if different from owner

27

Ç PROJECT REFERENCES - PENDING CONTRACTS NOT YET STARTED BY THE BIDDER

List all contracts awarded to or won by the bidder but not yet started.

	,	·····	·	 	
					Project & Location
					Contract Type
					Contract Amount (\$000)
					Date Scheduled to Start
					Owner Reference & Tel. No.
					Architect/Engineer Reference & Tel. No. if different from owner

CITY OF NEW YORK
DEPARTMENT OF DESIGN AND CONSTRUCTION

BID BOOKLET DECEMBER 2013

(NO TEXT ON THIS PAGE)

David Opferkuch

Email: dopferkuch@bedfordcarp.com

Phone: (917) 935-1920

Professional Experience

Bedford Carp Construction Inc.

Project Manager

New York, NY

March 2015 - Present

- Liaison between Bedford Carp Construction and Turner Construction Corp. for the \$45M Hills Phase II Park and Public Space Project located on Governors Island
- Compiles and submits all Material Submittals, Proposals and Invoices to the construction manager
- Interfaces with all Subcontractors ensure proper project coordination, scheduling, contract management, material purchases/manufacturing and budgeting

Turner Construction Company

Superintendent

New York, NY

November 2011 - January 2015

- Lead Superintendent for a \$200M Park and Public Space Project located in New York Harbor
- Managed the permitting, abatement and demolition of ten USCG buildings totaling over 500,000 square feet. The largest of the buildings, an eleven-story apartment building, was taken down via implosion
- Oversaw \$12M of utility infrastructure (water, natural gas, sewer, storm and electric) upgrades in accordance with all NYC regulatory agency requirements
- Created and managed project schedules and logistics plans to ensure work items were completed on time
- Directed weekly foreman's meetings to discuss any potential conflicts and issues between the trades

Engineer/Superintendent

New York, NY

December 2009 - July 2010

- Reviewed and processed submittals for Structural, MEP, Miscellaneous Metals and Curtain Wall contracts at the MTA Court Square Subway Station Upgrade Project; contract value \$47M
- Created reports to update the Owner's Representative of the project budget and subcontract change order status
- Supervised the abatement, renovations and historic restoration of the original Landmarked Court Square Station
- Coordinated track shutdowns and station alterations with the MTA to ensure passenger safety during construction
- Renewed and kept records of all NYC DOT road closure and sidewalk use permits

Field Engineer

New York, NY

April 2007 – December 2009

- Responsible for managing the design, permitting, public procurement and construction phases of projects up to \$10M on Governors Island. Projects included interior building renovations, utility infrastructure upgrades, abatement and demolition of fourteen commercial buildings and marine structural repairs (piers and seawalls)
- Worked with the Owner's Representative to determine project requirements, prepared project cost estimates, created master schedules and negotiated final contract values
- Served as a liaison between the client, regulatory agencies, consultants, architects, engineers and union subcontractors

Field Engineer Intern

New York, NY

May 2006 -August 2006

 Monitored the installation progress of MEP system components at Memorial Sloan Kettering's LEED Silver certified Zuckerman cancer research center

Education & Professional Accreditations

Pennsylvania State University

University Park, PA

2006

Bachelor of Science in Mechanical Engineering

LEED® Accredited Professional OSHA 10 and OSHA 30 Certified

Skills

roficient in Microsoft Office, Microsoft Project, Adobe Illustrator/Professional and Prolog

References available upon request

ANTHONY CARPINIELLO

QUALIFICATIONS

Supervised Major Construction Projects

Responsible for planning the construction sequences, recruiting qualified field personnel, equipment selection, supervising field operations; experienced and familiar with all phases of heavy construction.

Skills include sewer, water main, sheeting, dewatering, heavy highway, concrete, excavation, utilities etc.

PROFESSIONAL EXPERIENCE

2013-Present

Bedford Carp Construction, Inc.

Staten Island, NY

President

Construction of Full Seawall Rehabilitation, Site Work, Landscaping Sewers and Water Mains on Governors Island.

1997-Present

Carp Construction Corp.

Staten Island, NY

President

Construction of sewers and water mains at 226th St. & 145th Ave. Queens, NY. 100 Million dollar Project for New York City Department of Environmental Protection - Alley Creek Project.

1986-1997

Techno Construction Corp.

Port Chester, NY

Vice-President

Construction of sewers and water mains at Cross Bay Blvd., Queens, NY. 14 Million dollar project for New York City Department of Design and Construction.

1973-1985

Naclerio Contracting Corp.

Bronx, NY

General Superintendent

Construction of sewers and water mains at Webster Ave., Bronx, NY. 9 Million dollar project for New York City Department of Environmental Protection.

Reconstruction of Pennsylvania Ave., Brooklyn, NY. 10 Million dollar project for New York City Department of Environmental Protection.

Reconstruction of W125th St. Manhattan, NY. 4.5 Million dollar project for New York City Department of Environmental Protection.

Oakwood Beach Interceptor, Staten Island, NY. 9 Million dollar project for New York City Department of Environmental Protection.

REFERENCES

Carp Construction Corp. • 77 Bloomfield • Staten Island, NY 10314

Techno Construction Corp. • 29 Haines Blvd. • Port Chester, NY 10573

Naclerio Contracting Corp. • 1 Salvatore R. Naclerio Plaza • Bronx, NY 10466

Catapano Construction Co. • R.T. Sewer Co. • Marveco Construction Co.

DONALD J. BANKS

EXPERIENCE

2013-Present Bedford Carp Construction, Inc.

Owner Operator/Executive Vice President

Local 15 Operating Engineer

- Licensed Hoist Machine Operator
- Estimater
- Project Coordinator

1986 - 2013 Bedford Construction Corp.

Owner Operator/Vice President

- Local 15 Operating Engineer
- Licensed Hoist Machine Operator
- Estimator
- Project Coordinator

1985-1986 Flagg Construction

- Local 15 Operating Engineer
- Maintenance Foreman

1985 - 1985 Catapano Construction Co.

- Local 15 Operating Engineer
- Maintenance Foreman

1980 - 1984 City of New York, Department of Sanitation

- Local 15 Operating Engineer
- Shop Steward

1978 - 1980 Catapano Construction

Local 15 Operating Engineer

1977 - 1978 Buzzeta Construction

- Local 15 Operating Engineer
- Maintenance Man Heave Equipment

1974 - 1975 Richmond Construction

- Local 15 Operating Engineer
- Maintenance Foreman

1974 - 1975 Bamaco Construction Corp.

Local 15 Operating Engineer



JOHN A. BANKS

EXPERIENCE

2013-Present Bedford Carp Construction, Inc.

Owner Operator/Secretary

- Local 14 Operating Engineer
- Licensed Hoist Machine Operator
- Foreman

1986 - 2013 Bedford Construction Corp.

Owner Operator/President

- Local 14 Operating Engineer
- Licensed Hoist Machine Operator
- Estimator

1982-1986 Flagg Construction

- Local 14 Operating Engineer
- Superintendent of Construction
- Estimator
- Safety Engineer

1978 - 1982 Zarco Construction

- Local 14 Operating Engineer
- Foreman

1973 - 1978 PM Excavating

- Local 14 Operating Engineer
- Foreman

1971 - 1973 Bamaco Construction Co.

Local 14 Operating Engineer

1969 - 1971 United States Army

MOHAMMAD HAJISAFARI P.E.

EXPERIENCE

2013-Present Bedford Carp Construction, Inc.

Staten Island, NY

Vice President/Chief Engineer

 Plan and direct the execution of technical, economical and administrative functions of various projects.

Oversee the technical engineering staff to guarantee the successful completion of the project.

Provide project management, operational analysis and technical plan execution. Posess a strong technical ability and aptitude.

Provide estimating and field supervisory management.

Provide inservice education to all office and field personel.

1997-2013 Carp Construction Corp.

Staten Island, NY

Vice President/Chief Engineer

rovide estimating and field supervisory management

Provide inservice education to all office and field personel.

1992-1997 **Techno Construction Corp.**

Staten Island, NY

Chief Engineer/Project Manager

- Management of NYCDEP and NYCDOT Projects.
- Coordination of Engineering staff.
- Design of temporary construction and sheeting systems.
- Estimate projects worth 1-30 million dollars.
- Provide cost data and projections.
- Trouble shoot field problems.
- Interface with bonding company.
- Process payments and Change Orders.
- Negociate major purchases and subcontractor agreements.
- Serve as MBE/WBE officer.
- Serve as Safety Coordinator.
- Responsible for EEO compliance.
- Liaison to city agencies.

1986-1992 Department of Environmental ProtectionNew York, NY

Resident Engineer-Bureau of Water Supply & Wastewater Collection

- Coordinate multimillion dollar sewer, watermian and street construction projects from pre-construction organizational meetings through final acceptance of work.
- Represent the City of New York D.E.P. on construction site.
- Responsible for ensuring all work is completed according to the project contract and drawings and NYC DEP standards.
- Recommend and apply supply solutions to unanticipated field condition problems.

- Organize construction work with contractor and utility representatives and other City bureaus.
- Onfer with supervisors on project status, document decisions made as to changed conditions e.g. overruns, contract delays.
- Prepare and approve contractor payment estimates for comleted work.
- Design street drainage layouts and specialized sidewalks.
- Supervised and trained a staff of up to four constructin inspectors.
- Prepared documentation for contract change orders and overruns.

1985-1986

H.L. Lobdell P.A.

Paramus, NJ

Consulting Engineer

Provided consulting engineering services during the construction of multistory office buildings.

- Ensured compliance with specifications.
- Oversaw field excavation, soil compation and aite preparation operations for the foundation and structural steel construction operations.
- Acted as liaison between the field superintendent and the contractor

1981-1985

Choclar Construction Co.

Tehran, Iran

Civil Engineer

Ensured compliance with the designs and specifications during the construction of the Goodrich Extention Building

Supervised the construction of the main highway for the project including excavation, embanking, soil compaction and roadway construction.

1975-1978 Tief Consultants

Tehran, Iran

Engineering Assistant

Ensured compliance with design and specifications for multimillion dollar building construction projects

Reviewed contractor billings for authenticity and accuracy.

Prepared annual department budget statements

Represented owner daily in dealings with client personnel, architect and site manager.

1971-1973 Pile Construction Company

Tehran, Iran

Engineering Assistant

Designed CPM and PERT time schedules for building projects

Reported on critical design dates.

Planned locations for residential and commercial buildings.

Assisted in structural design and drawings.

Reviewed change orders for appropriateness.

1971-1971 Municipal Corp of Abbasport Iran

Abbasport, Iran

Engineering Assistant

Inspected and appraised residential property

Assisted in research and development of designs for bridges and roads

Investigaed public and private establishments to determine compliance with building construction rules and regulations.

EDUCATION						
	1981 Fairleigh Dickinson University Bachelor Degree in Civil Engineering	Teaneck, NJ				
LICENSES						
	N.Y.S. Registered Licensed Professional Engineer.					
	State of Deleware Registered Licensed Professional En	ngineer.				
PROFESSIONAL	ASSOCIATION					
	Member of the American Society of Civil Engineers.					
REFERENCES						
	Furnished upon request.					

THOMAS J. MOORE, CPA, CCIFP 303 South Park Avenue Lynbrook, NY 11563 (516) 695-0051 · tjmoorecpa@yahoo.com

PROFESSIONAL EXPERIENCE

Controller – September 2013 to Present Carp Construction Inc. & Affiliates

Reports directly to the President & CEO and responsible for primary day to day planning, implementing, managing and controlling all financial related activities for all companies in the group. These will include direct responsibility for accounting, finance, forecasting, strategic planning, job costing, legal, risk management, human resources, property management, investment relationships, interface with outside auditors, as well as the various divisional managers.

Essential Duties and Responsibilities:

- Oversees and directs treasury, budgeting, audit, tax, accounting, real estate, insurance, information technologies, long range forecasting and human resources activity for the group.
- Provides procedures and computer application systems necessary to maintain proper records and to afford adequate accounting controls and services.
- Directs the staff in activities such as custodian of funds, securities, and assets of the organization.
- Appraises the organization's financial position and issues periodic reports on organization's financial stability, liquidity, and growth.
- Directs and coordinates the establishment of budget programs.
- Analyzes, consolidates, and directs all cost accounting procedures together with other statistical and routine reports.
- Oversees and directs the preparation and issuance of the corporation's annual report.
- Directs and analyzes studies of general economic, business, and financial conditions and their impact on the organization's policies and operations.
- Analyzes operational issues impacting functional groups and the whole institution, and determines their financial impact.
- Evaluates and recommends business partnering opportunities.
- Establishes and maintains contacts with stockholders and financial institutions.

Audit Manager, Commercial Accounting Group – March 2006 to September 2013 Citrin Cooperman & Company, LLP

- Supervised staff to ensure timely and efficient completion of all engagements
- Work with entrepreneurs on all aspects of their business to ensure profitability and success.
- Active member of firm's construction committee
 - o Market and network firm at a local construction events
 - Lectured at following locations on all aspects of construction accounting
 - Columbia University
 - York College
 - Port Authority
- Developed and taught Idea classes, which dramatically increased efficiencies in the completion of audit steps and helped administer value-added suggestions to clients.

Chief Financial Officer - May 2004 - March 2006 Controller - August 2003 - May 2004 Southern Star Mortgage Corporation



- Supervise a staff of ten individuals that run accounting department
- Implemented new accounting procedures that eliminated two positions while increasing accounting productivity
- Implemented a cross-training program to ensure that all accounting positions are known by at least two individuals
- Mandated a company-wide goal setting procedure to ensure that every employee understands management's expectations
- Negotiated numerous discounted corporate accounts to help reduce expenses
- Created a cafeteria plan of fringe benefits utilized by all employees
- Manage and review all workpaper preparation for quarterly financial statements

Senior Accountant, Commercial Accounting Group - November 1996 to August 2003 American Express Tax & Business Services/Goldstein Golub Kessler, LLP

- Administered all aspects of SEC financial statement audits including analysis and review of 10K and 10Q
- Supervised staff to ensure timely and efficient completion of engagements
- Developed and taught GoSystem Audit tax linking classes which dramatically increased efficiencies in the production of tax returns
- Developed and taught ACL classes, which dramatically increased efficiencies in the completion of audit steps and helped administer value-added suggestions to clients.

Accounts Receivable Manager, Hotel Industry - June 1994 to November 1996 Marriot Marquis

- Accounting contact between convention sales and finance
- Audited front desk receipts on a daily basis
- Approved and denied credit for all potential convention attendees
- Collected all outstanding receivables

EDUCATION

Queens College, Queens, NY
Bachelor of Science degree, Accounting, June 1994
Licensed as a Certified Public Accountant, (CPA) June 1997
Licensed as a Certified Construction Industry Financial Professional (CCIFP) December 2011

COMPUTER SKILLS

Microsoft Office IDEA OuickBooks Timberline

ACTIVITIES

- Active member of following:
 - o CFMA NYC Branch
 - NYC Surety Association
 - NYC Subcontractor Trade Association
 - o NYSSCPA
 - AICPA
- Swim Coach- St. Raymond's East Rockaway, NY 11563
- Triathlon Coach- Fly with the Owls Lynbrook, NY 11563
- Coach- Lynbrook Little League Lynbrook, NY 11563

References furnished upon request.

THOMAS J. BANKS

EXPERIENCE

2013-Present Bedford Carp Construction, Inc.

Owner Operator/Treasurer

- Local 14 Operating Engineer
- Foreman

1986 - 2013 Bedford Construction Corp.

Owner Operator/Secretary/Treasurer

- Local 14 Operating Engineer
- Foreman

1982-1986 Flagg Construction

- Local 14 Operating Engineer
- Master Mechanic

1978-1982 Zarco Construction

- Local 14 Operating Engineer
- Foreman

1976 - 1978 Bamaco Construction Corp.

- Local 15 Operating Engineer
- Maintenance Man Heavy Equipment

BEDFORD-CARP CONSTRUCTION INC. EQUIPMENT SCHEDULE

	<u></u>			
ITEM # YEAR	MAKE	MODEL	DESCRIPTION	SERIAL #
20	01 CAT	400E	ROCK TRUCK	CATD400EE8PS1072
20	08 CAT	980H	WHEEL LOADER	CAT0980HAJMS03223
20	02 CAT	385BL	HYDR EXCAVATOR	ANS00232
<u> </u>	13 APE	100E	DRV EXTRACTOR	541304
<u> </u>	06 CAT	735	ARTICULATED TRUCK	CAT0B1N00441
	12 INDECO	HP4000	HYDRAULIC HAMMER	5179
	13 ARDENNES	GRGCY600		5179
			CLAMSHELL BUCKET	
	06 CAT	385CL	HYDR EXCAVATOR	WAW00214
	11 CAT	CS56	SOIL COMPACTION	OFCS00834
	12 CAT	950K	WHEEL LOADER	R4A00273
20	D1 CAT	D9R	BULDOZER/CRAWLER	ABK00617
198	FORD	F750	WATER TRUCK	VN515490
198	B9 CAT	225BLC	Excavator	2ZD01554
199	O CAT	235C	Excavator	5AF1138
	93 CAT	235D	Excavator	8KJOO265
	7 CAT	534C	Roller	5HN00205
199	9 MACK	Glider Kit	(Was Petosa Truck)	1M3P114K0XM001902
199	98 ROGER	Trailer	Blue	1RBT31200WAR23079
199	99 MACK	CL753	Truck Tractor	1M2AD28Y4XW001430
	ROGERS		Lowbed Tri-Axle	1RBH48303HAR20903
	READ	90A	Screenall	568388
199	TRAMAC	40	Dirt Compactor	8166
	GORMAN		6' Rupp Pump	
104	ING RAND	P175WJD	Air Compressor	6322206790
	3 ING RAND	P185WJD	Air Compressor	232266YDD328
	99 CAT	330B/STD	Excavator	06DR02755
	00 CAT	446B	Loader\Backhoe	5BL02225
	1 TALBOT	D5C	Hystat Tractor	5H500696
	OT CAT	315BL	Semi-Trailer Excavator	40FLO482911020427 ACFT00483
	2 BLAW KNOX	PF875	Asphalt Paver	PF87501144
	3 CAT	950G	Payloader	AXX-302
	3 Sullivan-Palatek	Compressor	D210Q6JDB	22583
	3 CAT	DSGLGP	Bulldozer	FDW01027
	4 CAT	Generator	Olympian D150P1	0NAT 01188
200	3 KOMATSU	D21A-7	CRAWLER DOZER	82015
200	5 CAT	345CL	Hydraulic Exc.	PJW00412
200	5 CAT	345CL	Hydraulic Exc.	DHP00264
	6 CAT	446D	Backhoe/Loader	DBL00559
	6 CAT	950H	Wheel Loader	K5K00261
	6 Hitachi	EX 120	Excavator	12W-41975
	7 Miller Bldg Sys	1260	Trailer	60-10829
	7 Miller Bldg Sys	1260	Trailer	60-10830
	7 Miller Bldg Sys	1260	Trailer	60-10831
	9 Liebherr LTC	1055-3.1	Hydraulic Crane	L-27- #056209
	7 CAT	320CL		PAB06836
	0 CAT	212 WE		5DC00302
1 198	ojoA i	950E		22Z05047

BEDFORD-CARP CONSTRUCTION INC. EQUIPMENT SCHEDULE

ITEM#	YEAR	MAKE	MODEL	DESCRIPTION	SERIAL#
		CAT			GBT00428
	1993	VERMEER	CC135		1VRF122V3P1000364
		Vantage	Perkins 404D	Diesel Engine	U1080403834
		CAT	12A9945	Bucket-SD 36"	MHC01120

BEDFORD-CARP CONSTRUCTION INC

PROJECT REFERENCES- CONTRACTS CURRENTLY UNDER CONSTRUCTION BY THE BIDDER B. List all contracts currently under construction even if they are not similar to the contract being awarded.

Project & Location	Contract Type	Contract Amount (\$000)	Subcontracted to others (\$000)	Uncompleted Portion (\$000)	Date Scheduled to Complete	Owner Reference & Tel. No.	Architect/Engineer Reference & Tel. No., if different from owner
PARK & PUBLIC SPACE PHASE II HILLS - SITE UTILITIES CONT-081	Ö'9	2,637,929.00	850,000.00	100,000.00	September 30, 2015	AMY INTILI PROJECT ENGINEER (212) 809-3200 EXT 13	TURNER CONSTRUCTION CO GOVERNORS ISLAND FACILITIES BATTERY MARITIME BLG, SLIP 7 10SOUTH ST, NEW YORK 10004
PARK & PUBLIC SPACE PHASE II HILLS - SITEWORK/LANDSCAPING CONT-085	O.C.	34,492,322.00	7,000,000.00	18,000,000.00	December 31, 2016	AMY INTILI PROJECT ENGINEER (212) 809-3200 EXT 13	TURNER CONSTRUCTION CO GOVERNORS ISLAND FACILITIES BATTERY MARITIME BLG, SLIP 7 10SOUTH ST, NEW YORK 10004

Bedford Carp Construction, Inc.

Current Project Chart


Project1202F

\$ 37,628,181.00

Project 1202G

\$ 2,745,751.00

8/10/2015



Current Projects

OFFICE OF THE MAYOR BUREAU OF LABOR SERVICES CONTRACT CERTIFICATE

To be completed if the contract is less than \$1,000,000

Contractor:	
Address:	
Telephone Number:	
Name and Title of Signatory:	
Contracting Agency or Owner:	
Project Number:	
Proposed Contract Amount:	
Description and Address of Proposed Con	ntract:
state indicating that trades will be subcon	
I, (fill in name of person signing)	,
	above-named contractor to certify that said contractor's owner or city agency is less than \$1,000,000. This affirmation
is made in accordance with Executive Ore	der No. 50 (1980) as amended and its implementing regulations
Date	Signature

WILLFUL OR FRAUDULENT FALSIFICATION OF ANY DATA OR INFORMATION SUBMITTED HEREWITH MAY RESULT IN THE TERMINATION OF ANY CONTRACT BETWEEN THE CITY AND THE BIDDER OR CONTRACTOR AND BAR THE BIDDER OR CONTRACTOR FROM PARTICIPATION IN ANY CITY CONTRACT FOR A PERIOD OF UP TO THREE YEARS. FURTHER, SUCH FALSIFICATION MAY RESULT IN CRIMINAL PROSECUTION.

(NO TEXT ON THIS PAGE)

VENDEX COMPLIANCE

- (A) <u>Vendex Fees</u>: Pursuant to Procurement Policy Board Rule 2-08(f)(2), the contractor will be charged a fee for the administration of the VENDEX system, including the Vendor Name Check process, if a Vendor Name Check review is required to be conducted by the Department of Investigation. The contractor shall also be required to pay the applicable required fees for any of its subcontractors for which Vendor Name Check reviews are required. The fee(s) will be deducted from payments made to the contractor under the contract. For contracts with an estimated value of less than or equal to \$1,000,000, the fee will be \$175 per Vendor Name Check review. For contracts with an estimated value of greater than \$1,000,000, the fee will be \$350 per Vendor Name Check review.
- (B) <u>Confirmation of Vendex Compliance</u>: The Bidder shall submit this Confirmation of Vendex Compliance to the Department of Design and Construction, Contracts Section, 30-30 Thomson Avenue First Floor, Long Island City, NY 11101.

Bid Information: The Bidder shall complete the bid information set forth below.

	D-Caro Construction Inc
Bidder's Telephone Number:	(718) 494-8600 (718) 494-7666
Date of Bid Opening:Project ID:	June 23, 2015 SE 851

<u>Vendex Compliance</u>: To demonstrate compliance with Vendex requirements, the Bidder shall complete either Section (1) or Section (2) below, whichever applies.

(1) <u>Submission of Vendex Questionnaires to MOCS</u>: By signing in the space provided below, the Bidder certifies that as of the date specified below, the Bidder has submitted Vendex Questionnaires to the Mayor's Office of Contract Services, Attn: VENDEX, 253 Broadway, 9th Floor, New York, New York 10007.

Date of Submis	seion:	10/7	2014	
Ву:	Thony		Die	Or
Print Name:	(Signature of Arethor	Partner q	つ	officer)
		/		

(2) <u>Submission of Certification of No Change to DDC:</u> By signing in the space provided below, the Bidder certifies that it has read the instructions in a "Vendor's Guide to Vendex" and that such instructions do not require the Bidder to submit Vendex Questionnaires. The Bidder has completed TWO ORIGINALS of the Certification of No Change set forth on the next page of this Bid Booklet.

By: (Signature of Partner or corporate officer)

Print Name: Mohammas Haisafaei, V.P.

(NO TEXT ON THIS PAGE)

VENDEX COMPLIANCE

- (A) <u>Vendex Fees:</u> Pursuant to Procurement Policy Board Rule 2-08(f)(2), the contractor will be charged a fee for the administration of the VENDEX system, including the Vendor Name Check process, if a Vendor Name Check review is required to be conducted by the Department of Investigation. The contractor shall also be required to pay the applicable required fees for any of its subcontractors for which Vendor Name Check reviews are required. The fee(s) will be deducted from payments made to the contractor under the contract. For contracts with an estimated value of less than or equal to \$1,000,000, the fee will be \$175 per Vendor Name Check review. For contracts with an estimated value of greater than \$1,000,000, the fee will be \$350 per Vendor Name Check review.
- **(B)** Confirmation of Vendex Compliance: The Bidder shall submit this Confirmation of Vendex Compliance to the Department of Design and Construction, Contracts Section, 30-30 Thomson Avenue First Floor, Long Island City, NY 11101.

Bid Information: The Bidder shall complete the bid information set forth below.

	Name of Bidder:
	bidder's Address:
	Bidder's Telephone Number:
	Bidder's Fax Number:
	Date of Bid Opening:
	Project ID:
Vende either	ex Compliance: To demonstrate compliance with Vendex requirements, the Bidder shall complete Section (1) or Section (2) below, whichever applies.
(1)	<u>Submission of Vendex Questionnaires to MOCS</u> : By signing in the space provided below, the Bidder certifies that as of the date specified below, the Bidder has submitted Vendex Questionnaires to the Mayor's Office of Contract Services, Attn: VENDEX, 253 Broadway, 9 th Floor, New York, New York 10007.
	Floor, New York, New York 10007.
	Date of Submission:
	By:(Signature of Partner or corporate officer)
	(Signature of Partner or corporate officer)
	Print Name:
(2)	Submission of Certification of No Change to DDC: By signing in the space provided below, the Bidder certifies that it has read the instructions in a "Vendor's Guide to Vendex" and that such instructions do not require the Bidder to submit Vendex Questionnaires. The Bidder has completed TWO ORIGINALS of the Certification of No Change set forth on the next page of this Bid Booklet.
	By:
	By:(Signature of Partner or corporate officer)
	Print Name:

(NO TEXT ON THIS PAGE)


Certificate of No Change Form



- Please submit two completed forms. Copies will not be accepted.
- Please send both copies to the agency that requested it, unless you are advised to send it directly to the Mayor's Office of Contract Services (MOCS).
- A materially false statement willfully or fraudulently made in connection with this certification, and/or the failure to conduct appropriate due diligence in verifying the information that is the subject of this certification, may result in rendering the submitting entity non-responsible for the purpose of contract award.
- A materially false statement willfully or fraudulently made in connection with this certification may subject the person making the false statement to criminal charges

In thory (GROINE/O being duly sworn, state that I have read
I, /THI HONG (GR) (THI HONG), being duly sworn, state that I have read Enter Your Name
and understand all the items contained in the vendor questionnaire and any submission of change as identified on page one of this form and certify that as of this date, these items have not changed. I further certify that, to the best of my knowledge, information and belief, those answers are full, complete, and accurate; and that, to the best of my knowledge, information, and belief, those answers continue to be full, complete, and accurate.
In addition, I further certify on behalf of the submitting vendor that the information contained in the principal questionnaire(s) and any submission of change identified on page two of this form have not changed and have been verified and continue, to the best of my knowledge, to be full, complete and accurate.
I understand that the City of New York will rely on the information supplied in this certification as additional inducement to enter into a contract with the submitting entity.
Vendor Questionnaire This section is required. This refers to the vendor questionnaire(s) submitted for the vendor doing business with the City. Name of Submitting Entity: BedSiri) - Cap Construction Inc.
Vendor's Address: 77 Bloom field AP, S.T. M.Y. 10314
Vendor's EIN or TIN: 80-095 11 Sigue Requesting Agency: 74C DC
Are you submitting this Certification as a parent? (Please circle one) Yes No
Signature date on the last full vendor questionnaire signed for the submitting vendor: $\frac{10/7/2014}{10/10000000000000000000000000000000000$
Signature date on change submission for the submitting vendor

Principal Questionnaire





	Principal Name	Date of signature on last full Principal	Date(s) of signature on submission of change
1 /	Anthony Gapiniell Donald J. Banks	Questionnaire	
2	Donald J. Banks	10/7/2014	
3	John Banks	10/7/2014	
4	Thomas Banks	10/7/2014	
5		•	
6			
Check if ad	ditional changes were submitted a	and attach a document with the	date of additional submissions.
	On This section is required. t be signed and notarized. Plea		opies will not be accepted.
Certified By:	Are thorny Car	pinello	
Name (Prii ·	President		
Title	Bed forms-Carp (Grest rection In	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Name of S	Suffering Entity	aiguelle	4/23/2015
Signature	9	DOREEN A FO Notary Public - State of	RNI Date
Notarized B	y:	NO. 01F06294 Qualified in Richmon My Commission Expires	164 od County
Notary Put	su (a. Grru	County License Issued	License Number
Sworn to b	efore me on: 6/23/	2015	

Certificate of No Change Form

Anthony Car mello



, being duly sworn, state that I have read


- · Please submit two completed forms. Copies will not be accepted.
- Please send both copies to the agency that requested it, unless you are advised to send it directly to the Mayor's Office of Contract Services (MOCS).
- A materially false statement willfully or fraudulently made in connection with this certification, and/or the failure to conduct appropriate due diligence in verifying the information that is the subject of this certification, may result in rendering the submitting entity non-responsible for the purpose of contract award.
- A materially false statement willfully or fraudulently made in connection with this certification may subject the person making the false statement to criminal charges

and understand all the items contained in the vendor questionnaire and any submission of change

changed. I further certify that, to the best of my knowledge, information and belief, those answers are full, complete, and accurate; and that, to the best of my knowledge, information, and belief,

as identified on page one of this form and certify that as of this date, these items have not

those answers continue to be full, complete, and accurate.
In addition, I further certify on behalf of the submitting vendor that the information contained in the principal questionnaire(s) and any submission of change identified on page two of this form have not changed and have been verified and continue, to the best of my knowledge, to be full, complete and accurate.
I understand that the City of New York will rely on the information supplied in this certification as additional inducement to enter into a contract with the submitting entity.
Vendor Questionnaire This section is required. This refers to the vendor questionnaire(s) submitted for the vendor doing business with the City. Name of Submitting Entity: Bed fire - Carp Core frue from Tire. Vendor's Address: 77 Blaim field Are, S.T. H.Y. (0314) Vendor's EIN or TIN: 80-0951159 Requesting Agency: MYC DOC Are you submitting this Certification as a parent? (Please circle one) Yes No Signature date on the last full vendor questionnaire signed for the submitting vendor: 10/7/2014 Signature date on change submission for the submitting vendor:





Principal Nai		pate of signature I last full Principal	Date(s) of signature on
•	~ ` '	Questionnaire	submission of change
1 Horthory	(appmello	10/7/2014	·
2 Donald J.	Banks	10/7/2014	
3 John Ban		10/7/2014	
4 Thomas Ba	in les	10/7/2014	
5			
6			
Check if additional change	es were submitted and at	tach a document with the	date of additional submissions.
Certification This sec This form must be signed a Certified By:	nd notarized. Please		opies will not be accepted.
An	thony Carp	inelo	
Alaman (District)	sident		
Title		Construction	Inc.
Name of Submitting En	Many Ex	ignedh	6/23/2015
Signature	0	DOREEN A FOR Notary Public - State of	New York
Notarized By:		NO. 01F062941 Qualified in Richmond My Commission Expires D	64 I County
Drunia.	Form _	my commission expenses	
Notary Public	Coun	ty License Issued	License Number
Sworn to before me on:	6/23/20 Date	15	

Certificate of No Change Form



- Please submit two completed forms. Copies will not be accepted.
- Please send both copies to the agency that requested it, unless you are advised to send it directly to the Mayor's Office of Contract Services (MOCS).
- A materially false statement willfully or fraudulently made in connection with this certification, and/or the failure to conduct appropriate due diligence in verifying the information that is the subject of this certification, may result in rendering the submitting entity non-responsible for the purpose of contract award.
- A materially false statement willfully or fraudulently made in connection with this certification may subject the person making the false statement to criminal charges

·		
I,, Enter Your Name	being duly sworn, state that I have read	
and understand all the items contained in the vendor questi as identified on page one of this form and certify that as of the changed. I further certify that, to the best of my knowledge are full, complete, and accurate; and that, to the best of my those answers continue to be full, complete, and accurate.	this date, these items have not , information and belief, those answers	
In addition, I further certify on behalf of the submitting vendor that the information contained in the principal questionnaire(s) and any submission of change identified on page two of this form have not changed and have been verified and continue, to the best of my knowledge, to be full, complete and accurate.		
I understand that the City of New York will rely on the informadditional inducement to enter into a contract with the subm	nation supplied in this certification as nitting entity.	
Vendor Questionnaire This section is required. This refers to the vendor questionnaire(s) submitted for the	vendor doing business with the City.	
Name of Submitting Entity:		
Vendor's Address:		
Vendor's EIN or TIN: Requesting	Agency:	
Are you submitting this Certification as a parent? (Please c	ircle one) Yes No	
Signature date on the last full vendor questionnaire signed f	or the submitting vendor:	
Signature date on change submission for the submitting ven	ndor:	

Principal Questionnaire



This section refers to the most recent principal questionnaire submissions.

Principal Name	Date of signature on last full Principal Questionnaire	Date(s) of signature on submission of change
<u> </u>		
2		
3		
•		
5		
3		
ertification This section is not section is form must be signed and not certified By: Name (Print)	s required. arized. Please complete this twice. C	opies will not be accepted.
Title		
Name of Submitting Entity	· · · · · · · · · · · · · · · · · · ·	
Signature	· · · · · · · · · · · · · · · · · · ·	Date
Notarized By:		
Notary Public	County License Issued	License Number
Sworn to before me on:		

Certificate of No Change Form



- Please submit two completed forms. Copies will not be accepted.
- Please send both copies to the agency that requested it, unless you are advised to send it directly to the Mayor's Office of Contract Services (MOCS).
- A materially false statement willfully or fraudulently made in connection with this certification, and/or the failure to conduct appropriate due diligence in verifying the information that is the subject of this certification, may result in rendering the submitting entity non-responsible for the purpose of contract award.
- A materially false statement willfully or fraudulently made in connection with this certification may subject the person making the false statement to criminal charges

l,	, being duly sworn, state that I have read
Enter Your Name	
and understand all the items contained in the vendor quest as identified on page one of this form and certify that as of changed. I further certify that, to the best of my knowledge are full, complete, and accurate; and that, to the best of my those answers continue to be full, complete, and accurate.	this date, these items have not information and belief, those answers
In addition, I further certify on behalf of the submitting vend principal questionnaire(s) and any submission of change id not changed and have been verified and continue, to the beand accurate.	entified on page two of this form have
I understand that the City of New York will rely on the informadditional inducement to enter into a contract with the subm	nation supplied in this certification as nitting entity.
Vendor Questionnaire This section is required. This refers to the vendor questionnaire(s) submitted for the	
Name of Submitting Entity:	
Vendor's Address:	
Vendor's EIN or TIN: Requesting	
Are you submitting this Certification as a parent? (Please o	ircle one) Yes No
Signature date on the last full vendor questionnaire signed t	for the submitting vendor:

Signature date on change submission for the submitting vendor: _

Principal Questionnaire



This section refers to the most recent principal questionnaire submissions.

Principal Name	on last full Principal Questionnaire	Date(s) of signature or submission of change
ertification This section is	submitted and attach a document with the second sec	
Title		
Name of Submitting Entity	:	
Signature		Date
Notarized By:		
Notary Public	County License Issued	License Number
Sworn to before me on:		

IRAN DIVESTMENT ACT COMPLIANCE RIDER

FOR NEW YORK CITY CONTRACTORS


The Iran Divestment Act of 2012, effective as of April 12, 2012, is codified at State Finance Law ("SFL") §165-a and General Municipal Law ("GML") §103-g. The Iran Divestment Act, with certain exceptions, prohibits municipalities, including the City, from entering into contracts with persons engaged in investment activities in the energy sector of Iran. Pursuant to the terms set forth in SFL §165-a and GML §103-g, a person engages in investment activities in the energy sector of Iran if:

- (a) The person provides goods or services of twenty million dollars or more in the energy sector of Iran, including a person that provides oil or liquefied natural gas tankers, or products used to construct or maintain pipelines used to transport oil or liquefied natural gas, for the energy sector of Iran; or
- (b) The person is a financial institution that extends twenty million dollars or more in credit to another person, for forty-five days or more, if that person will use the credit to provide goods or services in the energy sector in Iran and is identified on a list created pursuant to paragraph (b) of subdivision three of Section 165-a of the State Finance Law and maintained by the Commissioner of the Office of General Services.

A bid or proposal shall not be considered for award nor shall any award be made where the bidder or proposer fails to submit a signed and verified bidder's certification.

Each bidder or proposer must certify that it is not on the list of entities engaged in investment activities in Iran created pursuant to paragraph (b) of subdivision 3 of Section 165-a of the State Finance Law. In any case where the bidder or proposer cannot certify that they are not on such list, the bidder or proposer shall so state and shall furnish with the bid or proposal a signed statement which sets forth in detail the reasons why such statement cannot be made. The City of New York may award a bid to a bidder who cannot make the certification on a case by case basis if:

- (1) The investment activities in Iran were made before the effective date of this section (i.e., April 12, 2012), the investment activities in Iran have not been expanded or renewed after the effective date of this section and the person has adopted, publicized and is implementing a formal plan to cease the investment activities in Iran and to refrain from engaging in any new investments in Iran: or
- (2) The City makes a determination that the goods or services are necessary for the City to perform its functions and that, absent such an exemption, the City would be unable to obtain the goods or services for which the contract is offered. Such determination shall be made in writing and shall be a public document.



31

BIDDER'S CERTIFICATION OF COMPLIANCE WITH IRAN DIVESTMENT ACT

Pursuant to General Municipal Law §103-g, which generally prohibits the City from entering into contracts with persons engaged in investment activities in the energy sector of Iran, the bidder/proposer submits the following certification:

Plea	se Che	ck One
------	--------	--------

RIDDER'S CERTIFICA	TION

X	By submission of this bid or proposal, each bidder/proposer and each person signing on behalf of any bidder/proposer certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief, that each bidder/proposer is not on the list created pursuant to paragraph (b) of subdivision 3 of Section 165-a of the State Finance Law.
	I am unable to certify that my name and the name of the bidder/proposer does not appear on the list created pursuant to paragraph (b) of subdivision 3 of Section 165-a of the State Finance Law. I have attached a signed statement setting forth in detail why I cannot so certify.
	M. Mahm. V. B
	SIGNATURE
	Mchammas Hajisatari
	PRINTED NAME
	$\mathcal{V}_{\mathcal{P}}$
	TITLE
	to before me this day of June 2015
Notary	ruen a Forni Public
Dated	DOREEN A FORNI Notary Public - State of New York NO. 01F06294164 Qualified in Richmond County

My Commission Expires Dec 16, 2017

IRAN DIVESTMENT ACT COMPLIANCE RIDER

FOR NEW YORK CITY CONTRACTORS

The Iran Divestment Act of 2012, effective as of April 12, 2012, is codified at State Finance Law ("SFL") §165-a and General Municipal Law ("GML") §103-g. The Iran Divestment Act, with certain exceptions, prohibits municipalities, including the City, from entering into contracts with persons engaged in investment activities in the energy sector of Iran. Pursuant to the terms set forth in SFL §165-a and GML §103-g, a person engages in investment activities in the energy sector of Iran if:

- (a) The person provides goods or services of twenty million dollars or more in the energy sector of Iran, including a person that provides oil or liquefied natural gas tankers, or products used to construct or maintain pipelines used to transport oil or liquefied natural gas, for the energy sector of Iran; or
- (b) The person is a financial institution that extends twenty million dollars or more in credit to another person, for forty-five days or more, if that person will use the credit to provide goods or services in the energy sector in Iran and is identified on a list created pursuant to paragraph (b) of subdivision three of Section 165-a of the State Finance Law and maintained by the Commissioner of the Office of General Services.

A bid or proposal shall not be considered for award nor shall any award be made where the bidder or proposer fails to submit a signed and verified bidder's certification.

Each bidder or proposer must certify that it is not on the list of entities engaged in investment activities in Iran created pursuant to paragraph (b) of subdivision 3 of Section 165-a of the State Finance Law. In any case where the bidder or proposer cannot certify that they are not on such list, the bidder or proposer shall so state and shall furnish with the bid or proposal a signed statement which sets forth in detail the reasons why such statement cannot be made. The City of New York may award a bid to a bidder who cannot make the certification on a case by case basis if:

- (1) The investment activities in Iran were made before the effective date of this section (i.e., April 12, 2012), the investment activities in Iran have not been expanded or renewed after the effective date of this section and the person has adopted, publicized and is implementing a formal plan to cease the investment activities in Iran and to refrain from engaging in any new investments in Iran: or
- (2) The City makes a determination that the goods or services are necessary for the City to perform its functions and that, absent such an exemption, the City would be unable to obtain the goods or services for which the contract is offered. Such determination shall be made in writing and shall be a public document.

BIDDER'S CERTIFICATION OF COMPLIANCE WITH <u>IRAN DIVESTMENT ACT</u>

Pursuant to General Municipal Law §103-g, which generally prohibits the City from entering into contracts with persons engaged in investment activities in the energy sector of Iran, the bidder/proposer submits the following certification:

[<i>Plea</i>	se Check One]	
BIDD	ER'S CERTIFICATION	
	behalf of any bidder/proposer co- certifies as to its own organiza knowledge and belief, that each	oposal, each bidder/proposer and each person signing on ertifies, and in the case of a joint bid each party thereto ation, under penalty of perjury, that to the best of its h bidder/proposer is not on the list created pursuant to f Section 165-a of the State Finance Law.
	on the list created pursuant to par	ame and the name of the bidder/proposer does not appear ragraph (b) of subdivision 3 of Section 165-a of the State signed statement setting forth in detail why I cannot so
	•	
		SIGNATURE
		PRINTED NAME
		TITLE
	to before me this day of, 20	
Notary	Public	
Dated	l:	

THE CITY OF NEW YORK DEPARTMENT OF SMALL BUSINESS SERVICES **DIVISION OF LABOR SERVICES CONTRACT COMPLIANCE UNIT** 110 WILLIAMS STREET **NEW YORK, NEW YORK 10038**

PHONE: (212) 513-6323

FAX:

(212) 618-8879

CONSTRUCTION

EMPLOYMENT

REPORT

33

(NO TEXT ON THIS PAGE)

The City of New York
Department of Small Business Services
Division of Labor Services
Contract Compliance Unit
110 William Street
New York, New York 10038
Phone: (212) 513 – 6323

Fax: (212) 618-8879

CONSTRUCTION EMPLOYMENT REPORT INSTRUCTIONS

WHO MUST FILE A CONSTRUCTION EMPLOYMENT REPORT

A Construction Employment Report (ER) must be filed if you meet the following conditions:

CONTRACT FUNDING SOURCE	CONTRACTOR	CONTRACT VALUE	SUBMISSION REQUIREMENT
Federal/Federally assisted	Prime and subcontractors	\$10,000 or greater	
	Prime contractor	\$1,000,000 or greater	Construction Employment Report
City and state funded	Subcontractor	\$750,000 or greater	
		Less than \$750,000	Less than \$750,000 Certificate (City/State Only)

Prime Contractor:

- A general contractor or construction manager selected to perform work on a construction project funded (in whole
 or in part) by the federal government with a proposed contract value of \$10,000 or more.
- A general contractor or construction manager selected to perform work on a construction project funded or assisted by the City of New York with a proposed contract value of \$1,000,000 or more.

Subcontractor:

- A subcontractor selected to perform work on a construction project funded (in whole or in part) by the federal government with a proposed contract value of \$10,000 or more.
- A subcontractor selected to perform work on a construction project funded or assisted by the City of New York with a proposed contract value of \$750,000 or more.
- A subcontractor selected to perform work on a construction project funded or assisted by the City of New York with a proposed contract value of less than \$750,000 must submit a "Less than \$750,000" certificate.

WHERE TO FILE

Employment Reports must be filed with the City agency awarding the contract. If you are a contractor or subcontractor who will be working for a private developer in receipt of funding or assistance from the City, the ER must be filed with the City agency with jurisdiction over the developer's project.

DLS REVIEW PROCESS

In accordance with Executive Order 50 (EO 50), upon receipt by DLS of a completed ER, DLS conducts a review of the contractor's current employment policies, practices and procedures, as well as perform a statistical analysis of the contractor's workforce, if necessary. The process is as follows:

- Within five (5) business days, DLS will review the ER for completeness and accuracy. If any information is omitted
 or incorrect, or if necessary documents are not submitted, the submission shall be deemed incomplete and DLS
 will inform the contractor. The substantive compliance review does not commence until the submission is
 complete. An incomplete submission will delay the review process and may preclude or interrupt the
 contract approval.
- 2. If the ER submission is complete, the compliance review will proceed, resulting in one of the following:

Certificate of Approval

The contractor is found to be in compliance with all applicable laws and regulations. The approval is valid for 36 months.

Continued Approval Certificate

The contractor has been issued a Certificate of Approval in the previous 36 months which is good for the applicable contract.

Conditional Certificate of Compliance

The contractor is required to take corrective actions in order to be in compliance with EO 50. The contractor must meet the conditions within one month of the issue of the Conditional Certificate.

Determination of Nonperformance

The contractor has failed to take the required corrective actions stipulated in the Conditional Certificate. A determination of nonperformance may prevent a contractor from receiving an award of a contract.

HOW TO COMPLETE THE EMPLOYMENT REPORT

Contents

General Information

Part I: Contractor/Subcontractor Information
Part II: Employment Policies and Practices

Part III: Contract Bid Information and Projected and Current Workforce Forms

Signature Page

PART I: CONTRACTOR/SUBCONTRACTOR INFORMATION

Questions 7 – 11: Please provide the required contact information for your company. All contracts must have a designated Equal Employment Officer.

Question 12: If you are a subcontractor, you must state the name of the contractor for whom you are providing the construction services.

Question 13: Please provide the number of permanent employees in your company.

Question 14a-g: The Project Identification Number (PIN) and the Contract Registration ID Number (CT#) can be obtained from the City agency. Provide a description of the trade work you will perform on this project and the address where the work will be performed. Subcontractors can obtain this information from the contract they have with the prime contractor.

Questions 15 – 18: If your company has received a valid Certificate of Approval within the past 36 months, been audited by the United States Department of Labor, Office of Federal Contract Compliance Programs (OFCCP), or if your company has submitted an ER for a different contract for which you have not yet received a compliance certificate, then you only need to complete and submit the following:

- · General Information section
- Part I Contractor/Subcontractor Information
- Form B Projected Workforce
- Signature Page

If your company is currently waiting for an approval on another contract previously submitted, be certain to identify the date on which you submitted the completed Employment Report, the name of the City contracting agency with which the contract was made, and the name and telephone number of the person to whom the Employment Report was submitted.

If your company was issued a Conditional Certificate of Approval, all required corrective actions must have been taken or DLS will not issue a Continued Certificate.

Question 18:

If the company was audited by the OFCCP, also provide the following:

- Identify the reviewing OFCCP office by its name and address
- If an unconditional certificate of compliance was issued by the OFCCP, attach a copy of the certificate in lieu of completing Parts II and III;
- Include copies of all corrective actions and documentation of OFCCP's performance; and
- Provide a copy of all stated OFCCP findings.

Question 19:

Please provide a copy of any Collective Bargaining Agreement(s) which is negotiated through an employer trade association on behalf of your organization or any of its affiliates.

PART II: EMPLOYMENT POLICIES AND PRACTICES

Remember to label all documents with the question number for which they are submitted.

Questions 20a – j: You must respond to the questions as to whether or not your firm has documents reflecting written policies, benefits and procedures. If so, then you must identify by name each document in which the policy(ies), procedure(s) and benefit(s) is located and submit copies of all of the document(s). If your firm follows unwritten practices or procedures, include an explanation of how they operate. Please submit the most current document(s), including all applicable amendments. Label each document and/or unwritten practice according to the question to which it corresponds (e.g. 20a, 20b, etc.)

Questions 21a – h: Inquires about the manner/methods by which you comply with the requirements of the Immigration Reform and Control Act of 1986 (IRCA).

Question 22: Inquires into where and how I-9 forms are maintained and stored.

Questions 23a – e: Inquires into whether or not there is a requirement that an applicant or employee be subjected to a medical examination at any given time. Copes of the medical information questionnaire and instructions must be submitted with the Employment Report.

Question 24: Indicate the existence and location of all statements of your firm's Equal Employment Opportunity policy and attach a copy of each statement.

Question 25: Submit any current Affirmative Action Plan(s) created pursuant to Executive Order 11246.

Question 26: If your firm or collective bargaining agreement has an internal grievance procedure, indicate this and submit a copy of the policy and procedure. If unwritten, explain its nature and operation. Explain how your firm's procedure addresses EEO complaints.

Question 27: If your employees have used the procedure in the last three (3) years, please submit an explanation in the format indicated below:

Number of complaint(s)	Nature of the complaint(s)	3. Position(s) of the complainant(s)	4. Was an investigation conducted?	5. Current status of the disposition
			Y/N	

Question 28:

Indicate whether in the past three (3) years complaints have been filed with a court of law or administrative agency, naming your company as a defendant (or respondent) in a complaint alleging violation of any anti-discrimination or affirmative action laws. If yes, develop and submit a log to show, for each administrative/and or judicial action filed, the following information:

	Name(s) of complainant(s)	2. Administrative agency or court in which action	Nature of the complaint(s)	4. Current status	5. If not pending, the complaint's disposition
-		was filed	* 4		

Question 29:

Identify each job for which a physical qualification exists. Identify and explain the physical qualification(s) for each stated job. Submit job descriptions for each job and the reasons for the qualifications.

Question 30:

Identify each job for which there exists any qualification related to age, race, color, national origin, sex, creed, disability, marital status, sexual orientation or citizenship status. Identify and explain the specific related qualification for each job stated. Submit job descriptions for each job and the reasons for the qualifications.

PART III: CONTRACT BID INFORMATION AND PROJECTED AND CURRENT WORKFORCE FORMS

FORM A: CONTRACT BID INFORMATION - USE OF SUBCONTRACTORS/TRADES

Your projections for the utilization of subcontractors on the proposed contract are to be provided in this section. A chart has been provided for the identification of subcontractors. Information is to be provided to the extent known at the time the ER is filed for review by DLS. If the subcontractor's name is unknown, then write "unknown". Under "ownership", enter the appropriate race/ethnic and gender code. If the contract is federally funded or assisted and the subcontractor is being utilized in accordance with applicable federal requirements with respect to Minority Business Enterprise or Woman Business Enterprise requirements, enter the appropriate code. This will also apply to state funded contracts with similar requirements for minority and female owned businesses.

FORM B: PROJECTED WORKFORCE FOR WORK TO BE PERFORMED ON THIS PROJECT

For each trade to be engaged by your company for this project, enter the projected workforce for Males and Females by trade classification in the charts provided.

FORM C: CURRENT WORKFORCE FOR WORK TO BE PERFORMED ON THIS PROJECT

For each trade *currently* engaged by your company for all work performed in NYC, enter the current workforce for Males and Females by trade classification in the charts provided.

SIGNATURE PAGE

The signatory of this Employment Report and all other documents submitted to DLS must be an official authorized to enter into a binding legal agreement. The signature page must be completed in its entirety and notarized. Only original signatures will be accepted.

The City of New York Department of Small Business Services Division of Labor Services Contract Compliance Unit 110 William Street, New York, New York 10038


Phone: (212) 513 - 6323 Fax: (212) 618-8879

CONSTRUCTION EMPLOYMENT REPORT


GENE	RAL INFORMATION
1.	Your contractual relationship in this contract is: Prime contractor Subcontractor
1a.	Are M/WBE goals attached to this project? Yes No
2.	Please check one of the following if your firm would like information on how to certify with the City of New York as a:
	Minority Owned Business EnterpriseLocally Based Business EnterpriseEmerging Business EnterpriseBusiness Enter
2a.	If you are certified as an MBE, WBE, LBE, EBE or DBE, what city/state agency are you certified with? Are you DBE certified? Yes No
3.	Please indicate if you would like assistance from SBS in identifying certified M/WBEs for contracting opportunities: Yes No
4.	Is this project subject to a project labor agreement? Yes No
5.	Are you a Union contractor? Yes No If yes, please list which local(s) you affiliated with
6.	Are you a Veteran owned company? Yes No
PART	I: CONTRACTOR/SUBCONTRACTOR INFORMATION
7.	80-0951159 M. Hazisafari Curuzon. Me Employer Identification Number or Federal Tax I.D. Email Address
8.	Bedford Carp Construction IHC.
9.	77 Blam fie's Are, S.T. H.Y. 10314 Company Address and Zip Code
10.	Arthory (approvello (718)494-8600
	Chief Operating Officer Telephone Number (718) 494-8600
11.	Designated Equal Opportunity Compliance Officer Telephone Number (If same as Item #10, write "same")
12.	Samy
	Name of Prime Contractor and Contact Person (If same as Item #8, write "same")

13.	Number of employees in your company:
14.	Contract information: (a) YYC DDC Contracting Agency (City Agency) (b) Contract Amount
	Contracting Agency (City Agency) (c) 8501580141 Procurement Identification Number (PIN) Contract Amount (d)
	(e) (f) Projected Commencement Date Projected Completion Date
	(g) Description and location of proposed contract: SESSI Construction of Storm, Combiners, Sarutary Sewers, water mains & Appent enances in FlatLanos & Brook
	Sewers, water mains & Appurt enances in FlatLanos, Brook
15.	Has your firm been reviewed by the Division of Labor Services (DLS) within the past 36 months and issued a Certificate of Approval? Yes No
	If yes, attach a copy of certificate.
16.	Has DLS within the past month reviewed an Employment Report submission for your company and issued a Conditional Certificate of Approval? Yes No
	If yes, attach a copy of certificate.
W	OTE: DLS WILL NOT ISSUE A CONTINUED CERTIFICATE OF APPROVAL IN CONNECTION ITH THIS CONTRACT UNLESS THE REQUIRED CORRECTIVE ACTIONS IN PRIOR ONDITIONAL CERTIFICATES OF APPROVAL HAVE BEEN TAKEN.
17.	Has an Employment Report already been submitted for a different contract (not covered by this Employment Report) for which you have not yet received compliance certificate? Yes No If yes,
	Date submitted:
	Contract No:
18.	Has your company in the past 36 months been audited by the United States Department of Labor, Office of Federal Contract Compliance Programs (OFCCP)? Yes No
	If yes,


Page 2
Revised 8/13
FOR OFFICIAL USE ONLY: File No._____




	(a) N — —	ame and address of OFCCP office.	
	(b) W	as a Certificate of Equal Employment Compliance issued within the past 36 months? Solution No. ———————————————————————————————————	
	if	yes, attach a copy of such certificate.	
	(c) W	ere any corrective actions required or agreed to? Yes No	
	lf [•]	yes, attach a copy of such requirements or agreements.	
	(d) W	ere any deficiencies found? Yes No	
	lf	yes, attach a copy of such findings.	
19.	is resp	our company or its affiliates a member or members of an employers' trade association which sponsible for negotiating collective bargaining agreements (CBA) which affect construction hiring? Yes No	
	If yes,	attach a list of such associations and all applicable CBA's.	
PART	II: DO	CUMENTS REQUIRED	
20.	broch	following policies or practices, attach the relevant documents (e.g., printed booklets, es, manuals, memoranda, etc.). If the policy(ies) are unwritten, attach a full explanation ractices. See instructions.	
	(a) Health benefit coverage/description(s) for all management, nonunion and union employees (whether company or union administered)	
	(b) Disability, life, other insurance coverage/description	
	(c) Employee Policy/Handbook	
	(d) Personnel Policy/Manual	
	(e) Supervisor's Policy/Manual	
	(f)	Pension plan or 401k coverage/description for all management, nonunion and union employees, whether company or union administered	
	(g) Collective bargaining agreement(s).	
	(h) Employment Application(s)	
	(i)	Employee evaluation policy/form(s).	
	(j)	Does your firm have medical and/or non-medical (i.e. education, military, personal, pregnancy, child care) leave policy?	



21.	To comply with the Immigration Reform and Control Act of 1986 when <u>and of whom</u> does your firm require the completion of an I-9 Form?
	(a) Prior to job offer (b) After a conditional job offer (c) After a job offer (d) Within the first three days on the job (e) To some applicants (f) To all applicants (g) To some employees (h) To all employees Yes No Yes No
22.	Explain where and how completed I-9 Forms, with their supportive documentation, are maintained and made accessible. AT 77 Barm heir Ar, S.T. H.Y. 10314
23.	Does your firm or any of its collective bargaining agreements require job applicants to take a medical examination? Yes No
	If yes, is the medical examination given:
	(a) Prior to a job offer Yes No (b) After a conditional job offer Yes No (c) After a job offer Yes No (d) To all applicants Yes No (e) Only to some applicants Yes No
	If yes, list for which applicants below and attach copies of all medical examination or questionnaire forms and instructions utilized for these examinations.
24.	Do you have a written equal employment opportunity (EEO) policy? Yes No
	If yes, list the document(s) and page number(s) where these written policies are located.
25.	Does the company have a current affirmative action plan(s) (AAP) Minorities and Women Individuals with handicaps Other. Please specify
26.	Does your firm or collective bargaining agreement(s) have an internal grievance procedure with respect to EEO complaints? Yes No
	If yes, please attach a copy of this policy.
	If no, attach a report detailing your firm's unwritten procedure for handling EEO complaints.




27.	Has any employee, within the past three years, filed a complaint pursuant to an internal grievance procedure or with any official of your firm with respect to equal employment opportunity? Yes No
	If yes, attach an internal complaint log. See instructions.
28.	Has your firm, within the past three years, been named as a defendant (or respondent) in any administrative or judicial action where the complainant (plaintiff) alleged violation of any anti-discrimination or affirmative action laws? Yes No
	If yes, attach a log. See instructions.
29.	Are there any jobs for which there are physical qualifications? Yes No
	If yes, list the job(s), submit a job description and state the reason(s) for the qualification(s).
30.	Are there any jobs for which there are age, race, color, national origin, sex, creed, disability, marital status, sexual orientation, or citizenship qualifications? Yes No
	If yes, list the job(s), submit a job description and state the reason(s) for the qualification(s).



SIGNATURE PAGE

I, (print name of authorized official signing) homas J. Moore hereby certify the information submitted herewith is true and complete to the best of my knowledge and belief a submitted with the understanding that compliance with New York City's equal employment requirements, as contained in Chapter 56 of the City Charter, Executive Order No. 50 (1980), as amended, and the implementing Rules and Regulations, is a contractual obligation. I also agree behalf of the company to submit a certified copy of payroll records to the Division of Labor Service a monthly basis.	and e on
Bedford (app Construction Inc.	
Contractor's Name	
Thomas J. Moore E.E.O.	
Name of person who prepared this Employment Report Title	
Thomas J. Moore E.E.O.	
Name of official authorized to sign on behalf of the contractor Title	
(718) 494 - 8600 Telephone Number	
' //	
Signature of authorized official Date	
	.
If contractors are found to be underutilizing minorities and females in any given trade based on 0 56 Section 3H, the Division of Labor Services reserves the right to request the contractor's work data and to implement an employment program.	
Contractors who fail to comply with the above mentioned requirements or are found to be in noncompliance may be subject to the withholding of final payment.	
Willful or fraudulent falsifications of any data or information submitted herewith may result in the termination of the contract between the City and the bidder or contractor and in disapproval of fu contracts for a period of up to five years. Further, such falsification may result in civil and/and or criminal prosecution.	
To the extent permitted by law and consistent with the proper discharge of DLS' responsibilities of Charter Chapter 56 of the City Charter and Executive Order No. 50 (1980) and the implementing and Regulations, all information provided by a contractor to DLS shall be confidential.	
Only original signatures accepted.	
Sworn to before me this 24th day of August 20 15	
Druenia. Forni 8/04/15	
Notary Public Authorized Signature DOREEN A FORNI Notary Public - State of New York NO. 01F06294164 Qualified in Richmond County My Commission Expires Dec 16, 2017 Page 6 Revised 8/13 FOR OFFICIAL LISE ONLY: File No.	



CONTRACT BID INFORMATION: USE OF SUBCONTRACTORS/TRADES FORM A.

- Do you plan to subcontractor work on this contract? Yes ___ No__
- If yes, complete the chart below. તં

NOTE: All proposed subcontractors with a subcontract in excess of \$750,000 must complete an Employment Report for review and approval before the contract may be awarded and work commences.


FOR PROJECTED DOLLAR VALUE OF SUBCONTRACT	2,000,000	458, 958. 96	1,500,000	,	
TRADE PROJECTED FOR USE BY SUBCONTRACTOR					
WORK TO BE PERFORMED BY SUBCONTRACTOR	COMC. World	Piles	Restoration		
OWNERSHIP (ENTER APPROPRIATE CODE LETTERS BELOW)					
SUBCONTRACTOR'S NAME*	UTIKHOWH at this	Falco Construction	Advanced Hill + Par	-	na mga Ma

*If subcontractor is presently unknown, please enter the trade (craft name).

OWNERSHIP CODES

W: White

B: Black H: Hispanic A: Asian N: Native American F: Female



TRADE CLASSIFICATION CODES

(J) Journeylevel Workers (H) Helper

(TOT) Total by Column

(A) Apprentice (TRN) Trainee

For each trade to be engaged by your company for Males and Females by trade classification on this project, enter the projected workforce for the charts below.

Trade:	,		2	MALES				Ħ	FEMALES			
TOLEK 14 JACQUIN CASINGES		(1) White	(2) Black (2)	(3)	4	(2)	(6) (7///	(7) 200	(8)	(6)	(10)	
Union Affiliation, if applicable	L	Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.	Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.	
Total (Col. #1-10):	<u>ب</u>	7										
Total Minority, Male & Female	I											
(Col. #2,3,4,5,7,8,9, & 10):	⋖											
Total Female (Col. #6 – 10):	T RN											
	T0T	ナ										
	j	T				ļ.,,,,,,						

What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?


Revised 8/13 Page 9

FOR OFFICIAL USE ONLY: File No.

	•
	_

Trade:	,		2	MALES				FE	FEMALES		
LOCALIS CHICAMIS ENGINEERS	گن آ	(1) White	(2) Black	(3)	(4)	(5)	(6) (7)	(7)	(8)	(6)	(10)
Union Affiliation, if applicable	-	Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.	Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.
Total (Col. #1-10):	7)	2			- 10		Parti.				
Total Minority, Male & Female	I										
(Col. #2,3,4,5,7,8,9, & 10):	∢										
Total Female (Col. #6 ₇ 10):	TRN										
-	TOT	S						·			

sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?	
What are the recruitment sources for you projected hires	



24.Fe/S
e:
Trade:

Union Affiliation, if applicable

Total (Col. #1-10):

Total Minority, Male & Female (Col. #2,3,4,5,7,8,9, & 10):

Total Female (Col. #6 – 10): ϕ


Native (2) Amer. Asian <u>4</u> Hisp. MALES ල (2) Black Hisp. Non ナ (1) White Non Hisp. TOT I _ TRN ⋖

FEMALES

(10)	Native	Amer.	
(6)		Asian	
(8)		Hisp.	
(7) Black	Non	Hisp.	
(6) White	Non	Hisp.	


Amer.			
Asian			
Hisp.			
Hisp.			
Hisp.			

What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?



Trade:			~	MALES				H	FEMALES		
1226 Langeria		(1) White	(2) Back	(3)	<u>4</u>)	(5)	(9) (6)		(8)	(6)	(10)
Union Affiliation, if applicable		Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.	Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.
Total (Col. #1-10):	7	7									
Total Minority, Male & Female	·I										
(Col. #2,3,4,5,7,8,9, & 10):	∢										-
Total Female (Col. #6 ₇ 10):	TRN										
	TOT	7									-

What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?




TRADE CLASSIFICATION CODES

(J) Journeylevel Workers (H) Helper

(TOT) Total by Column


(A) Apprentice (TRN) Trainee

For each trade currently engaged by your company for all work performed in New York City, enter the current workforce for Males and Females by trade classification on the charts below.




What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?

Page 11 Revised 8/13 FOR OFFICIAL USE ONLY: File No._




ade: 0 1 2 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2	,		2	MALES				FE	FEMALES			
oct is operating en		(1) White		(3)	<u>4</u>	(5)	(6) White	(1)	(8)	(6)	(10)	
nion Affiliation, if applicable		Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.	Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.	
otal (Col. #1-10):	7	0										
otal Minority, Male & Female	I				4884-7					. v		
301. #2,3,4,5,7,8,9, & 10):	<											
otal Female Sol. #6 $\overline{-}$ 10):	TRN											
	TOT	N										
	J											

What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?		
What		




rade:			2	MALES				끮	FEMALES		
Local 13, Losovers		(1) (1)	(2)	(3)	<u>4</u>	(5)	(6) White	(7)	(8)	(6)	(10)
Jnion Affiliation, if applicable		Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.	Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.
Total (Col. #1-10):		t	ナ								
8 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	I						10-7-				
Col. #2,3,4,5,7,8,9, & 10):	A								5		
Fotal Female (Col. #6 – 10):	TRN										
	TOT	7	7								

What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?		
What 6		



ade:			Σ	MALES				田	FEMALES			
556 Layenters		(1) White	(2) Black	(3)	4)	(2)	(6) White	(7) Black	(8)	(6)	(10)	
nion Affiliation, if applicable		Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.	Non Hisp.	Non Hisp.	Hisp.	Asian	Native Amer.	
otal (Col. #1-10):	<u>ب</u>	7										
2 otal Minority, Male & Female	I									·		
Sol. #2,3,4,5,7,8,9, & 10):	∢							- 11			and the second s	
otal Female Sol. #6 ₇ 10):	TRN											
	TOT	7										
	_											


What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?		
What		



EQUAL EMPLOYMENT OPPORTUNITY POLICY STATEMENT

It is the policy of Bedford Capp Construction Iric
not to discriminate against any employee or applicant for employment because of race,
creed, color, national origin, sex, age, disability, marital status, sexual orientation or
citizenship status. We will take specific action to ensure that applicants are employed
and that employees are treated during employment, without regard to their race, creed
color, national origin, sex, age, disability, marital status, sexual orientation or citizenship
status. Such action shall include, but not be limited to the following: recruitment,
hiring, compensation, training and apprenticeship, promotion, upgrading, demotion,
downgrading, transfer, lay-off and termination, and all other Terms and Conditions of
Employment except as provided by law

Thomas J. Moore
NAME & TITLE (PRINT)
SIGNATURE (CEO)
8/24/2015
DATE



Bedford-Carp Construction Inc.

77 Bloomfield Ave. Staten Island, NY 10314 Tel: (718) 494-8600 Fax: (718) 494-7666

August 24, 2015


EQUAL EMPLOYMENT OPPORTUNITY POLICY

Carp Construction Corp. is an equal employment opportunity employer and strives to comply with all applicable laws prohibiting discrimination based on race, color, creed, sex, age, national origin or ancestry, physical or mental disability, pregnancy, veteran status, marital status, alien age, citizenship, sexual orientation, as well as any other category protected by federal, state, or local laws. All such discrimination is unlawful and all persons involved in the operations of the Company are prohibited from engaging in this type of conduct.

Employees should report any instance of unlawful discrimination of which you become aware to your supervisor, or any member of Senior Management, regardless of whether you or someone else is the subject of the discrimination. Detailed reports including names, descriptions, and actual events or statements made will greatly enhance the Company's ability to investigate. Any documents supporting the allegations should also be submitted. Based on your report, the Company will conduct an investigation. The Company prohibits any and all retaliation for submitting a report of unlawful discrimination and for cooperating in any investigation. Any supervisor or employee who retaliates against the accuser or those involved in the investigation will be disciplined, up to and including discharge from employment.

If the investigation determines that prohibited discrimination or other conduct that violates Company policy occurred, the Company will take disciplinary action, up to and including termination of employment, against those who engaged in the misconduct. The Company will also evaluate whether other employment practices should be added or modified in order to deter and prevent that conduct in the future. You will be informed of whatever action(s) the Company takes to resolve and remedy the situation.

TJ Moore Controller



The City of New York Department of Small Business Services Division of Labor Services Contract Compliance Unit 110 William Street, New York, New York 18938

Phone: (212) 513 - 6323
Fax: (212) 618-8879
CONSTRUCTION EMPLOYMENT REPORT

GENERAL INFORMATION

1.	Your contractual relationship in this contract is:	Prime contractor_x_ Subcontractor
1a.	Are M/WBE goals attached to this project? Yes	No
2.	Please check one of the following if your firm would City of New York as a:	I like information on how to certify with the
	Minority Owned Business EnterpriseWomen Owned Business EnterpriseDisadvantaged Business Enterprise	Locally Based Business Enterprise Emerging Business Enterprise
2a.	If you are certified as an MBE, WBE, LBE, EBE of certified with?	
3.	Please indicate if you would like assistance from S contracting opportunities: Yes No	BS in identifying certified M/WBEs for
4.	Is this project subject to a project labor agreement?	P Yes No
5.	Are you a Union contractor? Yes No with	If yes, please list which local(s) you affiliated
6.	Are you a Veteran owned company? Yes No	D
PAR	TI: CONTRACTOR/SUBCONTRACTOR INFORMA	TION
7.		
	Employer Identification Number or Federal Tax I.D.	Email Address
8.	Company Name	
9.		
Ů.	Company Address and Zip Code	
10.		
	Chief Operating Officer	Telephone Number
11.	Designated Equal Opportunity Compliance Officer (If same as Item #10, write "same")	Telephone Number
12.		
	Name of Prime Contractor and Contact Person (If same as Item #8, write "same")	

13.	Number of employees in your company:	· · · · · · · · · · · · · · · · · · ·
14.	Contract information:	
	(a)Contracting Agency (City Agency)	(b)Contract Amount
	(c)Procurement Identification Number (PIN)	(d) Contract Registration Number (CT#)
	(e) Projected Commencement Date	(f) Projected Completion Date
	(g) Description and location of proposed contract:	•
15.	Has your firm been reviewed by the Division of Lab and issued a Certificate of Approval? Yes No_ If yes, attach a copy of certificate.	
16.	Has DLS within the past month reviewed an Emploand issued a Conditional Certificate of Approval?	
	If yes, attach a copy of certificate.	
Wi	TE: DLS WILL NOT ISSUE A CONTINUED CERT ITH THIS CONTRACT UNLESS THE REQUIRED CONTINUED CONTINUED CONTINUED CONTINUED CONTINUED OF APPROVAL HAVIOR	ORRECTIVE ACTIONS IN PRIOR
17.	Agency to which submitted:	ceived compliance certificate?
18.	Has your company in the past 36 months been aud Labor, Office of Federal Contract Compliance Prog	lited by the United States Department of

	(a) Nam	e and address of OFCCP office.
	(b) Was Yes_	a Certificate of Equal Employment Compliance issued within the past 36 months? No
	If yes	s, attach a copy of such certificate.
	(c) Were	e any corrective actions required or agreed to? Yes No
	If yes	s, attach a copy of such requirements or agreements.
	(d) Were	e any deficiencies found? Yes No
	If ye	s, attach a copy of such findings.
19.	is respo	company or its affiliates a member or members of an employers' trade association which nsible for negotiating collective bargaining agreements (CBA) which affect construction ag? Yes No
	If yes, a	ttach a list of such associations and all applicable CBA's.
PARI	II: DOC	UMENTS REQUIRED
20.	brochur	following policies or practices, attach the relevant documents (e.g., printed booklets, es, manuals, memoranda, etc.). If the policy(ies) are unwritten, attach a full explanation ractices. See instructions.
	(a)	Health benefit coverage/description(s) for all management, nonunion and union employees (whether company or union administered)
	(b)	Disability, life, other insurance coverage/description
	(c)	Employee Policy/Handbook
	(d)	Personnel Policy/Manual
	(e)	Supervisor's Policy/Manual
	(f)	Pension plan or 401k coverage/description for all management, nonunion and union employees, whether company or union administered
	(g)	Collective bargaining agreement(s).
	(h)	Employment Application(s)
	(i)	Employee evaluation policy/form(s).
	(j)	Does your firm have medical and/or non-medical (i.e. education, military, personal, pregnancy, child care) leave policy?

21.	To comply with the Immigration Reform and Control Act of 1986 when <u>and of whom</u> does your firm require the completion of an I-9 Form?
	(a) Prior to job offer (b) After a conditional job offer (c) After a job offer (d) Within the first three days on the job (e) To some applicants (f) To all applicants Yes No Yes No Yes No Yes No
	(g) To some employees Yes No
	(h) To all employees Yes No
22.	Explain where and how completed I-9 Forms, with their supportive documentation, are maintained and made accessible.
23.	Does your firm or any of its collective bargaining agreements require job applicants to take a medical examination? Yes No
	If yes, is the medical examination given:
	(a) Prior to a job offer Yes No (b) After a conditional job offer Yes No (c) After a job offer Yes No (d) To all applicants Yes No
•	(e) Only to some applicants Yes No
	If yes, list for which applicants below and attach copies of all medical examination or questionnaire forms and instructions utilized for these examinations.
24.	Do you have a written equal employment opportunity (EEO) policy? Yes No
	If yes, list the document(s) and page number(s) where these written policies are located.
25.	Does the company have a current affirmative action plan(s) (AAP) Minorities and Women Individuals with handicaps Other. Please specify
26.	Does your firm or collective bargaining agreement(s) have an internal grievance procedure with respect to EEO complaints? Yes No
	If yes, please attach a copy of this policy.
	If no, attach a report detailing your firm's unwritten procedure for handling EEO complaints.

Has any employee, within the past three years, filed a complaint pursuant to an internal grievance procedure or with any official of your firm with respect to equal employment opportunity? Yes No
If yes, attach an internal complaint log. See instructions.
Has your firm, within the past three years, been named as a defendant (or respondent) in any administrative or judicial action where the complainant (plaintiff) alleged violation of any anti-discrimination or affirmative action laws? Yes No
If yes, attach a log. See instructions.
Are there any jobs for which there are physical qualifications? Yes No
If yes, list the job(s), submit a job description and state the reason(s) for the qualification(s).
Are there any jobs for which there are age, race, color, national origin, sex, creed, disability, marital status, sexual orientation, or citizenship qualifications? YesNo
If yes, list the job(s), submit a job description and state the reason(s) for the qualification(s).

SIGNATURE PAGE

I, (print name of authorized official signing) hereby certify that the information submitted herewith is true and complete to the best of my knowledge and belief and submitted with the understanding that compliance with New York City's equal employment requirements, as contained in Chapter 56 of the City Charter, Executive Order No. 50 (1980), as amended, and the implementing Rules and Regulations, is a contractual obligation. I also agree on behalf of the company to submit a certified copy of payroll records to the Division of Labor Services on a monthly basis.										
Contractor's Name										
Name of person who prepare	ed this Employment Report	Title								
Name of official authorized to	sign on behalf of the contractor	Title								
Telephone Number	<u> </u>									
Signature of authorized official	al	Date								
	f Labor Services reserves the right to	s in any given trade based on Chapter o request the contractor's workforce								
	ly with the above mentioned requiren									
termination of the contract be	ons of any data or information submi etween the City and the bidder or con o five years. Further, such falsificatio	tractor and in disapproval of future								
Charter Chapter 56 of the Cit		charge of DLS' responsibilities under 50 (1980) and the implementing Rules shall be confidential.								
	Only original signatures acce	pted.								
Sworn to before me this	day of 20									
Notary Public	Authorized Signature	Date								

CONTRACT BID INFORMATION: USE OF SUBCONTRACTORS/TRADES FORM A.

Do you plan to subcontractor work on this contract? Yes___ No_

If yes, complete the chart below. ر ک

NOTE: All proposed subcontractors with a subcontract in excess of \$750,000 must complete an Employment Report for review and approval before the contract may be awarded and work commences.

LAR ;T			
PROJECTED DOLLAR VALUE OF SUBCONTRACT		v	
TRADE PROJECTED FOR USE BY SUBCONTRACTOR			
WORK TO BE PERFORMED BY SUBCONTRACTOR			
OWNERSHIP (ENTER APPROPRIATE CODE LETTERS BELOW)			
SUBCONTRACTOR'S NAME*			

*If subcontractor is presently unknown, please enter the trade (craft name).

OWNERSHIP CODES

W: White

Black ക്

H: Hispanic

A: Asian N: Native American F: Female

FORM B: PROJECTED WORKFORCE


TRADE CLASSIFICATION CODES

(J) Journeylevel Workers (H) Helper

(TOT) Total by Column

(A) Apprentice (TRN) Trainee

For each trade to be engaged by your company for this project, enter the projected workforce for Males and Females by trade classification on the charts below.



hat are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?		
What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, com		

Page 9 Revised 8/13 FOR OFFICIA

ONLY: File No.

AND THE PARTY AN

FORM C: CURRENT WORKFORCE


TRADE CLASSIFICATION CODES

(J) Journeylevel Workers (H) Helper

(TOT) Total by Column

(A) Apprentice (TRN) Trainee

For each trade currently engaged by your company for all work performed in New York City, enter the current workforce for Males and Females by trade classification on the charts below.



What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?

FOR OFFICIAL Revised 8/13 Page 11

ONLY: File No.

FORM C: CURRENT WORKFORCE

Trade:			Š	MALES				T.	FEMALES			
		(1) White	(2) Black	(3)	(4)	(5)	(6) White	(7) Black	(8)	(6)	(10)	
Union Affillation, if applicable	_	Non Hisp.	Non Hisp.	Hisp.	Asian	Amer.	Hisp.		Hisp.	Asian	Amer.	
Total (Col. #1-10):	7	·										
Total Minority, Male & Female	I									,		
(Col. #2,3,4,5,7,8,9, & 10):	∢											
Total Female (Col. #6 – 10):	TRN											
	TOT											
	•											

What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?	
Wha	

(NO TEXT ON THIS PAGE)

The City of New York Department of Small Business Services Division of Labor Services Contract Compliance Unit 110 William Street, New York, New York 10038 Phone: (212) 513 - 6323 Fax: (212) 618-8879 CONSTRUCTION EMPLOYMENT REPORT

GENERAL INFORMATION

1.	Your contractual relationship in this contract is:	Prime contractor	_ Subcontractor_x_
1a.	Are M/WBE goals attached to this project? Yes	No	
2.	Please check one of the following if your firm would City of New York as a:	like information on h	now to certify with the
	Minority Owned Business EnterpriseWomen Owned Business EnterpriseDisadvantaged Business Enterprise		ed Business Enterprise usiness Enterprise
2a.	If you are certified as an MBE, WBE, LBE, EBE or certified with?		
3.	Please indicate if you would like assistance from SI contracting opportunities: Yes No	3S in identifying certi	fied M/WBEs for
4.	Is this project subject to a project labor agreement?	Yes No _	
5.	Are you a Union contractor? Yes No with	If yes, please list whi	ch local(s) you affiliated
6.	Are you a Veteran owned company? Yes No		
PART	I: CONTRACTOR/SUBCONTRACTOR INFORMA	TION	
7.			
	Employer Identification Number or Federal Tax I.D.		Email Address
8.	Company Name		
9.			
	Company Address and Zip Code		
10.	Chief Operating Officer	Telephone N	lumber
11.			
	Designated Equal Opportunity Compliance Officer (If same as Item #10, write "same")	Telephone N	lumber
12.			
	Name of Prime Contractor and Contact Person (If same as Item #8, write "same")		

13.	Number of employees in your company:	
14.	Contract information:	
	(a) Contracting Agency (City Agency)	(b) Contract Amount
	(c) Procurement Identification Number (PIN)	(d) Contract Registration Number (CT#)
	(e)Projected Commencement Date	(f) Projected Completion Date
	(g) Description and location of proposed contract	et:
15.	Has your firm been reviewed by the Division of L and issued a Certificate of Approval? Yes N	
	If yes, attach a copy of certificate.	
16.	Has DLS within the past month reviewed an Empand issued a Conditional Certificate of Approval	
	If yes, attach a copy of certificate.	
W	OTE: DLS WILL NOT ISSUE A CONTINUED CERTIFIED THE REQUIRED ONDITIONAL CERTIFICATES OF APPROVAL HA	CORRECTIVE ACTIONS IN PRIOR
17.	Has an Employment Report already been submi Employment Report) for which you have not yet Yes No If yes,	tted for a different contract (not covered by this received compliance certificate?
	Date submitted:	
	Name of Agency Person: Contract No:	
	Telephone:	
18.	Has your company in the past 36 months been a Labor, Office of Federal Contract Compliance Pr	
	If yes,	

	(a) N - -	ame and address of OFCCP office.
		as a Certificate of Equal Employment Compliance issued within the past 36 months? No
	lf	yes, attach a copy of such certificate.
	(c) W	ere any corrective actions required or agreed to? Yes No
	. If	yes, attach a copy of such requirements or agreements.
	(d) W	/ere any deficiencies found? Yes No
	lf	yes, attach a copy of such findings.
19.	is res	ur company or its affiliates a member or members of an employers' trade association which ponsible for negotiating collective bargaining agreements (CBA) which affect construction iring? Yes No
	If yes	, attach a list of such associations and all applicable CBA's.
PART	II: DC	OCUMENTS REQUIRED
20.	broch	ne following policies or practices, attach the relevant documents (e.g., printed booklets, ures, manuals, memoranda, etc.). If the policy(ies) are unwritten, attach a full explanation practices. See instructions.
	(8	Health benefit coverage/description(s) for all management, nonunion and union employees (whether company or union administered)
	(k	o) Disability, life, other insurance coverage/description
	(0	c) Employee Policy/Handbook
	(0	d) Personnel Policy/Manual
	(e	e) Supervisor's Policy/Manual
	(f	 Pension plan or 401k coverage/description for all management, nonunion and union employees, whether company or union administered
	(g	g) Collective bargaining agreement(s).
	(h	n) Employment Application(s)
	(i) Employee evaluation policy/form(s).
	(j	Does your firm have medical and/or non-medical (i.e. education, military, personal, pregnancy, child care) leave policy?

21. To comply with the Immigration Reform and Control Act of 1986 when and of whom d firm require the completion of an I-9 Form?				
	(a) Prior to job offer (b) After a conditional job offer (c) After a job offer (d) Within the first three days on the job (e) To some applicants (f) To all applicants (g) To some employees (h) To all employees Yes No Yes No Yes No Yes No Yes No			
22.	(h) To all employees Yes No Explain where and how completed I-9 Forms, with their supportive documentation, are maintained and made accessible.			
23.	Does your firm or any of its collective bargaining agreements require job applicants to take a medical examination? Yes No If yes, is the medical examination given:			
	(a) Prior to a job offer Yes No (b) After a conditional job offer Yes No (c) After a job offer Yes No (d) To all applicants Yes No (e) Only to some applicants Yes No If yes, list for which applicants below and attach copies of all medical examination or questionnaire forms and instructions utilized for these examinations.			
24.	Do you have a written equal employment opportunity (EEO) policy? Yes No If yes, list the document(s) and page number(s) where these written policies are located.			
25.	Does the company have a current affirmative action plan(s) (AAP) Minorities and Women Individuals with handicaps Other. Please specify			
26.	Does your firm or collective bargaining agreement(s) have an internal grievance procedure with respect to EEO complaints? Yes No			
	If yes, please attach a copy of this policy.			
	If no, attach a report detailing your firm's unwritten procedure for handling EEO complaints.			

27.	Has any employee, within the past three years, filed a complaint pursuant to an internal grievance procedure or with any official of your firm with respect to equal employment opportunity? Yes No		
	If yes, attach an internal complaint log. See instructions.		
28.	Has your firm, within the past three years, been named as a defendant (or respondent) in any administrative or judicial action where the complainant (plaintiff) alleged violation of any anti-discrimination or affirmative action laws? Yes No		
	If yes, attach a log. See instructions.		
29.	Are there any jobs for which there are physical qualifications? Yes No		
	If yes, list the job(s), submit a job description and state the reason(s) for the qualification(s).		
30.	Are there any jobs for which there are age, race, color, national origin, sex, creed, disability, marital status, sexual orientation, or citizenship qualifications? Yes No		
	If yes, list the job(s), submit a job description and state the reason(s) for the qualification(s).		

SIGNATURE PAGE

submitted with the understand requirements, as contained in amended, and the implement	ewith is true and complete to the best ding that compliance with New York Chapter 56 of the City Charter, Exe ing Rules and Regulations, is a conti	City's equal employment cutive Order No. 50 (1980), as
Contractor's Name		
Name of person who prepared	d this Employment Report	Title
Name of official authorized to	sign on behalf of the contractor	Title
Telephone Number		
Signature of authorized officia	l .	Date
If contractors are found to be 56 Section 3H, the Division of data and to implement an emp	Labor Services reserves the right to	in any given trade based on Chapter request the contractor's workforce
Contractors who fail to comply noncompliance may be subject	with the above mentioned requirem to the withholding of final payment	ents or are found to be in
termination of the contract bet	ns of any data or information submitween the City and the bidder or contfive years. Further, such falsification	ractor and in disapproval of future
Charter Chapter 56 of the City	and consistent with the proper disch Charter and Executive Order No. 50 In provided by a contractor to DLS sl	(1980) and the implementing Rules
· · · · · · · · · · · · · · · · · · ·	Only original signatures accep	ted.
Sworn to before me this	day of 20	
Notary Public	Authorized Signature	Date

CONTRACT BID INFORMATION: USE OF SUBCONTRACTORS/TRADES FORM A.

Do you plan to subcontractor work on this contract? Yes____ No___

If yes, complete the chart below. ⟨

NOTE: All proposed subcontractors with a subcontract in excess of \$750,000 must complete an Employment Report for review and approval before the contract may be awarded and work commences.

		1	1	1
PROJECTED DOLLAR VALUE OF SUBCONTRACT				
TRADE PROJECTED FOR USE BY SUBCONTRACTOR				
WORK TO BE PERFORMED BY SUBCONTRACTOR				
OWNERSHIP (ENTER APPROPRIATE CODE LETTERS BELOW)				
SUBCONTRACTOR'S NAME*				

*If subcontractor is presently unknown, please enter the trade (craft name).

OWNERSHIP CODES

W: White B: Black

H: Hispanic

A: Asian N: Native American F: Female

FORM B: PROJECTED WORKFORCE


TRADE CLASSIFICATION CODES

(J) Journeylevel Workers (H) Helper

(TOT) Total by Column

(A) Apprentice (TRN) Trainee

For each trade to be engaged by your company for Males and Females by trade classification on this project, enter the projected workforce for the charts below.



ch)?		
ıtrea		
ity or		
mum		
СОМ		
inter,		
ар се		
job t		
office,		
ent c		
loym		
t emp		
ımen		
overr		
ns, g		
unio		
(i.e.,		
hires		
cted		
proje		
yon		
es for		
ource		
ent s		
What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?		
e rec		
ire th		
hat a		
≥		

FOR OFFICIAL Revised 8/13 Page 9

E ONLY: File No.

What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?		
What are the recruitment sources		


FORM C: CURRENT WORKFORCE

TRADE CLASSIFICATION CODES

(J) Journeylevel Workers (H) Helper (TOT) Total by Column

(TRN) Trainee (A) Apprentice

For each trade currently engaged by your company for all work performed in New York City, enter the current workforce for Males and Females by trade classification on the charts below.



What are the recruitment sources for you projected hires (i.e., unions, government employment office, job tap center, community outreach)?

FOR OPPICTA Revised 8/13 Page II

FONLY: File No.

FORM C: CURRENT WORKFORCE

White Black Non Non Non Non Hisp. Asian Amer. Hisp. Hisp. Asian Amer. A TRN TOT	Trade:		\$		MALES	\$	Ĺ	(FEMALES	ξ	2
Hisp. Hisp. Asian Amer. Hisp. Hisp. Asian Hisp. Asian Hisp. Asian Hisp. Asian Tor	n Affiliation, if applicable		(1) White Non	(2) Black Non	<u>(5)</u>	4)	(5) Native	(6) White Non	(<u>8</u>)	<u> </u>	(TU) Native
			Hisp.	Hisp.	Hisp.	Asian	Amer.	Hisp.	Hisp.	Asian	Amer.
Total Minority, Male & Female (Col. #2,3,4,5,7,8,9, & 10): A Total Female (Col. #6 – 10): TOTAL Female TRN TOTAL FEMALE TRN TOTAL FEMALE TRN TOTAL FEMALE TRN TOTAL FEMALE TRN	Total (Col. #1-10):	ſ									
	Minority. Male & Female	I									
	. #2,3,4,5,7,8,9, & 10):	∢									
TOT	ıl Female . #6 – 10):	TRN						·			
		TOT									

ap center, community outreach)?			
ected hires (i.e., unions, government employment office, job tap center, community outreach)?			
What are the recruitment sources for you projected hires			

(NO TEXT ON THIS PAGE)

CONLY: File No.

Page 13 Revised 8/13 FOR OPFICIA

The City of New York Department of Small Business Services Division of Labor Services Contract Compliance Unit 110 William Street, New York, New York 10038 Phone: (212) 513 – 6323 Fax: (212) 618-8879

File Number LEGS THAN \$750.000 SUBCONTRACT CERTIFICATE (CITY, STATE AND ICIP CHLY) Are you currently certified as one of the following? Please check yes or no: WBE Yes ___No ___ LBE Yes ___No ___ MBE Yes ___No ___ Yes ___ No ___ DBE Yes___No___ EBE If you are certified as an MBE, WBE, LBE, EBE or DBE, what city/state agency are you certified with? Please check one of the following if your firm would like information on how to certify with the City of New York as a: Locally based Business Enterprise _Minority Owned Business Enterprise Women Owned Business Enterprise Emerging Business Enterprise Disadvantaged Business Enterprise Employer Identification Number or Federal Tax I.D Company Name Company Address and Zip Code Contact Person (First Name, Last Name) Telephone Number Fax Number E-mail Address Description and location of proposed subcontract: Are you a Union contractor? Yes ____ No ___ If yes, please list which local(s) you affiliated with Are you a Veteran owned company? Yes ____ No ____

Contract Registration Number (CT#)

(City confracts only)

Procurement Identification Number (PIN)

(City centracts only)

Block and Lot Number (ICIP projects only)	Contract Amount	
above named owner or City age	al signing)subcontractor' subcontractor' ncy is less than \$750,000. This affirmation is moreoner No. 50 (1980) and the implementing Rules	nade in accordance with NYC
contract between the City and th	of any data or information submitted herewith relations or contractor and in disapproval of futuation may result in civil and/and or criminal pros	are contracts for a period of up to
Signature of authorized official		Date
Sworn to before me this	Only original signatures accepted. day of20	
Notary Public	Authorized Signature	Date

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103^{TD} STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto

BOROUGH OF BROOKLYN

ADDENDUM NO. 7

DATED: June 19, 2015

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was originally included therein.

- (1) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page A-1, Attachment 1 Bid Information; Change the dates shown for Submission of Bids To: and for Bid Opening: from "June 23, 2015" to read "July 9, 2015."
- (2) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page 13, Schedule B MWBE;
 Change the dates shown for Bid/Proposal Response Date: from "June 23, 2015" to read "July 9, 2015."

By signing in the space provided below, the bidder acknowledges receipt of the one (1) page of this Addendum.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS
AND ATTACHED TO THEIR BIDS.

G. Samo

Associate Commissioner/Design I

ors-Carp Konstruction Inc

Name of Bidde

By: M. A. M.

Δ7-1

CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

ADDENDA CONTROL SHEET

BID OP	ENING DATE: JULY 9, 2015	
PROJE	CT NO.: <u>SE851</u>	
TITLE:	CONSTRUCTION OF STORM, COMBINED, SANITARY	, - S INI
	SEWERS AND WATER MAINS AND APPURTENANCE FRESH CREEK AREA, PHASE 1A	<u> </u>

ADDENDA ISSUED	No. OF DRAWINGS	DATE
#1: Amendments to Standard Highway Specs.		02/24/2014
#2: Sewer and Water Main Specifications		03/18/2015
#3: Gas Cost Sharing (EP-7) Std. Specifications		03/26/2015
#4: To CET Specifications		03/06/2015
#5: Hazmat Specifications		03/26/2015
#6: Best Management Practice (BMP) Specifications		03/26/2015
#7: Additional Amendments		06/19/2015
#8: Additional Amendments		06/26/2015
	·	
·		

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto

BOROUGH OF BROOKLYN

A	DDE	ND	MU	NO	. 8

DATED: June 26, 2015

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was originally included therein.

- (1) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, BID SCHEDULE, pages B-3 to B-50; Delete all the pages in their entirety; Substitute with attached revised pages B-3 [REVISION #1] to B-49 [REVISION #1].
- (2) Refer to the Bid and Contract Documents, VOLUME 3 OF 3, ADDENDUM NO. 2, NOTICE TO BIDDER, note (25);

 Delete this note in its entirety;
 Substitute with the following:
 - "(25) The Contractor is advised that no additional or separate payment shall be made for pile cap, decking, headwall, riprap, slope pavement, boulder protection, flap gate, sign, hand railing, sheeting and bracing and all other items necessary to complete the outfall at Fresh Creek. The cost shall be deemed included in the price bid for contract Item No. 51.61F000 OUTFALL."
- (3) Refer to the Bid and Contract Documents, VOLUME 3 OF 3, ADDENDUM NO. 2, NOTICE TO BIDDER, note (18);

 Change the text "Section 5.28" (located on the fourth line) to read "Section 70.71".
- (4) Refer to the Bid and Contract Documents, VOLUME 3 OF 3, ADDENDUM NO. 2, Article No. 7, Subsection (E) Specific Pavement Restoration Provisions, note (3).

 Add the following limits for the permanent restoration of trench widths and cutbacks only:

Flatlands Avenue between East 98th Street and East 99th Street; Conklin Avenue between East 99th Street to East 100th Street.

- (5) Refer to the Bid and Contract Documents, VOLUME 3 OF 3, ADDENDUM NO. 2, Executive Summary, Page 3; Delete page 3 in its entirety; Substitute with the attached revised page 3R. (Note: The second to last paragraph on page 3R is modified)
- (6) See attached list of QUESTIONS SUBMITTED BY BIDDERS AND RESPONSES PROVIDED BY DDC for additional information.

By signing in the space provided below, the bidder acknowledges receipt of the two (2) pages of this Addendum plus fifty (50) pages of attachments.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BIDS.

GURDIP SAINI, P.E.

Associate Commissioner/Design I

QUESTIONS SUBMITTED BY BIDDERS AND RESPONSES PROVIDED BY DDC

QUESTION NO. 1: What is the pavement restoration plan (as per Addendum #2) for two blocks within our work area on Flatlands Avenue between East 98th Street to East 99th Street and Conklin Avenue between East 99th Street to East 100th Street?

ANSWER NO. 1: See Article No. 4 of this Addendum.

QUESTION NO. 2: NYCDDC Executive Summary, pg. 3, paragraph states vibration control needed during asphalt cutting/removal and pavement work. Will vibration controls be needed for such tasks?

ANSWER NO. 2: See Article No. 5 of this Addendum.

QUESTION NO. 3: A discrepancy has been found on Sheet 4 of 51 in regards to the Outfall Structure construction. Payment limit are unclear to what is to be included part of the Outfall structure, please clarify?

ANSWER NO. 3: The payment limits for the outfall include the grouted stone pavements and the 18" headwall. In addition to the aforementioned items, the bidder is advised to see Article No. 2 of this Addendum.

QUESTION NO. 4: Reference is made to Sheet 29 of the Contract Drawings. The details to the poured-in-place Box Sewer on piles shows 6" of additional concrete and rebar that should be paid as Bid Items 73.21AC and 73.51AS.

Reference is made to Sheet 30 of the Contract Drawings. The details of the pile cap to the Precast Box Sewer shows 6" of additional concrete and the bottom reinforcing steel over the piles that should be paid as Bid Items 73.21AC and 73.51AS. How is the remaining 15" thickness of concrete of the pile cap and the rebar and stirrups above the typical pile reinforcement paid?

ANSWER NO. 4: The cost of work for the additional 15" or 12" thickness of concrete and the rebar and stirrups shall be deemed included in the price bid for the Precast Box Sewer.

QUESTION NO. 5: Regarding Item (25) on Page A2-5:

Should the first sentence read "payment shall be made for pile cap, decking...." Instead of "payment shall be made for piles cap, decking..."

ANSWER NO. 5: See Article No. 2 of this Addendum.

QUESTION NO. 6: Are all Timber and CFA Piles to be paid under Bid Items 70.11TT, 70.12AN and 70.12AT, no matter their location?

ANSWER NO. 6: Timber Piles and CFA Piles will be paid under Item Nos. 70.11TT and 70.12AN respectively regardless of location. The CFA Piles load test will be paid under Item No. 70.12AT.

QUESTION NO. 7: Note 3 on Sheets 6 and 7 states that over-excavation up to 5' is to be paid in respective bid items. Item (18) on Page A2-4 states that over-excavation and replacement with ballast will be paid under Bid Items 73.31AEO and 70.71SB respectively. Please clarify this discrepancy.

ANSWER NO. 7: Over excavation and replacement with stone ballast will be paid under Item Nos. 73.31AEO and 70.71SB respectively.

QUESTION NO. 8: Please review the following bid quantities which vary from those shown on plans by more than 25%:

- a. 50.31CC15 Plan quantity is under bid quantity.
- b. 50.31CC18 Plan quantity is well over bid quantity.

ANSWER NO. 8: See attached revised bid sheets.

QUESTION NO.9: Chamber 1 discharges from a 13' x 4' box culvert out into a 9'-6" x 5' Box culvert, is this information accurate based on Sheet 5 of 51?

ANSWER NO. 9: This information is accurate.

QUESTION NO. 10: There seem to be 2 similar bid items identifying Standard 4' Precast MH (Sequence No. 59 & 63)? Is this a typo?

ANSWER NO. 10: See attached revised bid sheets.

CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

ADDENDA CONTROL SHEET

BID OP	ENING DATE: JULY 16, 2015
PROJE	CT NO.: <u>SE851</u>
TITLE:	CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN
	FRESH CREEK AREA PHASE 1A

	N. OF BRANCISCO	DATE
ADDENDA ISSUED	No. OF DRAWINGS	DATE
#1: Amendments to Standard Highway Specs.		02/24/2014
#2: Sewer and Water Main Specifications		03/18/2015
#3: Gas Cost Sharing (EP-7) Std. Specifications		03/26/2015
		03/06/2015
#4: To CET Specifications		
#5: Hazmat Specifications		03/26/2015
#6: Best Management Practice (BMP) Specifications		03/26/2015
#7: Additional Amendments		06/19/2015
#8: Additional Amendments		06/26/2015
#9: Additional Amendments	1	07/07/2015
	·	

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 107TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET BETWEEN FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 1^{SD} STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 1^{SD} STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto

BOR	OUGH	OF	BRO	OKL	YN

ADDENDUM NO. 9	
DATED: July 7, 2015	

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was poriginally included therein.

- (1) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page A-1, Attachment 1 Bid Information; Change the dates shown for Submission of Bids To: and for Bid Opening: from "July 9, 2015" to read "July 16, 2015."
- (2) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page 13, Schedule B MWBE; Change the dates shown for Bid/Proposal Response Date: from "July 9, 2015" to read "July 16, 2015."
- (3) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, BID SCHEDULE, page B-23, Item No. 6.85A, Sequence No. 115, Column 5 UNIT PRICE (IN FIGURES) and Column 6 EXTENDED AMOUNT (IN FIGURES);

 Change the value of \$760,296.52 to read \$760,295.52.
- (4) Refer to the Contract Drawings, sheet 8 of 51;

 Delete sheet 8 of 51 in its entirety;

 Substitute with attached revised sheet 8R of 51.

By signing in the space provided below, the bidder acknowledges receipt of the two (2) pages of this Addendum plus one (1) sheet of contract drawing.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BIDS.

GURDIP SAINI, P.E.

Associate Commissioner/Design I

•

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK **DEPARTMENT OF DESIGN AND CONSTRUCTION** INFRASTRUCTURE DIVISION **BUREAU OF DESIGN**

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J: EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN **CONKLIN AVENUE AND GLENWOOD ROAD**

Together With All Work Incidental Thereto

BOROUGH OF BROOKLYN

ADDENDUM NO. 10

DATED: July 14, 2015

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was originally included therein.

- (1) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page A-1, Attachment 1 Bid Information; Change the dates shown for Submission of Bids To: and for Bid Opening: from "July 16, 2015" (as amended by ADDENDUM NO. 9) to read "July 23, 2015."
- (2) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page 13, Schedule B MWBE; Change the dates shown for Bid/Proposal Response Date: from "July 16, 2015" (as amended by ADDENDUM NO. 9) to read "July 23, 2015."

By signing in the space provided below, the bidder acknowledges receipt of the one (1) page of this Addendum.

> THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BIDS.

Associate Commissioner/Design I

Name of Bidder

By: M. Mall

A10-1

Fax: 718-391-2615

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J: EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103TO STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J: EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100[™] STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99[™] STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 18T STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work incidental Thereto

BOROUGH OF BROOKLYN

ADDENDUM NO. 11
DATED: July 20, 2015

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was originally included therein.

(1) Refer to the Bid and Contract Documents, VOLUME 3 OF 3, ADDENDUM NO. 2, OCMC TRAFFIC STIPULATIONS dated 11/17/2014, pages 1 of 9 to 9 of 9;

Delete all pages in their entirety;

Substitute with attached revised OCMC TRAFFIC STIPULATIONS dated 7/15/2015, pages 1R of 10R to 10R of 10R.

By signing in the space provided below, the bidder acknowledges receipt of the one (1) page of this Addendum plus ten (10) pages of attachments.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BIDS.

GURDIP SAINI, P.E.

Associate Commissioner/Design I

domo-Cap Construction Inc

A11-1



INFRASTRUCTURE DIVISION BUREAU OF DESIGN

VOLUME 1 OF 3

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J: EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto
BOROUGH OF BROOKLYN
CITY OF NEW YORK

	 Contractor
Dated	



THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

30-30 THOMSON AVENUE LONG ISLAND CITY, NEW YORK 11101-3045 TELEPHONE (718) 391-1000 WEBSITE www.nyc.gov/buildnyc

VOLUME 2 OF 3

INFORMATION FOR BIDDERS CONTRACT PERFORMANCE AND PAYMENT BONDS PREVAILING WAGE SCHEDULE

FOR FURNISHING ALL LABOR AND MATERIALS NECESSARY AND REQUIRED FOR:

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto
BOROUGH OF BROOKLYN
CITY OF NEW YORK

FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION PREPARED BY IN-HOUSE DESIGN

March 26, 2015





THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

30-30 THOMSON AVENUE LONG ISLAND CITY, NEW YORK 11101-3045 TELEPHONE (718) 391-1000 WEBSITE www.nyc.gov/buildnyc

VOLUME 2 OF 3

INFORMATION FOR BIDDERS CONTRACT PERFORMANCE AND PAYMENT BONDS PREVAILING WAGE SCHEDULE

FOR FURNISHING ALL LABOR AND MATERIALS NECESSARY AND REQUIRED FOR:



FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION PREPARED BY IN-HOUSE DESIGN

March 26, 2015

NOTICE TO BIDDERS

Please be advised that the City of New York has issued a new Standard Construction Contract. The new Contract, which is incorporated in this bid, is significantly different from the 2008 version previously used by the City. A listing of some of the significant changes is provided below. This notice is only a partial listing. Please refer to the Contract itself for a full understanding of the changes and the actual text of the changes that were made. The text of the revised Standard Construction Contract is the controlling document should there be any discrepancies between this notice and the Standard Construction Contract.

Significant changes include the following:

ARTICLE 11 DAMAGES CAUSED BY DELAYS

In 2008, the City embarked on a pilot project to test the use of new construction contract language altering the allocation of the risk of project delays, as between the City and the contractor. The City has determined to make the pilot project language the standard language for all City construction contracts. Accordingly, there is now one Standard City Construction Contract that it to be used by all agencies for all bids released after the release of the new contract. The damages for delay language is Article 11. Please note that changes have been made to the damages for delay provisions from the pilot to the adopted version.

ARTICLE 22 INSURANCE

Changes have been made to the insurance provisions, including incorporating requirements that the insurance provided comply with recent NYC Department of Buildings regulations specifying required dollar limits for CGL insurance for certain projects and requiring proof of builder's risk insurance prior to Work commencing rather than within 10 days of award.

ARTICLE 26 EXTRA WORK

The percentage paid for overhead for Extra Work pursuant to Section 26.1.11 is increased from 10% to 12% and the calculation of Worker's Compensation insurance costs reimbursed for Extra Work has been clarified.

ARTICLE 37

LABOR LAW REQUIREMENTS

ARTICLE 38

PAYROLL REPORTS

The provisions governing Labor Law provisions have been tightened, including requirements the employee identification cards include a photo (unless the requirement is waived), a prohibition on cash payments to employees and subcontractors, and clear enforcement authority requirements.

ARTICLE 70 ELECTRONIC FILING

A provision is added to make mandatory the electronic filing of certain alteration permits with the Department of Buildings.

Other significant changes include the following:

ARTICLE 7 INDEMNIFICATION

Changes have been made to the indemnification provisions.

ARTICLE14

FINAL ACCEPTANCE OF WORK

ARTICLE 44

SUBSTANTIAL COMPLETION PAYMENT

The Commissioner is no longer required to issue a substantial completion determination in addition to the already existing requirement that the Engineer issue a substantial completion determination and reach an agreement on a punch list of remaining work. Now, the Engineer, when issuing the punch list to the Contractor, must also include a proposed schedule for the completion of the punch list. The Contractor may propose an alternative schedule that is subject to the approval of the Engineer. If the Contractor fails to respond to the Engineer's proposed schedule, the Engineer's schedule is deemed accepted.

ARTICLE 15 LIQUIDATED DAMAGES

The contract is revised to match Schedule A to provide that liquidated damages are available only until substantial completion.

ARTICLE 17 SUBCONTRACTS

The requirements for prior approval of subcontractors, and for contractors to be responsible for the actions of their subcontractors, have been tightened. The requirement that the Contractor list subcontractors in the City's Payee Information Portal has been added; the provision was previously attached as a rider.

ARTICLE 19 SECURITY DEPOSIT

The provisions governing the return of bid deposits are clarified.

ARTICLE 20 PAYMENT GUARANTEE

The Payment Guaranty provisions, which apply when the City does not require the Contractor to obtain payment bonds, has been significantly revised to track the requirements of State Finance law 137.

ARTICLE 28 RECORDKEEPING FOR EXTRA OR DISPUTED WORK

The recordkeeping requirement that currently apply to payments for Time & Materials for extra work are expressly made applicable to regular work that is paid for on a T & M basis.

ARTICLE 35 EMPLOYEES

The whistleblower provisions of local law are added to the construction contract. They previously have been attached as a rider.

ARTICLE 38 PAYROLL REPORTS ARTICLE 77 RECORDS RETENTION

Requirements that records be maintained for six years and directions on how such records must be made available.

ARTICLE 42 PARTIAL PAYMENTS

Increased flexibility has been provided for when contractors may submit invoices.

ARTICLE 62 TAX EXEMPTION

The provisions identifying the State tax exemption for municipalities are revised to more clearly describe State law.

(NO TEXT ON THIS PAGE)

CITY OF NEW YORK

DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURES

INFORMATION FOR BIDDERS

SEPTEMBER 2008

(NO TEXT ON THIS PAGE)

CITY OF NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION INFORMATION FOR BIDDERS

TABLE OF CONTENTS

SECTION 1.	DESCRIPTION AND LOCATION OF WORK]
SECTION 2.	TIME AND PLACE FOR RECEIPT OF BIDS	1
SECTION 3.	DEFINITIONS	1
SECTION 4.	INVITATION FOR BIDS AND CONTRACT DOCUMENTS	1
SECTION 5.	PRE-BID CONFERENCE	2
SECTION 6.	AGENCY CONTACT	2
SECTION 7.	BIDDER'S OATH	2
SECTION 8.	EXAMINATION AND VIEWING OF SITE,	
	CONSIDERATION OF OTHER SOURCES OF INFORMATION	
	AND CHANGED CONDITIONS	2
SECTION 9.	EXAMINATION OF PROPOSED CONTRACT	. 3
SECTION 10.	FORM OF BID	3
SECTION 11.	IRREVOCABILITY OF BID	3
SECTION 12.	ACKNOWLEDGMENT OF AMENDMENTS	4
SECTION 13.	BID SAMPLES AND DESCRIPTIVE LITERATURE	4
SECTION 14.	PROPRIETARY INFORMATION/TRADE SECRETS	4
SECTION 15.	PRE-OPENING MODIFICATION OR WITHDRAWAL OF BIDS	4
SECTION 16.	BID EVALUATION AND AWARD	4
SECTION 17.	LATE BIDS, LATE WITHDRAWALS AND LATE MODIFICATIONS	5
SECTION 18.	WITHDRAWAL OF BIDS.	5
SECTION 19.	MISTAKE IN BIDS	5
SECTION 20.	LOW TIE BIDS	ϵ
SECTION 21.	REJECTION OF BIDS	ϵ
SECTION 22.	RIGHT TO APPEAL DETERMINATIONS OF	
	NON-RESPONSIVENESS OR NON-RESPONSIBILITY AND	
	RIGHT TO PROTEST SOLICITATIONS AND AWARD	7
SECTION 23.	AFFIRMATIVE ACTION AND EQUAL	
	EMPLOYMENT OPPORTUNITY	7
SECTION 24.	VENDEX QUESTIONNAIRES	7
SECTION 25.	COMPLAINTS ABOUT THE BID PROCESS	8
SECTION 26.	BID, PERFORMANCE AND PAYMENT SECURITY	8
SECTION 27.	FAILURE TO EXECUTE CONTRACT	9
SECTION 28.	BIDDER RESPONSIBILITIES AND QUALIFICATIONS	ç
SECTION 29.	EMPLOYMENT REPORT	10
SECTION 30.	LABOR LAW REQUIREMENTS	10
SECTION 31.	INSURANCE	10
SECTION 32.	LUMP SUM CONTRACTS	11
SECTION 33.	UNIT PRICE CONTRACTS	11
SECTION 34.	EXCISE TAX	11
SECTION 35.	LICENSES AND PERMITS	11
SECTION 36.	MULTIPLE PRIME CONTRACTORS	11
SECTION 37.	LOCALLY BASED ENTERPRISE REQUIREMENTS (LBE)	12
SECTION 38.	BID SUBMISSION REQUIREMENTS	13
SECTION 39.	COMPTROLLER'SCERTIFICATE	14
SECTION 40.	PROCUREMENT POLICY BOARD RULES	14
SECTION 41.	DDC SAFETY REQUIREMENTS	14

i

(NO TEXT ON THIS PAGE)

INFORMATION FOR BIDDERS

1. <u>Description and Location of Work</u>

The description and location of the work for which bids are requested are specified in Attachment 1, "Bid Information". Attachment 1 is included as page A-l of the Bid Booklet.

2. Time and Place for Receipt of Bids

Sealed bids shall be received on or before the date and hour specified in Attachment 1, at which time they will be publicly opened and read aloud in the presence of the Commissioner or his or her representative, and any bidders who may desire to be present.

3. Definitions

The definitions set forth in the Procurement Policy Board Rules shall apply to this Invitation For Bids.

4. <u>Invitation For Bids and Contract Documents</u>

- (A) Except for titles, sub-titles, headings, running headlines, tables of contents and indices (all of which are printed herein merely for convenience) the following, except for such portions thereof as may be specifically excluded, shall be deemed to be part of the Contract and the Invitation for Bids.
 - (1) All provisions required by law to be inserted in this Contract, whether actually inserted or not
 - (2) The Contract Drawings and Specifications
 - (3) The General Conditions, the General Requirements and the Special Conditions, if any
 - (4) The Contract
 - (5) The Information for Bidders; Request for Proposals; Notice of Solicitation and Proposal For Bids; Bid or Proposal, and, if used, the Bid Booklet
 - (6) The Budget Director's Certificate; all Addenda issued prior to the receipt of the bids; the Notice of Award; Performance and Payment Bonds, if required; and the Notice to Proceed with the Work.
- (B) For particulars as to this procurement, including quantity and quality of the purchase, extent of the work or labor to be performed, delivery and performance schedule, and any other special instructions, prospective bidders are referred to the Invitation For Bids Documents. A copy of such documents can be obtained at the location set forth in Attachment 1.
- (C) <u>Deposit for Copy of Invitation For Bids Documents</u>: Prospective bidders may obtain a copy of the Invitation For Bids Documents by complying with the conditions set forth in the Notice of Solicitation. The deposit must be in the form of a check or money order made payable to the City of New York, and drawn upon a state or national bank or trust company, or a check of such bank or trust company signed by a duly authorized officer thereof.
- (D) Return of Invitation For Bids Documents: All Invitation For Bids Documents must be returned to the Department upon request. If the bidder elects not to submit a bid thereunder, the

Invitation For Bids Documents shall be returned to the Department, along with a statement that no bid will be submitted.

- (E) <u>Return of Deposit</u>: Such deposit will be returned within 30 days after the award of the contract or the rejection of all bids as set forth in the advertisement, provided the Invitation For Bids Documents are returned to the location specified in Attachment 1, in physical condition satisfactory to the Commissioner.
- (F) <u>Additional Copies</u>: Additional copies of the Invitation For Bids Documents may be obtained, subject to the conditions set forth in the advertisement for bids.

5. Pre-Bid Conference

A pre-bid conference shall be held as set forth in Attachment 1. Nothing stated at the pre-bid conference shall change the terms or conditions of the Invitation For Bids Documents, unless a change is made by written amendment as provided in Section 9 below. Failure to attend a mandatory pre-bid conference shall constitute grounds for the rejection of the bid.

6. Agency Contact

Any questions or correspondence relating to this bid solicitation shall be addressed to the Agency Contact person specified in Attachment 1.

7. <u>Bidder's Oath</u>

- (A) The bid-shall be properly signed by an authorized representative of the bidder and the bid shall be verified by the written oath of the authorized representative who signed the bid, that the several matters stated and information furnished therein are in all aspects true.
- (B) A materially false statement willfully or fraudulently made in connection with the bid or any of the forms completed and submitted with the bid may result in the termination of any Contract between the City and the Bidder. As a result, the Bidder may be barred from participating in future City contracts as well as be subject to possible criminal prosecution.

8. Examination and Viewing of Site, Consideration of Other Sources of Information and Changed Conditions

- (A) Pre-Bidding (Investigation) Viewing of Site -Bidders must carefully view and examine the site of the proposed work, as well as its adjacent area, and seek other usual sources of information, for they will be conclusively presumed to have full knowledge of any and all conditions on, about or above the site relating to or affecting in any way the performance of the work to be done under the Contract which were or should have been indicated to a reasonably prudent bidder. To arrange a date for visiting the work site, bidders are to contact the Agency Contact person specified in Attachment 1.
- (B) Should the contractor encounter during the progress of the work subsurface conditions at the site materially differing from any shown on the Contract Drawings or indicated in the Specifications or such subsurface conditions as could not reasonably have been anticipated by the contractor and were not anticipated by the City, which conditions will materially affect the cost of the work to be done under the

2

Contract, the attention of the Commissioner must be called immediately to such conditions before they are disturbed. The Commissioner shall thereupon promptly investigate the conditions. If he finds that they do so materially differ, or that they could not have been reasonably anticipated by the contractor and were not anticipated by the City, the Contract may be modified with his written approval.

9. <u>Examination of Proposed Contract</u>

- (A) Request for Interpretation or Correction: Prospective bidders must examine the Contract Documents carefully and before bidding must request the Commissioner in writing for an interpretation or correction of every patent ambiguity, inconsistency or error therein which should have been discovered by a reasonably prudent bidder. Such interpretation or correction, as well as any additional contract provisions the Commissioner may decide to include, will be issued in writing by the Commissioner as an addendum to the Contract, which will be transmitted to each person recorded as having received a copy of the Contract Documents from the Department. Transmission of such addendum will be by mail, e-mail, facsimile or hand delivery. Such addendum will also be posted at the place where the Contract Documents are available for the inspection of prospective bidders. Upon transmission as provided for herein, such addendum shall become a part of the Contract Documents, and binding on all bidders, whether or not actual notice of such addendum is shown.
- (B) Only Commissioner's Interpretation or Correction Binding: Only the written interpretation or correction so given by the Commissioner shall be binding, and prospective bidders are warned that no other officer, agent or employee of the City is authorized to give information concerning, or to explain or interpret, the Contract.
- (C) Documents given to a subcontractor for the purpose of soliciting the subcontractor's bid shall include either a copy of the bid cover sheet or a separate information sheet setting forth the project name, the Contract number (if available), the contracting agency and the Project's location.

10. Form of Bid

Each bid must be submitted upon the prescribed form and must contain: a) the name, residence and place of business of the person or persons making the same; b) the names of all persons interested therein, and if no other person is so interested, such fact must be distinctly stated; c) a statement to the effect that it is made without any connection with any other person making a bid for the same purpose and that it is in all respects fair and without collusion or fraud; d) a statement that no Council member or other officer or employee or person whose salary is payable in whole or part from the City Treasury is directly or indirectly interested therein or in the supplies, materials or equipment and work or labor to which it relates, or in any portion of the profits thereof; e) a statement that the bidder is not in arrears to the City or to any agency upon a debt or contract or taxes, and is not a defaulter as surety or otherwise upon any obligation to the City to any agency thereof, except as set forth in the bid.

THE BID SHALL BE TYPEWRITTEN OR WRITTEN LEGIBLY IN INK. THE BID SHALL BE SIGNED IN INK. ERASURES OR ALTERATIONS SHALL BE INITIALED BY THE SIGNER IN INK. FAILURE TO CONFORM TO THE REQUIREMENTS OF THIS SECTION 10 SHALL RESULT IN THE REJECTION OF THE BID.

11. <u>Irrevocability of Bid</u>

The prices set forth in the bid cannot be revoked and shall be effective until the award of the Contract, unless the bid is withdrawn as provided for in Sections 15 and 18 below.

12. Acknowledgment of Amendments

The receipt of any amendment to the Contract Documents shall be acknowledged by the bidder in its bid submission.

13. <u>Bid Samples and Descriptive Literature</u>

Bid samples and descriptive literature shall not be submitted by the bidder, unless expressly requested elsewhere in the Contract or Contract Documents. Any unsolicited bid samples or descriptive literature which are submitted shall not be examined or tested and shall not be deemed to vary any of the provisions of this Contract.

14. Proprietary Information/Trade Secrets

- (A) The bidder shall identify those portions of the bid which it deems to be confidential, proprietary information or trade secrets, and provide justification why such materials shall not be disclosed by the City. All such materials shall be clearly indicated by stamping the pages on which such information appears, at the top and bottom thereof with the word "Confidential". Such materials stamped "Confidential" must be easily separable from the non-confidential sections of the bid.
- (B) All such materials so indicated shall be reviewed by the Agency and any decision not to honor a request for confidentiality shall be communicated in writing to the bidder. For those bids which are unsuccessful, all such confidential materials shall be returned to the bidder. Prices, makes and model or catalog numbers of the items offered, deliveries, and terms of payment shall be publicly available after bid opening, regardless of any designation of confidentiality made by the bidder.

15. <u>Pre-Opening Modification or Withdrawal of Bids</u>

Bids may be modified or withdrawn by written notice received in the office designated in Attachment 1, before the time and date set for the bid opening. If a bid is withdrawn in accordance with this Section, the bid security, if any, shall be returned to the bidder.

16. Bid Evaluation and Award

In accordance with the New York City Charter, the Procurement Policy Board Rules and the terms and conditions of this Invitation For Bids, this Contract shall be awarded, if at all, to the responsible bidder whose bid meets the requirements and evaluation criteria set forth in the Invitation For Bids, and whose bid price is either the most favorable bid price or, if the Invitation For Bids so states, the most favorable evaluated bid price. A bid may not be evaluated for any requirement or criterion that is not disclosed in the Invitation For Bids.

Restriction: No negotiations with any bidder shall be allowed to take place except under the circumstances and in the manner set forth in Section 21. Nothing in this Section shall be deemed to permit a contract award to a bidder submitting a higher quality item than that designated in the Invitation For Bids, if that bid is not also the most favorable bid.

4

17. Late Bids, Late Withdrawals and Late Modifications

Any bid received at the place designated in the solicitation after the time and date set for receipt of bids is late and shall not be considered. Any request for withdrawal or modification received at the place designated in the solicitation after the time and date set for receipt of bids is late and shall not be considered. The exception to this provision is that a late modification of a successful bid that makes the bid terms more favorable to the City shall be considered at any time it is received.

18. Withdrawal of Bids.

Except as provided for in Section 15, above, a bidder may not withdraw its bid before the expiration of forty-five (45) days after the date of the opening of bids; thereafter, a bidder may withdraw its bid only in writing and in advance of an actual award. If within sixty (60) days after the execution of the Contract, the Commissioner fails to fix the date for commencement of work by written notice to the bidder, the bidder, at his option, may ask to be relieved of his obligation to perform the work called for by written notice to the Commissioner. If such notice is given to the Commissioner, and the request to withdraw is granted, the bidder waives all claims in connection with this Contract.

19. Mistake in Bids

Mistake Discovered Before Bid Opening: A bidder may correct mistakes discovered before the time and date set for bid opening by withdrawing or correcting the bid as provided in Section 15 above.

(B) Mistakes Discovered Before Award

- In accordance with General Municipal Law (Section 103, subdivision 11), where a (1) unilateral error or mistake is discovered in a bid, such bid may be withdrawn upon written approval of the Agency Chief Contracting Officer if the following conditions are met:
 - The mistake is known or made known to the agency prior to the awarding of the Contract (a) or within 3 days after the opening of the bid, whichever period is shorter; and The price bid was based upon an error of such magnitude that enforcement would be (b)

unconscionable; and

- The bid was submitted in good faith and the bidder submits credible evidence that the (c) mistake was a clerical error as opposed to a judgment error; and
- The error in the bid is actually due to an unintentional and substantial arithmetic error or (d) an unintentional omission of a substantial quantity of work, labor, material or services made directly in the compilation of the bid, which unintentional arithmetic error or unintentional omission can be clearly shown by objective evidence drawn from inspection of the original work paper, documents, or materials used in the preparation of the bid sought to be withdrawn; and
- It is possible to place the agency in the same position as existed prior to the bid. (e)
- Unless otherwise required by law, the sole remedy for a bid mistake in accordance with this Article shall be withdrawal of the bid, and the return of the bid bond, or other security, if any, to the bidder. Thereafter, the agency may, in its discretion, award the Contract to the next lowest bidder or rebid the Contract. Any amendment to or reformation of a bid or a Contract to rectify such an error or mistake

therein is strictly prohibited.

If the mistake and the intended correct bid are clearly evident on the face of the bid document, the bid shall be corrected to the intended correct bid and may not be withdrawn. Examples of mistakes that may be corrected are typographical errors, errors in extending unit prices, transposition errors and arithmetical errors.

Low Tie Bids 20.

- When two or more low responsive bids from responsible bidders are identical in price, (A) meeting all the requirements and criteria set forth in the Invitation For Bids, the Agency Chief Contracting Officer will break the tie in the following manner and order of priority:
 - Award to a certified New York City small, minority or woman-owned business entity (1) bidder;
 - Award to a New York City bidder; (2)
 - Award to a certified New York State small, minority or woman-owned business bidder; (3)
 - Award to a New York State bidder. (4)
- If two or more bidders still remain equally eligible after application of paragraph (A) above, award shall be made by a drawing by lot limited to those bidders. The bidders involved shall be invited to attend the drawing. A witness shall be present to verify the drawing and shall certify the results on the bid tabulation sheet.

Rejection of Bids 21.

- Rejection of Individual Bids: The Agency may reject a bid if: (A)
- The bidder fails to furnish any of the information required pursuant to Section 24 or 28 (1) hereof; or if
- The bidder is determined to be not responsible pursuant to the Procurement Policy Board (2) Rules; or if
- The bid is determined to be non-responsive pursuant to the Procurement Policy Board (3) Rules: or if
- The bid, in the opinion of the Agency Chief Contracting Officer, contains unbalanced bid (4) prices and is thus non-responsive, unless the bidder can show that the prices are not unbalanced for the probable required quantity of items, or if the imbalance is corrected pursuant to Section 15.
- The Agency, upon written approval by the Agency Chief Rejection of All Bids: Contracting Officer, may reject all bids and may elect to resolicit bids if in its sole opinion it shall deem it in the best interest of the City so to do.
- Rejection of All Bids and Negotiation With All Responsible Bidders: The Head may determine that it is appropriate to cancel the Invitation For Bids after bid opening and before award and to complete the acquisition by negotiation. This determination shall be based on one of the following reasons:

- (1) All otherwise acceptable bids received are at unreasonable prices, or only one bid is received and the Agency Chief Contracting Officer cannot determine the reasonableness of the bid price, or no responsive bid has been received from a responsible bidder; or
- In the judgment of the Agency Chief Contracting Officer, the bids were not independently arrived at in open competition, were collusive, or were submitted in bad faith.
- (D) When the Agency has determined that the Invitation for Bids is to be canceled and that use of negotiation is appropriate to complete the acquisition, the contracting officer may negotiate and award the Contract without issuing a new solicitation, subject to the following conditions:
 - prior notice of the intention to negotiate and a reasonable opportunity to negotiate have been given by the contracting officer to each responsible bidder that submitted a bid in response to the Invitation for Bids;
 - (2) the negotiated price is the lowest negotiated price offered by a responsible bidder; and
 - the negotiated price is lower than the lowest rejected bid price of a responsible bidder that submitted a bid in response to the Invitation for Bids.

22. Right to Appeal Determinations of Non-Responsiveness or Non-Responsibility and Right to Protest Solicitations and Award

The bidder has the right to appeal a determination of non-responsiveness or non-responsibility and has the right to protest a solicitation and award. For further information concerning these rights, the bidder is directed to the Procurement Policy Board Rules.

23. Affirmative Action and Equal Employment Opportunity

This Invitation For Bids is subject to applicable provisions of Federal, State and Local Laws and executive orders requiring affirmative action and equal employment opportunity.

24. <u>VENDEX Questionnaires</u>

- (A) Requirement: Pursuant to Administrative Code Section 6-116.2 and the PPB Rules, bidders may be obligated to complete and submit VENDEX Questionnaires. Generally, if this bid is \$100,000 or more, or if this bid when added to the sum total of all contracts, concessions and franchises the bidder has received from the City and any subcontracts received from City contractors over the past twelve months, equals or exceeds \$100,000, Vendex Questionnaires must be completed. If required, Vendex Questionnaires must be completed and submitted before any award of contract may be made or before approval is given for a proposed subcontractor. Non-compliance with these submission requirements may result in the disqualification of the bid, disapproval of a subcontractor, subsequent withdrawal of approval for the use of an approved subcontractor, or the cancellation of the contract after its award.
- (B) <u>Submission</u>: Vendex Questionnaires must be submitted directly to the Mayor's Office of Contract Services, ATTN: Vendex, 253 Broadway, 9th Floor, New York, New York 10007. In addition, the bidder must submit a Confirmation of Vendex Compliance to the agency. A form for this confirmation is set forth in the Bid Booklet.
- (C) Obtaining Forms: Vendex Questionnaires, as well as detailed instructions, may be obtained at www.nyc.gov/vendex. The bidder may also obtain Vendex forms and instructions by contacting the

Agency Chief Contracting Office or the contract person for this contract.

25. Complaints About the Bid Process

The New York City Comptroller is charged with the audit of contracts in New York City. Any vendor who believes that there has been unfairness, favoritism or impropriety in the bid process should inform the Comptroller, Office of Contract Administration, One Centre Street, Room 835, New York, New York; telephone number (212)669-2797.

26. Bid, Performance and Payment Security

- (A) Bid Security: Each bid must be accompanied by bid security in an amount and type specified in Attachment 1 (page A-1 of the Bid Booklet). The bid security shall assure the City of New York of the adherence of the bidder to its proposal, the execution of the Contract, and the furnishing of Performance and Payment Bonds by the bidder, if required in Attachment 1. Bid security shall be returned to the bidder as follows:
 - (1) Within ten (10) days after the bid opening, the Comptroller will be notified to return the deposits of all but the three (3) lowest bidders. Within five (5) days after the award, the Comptroller will be notified to return the deposits of the remaining two unsuccessful bidders.
 - Within five (5) days after the execution of the Contract and acceptance of the Contractor's bonds, the Comptroller will be notified to return the bid security of the successful bidder or, if performance and payment bonds are not required, only after the sum retained under Article 21 of the Contract equals the amount of the bid security.
 - Where all bids are rejected, the Comptroller will be notified to return the deposit of the three (3) lowest bidders at the time of rejection.
- (B) <u>Performance and Payment Security</u>: Performance and Payment Security must be provided in an amount and type specified in Attachment 1 (page A-l of the Bid Booklet). The performance and payment security shall be delivered by the contractor prior to or at the time of execution of the Contract. If a contractor fails to deliver the required performance and payment security, its bid security shall be enforced, and an award of Contract may be made to the next lowest responsible and responsive bidder, or the contract may be rebid.
- (C) <u>Acceptable Types of Security</u>: Acceptable types of security for bids, performance, and payment shall be limited to the following:
 - (1) a one-time bond in a form satisfactory to the City;
 - (2) a bank certified check or money order;
 - (3) obligations of the City of New York; or
 - other financial instruments as determined by the Office of Construction in consultation with the Comptroller.

Whenever the successful bidder deposits obligations of the City of New York as performance and payment security, the Comptroller may sell and use the proceeds thereof for any purpose for which the principal or surety on such bond would be liable under the terms of the Contract. If the money is deposited with the Comptroller, the successful bidder shall not be entitled to receive interest on such money from the City.

(D) Form of Bonds: Security provided in the form of bonds must be prepared on the form of bonds authorized by the City of New York. Forms for bid, performance, and payment bonds are included in the Invitation for Bids Documents. Such bonds must have as surety thereunder such surety company or companies as are: (I) approved by the City of New York; (2) authorized to do business in the State of New York, and (3) approved by the Department of the Treasury of the United States. Premiums for any required bonds must be included in the base bid.

The bidder is advised that submission of a bid bond where the surety on such bond fails to meet the criteria set forth herein, shall result in the rejection of the bid as non-responsive.

The Department of the Treasury of the United States advises that information concerning approved surety companies may be obtained as follows: (1) from the Government Printing Office at 202-512-1800; (2) through the Internet at http://www.fms.treas.gov/c570/index.html, and (3) through a computerized public bulletin board, which can be accessed by using your computer modern and dialing 202-874-6887.

(E) <u>Power of Attorney</u>: Attorneys in fact who sign bid, performance, or payment bonds must file with each bond a certified copy of their power of attorney to sign said bonds.

27. Failure to Execute Contract

In the event of failure of the successful bidder to execute the Contract and furnish the required security within ten (10) days after notice of the award of the Contract, the deposit of the successful bidder or so much thereof as shall be applicable to the amount of the award made shall be retained by the City, and the successful bidder shall be liable for and hereby agrees to pay on demand the difference between the price bid and the price for which such Contract shall be subsequently awarded, including the cost of any required reletting and less the amount of such deposit. No plea of mistake in such accepted bid shall be available to the bidder for the recovery of the deposit or as a defense to any action based upon such accepted bid. Further, should the bidder's failure to comply with this Section cause any funding agency, body or group (Federal, State, City, Public, Private, etc.) to terminate, cancel or reduce the funding on this project, the bidder in such event shall be liable also to the City for the amount of actual funding withdrawn by such agency on this project, less the amount of the forfeited deposit.

28. <u>Bidder Responsibilities and Qualifications</u>

- (A) Bidders must include with their bids all information necessary for a determination of bidder responsibility, as set forth in the Specifications.
- (B) The Agency may require any bidder or prospective bidder to furnish all books of account, records, vouchers, statements or other information concerning the bidder's financial status for examination as may be required by the Agency to ascertain the bidder's responsibility and capability to perform the Contract. If required, a bidder must also submit a sworn statement setting forth such information as the Agency may require concerning present and proposed plant and equipment, the personnel and qualifications of his working organizations, prior experience and performance record.
- (C) Oral Examination on Qualifications: In addition thereto, and when directed by the Agency, the bidder, or a responsible officer, agent or employee of the bidder, must submit to an oral examination to be conducted by the Agency in relation to his proposed tentative plan and schedule of

operations, and such other matters as the Agency may deem necessary in order to determine the bidder's ability and responsibility to perform the work in accordance with the Contract. Each person so examined must sign and verify a stenographic transcript of such examination noting thereon such corrections as such person may desire to make.

(D) If the bidder fails or refuses to supply any of the documents or information set forth in paragraph (B) hereof or fails to comply with any of the requirements thereof, the Agency may reject the bid.

29. Employment Report

In accordance with Executive Order No. 50 (1980) as modified by Executive Order 108 (1986), the filing of a completed Employment Report (ER) is a requirement of doing business with the City of New York for construction contractors with contracts of \$1,000,000 or more and subcontractors with construction subcontracts of \$750,000 or more. The required forms and information are included in the Bid Booklet.

30. <u>Labor Law Requirements</u>

- (A) <u>General</u>: The successful bidder will be required to comply strictly with all Federal, State and local labor laws and regulations.
- (B) New York State Labor Law: This Contract is subject to New York State Labor Law Section 220, which requires that construction workers on the site be paid prevailing wages and supplements. The Contractor is reminded that all wage provisions of this Contract will be enforced strictly and failure to comply will be considered when evaluating performance. Noncompliance may result in the contractor being debarred by the City from future contracts. Complaints filed with the Comptroller may result in decisions which may debar a contractor from bidding contracts with any state governmental entity and other political subdivisions.
- (C) <u>Records</u>: The Contractor is expected to submit accurate payroll reports and other required documents and verify attendance and job classifications being utilized in compliance with the law, Contract provisions and agency procedures.

31. Insurance

- (A) Bidders are advised that the insurance requirements contained herein are regarded as material terms of the Contract. As required by Article 22 of the Contract, the contractor must effect and maintain with companies licensed and authorized to do business in the State of New York, the types of insurance set forth therein, when required by and in the amounts set forth in Schedule A of the General Conditions. Such required insurance must be provided from the date the contractor is ordered to commence work and up to the date of final acceptance of all required work.
- (B) The contractor must, within ten days of receipt of the notice of award, submit the following insurance documentation: (a) original certificate of insurance for general liability in the amount required by Schedule A of the General Conditions, and (b) original certificates of insurance or other proof of coverage for workers' compensation and disability benefits, as required by Section 57 of the New York State Workers' Compensation Law and Section 220 of the Disability Benefits Law.

32. <u>Lump Sum Contracts</u>

- (A) <u>Comparison of Bids</u>: Bids on Lump Sum Contracts will be compared on the basis of the lump sum price bid, adjusted for alternate prices bid, if any.
- (B) Lump Sum Bids for "General Construction Work" which include excavation shall include all necessary excavation work defined in the Specifications as being included in the lump sum bid. The bidder shall also bid a unit price for the additional cost of excavating material which is defined in the Specifications as excavation for which additional payment will be made. The total estimated additional cost of removing such material will be taken as the quantity set forth in the Engineer's Estimate multiplied by the unit price bid. This total estimated cost of additional excavation shall be added to the lump sum bid for the General Construction Work for the purpose of comparing bids to determine the low bidder.
- (C) <u>Variations from Engineer's Estimate</u>: The Engineer's Estimate of the quantity of excavation for which additional payment will be made is approximate only and is given solely to be used as a uniform basis for the comparison of bids and such estimate is not to be considered as part of this contract. The quantities actually required to complete the contract work may be more or less than the quantities in the Engineer's Estimate and, if so, no action for damages or for loss of profits shall accrue to the contractor by reason thereof.

33. Unit Price Contracts

- (A) <u>Comparison of Bids</u>: Bids on Unit Price Contracts will be compared on the basis of a total estimated price, arrived at by taking the sum of the estimated quantities of such items, in accordance with the Engineer's Estimate of Quantities set forth in the Bid Schedule, multiplied by the corresponding unit prices, and including any lump sum bids on individual items.
- (B) <u>Variations from Engineer's Estimate</u>: Bidders are warned that the Engineer's Estimate of Quantities on the various items of work and materials is approximate only, given solely to be used as a uniform basis for the comparison of bids, and is not be considered part of this contract. The quantities actually required to complete the contract work may be less or more than so estimated, and if so, no action for damages or for loss of profits shall accrue to the contractor by reason thereof.
- (C) Overruns: The terms and conditions applicable to overruns of unit price items are set forth in Article 26 of the Contract.

34. Excise Tax

Bidders are referred to the Specifications for information on Federal Excise Tax exemptions.

35. Licenses and Permits

The successful bidder will be required to obtain all necessary licenses and permits necessary to perform the work.

11

36. <u>Multiple Prime Contractors</u>

If more than one prime contractor will be involved on this project, all contractors are required to examine the Invitation for Bid packages for all other parts of the project.

37. Locally Based Enterprise Requirements (LBE)

This Contract is subject to the requirements of Administrative Code, Section 6-108.1, and the regulations promulgated thereunder. No construction contract will be awarded unless and until these requirements have been complied with in their entirety. The bidder is advised of the provisions set forth below, as well as the provisions with respect to the Locally Based Enterprise Program contained in Article 67 of the Contract. The contractor is advised that:

- (A) If any portion of the Contract is subcontracted, not less than ten percent of the total dollar amount of the contract shall be awarded to locally based enterprises ("LBEs"); except, where less than ten percent of the total dollar amount of the Contract is subcontracted, such lesser percentage shall be so awarded.
 - (B) No contractor shall require performance and payment bonds from LBE subcontractors.
 - (C) No Contract shall be awarded unless the contractor first identifies in its bid:
 - (1) the percentage, dollar amount and type of work to be subcontracted; and
 - (2) the percentage, dollar amount and type of work to be subcontracted to LBEs.
- (D) Within ten calendar days after notification of low bid, the apparent low bidder shall submit an "LBE Participation Schedule" to the contracting agency. If such schedule does not identify sufficient LBE subcontractors to meet the requirements of Administrative Code Section 6-108.1, the apparent low bidder shall submit documentation of its good faith efforts to meet such requirements.
 - (1) The "LBE Participation Schedule" shall include:
 - (a) the name and address of each LBE that will be given a subcontract,
 - (b) the percentage, dollar amount and type of work to be subcontracted to the LBE, and
 - (c) the dates when the LBE subcontract work will commence and end.
 - (2) The following documents shall be attached to the "LBE Participation Schedule":
 - verification letters from each subcontractor listed in the "LBE Participation Schedule" stating that the LBE will enter into a formal agreement for work,
 - (b) certification documents of any proposed LBE subcontractor which is not on the LBE certified list, and
 - (c) copies of the certification letter of any proposed subcontractor which is an LBE.
 - (3) Documentation of good faith efforts to achieve the required LBE percentage shall include as appropriate but not limited to the following:
 - (a) attendance at prebid meetings, when scheduled by the agency, to advise bidders of contract requirements;

- (b) advertisement where appropriate in general circulation media, trade association publications and small business media of the specific subcontracts that would be at least equal to the percentage goal for LBE utilization specified by the contractor;
- (c) written notification to association of small, minority and women contractors soliciting specific subcontractors;
- (d) written notification by certified mail to LBE firms that their interest in the contract is solicited for specific work items and their estimated values;
- demonstration of efforts made to select portions of the work for performance by LBE firms in order to increase the likelihood of achieving the stated goal;
- (f) documented efforts to negotiate with LBE firms for specific subcontracts, including at a minimum:
 - (i) The names, address and telephone numbers of LBE firms that are contacted;
 - (ii) A description of the information provided to LBE firms regarding the plans and specifications for portions of the work to be performed;
 - (iii) Documentation showing that no reasonable price can be obtained from LBE firms;
 - (iv) A statement of why agreements with LBE firms were not reached;
- (g) a statement of the reason for rejecting any LBE firm which the contractor deemed to be unqualified; and
- (h) documentation of efforts made to assist the LBE firms contacted that needed assistance in obtaining required insurance.
- (E) Unless otherwise waived by the Commissioner with the approval of the Office of Economic and Financial Opportunity, failure of a proposed contractor to provide the information required by paragraphs (C) and (D) above may render the bid non-responsive and the Contract may not be awarded to the bidder. If the contractor states that it will subcontract a specific portion of the work, but can demonstrate despite good faith efforts it cannot achieve its required LBE percentage for subcontracted work until after award of Contract, the Contract may be awarded, subject to a letter of compliance from the contractor stating that it will comply with Administrative Code Section 6-108.1 and subject to approval by the Commissioner. If the contractor has not met its required LBE percentage prior to award, the contractor shall demonstrate that a good faith effort has been made subsequent to award to obtain LBEs on each subcontract until its meets the required percentage.
- (F) When a bidder indicates prior to award that no work will be subcontracted, no work may be subcontracted without the prior written approval of the Commissioner, which shall be granted only if the contractor in good faith seeks LBE subcontractors at least six weeks prior to the start of work.
- (G) The contractor may not substitute or change any LBE which was identified prior to award of the contract without the written permission of the Commissioner. The contractor shall make a written application to the Commissioner for permission to make such substitution or change, explaining why the contractor needs to change its LBE subcontractor and how the contractor will meet its LBE subcontracting requirement. Copies of such application must be served on the originally identified LBE by certified mail return receipt requested, as well as the proposed substitute LBE. The Commissioner shall determine whether or not to grant the contractor's request for substitution.

38. <u>Bid Submission Requirements</u>

The Bid Submission Requirements are set forth on page 2 of the Bid Booklet.

39. Comptroller's Certificate

This Contract shall not be binding or of any force unless it is registered by the Comptroller in accordance with Section 328 of the City Charter and the Procurement Policy Board Rules. This Contract shall continue in force only after annual appropriation of funds by the City of New York and certification as hereinabove set forth.

40. Procurement Policy Board Rules

This Invitation For Bids is subject to the Rules of the Procurement Policy Board of the City of New York. In the event of a conflict between said Rules and a provision of this Invitation For Bids, the Rules shall take precedence.

41. DDC Safety Requirements

The DDC Safety Requirements apply to the work to be performed pursuant to the Contract. The DDC Safety Requirements are set forth on the following pages.

14

CITY OF NEW YORK

DEPARTMENT OF DESIGN AND CONSTRUCTION

SAFETY REQUIREMENTS

THE DDC SAFETY REQUIREMENTS INCLUDE THE FOLLOWING SECTIONS: POLICY ON SITE SAFETY..... PURPOSE II. DEFINITIONS..... III. IV. RESPONSIBILITIES..... SAFETY QUESTIONNAIRE V. SAFETY PROGRAM AND SITE SAFETY PLAN VI. KICK-OFF/PRE-CONSTRUCTION MEETINGS AND SAFETY REVIEW VII. EVALUATION DURING WORK IN PROGRESS VIII.

SAFETY PERFORMANCE EVALUATION......

IX.

I. POLICY ON SITE SAFETY

The City of New York Department of Design and Construction (DDC) is committed to a policy of injury and illness prevention and risk management for construction work that will ensure the safety and health of the workers engaged in the projects and the protection of the general public. Therefore, it is DDC's policy that work carried out by Contractors on DDC jobsites must, at a minimum, comply with applicable federal, state and city laws, rules and regulations, including without limitation:

- □ U. S. Department of Labor 29 Code of Federal Regulations (CFR) Part 1926 and applicable Sub-parts of Part 1910 U.S. Occupational Safety and Health Administration (OSHA) including, but not limited to "Respiratory Protection" (29 CFR 1910.134), "Permit-Required Confined Spaces" (29 CFR 1910.146), and "Hazard Communication" (29 CFR 1910.1200);
- New York State Department of Labor Industrial Code Rule 23 Protection in Construction, Demolition and Excavation;
- □ New York City Construction Codes, Title 28
- □ NYC Department of Transportation Title 34 Chapter 2 Highway Rules
- □ New York State Department of Labor Industrial Code Rule 753
- □ NYC Local Law No. 113 (2005) Noise Control Code

In addition, all regulations promulgated by the NYC Department of Transportation, including requirements for Maintenance and Protection of Traffic (MPT), are applicable when contained in contract specifications. While MPT is a significant component of work in our Infrastructure Division, it does not supersede or exempt Contractors from complying with other applicable health and safety standards (for example, excavating and trenching standards, operation of heavy equipment and compliance with City environmental and noise regulations).

II. PURPOSE

The purpose of this policy is to ensure that Contractors perform their work and supervise their employees in accordance with all applicable federal, state and city rules and regulations. Further, Contractors will be expected to minimize or eliminate jobsite and public hazard, through a planning, inspection, auditing and corrective action process. The goal is to control risks so that injuries, illnesses and accidents to contractors' employees, DDC employees and the general public, as well as damage to city-owned and private property, are reduced to the lowest level feasible.

III. DEFINITIONS

Agency Chief Contracting Officer (ACCO): The ACCO shall mean the person delegated authority by the Commissioner to organize and supervise the procurement activity of subordinate Agency staff in conjunction with the CCPO.

Competent Person: As defined by OSHA, an individual who is capable of identifying existing and predictable hazards in the surroundings or working conditions that are unsanitary, hazardous, or dangerous to employees or the general public, and who has authorization to take prompt corrective measures to eliminate them.

Construction Safety Auditor: A representative of the QACS Construction Safety Unit who provides inspection and assessment services to enhance health and safety on all DDC construction projects. The activities of the Construction Safety Auditor include performing site surveys, reviewing health and safety plans, reviewing construction permits, and rendering technical advice and assistance to DDC Resident Engineers and Project Managers.

16

Construction Safety Unit: A part of QACS within the Division of Technical Support that assesses contractor safety on DDC jobsites and advises responsible parties of needed corrective actions.

Construction Superintendent: A representative of the contractor responsible for overseeing performance of the required construction work. This individual must engage in sound construction practices, and is responsible to maintain a safe work site. In the case of a project involving the demolition, alteration or new construction of buildings, the Construction Superintendent must be licensed by the NYC Department of Buildings.

Contractor: For purposes of these Safety Requirements, the term "Contractor" shall mean any person or entity that enters into a contract for the performance of construction work on a DDC project. The term "Contractor" shall include any person or entity which enters into any of the following types of contracts: (1) a prime construction contract for a specific project, (2) a prime construction contract using the Job Order Contracting System ("JOCS Contract"), and (3) a subcontract with a CM/Builder ("First Tier Subcontract").

Director - Quality Assurance and Construction Safety (QACS): Responsible for the operations of the QACS Construction Safety Unit and the DDC Site Safety management programs.

Job Hazard Assessment (JHA): A process of identifying site-specific hazards that may be present during construction and establishing the means and methods to reduce or eliminate those hazards.

Jobsite Safety Coordinator: A person designated by the Contractor to be onsite during all activities. This individual shall have received, at a minimum, the OSHA 10-hour construction safety program. Other examples of acceptable training are the 30-hour OSHA Safety and Health Standards for the Construction Industry training program (OSHA 510) or a degree/certificate in a safety and health from a college-level curriculum. This person does not necessarily have to be dedicated full-time to site safety, but must have sufficient experience and authority to undertake corrective action and must qualify to be a competent person. For certain projects, as defined in NYC Construction Codes – Title 28, this person may be required to have a Site Safety Manager's License issued by the NYC DOB.

Qualified Person: As defined by OSHA, an individual who, by possession of a recognized degree, certificate, license or professional standing, or who by extensive knowledge, training, and experience, has successfully demonstrated his or her ability to solve problems relating to the subject matter, the work, or the project. Qualified Persons are required under regulation to address issues pertaining, but without limit, to fall protection, scaffold design and trenching and shoring, among others.

Resident Engineer (RE) / Construction Project Manager (CPM): Representative of the Commissioner duly designated by the Commissioner to be his/her representative at the site of the work. (The RE/CPM may be a third-party consultant, including a CM, retained by DDC.)

Safety Program: Established by the Contractor that covers all operations of that Contractor and establishes the Contractor's overall safety policy, regulatory compliance plan and minimum safety standards. The Safety Program must be submitted prior to the commencement of work at the site and is subject to review and acceptance by the Construction Safety Unit.

Safety Questionnaire: Used by DDC to evaluate Contractor's current and past safety performance. It is required to be completed by all Contractors initially when submitting bids for Construction work, or when being pre-qualified and updated annually or as requested by the DDC.

Site Safety Plan: A site-specific safety plan developed by the Contractor for a specific project. The Site Safety Plan must identify hazards associated with the project, and include specific safety precautions and training appropriate and necessary to complete the work. The Site Safety Plan must be submitted prior to the commencement of work at the site and is subject to review and acceptance by the Construction Safety Unit.

17

Unsafe or Unhealthy Condition: A condition that could be potentially hazardous to the health and safety of personnel or the public, and/or damaging to equipment, machinery, property or the environment.

Weekly Safety Meetings: Weekly documented jobsite safety meetings, given to all jobsite personnel by contractor, with the purpose of discussing general safety topics and job specific requirements encountered at the DDC work site.

IV. RESPONSIBILITIES

All persons who manage, perform, and provide support for construction projects shall conduct operations in compliance with the requirements identified in this Policy and all applicable governing regulatory agency requirements and guidelines pertaining to safety in construction.

A. Resident Engineer / Construction Project Manager / Construction Manager

- Monitors the issuance of safety- related permits, approvals and drawings and maintains copies on site.
- Monitors construction-related work activities to confirm that they are conducted in accordance with DDC policies and all applicable regulations that pertain to construction safety.
- Maintains documentation and periodically attends weekly safety meeting.
- Notifies the Construction Safety Unit and the ACCO's Insurance and Risk Management Unit of project-related accidents and emergencies, as per DDC's Construction Safety Emergency Protocol.
- Gathers facts related to all accidents and prepares DDC Accident Reports.
- Notifies the Construction Safety Unit of outside regulatory agency inspections and forwards a copy of the inspection report within three days of its receipt.
- Monitors the conditions at the site for conformance with the Site Safety Plan and DDC construction documents.
- Notifies the contractor and DDC in the event that any condition or activity exists that is not in compliance with
 the Site Safety Plan, applicable federal, state or local codes or any condition that presents a potential risk of injury
 to the public or workers or possible damage to property.
- Notifies DDC of any emergency condition and directs the contractor to provide such labor, materials, equipment and supervision to abate such conditions.
- Reports gross safety violations to the Construction Safety Unit immediately.

B. Contractors

- Complete a Safety Questionnaire and submit with its bid or as part of a pre-qualification package.
- Provide a Written Job Hazard Assessment (JHA) that identifies expected safety issues of the work to be performed. JHA shall be included with the Site Safety Plan submitted by the contractor.
- Submit a Site Safety Plan and Safety Program within 15 days of issuance of the Notice to Proceed, or as otherwise directed. The Site Safety Plan and Safety Program are subject to review and acceptance by the Construction Safety Unit prior to the commencement of work at the site. The Site Safety Plan shall be revised and updated as necessary.
- Ensure that all employees are aware of the hazards associated with the project through formal and informal training and/or other communications. Conduct and document weekly safety meetings for the duration of the project. Documentation to be provided to the RE/CPM/CM on a monthly basis.
- Name a Construction Superintendent, if required.
- Name a Job Site Safety Coordinator. The Contractor will be required to identify the Job Site Safety Coordinator
 in the Site Safety Plan.
- Comply with all mandated federal, state and local safety and health rules and regulations.
- Comply with all provisions of the Site Safety Plan.
- As part of the Site Safety Plan, prepare a site specific MPT (if not otherwise provided in the contract documents) and comply with all of its provisions.

- Conduct and document site-specific safety orientation for Contractor personnel to review the hazards associated
 with the project as identified in the Site Safety Plan and the specific safety procedures and controls that will be
 used to protect workers, the general public and property. The Job Site Safety Coordinator will conduct this
 training prior to mobilization and provide documentation to the RE/CPM/CM.
- Provide, replace and adequately maintain at or around the project site, suitable and sufficient signage, lights, barricades and enclosures (fences, sidewalk sheds, netting, bracing, etc.).
- Report unsafe conditions or hazards to the DDC RE/CPM/CM as soon as practical, but no more than 24 hours after discovery, and take action to remove or abate such conditions.
- Report any accident involving injuries to workers or the general public, as well as property damage, to the DDC RE/CPM/CM within two (2) hours.
- Notify the DDC RE/CPM/CM within two (2) hours of the start of an inspection by any regulatory agency personnel, including OSHA.
- Maintain all records pertaining to all required compliance documents and accident and injury reports.
- Respond to DDC recommendations on safety, which shall in no way relieve the Contractor of its responsibilities for safety on the project. The Contractor has sole responsibility for safety.

V. SAFETY QUESTIONNAIRE

DDC requires that all Contractors provide information regarding their current and past safety and environmental performance and programs. This will be accomplished by the use of the DDC Safety Questionnaire. As a part of the bid submittal package, the contractor must submit a completed DDC Safety Questionnaire listing their workers' compensation experience modification rating and OSHA Incidence Rates for the three (3) years prior to the date of the bid opening. DDC may request a Contractor to update its Questionnaire at any time or to provide more detailed information. The Contractor must provide the requested update within 30 days.

The following criteria will be used by DDC in reviewing the Contractor's responsibility, which will be based on the information provided on the questionnaire:

- Criteria 1: OSHA Injury and Illness Rates (I&IR) are no greater than the average for the industry (based on the most current Bureau of Labor Statistics data for the Contractors SIC code); and
- Criteria 2: Insurance workers compensation Experience Modification Rate (EMR) equal to or less than 1.0; and
- Criteria 3: Any willful violations issued by OSHA or NYC DOB within the last three years; and
- Criteria 4: A fatality (worker or member of public) experienced on or near Contractor's worksite within the last three (3) years; and
- Criteria 5: An unacceptable rating by QACS based on past performance on DDC projects; and
- Criteria 6: Contractor has in place an acceptable corporate safety program and its employees shall have completed all documented relative safety training; and
- Criteria 7: Contractor shall provide OSHA Injury Records (currently OSHA 300 Log) for the last three (3) years.

If the Contractor fails to meet the basic criteria listed above, the Construction Safety Unit may request, through the ACCO, more detail concerning the Contractor's safety experience. DDC may request the Contractor to provide copies of, among other things, OSHA records, OSHA and DOB citations, EPA citations and written Safety Programs.

VI. SAFETY PROGRAM AND SITE SAFETY PLAN

Within fifteen (15) days of issuance of the Notice to Proceed, or as otherwise directed, the Contractor shall submit the following: (1) Safety Program, and (2) Site Safety Plan. The Safety Program shall set forth the Contractor's overall safety policy, regulatory compliance plan and minimum safety standard, and the Site Safety Plan shall identify hazards associated with the project, and include specific safety precautions and training appropriate and necessary to complete the work. The Safety Program and the Site Safety Plan are subject to review and acceptance by the Construction Safety Unit prior to the commencement of work at the site. Failure by the contractor to submit an acceptable Site Safety Plan and Safety Program shall be grounds for default.

The Site Safety Plan shall apply to all Contractor and subcontractor operations, and shall have at a minimum, the following elements. Each element shall be described in a separate section in the written document. It may be necessary to modify the basic format for certain unique or high-risk projects (such as tunnels or high-rise construction). The basic elements are as follows:

- Responsibility and Organization: Identify the person or persons with authority and responsibility for implementing the Site Safety Plan. Provide an organization chart and define levels of authority and responsibility. Identify the Competent Person, the Construction Superintendent (if required), the Job Safety Coordinator and the Qualified Person required for this project.
- 2. Communication: Establish a system for communicating with employees and subcontractors on matters relating to worker and public safety and health and environmental protection, including provisions designed to encourage employees to inform the employer of hazards at the worksite without fear of reprisal. An emergency response notification protocol is to be established that also includes after hours contact numbers. The plan must also include provisions for weekly safety meetings held by the Job Site Safety Coordinator.
- 3. Job Hazard Assessment: A written document submitted by the contractor, used to identify expected job hazards and public safety risks and state the specific means and methods to reduce, control or eliminate those hazards. This part of the Site Safety Plan must also include how on-going evaluations of those risks and hazards will be carried out, including plans for periodic inspections to identify unsafe conditions, work practices and public safety hazards.
- 4. Accident/Exposure Investigation: Establish a procedure to investigate and report occupational and public injury or illness, property damage, vehicle accidents or other mishaps.
- 5. Hazard Correction: Establish means, methods and/or procedures for correcting unsafe or unhealthy conditions that might be exposing both the public and workers to hazards. Corrective actions must be taken immediately when observed or discovered. Should an imminent hazard exist which cannot be immediately abated without endangering employees, the public and/or property, remove or restrict all exposed persons from the area except those necessary to correct the existing condition. Employees necessary to correct the hazardous condition shall be provided the necessary safeguards. When corrective actions cannot be taken immediately, temporary measures should be taken until such time permanent measures are taken to eliminate the potential risks or hazards
- 6. Training: Describe site-specific hazard training programs. In addition to the required safety orientation, additional site specific training, in the form of required weekly safety meetings, will be required. Contractors must also initiate training when: a) new employees are hired; b) employees are given new job assignments for which training has not been previously received; c) new substances, processes, procedures or equipment are introduced that might represent a new public or worker hazard; d) the employee is made aware of a new or previously unrecognized hazard; e) new supervisors are assigned to familiarize themselves with the safety and health hazards to which employees under their immediate direction and control may be exposed; and f) after a jobsite incident or accident has occurred.

7. Recordkeeping: Establish procedures to maintain records of scheduled and periodic inspections, weekly safety meetings, and training records. Updated records shall be maintained at the jobsite, accessible to the Construction Safety Auditors and/or Quality Assurance Auditors/RE/CPM, and retained in accordance with DDC policy.

The most critical component of the Site Safety Plan is the Job Hazard Assessment section. This section must address specific hazards that are anticipated throughout the project. Each Site Safety Plan must address, at a minimum:

- Public and pedestrian safety
- Fall protection
- Electrical hazards
- Scaffolding
- Fire protection
- Emergency notification & response
- Housekeeping / debris removal
- Dust control

- Maintenance and protection of traffic
- Trenching and excavating
- Heavy equipment operations
- Material / equipment storage
- Environmental contamination
- Sheeting and shoring
- Alcohol and Drug Abuse Policy

The following additional hazards must be addressed, if applicable, based on the contract safety specifications and/or the results of the JHA (the list is not all-inclusive):

- Basic Personal Protective Equipment
- Compressed Air
- Compressed Gas Cylinders
- Cranes, Derricks and Hoists
- Demolition
- Electrical safety
- Excavations and Trenching
- Fall Protection Floor openings/Stairways
- Fall Protection Guardrails Toe boards etc
- Fall Protection Leading Edge
- Fall Protection Personal Fall Protection Devices
- Fire Protection and Fire Prevention
- Hazard Communication (RIGHT TO KNOW)
- Hazardous Energy & Lock Out / Tag Out
- Housekeeping/Sanitation
- Maintenance and Protection of Traffic (MPT)
- Man Lifts /Aerial Lifts
- Marine Operations
- Motor Vehicle Safety
- Overhead Power lines
- Permit Required Confined Space
- Portable Ladders
- Powered Actuated Tools
- Powered Material Handling Equipment
- Scaffolds Mobile
- Scaffolds Stationary
- Scaffolds Suspended
- Slings
- Steel Erection

- Welding and Cutting (Hot Work)
- Airborne Contaminants Particulates General
- Asbestos
- Blood borne Pathogens
- Hearing Protection
- Lead in Construction
- Mercury in Construction
- PCB's
- Respiratory Protection
- Silica
- Thermal Stress
- West Nile Virus
- Rodents and Vermin
- Noise Mitigation Plan

Certain DDC programs, such as Job Order Contracting System (JOCS), may not necessarily require Site Safety Plans. The JOCS contractor will be required to submit a Safety Program. In addition, certain DDC Operating Units may establish program or client-specific safety requirements. The contractor's Site Safety Plan must address such program or client specific safety requirements.

VII. KICK-OFF MEETINGS/PRE-CONSTRUCTION AND SAFETY REVIEW

As part of the construction kick-off meeting, a Site Safety Plan review will be part of the agenda. A QACS representative will participate in this meeting with the contractor prior to the start of the project for the purpose of:

- A. Reviewing the safety issues detailed in the contract.
- B. Reviewing the Site Safety Plan.
- C. Reviewing any new issues or information that was not previously addressed.
- D. Discussing planned inspections and audits of the site by DDC personnel.

VIII. EVALUATION DURING WORK IN PROGRESS

The Contractor's adherence to these Safety Requirements will be monitored throughout the project. This will be accomplished by the following:


- A. Use of a safety checklist by a representative of the Construction Safety Unit or other designated DDC representative or Consultant during regular, unannounced inspections of the job site. Field Exit Conferences will be held with the RE/CPM, Contractor Superintendents or Safety Representatives.
- B. The RE/CPM will continually monitor the safety and environmental performance of the contractor's employees and work methods. Deficiencies shall be brought to the attention of the contractor's representative on site for immediate correction. The DDC representative will maintain a written record of these deficiencies and forward them to the Construction Safety Unit on a weekly basis. Any critical deficiencies shall be immediately reported to QACS phone# (718) 391-1624 or (718) 391-1911.
- C. If the Contractor's safety performance during the project is not up to DDC standards (safety performance measure, accident/incident rate, etc.) the Director-QACS, or designee will meet with the Contractor's safety representative, the DDC project manager, the RE/CPM, or the DDC Environmental Specialist (if environmental issues are involved). The purpose of this meeting is to 1) determine the level of non-compliance; 2) explain and clarify the safety/environmental provisions; 3) agree on a future course of action to correct the deficiencies.

- D. If the deficiencies continue to occur with inadequate attention by the contractor, this shall, among other remedies available, be grounds for default.
- E. The contractor shall inform the Construction Safety Unit and ACCO Insurance and Risk Management Unit of all medical injuries or illnesses that require doctors' treatment resulting from an on-the-job incident within 24 hours of the occurrence. The Construction Safety Unit shall also be immediately informed of all fatalities, catastrophic accidents with more than one employee hospitalized, any injuries to members of the general public and major equipment damage (e.g., property damage, equipment rollovers, loads dropped from crane). QACS shall maintain a record of all contractor injuries and illnesses during the project and provide regular reports to the Agency.
- F. The Construction Safety Unit shall be immediately notified at the start of any NYS-DOL/ NYC-COSH/OSHA/ EPA inspections. The Director of Quality Assurance & Construction Safety shall maintain a log of all contractor OSHA/EPA inspections and citations during the project.

IX. SAFETY PERFORMANCE EVALUATION

The contractor's safety record, including all DDC inspection results, will be considered as part of the Contractor's performance evaluation at the conclusion of the project. Poor safety performance during the course of the project shall be a reason to rate a Contractor unsatisfactory which will be reflected in the City's Vendex system and will be considered for future procurement actions as set forth in the City's Procurement Policy Board Rules.

(NO TEXT ON THIS PAGE)



(NO TEXT ON THIS PAGE)

TABLE OF CONTENTS

CHAPTER I		
THE CONTRA	ACT AND DEFINITIONS	
	·	
ARTICLE 1.	THE CONTRACT	1
ARTICLE 2.	DEFINITIONS	1
CHAPTER II		
<u>THE WORK A</u>	ND ITS PERFORMANCE	
A DISTORT IS A	OTT 1 TO	
ARTICLE 3.	CHARACTER OF THE WORK	4
ARTICLE 4.	MEANS AND METHODS OF CONSTRUCTION	4
ARTICLE 5.	COMPLIANCE WITH LAWS	5
ARTICLE 6.	INSPECTION	10
ARTICLE 7.	PROTECTION OF WORK AND OF PERSONS AND	
	PROPERTY; NOTICES AND INDEMNIFICATION	11
~~		
CHAPTER III		
<u> FIME PROVIS</u>	IONS	
ARTICLE 8.	COMMENCEMENT AND PROSECUTION OF THE WORK	12
ARTICLE 9.	PROGRESS SCHEDULES	12
ARTICLE 10.	REQUESTS FOR INFORMATION OR APPROVAL	13
ARTICLE 11.	NOTICE OF CONDITIONS CAUSING DELAY AND	
	DOCUMENTATION OF DAMAGES CAUSED BY DELAY	13
ARTICLE 12.	COORDINATION WITH OTHER CONTRACTORS	17
ARTICLE 13.	EXTENSION OF TIME FOR PERFORMANCE	18
ARTICLE 14.	COMPLETION AND FINAL ACCEPTANCE OF THE WORK	21
ARTICLE 15.	LIQUIDATED DAMAGES	22
ARTICLE 16.	OCCUPATION OR USE PRIOR TO COMPLETION	22
	·	
CHAPTER IV		
UBCONTRAC	TS AND ASSIGNMENTS	
RTICLE 17.	SUBCONTRACTS	23
RTICLE 18.	ASSIGNMENTS	25

TABLE OF CONTENTS

CHAPTER V		
CONTRACTO	R'S SECURITY AND GUARANTY	
A DOVECT TO 40	CECUDITY DEDOCIT	26
ARTICLE 19.	SECURITY DEPOSIT PAYMENT GUARANTEE	26
ARTICLE 20.	RETAINED PERCENTAGE	29
ARTICLE 21.		29
ARTICLE 22.	INSURANCE MONEY RETAINED AGAINST CLAIMS	35
ARTICLE 23.	MAINTENANCE AND GUARANTY	36
ARTICLE 24.	WAINTENANCE AND GUARANTT	
CHAPTER VI		
CHANGES, EX	TRA WORK AND DOCUMENTATION OF CLAIM	
A DESCRIPTION OF	CHANCES	37
ARTICLE 25.	CHANGES METHODS OF PAYMENT FOR OVERRUNS AND	
ARTICLE 26.	EXTRA WORK	37
A DESCRIPTION	RESOLUTION OF DISPUTES	40
ARTICLE 27.	RECORD KEEPING FOR EXTRA OR DISPUTED WORK OR	
ARTICLE 28.	WORK ON A TIME & MATERIALS BASIS	44
ARTICLE 29.	OMITTED WORK	45
ARTICLE 29.	NOTICE AND DOCUMENTATION OF COSTS AND	
ARTICLE 30.	DAMAGES; PRODUCTION OF FINANCIAL RECORDS	45
CHAPTER VII	THE PROPERTY OF THE ENGINEED	
POWERS OF T	THE RESIDENT ENGINEER, THE ENGINEER	
OR ARCHITEC	CT AND THE COMMISSIONER	
ARTICLE 31.	THE RESIDENT ENGINEER	46
ARTICLE 32.	THE ENGINEER OR ARCHITECT OR PROJECT MANAGER	47
ARTICLE 33.	THE COMMISSIONER	47
ARTICLE 34.	NO ESTOPPEL	48
CHAPTER VII	·	
LABOR PROV		
ARTICLE 35.	EMPLOYEES	48
ARTICLE 36.	NO DISCRIMINATION	50
ARTICLE 37.	LABOR LAW REQUIREMENTS	52
ARTICLE 38.	PAYROLL REPORTS	57
ADTICLE 20	DIICT HAZADIC	58

TABLE OF CONTENTS

CHAPTER IX PARTIAL AND FINAL PAYMENTS				
ARTICLE 40.	CONTRACT PRICE BID BREAKDOWN ON LUMP SUM	58		
ARTICLE 41.	PARTIAL PAYMENTS	58		
ARTICLE 42.	PROMPT PAYMENT	58		
ARTICLE 44.	SUBSTANTIAL COMPLETION PAYMENT	59 50		
ARTICLE 45.	FINAL PAYMENT	59		
ARTICLE 46.	ACCEPTANCE OF FINAL PAYMENT	60		
ARTICLE 40.	APPROVAL BY PUBLIC DESIGN COMMISSION	61 62		
CHAPTER X				
CONTRACTO	R'S DEFAULT			
ARTICLE 48.	COMMISSIONER'S RIGHT TO DECLARE CONTRACTOR			
	IN DEFAULT	62		
ARTICLE 49.	EXERCISE OF THE RIGHT TO DECLARE DEFAULT	64		
ARTICLE 50.	QUITTING THE SITE	64		
ARTICLE 51.	COMPLETION OF THE WORK	64		
ARTICLE 52.	PARTIAL DEFAULT	64		
ARTICLE 53.	PERFORMANCE OF UNCOMPLETED WORK	65		
ARTICLE 54.	OTHER REMEDIES	65		
CHAPTER XI				
	OUS PROVISIONS			
MICELLANE	JUST ROVISIONS			
ARTICLE 55.	CONTRACTOR'S WARRANTIES	66		
ARTICLE 56.	CLAIMS AND ACTIONS THEREON	66		
ARTICLE 57.	INFRINGEMENT	66		
ARTICLE 58.	NO CLAIM AGAINST OFFICERS, AGENTS OR			
	EMPLOYEES	67		
ARTICLE 59.	SERVICE OF NOTICES	67		
ARTICLE 60.	UNLAWFUL PROVISIONS DEEMED STRICKEN			
	FROM CONTRACT	67		
ARTICLE 61.	ALL LEGAL PROVISIONS DEEMED INCLUDED	67		
ARTICLE 62.	TAX EXEMPTION	67		
ARTICLE 63.	INVESTIGATION(S) CLAUSE	69		
ARTICLE 64.	TERMINATION BY THE CITY	· 71		
ARTICLE 65.	CHOICE OF LAW, CONSENT TO JURISDICTION			
	AND VENUE	73		

TABLE OF CONTENTS

CHAPTER XI (CONT'D) MISCELLANEOUS PROVISIONS

ARTICLE 66.	PARTICIPATION IN AN INTERNATIONAL BOYCOTT	74
ARTICLE 67.	LOCALLY BASED ENTERPRISE PROGRAM	74
ARTICLE 68.	ANTITRUST	75
ARTICLE 69.	MACBRIDE PRINCIPLES PROVISIONS	75
ARTICLE 70	ELECTRONIC FILING/NYC DEVELOPMENT HUB	77
ARTICLE 71.	PROHIBITION OF TROPICAL HARDWOODS	77
ARTICLE 72.	CONFLICTS OF INTEREST	78
ARTICLE 73.	MERGER CLAUSE	78
ARTICLE 74.	STATEMENT OF WORK	78
ARTICLE 75.	COMPENSATION TO BE PAID TO CONTRACTOR	78
ARTICLE 76:	ELECTRONIC FUNDS TRANSFER	78
ARTICLE 77:	RECORDS RETENTION	79
ARTICLE 78:	PARTICIPATION BY MINORITY-OWNED AND WOMEN-	OWNED
	BUSINESS ENTERPRISES IN CITY PROCUREMENT	79
		87
SIGNATURES		
ACKNOWLEDGMENT BY CORPORATION		88
	GMENT BY PARTNERSHIP	88 88
ACKNOWLED	GMENT BY INDIVIDUAL	
ACKNOWLED	GMENT BY COMMISSIONER	89
AUTHORITY		90
COMPTROLLI	ER'S CERTIFICATE	90
MAYOR'S CERTIFICATE		91
PERFORMANO	CE BOND #1	92
PERFORMANO	CE BOND #2	96
PAYMENT BO	ND	100

WITNESSETH:

The parties, in consideration of the mutual agreements contained herein, agree as follows:

CHAPTER I THE CONTRACT AND DEFINITIONS

ARTICLE 1. THE CONTRACT

- 1.1 Except for titles, subtitles, headings, running headlines, tables of contents and indices (all of which are printed herein merely for convenience), the following, except for such portions thereof as may be specifically excluded, shall be deemed to be part of this Contract:
 - 1.1.1 All provisions required by law to be inserted in this Contract, whether actually inserted or not;
 - 1.1.2 The Contract Drawings and Specifications;
 - 1.1.3 The General Conditions and Special Conditions, if any;
 - 1.1.4 The Contract;
 - 1.1.5 The Information for Bidders; Request for Proposals; Notice of Solicitation and Proposal For Bids; Bid or Proposal, and, if used, the Bid Booklet;
 - 1.1.6 All Addenda issued prior to the receipt of the bids; the Notice of Award; Performance and Payment Bonds, if required; and the Notice to Proceed or the Order to Work.
- 1.2 Should any conflict occur in or between the Drawings and Specifications, the Contractor shall be deemed to have estimated the most expensive way of doing the Work, unless the Contractor shall have asked for and obtained a decision in writing from the Commissioner of the Agency that is entering into this Contract, before the submission of its bid, as to what shall govern.

ARTICLE 2. DEFINITIONS

- 2.1 The following words and expressions, or pronouns used in their stead, shall, wherever they appear in this Contract, be construed as follows, unless a different meaning is clear from the context:
 - 2.1.1 "Addendum" or "Addenda" shall mean the additional Contract provisions and/or technical clarifications issued in writing by the Commissioner prior to the receipt of bids.
 - 2.1.2 "Agency" shall mean a city, county, borough or other office, position, department, division, bureau, board or commission, or a corporation, institution or agency of government, the expenses of which are paid in whole or in part from the City treasury.
 - 2.1.3 "Agency Chief Contracting Officer" (ACCO) shall mean a person delegated authority by the Commissioner to organize and supervise the procurement activity of subordinate Agency staff in conjunction with the CCPO, or his/her duly authorized representative.

- 2.1.4 "Allowance" shall mean a sum of money which the Agency may include in the total amount of the Contract for such specific contingencies as the Agency believes may be necessary to complete the Work, e.g., lead or asbestos remediation, and for which the Contractor will be paid on the basis of stipulated unit prices or a formula set forth in the Contract or negotiated between the parties provided, however, that if the Contractor is not directed to use the Allowance, the Contractor shall have no right to such money and it shall be deducted from the total amount of the Contract.
- 2.1.5 "City" shall mean the City of New York.
- 2.1.6 "City Chief Procurement Officer" (CCPO) shall mean a person delegated authority by the Mayor to coordinate and oversee the procurement activity of Mayoral agency staff, including the ACCO and any offices which have oversight responsibility for the procurement of construction, or his/her duly authorized representative.
- 2.1.7 "Commissioner" shall mean the head of the Agency that has entered into this Contract, or his/her duly authorized representative.
- 2.1.8 "Comptroller" shall mean the Comptroller of the City of New York.
- 2.1.9 "Contract" or "Contract Documents" shall mean each of the various parts of the contract referred to in Article 1 hereof, both as a whole and severally.
- 2.1.10 "Contract Drawings" shall mean only those drawings specifically entitled as such and listed in the Specifications or in any Addendum, or any drawings furnished by the Commissioner, pertaining or supplemental thereto.
- 2.1.11 "Contract Work" shall mean everything required to be furnished and done by the Contractor by any one or more of the parts of the Contract referred to in Article 1, except Extra Work as hereinafter defined.
- 2.1.12 "Contractor" shall mean the entity which executed this Contract, whether a corporation, firm, partnership, joint venture, individual, or any combination thereof, and its, their, his/her successors, personal representatives, executors, administrators, and assigns, and any person, firm, partnership, joint venture, individual, or corporation which shall at any time be substituted in the place of the Contractor under this Contract.
- 2.1.13 "Days" shall mean calendar days, except where otherwise specified.
- 2.1.14 "Engineer" or "Architect" or "Project Manager" shall mean the person so designated in writing by the Commissioner in the Notice to Proceed or the Order to Work to act as such in relation to this Contract, including a private Architect or Engineer or Project Manager, as the case may be. Subject to written approval by the Commissioner, the Engineer, Architect or Project Manager may designate an authorized representative.
- 2.1.15 "Engineering Audit Officer" (EAO) shall mean the person so designated by the Commissioner to perform responsible auditing functions hereunder.
- 2.1.16 "Extra Work" shall mean Work other than that required by the Contract at the time of award which is authorized by the Commissioner pursuant to Chapter VI of this Contract.
- 2.1.17 "Federal-Aid Contract" shall mean a contract in which the United States (federal) Government provides financial funding as so designated in the Information for Bidders.

- 2.1.18 **"Final Acceptance"** shall mean final written acceptance of all the Work by the Commissioner, a copy of which shall be sent to the Contractor.
- 2.1.19 "Final Approved Punch List" shall mean a list, approved pursuant to Article 14.2.2, specifying those items of Work to be completed by the Contractor after Substantial Completion and dates for the completion of each item of Work.
- 2.1.20 "Law" or "Laws" shall mean the Constitution of the State of New York, the New York City Charter, the New York City Administrative Code, a statute of the United States or of the State of New York, a local law of the City of New York, any ordinance, rule or regulation having the force of law, or common law.
- 2.1.21 "Materialman" shall mean any corporation, firm, partnership, joint venture, or individual, other than employees of the Contractor, who or which contracts with the Contractor or any Subcontractor, to fabricate or deliver, or who actually fabricates or delivers, plant, materials or equipment to be incorporated in the Work.
- 2.1.22 "Means and Methods of Construction" shall mean the labor, materials, temporary structures, tools, plant, and construction equipment, and the manner and time of their use, necessary to accomplish the result intended by this Contract.
- 2.1.23"Notice to Proceed" or "Order to Work" shall mean the written notice issued by the Commissioner specifying the time for commencement of the Work and the Engineer, Architect or Project Manager.
- 2.1.24 "Other Contractor(s)" shall mean any contractor (other than the entity which executed this Contract or its Subcontractors) who or which has a contract with the City for work on or adjacent to the building or Site of the Work.
- 2.1.25 "Payroll Taxes" shall mean State Unemployment Insurance (SUI), Federal Unemployment Insurance (FUI), and payments pursuant to the Federal Insurance Contributions Act (FICA).
- 2.1.26 "Project" shall mean the public improvement to which this Contract relates.
- 2.1.27 **"Procurement Policy Board" (PPB)** shall mean the Agency of the City of New York whose function is to establish comprehensive and consistent procurement policies and rules which shall have broad application throughout the City.
- 2.1.28 "Required Quantity" in a unit price Contract shall mean the actual quantity of any item of Work or materials which is required to be performed or furnished in order to comply with the Contract.
- 2.1.29 "Resident Engineer" shall mean the representative of the Commissioner duly designated by the Commissioner to be his/her representative at the site of the Work.
- 2.1.30 "Site" shall mean the area upon or in which the Contractor's operations are carried on, and such other areas adjacent thereto as may be designated as such by the Engineer.
- 2.1.31 "Small Tools" shall mean items that are ordinarily required for a worker's job function, including but not limited to, equipment that ordinarily has no licensing, insurance

or substantive storage costs associated with it; such as circular and chain saws, impact drills, threaders, benders, wrenches, socket tools, etc.

- 2.1.32 "Specifications" shall mean all of the directions, requirements, and standards of performance applying to the Work as hereinafter detailed and designated under the Specifications.
- 2.1.33 "Subcontractor" shall mean any person, firm or corporation, other than employees of the Contractor, who or which contracts with the Contractor or with its subcontractors to furnish, or actually furnishes labor, or labor and materials, or labor and equipment, or superintendence, supervision and/or management at the Site. Wherever the word Subcontractor appears, it shall also mean sub-Subcontractor.
- 2.1.34 "Substantial Completion" shall mean the written determination by the Engineer that the Work required under this Contract is substantially, but not entirely, complete and the approval of the Final Approved Punch List.
- 2.1.35 "Work" shall mean all services required to complete the Project in accordance with the Contract Documents, including without limitation, labor, material, superintendence, management, administration, equipment, and incidentals, and obtaining any and all permits, certifications and licenses as may be necessary and required to complete the Work, and shall include both Contract Work and Extra Work.

CHAPTER II THE WORK AND ITS PERFORMANCE

ARTICLE 3. CHARACTER OF THE WORK

3.1 Unless otherwise expressly provided in the Contract Drawings, Specifications, and Addenda, the Work shall be performed in accordance with the best modern practice, utilizing, unless otherwise specified in writing, new and unused materials of standard first grade quality and workmanship and design of the highest quality, to the satisfaction of the Commissioner.

ARTICLE 4. MEANS AND METHODS OF CONSTRUCTION

- 4.1 Unless otherwise expressly provided in the Contract Drawings, Specifications, and Addenda, the Means and Methods of Construction shall be such as the Contractor may choose; subject, however, to the Engineer's right to reject the Means and Methods of Construction proposed by the Contractor which in the opinion of the Engineer:
 - 4.1.1 Will constitute or create a hazard to the Work, or to persons or property; or
 - 4.1.2 Will not produce finished Work in accordance with the terms of the Contract; or
 - 4.1.3 Will be detrimental to the overall progress of the **Project**.
- 4.2 The Engineer's approval of the Contractor's Means and Methods of Construction, or his/her failure to exercise his/her right to reject such means or methods, shall not relieve the Contractor of its obligation to complete the Work as provided in this Contract; nor shall the exercise of such right to reject create a cause of action for damages.

ARTICLE 5. COMPLIANCE WITH LAWS

- 5.1 The Contractor shall comply with all Laws applicable to this Contract and to the Work to be done hereunder.
- 5.2 Procurement Policy Board Rules: This **Contract** is subject to the Rules of the **PPB** ("**PPB** Rules") in effect at the time of the bid opening for this **Contract**. In the event of a conflict between the **PPB** Rules and a provision of this **Contract**, the **PPB** Rules shall take precedence.
 - 5.3 Noise Control Code provisions.
 - 5.3.1 In accordance with the provisions of Section 24-216(b) of the Administrative Code of the City ("Administrative Code"), Noise Abatement Contract Compliance, devices and activities which will be operated, conducted, constructed or manufactured pursuant to this Contract and which are subject to the provisions of the City Noise Control Code shall be operated, conducted, constructed, or manufactured without causing a violation of the Administrative Code. Such devices and activities shall incorporate advances in the art of noise control development for the kind and level of noise emitted or produced by such devices and activities, in accordance with regulations issued by the Commissioner of the City Department of Environmental Protection.
 - 5.3.2 The Contractor agrees to comply with Section 24-219 of the Administrative Code and implementing rules codified at 15 Rules of the City of New York ("RCNY") Section 28-100 et seq. In accordance with such provisions, the Contractor, if the Contractor is the responsible party under such regulations, shall prepare and post a Construction Noise Mitigation Plan at each Site, in which the Contractor shall certify that all construction tools and equipment have been maintained so that they operate at normal manufacturers operating specifications. If the Contractor cannot make this certification, it must have in place an Alternative Noise Mitigation Plan approved by the City Department of Environmental Protection. In addition, the Contractor's certified Construction Noise Mitigation Plan is subject inspection by the City Department of Environmental Protection in accordance with Section 28-101 of Title 15 of RCNY. No Contract Work may take place at a Site unless there is a Construction Noise Mitigation Plan or approved Alternative Noise Mitigation Plan in place. In addition, the Contractor shall create and implement a noise mitigation training program. Failure to comply with these requirements may result in fines and other penalties pursuant to the applicable provisions of the Administrative Code and RCNY.
- 5.4 Ultra Low Sulfur Diesel Fuel: In accordance with the provisions of Section 24-163.3 of the Administrative Code, the Contractor specifically agrees as follows:
 - 5.4.1 Definitions. For purposes of this Article 5.4, the following definitions apply:
 - 5.4.1(a) "Contractor" means any person or entity that enters into a Public Works Contract with a **City Agency**, or any person or entity that enters into an agreement with such person or entity, to perform work or provide labor or services related to such Public Works Contract.
 - 5.4.1(b) "Motor Vehicle" means any self-propelled vehicle designed for transporting persons or property on a street or highway.
 - 5.4.1(c) "Nonroad Engine" means an internal combustion engine (including the fuel system) that is not used in a Motor Vehicle or a vehicle used solely for competition, or that is not subject to standards promulgated under Section 7411 or Section 7521 of

Title 42 of the United States Code, except that this term shall apply to internal combustion engines used to power generators, compressors or similar equipment used in any construction program or project.

- 5.4.1(d) "Nonroad Vehicle" means a vehicle that is powered by a Nonroad Engine, fifty (50) horsepower and greater, and that is not a Motor Vehicle or a vehicle used solely for competition, which shall include, but not be limited to, excavators, backhoes, cranes, compressors, generators, bulldozers, and similar equipment, except that this term shall not apply to horticultural maintenance vehicles used for landscaping purposes that are powered by a Nonroad Engine of sixty-five (65) horsepower or less and that are not used in any construction program or project.
- 5.4.1(e) "Public Works Contract" means a contract with a City Agency for a construction program or project involving the construction, demolition, restoration, rehabilitation, repair, renovation, or abatement of any building, structure, tunnel, excavation, roadway, park or bridge; a contract with a City Agency for the preparation for any construction program or project involving the construction, demolition, restoration, rehabilitation, repair, renovation, or abatement of any building, structure, tunnel, excavation, roadway, park or bridge; or a contract with a City Agency for any final work involved in the completion of any construction program or project involving the construction, demolition, restoration, rehabilitation, repair, renovation, or abatement of any building, structure, tunnel, excavation, roadway, park or bridge.
- 5.4.1(f) "Ultra Low Sulfur Diesel Fuel" means diesel fuel that has a sulfur content of no more than fifteen parts per million (15 ppm).

5.4.2 Ultra Low Sulfur Diesel Fuel

- 5.4.2(a) All Contractors shall use Ultra Low Sulfur Diesel Fuel in diesel-powered Nonroad Vehicles in the performance of this Contract.
- 5.4.2(b) Notwithstanding the requirements of Article 5.4.2(a), Contractors may use diesel fuel that has a sulfur content of no more than thirty parts per million (30 ppm) to fulfill the requirements of this Article 5.4.2, where the Commissioner of the City Department of Environmental Protection ("DEP Commissioner") has issued a determination that a sufficient quantity of Ultra Low Sulfur Diesel Fuel is not available to meet the needs of Agencies and Contractors. Any such determination shall expire after six (6) months unless renewed.
- 5.4.2(c) Contractors shall not be required to comply with this Article 5.4.2 where the City Agency letting this Contract makes a written finding, which is approved, in writing, by the DEP Commissioner, that a sufficient quantity of Ultra Low Sulfur Diesel Fuel, or diesel fuel that has a sulfur content of no more than thirty parts per million (30 ppm) is not available to meet the requirements of Section 24-163.3 of the Administrative Code, provided that such Contractor in its fulfillment of the requirements of this Contract, to the extent practicable, shall use whatever quantity of Ultra Low Sulfur Diesel Fuel or diesel fuel that has a sulfur content of no more than thirty parts per million (30 ppm) is available. Any finding made pursuant to this Article 5.4.2(c) shall expire after sixty (60) Days, at which time the requirements of this Article 5.4.2 shall be in full force and effect unless the City Agency renews the finding in writing and such renewal is approved by the DEP Commissioner.

- 5.4.2(d) Contractors may check on determinations and approvals issued by the DEP Commissioner pursuant to Section 24-163.3 of the Administrative Code, if any, at www.dep.nyc.gov or by contacting the City Agency letting this Contract.
- 5.4.2(e) The requirements of this Article 5.4.2 do not apply where they are precluded by federal or State funding requirements or where the **Contract** is an emergency procurement.

5.4.3 Best Available Technology

- 5.4.3(a) All Contractors shall utilize the best available technology for reducing the emission of pollutants for diesel-powered Nonroad Vehicles in the performance of this Contract. For determinations of best available technology for each type of diesel-powered Nonroad Vehicle, Contractors shall comply with the regulations of the City Department of Environmental Protection, as and when adopted, Chapter 14 of Title 15 of the Rules of the City of New York (RCNY). The Contractor shall fully document all steps in the best available technology selection process and shall furnish such documentation to the City Agency or the DEP Commissioner upon request. The Contractor shall retain all documentation generated in the best available technology selection process for as long as the selected best available technology is in use.
- 5.4.3(b) No **Contractor** shall be required to replace best available technology for reducing the emission of pollutants or other authorized technology utilized for a diesel-powered Nonroad Vehicle in accordance with the provisions of this Article 5.4.3 within three (3) years of having first utilized such technology for such vehicle.
- 5.4.3(c) This Article 5.4.3 shall not apply to any vehicle used to satisfy the requirements of a specific Public Works Contract for fewer than twenty (20) **Days**.
- 5.4.3(d) The **Contractor** shall not be required to comply with this Article 5.4.3 with respect to a diesel-powered Nonroad Vehicle under the following circumstances:
 - 5.4.3(d)(i) Where the **City Agency** makes a written finding, which is approved, in writing, by the DEP Commissioner, that the best available technology for reducing the emission of pollutants as required by this Article 5.4.3 is unavailable for such vehicle, the **Contractor** shall use whatever technology for reducing the emission of pollutants, if any, is available and appropriate for such vehicle.
 - 5.4.3(d)(ii) Where the DEP Commissioner has issued a written waiver based upon the **Contractor** having demonstrated to the DEP Commissioner that the use of the best available technology for reducing the emission of pollutants might endanger the operator of such vehicle or those working near such vehicle, due to engine malfunction, the **Contractor** shall use whatever technology for reducing the emission of pollutants, if any, is available and appropriate for such vehicle, which would not endanger the operator of such vehicle or those working near such vehicle.
 - 5.4.3(d)(iii) In determining which technology to use for the purposes of Articles 5.4.3(d)(i) and 5.4.3(d)(ii) above, the **Contractor** shall primarily consider the reduction in emissions of particulate matter and secondarily consider the reduction in emissions of nitrogen oxides associated with the use of such

technology, which shall in no event result in an increase in the emissions of either such pollutant.

- 5.4.3(d)(iv) The Contractor shall submit requests for a finding or a waiver pursuant to this Article 5.4.3(d) in writing to the DEP Commissioner, with a copy to the ACCO of the City Agency letting this Contract. Any finding or waiver made or issued pursuant to Articles 5.4.3(d)(i) and 5.4.3(d)(ii) above shall expire after one hundred eighty (180) Days, at which time the requirements of Article 5.4.3(a) shall be in full force and effect unless the City Agency renews the finding, in writing, and the DEP Commissioner approves such finding, in writing, or the DEP Commissioner renews the waiver, in writing.
- 5.4.3(e) The requirements of this Article 5.4.3 do not apply where they are precluded by federal or State funding requirements or where the Contract is an emergency procurement.
- 5.4.4 Section 24-163 of the Administrative Code. The **Contractor** shall comply with Section 24-163 of the Administrative Code related to the idling of the engines of motor vehicles while parking.

5.4.5 Compliance

- 5.4.5(a) The Contractor's compliance with Article 5.4 may be independently monitored. If it is determined that the Contractor has failed to comply with any provision of Article 5.4, any costs associated with any independent monitoring incurred by the City shall be reimbursed by the Contractor.
- 5.4.5(b) Any **Contractor** who violates any provision of Article 5.4, except as provided in Article 5.4.5(c) below, shall be liable for a civil penalty between the amounts of one thousand (\$1,000) and ten thousand (\$10,000) dollars, in addition to twice the amount of money saved by such **Contractor** for failure to comply with Article 5.4.
- 5.4.5(c) No Contractor shall make a false claim with respect to the provisions of Article 5.4 to a City Agency. Where a Contractor has been found to have done so, such Contractor shall be liable for a civil penalty of twenty thousand (\$20,000) dollars, in addition to twice the amount of money saved by such Contractor in association with having made such false claim.

5.4.6 Reporting

- 5.4.6(a) For all Public Works Contracts covered by this Article 5.4, the Contractor shall report to the City Agency the following information:
 - 5.4.6(a)(i) The total number of diesel-powered Nonroad Vehicles used to fulfill the requirements of this Public Works Contract;
 - 5.4.6(a)(ii) The number of such Nonroad Vehicles that were powered by Ultra Low Sulfur Diesel Fuel;
 - 5.4.6(a)(iii) The number of such Nonroad Vehicles that utilized the best available technology for reducing the emission of pollutants, including a breakdown by vehicle model and the type of technology;

- 5.4.6(a)(iv) The number of such Nonroad Vehicles that utilized such other authorized technology in accordance with Article 5.4.3, including a breakdown by vehicle model and the type of technology used for each such vehicle;
 - 5.4.6(a)(v) The locations where such Nonroad Vehicles were used; and
- 5.4.6(a)(vi) Where a determination is in effect pursuant to Article 5.4.2(b) or 5.4.2(c), detailed information concerning the **Contractor's** efforts to obtain Ultra Low Sulfur Diesel Fuel or diesel fuel that has a sulfur content of no more than thirty parts per million (30 ppm).
- 5.4.6(b) The **Contractor** shall submit the information required by Article 5.4.6(a) at the completion of **Work** under the Public Works Contract and on a yearly basis no later than August 1 throughout the term of the Public Works Contract. The yearly report shall cover **Work** performed during the preceding fiscal year (July 1 June 30).
- 5.5 Ultra Low Sulfur Diesel Fuel. In accordance with the Coordinated Construction Act for Lower Manhattan, as amended:
 - 5.5.1 Definitions. For purposes of this Article 5.5, the following definitions apply:
 - 5.5.1(a) "Lower Manhattan" means the area to the south of and within the following lines: a line beginning at a point where the United States pierhead line in the Hudson River as it exists now or may be extended would intersect with the southerly line of West Houston Street in the Borough of Manhattan extended, thence easterly along the southerly side of West Houston Street to the southerly side of Houston Street, thence easterly along the southerly side of Houston Street to the southerly side of East Houston Street, thence northeasterly along the southerly side of East Houston Street to the point where it would intersect with the United States pierhead line in the East River as it exists now or may be extended, including tax lots within or immediately adjacent thereto.
 - 5.5.1(b) "Lower Manhattan Redevelopment Project" means any project in Lower Manhattan that is funded in whole or in part with federal or State funding, or any project intended to improve transportation between Lower Manhattan and the two air terminals in the City known as LaGuardia Airport and John F. Kennedy International Airport, or between Lower Manhattan and the air terminal in Newark known as Newark Liberty International Airport, and that is funded in whole or in part with federal funding.
 - 5.5.1(c) "Nonroad Engine" means an internal combustion engine (including the fuel system) that is not used in a Motor Vehicle or a vehicle used solely for competition, or that is not subject to standards promulgated under Section 7411 or Section 7521 of Title 42 of the United States Code, except that this term shall apply to internal combustion engines used to power generators, compressors or similar equipment used in any construction program or project.
 - 5.5.1(d) "Nonroad Vehicle" means a vehicle that is powered by a Nonroad Engine, fifty (50) horsepower (HP) and greater, and that is not a Motor Vehicle or a vehicle used solely for competition, which shall include, but not be limited to, excavators, backhoes, cranes, compressors, generators, bulldozers, and similar equipment, except

that this terms shall not apply to horticultural maintenance vehicles used for landscaping purposes that are powered by a Nonroad Engine of sixty-five (65) HP or less and that are not used in any construction program or project.

- 5.5.1(e) "Ultra Low Sulfur Diesel Fuel" means diesel fuel that has a sulfur content of no more than fifteen parts per million (15 ppm).
- 5.5.2 Requirements. Contractors and Subcontractors are required to use only Ultra Low Sulfur Diesel Fuel to power the diesel-powered Nonroad Vehicles with engine HP rating of fifty (50) HP and above used on a Lower Manhattan Redevelopment Project and, where practicable, to reduce the emission of pollutants by retrofitting such Nonroad Vehicles with oxidation catalysts, particulate filters, or technology that achieves lowest particulate matter emissions.
- 5.6 Pesticides. In accordance with Section 17-1209 of the Administrative Code, to the extent that the Contractor or any Subcontractor applies pesticides to any property owned or leased by the City, the Contractor, and any Subcontractor shall comply with Chapter 12 of the Administrative Code.
- 5.7 Waste Treatment, Storage, and Disposal Facilities and Transporters. In connection with the **Work**, the **Contractor** and any **Subcontractor** shall use only those waste treatment, storage, and disposal facilities and waste transporters that possess the requisite license, permit or other governmental approval necessary to treat, store, dispose, or transport the waste, materials or hazardous substances.
- 5.8 Environmentally Preferable Purchasing. The Contractor shall ensure that products purchased or leased by the Contractor or any Subcontractor for the Work that are not specified by the City or are submitted as equivalents to a product specified by the City comply with the requirements of the New York City Environmentally Preferable Purchasing Program contained in Chapter 11 of Title 43 of the RCNY, pursuant to Chapter 3 of Title 6 of the Administrative Code.

ARTICLE 6. INSPECTION

- 6.1 During the progress of the **Work** and up to the date of **Final Acceptance**, the **Contractor** shall at all times afford the representatives of the **City** every reasonable, safe, and proper facility for inspecting all **Work** done or being done at the **Site** and also for inspecting the manufacture or preparation of materials and equipment at the place of such manufacture or preparation.
- 6.2 The Contractor's obligation hereunder shall include the uncovering or taking down of finished Work and its restoration thereafter; provided, however, that the order to uncover, take down and restore shall be in writing, and further provided that if Work thus exposed proves satisfactory, and if the Contractor has complied with Article 6.1, such uncovering or taking down and restoration shall be considered an item of Extra Work to be paid for in accordance with the provisions of Article 26. If the Work thus exposed proves unsatisfactory, the City has no obligation to compensate the Contractor for the uncovering, taking down or restoration.
- 6.3 Inspection and approval by the Commissioner, the Engineer, Project Manager, or Resident Engineer, of finished Work or of Work being performed, or of materials and equipment at the place of manufacture or preparation, shall not relieve the Contractor of its obligation to perform the Work in strict accordance with the Contract. Finished or unfinished Work not found to be in strict accordance with the Contract shall be replaced as directed by the Engineer, even though such Work may have been previously approved and paid for. Such corrective Work is Contract Work and shall not be deemed Extra Work.

6.4 Rejected **Work** and materials shall be promptly taken down and removed from the **Site**, which must at all times be kept in a reasonably clean and neat condition.

ARTICLE 7. PROTECTION OF WORK AND OF PERSONS AND PROPERTY; NOTICES AND INDEMNIFICATION

- 7.1 During the performance of the Work and up to the date of Final Acceptance, the Contractor shall be under an absolute obligation to protect the finished and unfinished Work against any damage, loss, injury, theft and/or vandalism and in the event of such damage, loss, injury, theft and/or vandalism, it shall promptly replace and/or repair such Work at the Contractor's sole cost and expense, as directed by the Resident Engineer. The obligation to deliver finished Work in strict accordance with the Contract prior to Final Acceptance shall be absolute and shall not be affected by the Resident Engineer's approval of, or failure to prohibit, the Means and Methods of Construction used by the Contractor.
- 7.2 During the performance of the Work and up to the date of Final Acceptance, the Contractor shall take all reasonable precautions to protect all persons and the property of the City and of others from damage, loss or injury resulting from the Contractor's, and/or its Subcontractors' operations under this Contract. The Contractor's obligation to protect shall include the duty to provide, place or replace, and adequately maintain at or about the Site suitable and sufficient protection such as lights, barricades, and enclosures.
- 7.3 The Contractor shall comply with the notification requirements set forth below in the event of any loss, damage or injury to Work, persons or property, or any accidents arising out of the operations of the Contractor and/or its Subcontractors under this Contract.
 - 7.3.1 The Contractor shall make a full and complete report in writing to the Resident Engineer within three (3) Days after the occurrence.
 - 7.3.2 The Contractor shall also send written notice of any such event to all insurance carriers that issued potentially responsive policies (including commercial general liability insurance carriers for events relating to the Contractor's own employees) no later than twenty (20) days after such event and again no later than twenty (20) days after the initiation of any claim and/or action resulting therefrom. Such notice shall contain the following information: the number of the insurance policy, the name of the Named Insured, the date and location of the incident, and the identity of the persons injured or property damaged. For any policy on which the City and/or the Engineer, Architect, or Project Manager are Additional Insureds, such notice shall expressly specify that "this notice is being given on behalf of the City of New York as Additional Insured, such other Additional Insureds, as well as the Named Insured."
 - 7.3.2(a) Whenever such notice is sent under a policy on which the City is an Additional Insured, the Contractor shall provide copies of the notice to the Comptroller, the Commissioner and the City Corporation Counsel. The copy to the Comptroller shall be sent to the Insurance Unit, NYC Comptroller's Office, 1 Centre Street Room 1222, New York, New York, 10007. The copy to the Commissioner shall be sent to the address set forth in Schedule A of the General Conditions. The copy to the City Corporation Counsel shall be sent to Insurance Claims Specialist, Affirmative Litigation Division, New York City Law Department, 100 Church Street, New York, New York 10007.

- 7.3.2(b) If the Contractor fails to provide any of the foregoing notices to any appropriate insurance carrier(s) in a timely and complete manner, the Contractor shall indemnify the City for all losses, judgments, settlements, and expenses, including reasonable attorneys' fees, arising from an insurer's disclaimer of coverage citing late notice by or on behalf of the City.
- 7.4 To the fullest extent permitted by law, the Contractor shall defend, indemnify, and hold the City, its employees, and officials (the "Indemnitees") harmless against any and all claims (including but not limited to claims asserted by any employee of the Contractor and/or its Subcontractors) and costs and expenses of whatever kind (including but not limited to payment or reimbursement of attorneys' fees and disbursements) allegedly arising out of or in any way related to the operations of the Contractor and/or its Subcontractors in the performance of this Contract or from the Contractor's and/or its Subcontractors' failure to comply with any of the provisions of this Contract or of the Law. Such costs and expenses shall include all those incurred in defending the underlying claim and those incurred in connection with the enforcement of this Article 7.4 by way of cross-claim, third-party claim, declaratory action or otherwise. The parties expressly agree that the indemnification obligation hereunder contemplates (1) full indemnity in the event of liability imposed against the Indemnitees without negligence and solely by reason of statute, operation of Law or otherwise; and (2) partial indemnity in the event of any actual negligence on the part of the Indemnitees either causing or contributing to the underlying claim (in which case, indemnification will be limited to any liability imposed over and above that percentage attributable to actual fault whether by statute, by operation of Law, or otherwise). Where partial indemnity is provided hereunder, all costs and expenses shall be indemnified on a pro rata basis.
 - 7.4.1 Indemnification under Article 7.4 or any other provision of the **Contract** shall operate whether or not **Contractor** or its **Subcontractors** have placed and maintained the insurance specified under Article 22.
- 7.5 The provisions of this Article 7 shall not be deemed to create any new right of action in favor of third parties against the **Contractor** or the **City**.

CHAPTER III TIME PROVISIONS

ARTICLE 8. COMMENCEMENT AND PROSECUTION OF THE WORK

8.1 The Contractor shall commence the Work on the date specified in the Notice to Proceed or the Order to Work. The time for performance of the Work under the Contract shall be computed from the date specified in the Notice to Proceed or the Order to Work. TIME BEING OF THE ESSENCE to the City, the Contractor shall thereafter prosecute the Work diligently, using such Means and Methods of Construction as are in accord with Article 4 herein and as will assure its completion not later than the date specified in this Contract, or on the date to which the time for completion may be extended.

ARTICLE 9. PROGRESS SCHEDULES

9.1 To enable the Work to be performed in an orderly and expeditious manner, the Contractor, within fifteen (15) Days after the Notice to Proceed or Order to Work, unless otherwise directed by the Engineer, shall submit to the Engineer a proposed progress schedule based on the Critical Path Method in the form of a bar graph or in such other form as specified by the Engineer, and monthly cash flow requirements, showing:

- 9.1.1 The anticipated time of commencement and completion of each of the various operations to be performed under this **Contract**; and
- 9.1.2 The sequence and interrelation of each of these operations with the others and with those of other related contracts; and
- 9.1.3 The estimated time required for fabrication or delivery, or both, of all materials and equipment required for the **Work**, including the anticipated time for obtaining required approvals pursuant to Article 10; and
- 9.1.4 The estimated amount in dollars the Contractor will claim on a monthly basis.
- 9.2 The proposed schedule shall be revised as directed by the **Engineer**, until finally approved by the **Engineer**, and after such approval, subject to the provisions of Article 11, shall be strictly adhered to by the **Contractor**.
- 9.3 If the **Contractor** shall fail to adhere to the approved progress schedule, or to the schedule as revised pursuant to Article 11, it shall promptly adopt such other or additional **Means and Methods of Construction**, at its sole cost and expense, as will make up for the time lost and will assure completion in accordance with the approved progress schedule. The approval by the **City** of a progress schedule which is shorter than the time allotted under the **Contract** shall not create any liability for the **City** if the approved progress schedule is not met.
- 9.4 The **Contractor** will not receive any payments until the proposed progress schedule is submitted.

ARTICLE 10. REQUESTS FOR INFORMATION OR APPROVAL

- 10.1 From time to time as the **Work** progresses and in the sequence indicated by the approved progress schedule, the **Contractor** shall submit to the **Engineer** a specific request in writing for each item of information or approval required by the **Contractor**. These requests shall state the latest date upon which the information or approval is actually required by the **Contractor**, and shall be submitted in a reasonable time in advance thereof to provide the **Engineer** a sufficient time to act upon such submissions, or any necessary re-submissions thereof.
- 10.2 The **Contractor** shall not have any right to an extension of time on account of delays due to the **Contractor's** failure to submit requests for the required information or the required approval in accordance with the above requirements.

ARTICLE 11. NOTICE OF CONDITIONS CAUSING DELAY AND DOCUMENTATION OF DAMAGES CAUSED BY DELAY

- 11.1 After the commencement of any condition which is causing or may cause a delay in completion of the **Work**, including conditions for which the **Contractor** may be entitled to an extension of time, the following notifications and submittals are required:
 - 11.1.1 Within seven (7) **Days** after the commencement of such condition, the **Contractor** must notify the **Engineer** in writing of the existence, nature and effect of such condition upon the approved progress schedule and the **Work**, and must state why and in what respects, if any, the condition is causing or may cause a delay.

- 11.1.2 If the Contractor shall claim to be sustaining damages for delay as provided for in this Article 11, within forty-five (45) Days from the time such damages are first incurred, and every thirty (30) Days thereafter for as long as such damages are being incurred, the Contractor shall submit to the Commissioner verified written statements of the details and the amounts of such damages, together with documentary evidence of such damages, ("statement of delay damages") as further detailed in Article 11.6. The Contractor may submit any of the above statements within such additional time as may be granted by the Commissioner in writing upon written request therefor. On failure of the Contractor to strictly comply with all of the foregoing provisions, such claims shall be deemed waived and no right to recover on such claims shall exist. Damages that the Contractor may claim in any action arising under or by reason of this Contract shall not be different from or in excess of the statements made and documentation provided pursuant to this Article 11.
- 11.1.3Within 60 days of submission of the final verified statement of claims pursuant to Article 44, the Commissioner shall make a determination as to whether a compensable delay has occurred and, if so, the amount of compensation due the Contractor. Notwithstanding the above, the Commissioner may make a determination as to whether a compensable delay has occurred at any time after the Contractor's first submission of a statement of delay damages provided, however, that the amount of compensation due to the Contractor will not be determined until the Commissioner determines that the Work is delayed after the date set for substantial completion.
- 11.2 Failure of the **Contractor** to strictly comply with the requirements of Article 11.1.1 may, in the discretion of the **Commissioner**, be deemed sufficient cause to deny any extension of time on account of delay arising out of such condition. Failure of the **Contractor** to strictly comply with the requirements of Articles 11.1.1 and 11.1.2 shall be deemed a conclusive waiver by the **Contractor** of any and all claims for damages for delay arising from such condition and no right to recover on such claims shall exist.
- 11.3 When appropriate and directed by the **Engineer**, the progress schedule shall be revised by the **Contractor** until finally approved by the **Engineer**. The revised progress schedule must be strictly adhered to by the **Contractor**.

11.4 Compensable Delays

- 11.4.1 The Contractor agrees to make claim only for additional costs attributable to delay in the performance of this Contract necessarily extending the time for completion of the Work or resulting from acceleration directed by the Commissioner and required to maintain the Project schedule, occasioned solely by any act or omission to act of the City listed below. The Contractor also agrees that delay from any other cause shall be compensated, if at all, solely by an extension of time to complete the performance of the Work.
 - 11.4.1.1 The failure of the City to take reasonable measures to coordinate and progress the Work, except that the City shall not be responsible for the Contractor's obligation to coordinate and progress the Work of its Subcontractors.
 - 11.4.1.2 Extended delays attributable to the **City** in the review or issuance of change orders, in shop drawing reviews and approvals or as a result of the cumulative impact of multiple change orders, which have a verifiable impact on **Project** costs.
 - 11.4.1.3 The unavailability of the Site for an extended period of time that significantly affects the scheduled completion of the Contract.

- 11.4.1.4 The issuance by the **Engineer** of a stop work order relative to a substantial portion of the **Work** for a period exceeding thirty (30) **Days**, that was not brought about through any action or omission of the **Contractor**.
- 11.4.1.5 Differing site conditions that were neither known nor reasonably ascertainable on a pre-bid inspection of the **Site** or review of the bid documents or other publicly available sources, and that are not ordinarily encountered in the **Project's** geographical area or neighborhood or in the type of **Work** to be performed.
- 11.4.1.6 Delays caused by the **City's** bad faith or its willful, malicious, or grossly negligent conduct;
- 11.4.1.7 Delays not contemplated by the parties;
- 11.4.1.8 Delays so unreasonable that they constitute an intentional abandonment of the Contract by the City; and
- 11.4.1.9 Delays resulting from the City's breach of a fundamental obligation of the Contract.
- 11.4.2 No claim may be made for any alleged delay in **Substantial Completion** of the **Work** by a date earlier than the date of **Substantial Completion** provided for in Schedule A unless there is a provision in the **Contract** providing for additional compensation for early completion. No claim may be made for any alleged delay in **Substantial Completion** of the **Work** if the work is substantially completed by the date of **Substantial Completion** provided for in Schedule A unless acceleration has been directed by the **Commissioner** to meet the date of **Substantial Completion** set forth in Schedule A.
- 11.4.3 The provisions of this Article 11 apply only to claims for additional costs attributable to delay and do not preclude determinations by the **Commissioner** allowing reimbursements for additional costs for **Extra Work** pursuant to Articles 25 and 26 of this **Contract**. To the extent that any cost attributable to delay is reimbursed as part of a change order, no additional claim for compensation under this Article 11 shall be allowed.
- 11.5 Non-Compensable Delays. The **Contractor** agrees to make no claim for, and is deemed to have included in its bid prices for the various items of the **Contract**, the extra/additional costs attributable to any delays caused by or attributable to the items set forth below. For such items, the **Contractor** shall be compensated, if at all, solely by an extension of time to complete the performance of the **Work**, in accordance with the provisions of Article 13. Such extensions of time will be granted, if at all, pursuant to the grounds set forth in Article 13.3.
 - 11.5.1 The acts or omissions of any third parties, including but not limited to Other Contractors, public/ governmental bodies (other than City Agencies), utilities or private enterprises, who are disclosed in the Contract Documents or are ordinarily encountered or generally recognized as related to the Work;
 - 11.5.2 Any situation which was within the contemplation of the parties at the time of entering into the **Contract**, including any delay indicated or disclosed in the **Contract Documents** or generally recognized as related to the nature of the **Work**, and/or the existence of any facility or appurtenance owned, operated or maintained by any third party, as indicated or disclosed in the **Contract Documents** or ordinarily encountered or generally recognized as related to the nature of the **Work**;
 - 11.5.3 Restraining orders, injunctions or judgments issued by a court which were caused by a Contractor's submission, action or inaction or by a Contractor's Means and Methods of

Construction, or by third parties, unless such order, injunction or judgment was the result of an action or omission by the City;

- 11.5.4 Any labor boycott, strike, picketing, lockout or similar situation;
- 11.5.5 Any shortages of supplies or materials, or unavailability of equipment, required by the Contract Work;
- 11.5.6 Climatic conditions, storms, floods, droughts, tidal waves, fires, hurricanes, earthquakes, landslides or other catastrophes or acts of God, or acts of war or of the public enemy or terrorist acts, including the City's reasonable responses thereto; and
- 11.5.7 Extra Work which does not significantly affect the overall completion of the Contract, reasonable delays in the review or issuance of change orders or field orders and/or in shop drawing reviews or approvals.
- 11.6 Required Content of Submission of Statement of Delay Damages
 - 11.6.1 In the verified written statement of delay damages required by Article 11.1.2, the following information shall be provided by the **Contractor**:
 - 11.6.1.1 For each delay, the start and end dates of the claimed periods of delay and, in addition, a description of the operations that were delayed, an explanation of how they were delayed, and the reasons for the delay, including identifying the applicable act or omission of the City listed in Article 11.4.
 - 11.6.1.2 A detailed factual statement of the claim providing all necessary dates, locations and items of **Work** affected by the claim.
 - 11.6.1.3 The amount of additional compensation sought and a breakdown of that amount into categories as described in Article 26.2, subject to the limitations set forth in Article 11.7.
 - 11.6.1.4 Any additional information requested by the **Commissioner**.

11.7 Recoverable Costs

- 11.7.1 Delay damages may be recoverable for the following costs actually and necessarily incurred in the performance of the **Work**:
 - 11.7.1.1 Direct labor, including payroll taxes (subject to statutory wage caps) and supplemental benefits, based on time and materials records;
 - 11.7.1.2 Necessary materials (including transportation to the **Site**), based on time and material records;
 - 11.7.1.3 Reasonable rental value of necessary plant and equipment other than small tools, plus fuel/energy costs according to the applicable formula set forth in Articles 26.2.4 and/or 26.2.8, based on time and material records;
 - 11.7.1.4 Insurance and bond costs:
 - 11.7.1.5 Extended field office costs;
 - 11.7.1.6 Extended Site overhead; and
 - 11.7.1.7 Extended home office overhead.
- 11.7.2 Recoverable Subcontractor Costs. When the Work is performed by a Subcontractor, the Contractor may be paid the actual and necessary costs of such subcontracted Work as outlined above in Articles 11.7.1.1 through 11.7.1.6, and an

additional overhead of five (5%) percent of the costs outlined in Articles 11.7.1.1 through 11.7.1.3.

- Non-Recoverable Costs. The parties agree that the City will have no liability for 11.7.3 the following items and the Contractor agrees it shall make no claim for the following items:
 - 11.7.3.1Profit, or loss of anticipated or unanticipated profit;
 - 11.7.3.2Consequential damages, including but not limited to interest on monies in dispute, including interest which is paid on such monies, loss of bonding capacity, bidding opportunities, or interest in investment, or any resulting insolvency;
 - 11.7.3.3 Indirect costs or expenses of any nature;
 - 11.7.3.4 Direct or indirect costs attributable to performance of Work where the Contractor, because of situations or conditions within its control, has not progressed the Work in a satisfactory manner; and
 - 11.7.3.5 Attorneys' fees and dispute and claims preparation expenses.
- 11.8 Determinations under this Article 11 are not subject to the jurisdiction of the Contract Dispute Resolution Board pursuant to the dispute resolution process set forth in Article 27.
- 11.9 If the parties agree, pursuant to Article 11.1.3 above, that a compensable delay has occurred and agree on the amount of compensation, payment may be made pursuant to a written change order. Payment pursuant to such change order is subject to pre-audit by the Engineering Audit Officer, and may be post-audited by the Comptroller and/or the Agency.

ARTICLE 12. COORDINATION WITH OTHER CONTRACTORS

- 12.1 During the progress of the Work, Other Contractors may be engaged in performing other work or may be awarded other contracts for additional work on this Project. In that event, the Contractor shall coordinate the Work to be done hereunder with the work of such Other Contractors and the Contractor shall fully cooperate with such Other Contractors and carefully fit its own Work to that provided under other contracts as may be directed by the Engineer. The Contractor shall not commit or permit any act which will interfere with the performance of work by any Other Contractors.
- 12.2 If the Engineer determines that the Contractor is failing to coordinate its Work with the work of Other Contractors as the Engineer has directed, then the Commissioner shall have the right to withhold any payments otherwise due hereunder until the Contractor completely complies with the Engineer's directions.
- 12.3 The Contractor shall notify the Engineer in writing if any Other Contractor on this Project is failing to coordinate its work with the Work of this Contract. If the Engineer finds such charges to be true, the Engineer shall promptly issue such directions to the Other Contractor with respect thereto as the situation may require. The City shall not, however, be liable for any damages suffered by any Other Contractor's failure to coordinate its work with the Work of this Contract or by reason of the Other Contractor's failure to promptly comply with the directions so issued by the Engineer, or by reason of any Other Contractor's default in performance, it being understood that the City does not guarantee the responsibility or continued efficiency of any contractor. The Contractor agrees to make no claim against CITY OF NEW YORK STANDARD CONSTRUCTION CONTRACT 17

December 2013

DDC

the City for any damages relating to or arising out of any directions issued by the Engineer pursuant to this Article 12 (including but not limited to the failure of any Other Contractor to comply or promptly comply with such directions), or the failure of the Engineer to issue any directions, or the failure of any Other Contractor to coordinate its work, or the default in performance of any Other Contractor.

- 12.4 The Contractor shall indemnify and hold the City harmless from any and all claims or judgments for damages and from costs and expenses to which the City may be subjected or which it may suffer or incur by reason of the Contractor's failure to comply with the Engineer's directions promptly; and the Comptroller shall have the right to exercise the powers reserved in Article 23 with respect to any claims which may be made for damages due to the Contractor's failure to comply with the Engineer's directions promptly. Insofar as the facts and Law relating to any claim would preclude the City from being completely indemnified by the Contractor, the City shall be partially indemnified by the Contractor to the fullest extent provided by Law.
- 12.5 Should the Contractor sustain any damage through any act or omission of any Other Contractor having a contract with the City for the performance of work upon the Site or of work which may be necessary to be performed for the proper prosecution of the Work to be performed hereunder, or through any act or omission of a subcontractor of such Other Contractor, the Contractor shall have no claim against the City for such damage, but shall have a right to recover such damage from the Other Contractor under the provision similar to the following provisions which apply to this Contract and have been or will be inserted in the contracts with such Other Contractors:
 - 12.5.1 Should any Other Contractor having or who shall hereafter have a contract with the City for the performance of work upon the Site sustain any damage through any act or omission of the Contractor hereunder or through any act or omission of any Subcontractor of the Contractor, the Contractor agrees to reimburse such Other Contractor for all such damages and to defend at its own expense any action based upon such claim and if any judgment or claim (even if the allegations of the action are without merit) against the City shall be allowed the Contractor shall pay or satisfy such judgment or claim and pay all costs and expenses in connection therewith and agrees to indemnify and hold the City harmless from all such claims. Insofar as the facts and Law relating to any claim would preclude the City from being completely indemnified by the Contractor, the City shall be partially indemnified by the Contractor to the fullest extent provided by Law.
- 12.6 The City's right to indemnification hereunder shall in no way be diminished, waived or discharged by its recourse to assessment of liquidated damages as provided in Article 15, or by the exercise of any other remedy provided for by Contract or by Law.

ARTICLE 13. EXTENSION OF TIME FOR PERFORMANCE

- 13.1 If performance by the Contractor is delayed for a reason set forth in Article 13.3, the Contractor may be allowed a reasonable extension of time in conformance with this Article 13 and the PPB Rules.
- 13.2 Any extension of time may be granted only by the ACCO or by the Board for the Extension of Time (hereafter "Board") (as set forth below) upon written application by the Contractor.
- 13.3 Grounds for Extension: If such application is made, the **Contractor** shall be entitled to an extension of time for delay in completion of the **Work** caused solely:
 - 13.3.1 By the acts or omissions of the City, its officials, agents or employees; or

- 13.3.2 By the act or omissions of Other Contractors on this Project; or
- 13.3.3 By supervening conditions entirely beyond the control of either party hereto (such as, but not limited to, acts of God or the public enemy, excessive inclement weather, war or other national emergency making performance temporarily impossible or illegal, or strikes or labor disputes not brought about by any act or omission of the **Contractor**).
- 13.3.4 The Contractor shall, however, be entitled to an extension of time for such causes only for the number of **Days** of delay which the **ACCO** or the Board may determine to be due solely to such causes, and then only if the Contractor shall have strictly complied with all of the requirements of Articles 9 and 10.
- 13.4 The Contractor shall not be entitled to receive a separate extension of time for each of several causes of delay operating concurrently, but, if at all, only for the actual period of delay in completion of the Work as determined by the ACCO or the Board, irrespective of the number of causes contributing to produce such delay. If one of several causes of delay operating concurrently results from any act, fault or omission of the Contractor or of its Subcontractors or Materialmen, and would of itself (irrespective of the concurrent causes) have delayed the Work, no extension of time will be allowed for the period of delay resulting from such act, fault or omission.
- 13.5 The determination made by the **ACCO** or the Board on an application for an extension of time shall be binding and conclusive on the **Contractor**.
- 13.6 The ACCO or the Board acting entirely within their discretion may grant an application for an extension of time for causes of delay other than those herein referred.
- 13.7 Permitting the **Contractor** to continue with the **Work** after the time fixed for its completion has expired, or after the time to which such completion may have been extended has expired, or the making of any payment to the **Contractor** after such time, shall in no way operate as a waiver on the part of the **City** of any of its rights under this **Contract**.
 - 13.8 Application for Extension of Time:
 - 13.8.1 Before the **Contractor's** time extension request will be considered, the **Contractor** shall notify the **ACCO** of the condition which allegedly has caused or is causing the delay, and shall submit a written application to the **ACCO** identifying:
 - 13.8.1(a) The Contractor; the registration number; and Project description;
 - 13.8.1(b) Liquidated damage assessment rate, as specified in the Contract;
 - 13.8.1(c) Original total bid price;
 - 13.8.1(d) The original Contract start date and completion date;
 - 13.8.1(e) Any previous time extensions granted (number and duration); and
 - 13.8.1(f) The extension of time requested.
 - 13.8.2 In addition, the application for extension of time shall set forth in detail:
 - 13.8.2(a) The nature of each alleged cause of delay in completing the Work;

- 13.8.2(b) The date upon which each such cause of delay began and ended and the number of **Days** attributable to each such cause;
- 13.8.2(c) A statement that the Contractor waives all claims except for those delineated in the application, and the particulars of any claims which the Contractor does not agree to waive. For time extensions for Substantial Completion and final completion payments, the application shall include a detailed statement of the dollar amounts of each element of claim item reserved; and
- 13.8.2(d) A statement indicating the Contractor's understanding that the time extension is granted only for purposes of permitting continuation of Contract performance and payment for Work performed and that the City retains its right to conduct an investigation and assess liquidated damages as appropriate in the future.

13.9 Analysis and Approval of Time Extensions:

- 13.9.1 For time extensions for partial payments, a written determination shall be made by the **ACCO** who may, for good and sufficient cause, extend the time for the performance of the **Contract** as follows:
 - 13.9.1(a) If the Work is to be completed within six (6) months, the time for performance may be extended for sixty (60) Days;
 - 13.9.1(b) If the Work is to be completed within less than one (1) year but more than six (6) months, an extension of ninety (90) Days may be granted;
 - 13.9.1(c) If the Contract period exceeds one (1) year, besides the extension granted in Article 13.9.1(b), an additional thirty (30) Days may be granted for each multiple of six (6) months involved beyond the one (1) year period; or
 - 13.9.1(d) If exceptional circumstances exist, the ACCO may extend the time for performance beyond the extensions in Articles 13.9.1(a), 13.9.1(b), and 13.9.1(c). In that event, the ACCO shall file with the Mayor's Office of Contract Services a written explanation of the exceptional circumstances.
- 13.9.2 For extensions of time for **Substantial Completion** and final completion payments, the **Engineer**, in consultation with the **ACCO**, shall prepare a written analysis of the delay (including a preliminary determination of the causes of delay, the beginning and end dates for each such cause of delay, and whether the delays are excusable under the terms of this **Contract**). The report shall be subject to review by and approval of the Board, which shall have authority to question its analysis and determinations and request additional facts or documentation. The report as reviewed and made final by the Board shall be made a part of the **Agency** contract file. Neither the report itself nor anything contained therein shall operate as a waiver or release of any claim the **City** may have against the **Contractor** for either actual or liquidated damages.
- 13.9.3 Approval Mechanism for Time Extensions for **Substantial Completion** or Final Completion Payments: An extension shall be granted only with the approval of the Board which is comprised of the **ACCO** of the **Agency**, the **City** Corporation Counsel, and the **Comptroller**, or their authorized representatives.

- 13.9.4 Neither the granting of any application for an extension of time to the **Contractor** or any **Other Contractor** on this **Project** nor the papers, records or reports related to any application for or grant of an extension of time or determination related thereto shall be referred to or offered in evidence by the **Contractor** or its attorneys in any action or proceeding.
- 13.10 No Damage for Delay: The **Contractor** agrees to make no claim for damages for delay in the performance of this **Contract** occasioned by any act or omission to act of the **City** or any of its representatives, except as provided for in Article 11.

ARTICLE 14. COMPLETION AND FINAL ACCEPTANCE OF THE WORK

- 14.1 Date for **Substantial Completion:** The **Contractor** shall substantially complete the **Work** within the time fixed in Schedule A of the General Conditions, or within the time to which such **Substantial Completion** may be extended.
- 14.2 Determining the Date of **Substantial Completion**: The **Work** will be deemed to be substantially complete when the two conditions set forth below have been met.
 - 14.2.1 Inspection: The **Engineer** has inspected the **Work** and has made a written determination that it is substantially complete.
 - 14.2.2 Approval of Final Approved Punch List and Date for Final Acceptance: Following inspection of the Work, the Engineer shall furnish the Contractor with a final punch list, specifying all items of Work to be completed and proposing dates for the completion of each specified item of Work. The Contractor shall then submit in writing to the Engineer within ten (10) Days of the Engineer furnishing the final punch list either acceptance of the dates or proposed alternative dates for the completion of each specified item of Work. If the Contractor proposes alternative dates, then, within a reasonable time after receipt, the Engineer, in a written notification to the Contractor, shall approve the Contractor's completion dates or, if they are unable to agree, the Engineer shall establish dates for the completion of each item of Work. If the Contractor neither accepts the dates nor proposes alternative dates within ten (10) Days, the schedule proposed by the Engineer shall be deemed accepted. The latest completion date specified shall be the date for Final Acceptance of the Work.
- 14.3 Date of Substantial Completion. The date of approval of the Final Approved Punch List, shall be the date of Substantial Completion. The date of approval of the Final Approved Punch List shall be either (a) if the Contractor approves the final punch list and proposed dates for completion furnished by the Engineer, the date of the Contractor's approval; or (b) if the Contractor neither accepts the dates nor proposes alternative dates, ten (10) Days after the Engineer furnishes the Contractor with a final punch list and proposed dates for completion; or (c) if the Contractor proposes alternative dates, the date that the Engineer sends written notification to the Contractor either approving the Contractor's proposed alternative dates or establishing dates for the completion for each item of Work.
- 14.4 Determining the Date of Final Acceptance: The Work will be accepted as final and complete as of the date of the Engineer's inspection if, upon such inspection, the Engineer finds that all items on the Final Approved Punch List are complete and no further Work remains to be done. The Commissioner will then issue a written determination of Final Acceptance.

- 14.5 Request for Inspection: Inspection of the Work by the Engineer for the purpose of Substantial Completion or Final Acceptance shall be made within ten (10) Days after receipt of the Contractor's written request therefor.
- 14.6 Request for Re-inspection: If upon inspection for the purpose of **Substantial Completion** or **Final Acceptance**, the **Engineer** determines that there are items of **Work** still to be performed, the **Contractor** shall promptly perform them and then request a re-inspection. If upon re-inspection, the **Engineer** determines that the **Work** is substantially complete or finally accepted, the date of such re-inspection shall be the date of **Substantial Completion** or **Final Acceptance**. Re-inspection by the **Engineer** shall be made within ten (10) **Days** after receipt of the **Contractor's** written request therefor.
- 14.7 Initiation of Inspection by the Engineer: If the Contractor does not request inspection or reinspection of the Work for the purpose of Substantial Completion or Final Acceptance, the Engineer may initiate such inspection or re-inspection.

ARTICLE 15. LIQUIDATED DAMAGES

- 15.1 In the event the Contractor fails to substantially complete the Work within the time fixed for such Substantial Completion in Schedule A of the General Conditions, plus authorized time extensions, or if the Contractor, in the sole determination of the Commissioner, has abandoned the Work, the Contractor shall pay to the City the sum fixed in Schedule A of the General Conditions, for each and every Day that the time consumed in substantially completing the Work exceeds the time allowed therefor; which said sum, in view of the difficulty of accurately ascertaining the loss which the City will suffer by reason of delay in the Substantial Completion of the Work hereunder, is hereby fixed and agreed as the liquidated damages that the City will suffer by reason of such delay, and not as a penalty. This Article 15 shall also apply to the Contractor whether or not the Contractor is defaulted pursuant to Chapter X of this Contract. Neither the failure to assess liquidated damages nor the granting of any time extension shall operate as a waiver or release of any claim the City may have against the Contractor for either actual or liquidated damages.
- 15.2 Liquidated damages received hereunder are not intended to be nor shall they be treated as either a partial or full waiver or discharge of the City's right to indemnification, or the Contractor's obligation to indemnify the City, or to any other remedy provided for in this Contract or by Law.
- 15.3 The **Commissioner** may deduct and retain out of the monies which may become due hereunder, the amount of any such liquidated damages; and in case the amount which may become due hereunder shall be less than the amount of liquidated damages suffered by the **City**, the **Contractor** shall be liable to pay the difference.

ARTICLE 16. OCCUPATION OR USE PRIOR TO COMPLETION

- 16.1 Unless otherwise provided for in the **Specifications**, the **Commissioner** may take over, use, occupy or operate any part of the **Work** at any time prior to **Final Acceptance**, upon written notification to the **Contractor**. The **Engineer** shall inspect the part of the **Work** to be taken over, used, occupied, or operated, and will furnish the **Contractor** with a written statement of the **Work**, if any, which remains to be performed on such part. The **Contractor** shall not object to, nor interfere with, the **Commissioner's** decision to exercise the rights granted by Article 16. In the event the **Commissioner** takes over, uses, occupies, or operates any part of the **Work**:
 - 16.1.1 the Engineer shall issue a written determination of Substantial Completion with respect to such part of the Work;

- 16.1.2 the **Contractor** shall be relieved of its absolute obligation to protect such part of the unfinished **Work** in accordance with Article 7;
- 16.1.3 the Contractor's guarantee on such part of the Work shall begin on the date of such use by the City; and;
- 16.1.4 the **Contractor** shall be entitled to a return of so much of the amount retained in accordance with Article 21 as it relates to such part of the **Work**, except so much thereof as may be retained under Articles 24 and 44.

CHAPTER IV SUBCONTRACTS AND ASSIGNMENTS

ARTICLE 17. SUBCONTRACTS

- 17.1 The Contractor shall not make subcontracts totaling an amount more than the percentage of the total Contract price fixed in Schedule A of the General Conditions, without prior written permission from the Commissioner. All subcontracts made by the Contractor shall be in writing. No Work may be performed by a Subcontractor prior to the Contractor entering into a written subcontract with the Subcontractor and complying with the provisions of this Article 17.
- 17.2 Before making any subcontracts, the Contractor shall submit a written statement to the Commissioner giving the name and address of the proposed Subcontractor; the portion of the Work and materials which it is to perform and furnish; the cost of the subcontract; the VENDEX questionnaire if required; the proposed subcontract if requested by the Commissioner; and any other information tending to prove that the proposed Subcontractor has the necessary facilities, skill, integrity, past experience, and financial resources to perform the Work in accordance with the terms and conditions of this Contract.
- 17.3 In addition to the requirements in Article 17.2, Contractor is required to list the Subcontractor in the web based Subcontractor Reporting System through the City's Payee Information Portal (PIP), available at www.nyc.gov/pip. For each Subcontractor listed, Contractor is required to provide the following information: maximum contract value, description of Subcontractor's Work, start and end date of the subcontract and identification of the Subcontractor's industry. Thereafter, Contractor will be required to report in the system the payments made to each Subcontractor within 30 days of making the payment. If any of the required information changes throughout the Term of the Contract, Contractor will be required to revise the information in the system.

Failure of the Contractor to list a Subcontractor and/or to report Subcontractor payments in a timely fashion may result in the Commissioner declaring the Contractor in default of the Contract and will subject Contractor to liquidated damages in the amount of \$100 per day for each day that the Contractor fails to identify a Subcontractor along with the required information about the Subcontractor and/or fails to report payments to a Subcontractor, beyond the time frames set forth herein or in the notice from the City. Article 15 shall govern the issue of liquidated damages.

¹ In order to use the new system, a PIP account will be required. Detailed instructions on creating a PIP account and using the new system are also available at www.nyc.gov/pip. Additional assistance with PIP may be obtained by emailing the Financial Information Services Agency Help Desk at pip@fisa.nyc.gov.

- 17.4 If an approved **Subcontractor** elects to subcontract any portion of its subcontract, the proposed sub-subcontract shall be submitted in the same manner as directed above.
- 17.5 The Commissioner will notify the Contractor in writing whether the proposed Subcontractor is approved. If the proposed Subcontractor is not approved, the Contractor may submit another proposed Subcontractor unless the Contractor decides to do the Work. No Subcontractor shall be permitted to enter or perform any work on the Site unless approved.
- 17.6 Before entering into any subcontract hereunder, the Contractor shall provide the proposed Subcontractor with a complete copy of this document and inform the proposed Subcontractor fully and completely of all provisions and requirements of this Contract relating either directly or indirectly to the Work to be performed and the materials to be furnished under such subcontract, and every such Subcontractor shall expressly stipulate that all labor performed and materials furnished by the Subcontractor shall strictly comply with the requirements of this Contract.
- 17.7 Documents given to a prospective **Subcontractor** for the purpose of soliciting the **Subcontractor's** bid shall include either a copy of the bid cover or a separate information sheet setting forth the **Project** name, the **Contract** number (if available), the **Agency** (as noted in Article 2.1.6), and the **Project's** location.
- 17.8 The Commissioner's approval of a Subcontractor shall not relieve the Contractor of any of its responsibilities, duties, and liabilities hereunder. The Contractor shall be solely responsible to the City for the acts or defaults of its Subcontractor and of such Subcontractor's officers, agents, and employees, each of whom shall, for this purpose, be deemed to be the agent or employee of the Contractor to the extent of its subcontract.
- 17.9 If the Subcontractor fails to maintain the necessary facilities, skill, integrity, past experience, and financial resources (other than due to the Contractor's failure to make payments where required) to perform the Work in accordance with the terms and conditions of this Contract, the Contractor shall promptly notify the Commissioner and replace such Subcontractor with a newly approved Subcontractor in accordance with this Article 17.
- 17.10 The Contractor shall be responsible for ensuring that all Subcontractors performing Work at the Site maintain all insurance required by Law.
- 17.11 The **Contractor** shall promptly, upon request, file with the **Engineer** a conformed copy of the subcontract and its cost. The subcontract shall provide the following:
 - 17.11.1 Payment to **Subcontractors**: The agreement between the **Contractor** and its **Subcontractor** shall contain the same terms and conditions as to method of payment for **Work**, labor, and materials, and as to retained percentages, as are contained in this **Contract**.
 - 17.11.2 Prevailing Rate of Wages: The agreement between the **Contractor** and its **Subcontractor** shall include the prevailing wage rates and supplemental benefits to be paid in accordance with Labor Law Section 220.
 - 17.11.3 Section 6-123 of the Administrative Code: Pursuant to the requirements of Section 6-123 of the Administrative Code, every agreement between the Contractor and a Subcontractor in excess of fifty thousand (\$50,000) dollars shall include a provision that the Subcontractor shall not engage in any unlawful discriminatory practice as defined in Title VIII of the Administrative Code (Section 8-101 et seq.).

- 17.11.4 All requirements required pursuant to federal and/or state grant agreement(s), if applicable to the Work.
- 17.12 The Commissioner may deduct from the amounts certified under this Contract to be due to the Contractor, the sum or sums due and owing from the Contractor to the Subcontractors according to the terms of the said subcontracts, and in case of dispute between the Contractor and its Subcontractor, or Subcontractors, as to the amount due and owing, the Commissioner may deduct and withhold from the amounts certified under this Contract to be due to the Contractor such sum or sums as may be claimed by such Subcontractor, or Subcontractors, in a sworn affidavit, to be due and owing until such time as such claim or claims shall have been finally resolved.
- 17.13 On contracts where performance bonds and payment bonds are executed, the **Contractor** shall include on each requisition for payment the following data: **Subcontractor's** name, value of the subcontract, total amount previously paid to **Subcontractor** for **Work** previously requisitioned, and the amount, including retainage, to be paid to the **Subcontractor** for **Work** included in the requisition.
- 17.14 On Contracts where performance bonds and payment bonds are not executed, the Contractor shall include with each requisition for payment submitted hereunder, a signed statement from each and every Subcontractor and/or Materialman for whom payment is requested in such requisition. Such signed statement shall be on the letterhead of the Subcontractor and/or Materialman for whom payment is requested and shall (i) verify that such Subcontractor and/or Materialman has been paid in full for all Work performed and/or material supplied to date, exclusive of any amount retained and any amount included on the current requisition, and (ii) state the total amount of retainage to date, exclusive of any amount retained on the current requisition.

ARTICLE 18. ASSIGNMENTS

- 18.1 The **Contractor** shall not assign, transfer, convey or otherwise dispose of this **Contract**, or the right to execute it, or the right, title or interest in or to it or any part thereof, or assign, by power of attorney or otherwise any of the monies due or to become due under this **Contract**, unless the previous written consent of the **Commissioner** shall first be obtained thereto, and the giving of any such consent to a particular assignment shall not dispense with the necessity of such consent to any further or other assignments.
- 18.2 Such assignment, transfer, conveyance or other disposition of this **Contract** shall not be valid until filed in the office of the **Commissioner** and the **Comptroller**, with the written consent of the **Commissioner** endorsed thereon or attached thereto.
- 18.3 Failure to obtain the previous written consent of the **Commissioner** to such an assignment, transfer, conveyance or other disposition, may result in the revocation and annulment of this **Contract**. The **City** shall thereupon be relieved and discharged from any further liability to the **Contractor**, its assignees, transferees or sublessees, who shall forfeit and lose all monies therefor earned under the **Contract**, except so much as may be required to pay the **Contractor's** employees.
- 18.4 The provisions of this clause shall not hinder, prevent, or affect an assignment by the **Contractor** for the benefit of its creditors made pursuant to the **Laws** of the State of New York.
- 18.5 This Contract may be assigned by the City to any corporation, agency or instrumentality having authority to accept such assignment.

CHAPTER V CONTRACTOR'S SECURITY AND GUARANTEE

ARTICLE 19. SECURITY DEPOSIT

- 19.1 If performance and payment bonds are required, the City shall retain the bid security to ensure that the successful bidder executes the Contract and furnishes the required payment and performance security within ten (10) Days after notice of the award of the Contract. If the successful bidder fails to execute the Contract and furnish the required payment and performance security, the City shall retain such bid security as set forth in the Information for Bidders. If the successful bidder executes the Contract and furnishes the required payment and performance security, the City shall return the bid security within a reasonable time after the furnishing of such bonds and execution of the Contract by the City.
- 19.2 If performance and payment bonds are not required, the bid security shall be retained by the **City** as security for the **Contractor**'s faithful performance of the **Contract**. If partial payments are provided, the bid security will be returned to the **Contractor** after the sum retained under Article 21 equals the amount of the bid security, subject to other provisions of this **Contract**. If partial payments are not provided, the bid security will be released when final payment is certified by the **City** for payment.
- 19.3 If the Contractor is declared in default under Article 48 prior to the return of the deposit, or if any claim is made such as referred to in Article 23, the amount of such deposit, or so much thereof as the Comptroller may deem necessary, may be retained and then applied by the Comptroller:
 - 19.3.1 To compensate the City for any expense, loss or damage suffered or incurred by reason of or resulting from such default, including the cost of re-letting and liquidated damages; or
 - 19.3.2 To indemnify the City against any and all claims.

ARTICLE 20. PAYMENT GUARANTEE

- 20.1 On **Contracts** where one hundred (100%) percent performance bonds and payment bonds are executed, this Article 20 does not apply.
- 20.2 In the event the terms of this Contract do not require the Contractor to provide a payment bond or where the Contract does not requite a payment bond for one hundred (100%) percent of the Contract price, the City shall, in accordance with the terms of this Article 20, guarantee payment of all lawful claims for:
 - 20.2.1 Wages and compensation for labor performed and/or services rendered; and
 - 20.2.2 Materials, equipment, and supplies provided, whether incorporated into the **Work** or not, when demands have been filed with the **City** as provided hereinafter by any person, firm, or corporation which furnished labor, material, equipment, supplies, or any combination thereof, in connection with the **Work** performed hereunder (hereinafter referred to as the "beneficiary") at the direction of the **City** or the **Contractor**.
 - 20.3 The provisions of Article 20.2 are subject to the following limitations and conditions:

- 20.3.1 If the **Contractor** provides a payment bond for a value that is less than one hundred (100%) percent of the value of the **Contract Work**, the payment bond provided by the **Contractor** shall be primary (and non-contributing) to the payment guarantee provided under this Article 20.
- 20.3.2 The guarantee is made for the benefit of all beneficiaries as defined in Article 20.2 provided that those beneficiaries strictly adhere to the terms and conditions of Article 20.3.4 and 20.3.5.
- 20.3.3 Nothing in this Article 20 shall prevent a beneficiary providing labor, services or material for the **Work** from suing the **Contractor** for any amounts due and owing the beneficiary by the **Contractor**.
- 20.3.4 Every person who has furnished labor or material, to the Contractor or to a Subcontractor of the Contractor, in the prosecution of the Work and who has not been paid in full therefor before the expiration of a period of ninety (90) Days after the date on which the last of the labor was performed or material was furnished by him/her for which the claim is made, shall have the right to sue on this payment guarantee in his/her own name for the amount, or the balance thereof, unpaid at the time of commencement of the action; provided, however, that a person having a direct contractual relationship with a Subcontractor of the Contractor but no contractual relationship express or implied with the Contractor shall not have a right of action upon the guarantee unless he/she shall have given written notice to the Contractor within one hundred twenty (120) Days from the date on which the last of the labor was performed or the last of the material was furnished, for which his/her claim is made, stating with substantial accuracy the amount claimed and the name of the party to whom the material was furnished or for whom the labor was performed. The notice shall be served by delivering the same personally to the Contractor or by mailing the same by registered mail, postage prepaid, in an envelope addressed to the Contractor at any place where it maintains an office or conducts its business; provided, however, that where such notice is actually received by the Contractor by other means, such notice shall be deemed sufficient.
- 20.3.5 Except as provided in Labor Law Section 220-g, no action on this payment guarantee shall be commenced after the expiration of the one-year limitations period set forth in Section 137(4)(b) of the State Finance Law.
- 20.3.6 The Contractor shall promptly forward to the City any notice or demand received pursuant to Article 20.3.4. The Contractor shall inform the City of any defenses to the notice or demand and shall forward to the City any documents the City requests concerning the notice or demand.
- 20.3.7 All demands made against the City by a beneficiary of this payment guarantee shall be presented to the Engineer along with all written documentation concerning the demand which the Engineer deems reasonably appropriate or necessary, which may include, but shall not be limited to: the subcontract; any invoices presented to the Contractor for payment; the notarized statement of the beneficiary that the demand is due and payable, that a request for payment has been made of the Contractor and that the demand has not been paid by the Contractor within the time allowed for such payment by the subcontract; and copies of any correspondence between the beneficiary and the Contractor concerning such demand. The City shall notify the Contractor that a demand has been made. The Contractor shall inform the City of any defenses to the demand and shall forward to the City any documents the City requests concerning the demand.

- 20.3.8 The City shall make payment only if, after considering all defenses presented by the Contractor, it determines that the payment is due and owing to the beneficiary making the demand.
- 20.3.9 No beneficiary shall be entitled to interest from the City, or to any other costs, including, but not limited to, attorneys' fees, except to the extent required by State Finance Law Section 137.
- 20.4 Upon the receipt by the City of a demand pursuant to this Article 20, the City may withhold from any payment otherwise due and owing to the Contractor under this Contract an amount sufficient to satisfy the demand.
 - 20.4.1 In the event the City determines that the demand is valid, the City shall notify the Contractor of such determination and the amount thereof and direct the Contractor to immediately pay such amount to the beneficiary. In the event the Contractor, within seven (7) Days of receipt of such notification from the City, fails to pay the beneficiary, such failure shall constitute an automatic and irrevocable assignment of payment by the Contractor to the beneficiary for the amount of the demand determined by the City to be valid. The Contractor, without further notification or other process, hereby gives its unconditional consent to such assignment of payment to the beneficiary and authorizes the City, on its behalf, to take all necessary actions to implement such assignment of payment, including without limitation the execution of any instrument or documentation necessary to effectuate such assignment.
 - 20.4.2In the event that the amount otherwise due and owing to the Contractor by the City is insufficient to satisfy such demand, the City may, at its option, require payment from the Contractor of an amount sufficient to cover such demand and exercise any other right to require or recover payment which the City may have under Law or Contract.
 - 20.4.3 In the event the City determines that the demand is invalid, any amount withheld pending the City's review of such demand shall be paid to the Contractor; provided, however, no lien has been filed. In the event a claim or an action has been filed, the terms and conditions set forth in Article 23 shall apply. In the event a lien has been filed, the parties will be governed by the provisions of the Lien Law of the State of New York.
- 20.5 The provisions of this Article 20 shall not prevent the City and the Contractor from resolving disputes in accordance with the PPB Rules, where applicable.
- 20.6 In the event the City determines that the beneficiary is entitled to payment pursuant to this Article 20, such determination and any defenses and counterclaims raised by the Contractor shall be taken into account in evaluating the Contractor's performance.
- 20.7 Nothing in this Article 20 shall relieve the Contractor of the obligation to pay the claims of all persons with valid and lawful claims against the Contractor relating to the Work.
- The Contractor shall not require any performance, payment or other bonds of any Subcontractor if this Contract does not require such bonds of the Contractor.
- 20.9 The payment guarantee made pursuant to this Article 20 shall be construed in a manner consistent with Section 137 of the State Finance Law and shall afford to persons furnishing labor or materials to the Contractor or its Subcontractors in the prosecution of the Work under this Contract all of the rights and remedies afforded to such persons by such section, including but not limited to, the right STANDARD CONSTRUCTION CONTRACT CITY OF NEW YORK 28 December 2013

DDC

to commence an action against the City on the payment guarantee provided by this Article 20 within the one-year limitations period set forth in Section 137(4)(b).

ARTICLE 21. RETAINED PERCENTAGE

- 21.1 If this **Contract** requires one hundred (100%) percent performance and payment security, then as further security for the faithful performance of this **Contract**, the **Commissioner** shall deduct, and retain until the substantial completion of the **Work**, five (5%) percent of the value of **Work** certified for payment in each partial payment voucher.
- 21.2 If this **Contract** does not require one hundred (100%) percent performance and payment security and if the price for which this **Contract** was awarded does not exceed one million (\$1,000,000) dollars, then as further security for the faithful performance of this **Contract**, the **Commissioner** shall deduct, and retain until the substantial completion of the **Work**, five (5%) percent of the value of **Work** certified for payment in each partial payment voucher.
- 21.3 If this **Contract** does not require one hundred (100%) percent performance and payment security and if the price for which this **Contract** was awarded exceeds one million (\$1,000,000) dollars, then as further security for the faithful performance of this **Contract**, the **Commissioner** shall deduct, and retain until the substantial completion of the **Work**, up to ten (10%) percent of the value of **Work** certified for payment in each partial payment voucher. The percentage to be retained is set forth in Schedule A of the General Conditions.

ARTICLE 22. INSURANCE

- 22.1 Types of Insurance: The Contractor shall procure and maintain the following types of insurance if, and as indicated, in Schedule A of the General Conditions (with the minimum limits and special conditions specified in Schedule A). Such insurance shall be maintained from the date the Contractor is required to provide Proof of Insurance pursuant to Article 22.3.1 through the date of completion of all required Work (including punch list work as certified in writing by the Resident Engineer), except for insurance required pursuant to Article 22.1.4, which may terminate upon Substantial Completion of the Contract. All insurance shall meet the requirements set forth in this Article 22. Wherever this Article requires that insurance coverage be "at least as broad" as a specified form (including all ISO forms), there is no obligation that the form itself be used, provided that the Contractor can demonstrate that the alternative form or endorsement contained in its policy provides coverage at least as broad as the specified form.
 - 22.1.1Commercial General Liability Insurance: The **Contractor** shall provide Commercial General Liability Insurance covering claims for property damage and/or bodily injury, including death, which may arise from any of the operations under this **Contract**. Coverage under this insurance shall be at least as broad as that provided by the latest edition of Insurance Services Office ("ISO") Form CG 0001. Such insurance shall be "occurrence" based rather than "claims-made" and include, without limitation, the following types of coverage: premises operations; products and completed operations; contractual liability (including the tort liability of another assumed in a contract); broad form property damage; independent contractors; explosion, collapse and underground (XCU); construction means and methods; and incidental malpractice. Such insurance shall contain a "per project" aggregate limit, as specified in Schedule A, that applies separately to operations under this **Contract**.

- 22.1.1(a) Such Commercial General Liability Insurance shall name the **City** as an Additional Insured. Coverage for the City shall specifically include the **City**'s officials and employees, be at least as broad as the latest edition of ISO Form CG 20 10 and provide completed operations coverage at least as broad as the latest edition of ISO Form CG 20 37.
- 22.1.1(b) Such Commercial General Liability Insurance shall name all other entities designated as additional insureds in Schedule A but only for claims arising from the **Contractor's** operations under this **Contract**, with coverage at least as broad as the latest edition of ISO Form CG 20 26.
- 22.1.1(c) If the **Work** requires a permit from the Department of Buildings pursuant to 1 RCNY Section 101-08, at http://www.nyc.gov/html/dob/downloads/rules/1 RCNY 101-08. pdf, the **Contractor** shall provide Commercial General Liability Insurance with limits of at least those required by 1 RCNY section 101-08. If the **Work** does not require such a permit, the minimum limits shall be those provided for in Schedule A.
- 22.1.1(d) If any of the **Work** includes repair of a waterborne vessel owned by or to be delivered to the **City**, such Commercial General Liability shall include, or be endorsed to include, Ship Repairer's Legal Liability Coverage to protect against, without limitation, liability arising from navigation of such vessels prior to delivery to and acceptance by the **City**.
- 22.1.2 Workers' Compensation Insurance, Employers' Liability Insurance, and Disability Benefits Insurance: The **Contractor** shall provide, and shall cause its **Subcontractors** to provide, Workers Compensation Insurance, Employers' Liability Insurance, and Disability Benefits Insurance in accordance with the **Laws** of the State of New York on behalf of all employees providing services under this **Contract** (except for those employees, if any, for which the **Laws** require insurance only pursuant to Article 22.1.3).
- 22.1.3 United States Longshoremen's and Harbor Workers Act and/or Jones Act Insurance: If specified in Schedule A of the General Conditions or if required by **Law**, the **Contractor** shall provide insurance in accordance with the United States Longshoremen's and Harbor Workers Act and/or the Jones Act, on behalf of all qualifying employees providing services under this **Contract**.
- 22.1.4 Builders Risk Insurance: If specified in Schedule A of the General Conditions, the Contractor shall provide Builders Risk Insurance on a completed value form for the total value of the Work through Substantial Completion of the Work in its entirety. Such insurance shall be provided on an All Risk basis and include coverage, without limitation, for windstorm (including named windstorm), storm surge, flood and earth movement. Unless waived by the Commissioner, it shall include coverage for ordinance and law, demolition and increased costs of construction, debris removal, pollutant clean up and removal, and expediting costs. Such insurance shall cover, without limitation, (a) all buildings and/or structures involved in the Work, as well as temporary structures at the Site, and (b) any property that is intended to become a permanent part of such building or structure, whether such property is on the Site, in transit or in temporary storage. Policies shall name the Contractor as Named Insured and list the City as both an Additional Insured and a Loss Payee as its interest may appear.
 - 22.1.4(a) Policies of such insurance shall specify that, in the event a loss occurs at an occupied facility, occupancy of such facility is permitted without the consent of the issuing insurance company.

- 22.1.4(b) Such insurance may be provided through an Installation Floater, at the **Contractor's** option, if it otherwise conforms with the requirements of this Article 22.1.4.
- 22.1.5 Commercial Automobile Liability Insurance: The Contractor shall provide Commercial Automobile Liability Insurance for liability arising out of ownership, maintenance or use of any owned (if any), non-owned and hired vehicles to be used in connection with this Contract. Coverage shall be at least as broad as the latest edition of ISO Form CA0001. If vehicles are used for transporting hazardous materials, the Automobile Liability Insurance shall be endorsed to provide pollution liability broadened coverage for covered vehicles (endorsement CA 99 48) as well as proof of MCS 90.
- 22.1.6 Contractors Pollution Liability Insurance: If specified in Schedule A of the General Conditions, the Contractor shall maintain, or cause the Subcontractor doing such Work to maintain, Contractors Pollution Liability Insurance covering bodily injury and property damage. Such insurance shall provide coverage for actual, alleged or threatened emission, discharge, dispersal, seepage, release or escape of pollutants (including asbestos), including any loss, cost or expense incurred as a result of any cleanup of pollutants (including asbestos) or in the investigation, settlement or defense of any claim, action, or proceedings arising from the operations under this Contract. Such insurance shall be in the Contractor's name and list the City as an Additional Insured and any other entity specified in Schedule A. Coverage shall include, without limitation, (a) loss of use of damaged property or of property that has not been physically injured, (b) transportation, and (c) non-owned disposal sites.
 - 22.1.6(a) Coverage for the City as Additional Insured shall specifically include the City's officials and employees and be at least as broad as provided to the Contractor for this Project.
 - 22.1.6(b) If such insurance is written on a claims-made policy, such policy shall have a retroactive date on or before the effective date of this **Contract**, and continuous coverage shall be maintained, or an extended discovery period exercised, for a period of not less than three (3) years from the time the **Work** under this **Contract** is completed.

22.1.7 Marine Insurance:

22.1.7(a) Marine Protection and Indemnity Insurance: If specified in Schedule A of the General Conditions or if the Contractor engages in marine operations in the execution of any part of the Work, the Contractor shall maintain, or cause the Subcontractor doing such Work to maintain, Marine Protection and Indemnity Insurance with coverage at least as broad as Form SP-23. The insurance shall provide coverage for the Contractor or Subcontractor (whichever is doing this Work) and for the City (together with its officials and employees) and any other entity specified in Schedule A as an Additional Insured for bodily injury and property damage arising from marine operations under this Contract. Coverage shall include, without limitation, injury or death of crew members (if not fully provided through other insurance), removal of wreck, damage to piers, wharves and other fixed or floating objects and loss of or damage to any other vessel or craft, or to property on such other vessel or craft.

- 22.1.7(b) Hull and Machinery Insurance: If specified in Schedule A of the General Conditions or if the Contractor engages in marine operations in the execution of any part of the Work, the Contractor shall maintain, or cause the Subcontractor doing such Work to maintain, Hull and Machinery Insurance with coverage for the Contractor or Subcontractor (whichever is doing this Work) and for the City (together with its officials and employees) as Additional Insured at least as broad as the latest edition of American Institute Tug Form for all tugs used under this Contract and Collision Liability at least as broad as the latest edition of American Institute Hull Clauses.
- 22.1.7(c) Marine Pollution Liability Insurance: If specified in Schedule A of the General Conditions or if the Contractor engages in marine operations in the execution of any part of the Work, the Contractor shall maintain, or cause the Subcontractor doing such Work to maintain, Marine Pollution Liability Insurance covering itself (or the Subcontractor doing such Work) as Named Insured and the City (together with its officials and employees) and any other entity specified in Schedule A as an Additional Insured. Coverage shall be at least as broad as that provided by the latest edition of Water Quality Insurance Syndicate Form and include, without limitation, liability arising from the discharge or substantial threat of a discharge of oil, or from the release or threatened release of a hazardous substance including injury to, or economic losses resulting from, the destruction of or damage to real property, personal property or natural resources.
- 22.1.8 The Contractor shall provide such other types of insurance, at such minimum limits and with such conditions, as are specified in Schedule A of the General Conditions.
- 22.2 General Requirements for Insurance Coverage and Policies:
 - 22.2.1 All required insurance policies shall be maintained with companies that may lawfully issue the required policy and have an A.M. Best rating of at least A-/VII or a Standard and Poor's rating of at least A, unless prior written approval is obtained from the City Corporation Counsel.
 - 22.2.2 The Contractor shall be solely responsible for the payment of all premiums for all required policies and all deductibles and self-insured retentions to which such policies are subject, whether or not the City is an insured under the policy.
 - 22.2.3 In his/her sole discretion, the Commissioner may, subject to the approval of the Comptroller and the City Corporation Counsel, accept Letters of Credit and/or custodial accounts in lieu of required insurance.
 - 22.2.4 The City's limits of coverage for all types of insurance required pursuant to Schedule A of the General Conditions shall be the greater of (i) the minimum limits set forth in Schedule A or (ii) the limits provided to the Contractor as Named Insured under all primary, excess, and umbrella policies of that type of coverage.
 - 22.2.5 The Contractor may satisfy its insurance obligations under this Article 22 through primary policies or a combination of primary and excess/umbrella policies, so long as all policies provide the scope of coverage required herein.
 - 22.2.6 Policies of insurance provided pursuant to this Article 22 shall be primary and noncontributing to any insurance or self-insurance maintained by the City.

32

22.3 Proof of Insurance:

- 22.3.1 For all types of insurance required by Article 22.1 and Schedule A, except for insurance required by Articles 22.1.4 and 22.1.7, the **Contractor** shall file proof of insurance in accordance with this Article 22.3 within ten (10) **Days** of award. For insurance provided pursuant to Articles 22.1.4 and 22.1.7, proof shall be filed by a date specified by the **Commissioner** or ten (10) **Days** prior to the commencement of the portion of the **Work** covered by such policy, whichever is earlier.
- 22.3.2 For Workers' Compensation Insurance provided pursuant to Article 22.1.2, the Contractor shall submit one of the following forms: C-105.2 Certificate of Workers' Compensation Insurance; U-26.3 State Insurance Fund Certificate of Workers' Compensation Insurance; Request for WC/DB Exemption (Form CE-200); equivalent or successor forms used by the New York State Workers' Compensation Board; or other proof of insurance in a form acceptable to the Commissioner. For Disability Benefits Insurance provided pursuant to Article 22.1.2, the Contractor shall submit DB-120.1 Certificate Of Insurance Coverage Under The NYS Disability Benefits Law, Request for WC/DB Exemption (Form CE-200); equivalent or successor forms used by the New York State Workers' Compensation Board; or other proof of insurance in a form acceptable to the Commissioner. ACORD forms are not acceptable.
- 22.3.3 For policies provided pursuant to all of Article 22.1 other than Article 22.1.2, the Contractor shall submit one or more Certificates of Insurance on forms acceptable to the Commissioner. All such Certificates of Insurance shall certify (a) the issuance and effectiveness of such policies of insurance, each with the specified minimum limits (b) for insurance secured pursuant to Article 22.1.1 that the City and any other entity specified in Schedule A is an Additional Insured with coverage at least as broad as the most recent edition of ISO Forms CG 20 10, CG 20 37, and CG 20 26, as applicable; (c) in the event insurance is required pursuant to Article 22.1.6 and/or Article 22.1.7, that the City is an Additional Insured thereunder; (d) the company code issued to the insurance company by the National Association of Insurance Commissioners (the NAIC number); and (e) the number assigned to the Contract by the City. All such Certificates of Insurance shall be accompanied by either a duly executed "Certification by Broker" in the form contained in Part III of Schedule A or copies of all policies referenced in such Certificate of Insurance as certified by an authorized representative of the issuing insurance carrier. If any policy is not available at the time of submission, certified binders may be submitted until such time as the policy is available, at which time a certified copy of the policy shall be submitted.
- 22.3.4 Documentation confirming renewals of insurance shall be submitted to the **Commissioner** prior to the expiration date of coverage of policies required under this **Contract**. Such proofs of insurance shall comply with the requirements of Articles 22.3.2 and 22.3.3.
- 22.3.5 The Contractor shall be obligated to provide the City with a copy of any policy of insurance provided pursuant to this Article 22 upon the demand for such policy by the Commissioner or the City Corporation Counsel.

22.4 Operations of the Contractor:

22.4.1 The Contractor shall not commence the Work unless and until all required certificates have been submitted to and accepted by the Commissioner. Acceptance by the Commissioner of a certificate does not excuse the Contractor from securing insurance

consistent with all provisions of this Article 22 or of any liability arising from its failure to do so.

- 22.4.2 The Contractor shall be responsible for providing continuous insurance coverage in the manner, form, and limits required by this Contract and shall be authorized to perform Work only during the effective period of all required coverage.
- 22.4.3 In the event that any of the required insurance policies lapse, are revoked, suspended or otherwise terminated, for whatever cause, the Contractor shall immediately stop all Work, and shall not recommence Work until authorized in writing to do so by the Commissioner. Upon quitting the Site, except as otherwise directed by the Commissioner, the Contractor shall leave all plant, materials, equipment, tools, and supplies on the Site. Contract time shall continue to run during such periods and no extensions of time will be granted. The Commissioner may also declare the Contractor in default for failure to maintain required insurance.
- 22.4.4 In the event the Contractor receives notice, from an insurance company or other person, that any insurance policy required under this Article 22 shall be cancelled or terminated (or has been cancelled or terminated) for any reason, the Contractor shall immediately forward a copy of such notice to both the Commissioner and the New York City Comptroller, attn: Office of Contract Administration, Municipal Building, One Centre Street, room 1005, New York, New York 10007. Notwithstanding the foregoing, the Contractor shall ensure that there is no interruption in any of the insurance coverage required under this Article 22.
- 22.4.5 Where notice of loss, damage, occurrence, accident, claim or suit is required under an insurance policy maintained in accordance with this Article 22, the Contractor shall notify in writing all insurance carriers that issued potentially responsive policies of any such event relating to any operations under this Contract (including notice to Commercial General Liability insurance carriers for events relating to the Contractor's own employees) no later than 20 days after such event. For any policy where the City is an Additional Insured, such notice shall expressly specify that "this notice is being given on behalf of the City of New York as Insured as well as the Named Insured." Such notice shall also contain the following information: the number of the insurance policy, the name of the named insured, the date and location of the damage, occurrence, or accident, and the identity of the persons or things injured, damaged or lost. The Contractor shall simultaneously send a copy of such notice to the City of New York c/o Insurance Claims Specialist, Affirmative Litigation Division, New York City Law Department, 100 Church Street, New York, New York 10007.
- 22.4.6 In the event of any loss, accident, claim, action, or other event that does or can give rise to a claim under any insurance policy required under this Article 22, the **Contractor** shall at all times fully cooperate with the **City** with regard to such potential or actual claim.
- 22.5 Subcontractor Insurance: In the event the Contractor requires any Subcontractor to procure insurance with regard to any operations under this Contract and requires such Subcontractor to name the Contractor as an Additional Insured thereunder, the Contractor shall ensure that the Subcontractor name the City, including its officials and employees, as an Additional Insured with coverage at least as broad as the most recent edition of ISO Form CG 20 26.
- 22.6 Wherever reference is made in Article 7 or this Article 22 to documents to be sent to the **Commissioner** (e.g., notices, filings, or submissions), such documents shall be sent to the address set forth in Schedule A of the General Conditions. In the event no address is set forth in Schedule A, such documents are to be sent to the **Commissioner's** address as provided elsewhere in this **Contract**.

- 22.7 Apart from damages or losses covered by insurance provided pursuant to Articles 22.1.2, 22.1.3, or 22.1.5, the **Contractor** waives all rights against the **City**, including its officials and employees, for any damages or losses that are covered under any insurance required under this Article 22 (whether or not such insurance is actually procured or claims are paid thereunder) or any other insurance applicable to the operations of the **Contractor** and/or its employees, agents, or **Subcontractors**.
- 22.8 In the event the **Contractor** utilizes a self-insurance program to satisfy any of the requirements of this Article 22, the **Contractor** shall ensure that any such self-insurance program provides the **City** with all rights that would be provided by traditional insurance under this Article 22, including but not limited to the defense and indemnification obligations that insurers are required to undertake in liability policies.
- 22.9 Materiality/Non-Waiver: The Contractor's failure to secure policies in complete conformity with this Article 22, or to give an insurance company timely notice of any sort required in this Contract or to do anything else required by this Article 22 shall constitute a material breach of this Contract. Such breach shall not be waived or otherwise excused by any action or inaction by the City at any time.
- 22.10 Pursuant to General Municipal Law Section 108, this Contract shall be void and of no effect unless Contractor maintains Workers' Compensation Insurance for the term of this Contract to the extent required and in compliance with the New York State Workers' Compensation Law.
- 22.11 Other Remedies: Insurance coverage provided pursuant to this Article 22 or otherwise shall not relieve the **Contractor** of any liability under this **Contract**, nor shall it preclude the **City** from exercising any rights or taking such other actions available to it under any other provisions of this **Contract** or **Law**.

ARTICLE 23. MONEY RETAINED AGAINST CLAIMS

- 23.1 If any claim shall be made by any person or entity (including Other Contractors with the City on this Project) against the City or against the Contractor and the City for any of the following:
 - (a) An alleged loss, damage, injury, theft or vandalism of any of the kinds referred to in Articles 7 and 12, plus the reasonable costs of defending the **City**, which in the opinion of the **Comptroller** may not be paid by an insurance company (for any reason whatsoever); or
 - (b) An infringement of copyrights, patents or use of patented articles, tools, etc., as referred to in Article 57; or
 - (c) Damage claimed to have been caused directly or indirectly by the failure of the Contractor to perform the Work in strict accordance with this Contract,

the amount of such claim, or so much thereof as the Comptroller may deem necessary, may be withheld by the Comptroller, as security against such claim, from any money due hereunder. The Comptroller, in his/her discretion, may permit the Contractor to substitute other satisfactory security in lieu of the monies so withheld.

23.2 If an action on such claim is timely commenced and the liability of the City, or the Contractor, or both, shall have been established therein by a final judgment of a court of competent jurisdiction, or if such claim shall have been admitted by the Contractor to be valid, the Comptroller

shall pay such judgment or admitted claim out of the monies retained by the Comptroller under the provisions of this Article 23, and return the balance, if any, without interest, to the Contractor.

ARTICLE 24. MAINTENANCE AND GUARANTY

- 24.1 The Contractor shall promptly repair, replace, restore or rebuild, as the Commissioner may determine, any finished Work in which defects of materials or workmanship may appear or to which damage may occur because of such defects, during the one (1) year period subsequent to the date of Substantial Completion (or use and occupancy in accordance with Article 16), except where other periods of maintenance and guaranty are provided for in Schedule A.
- 24.2 As security for the faithful performance of its obligations hereunder, the Contractor, upon filing its requisition for payment on Substantial Completion, shall deposit with the Commissioner a sum equal to one (1%) percent of the price (or the amount fixed in Schedule A of the General Conditions) in cash or certified check upon a state or national bank and trust company or a check of such bank and trust company signed by a duly authorized officer thereof and drawn to the order of the Comptroller, or obligations of the City, which the Comptroller may approve as of equal value with the sum so required.
- 24.3 In lieu of the above, the **Contractor** may make such security payment to the **City** by authorizing the **Commissioner** in writing to deduct the amount from the **Substantial Completion** payment which shall be deemed the deposit required above.
- 24.4 If the Contractor has faithfully performed all of its obligations hereunder the Commissioner shall so certify to the Comptroller within five (5) Days after the expiration of one (1) year from the date of Substantial Completion and acceptance of the Work or within thirty (30) Days after the expiration of the guarantee period fixed in the Specifications. The security payment shall be repaid to the Contractor without interest within thirty (30) Days after certification by the Commissioner to the Comptroller that the Contractor has faithfully performed all of its obligations hereunder.
- 24.5 Notice by the **Commissioner** to the **Contractor** to repair, replace, rebuild or restore such defective or damaged **Work** shall be timely, pursuant to this article, if given not later than ten (10) **Days** subsequent to the expiration of the one (1) year period or other periods provided for herein.
- 24.6 If the Contractor shall fail to repair, replace, rebuild or restore such defective or damaged Work promptly after receiving such notice, the Commissioner shall have the right to have the Work done by others in the same manner as provided for in the completion of a defaulted Contract, under Article 51.
- 24.7 If the security payment so deposited is insufficient to cover the cost of such Work, the Contractor shall be liable to pay such deficiency on demand by the Commissioner.
- 24.8 The **Engineer's** certificate setting forth the fair and reasonable cost of repairing, replacing, rebuilding or restoring any damaged or defective **Work** when performed by one other than the **Contractor**, shall be binding and conclusive upon the **Contractor** as to the amount thereof.
- 24.9 The Contractor shall obtain all manufacturers' warranties and guaranties of all equipment and materials required by this Contract in the name of the City and shall deliver same to the Commissioner. All of the City's rights and title and interest in and to said manufacturers' warranties and guaranties may be assigned by the City to any subsequent purchasers of such equipment and materials or lessees of the premises into which the equipment and materials have been installed.

CHAPTER VI CHANGES, EXTRA WORK, AND DOCUMENTATION OF CLAIM

ARTICLE 25. CHANGES

- 25.1 Changes may be made to this **Contract** only as duly authorized in writing by the **Commissioner** in accordance with the **Law** and this **Contract**. All such changes, modifications, and amendments will become a part of the **Contract**. Work so ordered shall be performed by the **Contractor**.
- 25.2 Contract changes will be made only for Work necessary to complete the Work included in the original scope of the Contract and/or for non-material changes to the scope of the Contract. Changes are not permitted for any material alteration in the scope of Work in the Contract.
- 25.3 The **Contractor** shall be entitled to a price adjustment for **Extra Work** performed pursuant to a written change order. Adjustments to price shall be computed in one or more of the following ways:
 - 25.3.1 By applicable unit prices specified in the Contract; and/or
 - 25.3.2 By agreement of a fixed price; and/or
 - 25.3.3 By time and material records; and/or
 - 25.3.4 In any other manner approved by the **CCPO**.
- 25.4 All payments for change orders are subject to pre-audit by the **Engineering Audit Officer** and may be post-audited by the **Comptroller** and/or the **Agency**.

ARTICLE 26. METHODS OF PAYMENT FOR OVERRUNS AND EXTRA WORK

- 26.1 Overrun of Unit Price Item: An overrun is any quantity of a unit price item which the **Contractor** is directed to provide which is in excess of one hundred twenty-five (125%) percent of the estimated quantity for that item set forth in the bid schedule.
 - 26.1.1For any unit price item, the **Contractor** will be paid at the unit price bid for any quantity up to one hundred twenty-five (125%) percent of the estimated quantity for that item set forth in the bid schedule. If during the progress of the **Work**, the actual quantity of any unit price item required to complete the **Work** approaches the estimated quantity for that item, and for any reason it appears that the actual quantity of any unit price item necessary to complete the **Work** will exceed the estimated quantity for that item by twenty-five (25%) percent, the **Contractor** shall immediately notify the **Engineer** of such anticipated overrun. The **Contractor** shall not be compensated for any quantity of a unit price item provided which is in excess of one hundred twenty-five (125%) percent of the estimated quantity for that item set forth in the bid schedule without written authorization from the **Engineer**.
 - 26.1.2If the actual quantity of any unit price item necessary to complete the **Work** will exceed one hundred twenty five (125%) percent of the estimated quantity for that item set forth in the bid schedule, the **City** reserves the right and the **Contractor** agrees to negotiate a new unit price for such item. In no event shall such negotiated new unit price exceed the unit bid price. If the **City** and **Contractor** cannot agree on a new unit price, then the **City** shall order the **Contractor** and the **Contractor** agrees to provide additional quantities of the

item on the basis of time and material records for the actual and reasonable cost as determined under Article 26.2, but in no event at a unit price exceeding the unit price bid.

- 26.2 Extra Work: For Extra Work where payment is by agreement on a fixed price in accordance with Article 25.3.2, the price to be paid for such Extra Work shall be based on the fair and reasonable estimated cost of the items set forth below. For Extra Work where payment is based on time and material records in accordance with Article 25.3.3, the price to be paid for such Extra Work shall be the actual and reasonable cost of the items set forth below, calculated in accordance with the formula specified therein, if any.
 - 26.2.1 Necessary materials (including transportation to the **Site**); plus
 - 26.2.2 Necessary direct labor, including payroll taxes (subject to statutory wage caps) and supplemental benefits; plus
 - 26.2.3 Sales and personal property taxes, if any, required to be paid on materials not incorporated into such Extra Work; plus
 - Reasonable rental value of Contractor-owned (or Subcontractor-owned, as applicable), necessary plant and equipment other than Small Tools, plus fuel/energy costs. Except for fuel costs for pick-up trucks which shall be reimbursed based on a consumption of five (5) gallons per shift, fuel costs shall be reimbursed based on actual costs or, in the absence of auditable documentation, the following fuel consumption formula per operating hour: (.035) x (HP rating) x (Fuel cost/gallon). Reasonable rental value is defined as the lower of either seventy-five percent of the monthly prorated rental rates established in "The AED Green Book, Rental Rates and Specifications for Construction Equipment" published by Equipment Watch (the "Green Book"), or seventy-five percent of the monthly prorated rental rates established in the "Rental Rate Blue Book for Construction Equipment" published by Equipment Watch (the "Blue Book") (the applicable Blue Book rate being for rental only without the addition of any operational costs listed in the Blue Book). The reasonable rental value is deemed to be inclusive of all operating costs except for fuel/energy consumption and equipment operator's wages/costs. For multiple shift utilization, reimbursement shall be calculated as follows: first shift shall be seventy-five (75%) percent of such rental rates; second shift shall be sixty (60%) percent of the first shift rate; and third shift shall be forty (40%) percent of the first shift rate. Equipment on standby shall be reimbursed at one-third (1/3) the prorated monthly rental rate. Contractor-owned (or Subcontractor-owned, as applicable) equipment includes equipment from rental companies affiliated with or controlled by the Contractor (or Subcontractor, as applicable), as determined by the Commissioner. In establishing cost reimbursement for non-operating Contractor-owned (or Subcontractor-owned, as applicable) equipment (scaffolding, sheeting systems, road plates, etc.), the City may restrict reimbursement to a purchase-salvage/life cycle basis if less than the computed rental costs; plus
 - 26.2.5 Necessary installation and dismantling of such plant and equipment, including transportation to and from the **Site**, if any, provided that, in the case of non-**Contractor**-owned (or non-**Subcontractor**-owned, as applicable) equipment rented from a third party, the cost of installation and dismantling are not allowable if such costs are included in the rental rate; plus
 - 26.2.6 Necessary fees charged by governmental entities; plus

- 26.2.7 Necessary construction-related service fees charged by non-governmental entities, such as landfill tipping fees; plus
- 26.2.8 Reasonable rental costs of non-Contractor-owned (or non-Subcontractor-owned, as applicable) necessary plant and equipment other than Small Tools, plus fuel/energy costs. Except for fuel costs for pick-up trucks which shall be reimbursed based on a consumption of five (5) gallons per shift, fuel costs shall be reimbursed based on actual costs or, in the absence of auditable documentation, the following fuel consumption formula per hour of operation: (.035) x (HP rating) x (Fuel cost/gallon). In lieu of renting, the City reserves the right to direct the purchase of non-operating equipment (scaffolding, sheeting systems, road plates, etc.), with payment on a purchase-salvage/life cycle basis, if less than the projected rental costs; plus
- 26.2.9 Workers' Compensation Insurance, and any insurance coverage expressly required by the City for the performance of the Extra Work which is different than the types of insurance required by Article 22 and Schedule A of the General Conditions. The cost of Workers' Compensation Insurance is subject to applicable payroll limitation caps and shall be based upon the carrier's Manual Rate for such insurance derived from the applicable class Loss Cost ("LC") and carrier's Lost Cost Multiplier ("LCM") approved by the New York State Department of Financial Services, and with the exception of experience rating, rate modifiers as promulgated by the New York Compensation Insurance Rating Board ("NYCIRB"); plus
- 26.2.10 Additional costs incurred as a result of the Extra Work for performance and payment bonds; plus
- 26.2.11 Twelve percent (12%) percent of the total of items in Articles 26.2.1 through 26.2.5 as compensation for overhead, except that no percentage for overhead will be allowed on **Payroll Taxes** or on the premium portion of overtime pay or on sales and personal property taxes. Overhead shall include without limitation, all costs and expenses in connection with administration, management superintendence, small tools, and insurance required by Schedule A of the General Conditions other than Workers' Compensation Insurance; plus
- 26.2.12 Ten (10%) percent of the total of items in Articles 26.2.1 through 26.2.5, plus the items in Article 26.2.11, as compensation for profit, except that no percentage for profit will be allowed on **Payroll Taxes** or on the premium portion of overtime pay or on sales and personal property taxes; plus
- 26.2.13 Five (5%) percent of the total of items in Articles 26.2.6 through 26.2.10 as compensation for overhead and profit.
- 26.3 Where the Extra Work is performed in whole or in part by other than the Contractor's own forces pursuant to Article 26.2, the Contractor shall be paid, subject to pre-audit by the Engineering Audit Officer, the cost of such Work computed in accordance with Article 26.2 above, plus an additional allowance of five (5%) percent to cover the Contractor's overhead and profit.
- 26.4 Where a change is ordered, involving both Extra Work and omitted or reduced Contract Work, the Contract price shall be adjusted, subject to pre-audit by the EAO, in an amount based on the difference between the cost of such Extra Work and of the omitted or reduced Work.
- 26.5 Where the Contractor and the Commissioner can agree upon a fixed price for Extra Work in accordance with Article 25.3.2 or another method of payment for Extra Work in accordance with Article CITY OF NEW YORK

 39 STANDARD CONSTRUCTION CONTRACT
 DDC

 December 2013

25.3.4, or for Extra Work ordered in connection with omitted Work, such method, subject to pre-audit by the EAO, may, at the option of the Commissioner, be substituted for the cost plus a percentage method provided in Article 26.2; provided, however, that if the Extra Work is performed by a Subcontractor, the Contractor shall not be entitled to receive more than an additional allowance of five (5%) percent for overhead and profit over the cost of such Subcontractor's Work as computed in accordance with Article 26.2.

ARTICLE 27. RESOLUTION OF DISPUTES

- 27.1 All disputes between the **City** and the **Contractor** of the kind delineated in this Article 27.1 that arise under, or by virtue of, this **Contract** shall be finally resolved in accordance with the provisions of this Article 27 and the **PPB** Rules. This procedure for resolving all disputes of the kind delineated herein shall be the exclusive means of resolving any such disputes.
 - 27.1.1 This Article 27 shall not apply to disputes concerning matters dealt with in other sections of the **PPB** Rules, or to disputes involving patents, copyrights, trademarks, or trade secrets (as interpreted by the courts of New York State) relating to proprietary rights in computer software.
 - 27.1.2 This Article 27 shall apply only to disputes about the scope of Work delineated by the Contract, the interpretation of Contract documents, the amount to be paid for Extra Work or disputed work performed in connection with the Contract, the conformity of the Contractor's Work to the Contract, and the acceptability and quality of the Contractor's Work; such disputes arise when the Engineer, Resident Engineer, Engineering Audit Officer, or other designee of the Commissioner makes a determination with which the Contractor disagrees.
- 27.2 All determinations required by this Article 27 shall be made in writing clearly stated, with a reasoned explanation for the determination based on the information and evidence presented to the party making the determination. Failure to make such determination within the time required by this Article 27 shall be deemed a non-determination without prejudice that will allow application to the next level.
- 27.3 During such time as any dispute is being presented, heard, and considered pursuant to this Article 27, the Contract terms shall remain in force and the Contractor shall continue to perform Work as directed by the ACCO or the Engineer. Failure of the Contractor to continue Work as directed shall constitute a waiver by the Contractor of its claim.
 - 27.4 Presentation of Disputes to Commissioner.

Notice of Dispute and Agency Response. The Contractor shall present its dispute in writing ("Notice of Dispute") to the Commissioner within thirty (30) Days of receiving written notice of the determination or action that is the subject of the dispute. This notice requirement shall not be read to replace any other notice requirements contained in the Contract. The Notice of Dispute shall include all the facts, evidence, documents, or other basis upon which the Contractor relies in support of its position, as well as a detailed computation demonstrating how any amount of money claimed by the Contractor in the dispute was arrived at. Within thirty (30) Days after receipt of the detailed written submission comprising the complete Notice of Dispute, the Engineer, Resident Engineer, Engineering Audit Officer, or other designee of the Commissioner shall submit to the Commissioner all materials he or she deems pertinent to the dispute. Following initial submissions to the Commissioner, either party may demand of the other the production of any document or other material the demanding party believes may be relevant to the dispute. The requested party shall produce all relevant materials that are not otherwise

protected by a legal privilege recognized by the courts of New York State. Any question of relevancy shall be determined by the **Commissioner** whose decision shall be final. Willful failure of the **Contractor** to produce any requested material whose relevancy the **Contractor** has not disputed, or whose relevancy has been affirmatively determined, shall constitute a waiver by the **Contractor** of its claim.

- 27.4.1 Commissioner Inquiry. The Commissioner shall examine the material and may, in his or her discretion, convene an informal conference with the Contractor, the ACCO, and the Engineer, Resident Engineer, Engineering Audit Officer, or other designee of the Commissioner to resolve the issue by mutual consent prior to reaching a determination. The Commissioner may seek such technical or other expertise as he or she shall deem appropriate, including the use of neutral mediators, and require any such additional material from either or both parties as he or she deems fit. The Commissioner's ability to render, and the effect of, a decision hereunder shall not be impaired by any negotiations in connection with the dispute presented, whether or not the Commissioner participated therein. The Commissioner may or, at the request of any party to the dispute, shall compel the participation of any Other Contractor with a contract related to the Work of this Contract, and that Contractor shall be bound by the decision of the Commissioner. Any Other Contractor thus brought into the dispute resolution proceeding shall have the same rights and obligations under this Article 27 as the Contractor initiating the dispute.
- 27.4.2 Commissioner Determination. Within thirty (30) Days after the receipt of all materials and information, or such longer time as may be agreed to by the parties, the Commissioner shall make his or her determination and shall deliver or send a copy of such determination to the Contractor, the ACCO, and Engineer, Resident Engineer, Engineering Audit Officer, or other designee of the Commissioner, as applicable, together with a statement concerning how the decision may be appealed.
- 27.4.3 Finality of Commissioner's Decision. The Commissioner's decision shall be final and binding on all parties, unless presented to the Contract Dispute Resolution Board pursuant to this Article 27. The City may not take a petition to the Contract Dispute Resolution Board. However, should the Contractor take such a petition, the City may seek, and the Contract Dispute Resolution Board may render, a determination less favorable to the Contractor and more favorable to the City than the decision of the Commissioner.
- 27.5 Presentation of Dispute to the **Comptroller**. Before any dispute may be brought by the **Contractor** to the Contract Dispute Resolution Board, the **Contractor** must first present its claim to the **Comptroller** for his or her review, investigation, and possible adjustment.
 - 27.5.1 Time, Form, and Content of Notice. Within thirty (30) **Days** of its receipt of a decision by the **Commissioner**, the **Contractor** shall submit to the **Comptroller** and to the **Commissioner** a Notice of Claim regarding its dispute with the **Agency**. The Notice of Claim shall consist of (i) a brief written statement of the substance of the dispute, the amount of money, if any, claimed and the reason(s) the **Contractor** contends the dispute was wrongly decided by the **Commissioner**; (ii) a copy of the written decision of the **Commissioner**; and (iii) a copy of all materials submitted by the **Contractor** to the **Agency**, including the Notice of Dispute. The **Contractor** may not present to the **Comptroller** any material not presented to the **Commissioner**, except at the request of the **Comptroller**.
 - 27.5.2 Response. Within thirty (30) **Days** of receipt of the Notice of Claim, the **Agency** shall make available to the **Comptroller** a copy of all material submitted by the **Agency** to the **Commissioner** in connection with the dispute. The **Agency** may not present to the

Comptroller any material not presented to the Commissioner except at the request of the Comptroller.

- 27.5.3 Comptroller Investigation. The Comptroller may investigate the claim in dispute and, in the course of such investigation, may exercise all powers provided in Sections 7-201 and 7-203 of the Administrative Code. In addition, the Comptroller may demand of either party, and such party shall provide, whatever additional material the Comptroller deems pertinent to the claim, including original business records of the Contractor. Willful failure of the Contractor to produce within fifteen (15) Days any material requested by the Comptroller shall constitute a waiver by the Contractor of its claim. The Comptroller may also schedule an informal conference to be attended by the Contractor, Agency representatives, and any other personnel desired by the Comptroller.
- 27.5.4 Opportunity of Comptroller to Compromise or Adjust Claim. The Comptroller shall have forty-five (45) Days from his or her receipt of all materials referred to in Article 27.5.3 to investigate the disputed claim. The period for investigation and compromise may be further extended by agreement between the Contractor and the Comptroller, to a maximum of ninety (90) Days from the Comptroller's receipt of all materials. The Contractor may not present its petition to the Contract Dispute Resolution Board until the period for investigation and compromise delineated in this Article 27.5.4 has expired. In compromising or adjusting any claim hereunder, the Comptroller may not revise or disregard the terms of the Contract between the parties.
- 27.6 Contract Dispute Resolution Board. There shall be a Contract Dispute Resolution Board composed of:
 - 27.6.1 The chief administrative law judge of the Office of Administrative Trials and Hearings (OATH) or his/her designated OATH administrative law judge, who shall act as chairperson, and may adopt operational procedures and issue such orders consistent with this Article 27 as may be necessary in the execution of the Contract Dispute Resolution Board's functions, including, but not limited to, granting extensions of time to present or respond to submissions;
 - 27.6.2 The CCPO or his/her designee; any designee shall have the requisite background to consider and resolve the merits of the dispute and shall not have participated personally and substantially in the particular matter that is the subject of the dispute or report to anyone who so participated; and
 - 27.6.3 A person with appropriate expertise who is not an employee of the City. This person shall be selected by the presiding administrative law judge from a prequalified panel of individuals, established and administered by OATH with appropriate background to act as decision-makers in a dispute. Such individual may not have a contract or dispute with the City or be an officer or employee of any company or organization that does, or regularly represents persons, companies, or organizations having disputes with the City.
- 27.7 Petition to the Contract Dispute Resolution Board. In the event the claim has not been settled or adjusted by the **Comptroller** within the period provided in this Article 27, the **Contractor**, within thirty (30) **Days** thereafter, may petition the Contract Dispute Resolution Board to review the **Commissioner's** determination.
- 27.7.1 Form and Content of Petition by Contractor. The Contractor shall present its dispute to the Contract Dispute Resolution Board in the form of a petition, which shall CITY OF NEW YORK
 DDC

 42 STANDARD CONSTRUCTION CONTRACT
 December 2013

include (i) a brief written statement of the substance of the dispute, the amount of money, if any, claimed, and the reason(s) the **Contractor** contends the dispute was wrongly decided by the **Commissioner**; (ii) a copy of the written Decision of the **Commissioner**, (iii) copies of all materials submitted by the **Contractor** to the Agency; (iv) a copy of the written decision of the **Comptroller**, if any, and (v) copies of all correspondence with, or written material submitted by the **Contractor**, to the **Comptroller**. The **Contractor** shall concurrently submit four (4) complete sets of the Petition: one set to the **City** Corporation Counsel (Attn: Commercial and Real Estate Litigation Division) and three (3) sets to the Contract Dispute Resolution Board at OATH's offices with proof of service on the **City** Corporation Counsel. In addition, the **Contractor** shall submit a copy of the written statement of the substance of the dispute, cited in (i) above, to both the **Commissioner** and the **Comptroller**.

- 27.7.2 Agency Response. Within thirty (30) Days of its receipt of the Petition by the City Corporation Counsel, the Agency shall respond to the brief written statement of the Contractor and make available to the Contract Dispute Resolution Board all material it submitted to the Commissioner and Comptroller. Three (3) complete copies of the Agency response shall be provided to the Contract Dispute Resolution Board and one to the Contractor. Extensions of time for submittal of the Agency response shall be given as necessary upon a showing of good cause or, upon consent of the parties, for an initial period of up to thirty (30) Days.
- 27.7.3 Further Proceedings. The Contract Dispute Resolution Board shall permit the Contractor to present its case by submission of memoranda, briefs, and oral argument. The Contract Dispute Resolution Board shall also permit the Agency to present its case in response to the Contractor by submission of memoranda, briefs, and oral argument. If requested by the City Corporation Counsel, the Comptroller shall provide reasonable assistance in the preparation of the Agency's case. Neither the Contractor nor the Agency may support its case with any documentation or other material that was not considered by the Comptroller, unless requested by the Contract Dispute Resolution Board. The Contract Dispute Resolution Board, in its discretion, may seek such technical or other expert advice as it shall deem appropriate and may seek, on its own or upon application of a party, any such additional material from any party as it deems fit. The Contract Dispute Resolution Board, in its discretion, may combine more than one dispute between the parties for concurrent resolution.
- 27.7.4 Contract Dispute Resolution Board Determination. Within forty-five (45) **Days** of the conclusion of all written submissions and oral arguments, the Contract Dispute Resolution Board shall render a written decision resolving the dispute. In an unusually complex case, the Contract Dispute Resolution Board may render its decision in a longer period, not to exceed ninety (90) **Days**, and shall so advise the parties at the commencement of this period. The Contract Dispute Resolution Board's decision must be consistent with the terms of the **Contract**. Decisions of the Contract Dispute Resolution Board shall only resolve matters before the Contract Dispute Resolution Board and shall not have precedential effect with respect to matters not before the Contract Dispute Resolution Board.
- 27.7.5 Notification of Contract Dispute Resolution Board Decision. The Contract Dispute Resolution Board shall send a copy of its decision to the **Contractor**, the **ACCO**, the Engineer, the **Comptroller**, the **City** Corporation Counsel, the CCPO, and the **PPB**. A decision in favor of the **Contractor** shall be subject to the prompt payment provisions of the **PPB** Rules. The Required Payment Date shall be thirty (30) Days after the date the parties are formally notified of the Contract Dispute Resolution Board's decision.

27.7.6 Finality of Contract Dispute Resolution Board Decision. The Contract Dispute Resolution

Board's decision shall be final and binding on all parties. Any party may seek review of the Contract Dispute Resolution Board's decision solely in the form of a challenge, filed within four (4) months of the date of the Contract Dispute Resolution Board's decision, in a court of competent jurisdiction of the State of New York, County of New York pursuant to Article 78 of the Civil Practice Law and Rules. Such review by the court shall be limited to the question of whether or not the Contract Dispute Resolution Board's decision was made in violation of lawful procedure, was affected by an error of Law, or was arbitrary and capricious or an abuse of discretion. No evidence or information shall be introduced or relied upon in such proceeding that was not presented to the Contract Dispute Resolution Board in accordance with this Article 27.

Any termination, cancellation, or alleged breach of the **Contract** prior to or during the pendency of any proceedings pursuant to this Article 27 shall not affect or impair the ability of the **Commissioner** or Contract Dispute Resolution Board to make a binding and final decision pursuant to this Article 27.

ARTICLE 28. RECORD KEEPING FOR EXTRA OR DISPUTED WORK OR WORK ON A TIME & MATERIALS BASIS

- 28.1 While the Contractor or any of its Subcontractors is performing Work on a time and material basis or Extra Work on a time and material basis ordered by the Commissioner under Article 25, or where the Contractor believes that it or any of its Subcontractors is performing Extra Work but a final determination by Agency has not been made, or the Contractor or any of its Subcontractors is performing disputed Work (whether on or off the Site), or complying with a determination or order under protest in accordance with Articles 11, 27, and 30, in each such case the Contractor shall furnish the Resident Engineer daily with three (3) copies of written statements signed by the Contractor's representative at the Site showing:
 - 28.1.1 The name, trade, and number of each worker employed on such **Work** or engaged in complying with such determination or order, the number of hours employed, and the character of the **Work** each is doing; and
 - 28.1.2 The nature and quantity of any materials, plant and equipment furnished or used in connection with the performance of such **Work** or compliance with such determination or order, and from whom purchased or rented.
- 28.2 A copy of such statement will be countersigned by the **Resident Engineer**, noting thereon any items not agreed to or questioned, and will be returned to the **Contractor** within two (2) **Days** after submission.
- 28.3 The Contractor and its Subcontractors, when required by the Commissioner, or the Comptroller, shall also produce for inspection, at the office of the Contractor or Subcontractor, any and all of its books, bid documents, financial statements, vouchers, records, daily job diaries and reports, and cancelled checks, and any other documents relating to showing the nature and quantity of the labor, materials, plant and equipment actually used in the performance of such Work, or in complying with such determination or order, and the amounts expended therefor, and shall permit the Commissioner and the Comptroller to make such extracts therefrom, or copies thereof, as they or either of them may desire.
- 28.4 In connection with the examination provided for herein, the Commissioner, upon demand therefor, will produce for inspection by the Contractor such records as the Agency may have with CITY OF NEW YORK

 44 STANDARD CONSTRUCTION CONTRACT

 December 2013

respect to such Extra Work or disputed Work performed under protest pursuant to order of the Commissioner, except those records and reports which may have been prepared for the purpose of determining the accuracy and validity of the Contractor's claim.

28.5 Failure to comply strictly with these requirements shall constitute a waiver of any claim for extra compensation or damages on account of the performance of such **Work** or compliance with such determination or order.

ARTICLE 29. OMITTED WORK

- 29.1 If any Contract Work in a lump sum Contract, or if any part of a lump sum item in a unit price, lump sum, or percentage-bid Contract is omitted by the Commissioner pursuant to Article 33, the Contract price, subject to audit by the EAO, shall be reduced by a pro rata portion of the lump sum bid amount based upon the percent of Work omitted subject to Article 29.4. For the purpose of determining the pro rata portion of the lump sum bid amount, the bid breakdown submitted in accordance with Article 41 shall be considered, but shall not be the determining factor.
- 29.2 If the whole of a lump sum item or units of any other item is so omitted by the **Commissioner** in a unit price, lump sum, or percentage-bid **Contract**, then no payment will be made therefor except as provided in Article 29.4.
- 29.3 For units that have been ordered but are only partially completed, the unit price shall be reduced by a pro rata portion of the unit price bid based upon the percentage of **Work** omitted subject to Article 29.4.
- 29.4 In the event the Contractor, with respect to any omitted Work, has purchased any non-cancelable material and/or equipment that is not capable of use except in the performance of this Contract and has been specifically fabricated for the sole purpose of this Contract, but not yet incorporated into the Work, the Contractor shall be paid for such material and/or equipment in accordance with Article 64.2.1(b); provided, however, such payment is contingent upon the Contractor's delivery of such material and/or equipment in acceptable condition to a location designated by the City.
- 29.5 The Contractor agrees to make no claim for damages or for loss of overhead and profit with regard to any omitted Work.

ARTICLE 30. NOTICE AND DOCUMENTATION OF COSTS AND DAMAGES; PRODUCTION OF FINANCIAL RECORDS

30.1 If the Contractor shall claim to be sustaining damages by reason of any act or omission of the City or its agents, it shall submit to the Commissioner within forty-five (45) Days from the time such damages are first incurred, and every thirty (30) Days thereafter for as long as such damages are incurred, verified statements of the details and the amounts of such damages, together with documentary evidence of such damages. The Contractor may submit any of the above statements within such additional time as may be granted by the Commissioner in writing upon written request therefor. Failure of the Commissioner to respond in writing to a written request for additional time within thirty (30) Days shall be deemed a denial of the request. On failure of the Contractor to strictly comply with the foregoing provisions, such claims shall be deemed waived and no right to recover on such claims shall exist. Damages that the Contractor may claim in any action or dispute resolution procedure arising under or by reason of this Contract shall not be different from or in excess of the statements and documentation made pursuant to this Article 30.

- 30.2 In addition to the foregoing statements, the Contractor shall, upon notice from the Commissioner, produce for examination at the Contractor's office, by the Engineer, Architect or Project Manager, all of its books of account, bills, invoices, payrolls, subcontracts, time books, daily reports, bank deposit books, bank statements, check books, and cancelled checks, showing all of its acts and transactions in connection with or relating to or arising by reason of this Contract, and submit itself and persons in its employment, for examination under oath by any person designated by the Commissioner or Comptroller to investigate claims made or disputes against the City under this Contract. At such examination, a duly authorized representative of the Contractor may be present.
- 30.3 In addition to the statements required under Article 28 and this Article 30, the Contractor and/or its Subcontractor shall, within thirty (30) Days upon notice from the Commissioner or Comptroller, produce for examination at the Contractor's and/or Subcontractor's office, by a representative of either the Commissioner or Comptroller, all of its books of account, bid documents, financial statements, accountant workpapers, bills, invoices, payrolls, subcontracts, time books, daily reports, bank deposit books, bank statements, check books, and cancelled checks, showing all of its acts and transactions in connection with or relating to or arising by reason of this Contract. Further, the Contractor and/or its Subcontractor shall submit any person in its employment, for examination under oath by any person designated by the Commissioner or Comptroller to investigate claims made or disputes against the City under this Contract. At such examination, a duly authorized representative of the Contractor may be present.
- 30.4 Unless the information and examination required under Article 30.3 is provided by the Contractor and/or its Subcontractor upon thirty (30) Days' notice from the Commissioner or Comptroller, or upon the Commissioner's or Comptroller's written authorization to extend the time to comply, the City shall be released from all claims arising under, relating to or by reason of this Contract, except for sums certified by the Commissioner to be due under the provisions of this Contract. It is further stipulated and agreed that no person has the power to waive any of the foregoing provisions and that in any action or dispute resolution procedure against the City to recover any sum in excess of the sums certified by the Commissioner to be due under or by reason of this Contract, the Contractor must allege in its complaint and prove, at trial or during such dispute resolution procedure, compliance with the provisions of this Article 30.
- 30.5 In addition, after the commencement of any action or dispute resolution procedure by the **Contractor** arising under or by reason of this **Contract**, the **City** shall have the right to require the **Contractor** to produce for examination under oath, up until the trial of the action or hearing before the Contract Dispute Resolution Board, the books and documents described in Article 30.3 and submit itself and all persons in its employ for examination under oath. If this Article 30 is not complied with as required, then the **Contractor** hereby consents to the dismissal of the action or dispute resolution procedure.

CHAPTER VII POWERS OF THE RESIDENT ENGINEER, THE ENGINEER OR ARCHITECT AND THE COMMISSIONER

ARTICLE 31. THE RESIDENT ENGINEER

31.1 The **Resident Engineer** shall have the power to inspect, supervise, and control the performance of the **Work**, subject to review by the **Commissioner**. The **Resident Engineer** shall not, however, have the power to issue an **Extra Work** order, except as specifically designated in writing by the **Commissioner**.

ARTICLE 32. THE ENGINEER OR ARCHITECT OR PROJECT MANAGER

- 32.1 The Engineer or Architect or Project Manager, in addition to those matters elsewhere herein delegated to the Engineer and expressly made subject to his/her determination, direction or approval, shall have the power, subject to review by the Commissioner:
 - 32.1.1 To determine the amount, quality, and location of the Work to be paid for hereunder; and
 - 32.1.2 To determine all questions in relation to the Work, to interpret the Contract Drawings, Specifications, and Addenda, and to resolve all patent inconsistencies or ambiguities therein; and
 - 32.1.3 To determine how the Work of this Contract shall be coordinated with Work of Other Contractors engaged simultaneously on this Project, including the power to suspend any part of the Work, but not the whole thereof; and
 - 32.1.4 To make minor changes in the Work as he/she deems necessary, provided such changes do not result in a net change in the cost to the City or to the Contractor of the Work to be done under the Contract; and
 - 32.1.5 To amplify the Contract Drawings, add explanatory information and furnish additional Specifications and drawings, consistent with this Contract.
- 32.2 The foregoing enumeration shall not imply any limitation upon the power of the Engineer or Architect or Project Manager, for it is the intent of this Contract that all of the Work shall generally be subject to his/her determination, direction, and approval, except where the determination, direction or approval of someone other than the Engineer or Architect or Project Manager is expressly called for herein.
- 32.3 The Engineer or Architect or Project Manager shall not, however, have the power to issue an Extra Work order, except as specifically designated in writing by the Commissioner.

ARTICLE 33. THE COMMISSIONER

- 33.1 The **Commissioner**, in addition to those matters elsewhere herein expressly made subject to his/her determination, direction or approval, shall have the power:
 - 33.1.1 To review and make determinations on any and all questions in relation to this **Contract** and its performance; and
 - 33.1.2 To modify or change this **Contract** so as to require the performance of **Extra Work** (subject, however, to the limitations specified in Article 25) or the omission of **Contract Work**; and
 - 33.1.3 To suspend the whole or any part of the **Work** whenever in his/her judgment such suspension is required:
 - 33.1.3(a) In the interest of the City generally; or

- 33.1.3(b) To coordinate the **Work** of the various contractors engaged on this **Project** pursuant to the provisions of Article 12; or
- 33.1.3(c) To expedite the completion of the entire **Project** even though the completion of this particular **Contract** may thereby be delayed.

ARTICLE 34. NO ESTOPPEL

- 34.1 Neither the City nor any Agency, official, agent or employee thereof, shall be bound, precluded or estopped by any determination, decision, approval, order, letter, payment or certificate made or given under or in connection with this Contract by the City, the Commissioner, the Engineer, the Resident Engineer, or any other official, agent or employee of the City, either before or after the final completion and acceptance of the Work and payment therefor:
 - 34.1.1 From showing the true and correct classification, amount, quality or character of the **Work** actually done; or that any such determination, decision, order, letter, payment or certificate was untrue, incorrect or improperly made in any particular, or that the **Work**, or any part thereof, does not in fact conform to the requirements of this **Contract**; and
 - 34.1.2 From demanding and recovering from the Contractor any overpayment made to it, or such damages as the City may sustain by reason of the Contractor's failure to perform each and every part of its Contract.

CHAPTER VIII LABOR PROVISIONS

ARTICLE 35. EMPLOYEES

- 35.1 The Contractor and its Subcontractors shall not employ on the Work:
 - 35.1.1 Anyone who is not competent, faithful and skilled in the **Work** for which he/she shall be employed; and whenever the **Commissioner** shall inform the **Contractor**, in writing, that any employee is, in his/her opinion, incompetent, unfaithful or disobedient, that employee shall be discharged from the **Work** forthwith, and shall not again be employed upon it; or
 - 35.1.2 Any labor, materials or means whose employment, or utilization during the course of this Contract, may tend to or in any way cause or result in strikes, work stoppages, delays, suspension of Work or similar troubles by workers employed by the Contractor or its Subcontractors, or by any of the trades working in or about the buildings and premises where Work is being performed under this Contract, or by Other Contractors or their Subcontractors pursuant to other contracts, or on any other building or premises owned or operated by the City, its Agencies, departments, boards or authorities. Any violation by the Contractor of this requirement may, upon certification of the Commissioner, be considered as proper and sufficient cause for declaring the Contractor to be in default, and for the City to take action against it as set forth in Chapter X of this Contract, or such other article of this Contract as the Commissioner may deem proper; or
- 35.1.3 In accordance with Section 220.3-e of the Labor Law of the State of New York (hereinafter "Labor Law"), the Contractor and its Subcontractors shall not employ on the Work any apprentice, unless he/she is a registered individual, under a bona fide program CITY OF NEW YORK

 48 STANDARD CONSTRUCTION CONTRACT

 DDC

 December 2013

registered with the New York State Department of Labor. The allowable ratio of apprentices to journey-level workers in any craft classification shall not be greater than the ratio permitted to the **Contractor** as to its work force on any job under the registered program. Any employee listed on a payroll at an apprentice wage rate, who is not registered as above, shall be paid the wage rate determined by the **Comptroller** of the **City** for the classification of **Work** actually performed. The **Contractor** or **Subcontractor** will be required to furnish written evidence of the registration of its program and apprentices as well as all the appropriate ratios and wage rates, for the area of the construction prior to using any apprentices on the **Contract Work**.

- 35.2 If the total cost of the Work under this Contract is at least two hundred fifty thousand (\$250,000) dollars, all laborers, workers, and mechanics employed in the performance of the Contract on the public work site, either by the Contractor, Subcontractor or other person doing or contracting to do the whole or a part of the Work contemplated by the Contract, shall be certified prior to performing any Work as having successfully completed a course in construction safety and health approved by the United States Department of Labor's Occupational Safety and Health Administration that is at least ten (10) hours in duration.
- 35.3 In accordance with Local Law Nos. 30-2012 and 33-2012, codified at sections 6-132 and 12-113 of the Administrative Code, respectively,
 - 35.3.1 The Contractor shall not take an adverse personnel action with respect to an officer or employee in retaliation for such officer or employee making a report of information concerning conduct which such officer or employee knows or reasonably believes to involve corruption, criminal activity, conflict of interest, gross mismanagement or abuse of authority by any officer or employee relating to this Contract to (a) the Commissioner of the Department of Investigation, (b) a member of the New York City Council, the Public Advocate, or the Comptroller, or (c) the CCPO, ACCO, Agency head, or Commissioner.
 - 35.3.2 If any of the **Contractor**'s officers or employees believes that he or she has been the subject of an adverse personnel action in violation of Article 35.3.1, he or she shall be entitled to bring a cause of action against the **Contractor** to recover all relief necessary to make him or her whole. Such relief may include but is not limited to: (a) an injunction to restrain continued retaliation, (b) reinstatement to the position such employee would have had but for the retaliation or to an equivalent position, (c) reinstatement of full fringe benefits and seniority rights, (d) payment of two times back pay, plus interest, and (e) compensation for any special damages sustained as a result of the retaliation, including litigation costs and reasonable attorney's fees.
 - 35.3.3 The **Contractor** shall post a notice provided by the **City** in a prominent and accessible place on any site where work pursuant to the **Contract** is performed that contains information about:
 - 35.3.3(a) how its employees can report to the New York City Department of Investigation allegations of fraud, false claims, criminality or corruption arising out of or in connection with the Contract; and
 - 35.3.3(b) the rights and remedies afforded to its employees under Administrative Code sections 7-805 (the New York City False Claims Act) and 12-113 (the Whistleblower Protection Expansion Act) for lawful acts taken in connection with the reporting of allegations of fraud, false claims, criminality or corruption in connection with the **Contract**.

- 35.3.4 For the purposes of this Article 35.3, "adverse personnel action" includes dismissal, demotion, suspension, disciplinary action, negative performance evaluation, any action resulting in loss of staff, office space, equipment or other benefit, failure to appoint, failure to promote, or any transfer or assignment or failure to transfer or assign against the wishes of the affected officer or employee.
- 35.3.5 This Article 35.3 is applicable to all of the Contractor's Subcontractors having subcontracts with a value in excess of \$100,000; accordingly, the Contractor shall include this rider in all subcontracts with a value a value in excess of \$100,000.
- 35.4 Article 35.3 is not applicable to this Contract if it is valued at \$100,000 or less. Articles 35.3.1, 35.3.2, 35.3.4, and 35.3.5 are not applicable to this Contract if it was solicited pursuant to a finding of an emergency.

ARTICLE 36. NO DISCRIMINATION

- 36.1 The Contractor specifically agrees, as required by Labor Law Section 220-e, as amended, that:
 - 36.1.1 In the hiring of employees for the performance of Work under this Contract or any subcontract hereunder, neither the Contractor, Subcontractor, nor any person acting on behalf of such Contractor or Subcontractor, shall by reason of race, creed, color or national origin discriminate against any citizen of the State of New York who is qualified and available to perform the Work to which the employment relates;
 - 36.1.2 Neither the Contractor, Subcontractor, nor any person on its behalf shall, in any manner, discriminate against or intimidate any employee hired for the performance of Work under this Contract on account of race, creed, color or national origin;
 - 36.1.3 There may be deducted from the amount payable to the Contractor by the City under this Contract a penalty of fifty (\$50.00) dollars for each person for each Day during which such person was discriminated against or intimidated in violation of the provisions of this Contract; and
 - 36.1.4 This Contract may be cancelled or terminated by the City and all moneys due or to become due hereunder may be forfeited, for a second or any subsequent violation of the terms or conditions of this Article 36.
 - 36.1.5 This Article 36 covers all construction, alteration and repair of any public building or public work occurring in the State of New York and the manufacture, sale, and distribution of materials, equipment, and supplies to the extent that such operations are performed within the State of New York pursuant to this Contract.
- 36.2 The Contractor specifically agrees, as required by Section 6-108 of the Administrative Code, as amended, that:

50

36.2.1 It shall be unlawful for any person engaged in the construction, alteration or repair of buildings or engaged in the construction or repair of streets or highways pursuant to a Contract with the City or engaged in the manufacture, sale or distribution of materials, equipment or supplies pursuant to a Contract with the City to refuse to employ or to refuse to continue in any employment any person on account of the race, color or creed of such person.

- 36.2.2 It shall be unlawful for any person or any servant, agent or employee of any person, described in Article 36.1.2, to ask, indicate or transmit, orally or in writing, directly or indirectly, the race, color or creed or religious affiliation of any person employed or seeking employment from such person, firm or corporation.
- 36.2.3 Breach of the foregoing provisions shall be deemed a violation of a material provision of this **Contract**.
- 36.2.4 Any person, or the employee, manager or owner of or officer of such firm or corporation who shall violate any of the provisions of this Article 36.2 shall, upon conviction thereof, be punished by a fine of not more than one hundred (\$100.00) dollars or by imprisonment for not more than thirty (30) **Days**, or both.
- 36.3 This **Contract** is subject to the requirements of Executive Order No. 50 (1980) ("E.O. 50"), as revised, and the rules and regulations promulgated thereunder. No contract will be awarded unless and until these requirements have been complied with in their entirety. By signing this **Contract**, the **Contractor** agrees that it:
 - 36.3.1 Will not engage in any unlawful discrimination against any employee or applicant for employment because of race, creed, color, national origin, sex, age, disability, marital status or sexual orientation with respect to all employment decisions including, but not limited to, recruitment, hiring, upgrading, demotion, downgrading, transfer, training, rates of pay or other forms of compensation, layoff, termination, and all other terms and conditions of employment; and
 - 36.3.2 Will not engage in any unlawful discrimination in the selection of **Subcontractors** on the basis of the owner's race, color, creed, national origin, sex, age, disability, marital status or sexual orientation; and
 - 36.3.3 Will state in all solicitations or advertisements for employees placed by or on behalf of the **Contractor** that all qualified applicants will receive consideration for employment without unlawful discrimination based on race, creed, color, national origin, sex, age, citizens status, disability, marital status, sexual orientation, or that it is an equal employment opportunity employer; and
 - 36.3.4 Will send to each labor organization or representative of workers with which it has a collective bargaining agreement or other contract or memorandum of understanding, written notification of its equal employment opportunity commitments under E.O. 50 and the rules and regulations promulgated thereunder; and
 - 36.3.5 Will furnish, before the award of the Contract, all information and reports, including an employment report, that are required by E.O. 50, the rules and regulations promulgated thereunder, and orders of the City Department of Business Services, Division of Labor Services (DLS) and will permit access to its books, records, and accounts by the DLS for the purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- 36.4 The Contractor understands that in the event of its noncompliance with the nondiscrimination clauses of this Contract or with any of such rules, regulations, or orders, such noncompliance shall constitute a material breach of this Contract and noncompliance with E.O. 50 and the rules and regulations promulgated thereunder. After a hearing held pursuant to the rules of the DLS, the Director of the DLS may direct the Commissioner to impose any or all of the following sanctions:

- 36.4.1 Disapproval of the Contractor; and/or
- 36.4.2 Suspension or termination of the Contract; and/or
- 36.4.3 Declaring the Contractor in default; and/or
- 36.4.4 In lieu of any of the foregoing sanctions, the Director of the **DLS** may impose an employment program.

In addition to any actions taken under this **Contract**, failure to comply with E.O. 50 and the rules and regulations promulgated thereunder, in one or more instances, may result in a **City Agency** declaring the **Contractor** to be non-responsible in future procurements. The **Contractor** further agrees that it will refrain from entering into any **Contract** or **Contract** modification subject to E.O. 50 and the rules and regulations promulgated thereunder with a **Subcontractor** who is not in compliance with the requirements of E.O. 50 and the rules and regulations promulgated thereunder.

- 36.5 The Contractor specifically agrees, as required by Section 6-123 of the Administrative Code, that:
 - 36.5.1 The Contractor will not engage in any unlawful discriminatory practice in violation of Title 8 of the Administrative Code; and
 - 36.5.2 Any failure to comply with this Article 36.5 may subject the **Contractor** to the remedies set forth in Section 6-123 of the Administrative Code, including, where appropriate, sanctions such as withholding of payment, imposition of an employment program, finding the **Contractor** to be in default, cancellation of the **Contract**, or any other sanction or remedy provided by **Law** or **Contract**.

ARTICLE 37. LABOR LAW REQUIREMENTS

- 37.1 The **Contractor** shall strictly comply with all applicable provisions of the Labor Law, as amended. Such compliance is a material term of this **Contract**.
- 37.2 The Contractor specifically agrees, as required by Labor Law Sections 220 and 220-d, as amended, that:
 - 37.2.1 Hours of Work: No laborer, worker, or mechanic in the employ of the Contractor, Subcontractor or other person doing or contracting to do the whole or a part of the Work contemplated by this Contract shall be permitted or required to work more than eight (8) hours in any one (1) Day, or more than five (5) Days in any one (1) week, except as provided in the Labor Law and in cases of extraordinary emergency including fire, flood, or danger to life or property, or in the case of national emergency when so proclaimed by the President of the United States of America.
 - 37.2.2 In situations in which there are not sufficient laborers, workers, and mechanics who may be employed to carry on expeditiously the **Work** contemplated by this **Contract** as a result of such restrictions upon the number of hours and **Days** of labor, and the immediate commencement or prosecution or completion without undue delay of the **Work** is necessary for the preservation of the **Site** and/or for the protection of the life and limb of the persons using the same, such laborers, workers, and mechanics shall be permitted or required to

DDC

work more than eight (8) hours in any one (1) **Day**; or five (5) **Days** in any one (1) week; provided, however, that upon application of any **Contractor**, the **Commissioner** shall have first certified to the Commissioner of Labor of the State of New York (hereinafter "Commissioner of Labor") that such public **Work** is of an important nature and that a delay in carrying it to completion would result in serious disadvantage to the public; and provided, further, that such Commissioner of Labor shall have determined that such an emergency does in fact exist as provided in Labor Law Section 220.2.

- 37.2.3 Failure of the **Commissioner** to make such a certification to the Commissioner of Labor shall not entitle the **Contractor** to damages for delay or for any cause whatsoever.
- 37.2.4 Prevailing Rate of Wages: The wages to be paid for a legal day's **Work** to laborers, workers, or mechanics employed upon the **Work** contemplated by this **Contract** or upon any materials to be used thereon shall not be less than the "prevailing rate of wage" as defined in Labor Law Section 220, and as fixed by the **Comptroller** in the attached Schedule of Wage Rates and in updated schedules thereof. The prevailing wage rates and supplemental benefits to be paid are those in effect at the time the **Work** is being performed.
- 37.2.5 Requests for interpretation or correction in the Information for Bidders includes all requests for clarification of the classification of trades to be employed in the performance of the Work under this Contract. In the event that a trade not listed in the Contract is in fact employed during the performance of this Contract, the Contractor shall be required to obtain from the Agency the prevailing wage rates and supplementary benefits for the trades used and to complete the performance of this Contract at the price at which the Contract was awarded.
- 37.2.6 Minimum Wages: Except for employees whose wage is required to be fixed pursuant to Labor Law Section 220, all persons employed by the **Contractor** and any **Subcontractor** in the manufacture or furnishing of the supplies, materials, or equipment, or the furnishing of work, labor, or services, used in the performance of this **Contract**, shall be paid, without subsequent deduction or rebate unless expressly authorized by **Law**, not less than the sum mandated by **Law**.
- 37.3 Working Conditions: No part of the **Work**, labor or services shall be performed or rendered by the **Contractor** in any plants, factories, buildings or surroundings or under working conditions which are unsanitary or hazardous or dangerous to the health and safety of employees engaged in the performance of this **Contract**. Compliance with the safety, sanitary, and factory inspection **Laws** of the state in which the **Work** is to be performed shall be prima facie evidence of compliance with this Article 37.3.
- 37.4 Prevailing Wage Enforcement: The Contractor agrees to pay for all costs incurred by the City in enforcing prevailing wage requirements, including the cost of any investigation conducted by or on behalf of the Agency or the Comptroller, where the City discovers a failure to comply with any of the requirements of this Article 37 by the Contractor or its Subcontractor(s). The Contractor also agrees that, should it fail or refuse to pay for any such investigation, the Agency is hereby authorized to deduct from a Contractor's account an amount equal to the cost of such investigation.
 - 37.4.1 The Labor Law Section 220 and Section 220-d, as amended, provide that this **Contract** shall be forfeited and no sum paid for any **Work** done hereunder on a second conviction for willfully paying less than:
 - 37.4.1(a) The stipulated prevailing wage scale as provided in Labor Law section 220, as amended, or

- 37.4.1(b) The stipulated minimum hourly wage scale as provided in Labor Law section 220-d, as amended.
- 37.4.2 For any breach or violation of either working conditions (Article 37.3) or minimum wages (Article 37.2.6) provisions, the party responsible therefor shall be liable to the City for liquidated damages, which may be withheld from any amounts due on any contracts with the City of such party responsible, or may be recovered in actions brought by the City Corporation Counsel in the name of the City, in addition to damages for any other breach of this Contract, for a sum equal to the amount of any underpayment of wages due to any employee engaged in the performance of this Contract. In addition, the Commissioner shall have the right to cancel contracts and enter into other contracts for the completion of the original contract, with or without public letting, and the original Contractor shall be liable for any additional cost. All sums withheld or recovered as deductions, rebates, refunds, or underpayment of wages hereunder, shall be held in a special deposit account and shall be paid without interest, on order of the Comptroller, directly to the employees who have been paid less than minimum rates of pay as set forth herein and on whose account such sums were withheld or recovered, provided that no claims by employees for such payments shall be entertained unless made within two (2) years from the date of actual notice to the Contractor of the withholding or recovery of such sums by the City.
- 37.4.3 A determination by the Comptroller that a Contractor and/or its Subcontractor willfully violated Labor Law Section 220 will be forwarded to the City's five District Attorneys for review.
- 37.4.4 The Contractor's or Subcontractor's noncompliance with this Article 37.4 and Labor Law Section 220 may result in an unsatisfactory performance evaluation and the Comptroller may also find and determine that the Contractor or Subcontractor willfully violated the New York Labor Law.
 - 37.4.4(a) An unsatisfactory performance evaluation for noncompliance with this Article 37.4 may result in a determination that the **Contractor** is a non-responsible bidder on subsequent procurements with the **City** and thus a rejection of a future award of a contract with the **City**, as well as any other sanctions provided for by **Law**.
 - 37.4.4(b) Labor Law Section 220-b, as amended, provides that when two (2) final determinations have been rendered against a Contractor or Subcontractor within any consecutive six (6) year period determining that such Contractor or Subcontractor has willfully failed to pay the prevailing rate of wages or to provide supplements in accordance with the Labor Law and this Article 37.4, whether such failures were concurrent or consecutive and whether or not such final determinations concerning separate public works projects are rendered simultaneously, such Contractor or Subcontractor shall be ineligible to submit a bid on or be awarded any public works contract with the City for a period of five (5) years from the second final determination. If the final determination involves the falsification of payroll records or the kickback of wages or supplements, the Contractor or Subcontractor shall be ineligible to submit a bid on or be awarded any public works contract with the City for a period of five (5) years from the first final determination.
 - 37.4.4(c) Labor Law Section 220, as amended, provides that the Contractor or Subcontractor found to have violated this Article 37.4 may be directed to make payment of wages or supplements including interest found to be due, and the Contractor or Subcontractor may be directed to make payment of a further sum as

a civil penalty in an amount not exceeding twenty-five (25%) percent of the total amount found to be due.

37.5 The Contractor and its Subcontractors shall within ten (10) Days after mailing of a Notice of Award or written order, post in prominent and conspicuous places in each and every plant, factory, building, and structure where employees of the Contractor and its Subcontractors engaged in the performance of this Contract are employed, notices furnished by the City, in relation to prevailing wages and supplements, minimum wages, and other stipulations contained in Sections 220 and 220-h of the Labor Law, and the Contractor and its Subcontractors shall continue to keep such notices posted in such prominent and conspicuous places until Final Acceptance of the supplies, materials, equipment, or Work, labor, or services required to be furnished or rendered under this Contract.

37.6 The **Contractor** shall strictly comply with all of the provisions of Articles 37.6.1 through 37.6.5, and provide for all workers, laborers or mechanics in its employ, the following:

37.6.1 Notices Posted At Site: Post, in a location designated by the City, schedules of prevailing wages and supplements for this Project, a copy of all re-determinations of such schedules for the Project, the Workers' Compensation Law Section 51 notice, all other notices required by Law to be posted at the Site, the City notice that this Project is a public works project on which each worker is entitled to receive the prevailing wages and supplements for the occupation at which he or she is working, and all other notices which the City directs the Contractor to post. The Contractor shall provide a surface for such notices which is satisfactory to the City. The Contractor shall maintain and keep current such notices in a legible manner and shall replace any notice or schedule which is damaged, defaced, illegible or removed for any reason. The Contractor shall post such notices before commencing any Work on the Site and shall maintain such notices until all Work on the Site is complete; and

37.6.2 Daily **Site** Sign-in Sheets: Maintain daily **Site** sign-in sheets, and require that **Subcontractors** maintain daily **Site** sign-in sheets for its employees, which include blank spaces for an employee's name to be both printed and signed, job title, date started and Social Security number, the time the employee began work and the time the employee left work, until **Final Acceptance** of the supplies, materials, equipment, or **Work**, labor, or services to be furnished or rendered under this **Contract** unless exception is granted by the **Comptroller** upon application by the **Agency**. In the alternative, subject to the approval of the **CCPO**, the **Contractor** and **Subcontractor** may maintain an electronic or biometric sign-in system, which provides the information required by this Article 37.6.2; and

37.6.3 Individual Employee Information Notices: Distribute a notice to each worker, laborer or mechanic employed under this Contract, in a form provided by the Agency, that this Project is a public works project on which each worker, laborer or mechanic is entitled to receive the prevailing rate of wages and supplements for the occupation at which he or she is working. If the total cost of the Work under this Contract is at least two hundred fifty thousand (\$250,000) dollars, such notice shall also include a statement that each worker, laborer or mechanic must be certified prior to performing any Work as having successfully completed a course in construction safety and health approved by the United States Department of Labor's Occupational Safety and Health Administration that is at least ten (10) hours in duration. Such notice shall be distributed to each worker before he or she starts performing any Work of this Contract and with the first paycheck after July first of each year. "Worker, laborer or mechanic" includes employees of the Contractor and all Subcontractors and all employees of suppliers entering the Site. At the time of distribution, the Contractor shall have each worker, laborer or mechanic sign a statement, in a form provided by the Agency, certifying that the worker has received the notice required by this

DDC

Article 37.6.3, which signed statement shall be maintained with the payroll records required by this **Contract**; and

- 37.6.3(a) The **Contractor** and each **Subcontractor** shall notify each worker, laborer or mechanic employed under this **Contract** in writing of the prevailing rate of wages for their particular job classification. Such notification shall be given to every worker, laborer, and mechanic on their first pay stub and with every pay stub thereafter; and
- 37.6.4 Site Laminated Identification Badges: The Contractor shall provide laminated identification badges which include a photograph of the worker's, laborer's or mechanic's face and indicate the worker's, laborer's or mechanic's name, trade, employer's name, and employment starting date (month/day/year). Further, the Contractor shall require as a condition of employment on the Site, that each and every worker, laborer or mechanic wear the laminated identification badge at all times and that it may be seen by any representative of the City. The Commissioner may grant a written waiver from the requirement that the laminated identification badge include a photograph if the Contractor demonstrates that the identity of an individual wearing a laminated identification badge can be easily verified by another method; and
- 37.6.5 Language Other Than English Used On Site: Provide the ACCO notice when three (3) or more employees (worker and/or laborer and/or mechanic) on the Site, at any time, speak a language other than English. The ACCO will then provide the Contractor the notices described in Article 37.6.1 in that language or languages as may be required. The Contractor is responsible for all distributions under this Article 37; and
- 37.6.6 Provision of Records: The Contractor and Subcontractor(s) shall produce within five (5) Days on the Site of the Work and upon a written order of the Engineer, the Commissioner, the ACCO, the Agency EAO, or the Comptroller, such records as are required to be kept by this Article 37.6; and
- 37.6.7 The **Contractor** and **Subcontractor(s)** shall pay employees by check or direct deposit. If this **Contract** is for an amount greater than one million (\$1,000,000) dollars, checks issued by the **Contractor** to covered employees shall be generated by a payroll service or automated payroll system (an in-house system may be used if approved by the **Agency**). For any subcontract for an amount greater than seven hundred fifty thousand (\$750,000) dollars, checks issued by a **Subcontractor** to covered employees shall be generated by a payroll service or automated payroll system (an in-house system may be used if approved by the **Agency**); and
- 37.6.8 The failure of the Contractor or Subcontractor(s) to comply with the provisions of Articles 37.6.1 through 37.6.7 may result in the Commissioner declaring the Contractor in default and/or the withholding of payments otherwise due under the Contract.

December 2013

- 37.7 The Contractor and its Subcontractors shall keep such employment and payroll records as are required by Section 220 of the Labor Law. The failure of the Contractor or Subcontractor(s) to comply with the provisions of this Article 37.7 may result in the Commissioner declaring the Contractor in default and/or the withholding of payments otherwise due under the Contract.
- 37.8 At the time the **Contractor** makes application for each partial payment and for final payment, the **Contractor** shall submit to the **Commissioner** a written payroll certification, in the form provided by this **Contract**, of compliance with the prevailing wage, minimum wage, and other provisions and stipulations required by Labor Law Section 220 and of compliance with the training requirements of CITY OF NEW YORK

 56

 STANDARD CONSTRUCTION CONTRACT

DDC

Labor Law Section 220-h set forth in Article 35.2. This certification of compliance shall be a condition precedent to payment and no payment shall be made to the **Contractor** unless and until each such certification shall have been submitted to and received by the **Commissioner**.

- 37.9 This **Contract** is executed by the **Contractor** with the express warranty and representation that the **Contractor** is not disqualified under the provisions of Section 220 of the Labor Law from the award of the **Contract**.
- 37.10 Any breach or violation of any of the foregoing shall be deemed a breach or violation of a material provision of this **Contract**, and grounds for cancellation thereof by the **City**.

ARTICLE 38. PAYROLL REPORTS

- 38.1 The Contractor and its Subcontractor(s) shall maintain on the Site during the performance of the Work the original payrolls or transcripts thereof which the Contractor and its Subcontractor(s) are required to maintain and shall submit such original payrolls or transcripts, subscribed and affirmed by it as true, within thirty (30) Days after issuance of its first payroll, and every thirty (30) Days thereafter, pursuant to Labor Law Section 220(3-a)(a)(iii). The Contractor and Subcontractor(s) shall submit such original payrolls or transcripts along with each and every payment requisition. If payment requisitions are not submitted at least once a month, the Contractor and its Subcontractor(s) shall submit original payrolls and transcripts both along with its payment requisitions and independently of its payment requisitions.
- 38.2 The Contractor shall maintain payrolls or transcripts thereof for six (6) years from the date of completion of the Work on this Contract. If such payrolls and transcripts are maintained outside of New York City after the completion of the Work and their production is required pursuant to this Article 38, the Contractor shall produce such records in New York City upon request by the City.
- 38.3 The Contractor and Subcontractor(s) shall comply with any written order, direction, or request made by the Engineer, the Commissioner, the ACCO, the Agency EAO, the Agency Labor Law Investigator(s), or the Comptroller, to provide to the requesting party any of the following information and/or records within five (5) Days of such written order, direction, or request:
 - 38.3.1 Such original payrolls or transcripts thereof subscribed and affirmed by it as true and the statements signed by each worker pursuant to this Chapter VIII; and/or
 - 38.3.2 Attendance sheets for each **Day** on which any employee of the **Contractor** and/or any of the **Subcontractor(s)** performed **Work** on the **Site**, which attendance sheet shall be in a form acceptable to the **Agency** and shall provide information acceptable to the **Agency** to identify each such employee; and/or
 - 38.3.3 Any other information to satisfy the Engineer, the Commissioner, the ACCO, the Agency EAO, the Agency Labor Law Investigator(s) or the Comptroller, that this Chapter VIII and the Labor Law, as to the hours of employment and prevailing rates of wages and/or supplemental benefits, are being observed.
- 38.4 The failure of the Contractor or Subcontractor(s) to comply with the provisions of Articles 38.1 and/or 38.2 may result in the Commissioner declaring the Contractor in default and/or the withholding of payments otherwise due under the Contract.

ARTICLE 39. DUST HAZARDS

39.1 Should a harmful dust hazard be created in performing the **Work** of this **Contract**, for the elimination of which appliances or methods have been approved by the Board of Standards and Appeals of the City of New York, such appliances and methods shall be installed, maintained, and effectively operated during the continuance of such harmful dust hazard. Failure to comply with this provision after notice shall make this **Contract** voidable at the sole discretion of the **City**.

CHAPTER IX PARTIAL AND FINAL PAYMENTS

ARTICLE 40. CONTRACT PRICE

40.1 The City shall pay, and the Contractor agrees to accept, in full consideration for the Contractor's performance of the Work subject to the terms and conditions hereof, the lump sum price or unit prices for which this Contract was awarded, plus the amount required to be paid for any Extra Work ordered by the Commissioner under Article 25, less credit for any Work omitted pursuant to Article 29.

ARTICLE 41. BID BREAKDOWN ON LUMP SUM

- 41.1 Within fifteen (15) Days after the commencement date specified in the Notice to Proceed or Order to Work, unless otherwise directed by the Resident Engineer, the Contractor shall submit to the Resident Engineer a breakdown of its bid price, or of lump sums bid for items of the Contract, showing the various operations to be performed under the Contract, as directed in the progress schedule required under Article 9, and the value of each of such operations, the total of such items to equal the lump sum price bid. Said breakdown must be approved in writing by the Resident Engineer.
- 41.2 No partial payment will be approved until the **Contractor** submits a bid breakdown that is acceptable to the **Resident Engineer**.
- 41.3 The Contractor shall also submit such other information relating to the bid breakdown as directed by the Resident Engineer. Thereafter, the breakdown may be used only for checking the Contractor's applications for partial payments hereunder, but shall not be binding upon the City, the Commissioner, or the Engineer for any purpose whatsoever.

ARTICLE 42. PARTIAL PAYMENTS

- 42.1 From time to time as the **Work** progresses satisfactorily, but not more often than once each calendar month (except where the **Commissioner** approves in writing the submission of invoices on a more frequent basis and for invoices relating to **Work** performed pursuant to a change order), the **Contractor** may submit to the **Engineer** a requisition for a partial payment in the prescribed form, which shall contain an estimate of the quantity and the fair value of the **Work** done during the payment period.
- 42.2 Partial payments may be made for materials, fixtures, and equipment in advance of their actual incorporation in the **Work**, as the **Commissioner** may approve, and upon the terms and conditions set forth in the General Conditions.

- 42.3 The Contractor shall also submit to the Commissioner in connection with every application for partial payment a verified statement in the form prescribed by the Comptroller setting forth the information required under Labor Law Section 220-a.
- 42.4 Within thirty (30) **Days** after receipt of a satisfactory payment application, and within sixty (60) **Days** after receipt of a satisfactory payment application in relation to **Work** performed pursuant to a change order, the **Engineer** will prepare and certify, and the **Commissioner** will approve, a voucher for a partial payment in the amount of such approved estimate, less any and all deductions authorized to be made by the **Commissioner** under the terms of this **Contract** or by **Law**.

ARTICLE 43. PROMPT PAYMENT

- 43.1 The Prompt Payment provisions of the **PPB** Rules in effect at the time of the bid will be applicable to payments made under this **Contract**. The provisions require the payment to the **Contractor** of interest on payments made after the required payment date, except as set forth in the **PPB** Rules.
- 43.2 The **Contractor** shall submit a proper invoice to receive payment, except where the **Contract** provides that the **Contractor** will be paid at predetermined intervals without having to submit an invoice for each scheduled payment.
 - 43.3 Determination of interest due will be made in accordance with the PPB Rules.
- 43.4 If the **Contractor** is paid interest, the proportionate share(s) of that interest shall be forwarded by the **Contractor** to its **Subcontractor**(s).
- 43.5 The Contractor shall pay each Subcontractor or Materialman not later than seven (7) Days after receipt of payment out of amounts paid to the Contractor by the City for Work performed by the Subcontractor or Materialman under this Contract.
 - 43.5.1 If Contractor fails to make any payment to any Subcontractor or Materialman within seven (7) Days after receipt of payment by the City pursuant to this Article 43.5, then the Contractor shall pay interest on amounts due to such Subcontractor or Materialman at the rate of interest in effect on the date such payment is made by the Contractor computed in accordance with Section 756-b (1)(b) of the New York General Business Law. Accrual of interest shall commence on the Day immediately following the expiration of the seventh Day following receipt of payment by the Contractor from the City and shall end on the date on which payment is made.
- 43.6 The Contractor shall include in each of its subcontracts a provision requiring each Subcontractor to make payment to each of its Subcontractors or Materialmen for Work performed under this Contract in the same manner and within the same time period set forth above.

ARTICLE 44. SUBSTANTIAL COMPLETION PAYMENT

- 44.1 The Contractor shall submit with the Substantial Completion requisition:
 - 44.1.1 A final verified statement of any pending Article 27 disputes in accordance with the **PPB** Rules and this **Contract** and any and all alleged claims against the **City**, in any way connected with or arising out of this **Contract** (including those as to which details may have been furnished pursuant to Articles 11, 27, 28, and 30) setting forth with respect to each

such claim the total amount thereof, the various items of labor and materials included therein, and the alleged value of each item; and if the alleged claim be one for delay, the alleged cause of each such delay, the period or periods of time, giving the dates when the **Contractor** claims the performance of the **Work** or a particular part thereof was delayed, and an itemized statement and breakdown of the amount claimed for each such delay.

44.1.1(a) With respect to each such claim, the Commissioner, the Comptroller and, in the event of litigation, the City Corporation Counsel shall have the same right to inspect, and to make extracts or copies of, the Contractor's books, vouchers, records, etc., as is referred to in Articles 11, 27, 28, and 30. Nothing contained in this Article 44.1.1(a) is intended to or shall relieve the Contractor from the obligation of complying strictly with Articles 11, 27, 28, and 30. The Contractor is warned that unless such claims are completely set forth as herein required, the Contractor upon acceptance of the Substantial Completion payment pursuant to this Article 44, will have waived any such claims.

44.1.2 A Final Approved Punch List.

- 44.1.3 Where required, a request for an extension of time to achieve **Substantial** Completion or final extension of time.
- 44.2 The Commissioner shall issue a voucher calling for payment of any part or all of the balance due for Work performed under the Contract, including monies retained under Article 21, less any and all deductions authorized to be made by the Commissioner, under this Contract or by Law, and less twice the amount the Commissioner considers necessary to ensure the completion of the balance of the Work by the Contractor. Such a payment shall be considered a partial and not a final payment. No Substantial Completion payment shall be made under this Article 44 where the Contractor failed to complete the Work within the time fixed for such completion in the Schedule A of the General Conditions, or within the time to which completion may have been extended, until an extension or extensions of time for the completion of Work have been acted upon pursuant to Article 13.
- 44.3 No further partial payments shall be made to the Contractor after Substantial Completion, except the Substantial Completion payment and payment pursuant to any Contractor's requisition that were properly filed with the Commissioner prior to the date of Substantial Completion; however, the Commissioner may grant a waiver for further partial payments after the date of Substantial Completion to permit payments for change order Work and/or release of retainage and deposits pursuant to Articles 21 and 24. Such waiver shall be in writing.
- 44.4 The Contractor acknowledges that nothing contained in this Article 44 is intended to or shall in any way diminish the force and effect of Article 13.

ARTICLE 45. FINAL PAYMENT

45.1 After completion and Final Acceptance of the Work, the Contractor shall submit all required certificates and documents, together with a requisition for the balance claimed to be due under the Contract, less the amount authorized to be retained for maintenance under Article 24. Such submission shall be within 90 days of the date of the Commissioner's written determination of Final Acceptance, or within such additional time as may be granted by the Commissioner in writing. If the Contractor fails to submit all required certificates and documents within the time allowed, no payment of the balance claimed shall be made to the Contractor and the Contractor shall be deemed to have forfeited its right to

payment of any balance claimed. A verified statement similar to that required in connection with applications for partial payments shall also be submitted to the **Commissioner**.

- 45.2 Amended Verified Statement of Claims: The Contractor shall also submit with the final requisition any amendments to the final verified statement of any pending dispute resolution procedures in accordance with the PPB Rules and this Contract and any and all alleged claims against the City, in any way connected with or arising out of this Contract (including those as to which details may have been furnished pursuant to Articles 11, 27, 28, and 30) that have occurred subsequent to Substantial Completion, setting forth with respect to each such claim the total amount thereof, the various items of labor and materials included therein, and the alleged value of each such item; and if the alleged claim be one for delay, the alleged cause of each such delay, the period or periods of time, giving the dates when the Contractor claims the performance of the Work or a particular part thereof was delayed, and an itemized statement and breakdown of the amount claimed for each such delay. With reference to each such claim, the Commissioner, the Comptroller and, in the event of litigation, the City Corporation Counsel shall have the same right to inspect, and to make extracts or copies of, the Contractor's books, vouchers, records, etc., as is referred to in Articles 11, 27, 28, and 30. Nothing contained in this Article 45.2, is intended to or shall relieve the Contractor from the obligation of complying strictly with Articles 11, 27, 28, and 30. The Contractor is warned that unless such claims are completely set forth as herein required, the Contractor, upon acceptance of the Final Payment pursuant to Article 46, will have waived any such claims.
- 45.3 Preparation of Final Voucher: Upon determining the balance due hereunder other than on account of claims, the Engineer will prepare and certify, for the Commissioner's approval, a voucher for final payment in that amount less any and all deductions authorized to be made by the Commissioner under this Contract or by Law. In the case of a lump sum Contract, the Commissioner shall certify the voucher for final payment within thirty (30) Days from the date of completion and acceptance of the Work, provided all requests for extensions of time have been acted upon.
 - 45.3.1 All prior certificates and vouchers upon which partial payments were made, being merely estimates made to enable the Contractor to prosecute the Work more advantageously, shall be subject to correction in the final voucher, and the certification of the Engineer thereon and the approval of the Commissioner thereof, shall be conditions precedent to the right of the Contractor to receive any money hereunder. Such final voucher shall be binding and conclusive upon the Contractor.
 - 45.3.2 Payment pursuant to such final voucher, less any deductions authorized to be made by the Commissioner under this Contract or by Law, shall constitute the final payment, and shall be made by the Comptroller within thirty (30) Days after the filing of such voucher in his/her office.
- 45.4 The Contractor acknowledges that nothing contained in this Article 45 is intended to or shall in any way diminish the force and effect of Article 13.

ARTICLE 46. ACCEPTANCE OF FINAL PAYMENT

46.1 The acceptance by the Contractor, or by anyone claiming by or through it, of the final payment, whether such payment be made pursuant to any judgment of any court, or otherwise, shall constitute and operate as a release of the City from any and all claims of and liability to the Contractor for anything heretofore done or furnished for the Contractor relating to or arising out of this Contract and the Work done hereunder, and for any prior act, neglect or default on the part of the City or any of its officials, agents or employees, excepting only a claim against the City for the amounts deducted or retained in accordance with the terms and provisions of this Contract or by Law, and excepting any CITY OF NEW YORK STANDARD CONSTRUCTION CONTRACT

DDC

61 December 2013 claims, not otherwise waived, or any pending dispute resolution procedures which are contained in the verified statement filed with the **Contractor's** substantial and final requisitions pursuant to Articles 44 and 45.

- 46.2 The Contractor is warned that the execution by it of a release, in connection with the acceptance of the final payment, containing language purporting to reserve claims other than those herein specifically excepted from the operation of this Article 46, or those for amounts deducted by the Commissioner from the final requisition or from the final payment as certified by the Engineer and approved by the Commissioner, shall not be effective to reserve such claims, anything stated to the Contractor orally or in writing by any official, agent or employee of the City to the contrary notwithstanding.
- 46.3 Should the **Contractor** refuse to accept the final payment as tendered by the **Comptroller**, it shall constitute a waiver of any right to interest thereon.
- 46.4 The Contractor, however, shall not be barred by this Article 46 from commencing an action for breach of Contract to the extent permitted by Law and by the terms of the Contract for any claims that are contained in the verified statement filed with the Contractor's substantial and final requisitions pursuant to Articles 44 and 45 or that arose after submission of the final payment requisition, provided that a detailed and verified statement of claim is served upon the contracting Agency and Comptroller not later than forty (40) Days after the making of such final payment by electronic funds transfer (EFT) or the mailing of such final payment. The statement shall specify the items upon which the claim will be based and any such claim shall be limited to such items.

ARTICLE 47. APPROVAL BY PUBLIC DESIGN COMMISSION

47.1 All works of art, including paintings, mural decorations, stained glass, statues, bas-reliefs, and other sculptures, monuments, fountains, arches, and other structures of a permanent character intended for ornament or commemoration, and every design of the same to be used in the performance of this Contract, and the design of all bridges, approaches, buildings, gates, fences, lamps, or structures to be erected, pursuant to the terms of this Contract, shall be submitted to the Art Commission, d/b/a the Public Design Commission of the City of New York, and shall be approved by the Public Design Commission prior to the erection or placing in position of the same. The final payment shall not become due or payable under this Contract unless and until the Public Design Commission shall certify that the design for the Work herein contracted for has been approved by the said Public Design Commission, and that the same has been executed in substantial accordance with the design so approved, pursuant to the provisions of Chapter 37, Section 854 of the City Charter, as amended.

CHAPTER X CONTRACTOR'S DEFAULT

ARTICLE 48. COMMISSIONER'S RIGHT TO DECLARE CONTRACTOR IN DEFAULT

- 48.1 In addition to those instances specifically referred to in other Articles herein, the Commissioner shall have the right to declare the Contractor in default of this Contract if:
 - 48.1.1 The Contractor fails to commence Work when notified to do so by the Commissioner; or if
 - 48.1.2 The Contractor shall abandon the Work; or if

- 48.1.3 The **Contractor** shall refuse to proceed with the **Work** when and as directed by the **Commissioner**; or if
- 48.1.4 The Contractor shall, without just cause, reduce its working force to a number which, if maintained, would be insufficient, in the opinion of the Commissioner, to complete the Work in accordance with the progress schedule; or if
- 48.1.5 The **Contractor** shall fail or refuse to increase sufficiently such working force when ordered to do so by the **Commissioner**; or if
- 48.1.6 The Contractor shall sublet, assign, transfer, convert or otherwise dispose of this Contract other than as herein specified; or sell or assign a majority interest in the Contractor; or if
- 48.1.7 The Contractor fails to secure and maintain all required insurance; or if
- 48.1.8 A receiver or receivers are appointed to take charge of the **Contractor's** property or affairs; or if
- 48.1.9 The **Commissioner** shall be of the opinion that the **Contractor** is or has been unnecessarily or unreasonably or willfully delaying the performance and completion of the **Work**, or the award of necessary subcontracts, or the placing of necessary material and equipment orders; or if
- 48.1.10 The **Commissioner** shall be of the opinion that the **Contractor** is or has been willfully or in bad faith violating any of the provisions of this **Contract**; or if
- 48.1.11 The **Commissioner** shall be of the opinion that the **Work** cannot be completed within the time herein provided therefor or within the time to which such completion may have been extended; provided, however, that the impossibility of timely completion is, in the **Commissioner's** opinion, attributable to conditions within the **Contractor's** control; or if
- 48.1.12 The **Work** is not completed within the time herein provided therefor or within the time to which the **Contractor** may be entitled to have such completion extended; or if
- 48.1.13 Any statement or representation of the Contractor in the Contract or in any document submitted by the Contractor with respect to the Work, the Project, or the Contract (or for purposes of securing the Contract) was untrue or incorrect when made; or if
- 48.1.14 The **Contractor** or any of its officers, directors, partners, five (5%) percent shareholders, principals, or other persons substantially involved in its activities, commits any of the acts or omissions specified as the grounds for debarment in the **PPB** Rules.
- 48.2 Before the **Commissioner** shall exercise his/her right to declare the **Contractor** in default, the **Commissioner** shall give the **Contractor** an opportunity to be heard, upon not less than two (2) **Days** notice.

ARTICLE 49. EXERCISE OF THE RIGHT TO DECLARE DEFAULT

- 49.1 The right to declare the **Contractor** in default for any of the grounds specified or referred to in Article 48 shall be exercised by sending the **Contractor** a notice, signed by the **Commissioner**, setting forth the ground or grounds upon which such default is declared (hereinafter referred to as a "Notice of Default").
- 49.2 The Commissioner's determination that the Contractor is in default shall be conclusive, final, and binding on the parties and such a finding shall preclude the Contractor from commencing a plenary action for any damages relating to the Contract. If the Contractor protests the determination of the Commissioner, the Contractor may commence an action in a court of competent jurisdiction of the State of New York under Article 78 of the New York Civil Practice Law and Rules.

ARTICLE 50. QUITTING THE SITE

50.1 Upon receipt of such notice the **Contractor** shall immediately discontinue all further operations under this **Contract** and shall immediately quit the **Site**, leaving untouched all plant, materials, equipment, tools, and supplies then on the **Site**.

ARTICLE 51. COMPLETION OF THE WORK

- 51.1 The Commissioner, after declaring the Contractor in default, may then have the Work completed by such means and in such manner, by contract with or without public letting, or otherwise, as he/she may deem advisable, utilizing for such purpose such of the Contractor's plant, materials, equipment, tools, and supplies remaining on the Site, and also such Subcontractors, as he/she may deem advisable.
- 51.2 After such completion, the **Commissioner** shall make a certificate stating the expense incurred in such completion, which shall include the cost of re-letting and also the total amount of liquidated damages (at the rate provided for in the **Contract**) from the date when the **Work** should have been completed by the **Contractor** in accordance with the terms hereof to the date of actual completion of the **Work**. Such certificate shall be binding and conclusive upon the **Contractor**, its sureties, and any person claiming under the **Contractor**, as to the amount thereof.
- 51.3 The expense of such completion, including any and all related and incidental costs, as so certified by the **Commissioner**, and any liquidated damages assessed against the **Contractor**, shall be charged against and deducted out of monies which are earned by the **Contractor** prior to the date of default. Should the expense of such completion, as certified by the **Commissioner**, exceed the total sum which would have been payable under the **Contract** if it had been completed by the **Contractor**, any excess shall be paid by the **Contractor**.

ARTICLE 52. PARTIAL DEFAULT

52.1 In case the Commissioner shall declare the Contractor in default as to a part of the Work only, the Contractor shall discontinue such part, shall continue performing the remainder of the Work in strict conformity with the terms of this Contract, and shall in no way hinder or interfere with any Other

Contractor(s) or persons whom the Commissioner may engage to complete the Work as to which the Contractor was declared in default.

52.2 The provisions of this Chapter relating to declaring the **Contractor** in default as to the entire **Work** shall be equally applicable to a declaration of partial default, except that the **Commissioner** shall be entitled to utilize for completion of the part of the **Work** as to which the **Contractor** was declared in default only such plant, materials, equipment, tools, and supplies as had been previously used by the **Contractor** on such part.

ARTICLE 53. PERFORMANCE OF UNCOMPLETED WORK

53.1 In completing the whole or any part of the Work under the provisions of this Chapter X, the Commissioner shall have the power to depart from or change or vary the terms and provisions of this Contract, provided, however, that such departure, change or variation is made for the purpose of reducing the time or expense of such completion. Such departure, change or variation, even to the extent of accepting a lesser or different performance, shall not affect the conclusiveness of the Commissioner's certificate of the cost of completion referred to in Article 51, nor shall it constitute a defense to an action to recover the amount by which such certificate exceeds the amount which would have been payable to the Contractor hereunder but for its default.

ARTICLE 54. OTHER REMEDIES

- 54.1 In addition to the right to declare the Contractor in default pursuant to this Chapter X, the Commissioner shall have the absolute right, in his/her sole discretion and without a hearing, to complete or cause to be completed in the same manner as described in Articles 51 and 53, any or all unsatisfactory or uncompleted punch list Work that remains after the completion date specified in the Final Approved Punch List. A written notice of the exercise of this right shall be sent to the Contractor who shall immediately quit the Site in accordance with the provisions of Article 50.
- 54.2 The expense of completion permitted under Article 54.1, including any and all related and incidental costs, as so certified by the **Commissioner**, shall be charged against and deducted out of monies which have been earned by the **Contractor** prior to the date of the exercise of the right set forth in Article 54.1; the balance of such monies, if any, subject to the other provisions of this **Contract**, to be paid to the **Contractor** without interest after such completion. Should the expense of such completion, as certified by the **Commissioner**, exceed the total sum which would have been payable under the **Contract** if it had been completed by the **Contractor**, any excess shall be paid by the **Contractor**.
- 54.3 The previous provisions of this Chapter X shall be in addition to any and all other remedies available under Law or in equity.
- 54.4 The exercise by the City of any remedy set forth herein shall not be deemed a waiver by the City of any other legal or equitable remedy contained in this Contract or provided under Law.

CHAPTER XI MISCELLANEOUS PROVISIONS

ARTICLE 55. CONTRACTOR'S WARRANTIES

- 55.1 In consideration of, and to induce, the award of this Contract to the Contractor, the Contractor represents and warrants:
 - 55.1.1 That it is financially solvent, sufficiently experienced and competent to perform the Work; and
 - 55.1.2 That the facts stated in its bid and the information given by it pursuant to the Information for Bidders is true and correct in all respects; and
 - 55.1.3 That it has read and complied with all requirements set forth in the Contract.

ARTICLE 56. CLAIMS AND ACTIONS THEREON

- 56.1 Any claim, that is not subject to dispute resolution under the **PPB** Rules or this **Contract**, against the **City** for damages for breach of **Contract** shall not be made or asserted in any action, unless the **Contractor** shall have strictly complied with all requirements relating to the giving of notice and of information with respect to such claims, as herein before provided.
- 56.2 Nor shall any action be instituted or maintained on any such claims unless such action is commenced within six (6) months after **Substantial Completion**; except that:
 - 56.2.1 Any claims arising out of events occurring after Substantial Completion and before Final Acceptance of the Work shall be asserted within six (6) months of Final Acceptance of the Work;
 - 56.2.2 Any claims for monies deducted, retained or withheld under the provisions of this **Contract** shall be asserted within six (6) months after the date when such monies otherwise become due and payable hereunder; and
 - 56.2.3 If the Commissioner exercises his/her right to terminate the Contract pursuant to Article 64, any such action shall be commenced within six (6) months of the date the Commissioner exercises said right.

ARTICLE 57. INFRINGEMENT

57.1 The Contractor shall be solely responsible for and shall defend, indemnify, and hold the City harmless from any and all claims (even if the allegations of the lawsuit are without merit) and judgments for damages and from costs and expenses to which the City may be subject to or which it may suffer or incur allegedly arising out of or in connection with any infringement by the Contractor of any copyright, trade secrets, trademark or patent rights or any other property or personal right of any third party by the Contractor and/or its Subcontractors in the performance or completion of the Work. Insofar as the facts or Law relating to any claim would preclude the City from being completely indemnified by the Contractor, the City shall be partially indemnified by the Contractor to the fullest extent permitted by Law.

ARTICLE 58. NO CLAIM AGAINST OFFICIALS, AGENTS OR EMPLOYEES

58.1 No claim whatsoever shall be made by the Contractor against any official, agent or employee of the City for, or on account of, anything done or omitted to be done in connection with this Contract.

ARTICLE 59. SERVICE OF NOTICES

- 59.1 The Contractor hereby designates the business address, fax number, and email address specified in its bid, as the place where all notices, directions or other communications to the Contractor may be delivered, or to which they may be mailed. Any notice, direction, or communication from either party to the other shall be in writing and shall be deemed to have been given when (i) delivered personally; (ii) sent by certified mail, return receipt requested; (iii) delivered by overnight or same day courier service in a properly addressed envelope with confirmation; or (iv) sent by fax or email and, unless receipt of the fax or e-mail is acknowledged by the recipient by fax or e-mail, deposited in a post office box regularly maintained by the United States Postal Service in a properly addressed, postage prepaid envelope.
- 59.2 Contractor's notice address, email address, or fax number may be changed at any time by an instrument in writing, executed and acknowledged by the Contractor, and delivered to the Commissioner.
- 59.3 Nothing herein contained shall, however, be deemed to preclude or render inoperative the service of any notice, direction or other communication upon the Contractor personally, or, if the Contractor is a corporation, upon any officer thereof.

ARTICLE 60. UNLAWFUL PROVISIONS DEEMED STRICKEN FROM CONTRACT

60.1 If this Contract contains any unlawful provision not an essential part of the Contract and which shall not appear to have been a controlling or material inducement to the making thereof, the same shall be deemed of no effect and shall, upon notice by either party, be deemed stricken from the Contract without affecting the binding force of the remainder.

ARTICLE 61. ALL LEGAL PROVISIONS DEEMED INCLUDED

61.1 It is the intent and understanding of the parties to this Contract that each and every provision of Law required to be inserted in this Contract shall be and is inserted herein. Furthermore, it is hereby stipulated that every such provision is to be deemed to be inserted herein, and if, through mistake or otherwise, any such provision is not inserted, or is not inserted in correct form, then this Contract shall forthwith upon the application of either party be amended by such insertion so as to comply strictly with the Law and without prejudice to the rights of either party hereunder.

ARTICLE 62. TAX EXEMPTION

62.1 The City is exempt from payment of Federal, State, and local taxes, including sales and compensating use taxes of the State of New York and its cities and counties on all tangible personal property sold to the City pursuant to the provisions of this Contract. These taxes are not to be included in bids. However, this exemption does not apply to tools, machinery, equipment or other property leased by or to the Contractor, Subcontractor or Materialman or to tangible personal property which, even STANDARD CONSTRUCTION CONTRACT CITY OF NEW YORK 67

DDC

though it is consumed, is not incorporated into the completed **Work** (consumable supplies) and tangible personal property that the **Contractor** is required to remove from the **Site** during or upon completion of the **Work**. The **Contractor** and its **Subcontractors** and **Materialmen** shall be responsible for and pay any and all applicable taxes, including sales and compensating use taxes, on such leased tools, machinery, equipment or other property and upon all such consumable supplies and tangible personal property that the **Contractor** is required to remove from the **Site** during or upon completion of the **Work**.

- 62.2 The Contractor agrees to sell and the City agrees to purchase all tangible personal property, other than consumable supplies and other tangible personal property that the Contractor is required to remove from the Site during or upon completion of the Work, that is required, necessary or proper for or incidental to the construction of the Project covered by this Contract. The sum paid under this Contract for such tangible personal property shall be in full payment and consideration for the sale of such tangible personal property.
 - 62.2.1 The Contractor agrees to construct the Project and to perform all Work, labor and services rendered, necessary, proper or incidental thereto for the sum shown in the bid for the performance of such Work, labor, and services, and the sum so paid pursuant to this Contract for such Work, labor, and services, shall be in full consideration for the performance by the Contractor of all its duties and obligations under this Contract in connection with said Work, labor, and services.
- 62.3 20 NYCRR Section 541.3(d) provides that a **Contractor**'s purchases of tangible personal property that is either incorporated into real property owned by a governmental entity or purchased for and sold to a governmental entity are exempt from sales and use tax. The **City** shall not pay sales tax for any such tangible personal property that it purchases from the **Contractor** pursuant to the **Contract**. With respect to such tangible personal property, the **Contractor**, at the request of the **City**, shall furnish to the **City** such bills of sale and other instruments as may be required by the **City**, properly executed, acknowledged and delivered assuring to the **City** title to such tangible personal property, free of liens and/or encumbrances, and the **Contractor** shall mark or otherwise identify all such tangible personal property as the property of the **City**.
- 62.4 Title to all tangible personal property to be sold by the Contractor to the City pursuant to the provisions of the Contract shall immediately vest in and become the sole property of the City upon delivery of such tangible personal property to the Site. Notwithstanding such transfer of title, the Contractor shall have the full and continuing responsibility to install such tangible personal property in accordance with the provisions of this Contract, protect it, maintain it in a proper condition and forthwith repair, replace and make good any damage thereto, theft or disappearance thereof, and furnish additional tangible personal property in place of any that may be lost, stolen or rendered unusable, without cost to the City, until such time as the Work covered by the Contract is fully accepted by the City. Such transfer of title shall in no way affect any of the Contractor's obligations hereunder. In the event that, after title has passed to the City, any of the tangible personal property is rejected as being defective or otherwise unsatisfactory, title to all such tangible personal property shall be deemed to have been transferred back to the Contractor.
- 62.5 The purchase by **Subcontractors** or **Materialmen** of tangible personal property to be sold hereunder shall be a purchase or procurement for resale to the **Contractor** (either directly or through other **Subcontractors**) and therefore not subject to the aforesaid sales and compensating use taxes, provided that the subcontracts and purchase agreements provide for the resale of such tangible personal property and that such subcontracts and purchase agreements are in a form similar to this **Contract** with respect to the separation of the sale of consumable supplies and tangible personal property that the **Contractor** is required to remove from the **Site** during or upon completion of the **Work** from the **Work** and labor, services, and any other matters to be provided, and provided further that the subcontracts and

purchase agreements provide separate prices for tangible personal property and all other services and matters. Such separation shall actually be followed in practice, including the separation of payments for tangible personal property from the payments for other **Work** and labor and other things to be provided.

- 62.6 The Contractor and its Subcontractors and Materialmen shall furnish a Contractor Exempt Purchase Certificate to all persons, firms or corporations from which they purchase tangible personal property for the performance of the Work covered by this Contract.
- 62.7 In the event any of the provisions of this Article 62 shall be deemed to be in conflict with any other provisions of this Contract or create any ambiguity, then the provisions of this Article 62 shall control.

ARTICLE 63. INVESTIGATION(S) CLAUSE

- 63.1 The parties to this **Contract** agree to cooperate fully and faithfully with any investigation, audit or inquiry conducted by a United States, a State of New York (State) or a **City** governmental agency or authority that is empowered directly or by designation to compel the attendance of witnesses and to examine witnesses under oath, or conducted by the Inspector General of a governmental agency that is a party in interest to the transaction, submitted bid, submitted proposal, contract, lease, permit or license that is the subject of the investigation, audit or inquiry.
- 63.2 If any person who has been advised that his/her statement, and any information from such statement, will not be used against him/her in any subsequent criminal proceeding refuses to testify before a grand jury or other governmental agency or authority empowered directly or by designation to compel the attendance of witnesses and to examine witnesses under oath concerning the award of or performance under any transaction, agreement, lease, permit, contract, or license entered into with the **City**, the State, or any political subdivision or public authority thereof, or the Port Authority of New York and New Jersey, or any local development corporation within the **City**, or any public benefit corporation organized under the **Laws** of the State of New York, or;
- 63.3 If any person refuses to testify for a reason other than the assertion of his/her privilege against self incrimination in an investigation, audit or inquiry conducted by a **City** or State governmental agency or authority empowered directly or by designation to compel the attendance of witnesses and to take testimony under oath, or by the Inspector General of the governmental agency that is a party in interest in, and is seeking testimony concerning the award of, or performance under any transaction, agreement, lease, permit, contract, or license entered into with the **City**, the State, or any political subdivision thereof or any local development corporation within the **City**, then;
- 63.4 The **Commissioner** whose **Agency** is a party in interest to the transaction, submitted bid, submitted proposal, contract, lease, permit, or license shall convene a hearing, upon not less than five (5) **Days'** written notice to the parties involved to determine if any penalties should attach for the failure of a person to testify.
- 63.5 If any non-governmental party to the hearing requests an adjournment, the **Commissioner** who convened the hearing may, upon granting the adjournment, suspend any contract, lease, permit, or license, pending the final determination pursuant to Article 63.7 without the **City** incurring any penalty or damages for delay or otherwise.
- 63.6 The penalties which may attach after a final determination by the **Commissioner** may include but shall not exceed:

- 63.6.1 The disqualification for a period not to exceed five (5) years from the date of an adverse determination for any person, or any entity of which such person was a member at the time the testimony was sought, from submitting bids for, or transacting business with, or entering into or obtaining any contract, lease, permit or license with or from the City; and/or
- 63.6.2 The cancellation or termination of any and all such existing City contracts, leases, permits or licenses that the refusal to testify concerns and that have not been assigned as permitted under this Contract, nor the proceeds of which pledged, to an unaffiliated and unrelated institutional lender for fair value prior to the issuance of the notice scheduling the hearing, without the City incurring any penalty or damages on account of such cancellation or termination; monies lawfully due for goods delivered, work done, rentals, or fees accrued prior to the cancellation or termination shall be paid by the City.
- 63.7 The **Commissioner** shall consider and address in reaching his/her determination and in assessing an appropriate penalty the factors in Articles 63.7.1 and 63.7.2. The **Commissioner** may also consider, if relevant and appropriate, the criteria established in Articles 63.7.3 and 63.7.4, in addition to any other information which may be relevant and appropriate:
 - 63.7.1 The party's good faith endeavors or lack thereof to cooperate fully and faithfully with any governmental investigation or audit, including but not limited to the discipline, discharge, or disassociation of any person failing to testify, the production of accurate and complete books and records, and the forthcoming testimony of all other members, agents, assignees or fiduciaries whose testimony is sought.
 - 63.7.2 The relationship of the person who refused to testify to any entity that is a party to the hearing, including but not limited to, whether the person whose testimony is sought has an ownership interest in the entity and/or the degree of authority and responsibility the person has within the entity.
 - 63.7.3 The nexus of the testimony sought to the subject entity and its contracts, leases, permits or licenses with the City.
 - 63.7.4 The effect a penalty may have on an unaffiliated and unrelated party or entity that has a significant interest in an entity subject to penalties under Article 63.6, provided that the party or entity has given actual notice to the **Commissioner** upon the acquisition of the interest, or at the hearing called for in Article 63.4, gives notice and proves that such interest was previously acquired. Under either circumstance the party or entity shall present evidence at the hearing demonstrating the potential adverse impact a penalty will have on such person or entity.

63.8 Definitions:

- 63.8.1 The term "license" or "permit" as used in this Article 63 shall be defined as a license, permit, franchise or concession not granted as a matter of right.
- 63.8.2 The term "person" as used in this Article 63 shall be defined as any natural person doing business alone or associated with another person or entity as a partner, director, officer, principal or employee.
- 63.8.3 The term "entity" as used in this Article 63 shall be defined as any firm, partnership, corporation, association, joint venture, or person that receives monies, benefits, licenses, leases, or permits from or through the **City** or otherwise transacts business with the **City**.

70

- 63.8.4 The term "member" as used in this Article 63 shall be defined as any person associated with another person or entity as a partner, director, officer, principal or employee.
- 63.9 In addition to and notwithstanding any other provision of this Contract, the Commissioner may in his/her sole discretion terminate this Contract upon not less than three (3) Days' written notice in the event the Contractor fails to promptly report in writing to the Commissioner of the Department of Investigations ("DOI") of the City any solicitation of money, goods, requests for future employment or other benefit or thing of value, by or on behalf of any employee of the City or other person, firm, corporation or entity for any purpose which may be related to the procurement or obtaining of this Contract by the Contractor, or affecting the performance of this Contract.

ARTICLE 64. TERMINATION BY THE CITY

- 64.1 In addition to termination pursuant to any other article of this Contract, the Commissioner may, at any time, terminate this Contract by written notice to the Contractor. In the event of termination, the Contractor shall, upon receipt of such notice, unless otherwise directed by the Commissioner:
 - 64.1.1 Stop Work on the date specified in the notice;
 - 64.1.2 Take such action as may be necessary for the protection and preservation of the City's materials and property;
 - 64.1.3 Cancel all cancelable orders for material and equipment;
 - 64.1.4 Assign to the City and deliver to the Site or another location designated by the Commissioner, any non-cancelable orders for material and equipment that is not capable of use except in the performance of this Contract and has been specifically fabricated for the sole purpose of this Contract and not incorporated in the Work;
 - 64.1.5 Take no action which will increase the amounts payable by the City under this Contract.
- 64.2 In the event of termination by the **City** pursuant to this Article 64, payment to the **Contractor** shall be in accordance with Articles 64.2.1, 64.2.2 or 64.2.3, to the extent that each respective article applies.
 - 64.2.1 Lump Sum Contracts or Items: On all lump sum Contracts, or on lump sum items in a Contract, the City will pay the Contractor the sum of the amounts described in Articles 64.2.1(a) and 64.2.1(b), less all payments previously made pursuant to this Contract. On lump sum Contracts only, the City will also pay the Contractor an additional sum as provided in Article 64.2.1(c).
 - 64.2.1(a) For Work completed prior to the notice of termination, the Contractor shall be paid a pro rata portion of the lump sum bid amount, plus approved change orders, based upon the percent completion of the Work, as determined by the Commissioner. For the purpose of determining the pro rata portion of the lump sum bid amount to which the Contractor is entitled, the bid breakdown submitted in accordance with Article 41 shall be considered, but shall not be dispositive. The Commissioner's determination hereunder shall be final, binding, and conclusive.

- 64.2.1(b) For non-cancelable material and equipment that is not capable of use except in the performance of this **Contract** and has been specifically fabricated for the sole purpose of this **Contract**, but not yet incorporated in the **Work**, the **Contractor** shall be paid the lesser of the following, less salvage value:
 - 64.2.1(b)(i) The Direct Cost, as defined in Article 64.2.4; or
 - 64.2.1(b)(ii) The fair and reasonable value, if less than Direct Cost, of such material and equipment, plus necessary and reasonable delivery costs.
 - 64.2.1(b)(iii) In addition, the Contractor shall be paid five (5%) percent of the amount described in Article 64.2.1(b)(i) or Article 64.2.1(b)(ii), whichever applies.
- 64.2.1(c) Except as otherwise provided in Article 64.2.1(d), on all lump sum **Contracts**, the **Contractor** shall be paid the percentage indicated below applied to the difference between the total lump sum bid amount and the total of all payments made prior to the notice of termination plus all payments allowed pursuant to Articles 64.2.1(a) and 64.2.1(b):
 - 64.2.1(c)(i) Five (5%) percent of the first five million (\$5,000,000) dollars; and
 - 64.2.1(c)(ii) Three (3%) percent of any amount between five million (\$5,000,000) dollars and fifteen million (\$15,000,000) dollars; plus
 - 64.2.1(c)(iii) One (1%) percent of any amount over fifteen million (\$15,000,000) dollars.
- 64.2.1(d) In the event the City terminates a lump sum Contract pursuant to this Article 64 within ninety (90) Days after registration of the Contract with the Comptroller, the Contractor shall be paid one (1%) percent of the difference between the lump sum bid amount and the total of all payments made pursuant to this Article 64.2.
- 64.2.2 Unit Price Contracts or Items: On all unit price Contracts, or on unit price items in a Contract, the City will pay the Contractor the sum of the amounts described in Articles 64.2.2(a) and 64.2.2(b), less all payments previously made pursuant to this Contract:
 - 64.2.2(a) For all completed units, the unit price stated in the Contract, and
 - 64.2.2(b) For units that have been ordered but are only partially completed, the **Contractor** will be paid:
 - 64.2.2(b)(i) A pro rata portion of the unit price stated in the Contract based upon the percent completion of the unit and
 - 64.2.2(b)(ii) For non-cancelable material and equipment, payment will be made pursuant to Article 64.2.1(b).
- 64.2.3 Time and Materials Contracts or Items Based on Time and Material Records: On all Contracts or items in a Contract where payment for the Work is based on time and

material records, the Contractor shall be paid in accordance with Article 26, less all payments previously made pursuant to this Contract.

- 64.2.4 Direct Costs: Direct Costs as used in this Article 64.2 shall mean:
 - 64.2.4(a) The actual purchase price of material and equipment, plus necessary and reasonable delivery costs,
 - 64.2.4(b) The actual cost of labor involved in construction and installation at the Site, and
 - 64.2.4(c) The actual cost of necessary bonds and insurance purchased pursuant to requirements of this **Contract** less any amounts that have been or should be refunded by the **Contractor's** sureties or insurance carriers.
 - 64.2.4(d) Direct Costs shall not include overhead.
- 64.3 In no event shall any payments under this Article 64 exceed the Contract price for such items.
- 64.4 All payments pursuant to Article 64 shall be in the nature of liquidated damages and shall be accepted by the **Contractor** in full satisfaction of all claims against the **City**.
- 64.5 The City may deduct or set off against any sums due and payable pursuant to this Article 64, any deductions authorized by this Contract or by Law (including but not limited to liquidated damages) and any claims it may have against the Contractor. The City's exercise of the right to terminate the Contract pursuant to this Article 64 shall not impair or otherwise effect the City's right to assert any claims it may have against the Contractor in a plenary action.
- 64.6 Where the **Work** covered by the **Contract** has been substantially completed, as determined in writing by the **Commissioner**, termination of the **Work** shall be handled as an omission of **Work** pursuant to Articles 29 and 33, in which case a change order will be issued to reflect an appropriate reduction in the **Contract** sum, or if the amount is determined after final payment, such amount shall be paid by the **Contractor**.

ARTICLE 65. CHOICE OF LAW, CONSENT TO JURISDICTION AND VENUE

- 65.1 This **Contract** shall be deemed to be executed in the **City** regardless of the domicile of the **Contractor**, and shall be governed by and construed in accordance with the **Laws** of the State of New York and the **Laws** of the United States, where applicable.
- 65.2 The parties agree that any and all claims asserted against the City arising under this Contract or related thereto shall be heard and determined in the courts of the State of New York ("New York State Courts") located in the City and County of New York. To effect this Contract and intent, the Contractor agrees:
 - 65.2.1 If the City initiates any action against the Contractor in Federal court or in a New York State Court, service of process may be made on the Contractor either in person, wherever such Contractor may be found, or by registered mail addressed to the Contractor at its address as set forth in this Contract, or to such other address as the Contractor may provide to the City in writing; and

- 65.2.2 With respect to any action between the **City** and the **Contractor** in a New York State Court, the **Contractor** hereby expressly waives and relinquishes any rights it might otherwise have:
 - 65.2.2(a) To move to dismiss on grounds of forum non conveniens;
 - 65.2.2(b) To remove to Federal Court; and
 - 65.2.2(c) To move for a change of venue to a New York State Court outside New York County.
- 65.2.3 With respect to any action brought by the City against the Contractor in a Federal Court located in the City, the Contractor expressly waives and relinquishes any right it might otherwise have to move to transfer the action to a Federal Court outside the City.
- 65.2.4 If the Contractor commences any action against the City in a court located other than in the City and County of New York, upon request of the City, the Contractor shall either consent to a transfer of the action to a New York State Court of competent jurisdiction located in the City and County of New York or, if the Court where the action is initially brought will not or cannot transfer the action, the Contractor shall consent to dismiss such action without prejudice and may thereafter reinstate the action in a New York State Court of competent jurisdiction in New York County.
- 65.3 If any provision(s) of this Article 65 is held unenforceable for any reason, each and all other provision(s) shall nevertheless remain in full force and effect.

ARTICLE 66. PARTICIPATION IN AN INTERNATIONAL BOYCOTT

- 66.1 The **Contractor** agrees that neither the **Contractor** nor any substantially owned affiliated company is participating or shall participate in an international boycott in violation of the provisions of the Federal Export Administration Act of 1979, as amended, or the regulations of the United States Department of Commerce (Commerce Department) promulgated thereunder.
- 66.2 Upon the final determination by the Commerce Department or any other agency of the United States as to, or conviction of the Contractor or a substantially-owned affiliated company thereof for participation in an international boycott in violation of the provisions of the Export Administration Act of 1979, as amended, or the regulations promulgated thereunder, the Comptroller may, at his/her option, render forfeit and void this Contract.
- 66.3 The **Contractor** shall comply in all respects, with the provisions of Section 6-114 of the Administrative Code and the rules and regulations issued by the **Comptroller** thereunder.

ARTICLE 67. LOCALLY BASED ENTERPRISE PROGRAM

67.1 This **Contract** is subject to the requirements of Section 6-108.1 of the Administrative Code and regulations promulgated thereunder. No construction contract shall be awarded unless and until these requirements have been complied with in their entirety; however, compliance with this Article 67 is not required if the Agency sets Subcontractor Participation Goals for Minority- and Women-Owned Business Enterprises (M/WBEs).

- 67.2 Unless specifically waived by the Commissioner with the approval of the Division of Economic and Financial Opportunity of the City Department of Business Services, if any portion of the Contract is subcontracted, not less than ten (10%) percent of the total dollar amount of the Contract shall be awarded to locally based enterprises (LBEs); except that where less than ten (10%) percent of the total dollar amount of the Contract is subcontracted, such lesser percentage shall be so awarded.
 - 67.3 The Contractor shall not require performance and payment bonds from LBE Subcontractors.
- 67.4 If the Contractor has indicated prior to award that no Work will be subcontracted, no Work shall be subcontracted without the prior approval of the Commissioner, which shall be granted only if the Contractor makes a good faith effort beginning at least six (6) weeks before the Work is to be performed to obtain LBE Subcontractors to perform the Work.
- 67.5 If the **Contractor** has not identified sufficient LBE **Subcontractors** prior to award, it shall sign a letter of compliance stating that it complies with Section 6-108.1 of the Administrative Code, recognizes that achieving the LBE requirement is a condition of its **Contract**, and shall submit documentation demonstrating its good faith efforts to obtain LBEs. After award, the **Contractor** shall begin to solicit LBE's to perform subcontracted **Work** at least six (6) weeks before the date such **Work** is to be performed and shall demonstrate that a good faith effort has been made to obtain LBEs on each subcontract until it meets the required percentage.
- 67.6 Failure of the **Contractor** to comply with the requirements of Section 6-108.1 of the Administrative Code and the regulations promulgated thereunder shall constitute a material breach of this **Contract**. Remedy for such breach may include the imposition of any or all of the following sanctions:
 - 67.6.1 Reducing the **Contractor's** compensation by an amount equal to the dollar value of the percentage of the LBE subcontracting requirement not complied with;
 - 67.6.2 Declaring the Contractor in default;
 - 67.6.3 If the **Contractor** is an LBE, de-certifying and declaring the **Contractor** ineligible to participate in the LBE program for a period of up to three (3) years.

ARTICLE 68. ANTITRUST

68.1 The **Contractor** hereby assigns, sells, and transfers to the **City** all right, title, and interest in and to any claims and causes of action arising under the antitrust **Laws** of New York State or of the United States relating to the particular goods or services purchased or procured by the **City** under this **Contract**.

ARTICLE 69. MacBRIDE PRINCIPLES PROVISIONS

- 69.1 Notice To All Prospective Contractors:
 - 69.1.1 Local Law No. 34 of 1991 became effective on September 10, 1991 and added Section 6-115.1 of the Administrative Code. The local **Law** provides for certain restrictions on **City Contracts** to express the opposition of the people of the **City** to employment discrimination practices in Northern Ireland to promote freedom of work-place opportunity.
- 69.1.2 Pursuant to Section 6-115.1, prospective Contractors for Contracts to provide goods or services involving an expenditure of an amount greater than ten thousand CITY OF NEW YORK 75 STANDARD CONSTRUCTION CONTRACT December 2013

- (\$10,000.) dollars, or for construction involving an amount greater than fifteen thousand (\$15,000.) dollars, are asked to sign a rider in which they covenant and represent, as a material condition of their Contract, that any business operations in Northern Ireland conducted by the Contractor and any individual or legal entity in which the Contractor holds a ten (10%) percent or greater ownership interest in the Contractor will be conducted in accordance with the MacBride Principles of nondiscrimination in employment.
- 69.1.3 Prospective Contractors are not required to agree to these conditions. However, in the case of Contracts let by competitive sealed bidding, whenever the lowest responsible bidder has not agreed to stipulate to the conditions set forth in this notice and another bidder who has agreed to stipulate to such conditions has submitted a bid within five (5%) percent of the lowest responsible bid for a Contract to supply goods, services or contraction of comparable quality, the Agency shall refer such bids to the Mayor, the Speaker or other officials, as appropriate, who may determine, in accordance with applicable Law, that it is in the best interest of the City that the Contract be awarded to other than the lowest responsible pursuant to Section 313(b)(2) of the City Charter.
- In the case of Contracts let by other than competitive sealed bidding, if a prospective Contractor does not agree to these conditions, no Agency, elected official or the City Council shall award the Contract to that bidder unless the Agency seeking to use the goods, services or construction certifies in writing that the Contract is necessary for the Agency to perform its functions and there is no other responsible Contractor who will supply goods, services or construction of comparable quality at a comparable price.
- 69.2 In accordance with Section 6-115.1 of the Administrative Code, the Contractor stipulates that such Contractor and any individual or legal entity in which the Contractor holds a ten (10%) percent or greater ownership interest in the Contractor either:
 - 69.2.1 Have no business operations in Northern Ireland, or
 - 69.2.2 Shall take lawful steps in good faith to conduct any business operations they have in Northern Ireland in accordance with the MacBride Principles, and shall permit independent monitoring of their compliance with such principles.
 - 69.3 For purposes of this Article, the following terms shall have the following meanings:
 - 69.3.1 "MacBride Principles" shall mean those principles relating to nondiscrimination in employment and freedom of work-place opportunity which require employers doing business in Northern Ireland to:
 - 69.3.1(a) increase the representation of individuals from under-represented religious groups in the workforce, including managerial, supervisory, administrative, clerical and technical jobs;
 - 69.3.1(b) take steps to promote adequate security for the protection of employees from under-represented religious groups both at the work-place and while traveling to and from Work;
 - 69.3.1(c) ban provocative religious or political emblems from the workplace;
 - 69.3.1(d) publicly advertise all job openings and make special recruitment efforts to attract applicants from under-represented religious groups;

- 69.3.1(e) establish layoff, recall, and termination procedures which do not in practice favor a particular religious group;
- 69.3.1(f) abolish all job reservations, apprenticeship restrictions and different employment criteria which discriminate on the basis of religion;
- 69.3.1(g) develop training programs that will prepare substantial numbers of current employees from under-represented religious groups for skilled jobs, including the expansion of existing programs and the creation of new programs to train, upgrade, and improve the skills of workers from under-represented religious groups;
- 69.3.1(h) establish procedures to asses, identify, and actively recruit employees from under-represented religious groups with potential for further advancement; and
- 69.3.1(i) appoint a senior management staff member to oversee affirmative action efforts and develop a timetable to ensure their full implementation.
- 69.4 The Contractor agrees that the covenants and representations in Article 69.2 are material conditions to this Contract. In the event the Agency receives information that the Contractor who made the stipulation required by this Article 69 is in violation thereof, the Agency shall review such information and give the Contractor an opportunity to respond. If the Agency finds that a violation has occurred, the Agency shall have the right to declare the Contractor in default in default and/or terminate this Contract for cause and procure supplies, services or Work from another source in the manner the Agency deems proper. In the event of such termination, the Contractor shall pay to the Agency, or the Agency in its sole discretion may withhold from any amounts otherwise payable to the Contractor, the difference between the Contract price for the uncompleted portion of this Contract and the cost to the Agency of completing performance of this Contract either itself or by engaging another Contractor or Contractors. In the case of a requirement Contract, the Contractor shall be liable for such difference in price for the entire amount of supplies required by the Agency for the uncompleted term of Contractor's Contract. In the case of a construction Contract, the Agency shall also have the right to hold the Contractor in partial or total default in accordance with the default provisions of this Contract, and/or may seek debarment or suspension of the Contractor. The rights and remedies of the Agency hereunder shall be in addition to, and not in lieu of, any rights and remedies the Agency has pursuant to this Contract or by operation of Law.

ARTICLE 70. ELECTRONIC FILING/NYC DEVELOPMENT HUB

70.1 The Contractor shall electronically file all alteration type-2 and alteration type-3 applications via the New York City Development Hub Web site, except applications for the following types of minor alterations: enlargements, curb cuts, legalizations, fire alarms, builders pavement plans, and jobs filed on Landmark Preservation Commission calendared properties. All such filings must be professionally certified. Information about electronic filing via the New York City Development Hub is available on the City Department of Buildings Web site at www.nyc.gov/buildings.

ARTICLE 71. PROHIBITION OF TROPICAL HARDWOODS

71.1 Tropical hardwoods, as defined in Section 165 of the New York State Finance Law (Finance Law), shall not be utilized in the performance of this **Contract** except as expressly permitted by Section 165 of the Finance Law.

ARTICLE 72. CONFLICTS OF INTEREST

72.1 Section 2604 of the City Charter and other related provisions of the City Charter, the Administrative Code, and the Penal Law are applicable under the terms of this Contract in relation to conflicts of interest and shall be extended to Subcontractors authorized to perform Work, labor and services pursuant to this Contract and further, it shall be the duty and responsibility of the Contractor to so inform its respective Subcontractors. Notice is hereby given that, under certain circumstances, penalties may be invoked against the donor as well as the recipient of any form of valuable gift.

ARTICLE 73. MERGER CLAUSE

73.1 The written **Contract** herein, contains all the terms and conditions agreed upon by the parties hereto, and no other agreement, oral or otherwise, regarding the subject matter of this **Contract** shall be deemed to exist or to bind any of the parties hereto, or to vary any of the terms contained herein.

ARTICLE 74. STATEMENT OF WORK

74.1 The Contractor shall furnish all labor and materials and perform all Work in strict accordance with the Specifications and Addenda thereto, numbered _______.

ARTICLE 75. COMPENSATION TO BE PAID TO CONTRACTOR

ARTICLE 76. ELECTRONIC FUNDS TRANSFER

- 76.1 In accordance with Section 6-107.1 of the Administrative Code, the Contractor agrees to accept payments under this Contract from the City by electronic funds transfer (EFT). An EFT is any transfer of funds, other than a transaction originated by check, draft or similar paper instrument, which is initiated through an electronic terminal, telephonic instrument or computer or magnetic tape so as to order, instruct or authorize a financial institution to debit or credit an account. Prior to the first payment made under this Contract, the Contractor shall designate one financial institution or other authorized payment agent and shall complete the attached "EFT Vendor Payment Enrollment Form" in order to provide the Commissioner of the City Department of Finance with information necessary for the Contractor to receive electronic funds transfer payments through a designated financial institution or authorized payment agent. The crediting of the amount of a payment to the appropriate account on the books of a financial institution or other authorized payment agent designated by the Contractor shall constitute full satisfaction by the City for the amount of the payment under this Contract. The account information supplied by the Contractor to facilitate the electronic funds transfer shall remain confidential to the fullest extent provided by Law.
- 76.2 The Commissioner may waive the application of the requirements of this Article 76 to payments on contracts entered into pursuant to Section 315 of the City Charter. In addition, the Commissioner of the Department of Finance and the Comptroller may jointly issue standards pursuant to CITY OF NEW YORK

 78 STANDARD CONSTRUCTION CONTRACT
 December 2013

which the **Agency** may waive the requirements of this Article 76 for payment in the following circumstances: (i) for individuals or classes of individuals for whom compliance imposes a hardship; (ii) for classifications or types of checks; or (iii) in other circumstances as may be necessary in the interest of the **City**.

ARTICLE 77. RECORDS RETENTION

77.1 The Contractor agrees to retain all books, records, and other documents relevant to this Contract for six years after the final payment or termination of this Contract, whichever is later. City, state, and federal auditors and any other persons duly authorized by the City shall have full access to and the right to examine any such books, records, and other documents during the retention period.

ARTICLE 78, PARTICIPATION BY MINORITY-OWNED AND WOMEN-OWNED BUSINESS ENTERPRISES IN CITY PROCUREMENT

NOTICE TO ALL PROSPECTIVE CONTRACTORS

ARTICLE I. M/WBE PROGRAM

Local Law No. 129 of 2005 added and Local Law 1 of 2013 amended Section 6-129 of the Administrative Code of the City of New York (hereinafter "Section 6-129"). Section 6-129 establishes the program for participation in City procurement ("M/WBE Program") by minority- owned business enterprises ("MBEs") and women-owned business enterprises ("WBEs"), certified in accordance with Section 1304 of the New York City Charter. As stated in Section 6-129, the intent of the program is to address the impact of discrimination on the City's procurement process, and to promote the public interest in avoiding fraud and favoritism in the procurement process, increasing competition for City business, and lowering contract costs. The contract provisions contained herein are pursuant to Section 6-129, and the rules of the Department of Small Business Services ("DSBS") promulgated thereunder.

If this Contract is subject to the M/WBE Program established by Section 6-129, the specific requirements of MBE and/or WBE participation for this Contract are set forth in Schedule B of the Contract (entitled the "M/WBE Utilization Plan"), and are detailed below. The Contractor must comply with all applicable MBE and WBE requirements for this Contract.

All provisions of Section 6-129 are hereby incorporated in the Contract by reference and all terms used herein that are not defined herein shall have the meanings given such terms in Section 6-129. Article I, Part A, below, sets forth provisions related to the participation goals for construction, standard and professional services contracts. Article I, Part B, below, sets forth miscellaneous provisions related to the M/WBE Program.

PART A

PARTICIPATION GOALS FOR CONSTRUCTION, STANDARD AND PROFESSIONAL SERVICES CONTRACTS OR TASK ORDERS

1. The MBE and/or WBE Participation Goals established for this Contract or Task Orders issued pursuant to this Contract, ("Participation Goals"), as applicable, are set forth on Schedule B, Part I to this Contract (see Page 1, line 1 Total Participation Goals) or will be set forth on Schedule B, Part I to Task Orders issued pursuant to this Contract, as applicable.

The **Participation Goals** represent a percentage of the total dollar value of the Contract or Task Order, as applicable, that may be achieved by awarding subcontracts to firms certified with New York City Department of Small Business Services as MBEs and/or WBEs, and/or by crediting the participation of prime contractors and/or qualified joint ventures as provided in Section 3 below, unless the goals have been waived or modified by Agency in accordance with Section 6-129 and Part A, Sections 10 and 11 below, respectively.

- 2. If **Participation Goals** have been established for this Contract or Task Orders issued pursuant to this Contract, Contractor agrees or shall agree as a material term of the Contract that Contractor shall be subject to the **Participation Goals**, unless the goals are waived or modified by Agency in accordance with Section 6-129 and Part A, Sections 10 and 11 below, respectively.
- 3. If **Participation Goals** have been established for this Contract or Task Order issued pursuant to this Contract, a Contractor that is an MBE and/or WBE shall be permitted to count its own participation toward fulfillment of the relevant **Participation Goal**, provided that in accordance with Section 6-129 the value of Contractor's participation shall be determined by subtracting from the total value of the Contract or Task Order, as applicable, any amounts that the Contractor pays to direct subcontractors (as defined in Section 6-129(c)(13)), and provided further that a Contractor that is certified as both an MBE and a WBE may count its own participation either toward the goal for MBEs or the goal for WBEs, but not both.

A Contractor that is a qualified joint venture (as defined in Section 6-129(c)(30)) shall be permitted to count a percentage of its own participation toward fulfillment of the relevant **Participation Goal**. In accordance with Section 6-129, the value of Contractor's participation shall be determined by subtracting from the total value of the Contract or Task Order, as applicable, any amounts that Contractor pays to direct subcontractors, and then multiplying the remainder by the percentage to be applied to total profit to determine the amount to which an MBE or WBE is entitled pursuant to the joint venture agreement, provided that where a participant in a joint venture is certified as both an MBE and a WBE, such amount shall be counted either toward the goal for MBEs or the goal for WBEs, but not both.

- 4. A. If **Participation Goals** have been established for this Contract, a prospective contractor shall be required to submit with its bid or proposal, as applicable, a completed Schedule B, M/WBE Utilization Plan, Part II (see Pages 2-4) indicating: (a) whether the contractor is an MBE or WBE, or qualified joint venture; (b) the percentage of work it intends to award to direct subcontractors; and (c) in cases where the contractor intends to award direct subcontracts, a description of the type and dollar value of work designated for participation by MBEs and/or WBEs, and the time frames in which such work is scheduled to begin and end. In the event that this M/WBE Utilization Plan indicates that the bidder or proposer, as applicable, does not intend to meet the **Participation Goals**, the bid or proposal, as applicable, shall be deemed non-responsive, unless Agency has granted the bidder or proposer, as applicable, a pre-award waiver of the Participation Goals in accordance with Section 6-129 and Part A, Section 10 below.
- B. (i) If this Contract is for a master services agreement or other requirements type contract that will result in the issuance of Task Orders that will be individually registered ("Master Services Agreement") and is subject to M/WBE Participation Goals, a prospective contractor shall be required to submit with its bid or proposal, as applicable, a completed Schedule B, M/WBE Participation Requirements for Master Services Agreements That Will Require Individually Registered Task Orders, Part II (page 2) indicating the prospective contractor's certification and required affirmations to make all reasonable good faith efforts to meet participation goals established on each individual Task Order issued pursuant to this Contract, or if a partial waiver is obtained or such goals are modified by the Agency, to meet the modified Participation Goals by soliciting and obtaining the participation of certified MBE and/or WBE firms. In the event that the Schedule B indicates that the bidder or proposer, as applicable, does not intend to meet the Participation Goals that may be established on Task Orders issued pursuant to this Contract, the bid or proposal, as applicable, shall be deemed nonresponsive.

- (ii) **Participation Goals** on a Master Services Agreement will be established for individual Task Orders issued after the Master Services Agreement is awarded. If **Participation Goals** have been established on a Task Order, a contractor shall be required to submit a Schedule B M/WBE Utilization Plan For Independently Registered Task Orders That Are Issued Pursuant to Master Services Agreements, Part II (see Pages 2-4) indicating: (a) whether the contractor is an MBE or WBE, or qualified joint venture; (b) the percentage of work it intends to award to direct subcontractors; and (c) in cases where the contractor intends to award direct subcontracts, a description of the type and dollar value of work designated for participation by MBEs and/or WBEs, and the time frames in which such work is scheduled to begin and end. The contractor must engage in good faith efforts to meet the **Participation Goals** as established for the Task Order unless Agency has granted the contractor a pre-award waiver of the Participation Goals in accordance with Section 6-129 and Part A, Section 10 below.
- THE BIDDER/PROPOSER MUST COMPLETE THE SCHEDULE B INCLUDED HEREIN (SCHEDULE B, PART II). A SCHEDULE B SUBMITTED BY BIDDER/PROPOSER WHICH DOES NOT INCLUDE THE VENDOR CERTIFICATION AND REQUIRED AFFIRMATIONS (SEE SECTION V OF PART II) WILL BE DEEMED TO BE NON-RESPONSIVE, UNLESS A FULL WAIVER OF THE PARTICIPATION GOALS IS GRANTED (SCHEDULE B, PART III). IN THE EVENT THAT THE CITY DETERMINES THAT THE BIDDER/PROPOSER HAS SUBMITTED A SCHEDULE B WHERE THE VENDOR CERTIFICATION AND REQUIRED AFFIRMATIONS ARE COMPLETED BUT OTHER ASPECTS OF THE SCHEDULE B ARE NOT COMPLETE, OR CONTAIN A COPY OR COMPUTATION ERROR THAT IS AT ODDS WITH THE VENDOR CERTIFICATION AND AFFIRMATIONS, THE BIDDER/PROPOSER WILL BE NOTIFIED BY THE AGENCY AND WILL BE GIVEN FOUR (4) CALENDAR DAYS FROM RECEIPT OF NOTIFICATION TO CURE THE SPECIFIED DEFICIENCIES AND RETURN A COMPLETED SCHEDULE B TO THE AGENCY. FAILURE TO DO SO WILL RESULT IN A DETERMINATION THAT THE BID/PROPOSAL IS NON-RESPONSIVE. RECEIPT OF NOTIFICATION IS DEFINED AS THE DATE NOTICE IS E-MAILED OR FAXED (IF THE BIDDER/PROPOSER HAS PROVIDED AN E-MAIL ADDRESS OR FAX NUMBER), OR NO LATER THAN FIVE (5) CALENDAR DAYS FROM THE DATE OF MAILING OR UPON DELIVERY, IF DELIVERED.
- Where an M/WBE Utilization Plan has been submitted, the Contractor shall, within 30 days of issuance by Agency of a notice to proceed, submit a list of proposed persons or entities to which it intends to award subcontracts within the subsequent 12 months. In the case of multiyear contracts, such list shall also be submitted every year thereafter. The Agency may also require the Contractor to report periodically about the contracts awarded by its direct subcontractors to indirect subcontractors (as defined in Section 6-129(c)(22)). PLEASE NOTE: If this Contract is a public works project subject to GML §101(5) (i.e., a contract valued at or below \$3M for projects in New York City) or if the Contract is subject to a project labor agreement in accordance with Labor Law §222, and the bidder is required to identify at the time of bid submission its intended subcontractors for the Wicks trades (plumbing and gas fitting; steam heating, hot water heating, ventilating and air conditioning (HVAC); and electric wiring), the Contractor must identify all those to which it intends to award construction subcontracts for any portion of the Wicks trade work at the time of bid submission, regardless of what point in the life of the contract such subcontracts will occur. In identifying intended subcontractors in the bid submission, bidders may satisfy any Participation Goals established for this Contract by proposing one or more subcontractors that are MBEs and/or WBEs for any portion of the Wicks trade work. In the event that the Contractor's selection of a subcontractor is disapproved, the Contractor shall have a reasonable time to propose alternate subcontractors.
- 6. MBE and WBE firms must be certified by DSBS in order for the Contractor to credit such firms' participation toward the attainment of the **Participation Goals**. Such certification must occur prior to the

firms' commencement of work. A list of MBE and WBE firms may be obtained from the DSBS website at www.nyc.gov/buycertified, by emailing DSBS at buyer@sbs.nyc.gov, by calling (212) 513-6356, or by visiting or writing DSBS at 110 William St., New York, New York, 10038, 7th floor. Eligible firms that have not yet been certified may contact DSBS in order to seek certification by visiting www.nyc.gov/getcertified, emailing MWBE@sbs.nyc.gov, or calling the DSBS certification helpline at (212) 513-6311. A firm that is certified as both an MBE and a WBE may be counted either toward the goal for MBEs or the goal for WBEs, but not both. No credit shall be given for participation by a graduate MBE or graduate WBE, as defined in Section 6-129(c)(20).

- 7. Where an M/WBE Utilization Plan has been submitted, the Contractor shall, with each voucher for payment, and/or periodically as Agency may require, submit statements, certified under penalty of perjury, which shall include, but not be limited to,: the total amount the Contractor paid to its direct subcontractors, and, where applicable pursuant to Section 6-129(j), the total amount direct subcontractors paid to indirect subcontractors; the names, addresses and contact numbers of each MBE or WBE hired as a subcontractor by the Contractor, and, where applicable, hired by any of the Contractor's direct subcontractors; and the dates and amounts paid to each MBE or WBE. The Contractor shall also submit, along with its voucher for final payment: the total amount it paid to subcontractors, and, where applicable pursuant to Section 6-129(j), the total amount its direct subcontractors paid directly to their indirect subcontractors; and a final list, certified under penalty of perjury, which shall include the name, address and contact information of each subcontractor that is an MBE or WBE, the work performed by, and the dates and amounts paid to each.
- 8. If payments made to, or work performed by, MBEs or WBEs are less than the amount specified in the Contractor's M/WBE Utilization Plan, Agency shall take appropriate action, in accordance with Section 6-129 and Article II below, unless the Contractor has obtained a modification of its M/WBE Utilization Plan in accordance with Section 6-129 and Part A, Section 11 below.
- 9. Where an M/WBE Utilization Plan has been submitted, and the Contractor requests a change order the value of which exceeds the greater of 10 percent of the Contract or Task Order, as applicable, or \$500,000, Agency shall review the scope of work for the Contract or Task Order, as applicable, and the scale and types of work involved in the change order, and determine whether the **Participation Goals** should be modified.
- 10. Pre-award waiver of the **Participation Goals**. (a) A bidder or proposer, or contractor with respect to a Task Order, may seek a pre-award full or partial waiver of the **Participation Goals** in accordance with Section 6-129, which requests that Agency change one or more **Participation Goals** on the grounds that the **Participation Goals** are unreasonable in light of the availability of certified firms to perform the services required, or by demonstrating that it has legitimate business reasons for proposing a lower level of subcontracting in its M/WBE Utilization Plan.
- (b) To apply for a full or partial waiver of the **Participation Goals**, a bidder, proposer, or contractor, as applicable, must complete Part III (Page 5) of Schedule B and submit such request no later than seven (7) calendar days prior to the date and time the bids, proposals, or Task Orders are due, in writing to the Agency by email at poped@ddc.nyc.gov or via facsimile at (718) 391-1886. Bidders, proposers, or contractors, as applicable, who have submitted requests will receive an Agency response by no later than two (2) calendar days prior to the due date for bids, proposals, or Task Orders; provided, however, that if that date would fall on a weekend or holiday, an Agency response will be provided by close-of-business on the business day before such weekend or holiday date.
- (c) If the Agency determines that the **Participation Goals** are unreasonable in light of the availability of certified firms to perform the services required, it shall revise the solicitation and extend the deadline for bids and proposals, or revise the Task Order, as applicable.

- (d) Agency may grant a full or partial waiver of the **Participation Goals** to a bidder, proposer or contractor, as applicable, who demonstrates—before submission of the bid, proposal or Task Order, as applicable—that it has legitimate business reasons for proposing the level of subcontracting in its **M/WBE** Utilization Plan. In making its determination, Agency shall consider factors that shall include, but not be limited to, whether the bidder, proposer or contractor, as applicable, has the capacity and the bona fide intention to perform the Contract without any subcontracting, or to perform the Contract without awarding the amount of subcontracts represented by the **Participation Goals**. In making such determination, Agency may consider whether the **M/WBE** Utilization Plan is consistent with past subcontracting practices of the bidder, proposer or contractor, as applicable, has made efforts to form a joint venture with a certified firm, and whether the bidder, proposer, or contractor, as applicable, has made good faith efforts to identify other portions of the Contract that it intends to subcontract.
- 11. Modification of M/WBE Utilization Plan. (a) A Contractor may request a modification of its M/WBE Utilization Plan after award of this Contract. PLEASE NOTE: If this Contract is a public works project subject to GML §101(5) (i.e., a contract valued at or below \$3M for projects in New York City) or if the Contract is subject to a project labor agreement in accordance with Labor Law §222, and the bidder is required to identify at the time of bid submission its intended subcontractors for the Wicks trades (plumbing and gas fitting; steam heating, hot water heating, ventilating and air conditioning (HVAC); and electric wiring), the Contractor may request a Modification of its M/WBE Utilization Plan as part of its bid submission. The Agency may grant a request for Modification of a Contractor's M/WBE Utilization Plan if it determines that the Contractor has established, with appropriate documentary and other evidence, that it made reasonable, good faith efforts to meet the Participation Goals. In making such determination, Agency shall consider evidence of the following efforts, as applicable, along with any other relevant factors:
- (i) The Contractor advertised opportunities to participate in the Contract, where appropriate, in general circulation media, trade and professional association publications and small business media, and publications of minority and women's business organizations;
- (ii) The Contractor provided notice of specific opportunities to participate in the Contract, in a timely manner, to minority and women's business organizations;
- (iii) The Contractor sent written notices, by certified mail or facsimile, in a timely manner, to advise MBEs or WBEs that their interest in the Contract was solicited;
- (iv) The Contractor made efforts to identify portions of the work that could be substituted for portions originally designated for participation by MBEs and/or WBEs in the M/WBE Utilization Plan, and for which the Contractor claims an inability to retain MBEs or WBEs;
- (v) The Contractor held meetings with MBEs and/or WBEs prior to the date their bids or proposals were due, for the purpose of explaining in detail the scope and requirements of the work for which their bids or proposals were solicited;
- (vi) The Contractor made efforts to negotiate with MBEs and/or WBEs as relevant to perform specific subcontracts, or act as suppliers or service providers;
- (vii) Timely written requests for assistance made by the Contractor to Agency's M/WBE liaison officer and to DSBS;
- (viii) Description of how recommendations made by DSBS and Agency were acted upon and an explanation of why action upon such recommendations did not lead to the desired level of participation of MBEs and/or WBEs.

Agency's M/WBE officer shall provide written notice to the Contractor of the determination.

(b) The Agency may modify the **Participation Goals** when the scope of the work has been changed by the Agency in a manner that affects the scale and types of work that the Contractor indicated in its **M/WBE** Utilization Plan would be awarded to subcontractors.

- If this Contract is for an indefinite quantity of construction, standard or professional services or is a 12. requirements type contract and the Contractor has submitted an M/WBE Utilization Plan and has committed to subcontract work to MBEs and/or WBEs in order to meet the Participation Goals, the Contractor will not be deemed in violation of the M/WBE Program requirements for this Contract with regard to any work which was intended to be subcontracted to an MBE and/or WBE to the extent that the Agency has determined that such work is not needed.
- If Participation Goals have been established for this Contract or a Task Order issued pursuant to this Contract, at least once annually during the term of the Contract or Task Order, as applicable, Agency shall review the Contractor's progress toward attainment of its M/WBE Utilization Plan, including but not limited to, by reviewing the percentage of work the Contractor has actually awarded to MBE and/or WBE subcontractors and the payments the Contractor made to such subcontractors.
- If Participation Goals have been established for this Contract or a Task Order issued pursuant to 14. this Contract, Agency shall evaluate and assess the Contractor's performance in meeting those goals, and such evaluation and assessment shall become part of the Contractor's overall contract performance evaluation.

PART B: MISCELLANEOUS

- The Contractor shall take notice that, if this solicitation requires the establishment of an M/WBE Utilization Plan, the resulting contract may be audited by DSBS to determine compliance with Section 6-129. See §6-129(e)(10). Furthermore, such resulting contract may also be examined by the City's Comptroller to assess compliance with the M/WBE Utilization Plan.
- Pursuant to DSBS rules, construction contracts that include a requirement for an M/WBE 2. Utilization Plan shall not be subject to the law governing Locally Based Enterprises set forth in Section 6-108.1 of the Administrative Code of the City of New York.
- DSBS is available to assist contractors and potential contractors in determining the availability of MBEs and/or WBEs to participate as subcontractors, and in identifying opportunities that are appropriate for participation by MBEs and/or WBEs in contracts.
- Prospective contractors are encouraged to enter into qualified joint venture agreements with MBEs and/or WBEs as defined by Section 6-129(c)(30).
- By submitting a bid or proposal the Contractor hereby acknowledges its understanding of the M/WBE Program requirements set forth herein and the pertinent provisions of Section 6-129, and any rules promulgated thereunder, and if awarded this Contract, the Contractor hereby agrees to comply with the M/WBE Program requirements of this Contract and pertinent provisions of Section 6-129, and any rules promulgated thereunder, all of which shall be deemed to be material terms of this Contract. The Contractor hereby agrees to make all reasonable, good faith efforts to solicit and obtain the participation of MBEs and/or WBEs to meet the required Participation Goals.

ARTICLE II. **ENFORCEMENT**

If Agency determines that a bidder or proposer, as applicable, has, in relation to this procurement, violated Section 6-129 or the DSBS rules promulgated pursuant to Section 6-129, Agency may disqualify such bidder or proposer, as applicable, from competing for this Contract and the Agency may revoke such bidder's or proposer's prequalification status, if applicable.

84

- 2. Whenever Agency believes that the Contractor or a subcontractor is not in compliance with Section 6-129 or the DSBS rules promulgated pursuant to Section 6-129, or any provision of this Contract that implements Section 6-129, including, but not limited to any **M/WBE** Utilization Plan, Agency shall send a written notice to the Contractor describing the alleged noncompliance and offering the Contractor an opportunity to be heard. Agency shall then conduct an investigation to determine whether such Contractor or subcontractor is in compliance.
- 3. In the event that the Contractor has been found to have violated Section 6-129, the DSBS rules promulgated pursuant to Section 6-129, or any provision of this Contract that implements Section 6-129, including, but not limited to, any M/WBE Utilization Plan, Agency may determine that one of the following actions should be taken:
- (a) entering into an agreement with the Contractor allowing the Contractor to cure the violation;
- (b) revoking the Contractor's pre-qualification to bid or make proposals for future contracts;
- (c) making a finding that the Contractor is in default of the Contract;
- (d) terminating the Contract;
- (e) declaring the Contractor to be in breach of Contract;
- (f) withholding payment or reimbursement;
- (g) determining not to renew the Contract;
- (h) assessing actual and consequential damages;
- assessing liquidated damages or reducing fees, provided that liquidated damages may be based on amounts representing costs of delays in carrying out the purposes of the M/WBE Program, or in meeting the purposes of the Contract, the costs of meeting utilization goals through additional procurements, the administrative costs of investigation and enforcement, or other factors set forth in the Contract;
- (j) exercising rights under the Contract to procure goods, services or construction from another contractor and charge the cost of such contract to the Contractor that has been found to be in noncompliance; or
- (k) taking any other appropriate remedy.
- 4. If an M/WBE Utilization Plan has been submitted, and pursuant to this Article II, Section 3, the Contractor has been found to have failed to fulfill its Participation Goals contained in its M/WBE Utilization Plan or the Participation Goals as modified by Agency pursuant to Article I, Part A, Section 11, Agency may assess liquidated damages in the amount of ten percent (10%) of the difference between the dollar amount of work required to be awarded to MBE and/or WBE firms to meet the Participation Goals and the dollar amount the Contractor actually awarded and paid, and/or credited, to MBE and/or WBE firms. In view of the difficulty of accurately ascertaining the loss which the City will suffer by reason of Contractor's failure to meet the Participation Goals, the foregoing amount is hereby fixed and agreed as the liquidated damages that the City will suffer by reason of such failure, and not as a penalty. Agency may deduct and retain out of any monies which may become due under this Contract the amount of any such liquidated damages; and in case the amount which may become due under this Contract shall be less than the amount of liquidated damages suffered by the City, the Contractor shall be liable to pay the difference.
- 5. Whenever Agency has reason to believe that an MBE and/or WBE is not qualified for certification, or is participating in a contract in a manner that does not serve a commercially useful function (as defined in Section 6-129(c)(8)), or has violated any provision of Section 6-129, Agency shall notify the Commissioner of DSBS who shall determine whether the certification of such business enterprise should be revoked.

- 6. Statements made in any instrument submitted to Agency pursuant to Section 6-129 shall be submitted under penalty of perjury and any false or misleading statement or omission shall be grounds for the application of any applicable criminal and/or civil penalties for perjury. The making of a false or fraudulent statement by an MBE and/or WBE in any instrument submitted pursuant to Section 6-129 shall, in addition, be grounds for revocation of its certification.
- 7. The Contractor's record in implementing its M/WBE Utilization Plan shall be a factor in the evaluation of its performance. Whenever Agency determines that a Contractor's compliance with an M/WBE Utilization Plan has been unsatisfactory, Agency shall, after consultation with the City Chief Procurement Officer, file an advice of caution form for inclusion in VENDEX as caution data.

IN WITNESS WHEREOF, the Commissioner, on behalf of the City of New York, and the Contractor, have executed this agreement in quadruplicate, two parts of which are to remain with the Commissioner, another to be filed with the Comptroller of the City, and the fourth to be delivered to the Contractor.

	THE CITY OF NEW YORK
	THE CITY OF NEW YORK
	Contate.
	By: Commissioner
	CONTRACTOR: Bedford/carp Constru Inc.
	Inc.
	By: (Member of Firm or Officer of Corporation)
	(Member of Firm of Officer of Corporation)
	Title:
	Title:
(Where Contractor is a Corporation, add):	
Attest:	
Secretary	
	(Seal)
	(Sea)

ACKNOWLEDGEMENT OF PRINCIPAL, IF A CORPORATION

	State of N.Y. County of GUEENS ss:
No.	On this 26 day of 500. 2016, before me personally came Mohaman Hajisakak to me known who, being by me duly sworn did depose and say that he resides at 116 makes Avix that he is the 12. O 8735 that he is the 12. O 8735 that he is the 13. O 8735 that he is the 14. O 8735 that he is the 14. O 8735 that he is the 15. Of the corporation described in and which executed the foregoing instrument; that he knows the seal of said corporation; that one of the seals affixed to said instrument is such seal; that it was so affixed by order of the directors of said corporation, and that he signed his name thereto by like order. VICTORIA AYO-VAUGHAN tary Public, State of New York tary Public, State of New York tary Public, State of New York tary Public or Commissioner of Deeds Notary Public or Commissioner of Deeds Notary Public or Commissioner of Deeds
	ACKNOWLEDGEMENT OF PRINCIPAL, IF A PARTNERSHIP
	State of county of ss:
	On this day of,, before me personally appeared to me known, and known to me to be one of the members of the firm of described in and who executed the foregoing instrument; and he acknowledged to me that he executed the same as and for the act and deed of said firm.
	Notary Public or Commissioner of Deeds ACKNOWLEDGEMENT OF PRINCIPAL, IF AN INDIVIDUAL
	State of County of ss:
	On this day of,, before me personally appeared to me known, and known to me to be the person described in and who executed the foregoing instrument; and acknowledged that he executed the same.
	Notary Public or Commissioner of Deeds

ACKNOWLEDGEMENT BY COMMISSIONER

State of New Yo	ork County of Queens ss:	·	
to me known, and known to The City of New York, the	before me personally came to be the Deputy Commissioner of the Deput e person described as such in and who as such that he executed the same as Deputy Commissioner of the Deputy Commi	artment of Design and Cou uch executed the foregoing	nstruction of ginstrument
mentioned.	Notary Dualic or Commissio	ner of Deeds	
		Notary P Registr Qualifie Commission	TORIA AYO-VAUGHAN TORIA AYO-VAUGHAN TORIC State of New York Toric State of New

AUTHORITY

MAYOR'S CERTIFICATE NO. CBX BUDGET DIRECTOR'S CERTIFICATE NO.

DATED DATED

APPROPRIATION COMMISSIONER'S CERTIFICATE

In conformity with the provisions of Section 6-101 of the Administrative Code of the City of New York, it is hereby certified that the estimated cost of the work, materials and supplies required by the within Contract, amounting to

FiFty Six million, Five hundred
Fifty Six million, Five hundred Fifty Six thousand Five hundred and Fifty Six Hundred 56/100 Dollars (\$ 56,556,556.56
Fifty Six Hundred 56/100
Dollars (\$ 56,556,556.56
is chargeable to the fund of the Department of Design and Construction entitled Code
SE-851
Department of Design and Construction
I hereby certify that the specifications contained herein comply with the terms and conditions of the BUDGET. De pure Commissioner
COMPTROLLER'S CERTIFICATE
The City of New York
Pursuant to the provisions of Section 6-101 of the Administrative Code of the City of New York, I hereby certify that there remains unapplied and unexpended a balance of the above mentioned fund applicable to this Contract sufficient to pay the estimated expense of executing the same viz:
\$
Comptroller



INFRASTRUCTURE DIVISION BUREAU OF DESIGN

VOLUME 2 OF 3

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

> Together With All Work Incidental Thereto BOROUGH OF BROOKLYN

Bedford / Car P Cons	Fruction Inc- Contractor
Dated January 26	
APPROVED AS TO FORM CERTIFIED AS TO LEGAL AUTHORITY	Acting Corporation Counsel
Dated April 21	

MAYOR'S CERTIFICATE OR CERTIFICATE OF THE DIRECTOR OF THE BUDGET

<u>Performance Bond #1 (Pages 92 to 95)</u>: Use if the total contract price is \$5 Million Or Less. Performance Bond #1 has been approved by the U.S. Small Business Administration ("SBA") for participation in its Bond Guarantee Program.

PERFORMANCE BOND #1 (Page 1)

PERFORMANCE BOND #1

KNOW ALL PERSONS BY THESE PRESENTS:,
That we,
hereinafter referred to as the "Principal,"
and,
hereinafter referred to as the "Surety" ("Sureties") are held and firmly bound to THE CITY OF NEW
YORK, hereinafter referred to as the "City" or to its successors and assigns in the penal sum
of
(\$) Dollars, lawful money of the United States for the payment of which
t was of money well and truly to be made, we, and each of us, blid ballottes, our
administrators, successors and assigns, jointly and severally, firmly by these presents.
WHEREAS, the Principal is about to enter, or has entered, into a Contract in writing with the City for
a copy of which Contract is annexed to and hereby made a part of this bond as though herein set forth in
0.11
TOTAL TRANSPORTED the conditions of this obligation are such that if the fillicipal, his of its
s about well and faithfully perform the Said Colluct and all modifications,
the state of the s
amendments, additions and alterations thereto that may hereafter be made, about and guarantees of true intent and meaning, including repair and or replacement of defective work and guarantees of maintenance for the periods stated in the Contract, and shall fully indemnify and save harmless the City for the Contract, and shall fully indemnify and save harmless the City for the Contract, and shall fully indemnify and save harmless the City for the Contract and shall fully indemnify and save harmless the City for the Contract and shall fully indemnify and save harmless the City for the Contract and shall fully indemnify and save harmless the City for the Contract and shall fully indemnify and save harmless the City full for the Contract and shall full full full full full full full f
the state of the principal successful of the principal successful of the Contract, and Share
from all cost and damage which it may suffer by reason of the Trinspar of the City may incur in making fully reimburse and repay the City for all outlay and expense which the City may incur in making

<u>Performance Bond #1 (Pages 92 to 95)</u>: Use if the total contract price is \$5 Million Or Less. Performance Bond #1 has been approved by the U.S. Small Business Administration ("SBA") for participation in its Bond Guarantee Program.

PERFORMANCE BOND #1 (Page 2)

good any such default and shall protect the said City of New York against, and pay any and all amounts, damages, cost and judgments which may or shall be recovered against said City or its officers or agents or which the said City of New York may be called upon to pay any person or corporation by reason of any damages arising or growing out of the Principal's default of the Contract, then this obligation shall be null and void, otherwise to remain in full force and effect.

The Surety (Sureties), for value received, hereby stipulates and agrees, upon written notice from the City that the City has determined that the Principal is in default of the Contract, to (1) pay the City the cost to complete the contract as determined by the City in excess of the balance of the Contract held by the City, plus any damages or costs to which the City is entitled, up to the full amount of the above penal sum, (2) fully perform and complete the Work to be performed under the Contract, pursuant to the terms, conditions, and covenants thereof, or (3) tender a completion Contractor that is acceptable to the City. The Surety (Sureties) further agrees, at its option, either to notify the City that it elects to pay the city the cost of completion plus any applicable damages and costs under option (1) above, or to commence and diligently perform the Work specified in the Contract, including physical site work, within twenty-five (25) business days after written notice thereof from the City and, if the Surety elects to fully perform and complete the Work, then to complete all Work within the time set forth in the Contract or such other time as agreed to between the City and Surety in accordance with the Contract. If the Surety elects to tender payment pursuant to (1) above, then the Surety shall tender such amount within fifteen (15) business days notification from the City of the cost of completion. The Surety and the City reserve all rights and defenses each may have against the other; provided, however, that the Surety expressly agrees that its reservation of rights shall not provide a basis for non-performance of its obligation to pay the City the cost of completion, to commence and complete all Work as provided herein, or to tender a completion contractor.

The Surety (Sureties), for value received, for itself and its successors and assigns, hereby stipulates and agrees that the obligation of said Surety (Sureties) and its bond shall be in no way impaired or affected by any extension of time, modification, omission, addition, or change in or to the said Contract or the Work to be performed thereunder, or by any payment thereunder before the time required therein, or by any waiver of any provisions thereof, or any moneys due or to become due thereunder; and said Surety (Sureties) does hereby waive notice of any and all of such extensions, modifications, omissions, additions, changes, payments, and waivers, and hereby expressly stipulates and agrees that any and all things done and omitted to be done by and in relation to subcontractors shall have the same effect as to said Surety (Sureties) as though done or omitted to be done by or in relation to said Principal. Notwithstanding the above, if the City makes payments to the Principal before the time required by the contract that in the aggregate exceed \$100,000 or 10% of the Contract price, whichever is less, and that have not become earned prior to the Principal being found to be in default, then all payments made to the Principal before the time required by the Contract shall be added to the remaining contract value available to be paid for the completion of the Contract as if such sums had not been paid to the Principal, but shall not provide a basis for non-performance of its obligation to pay the City the cost of completion, to commence and to complete all Work as provided herein, or to tender a completion contractor.

Performance Bond #1 (Pages 92 to 95): Use if the total contract price is \$5 Million Or Less. Performance Bond #1 has been approved by the U.S. Small Business Administration ("SBA") for participation in its Bond Guarantee Program.

PERFORMANCE BOND #1 (Page 3)

IN WITNESS WHEREOF, The Principal and the Surety (Sureties) have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereunto affixed and these presents to be signed by their proper officers, this

	day of		, 20	·
(Seal)				
			Principal	(L.S.)
		Ву:		.
(Seal)			Surety	
,				
(Seal)			Surety	`
		Ву:		
(Seal)			Surety	
		By:		·
(Seal)			Surety	
		By:		÷
(Seal)			Surety	
		Ву:		
Bond Premium Rate			.	
Bond Premium Cost				

If the Contractor (Principal) is a partnership, the bond should be signed by each of the individuals who are partners.

If the Contractor (Principal) is a corporation, the bond should be signed in its correct corporate name by a duly authorized officer, agent, or attorney-in-fact.

There should be executed an appropriate number of counterparts of the bond corresponding to the number of counterparts of the Contract.

CITY OF NEW YORK DDC

<u>Performance Bond #1 (Pages 92 to 95)</u>: Use if the total contract price is \$5 Million Or Less. Performance Bond #1 has been approved by the U.S. Small Business Administration ("SBA") for participation in its Bond Guarantee Program.

PERFORMANCE BOND #1 (Page 4)

	<u>ACKNOWLEDGME</u>	ENT OF PRINCIPAL IF A CO	<u>DRPORATION</u>
State of		County of	ss:
On this	day of	, 20	before me personally
came			Polosiani,
to me known, who, be	eing by me duly sworn die	d depose and say that he/she res	ides
at			
of the corneration des	caribad in and subjet	that he/she is the	
the foregoing instrum	ent by order of the director	ors of said corporation as the du	and that he/she signed his/her name ly authorized and binding act thereof
Notary Public or Com	nmissioner of Deeds.		
	ACKNOWLEDGME	ENT OF PRINCIPAL IF A PA	RTNERSHIP
State of	C	ounty of	ss:
On this	day of	20	before me personally
came	day or	, 20	before me personally
to me known, who, be	ing by me duly sworn did	, 20, l dispose and say that he/she res	idas
at			
		: that he/she is	partner of
	, a minited/general	partnership existing under the I	aws of the State of
	, the partnership desc	cribed in and which executed the	e foregoing instrument:
and that he/she signed said partnership.	his/her name to the foreg	oing instrument as the duly auth	norized and binding act of
1 1			
Notary Public or Com	missioner of Deeds.		
	A CIVALONIUS PRO CA CE		-
	ACKNOWLEDGME	<u>NT OF PRINCIPAL IF AN I</u>	<u>NDIVIDUAL</u>
State of	Co	ounty of	ss:
			before me personally
aille			
o me known, who,.bei	ing by me duly sworn did	_, depose and say that he/she resid	des
ıt		•	
1 2 1 1	· · · · · · · · · · · · · · · · · · ·	, and that he/she is the i	ndividual whose name is
subscribed to the withi	n instrument and acknowl	edged to me that by his/her sion	nature on the
iistrument, said individ	dual executed the instrum	ent.	
		·	
Joseph Duleti C			
lotary Public or Comr	missioner of Deeds		

Each executed bond should be accompanied by: (a) appropriate acknowledgments of the respective parties; (b) appropriate duly certified copy of Power of Attorney or other certificate of authority where bond is executed by agent, officer or other representative of Principal or Surety; (c) a duly certified extract from By-Laws or resolutions of Surety under which Power

of Attorney or other certificate of authority of its agent, officer or representative was issued, and (d) certified copy of latest published financial statement of assets and liabilities of Surety.

Affix Acknowledgments and Justification of Sureties.

CITY OF NEW YORK DDC

Performance Bond #2 (Pages 96 to 99): Use if the total contract price is more than \$5 Million.

PERFORMANCE BOND #2 (Page 1)

PERFORMANCE BOND #2

NOW ALL PERSONS BY THESE PRESENTS:, hat we,
ereinafter referred to as the "Principal," nd,
ereinafter referred to as the "Surety" ("Sureties") are held and firmly bound to THE CITY OF NEW ORK, hereinafter referred to as the "City" or to its successors and assigns in the penal sum f
\$
which said sum of money well and truly to be made, we, and each of us, bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
WHEREAS, the Principal is about to enter, or has entered, into a Contract in writing with the City for
Catalan da al la companya formation and form
a copy of which Contract is annexed to and hereby made a part of this bond as though herein set forth in full;
NOW, THEREFORE, the conditions of this obligation are such that if the Principal, his or its representatives or assigns, shall well and faithfully perform the said Contract and all modifications, amendments, additions and alterations thereto that may hereafter be made, according to its terms and its true intent and meaning, including repair and or replacement of defective work and guarantees of maintenance for the periods stated in the Contract, and shall fully indemnify and save harmless the City from all cost and damage which it may suffer by reason of the Principal's default of the Contract, and shall fully reimburse and repay the City for all outlay and expense which the City may incur in making

Performance Bond #2 (Pages 94 to 97): Use if the total contract price is more than \$5 Million.

PERFORMANCE BOND #2 (Page 1)

PERFORMANCE BOND //2

KNOW ALL PERSONS BY THESE PRESENTS, That we,
Bedford Carp Construction, Inc.
77 Bloomfield Avenue
Staten Island, NY 10314
hereinafter referred to as the "Principal", and
Western Surety Company
P. O. Box 5077
Sioux Falls, SD 57117-5077
hereinafter referred to as the "Surety" ("Sureties") are held and firmly bound to THE CITY OF NEW YORK, hereinafter referred to as the "City" or to its successors and assigns, in the penal sum of Fifty Six Million Five Hundred Fifty Six Thousand Five Hundred Fifty Six Dollars and 56/100
(\$\(\frac{56,556,556.56}{\}\)) Dollars, lawful money of the United States, for the payment of which said sum of money well and truly to be made, we, and each of us, bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
WHEREAS, the Principal is about to enter, or has entered, into a Contract in writing with the City for
FMS ID: SE-851; E-PIN: 85015B0141001; DDC PIN: 8502014SE0021C; For the Construction of
Storm, Combined, Sanitary Sewers and Water Mains and Appurtenances in: Flatlands Avenue
Between East 98th Street, Etc Borough of Brooklyn
a copy of which Contract is annexed to and hereby made a part of this bond as though herein set forth in full;

Performance Bond #2 (Pages 94 to 97): Use if the total contract price is more than \$5 Million.

PERFORMANCE BOND #2 (Page2)

NOW, THEREFORE, the conditions of this obligation are such that if the Principal, his or its representatives or assigns, shall well and faithfully perform the said Contract and all modifications, amendments, additions and alterations thereto that may hereafter be made, according to its terms and its true intent and meaning, including repair and or replacement of defective work and guarantees of maintenance for the periods stated in the Contract, and shall fully indemnify and save harmless the City from all cost and damage which it may suffer by reason of the Principal's default of the Contract, and shall fully reimburse and repay the City for all outlay and expense which the City may incur in making good any such default and shall protect the said City of New York against, and pay any and all amounts, damages, cost and judgments which may or shall be recovered against said City or its officers or agents or which the said City of New York may be called upon to pay any person or corporation by reason of any damages arising or growing out of the Principal's default of the Contract, then this obligation shall be null and void, otherwise to remain in full force and effect.

The Surety (Sureties), for value received, hereby stipulates and agrees, upon written notice from the City that the City has determined that the Principal is in default of the Contract, to either (1) pay the full amount of the above penal sum in complete discharge and exoneration of this bond and of all the liabilities of the Surety relating to this bond, or (2) fully perform and complete the Work to be performed under the Contract, pursuant to the terms, conditions, and covenants thereof. The Surety (Sureties) further agrees, at its option, either to tender the penal sum or to commence and diligently perform the Work specified in the Contract, including physical site work, within twenty-five (25) business days after written notice thereof from the City and to complete all Work within the time set forth in the Contract or such other time as agreed to between the City and Surety in accordance with the Contract. The Surety and the City reserve all rights and defenses each may have against the other; provided, however, that the Surety expressly agrees that its reservation of rights shall not provide a basis for non-performance of its obligation to commence and to complete all Work as provided herein.

The Surety (Sureties), for value received, for itself and its successors and assigns, hereby stipulates and agrees that the obligation of said Surety (Sureties) and its bond shall be in no way impaired or affected by any extension of time, modification, omission, addition, or change in or to the said Contract or the Work to be performed thereunder, or by any payment thereunder before the time required therein, or by any waiver of any provisions thereof, or by any assignment, subletting or other transfer thereof or of any Work to be performed or any moneys due or to become due thereunder; and said Surety (Sureties) does hereby waive notice of any and all of such extensions, modifications, omissions, additions, changes, payments, waivers, assignments, subcontracts and transfers, and hereby expressly stipulates and agrees that any and all things done and omitted to be done by and in relation to assignees, subcontractors, and other transferces shall have the same effect as to said Surety (Sureties) as though done or omitted to be done by or in relation to said Principal.

Performance Bond #2 (Pages 94 to 97): Use if the total contract price is more than \$5 Million.

and such of them as are corporations have caused their corporate seals to be hereunto affixed and these presents to be

IN WITNESS WHEREOF, the Principal and the Surety (Sureties) have hereunto set their hands and seals,

PERFORMANCE BOND #2 (Page 3)

signed by their proper off	icers, this <u>19th</u> day o	s January , 2016 .
(Scal)		Bedford Carp Construction, Inc. (L.S.) Principal By: P.
(Scal)	SEAL THE BURETY OF ALL THE BUR	By: Modern Surety Company Surety By: Attorney-in-Fact
(Scal)		Surcty
(Scal)		Surety By:
(Seal)		Surety By:
(Scal)		Surety
Bond Premium Rate	Sliding Scale	
Bond Premium Cost	\$434,298.00	
If the Contractor (Principa	al) is a partnership, the bon	nd should be signed by each of the individuals who are partners.
•	pal) is a corporation, the	bond should be signed in its correct corporate name by a duly
There should be execute counterparts of the Contra	d an appropriate number ct.	of counterparts of the bond corresponding to the number of

्र अन्यक्षात्राच्याः कारणाञ्चात्रः च्याः स्थापन्यः । त्रास्यक्ष्णे प्रकृत्रेक्षात्रः स्थापन्यः । -

**

Performance Bond #2 (Pages 94 to 97): Use if the total contract price is more than \$5 Million.

PERFORMANCE BOND #2 (Page 4)

N.J. 087

ACKNOWLEDGMENT OF PRINCIPAL, IF A CORPORATION

State of Hewyork County of Richtond'ss: On this 25th day of Jahuan 2016 before me personally came Mohamman Haji saker to me known who hairs have duly super did denote and say that he/she resides at 116 Masse the Law 1/eth
On this 25th day of January 2016 before me personally came Mohamman Haji saker
to me known, who, being by me duly sworn did depose and say that he/she resides at 116 Mase rive, Lava letter to me known, who, being by me duly sworn did depose and say that he/she resides at 116 Mase rive, Lava letter to me known, who, being by me duly sworn did depose and say that he/she resides at 116 Mase rive, Lava letter to me known, who, being by me duly sworn did depose and say that he/she resides at 116 Mase rive, Lava letter to me known, who, being by me duly sworn did depose and say that he/she resides at 116 Mase rive, Lava letter to me known, who, being by me duly sworn did depose and say that he/she resides at 116 Mase rive, Lava letter to me known, who, being by me duly sworn did depose and say that he/she resides at 116 Mase rive, Lava letter to me known, who, being by me duly sworn did depose and say that he/she resides at 116 Mase rive, Lava letter to me known, who, being by me duly sworn did depose and say that he/she resides at 116 Mase rive, Lava letter to me known, who, being by me duly sworn did depose and say that he/she resides at 116 Mase rive, Lava letter to me to m
corporation described in and which executed the foregoing instrument; and that he signed his name to the foregoing
instrument by order of the directors of said corporation as the duly authorized and binding act thereof.
DOREEN A FORNI Notary Public - State of New York NO. 01508294164
No. 01F06294164 Notary Public or Commissioner of Deeds No. 01F06294164 Qualified in Richmond County
My Commission Expires Dec 16, 2017
ACKNOWLEDGMENT OF TRINCIPAL TO A TAKING KSHIP
State ofss:
On thisday of,before me personally came
to me known, who, being by me duly sworn did depose and say that he/she resides at
; that he/she is partner of
, a limited/general partnership existing under the laws of the State of the partnership described in and which executed the foregoing instrument; and that he/she signed his/her name to the
foregoing instrument as the duly authorized and binding act of said partnership.
Notary Public or Commissioner of Deeds
ACKNOWLEDGMENT OF PRINCIPAL, IF AN INDIVIDUAL
State ofss:
On thisday of,before me personally came
to me known, who, being by me duly swom did depose and say that he/she resides at, and that he/she is the individual whose name is subscribed to
the within instrument and acknowledged to me that by his/her signature on the instrument, said individual executed the instrument.
the instrument.
Notary Public or Commissioner of Deeds
Each executed bond should be accompanied by: (a) appropriate acknowledgments of the respective parties;
(b) appropriate duly certified copy of Power of Attorney or other certificate of authority where bond is executed by
agent, officer or other representative of Principal or Surety; (c) a duly certified extract from By-Laws or resolutions of Surety under which Power of Attorney or other certificate of authority of its agent, officer or representative was
issued, and (d) certified copy of latest published financial statement of assets and liabilities of Surety.
Affix Acknowledgments and Justification of Sureties.

CORETT A FIRE CO

ACKNOWLEDGMENT OF SURETY COMPANY

STATE OF	New York	} ss	
COUNTY OF	⁷ Westchester	5 ***	
On this	January 19, 2016	, before me personally	came Dennis M. O'Brien
to me known,	who, being by me duly s	sworn, did depose and say;	that he/she resides in
Western Sure executed the a instrument is a he/she signed Superintender the State of No certificate of q State of New	ty Company above instrument; that he cuch corporate seal; that his/her name thereto by at of Insurance of the State York, issued to Denualification evidencing the state of t	ne/she knows the seal of said t is was so affixed by the Bo y like order; and the affiant of tate of New York, has, pursu nis M. O'Brien the qualification of said Com rantor, and the propriety of a	is the Attorney-in-Fact of the
		, 	Westchester
		TINA CASTIELLO	Notary Public County
	1 eilileug	PUBLIC-STATE OF NEW YORK No. 01CA6191205 and in Westchester County ission Expires August 04, 2016	August 4, 2016 Notary Public Commission Expiration Dat

Western Surety Company

POWER OF ATTORNEY APPOINTING INDIVIDUAL ATTORNEY-IN-FACT

Know All Men By These Presents, That WESTERN SURETY COMPANY, a South Dakota corporation, is a duly organized and existing corporation having its principal office in the City of Sioux Falls, and State of South Dakota, and that it does by virtue of the signature and seal herein affixed hereby make, constitute and appoint

Dennis M. O'Brien, Individually

of White Plains, NY its true and lawful Attorney-in-Fact with full power and authority hereby conferred to sign, seal and execute for and on its behalf bonds, undertakings and other obligatory instruments of similar nature

- In Unlimited Amounts -

Surety Bond No: 58702611

Principal: Bedford Carp Construction, Inc.

Obligee: The City of New York

and to bind it thereby as fully and to the same extent as if such instruments were signed by a duly authorized officer of the corporation and all the acts of said Attorney, pursuant to the authority hereby given, are hereby ratified and confirmed.

This Power of Attorney is made and executed pursuant to and by authority of the By-Law printed on the reverse hereof, duly adopted, as indicated, by the shareholders of the corporation.

In Witness Whereof, WESTERN SURETY COMPANY has caused these presents to be signed by its Vice President and its corporate seal to be hereto affixed on this 1st day of December, 2015.

WESTERN SURETY COMPANY

Baul T. Boul

Paul T. Bruflat, Vice President

State of South Dakota
County of Minnehaha

SS

On this 1st day of December, 2015, before me personally came Paul T. Bruflat, to me known, who, being by me duly sworn, did depose and say: that he resides in the City of Sioux Falls, State of South Dakota; that he is the Vice President of WESTERN SURETY COMPANY described in and which executed the above instrument; that he knows the seal of said corporation; that the seal affixed to the said instrument is such corporate seal; that it was so affixed pursuant to authority given by the Board of Directors of said corporation and that he signed his name thereto pursuant to like authority, and acknowledges same to be the act and deed of said corporation.

My commission expires

June 23, 2021

J. MOHR

ON SOUTH DAKOTA (FA)

Make Matama Dublia

CERTIFICATE

I, L. Nelson, Assistant Secretary of WESTERN SURETY COMPANY do hereby certify that the Power of Attorney hereinabove set forth is still in force, and further certify that the By-Law of the corporation printed on the reverse hereof is still in force. In testimony whereof I have hereunto subscribed my name and affixed the seal of the said corporation this 19th day of January, 2016.



WESTERN SURETY COMPANY

J. Nelson, Assistant Secretary

.

Authorizing By-Law

ADOPTED BY THE SHAREHOLDERS OF WESTERN SURETY COMPANY

This Power of Attorney is made and executed pursuant to and by authority of the following By-Law duly adopted by the shareholders of the Company.

Section 7. All bonds, policies, undertakings, Powers of Attorney, or other obligations of the corporation shall be executed in the corporate name of the Company by the President, Secretary, and Assistant Secretary, Treasurer, or any Vice President, or by such other officers as the Board of Directors may authorize. The President, any Vice President, Secretary, any Assistant Secretary, or the Treasurer may appoint Attorneys in Fact or agents who shall have authority to issue bonds, policies, or undertakings in the name of the Company. The corporate seal is not necessary for the validity of any bonds, policies, undertakings, Powers of Attorney or other obligations of the corporation. The signature of any such officer and the corporate seal may be printed by facsimile.

WESTERN SURETY COMPANY Sioux Falls, South Dakota Statement of Net Admitted Assets and Liabilities December 31, 2014

ASSETS

Bonds Stocks Cash, cash equivalents, and short-term investments Investment income due and accrued	\$1,824,951,414 23,975,582 51,536,164 22,267,675
Premiums and considerations Amounts recoverable from reinsurers Federal and foreign income taxes recoverable Net deferred tax asset Receivable from parent, subsidiaries, and affiliates Other assets Total Assets	41,696,249 (11,221,508) 7,401,709 20,261,713 17,380,167 3,799 \$1,998,252,964

LIABILITIES AND SURPLUS

Losses	\$202.007.50 <i>5</i>
Reinsurance payable on paid losses and loss adjustment expenses	\$302,997,505
Loss adjustment expense	(15,267,712)
Contingent and other activities	64,134,995
Contingent and other commissions payable	6,099,306
Unearned premiums	259,011,845
Advance premiums	
Payable to parent, subsidiaries and affiliates	5,321,610
Other liabilities	107,843
	7,821,458
Total Liabilities	\$630,226,850

Surplus Account:

Capital paid up \$4,000,000 Gross paid in and contributed surplus 280,071,837 Unassigned funds 1,083,954,277

Surplus as regards policyholders Total Liabilities and Capital and and

<u>\$1,368,026,114</u> \$1,998,252,964

I, Peter Locy, Assistant Vice President of Western Surety Company hereby certify that the above is an accurate representation of the financial statement of the Company dated December 31, 2014, as filed with the various Insurance Departments and is a true and correct statement of the condition of Western Surety Company as of that date.

Western Surety Company

Assistant Vice President

Subscribed and sworn to me this _

19th day of .

March

2015

My commission expires:



<u>Payment Bond (Pages 98 to 101)</u>: Use for any contract for which a Payment Bond is required. PAYMENT BOND (Page 1)

PAYMENT BOND

a copy of which Contract is annexed to and hereby made a part of this bond as though herein set forth in full;

NOW, THEREFORE, the conditions of this obligation are such that if the Principal, his or its representatives or assigns and other Subcontractors to whom Work under this Contract is sublet and his or their successors and assigns shall promptly pay or cause to be paid all lawful claims for

(a) Wages and compensation for labor performed and services rendered by all persons engaged in the prosecution of the Work under said Contract, and any amendment or extension thereof or addition thereto, whether such persons be agents servants or employees of the Principal or any such Subcontractor, including all persons so

Payment Bond (Pages 98 to 101): Use for any contract for which a Payment Bond is required.

PAYMENT BOND (Page 2)

engaged who perform the work of laborers or mechanics at or in the vicinity of the site of the Project regardless of any contractual relationship between the Principal or such Subcontractors, or his or their successors or assigns, on the one hand and such laborers or mechanics on the other, but not including office employees not regularly stationed at the site of the project; and

(b) Materials and supplies (whether incorporated in the permanent structure or not), as well as teams, fuels, oils, implements or machinery furnished, used or consumed by said Principal or any subcontractor at or in the vicinity of the site of the Project in the prosecution of the Work under said Contract and any amendment or extension thereof or addition thereto; then this obligation shall be void, otherwise to remain in full force and effect.

This bond is subject to the following additional conditions, limitations and agreements:

- (a) The Principal and Surety (Sureties) agree that this bond shall be for the benefit of any materialmen or laborer having a just claim, as well as the City itself.
- (b) All persons who have performed labor, rendered services or furnished materials and supplies, as aforesaid, shall have a direct right of action against the Principal and his, its or their successors and assigns, and the Surety (Sureties) herein, or against either or both or any of them and their successors and assigns. Such persons may sue in their own name, and may prosecute the suit to judgment and execution without the necessity of joining with any other persons as party plaintiff.
- (c) The Principal and Surety (Sureties) agree that neither of them will hold the City liable for any judgment for costs of otherwise, obtained by either or both of them against a laborer or materialman in a suit brought by either a laborer or materialman under this bond for moneys allegedly due for performing work or furnishing material.
- (d) The Surety (Sureties) or its successors and assigns shall not be liable for any compensation recoverable by an employee or laborer under the Workmen's Compensation Law.
- (e) In no event shall the Surety (Sureties), or its successors or assigns; be liable for a greater sum than the penalty of this bond or be subject to any suit, action or proceeding hereon that is instituted by any person, firm, or corporation hereunder later than two years after the complete performance of said Contract and final settlement thereof.

The Principal, for himself and his successors and assigns, and the Surety (Sureties), for itself and its successors and assigns, do hereby expressly waive any objection that might be interposed as to the right of the City to require a bond containing the foregoing provisions, and they do hereby further expressly waive any defense which they or either of them might interpose to an action brought hereon by any person, firm or corporation, including subcontractors, materialmen and third persons, for work, labor, services, supplies or material performed rendered, or furnished as aforesaid upon the ground that there is no law authorizing the City to require the foregoing provisions to be placed in this bond.

And the Surety (Sureties), for value received, for itself and its successors and assigns, hereby stipulates and agrees that the obligation of said Surety (Sureties), and its bonds shall be in no way impaired or affected by any extension of time, modification, omission, addition, or change in or of the said Contract or the work to be performed thereunder, or by any payment thereunder before the time required therein, or by any waiver of any provisions thereof, or by any assignment, subletting or other transfer thereof or of any part thereof, or of any Work to be performed, or any moneys due to become due thereunder and said Surety (Sureties) does hereby waive notice of any and all of such extensions, modifications, omissions, additions, changes, payments, waivers, assignments, subcontracts and transfers, and hereby expressly stipulates and agrees that any and all things done and omitted to be done by and in relation to assignees, Subcontractors, and other transferces shall have the same effect as to said Surety (Sureties) as though done or omitted to be done or in relation to said Principal.

.

Payment Bond (Pages 98 to 101): Use for any contract for which a Payment Bond is required.

PAYMENT BOND (Page 3)

IN WITNESS HEREOF, the Principal and such of them as are corporations have caube signed by their proper officers, this19	al and the Surety (Sureties) have hereunto set their hands and seals, used their corporate seals to be hereunto affixed and these presents to the day of January , 2016.
(Seal)	Bedford Carp Construction, Inc. (L.S.) Principal By: ///
(Scal)	Western Surety Company
CRPORAL SELECTION OF THE SELECTION OF TH	By: Surety Dennis M. O'Brien , Attorney-in-Fact
(Scal)	· · · · · · · · · · · · · · · · · · ·
·····	Surety
	Ву:
(Seal)	
(court	Surety
	Ву:
(Seal)	Surety
	•
	Ву:

If the Contractor (Principal) is a partnership, the bond should be signed by each of the individuals who are partners.

If the Contractor (Principal) is a corporation, the bond should be signed in its correct corporate name by a duly authorized officer, agent, or attorney-in-fact.

There should be executed an appropriate number of counterparts of the bond corresponding to the number of counterparts of the Contract.

Payment Bond (Pages 98 to 101): Use for any contract for which a Payment Bond is required.

PAYMENT BOND (Page 4)

ACKNOWLEDGMENT OF PRINCIPAL, IF A CORPORATION
State of New York County of Richard ss:
State of Hew York County of Richard ss: On this 25th day of January, 2016 before me personally came Mohamman Haylsak
to me known, who, being by me duly sworn did depose and say that he resides at
116 Magee Ave, Lauallette HJ.08735 that he is the Vice President of the
corporation described in and which executed the foregoing instrument; that he knows the seal of said corporation; that one of the seals affixed to said instrument is such seal; that it was so affixed by order of the directors of said corporation, and that he signed his name thereto by like order.
DOREEN A FORNI Notary Public - State of New York NO. 01F06294164 Qualified in Richmond County My Commission Expires Dec 16, 2017 DATUM O. January Notary Public or Commissioner of Decds
ACKNOWLEDGMENT OF PRINCIPAL, IF A PARTNERSHIP
State of County ofss:
On this day of, before me personally appeared
to me known, and known to me to be one of the members of the firm of
me that he executed the same as and for the act and deed of said firm.
Notary Public or Commissioner of Deeds
ACKNOWLEDGMENT OF PRINCIPAL, IF AN INDIVIDUAL
State of County of ss:
On this day of,before me personally appeared
to me known, and known to me to be the person described in and who executed the foregoing instrument; and acknowledged that he executed the same.
Notary Public or Commissioner of Deeds

Each executed bond should be accompanied by: (a) appropriate acknowledgments of the respective parties; (b) appropriate duly certified copy of Power of Attorney or other certificate of authority where bond is executed by agent, officer or other representative of Principal or Surety; (c) a duly certified extract from By-Laws or resolutions of Surety under which Power of Attorney or other certificate of authority of its agent, officer or representative was issued, and (d) certified copy of latest published financial statement of assets and liabilities of Surety.

Affix Acknowledgments and Justification of Sureties

Consider the Property of the P

ACKNOWLEDGMENT OF SURETY COMPANY

STATE OF New York COUNTY OF Westchester	} ss	
On thisJanuary 19, 2016	, before me personally	came Dennis M. O'Brien
to me known, who, being by me duly sv	worn, did depose and say;	that he/she resides in
instrument is such corporate seal; that he instrument is such corporate seal; that he/she signed his/her name thereto by Superintendent of Insurance of the State of New York, issued to Denn certificate of qualification evidencing the	I/she knows the seal of said is was so affixed by the Bo like order; and the affiant d te of New York, has, pursu- is M. O'Brien e qualification of said Comp	e is the Attorney-in-Fact of the the corporation described in which of corporation; that the seal affixed to said ard of Directors of said corporation; and that lid further depose and say that the ant to Section 1111 of the Insurance Law of
	Tina Castiello	Notary Public
NOTARY PUBLIC No. C	A CASTIELLO C-STATE OF NEW YORK D1CA6191205	Westchester Notary Public County
	Westchester County Expires August 04, 2016	August 4, 2016 Notary Public Commission Expiration Date

Western Surety Company

POWER OF ATTORNEY APPOINTING INDIVIDUAL ATTORNEY-IN-FACT

Know All Men By These Presents, That WESTERN SURETY COMPANY, a South Dakota corporation, is a duly organized and existing corporation having its principal office in the City of Sioux Falls, and State of South Dakota, and that it does by virtue of the signature and seal herein affixed hereby make, constitute and appoint

Dennis M. O'Brien, Individually

of White Plains, NY its true and lawful Attorney-in-Fact with full power and authority hereby conferred to sign, seal and execute for and on its behalf bonds, undertakings and other obligatory instruments of similar nature

- In Unlimited Amounts -

Surety Bond No: 58702611

Principal: Bedford Carp Construction, Inc.

Obligee: The City of New York

and to bind it thereby as fully and to the same extent as if such instruments were signed by a duly authorized officer of the corporation and all the acts of said Attorney, pursuant to the authority hereby given, are hereby ratified and confirmed.

This Power of Attorney is made and executed pursuant to and by authority of the By-Law printed on the reverse hereof, duly adopted, as indicated, by the shareholders of the corporation.

In Witness Whereof, WESTERN SURETY COMPANY has caused these presents to be signed by its Vice President and its corporate seal to be hereto affixed on this 1st day of December, 2015.

No.

WESTERN SURETY COMPANY

Paul T. DanGas Vias Durid.

State of South Dakota County of Minnehaha

SS

On this 1st day of December, 2015, before me personally came Paul T. Bruflat, to me known, who, being by me duly sworn, did depose and say: that he resides in the City of Sioux Falls, State of South Dakota; that he is the Vice President of WESTERN SURETY COMPANY described in and which executed the above instrument; that he knows the seal of said corporation; that the seal affixed to the said instrument is such corporate seal; that it was so affixed pursuant to authority given by the Board of Directors of said corporation and that he signed his name thereto pursuant to like authority, and acknowledges same to be the act and deed of said corporation.

My commission expires

June 23, 2021

J. MOHR
NOTARY PUBLIC SAN

J. Mohr, Notary Public

CERTIFICATE

I, L. Nelson, Assistant Secretary of WESTERN SURETY COMPANY do hereby certify that the Power of Attorney hereinabove set forth is still in force, and further certify that the By-Law of the corporation printed on the reverse hereof is still in force. In testimony whereof I have hereunto subscribed my name and affixed the seal of the said corporation this 19th day of January, 2016.



WESTERN SURETY COMPANY

J. Nelson, Assistant Secretary

Authorizing By-Law

ADOPTED BY THE SHAREHOLDERS OF WESTERN SURETY COMPANY

This Power of Attorney is made and executed pursuant to and by authority of the following By-Law duly adopted by the shareholders of the Company.

Section 7. All bonds, policies, undertakings, Powers of Attorney, or other obligations of the corporation shall be executed in the corporate name of the Company by the President, Secretary, and Assistant Secretary, Treasurer, or any Vice President, or by such other officers as the Board of Directors may authorize. The President, any Vice President, Secretary, any Assistant Secretary, or the Treasurer may appoint Attorneys in Fact or agents who shall have authority to issue bonds, policies, or undertakings in the name of the Company. The corporate seal is not necessary for the validity of any bonds, policies, undertakings, Powers of Attorney or other obligations of the corporation. The signature of any such officer and the corporate seal may be printed by facsimile.

. ·

WESTERN SURETY COMPANY Sioux Falls, South Dakota Statement of Net Admitted Assets and Liabilities December 31, 2014

ASSETS

Bonds	\$1,824,951,414
Stocks	23,975,582
Cash, cash equivalents, and short-term investments	51,536,164
Investment income due and accrued	22,267,675
Premiums and considerations	41,696,249
Amounts recoverable from reinsurers	(11,221,508)
Federal and foreign income taxes recoverable	7,401,709
Net deferred tax asset	20,261,713
Receivable from parent, subsidiaries, and affiliates	17,380,167
Other assets	3,799
Total Assets	\$1,998,252,964

LIABILITIES AND SURPLUS

Losses	\$302,997,505
Reinsurance payable on paid losses and loss adjustment expenses	(15,267,712)
Loss adjustment expense	64,134,995
Contingent and other commissions payable	6,099,306
Unearned premiums	259,011,845
Advance premiums	5,321,610
Payable to parent, subsidiaries and affiliates	107,843
Other liabilities	7,821,458
Total Liabilities	\$630,226,850

Surplus Account:

Capital paid up \$4,000,000 Gross paid in and contributed surplus 280,071,837 Unassigned funds 1,083,954,277

Surplus as regards policyholders \$1,368,026,114 Total Liabilities and Capital \$1,998,252,964 SWETY S

I, Peter Locy, Assistant Vice President of Western Surety Company hereby certify that the above is an accurate representation of the financial statement of the Company dated December 31, 2014, as filed with the various Insurance Departments and is a true and correct statement of the condition of Western Surety Company as of that date.

Western Surety Company


Assistant Vice President

Subscribed and sworn to me this __

<u>19th</u> day of _

March 2015

My commission expires:



ACORD.

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

1/21/2016

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s). **USI Insurance Services LLC** PHONE (A/C, No, Ext): 914 459-6200 E-MAIL FAX (A/C, No): 610 537-4220 333 Westchester Ave. Suite 102 White Plains, NY 10604 **INSURER(S) AFFORDING COVERAGE** NAIC# 914 459-6200 INSURER A: James River Insurance Company 12203 INSURED INSURER B: First Mercury Insurance Company 10657 **Bedford-Carp Construction Inc** INSURER C: Navigators Insurance Company 42307 77 Bloomfield Avenue INSURER D : Staten Island, NY 10314 INSURER E : INSURER F COVERAGES **CERTIFICATE NUMBER: REVISION NUMBER:** THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. ADDL SUBR NSR WVD TYPE OF INSURANCE POLICY EFF POLICY EXP
(MM/DD/YYYY) **POLICY NUMBER** X COMMERCIAL GENERAL LIABILITY X 000699630 01/20/2016 01/20/2020 EACH OCCURRENCE X \$6,000,000 CLAIMS-MADE X OCCUR DAMAGE TO RENTED PREMISES (Ea occurrence) \$300,000 **Contractual Liab** MED EXP (Any one person) **\$EXCLUDED** Deduct: 50,000 PERSONAL & ADV INJURY \$6,000,000 GEN'L AGGREGATE LIMIT APPLIES PER: \$6,000,000 GENERAL AGGREGATE PRO-JECT POLICY LOC PRODUCTS - COMP/OP AGG \$6,000,000 OTHER: **AUTOMOBILE LIABILITY** COMBINED SINGLE LIMIT (Ea accident) ANY AUTO BODILY INJURY (Per person) ALL OWNED AUTOS SCHEDULED BODILY INJURY (Per accident) \$ AUTOS NON-OWNED AUTOS PROPERTY DAMAGE (Per accident) HIRED AUTOS s UMBRELLA LIAB В X 01/20/2016 01/20/2020 EACH OCCURRENCE NYEX000006115301 **OCCUR** \$5,000,000 EXCESS LIAB CLAIMS-MADE AGGREGATE DED RETENTION \$ WORKERS COMPENSATION OTH AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? E.L. EACH ACCIDENT (Mandatory in NH) E.L. DISEASE - EA EMPLOYEE \$ If yes, describe under DESCRIPTION OF OPERATIONS below E.L. DISEASE - POLICY LIMIT **Excess Liability** NY16EXC863443IV 01/20/2016 01/20/2020 5,000,000 occ/agg DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) RE: FMS ID SE-851 / E-PIN 85015B0141001 / DDC PIN 8502014SE0021C -- For the Construction of Storm, Combined, Sanitary Sewers and Water Mains and Appurtenances In: Flatlands Ave in Brooklyn, NY The following are included as additional insureds on a primary and non contributory basis if required by a written contract: The City of New York including its officials and employees, National Grid, and the New (See Attached Descriptions) CERTIFICATE HOLDER CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE **New York City Department of** THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN **Design and Construction** ACCORDANCE WITH THE POLICY PROVISIONS. 30-30 Thomson Ave Long Island City, NY 11101 **AUTHORIZED REPRESENTATIVE** ulle

			•	,
			·	
				_
				_

c City Department of De	sign and Construction)TI					
	·		•				
						•	
							r wilder in merkabili
							en e
		·					
				·			
					e.		

CARPCONS2

ACORD.

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 1/21/2016

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement of

White Plains, NY 10604 914 459-6200 INSURED Bedford-Carp Construction Inc 77 Bloomfield Avenue Staten Island, NY 10314 Bedford-Carp Construction Inc 77 Bloomfield Avenue Staten Island, NY 10314 ENSURER 6: INSURER 1:	rights to the			
White Plains, NY 1604 White Plains, NY 1604 MINIMIPAL BERGES BEDGOTC-Carp Construction Inc T7 Bloomfield Avenue Staten Island, NY 10314 Bedford-Carp Construction Inc T7 Bloomfield Avenue Staten Island, NY 10314 BINDERS : NOTTH River Insurance Company INSURER C: INSURER C: INSURER F: INSURER C: INSURER				
White Plains, NY 10604 914 459-6200 **SURER 3: James River Insurance Company** **NSURER 3: James River Insurance Company** **NSURER 8: North RIVER Insurance Company** **NSURER 8: NSURER 9: NORTH RIVER 10: NSURER 10	0 537-4220			
INSURER IS INS				
INSURED Bedford-Carp Construction Inc 77 Bloomfield Avenue Staten Island, NY 10314 INSURER 0: INSURE 0: INSURER 0: INSURER 0: INSURER 0: INSURER 0: INSURER 0: INSU	NAIC#			
Bedford-Carp Construction Inc 77 Bloomfield Avenue Staten Island, NY 10314 EACH COVERAGES CERTIFICATE NUMBER: INSURER B: NOrth River Insurance Company INSURER B:	12203			
Staten Island, NY 10314 MSURER C : MSURER D : MSURER F : MSURER D : MSURER D : MSURER D : MSURER D : MSURER F : MSURER D : MSURER F : MSURER D : MSURER F : MSURER F : MSURER D : MSURER D : MSURER F : MSURER D : MSURER F : MSURER D : MSUR	21105			
Staten Island, NY 10314 MSURER E MSURER E MSURER E MSURER D MSUREN D MSUREN D MSUREN D MSURER E MSUREN D MSUREN D MSUREN D MSUREN D MSUREN D MSURER E MSUREN D MSURED TO THE INSURED NAMED ABOVE FOR THE P MSURER E MSUREN D MS	21100			
NSURER E: INSURER F: COVERAGES CERTIFICATE NUMBER: THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE P INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. ADDISUMENT POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. ADDISUMENT POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. COMMERCIAL GENERAL LIABILITY COMMERCIAL GENERAL LIABILITY COMMERCIAL GENERAL LIABILITY ALL OWNED AUTOS AUT				
COVERAGES CERTIFICATE NUMBER: THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE PINDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERN OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO CERTIFICATE MAY BE ISSUED OR MAY PERTAIN. THE INSURANCE AFFORDED BY HE POLICIES DESCRIBED HERRIN IS SUBJECT TO ALL EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAMS. TYPE OF INSURANCE COMMERCIAL GENERAL LIABILITY COMMODITY PROPERTIES PER: POUCY PROPERTIES PER: PROPERTY OF THE POLICIES DESCRIBED HERRIN IS SUBJECT TO ALL MINTS. COMMODITY PROPERTIES PER: PROPERTY OF OPENSOR SENTED AND INJURY (Per person) \$ ALL OWNED AUTOS ALL OWNED AUTOS ALL OWNED AUTOS ALL OWNED AUTOS ALTOS AUTOS				
COVERAGES CERTIFICATE NUMBER: REVISION NUMBER: THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE POR THE P INDICATED. NOTWITHSTANDING ANY REQUIREMENT. TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO CERTIFICATE MAY BE ISSUED OR MAY PERTIAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. NEW TYPE OF INSURANCE ADDI. SUBJECT COMMERCIAL GENERAL LIABILITY COMMERCIAL GENERAL LIABILITY COMMERCIAL GENERAL LIABILITY COMMERCIAL GENERAL LIABILITY GENERAL AGGREGATE LIMIT APPLIES PER: POLICY PRODUCTS - COMPIOP AGG S OTHER: AUTOMOBILE LIABILITY X X 1337382396 12/01/2015 12/01/2016 CAMBINED SINGLE LIMIT S BOOILY INJURY (Per person) S MCD EXP (ANY one person) S BOOILY INJURY (Per person) S BOOILY INJURY (Per person) S AUTOS X HIRED AUTOS X MY AUTOS AUTOS X MONOWNED AUTOS AUTOS X CALIBRADADE CALIMS-MADE CALIBRADADE AUTOS X HIRED AUTOS X MONOWNED AUTOS AUT				
THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE P INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO ALL EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIBITS SHOWN MAY HAVE BEEN REDUCED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIBITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. TYPE OF INSURANCE APPOLICIES. LIBITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. TYPE OF INSURANCE APPOLICIES. LIBITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. TO COMMERCIAL GENERAL LIABILITY SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. LIMITS COMMERCIAL GENERAL LIABILITY POLICY NUMBER POLICY NUMBER POLICY ST. MINDDYYYY, MINDDYYYY, MINDDYYYY, MINDDYYYY, MINDDYYYY, MINDDYYYY, MINDDYYYY, SEARCH SEA				
COMMERCIAL GENERAL LIABILITY CLAIMS-MADE OCCUR CLOIMS-MADE OCCUR CLAIMS-MADE OCCUR CL				
CAMMERCIAL GENERAL LIABILITY CLAIMS-MADE CCAIMS-MADE C	-			
CLAIMS-MADE OCCUR PAMAGE TO RENTED REMANDE S				
GENL AGGREGATE LIMIT APPLIES PER: POLICY PRODUCTS - COMPIOP AGG S OTHER: B AUTOMOBILE LIABILITY X X 1337382396 12/01/2015 12/01/2016 COMBINED SINGLE LIMIT (Ea accident) S ALL OWNED ALL OWNED AUTOS X AUTOS NON-OWNED AUTOS NON-OWNED AUTOS X AUTOS NON-OWNED AUTOS X AUTOS NON-OWNED AUTOS X AUTOS SOCIEDADE STATUTE (Per accident) S A EXCESS LIAB X CCCUR X COMPONED AUTOS X AUTOS STATUTE (Per accident) S WORKERS COMPENSATION AND EMPLOYER'S LIABILITY YIN ANY PROPERTY IN A COMPONED AUTOS STATUTE (EXCESS LIAB CLAIMS-MADE STATUTE) STATUTE (EXCENSIVE STATUTE) STATUTE (EXCESS LIAB CLAIMS-MADE STATUTE) STATUTE (EXCESS LI				
GENL AGGREGATE LIMIT APPLIES PER: POLICY PRODUCTS - COMPIOP AGG \$ AUTOMOBILE LIABILITY X ANY AUTO ALL OWNED AUTOS X HIRED AUTOS X HIRED AUTOS X HIRED AUTOS X EXCESS LIAB CLAIMS-MADE DED RETENTION \$ WORKERS COMPENSATION AND EMPLOYER'S LIABILITY ANY PROPRIETIOR/PARTINER/EXECUTIVE OFFICE/MEMBER EXCEUDED' (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS LOCATIONS / WERLIES (ACCRED 101 Additional Reports Standal) PERSONAL & ADV INJURY GENERAL AGDRINJURY SGENERAL AGDRINJURY SIGNER SUBJECT STATUTE STA				
GENTL AGGREGATE LIMIT APPLIES PER: POLICY PRODUCTS - COMPIOP AGG \$ PRODUCTS - COMPIOP AGG \$ SANY AUTO ALL OWNED AUTOS				
POLICY JECT LOC OTHER: B AUTOMOBILE LIABILITY X ANY AUTO ALL OWNED AUTOS X HIRED AUTOS X HIRED AUTOS X HIRED AUTOS X EXCESS LIAB CLAIMS-MADE WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY POPPIET DRIPART NET REVECUTIVE ANY AND FIRED RETENTIONS below DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACOPIL 101 Additional Reports Shadow) PRODUCTS - COMP/OP AGG \$ \$ 12/01/2015 12/01/2016 12/01/2016 12/01/2015 12/01/2016 12/01/2015 12/01/2016 12/01/2015 12/01/2016				
B AUTOMOBILE LIABILITY X ANY AUTO ALL OWNED AUTOS X HIRED AUTOS X EXCESS LIAB CLAIMS-MADE DED RETENTION \$ WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below DESCRIPTION OF OPERATIONS / VEHICLES (ACORD 101 Additional Remarks Sharther) DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101 Additional Remarks Sharther) S 12/01/2015 12/01/2016 12/01/2				
X ANY AUTO ALL OWNED AUTOS X HIRED AUTOS X AUTOS X HIRED AUTOS X AUTOS X AUTOS X HIRED AUTOS X AUT				
ALL OWNED AUTOS X AUTO	000.000			
ALLOWNED AUTOS X HIRED AUTOS AUTOS AUTOS AUTOS AUTOS NON-OWNED AUTOS X AUTOS NON-OWNED AUTOS NON-OWNED AUTOS NON-OWNED AUTOS NON-OWNED AUTOS SOCIETATION \$ PROPERTY DAMAGE (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ 12/01/2015 12/01/2016 EACH OCCURRENCE \$5 AGGREGATE \$5 AGGREGATE \$5 AGGREGATE \$5 AGGREGATE \$5 ANY PROPERTY DAMAGE (Per accident) \$ AGGREGATE \$5 AGGREGATE \$5 AGGREGATE \$5 ANY PROPERTY DAMAGE (Per accident) \$ AGGREGATE \$5 AGGREGATE \$5 AGGREGATE \$5 AGGREGATE \$5 ANY PROPERTY DAMAGE (Per accident) \$ AGGREGATE \$5 AGGREGATE \$5	500,000			
X HIRED AUTOS X AUTOS S S S S S S S S S S S S S S S S S S				
A UMBRELLA LIAB X OCCUR CLAIMS-MADE CLAIMS-MADE DED RETENTION \$ WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below DESCRIPTION OF OPERATIONS / VEHICLES (ACCIDED 101 Additional Remarks Search) DESCRIPTION OF OPERATIONS / VEHICLES (ACCIDED 101 Additional Remarks Search) S AGGREGATE S5 AGGREGATE S5 AGGREGATE S5 EL. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$				
A UMBRELLA LIAB X OCCUR X EXCESS LIAB CLAIMS-MADE DED RETENTION \$ WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTINER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACCIDED 101 Additional Remarks Sharing) DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACCIDED 101 Additional Remarks Sharing) 12/01/2015 12/01/2016 EACH OCCURRENCE \$5 AGGREGATE \$5				
X EXCESS LIAB CLAIMS-MADE DED RETENTION \$ WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTINER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS / VEHICLES (ACCRP 101 Additional Remarks Sabelials Sales) DESCRIPTION OF OPERATIONS / VEHICLES (ACCRP 101 Additional Remarks Sabelials Sales) AGGREGATE \$5 AGGREGATE \$5 AGGREGATE \$5 STATUTE ER E.L. EACH ACCIDENT \$ E.L. DISEASE - POLICY LIMIT \$ DESCRIPTION OF OPERATIONS / VEHICLES (ACCRP 101 Additional Remarks Sales)	200 000			
DED RETENTION \$ WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIET FOR PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below DESCRIPTION OF OPERATIONS / VEHICLES (ACCRD 101 Additional Remarks Sabatula and Mandatory In New York Sabatula and Mandatory In New Yo	000,000			
WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTINER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below DESCRIPTION OF OPERATIONS / VEHICLES (ACORD 101 Additional Remarks Sebestive numbers) DESCRIPTION OF OPERATIONS / VEHICLES (ACORD 101 Additional Remarks Sebestive numbers)	000,000			
ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$				
(Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$				
DESCRIPTION OF OPERATIONS below E.L. DISEASE - POLICY LIMIT \$ DESCRIPTION OF OPERATIONS / VEHICLES (ACCRD 101 Additional Remarks Sebadule and Additional Rem				
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101 Additional Remarks Selectule and the selec				
DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) RE: FMS ID SE-851 / E-PIN 85015B0141001 / DDC PIN 8502014SE0021C — For the Construction of Security				
RE: FMS ID SE-851 / E-PIN 85015B0141001 / DDC PIN 8502014SE0021C — For the Construction of Security				
Combined, Sanitary Sewers and Water Mains and Appurtenances In: Flatlands Ave in Brooklyn, NY				
The following are included as additional insureds on a primary and non contributory basis if required by a written contract: The City of New York including its officials and employees, National Grid, and the New See Attached Descriptions)				
CERTIFICATE HOLDER CANCELLATION				
CANCELLATION				
Design and Construction THE EXPIRATION DATE THEREOF, NOTICE WILL BE DESIGN ACCORDANCE WITH THE POLICY PROVISIONS.	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.			
Long Island City, NY 11101 AUTHORIZED REPRESENTATIVE Ull Scall				

		;	4

**	DESCRIPTIONS	S (Continued	from Page 1)	
York City Department of Desig	ın and Construction			
				¥ .
				Mariana di Santa da S
				in the second se
				- A
				4
				1 × 1/2

199 CHURCH STREET, NEW YORK, N.Y. 10007-1100 Phone: (888) 997-3863

CERTIFICATE OF WORKERS' COMPENSATION INSURANCE

^ ^ ^ ^ ^ 800951159

HAMOND SAFETY MANAGEMENT LLC
6800 JERICHO TURNPIKE
SUITE 105W
SYOSSET NY 11791

POLICYHOLDER

BEDFORD-CARP CONSTRUCTION INC 77 BLOOMFIELD AVE STATEN ISLAND NY 10314 **CERTIFICATE HOLDER**

NEW YORK CITY DEPT OF DESIGN & CONSTRUCTION 30-30 THOMSON AVENUE LONG ISLAND CITY NY 11101

POLICY NUMBER Z1472 451-2

CERTIFICATE NUMBER 210941

PERIOD COVERED BY THIS CERTIFICATE 01/01/2016 TO 01/01/2017

DATE 1/21/2016

THIS IS TO CERTIFY THAT THE POLICYHOLDER NAMED ABOVE IS INSURED WITH THE NEW YORK STATE INSURANCE FUND UNDER POLICY NO. 1472 451-2: UNTIL 01/01/2017, COVERING THE ENTIRE OBLIGATION OF THIS POLICYHOLDER FOR WORKERS' COMPENSATION UNDER: THE NEW YORK WORKERS' COMPENSATION LAW WITH RESPECT TO ALL OPERATIONS IN THE STATE OF NEW YORK, EXCEPT AS INDICATED BELOW.

IF SAID POLICY IS CANCELLED, OR CHANGED PRIOR TO 01/01/2017 IN SUCH MANNER AS TO AFFECT THIS CERTIFICATE, 10 DAYS WRITTEN NOTICE OF SUCH CANCELLATION WILL BE GIVEN TO THE CERTIFICATE HOLDER ABOVE. NOTICE BY REGULAR MAIL SO ADDRESSED SHALL BE SUFFICIENT COMPLIANCE WITH THIS PROVISION. THE NEW YORK STATE INSURANCE FUND DOES NOT ASSUME ANY LIABILITY IN THE EVENT OF FAILURE TO GIVE SUCH NOTICE.

THE POLICY INCLUDES A WAIVER OF SUBROGATION ENDORSEMENT UNDER WHICH NYSIF AGREES TO WAIVE ITS RIGHT OF SUBROGATION TO BRING AN ACTION AGAINST THE CERTIFICATE HOLDER TO RECOVER AMOUNTS WE PAID IN WORKERS' COMPENSATION AND/OR MEDICAL BENEFITS TO OR ON BEHALF OF AN EMPLOYEE OF OUR INSURED IN THE EVENT THAT, PRIOR TO THE DATE OF THE ACCIDENT, THE CERTIFICATE HOLDER HAS ENTERED INTO A WRITTEN CONTRACT WITH OUR INSURED THAT REQUIRES THAT SUCH RIGHT OF SUBROGATION BE WAIVED.

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS NOR INSURANCE COVERAGE UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICY.

NEW YORK STATE INSURANCE FUND

DIRECTOR, INSURANCE FUND UNDERWRITING

This certificate can be validated on our web site at https://www.nysif.com/cert/certval.asp or by calling (888) 875-5790 VALIDATION NUMBER: 186138018

		, ,

SCHEDULE A

(GENERAL CONDITIONS TO CONSTRUCTION CONTRACT)

(GENERAL CONDITIONS RELATING ARTICLE 22 - INSURANCE)

PART II. BROKER'S CERTIFICATION

[Pursuant to Article 22.3.1(a) of the Contract, every Certificate of Insurance must be accompanied by either the following certification by the broker setting forth the following text and required information and signatures or certified copies of all policies referenced in the Certificate of Insurance.

CERTIFICATION BY BROKER

The undersigned insurance broker represents to the City of New York that the attached Certificate of Insurance is accurate in all material respects, and that the described insurance is effective as of the date of the Certification.

USI Insurance Services LLO	2
	[Name of broker (typewritten)]
333 Westchester Avenue, W	Vhite Plains, NY 10604
[,	Address of broker (typewritten)]
Melanie.Hardja@usi.biz	
[Email	address of broker (typewritten)]
PH: 914-459-6251 / Fax: 6	10-537-4053
, [4	Address of broker (typewritten)]
Milanu Sais	120
[Signature	of authorized officer of broker]
Melanie Hardia – Account N	Manager

Sworn to before me this

st day of January , 2016

Mikailin.

JANE E. MIKAELIAN Netary Public, State of New York No. 01Mi6150399 Qualified in Westchester County Commission Expires July 24, 20 27

[Name and title of authorized officer (typewritten)]

	-	* · · · · · · · · · · · · · · · · · · ·
		•

Performance Bond #2 (Pages 96 to 99): Use if the total contract price is more than \$5 Million.

PERFORMANCE BOND #2 (Page 2)

good any such default and shall protect the said City of New York against, and pay any and all amounts, damages, cost and judgments which may or shall be recovered against said City or its officers or agents or which the said City of New York may be called upon to pay any person or corporation by reason of any damages arising or growing out of the Principal's default of the Contract, then this obligation shall be null and void, otherwise to remain in full force and effect.

The Surety (Sureties), for value received, hereby stipulates and agrees, upon written notice from the City that the City has determined that the Principal is in default of the Contract, to either (1) pay the full amount of the above penal sum in complete discharge and exoneration of this bond and of all the liabilities of the Surety relating to this bond, or (2) fully perform and complete the Work to be performed under the Contract, pursuant to the terms, conditions, and covenants thereof. The Surety (Sureties) further agrees, at its option, either to tender the penal sum or to commence and diligently perform the Work specified in the Contract, including physical site work, within twenty-five (25) business days after written notice thereof from the City and to complete all Work within the time set forth in the Contract or such other time as agreed to between the City and Surety in accordance with the Contract. The Surety and the City reserve all rights and defenses each may have against the other; provided, however, that the Surety expressly agrees that its reservation of rights shall not provide a basis for non-performance of its obligation to commence and to complete all Work as provided herein.

The Surety (Sureties), for value received, for itself and its successors and assigns, hereby stipulates and agrees that the obligation of said Surety (Sureties) and its bond shall be in no way impaired or affected by any extension of time, modification, omission, addition, or change in or to the said Contract or the Work to be performed thereunder, or by any payment thereunder before the time required therein, or by any waiver of any provisions thereof, or by any assignment, subletting or other transfer thereof or of any Work to be performed or any moneys due or to become due thereunder; and said Surety (Sureties) does hereby waive notice of any and all of such extensions, modifications, omissions, additions, changes, payments, waivers, assignments, subcontracts and transfers, and hereby expressly stipulates and agrees that any and all things done and omitted to be done by and in relation to assignees, subcontractors, and other transferees shall have the same effect as to said Surety (Sureties) as though done or omitted to be done by or in relation to said Principal.

Performance Bond #2 (Pages 96 to 99): Use if the total contract price is more than \$5 Million.

PERFORMANCE BOND #2 (Page 3)

IN WITNESS WHEREOF, The Principal and the Surety (Sureties) have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereunto affixed and these presents to be signed by their proper officers, this

	day of		20	
(Seal)	•			
,			Principal	(L.S.)
		Ву:		
(Seal)			Surety	
		Ву:		•
(Seal)			Surety	
		Ву:	And the second s	
(Seal)			Surety	······································
		Ву:		•
(Seal)			Surety	· · · · · · · ·
		Ву:		
(Seal)			Surety	
		Ву:		
Bond Premium Rate				
			d be signed by each of the indiv	iduale who a

If the Contractor (Principal) is a partnership, the bond should be signed by each of the individuals who are partners.

If the Contractor (Principal) is a corporation, the bond should be signed in its correct corporate name by a duly authorized officer, agent, or attorney-in-fact.

There should be executed an appropriate number of counterparts of the bond corresponding to the number of counterparts of the Contract.

Performance Bond #2 (Pages 96 to 99): Use if the total contract price is more than \$5 Million.

PERFORMANCE BOND #2 (Page 4)

ACKNOWLEDGMENT OF PRINCIPAL IF A CORPORATION

State of	Co	ounty of	SS:
On this	day of	, 20	before me personally
came			
to me known, wh	no, being by me duly sworn did	depose and say that he resides	
at		4 4 4 4 4	
		; that he/she is the	that he/she signed his/her name to the
foregoing instrum	n described in and which executes of the directors of	f said corporation as the duly au	thorized and binding act thereof.
Notary Public or	Commissioner of Deeds.		
	ACKNOWLEDGMEN	NT OF PRINCIPAL IF A PA	<u>ARTNERSHIP</u>
State of	Co	ounty of	ss:
On this	day of	, 20	before me personally
came	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	depose and say that he/she resi	idas
		depose and say that he/she resi	ides
at			
		; that he/she is	partner of
	, a limited/g	general partnership existing und	partner of er the laws of the State of
	the partnership	described in and which execute	ed the foregoing instrument;
and that he/she said partnership.	-	oing instrument as the duly aut	horized and binding act or
Notary Public or	Commissioner of Deeds		
	ACKNOWLEDGME	NT OF PRINCIPAL IF AN	INDIVIDUAL
State of	C	ounty of	ss;
On this	day of	, 20	before me personally
came	ha haina ha ma duly ayyam did	, I depose and say that he/she res	ides
		depose and say that he/she res.	ides
at		, and that he/she is the in	dividual whose name is
subscribed to the	within instrument and acknow	vledged to me that by his/her sig	gnature on the
instrument, said	individual executed the instrum	nent.	
Notary Public or	Commissioner of Deeds	. •	
duly certified coprepresentative of	py of Power of Attorney or other Principal or Surety; (c) a duly of	er certificate of authority where be certified extract from By-Laws or	ts of the respective parties; (b) appropriate cond is executed by agent, officer or other r resolutions of Surety under which Power was issued, and (d) certified copy of latest

* * * * * * * * * * * Affix Acknowledgments and Justification of Sureties.

CITY OF NEW YORK DDC

published financial statement of assets and liabilities of Surety.

STANDARD CONSTRUCTION CONTRACT December 2013

PAYMENT BOND (Page 1)

PAYMENT BOND

| KNOW ALL PERSONS BY THESE PRESENTS, That we, |
|---|
| |
| |
| hereinafter referred to as the "Principal", and |
| |
| |
| hereinafter referred to as the "Surety" ("Sureties") are held and firmly bound to THE CITY OF NEW YORK hereinafter referred to as the "City" or to its successors and assigns, in the penal sum of |
| |
| (\$) Dollars, lawful money of the United States, for the payment of which said sum of money well and truly to be made, we, and each of us, bind ourselves, our heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents. |
| WHEREAS, the Principal is about to enter, or has entered, into a Contract in writing with the City for |
| |
| a copy of which Contract is annexed to and hereby made a part of this bond as though herein set forth in full; |
| NOW, THEREFORE, the conditions of this obligation are such that if the Principal, his or its representatives or assigns and other Subcontractors to whom Work under this Contract is sublet and his or their successors and assigns shall promptly pay or cause to be paid all lawful claims for |
| (a) Wages and compensation for labor performed and services rendered by all persons engaged in the prosecution of the Work under said Contract, and any amendment or extension thereof or addition thereto, whether such persons be agents servants or employees of the Principal or any such Subcontractor, including all persons so engaged who perform the work of laborers or mechanics at or in the vicinity of the site |

PAYMENT BOND (Page 2)

of the Project regardless of any contractual relationship between the Principal or such Subcontractors, or his or their successors or assigns, on the one hand and such laborers or mechanics on the other, but not including office employees not regularly stationed at the site of the project; and

(b) Materials and supplies (whether incorporated in the permanent structure or not), as well as teams, fuels, oils, implements or machinery furnished, used or consumed by said Principal or any subcontractor at or in the vicinity of the site of the Project in the prosecution of the Work under said Contract and any amendment or extension thereof or addition thereto; then this obligation shall be void, otherwise to remain in full force and effect.

This bond is subject to the following additional conditions, limitations and agreements:

- (a) The Principal and Surety (Sureties) agree that this bond shall be for the benefit of any materialmen or laborer having a just claim, as well as the City itself.
- (b) All persons who have performed labor, rendered services or furnished materials and supplies, as aforesaid, shall have a direct right of action against the Principal and his, its or their successors and assigns, and the Surety (Sureties) herein, or against either or both or any of them and their successors and assigns. Such persons may sue in their own name, and may prosecute the suit to judgment and execution without the necessity of joining with any other persons as party plaintiff.
- (c) The Principal and Surety (Sureties) agree that neither of them will hold the City liable for any judgment for costs of otherwise, obtained by either or both of them against a laborer or materialman in a suit brought by either a laborer or materialman under this bond for moneys allegedly due for performing work or furnishing material.
- (d) The Surety (Sureties) or its successors and assigns shall not be liable for any compensation recoverable by an employee or laborer under the Workmen's Compensation Law.
- (e) In no event shall the Surety (Sureties), or its successors or assigns, be liable for a greater sum than the penalty of this bond or be subject to any suit, action or proceeding hereon that is instituted by any person, firm, or corporation hereunder later than two years after the complete performance of said Contract and final settlement thereof.

The Principal, for himself and his successors and assigns, and the Surety (Sureties), for itself and its successors and assigns, do hereby expressly waive any objection that might be interposed as to the right of the City to require a bond containing the foregoing provisions, and they do hereby further expressly waive any defense which they or either of them might interpose to an action brought hereon by any person, firm or corporation, including subcontractors, materialmen and third persons, for work, labor, services, supplies or material performed rendered, or furnished as aforesaid upon the ground that there is no law authorizing the City to require the foregoing provisions to be place in this bond.

And the Surety (Sureties), for value received, for itself and its successors and assigns, hereby stipulates and agrees that the obligation of said Surety (Sureties), and its bonds shall be in no way impaired or affected by any extension of time, modification, omission, addition, or change in or of the said Contract or the work to be performed thereunder, or by any payment thereunder before the time required therein, or by any waiver of any provisions thereof, or by any assignment, subletting or other transfer thereof or of any part thereof, or of any Work to be performed, or any moneys due to become due thereunder and said Surety (Sureties) does hereby waive notice of any and all of such extensions, modifications, omissions, additions, changes, payments, waivers, assignments, subcontracts and transfers, and hereby expressly stipulates and agrees that any and all things done and omitted to be done by and in relation to assignees, Subcontractors, and other transferees shall have the same effect as to said Surety (Sureties) as though done or omitted to be done or in relation to said Principal.

CITY OF NEW YORK

PAYMENT BOND (Page 3)

| these presents to be signed by their pro | oper officers, this day of, | • |
|--|-----------------------------|---|
| (Seal) | Principal (L.S.) | |
| | | |
| | By: | |
| (Seal) | | |
| | Surety | |
| | By: | |
| (Seal) | · | |
| (2000) | Surety | |
| | Ву: | |
| (Seal) | | |
| | Surety | |
| | Ву: | |
| (Seal) | | |
| () | Surety | |
| | Ву: | |

If the Contractor (Principal) is a corporation, the bond should be signed in its correct corporate name by a duly authorized officer, agent, or attorney-in-fact.

There should be executed an appropriate number of counterparts of the bond corresponding to the number of counterparts of the Contract.

PAYMENT BOND (Page 4)

| State of | County of | ss: |
|--|---|--|
| On this day of | ,, before me pe | ersonally came |
| to me known, who, b | eing by me duly sworn did depose a | and say that he resides at |
| | that he | is the of regoing instrument; that he knows the seal of said |
| corporation; that one | of the seals affixed to said instrumtorporation, and that he signed his n | ent is such seal; that it was so affixed by order of |
| | Notary Public o | r Commissioner of Deeds |
| ACKNOWLEDGM | ENT OF PRINCIPAL, IF A PAR | TNERSHIP |
| State of | County of | ss: |
| | | |
| to me known, and kn | own to me to be one of the member | ersonally appeared s of the firm of executed the foregoing instrument; and he executed and deed of said firm. |
| to me known, and kn | own to me to be one of the member | ersonally appeareds of the firm of executed the foregoing instrument; and he r the act and deed of said firm. |
| to me known, and kn | own to me to be one of the member described in and who that he executed the same as and for | s of the firm of |
| to me known, and known acknowledged to me | own to me to be one of the member described in and who that he executed the same as and for | executed the foregoing instrument; and he rether the act and deed of said firm. The commissioner of Deeds |
| to me known, and known acknowledged to me | own to me to be one of the member described in and who that he executed the same as and fo | executed the foregoing instrument; and he rether the act and deed of said firm. The commissioner of Deeds DIVIDUAL |
| to me known, and known acknowledged to me ACKNOWLEDGM State of day of to me known, and know | own to me to be one of the member described in and who that he executed the same as and for Notary Public of ENT OF PRINCIPAL, IF AN IN County of, before me per the county of, before me per the county of, before me per the county of, | executed the foregoing instrument; and he or the act and deed of said firm. The Commissioner of Deeds DIVIDUAL |
| to me known, and known acknowledged to me ACKNOWLEDGM State of day of to me known, and know | own to me to be one of the member described in and who that he executed the same as and for Notary Public of ENT OF PRINCIPAL, IF AN IN County of, before me person to me to be the person described. | s of the firm of executed the foregoing instrument; and he is the act and deed of said firm. The commissioner of Deeds DIVIDUAL ss: Personally appeared |

Each executed bond should be accompanied by: (a) appropriate acknowledgments of the respective parties; (b) appropriate duly certified copy of Power of Attorney or other certificate of authority where bond is executed by agent, officer or other representative of Principal or Surety; (c) a duly certified extract from By-Laws or resolutions of Surety under which Power of Attorney or other certificate of authority of its agent, officer or representative was issued, and (d) certified copy of latest published financial statement of assets and liabilities of Surety.

* * * * * * * * * * Affix Acknowledgments and Justification of Sureties.

CITY OF NEW YORK DDC

(NO TEXT ON THIS PAGE)

SCHEDULE OF WORKMEN, MECHANICS AND LABORERS

The following is a list of classifications for workmen, mechanics and laborers which are anticipated to be employed in the performance of work under this contract, followed by a schedule of the prevailing wage rates and supplemental benefits for all classifications as established by the Comptroller of the City of New York.

Request for interpretation or correction under Subsection A of Section No. 3 in the Information for Bidders includes all requests for clarification of the classification of trades to be employed in the performance of the work under this contract.

In the event that a trade not listed in the classification of trades required to be used at the time of the award of the contract is in fact employed during the performance of this contract, the Contractor shall be required to obtain from the agency the prevailing wage rates and supplementary benefits for the trades used and to complete the performance of this contract at the price at which the contract was awarded.

| CODE | CLASSIFICATION |
|---|---|
| 15 42 001
15 42 002 | Rigger
Sign Erector |
| 16 11 001
16 11 002
16 11 003 | Gardener
Tree Pruner
Tree Remover |
| 16 11 011
16 11 012
16 11 013
16 11 014
16 11 015
16 11 016
16 11 017 | Asphalt Raker (Highway & Paving) Tamper (Highway & Paving) Curbsetter (Highway & Paving) Formsetter (Highway & Paving) Rammerman (Highway & Paving) Laborer (Highway & Paving) ALL OTHER TITLES (Highway & Paving) |
| 16 23 001
16 23 002
16 23 003
16 23 004
16 23 005
16 23 006
16 23 007 | Laborer Operating Engineer (Heavy Construction-Maintenance) Junior Operating Engineer Junior Operating Engineer Junior Operating Engineer Fireman (Heavy Construction) Oiler (Heavy Construction) |
| 16 23 051
16 23 052
16 23 053
16 23 057
16 23 058
16 23 059 | Surveyor-Heavy Construction Surveyor-Heavy Construction-Instrument Man Surveyor-Heavy Construction-Rodman Surveyor-Land Surveying-Party Chief Surveyor-Land Surveying-Instrument Man Surveyor-Land Surveying-Rodman |

| CODE | CLASSIFICATION |
|--|---|
| 16 23 061
16 23 062
16 23 063 | Operating Engineer-Road & Heavy Construction
Operating Engineer-Paving
Operating Engineer-Concrete |
| 16 23 071
16 23 072
16 23 073
16 23 074 | Teamster-Heavy Equipment Trailer Driver
Teamster-Dump Truck Driver
Teamster-Flat Bed Trailer Driver (3-Axle)
Teamster-Redi-Mix (Sand and Gravel) |
| 16 29 011 | Drill Runners |
| 17 11 001 | Plumbers |
| 17 21 001 | Painter (Brush & Roller) |
| 17 31 001 | Electrician |
| 17 41 001
17 41 002
17 41 004 | Bricklayer
Mason Tender
Cement Mason |
| 17 42 002 | Metallic Lather |
| 17 51 001
17 51 002 | Carpenter
Dock Builder |
| 17 71 001 | Cement & Concrete Worker |
| 17 91 001 | Structural Iron Worker |
| 17 95 001 | Barman |
| 17 96 021 | Derrickmen & Riggers |
| 17 99 001
17 99 002
17 99 005 | Ornamental Iron Worker
Sandblaster
Pointers (Waterproofer) |
| 17 99 011 | Welders |

Each classification may include trainees depending upon project staffing schedules and as required by the terms of this contract.

LABOR LAW §220 PREVAILING WAGE SCHEDULE

Workers, Laborers and Mechanics employed on a public work project must receive not less than the prevailing rate of wage and benefits for the classification of work performed by each upon such public work. Pursuant to Labor Law §220 the Comptroller of the City of New York has promulgated this schedule solely for Workers, Laborers and Mechanics engaged by private contractors on New York City public work contracts.

This schedule is a compilation of separate determinations of the prevailing rate of wage and supplements made by the Comptroller for each trade classification listed herein pursuant to New York State Labor Law section 220 (5). The source of the wage and supplement rates, whether a collective bargaining agreement, survey data or other, is listed at the end of each classification.

Agency Chief Contracting Officers should contact the Bureau of Labor Law's Classification Unit with any questions concerning trade classifications, prevailing rates or prevailing practices with respect to procurement on New York City public works contracts. Contractors are advised to review the Comptroller's Prevailing Wage Schedule before bidding on public works contracts. Contractors with questions concerning trade classifications, prevailing rates or prevailing practices with respect to public works contracts in the procurement stage must contact the contracting agency responsible for the procurement.

Any error as to compensation under the prevailing wage law or other information as to trade classification, made by the contracting agency in the contract documents or in any other communication, will not preclude a finding against the contractor of prevailing wage violation.

Any questions concerning trade classifications, prevailing rates or prevailing practices on New York City public works contracts that have already been awarded may be directed to the Bureau of Labor Law's Classification Unit by calling (212) 669-7974. All callers must have the agency name and contract registration number available when calling with questions on public works contracts. Please direct all other compliance issues to: Bureau of Labor Law, Attn: Wasyl Kinach, P.E., Office of the Comptroller, 1 Centre Street, Room 1122, New York, N.Y. 10007; Fax (212) 669-4002.

The appropriate schedule of prevailing wages and benefits must be posted at all public work sites pursuant to Labor Law §220 (3-a) (a).

This schedule is applicable to work performed during the effective period, unless otherwise noted. Changes to this schedule are published on our web site www.comptroller.nyc.gov. Contractors must pay the wages and supplements in effect when the worker, laborer, mechanic performs the work. Preliminary schedules for future one-year periods appear in the City Record on or about June 1 each succeeding year. Final schedules appear on or about July 1 in the City Record and on our web site www.comptroller.nyc.gov.

The Comptroller's Office has attempted to include all overtime, shift and night differential, Holiday, Saturday, Sunday or other premium time work. However, this schedule does not set forth every prevailing practice with respect to such rates with which employers must comply. All such practices are nevertheless part of the employer's prevailing wage obligation and contained in the collective bargaining agreements of the prevailing wage unions. These collective bargaining agreements are available for inspection by appointment. Requests for appointments may be made by calling (212) 669-4443, Monday through Friday between the hours of 9 a.m. and 5 p.m.

Prevailing rates and ratios for apprentices are attached to this schedule in the Appendix. Pursuant to Labor Law §220 (3-e), only apprentices who are individually registered in a bona fide program to which the employer contractor is a participant, registered with the New York State Department of Labor, may be employed on a public work project. Workers who are not journey persons or not registered apprentices pursuant to Labor Law §220 (3-e) may not be substituted for apprentices and must be paid as journey persons.

Public Work construction, reconstruction, demolition, excavation, rehabilitation, repair, renovation, alteration, or improvement contracts awarded pursuant to a Project Labor Agreement ("PLA") in accordance with Labor Law section 222 may have different labor standards for shift, premium and overtime work. Please refer to the PLA's pre-negotiated labor agreements for wage and benefit rates applicable to work performed outside of the regular workday. More information is available at the Mayor's Office of Contract Services (MOCS) web page at http://www.nyc.gov/html/mocs/html/vendors/pla.shtml.

All the provisions of Labor Law section 220 remain applicable to PLA work including, but not limited to, the enforcement of prevailing wage requirements by the Comptroller; however, we will enforce shift, premium, overtime and other non-standard rates as they appear in a project's prenegotiated labor agreement.

In order to meet their obligation to provide prevailing supplemental benefits to each covered employee, employers must either:

- 1) Provide bona-fide benefits which cost the employer no less than the prevailing supplemental benefits rate; or
- 2) Supplement the employee's hourly wage by an amount no less than the prevailing supplemental benefits rate; or
- 3) Provide a combination of bona-fide benefits and wage supplements which cost the employer no less than the prevailing supplemental benefits rate in total.

Particular attention should be given to the supplemental benefits requirement. Although in most instances the payment or provision for supplemental benefits is for each hour worked, some classifications require the payment or provision of supplemental benefits for each hour paid. Consequently, some prevailing practices require benefits to be purchased at the overtime, shift differential, Holiday, Saturday, Sunday or other premium time rate.

Benefits are paid for *EACH HOUR WORKED* unless otherwise noted.

Wasyl Kinach, P.E.
Director of Classifications
Bureau of Labor Law

TABLE OF CONTENTS

| CLASSIFICATION | PAGE |
|--|---------------------------------------|
| ASBESTOS HANDLER | |
| BLASTER | · · · · · · · · · · · · · · · · · · · |
| BOILERMAKER | |
| BRICKLAYER | |
| CARPENTER - BUILDING COMMERCIAL | |
| CARPENTER - HEAVY CONSTRUCTION WORK | 10 |
| CEMENT & CONCRETE WORKER | 11 |
| CEMENT MASON | 11 |
| CORE DRILLER | 12 |
| DERRICKPERSON AND RIGGER | 14 |
| DIVER | 14 |
| DOCKBUILDER - PILE DRIVER | 15 |
| DRIVER: TRUCK (TEAMSTER) | 16 |
| ELECTRICIAN | 18 |
| ELECTRICIAN - ALARM TECHNICIAN | 22 |
| ELECTRICIAN-STREET LIGHTING WORKER | 23 |
| ELEVATOR CONSTRUCTOR | 24 |
| ELEVATOR REPAIR & MAINTENANCE | 25 |
| ENGINEER | 26 |
| ENGINEER - CITY SURVEYOR AND CONSULTANT | 31 |
| ENGINEER - FIELD (BUILDING CONSTRUCTION) | 32 |
| ENGINEER - FIELD (HEAVY CONSTRUCTION) | 33 |
| ENGINEER - FIELD (STEEL ERECTION) | 34 |
| ENGINEER - OPERATING | 35 |
| FLOOR COVERER | 42 |
| GLAZIER | 43 |
| GLAZIER - REPAIR & MAINTENANCE | 44 |
| HEAT AND FROST INSULATOR | |
| HOUSE WRECKER | 46 |
| IRON WORKER - ORNAMENTAL | 47 |
| IRON WORKER - STRUCTURAL | 48 |
| LABORER | 48 |
| LANDSCAPING | 49 |
| MARBLE MECHANIC | 51 |
| MASON TENDER | 52 |

| MASON TENDER (INTERIOR DEMOLITION WORKER) | 53 |
|---|----|
| METALLIC LATHER | 54 |
| MILLWRIGHT | 55 |
| MOSAIC MECHANIC | 56 |
| PAINTER | 57 |
| PAINTER - SIGN | 57 |
| PAINTER - STRIPER | 58 |
| PAINTER - STRUCTURAL STEEL | 59 |
| PAPERHANGER | 60 |
| PAVER AND ROADBUILDER | 61 |
| PLASTERER | 63 |
| PLASTERER - TENDER | 63 |
| PLUMBER | 64 |
| PLUMBER (MECHNICAL EQUIPMENT AND SERVICE) | 65 |
| PLUMBER (RESIDENTIAL RATES FOR 1, 2 AND 3 FAMILY HOME CONSTRUCTION) | 66 |
| PLUMBER: PUMP & TANK | 67 |
| POINTER - WATERPROOFER, CAULKER MECHANIC (EXTERIOR BUILDING RENOVATION) | 67 |
| ROOFER | 68 |
| SANDBLASTER - STEAMBLASTER | 69 |
| SHEET METAL WORKER | 70 |
| SHEET METAL WORKER - SPECIALTY | 71 |
| SHIPYARD WORKER | 72 |
| SIGN ERECTOR | 73 |
| STEAMFITTER | 74 |
| STEAMFITTER - REFRIGERATION AND AIR CONDITIONER | 75 |
| STONE MASON - SETTER | 77 |
| TAPER | 78 |
| TELECOMMUNICATION WORKER | 79 |
| TILE FINISHER | 80 |
| TILE LAYER - SETTER | 80 |
| TIMBERPERSON | 81 |
| TUNNEL WORKER | 82 |
| WELDER | 84 |

ASBESTOS HANDLER

(Hazardous Material; Disturbs, removes, encapsulates, repairs, or encloses friable asbestos material)

Asbestos Handler

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$36.00

Supplemental Benefit Rate per Hour: \$15.45

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Sunday.

Time and one half the regular hourly rate after 40 hours in any work week.

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).

New Year's Day

Good Friday

Memorial Day Independence Day

Labor Day

Thanksgiving Day

Christmas Day

Easter

Paid Holidays

None

(Local #78 and Local #12A)

BLASTER

Blaster

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$45.70

Supplemental Benefit Rate per Hour: \$39.69

Blaster (Hydraulic)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$46.49

upplemental Benefit Rate per Hour: \$39.69

Blaster - Trac Drill Hydraulic

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$41.20

Supplemental Benefit Rate per Hour: \$39.69

Blaster - Wagon: Air Trac: Quarry Bar: Drillrunners

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$40.44

Supplemental Benefit Rate per Hour: \$39.69

Blaster - Operators of Jack Hammers

Chippers: Spaders: Concrete Breakers: and all other pneumatic tools of like usage: Walk Behind Self Propelled

Hydraulic Asphalt and Concrete Breakers: Hydro (Water) Demolition

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$39.43

Supplemental Benefit Rate per Hour: \$39.69

Blaster - Powder Carriers

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$35.66

Supplemental Benefit Rate per Hour: \$39.69

Blaster - Hydraulic Trac Drill Chuck Tender

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$34.42

Supplemental Benefit Rate per Hour: \$39.69

Blaster - Chuck Tender & Nipper

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$33.69

Supplemental Benefit Rate per Hour: \$39.69

Blaster - Magazine Keepers: (Watch Person)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$20.30

Supplemental Benefit Rate per Hour: \$39.69

Overtime Description

Magazine Keepers:

Time and one half for work performed in excess of forty (40) hours per week and for work performed on Saturdays, Sundays and Holidays.

All Other Employees:

Time and one-half for the first eight hours of work on Saturday and for Make-up Time. Double time for all hours over eight Monday through Friday (except make-up hours) and for all hours worked on Sunday and Holidays.

Overtime

Double time the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).
New Year's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Presidential Election Day
Thanksgiving Day
Christmas Day

Paid Holidays

None

Shift Rates

A single shift shall be 8 hours plus an unpaid lunch, starting at 8:00 A.M (or between 6:00 A.M. and 10:00 A.M. on weekdays). When two (2) shifts are employed, each shift shall be 8 hours plus $\frac{1}{2}$ hour unpaid lunch. When three (3) shifts are employed, each shift will work seven and one-half (7 $\frac{1}{2}$) hours, but will be paid for eight (8) hours, since only one-half ($\frac{1}{2}$) hour is allowed for mealtime. When two (2) or more shifts are employed, single time will be paid for each shift. The first 8 hours of any and all work performed Monday through Friday inclusive of any off-shift shall be at the single time rate.

(Local #29)

BOILERMAKER

<u>Boilermaker</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$50.45

Supplemental Benefit Rate per Hour: \$41.31

Supplemental Note: For time and one half overtime - \$61.37; For double overtime - \$81.43.

Overtime Description

For Repair and Maintenance work:

ime and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.
For New Construction work:
Double time the regular rate after an 8 hour day.
Double time the regular time rate for Saturday.
Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s). New Year's Day
President's Day
Memorial Day
Independence Day
Columbus Day
Election Day
Veteran's Day
Thanksgiving Day
Christmas Day

Quadruple time the regular rate for work on the following holiday(s). Labor Day

Paid Holidays

Good Friday
Day after Thanksgiving
Day before Christmas
Day before New Year's Day

Shift Rates

When shifts are required, the first shift shall work eight (8) hours at the regular straight-time hourly rate. The second shift shall work seven and one-half (7 $\frac{1}{2}$) hours and receive eight hours at the regular straight time hourly rate plus twenty-five cents (\$0.25) per hour. The third shift shall work seven (7) hours and receive eight hours at the regular straight time hourly rate plus fifty cents (\$0.50) per hour. A thirty (30) minute lunch period shall not be considered as time worked. Work in excess of the above shall be paid overtime at the appropriate new construction work or repair work overtime wage and supplemental benefit hourly rate.

(Local #5)

BRICKLAYER

Bricklayer

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$47.78

Supplemental Benefit Rate per Hour: \$28.03

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).
New Year's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

Paid Holidays

None

Shift Rates

Overtime rates to be paid outside the regular scheduled work day.

(Bricklayer District Council)

CARPENTER - BUILDING COMMERCIAL

Building Commercial

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$49.88

Supplemental Benefit Rate per Hour: \$44.10

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

Washington's Birthday

Memorial Day

Independence Day

Labor Day

Columbus Day

Presidential Election Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

Paid Holidays

None

Shift Rates

The second shift will receive one hour at the double time rate of pay for the last hour of the shift; eight hours pay for seven hours of work, nine hours pay for eight hours of work. There must be a first shift in order to work a second shift.

(Carpenters District Council)

CARPENTER - HEAVY CONSTRUCTION WORK (Construction of Engineering Structures and Building Foundations)

Heavy Construction Work

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$48.35

Supplemental Benefit Rate per Hour: \$46.12

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Presidential Election Day

Thanksgiving Day

Christmas Day

Paid Holidays

None

Shift Rates

Off shift work commencing between 5:00 P.M. and 11:00 P.M. shall work eight and one half hours allowing for one half hour for lunch. The wage rate shall be 113% of the straight time hourly wage rate.

(Carpenters District Council)

CEMENT & CONCRETE WORKER

Cement & Concrete Worker

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$42.38

Supplemental Benefit Rate per Hour: \$26.17

Supplemental Note: \$28.92 on Saturdays; \$31.67 on Sundays & Holidays

Overtime Description

Time and one half the regular rate after 7 hour day (time and one half the regular rate after an 8 hour day when working with Dockbuilders on pile cap forms and for work below street level to the top of the foundation wall, not to exceed 2 feet or 3 feet above the sidewalk-brick shelf, when working on the foundation and structure.)

Overtime

Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day
President's Day
Good Friday
Memorial Day
Independence Day
Labor Day
Columbus Day
Presidential Election Day
Thanksgiving Day
Christmas Day

Paid Holidays

1/2 day before Christmas Day 1/2 day before New Year's Day

Shift Rates

On shift work extending over a twenty-four hour period, all shifts are paid at straight time.

(Cement Concrete Workers District Council)

CEMENT MASON

<u>Cement Mason</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$38.88

Supplemental Benefit Rate per Hour: \$39.80

Supplemental Note: For time and one half overtime - \$49.05; For double overtime - \$58.30

Overtime Description

Time and one-half the regular rate after an 8 hour day, double time the regular rate after 10 hours. Time and one-half the regular rate on Saturday, double time the regular rate after 10 hours. Double time the regular rate on Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s). New Year's Day President's Day Good Friday

Memorial Day Independence Day

Labor Day Columbus Day

Presidential Election Day

Thanksgiving Day Christmas Day

Paid Holidavs

Any worker who reports to work on Christmas Eve or New Year's Eve pursuant to his employer's instruction shall be entitled to three (3) hours afternoon pay without working.

Shift Rates

For an off shift day, (work at times other than the regular 7:00 A.M. to 3:30 P.M. work day) a cement mason shall be paid at the regular hourly rate plus a 25% per hour differential. Four Days a week at Ten (10)hour day.

(Local #780)

CORE DRILLER

Core Driller

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$35.71

Supplemental Benefit Rate per Hour: \$21.69

Core Driller Helper

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$28.60

Supplemental Benefit Rate per Hour: \$21.69

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 12 of 84

Core Driller Helper(Third year in the industry)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$25.74

Supplemental Benefit Rate per Hour: \$21.69

Core Driller Helper (Second year in the industry)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$22.88

Supplemental Benefit Rate per Hour: \$21.69

Core Driller Helper (First year in the industry)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$20.02

Supplemental Benefit Rate per Hour: \$21.69

Overtime Description

Time and one half the regular rate for work on a holiday plus Holiday pay when worked.

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday. Time and one half the regular rate for work on the following holiday(s).

Paid Holidays

New Year's Day Memorial Day Independence Day Labor Day Thanksgiving Day Christmas Day

Shift Rates

The shift day shall be the continuous eight and one-half (8½) hours from 6:00 A.M. to 2:30 P.M. and from 2:30 P.M. to 11:00 P.M., including one-half (½) hour of employees regular rate of pay for lunch. When two (2) or more shifts are employed, single time shall be paid for each shift, but those employees employed on a shift other than from 8:00 A.M. to 5:00 P.M. shall, in addition, receive seventy-five cents (\$0.75) per hour differential for each hour worked. When three (3) shifts are needed, each shift shall work seven and one-half (\$7\$½) hours paid for eight (8) hours of labor and be permitted one-half (\$7\$½) hour for mealtime.

(Carpenters District Council)

DERRICKPERSON AND RIGGER

Derrick Person & Rigger

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$42.25

Supplemental Benefit Rate per Hour: \$47.81

Supplemental Note: The above supplemental rate applies for work performed in Manhattan, Bronx, Brooklyn and

Queens. \$49.23 - For work performed in Staten Island.

Overtime Description

The first two hours of overtime on weekdays and the first seven hours of work on Saturdays are paid at time and one half for wages and supplemental benefits. All additional overtimes is paid at double time for wages and supplemental benefits. Deduct \$1.42 from the Staten Island hourly benefits rate before computing overtime.

Overtime

Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).
New Year's Day
Washington's Birthday
Good Friday
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

Paid Holidays

1/2 day on Christmas Eve if work is performed in the A.M.

(Local #197)

DIVER

Diver (Marine)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$61.30

Supplemental Benefit Rate per Hour: \$46.12

Diver Tender (Marine)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$43.45

Supplemental Benefit Rate per Hour: \$46.12

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 14 of 84

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Presidential Election Day

Thanksgiving Day

Christmas Day

Paid Holidays

None

Shift Rates

When three shifts are utilized each shift shall work seven and one half-hours (7 1/2 hours) and paid for 8 hours, allowing for one half hour for lunch.

(Carpenters District Council)

DOCKBUILDER - PILE DRIVER

Dockbuilder - Pile Driver

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$48.35

Supplemental Benefit Rate per Hour: \$46.12

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

lew Year's Day resident's Day

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 15 of 84

Memorial Day Independence Day Labor Day Columbus Day Presidential Election Day Thanksgiving Day Christmas Day

Paid Holidays

None

Shift Rates

Off shift work commencing between 5:00 P.M. and 11:00 P.M. shall work eight and one half hours allowing for one half hour for lunch. The wage rate shall be 113% of the straight time hourly wage rate.

(Carpenters District Council)

DRIVER: TRUCK (TEAMSTER)

Driver - Dump Truck

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$38.86

Supplemental Benefit Rate per Hour: \$40.44

Supplemental Note: Over 40 hours worked: time and one half rate \$16.94, double time rate \$22.59

Driver - Tractor Trailer

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$38.88

Supplemental Benefit Rate per Hour: \$41.70

Supplemental Note: For over 40 hours worked: at time and one half - \$15.90; at double time - \$21.21

Driver - Euclid & Turnapull Operator

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$39.44

Supplemental Benefit Rate per Hour: \$41.70

Supplemental Note: Over 40 hours worked: time and one half rate \$15.90, double time rate \$21.21

Overtime Description

For Paid Holidays: Holiday pay for all holidays shall be prorated based two hours per day for each day worked in the holiday week, not to exceed 8 hours of holiday pay. For Thanksgiving week, the prorated share shall be 5 1/3 hours of holiday pay for each day worked in Thanksgiving week.

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Paid Holidays

Christmas Day

New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Driver Redi-Mix (Sand & Gravel)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$36.05

Supplemental Benefit Rate per Hour: \$38.60

Supplemental Note: Over 40 hours worked: time and one half rate \$13.53, double time rate \$18.04

Overtime Description

For Paid Holidays: Employees working two (2) days in the calendar week in which the holiday falls are to paid for these holidays, provided they shape each remaining workday during that calendar week.

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s). President's Day Columbus Day eteran's Day

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 17 of 84

Triple time the regular rate for work on the following holiday(s).
New Year's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

Paid Holidays

New Year's Day President's Day Memorial Day Independence Day Labor Day Columbus Day Election Day Thanksgiving Day Christmas Day

(Local #282)

ELECTRICIAN

(Including all low voltage cabling carrying data; video; and voice in combination with data and or video.)

Electrician "A" (Regular Day)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$53.00

Supplemental Benefit Rate per Hour: \$47.54

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$54.00

Supplemental Benefit Rate per Hour: \$50.03

Electrician "A" (Regular Day Overtime)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$79.50

Supplemental Benefit Rate per Hour: \$50.86

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$81.00

Supplemental Benefit Rate per Hour: \$53.41

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 18 of 84

Electrician "A" (Day Shift)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$53.00

Supplemental Benefit Rate per Hour: \$47.54

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$54.00

Supplemental Benefit Rate per Hour: \$50.03

Electrician "A" (Day Shift Overtime After 8 hours)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$79.50

Supplemental Benefit Rate per Hour: \$50.86

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$81.00

Supplemental Benefit Rate per Hour: \$53.41

Electrician "A" (Swing Shift)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$62.19

Supplemental Benefit Rate per Hour: \$54.07

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$63.36

Supplemental Benefit Rate per Hour: \$56.94

Electrician "A" (Swing Shift Overtime After 7.5 hours)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$93.29

Supplemental Benefit Rate per Hour: \$57.97

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$95.04

Supplemental Benefit Rate per Hour: \$60.91

Electrician "A" (Graveyard Shift)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$69.66

Supplemental Benefit Rate per Hour: \$59.59

Effective Period: 5/13/2015 - 6/30/2015

Vage Rate per Hour: \$70.97

Supplemental Benefit Rate per Hour: \$62.78

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 19 of 84

Electrician "A" (Graveyard Shift Overtime After 7 hours)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$104.49

Supplemental Benefit Rate per Hour: \$63.96

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$106.46

Supplemental Benefit Rate per Hour: \$67.23

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

Overtime Holidays

Time and one half the regular rate for work on a holiday.
New Year's Day
Martin Luther King Jr. Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Paid Holidays

None

Shift Rates

When so elected by the Employer, one or more shifts of at least five days duration may be scheduled as follows: Day Shift: 8:00 am to 4:30 pm, Swing Shift 4:30 pm to 12:30 am, Graveyard Shift: 12:30 am to 8:00 am.

For multiple shifts of temporary light and/or power, the temporary light and/or power employee shall be paid for 8 hours at the straight time rate. For three or less workers performing 8 hours temporary light and/or power the supplemental benefit rate is \$23.63. Effective 5/13/2015 - \$24.39.

Electrician "M" (First 8 hours)

"M" rated work shall be defined as jobbing: electrical work of limited duration and scope, also consisting of repairs and/or replacement of electrical and tele-data equipment. Includes all work necessary to retrofit, service, maintain and repair all kinds of lighting fixtures and local lighting controls and washing and cleaning of foregoing fixtures.

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$27.00

Supplemental Benefit Rate per Hour: \$20.32

First and Second Year "M" Wage Rate Per Hour - Hired on or before 5/10/07: \$26.30 First and Second Year "M" Supplemental Rate- Hired on or before 5/10/07: \$19.96 First and Second Year "M" Wage Rate Per Hour - Hired after 5/10/07: \$22.50 First and Second Year "M" Supplemental Rate- Hired after 5/10/07: \$18.06

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$27.50

Supplemental Benefit Rate per Hour: \$20.82

First and Second Year "M" Wage Rate Per Hour - Hired on or before 5/10/07: \$26.80 First and Second Year "M" Supplemental Rate- Hired on or before 5/10/07: \$20.46 First and Second Year "M" Wage Rate Per Hour - Hired after 5/10/07: \$23.00 First and Second Year "M" Supplemental Rate- Hired after 5/10/07: \$18.56

Electrician "M" (Overtime After First 8 hours)

"M" rated work shall be defined as jobbing: electrical work of limited duration and scope, also consisting of repairs and/or replacement of electrical and tele-data equipment. Includes all work necessary to retrofit, service, maintain and repair all kinds of lighting fixtures and local lighting controls and washing and cleaning of foregoing fixtures.

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$40.50

Supplemental Benefit Rate per Hour: \$22.01

First and Second Year "M" Wage Rate Per Hour - Hired on or before 5/10/07: \$39.45 First and Second Year "M" Supplemental Rate- Hired on or before 5/10/07: \$21.61 First and Second Year "M" Wage Rate Per Hour - Hired after 5/10/07: \$33.75 First and Second Year "M" Supplemental Rate- Hired after 5/10/07: \$19.47

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$41.25

Supplemental Benefit Rate per Hour: \$22.54

First and Second Year "M" Wage Rate Per Hour - Hired on or before 5/10/07: \$40.20 First and Second Year "M" Supplemental Rate- Hired on or before 5/10/07: \$22.14 First and Second Year "M" Wage Rate Per Hour - Hired after 5/10/07: \$34.50 First and Second Year "M" Supplemental Rate- Hired after 5/10/07: \$20.00

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).
New Year's Day
Martin Luther King Jr. Day
President's Day
Memorial Day
Independence Day
abor Day

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 21 of 84

Columbus Day Veteran's Day Thanksgiving Day Day after Thanksgiving Christmas Day

Paid Holidays

None

(Local #3)

ELECTRICIAN - ALARM TECHNICIAN

(Scope of Work - Inspect, test, repair, and replace defective, malfunctioning, or broken devices, components and controls of Fire, Burglar and Security Systems)

Alarm Technician

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$30.40

Supplemental Benefit Rate per Hour: \$13.90

Supplemental Note: \$12.40 only after 8 hours worked in a day

Overtime Description

Time and one half the regular rate for work on the following holidays: Columbus Day, Veterans Day, Day after

Thanksgiving.

Double time the regular rate for work on the following holidays: New Year's day, Martin Luther King Jr. Day, President's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, Christmas Day.

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Paid Holidays

New Year's Day
Martin Luther King Jr. Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Shift Rates

Night Differential is based upon a ten percent (10%) differential between the hours of 4:00 P.M. and 12:30 A.M. and a fifteen percent (15%) differential for the hours 12:00 A.M. to 8:00 A.M.

Vacation

At least 1 year of employment......ten (10) days 5 years or more of employment.....fifteen (15) days 10 years of employment.....twenty (20) days

Plus one Personal Day per year

Sick Days: One day per Year

(Local #3)

ELECTRICIAN-STREET LIGHTING WORKER

Electrician - Electro Pole Electrician

Effective Period: 7/1/2014 - 5/19/2015

Wage Rate per Hour: \$53.00

Supplemental Benefit Rate per Hour: \$49.34

Effective Period: 5/20/2015 - 6/30/2015

Wage Rate per Hour: \$54.00

Supplemental Benefit Rate per Hour: \$51.86

Electrician - Electro Pole Foundation Installer

Effective Period: 7/1/2014 - 5/19/2015

Wage Rate per Hour: \$40.18

Supplemental Benefit Rate per Hour: \$37.73

Effective Period: 5/20/2015 - 6/30/2015

Wage Rate per Hour: \$40.93

Supplemental Benefit Rate per Hour: \$39.46

Electrician - Electro Pole Maintainer

Effective Period: 7/1/2014 - 5/19/2015

Wage Rate per Hour: \$34.40

Supplemental Benefit Rate per Hour: \$34.00

Effective Period: 5/20/2015 - 6/30/2015

Wage Rate per Hour: \$35.05

Supplemental Benefit Rate per Hour: \$35.51 `

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 23 of 84

Overtime Description

Electrician - Electro Pole Electrician: Time and one half the regular rate after a 7 hour day and after 5 consecutive days worked per week.

Electrician - Electro Pole Foundation Installer: Time and one half the regular rate after 8 hours within a 24 hour period and Saturday and Sunday.

Electrician - Electro Pole Maintainer: Time and one half the regular rate after a 7 hour day and after 5 consecutive days worked per week. Saturdays and Sundays may be used as a make-up day at straight time when a day is lost during the week to inclement weather.

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).

New Year's Day

Martin Luther King Jr. Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Paid Holidays

Christmas Day

None

(Local #3)

ELEVATOR CONSTRUCTOR

Elevator Constructor

Effective Period: 7/1/2014 - 3/16/2015

Wage Rate per Hour: \$58.23

Supplemental Benefit Rate per Hour: \$29.47

Effective Period: 3/17/2015 - 6/30/2015

Wage Rate per Hour: \$59.55

Supplemental Benefit Rate per Hour: \$31.07

Overtime Description

For New Construction: work performed after 7 or 8 hour day, Saturday, Sunday or between 4:30pm and 7:00am shall be paid at double time rate.

Existing buildings: work performed after an 8 hour day, Saturday, Sunday or between 5:30pm and 7:00 am shall be paid time and one half.

Overtime

Double time the regular rate for work on the following holiday(s).

Paid Holidays

New Year's Day
President's Day
Good Friday
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Vacation

Employer contributes 8% of regular basic hourly rate as vacation pay for employees with more than 15 years of service, and 6% for employees with 5 to 15 years of service, and 4% for employees with less than 5 years of service.

(Local #1)

ELEVATOR REPAIR & MAINTENANCE

Elevator Service/Modernization Mechanic

Effective Period: 7/1/2014 - 3/16/2015

Wage Rate per Hour: \$46.00

Supplemental Benefit Rate per Hour: \$28.78

Effective Period: 3/17/2015 - 6/30/2015

Wage Rate per Hour: \$46.92

Supplemental Benefit Rate per Hour: \$30.91

Overtime Description

For Service Work: Double time - all work performed on Sundays, Holidays, and between midnight and 7:00am.

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Time and one half the regular rate for Sunday.

Time and one half the regular rate for work on a holiday plus the day's pay.

Paid Holidays

New Year's Day President's Day Good Friday Memorial Day Idependence Day

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 25 of 84

Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Shift Rates

For Modernization Work (4pm to 12:30am) - regularly hourly rate plus a (15%) fifteen percent differential.

Vacation

Employer contributes 8% of regular basic hourly rate as vacation pay for employees with more than 15 years of service, and 6% for employees with 5 to 15 years of service, and 4% for employees with less than 5 years of service.

(Local #1)

ENGINEER

Engineer - Heavy Construction Operating Engineer !

Cherrypickers 20 tons and over and Loaders (rubber tired and/or tractor type with a manufacturer's minimum rated capacity of six cubic yards and over).

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$61.05

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Shift Wage Rate: \$97.68

Engineer - Heavy Construction Operating Engineer II

Backhoes, Basin Machines, Groover, Mechanical Sweepers, Bobcat, Boom Truck, Barrier Transport (Barrier Mover) & machines of similar nature. Operation of Churn Drills and machines of a similar nature, Stetco Silent Hoist and machines of similar nature, Vac-Alls, Meyers Machines, John Beam and machines of a similar nature, Ross Carriers and Travel Lifts and machines of a similar nature, Bulldozers, Scrapers and Turn-a-Pulls: Tugger Hoists (Used exclusively for handling excavated material); Tractors with attachments, Hyster and Roustabout Cranes, Cherrypickers. Austin Western, Grove and machines of a similar nature, Scoopmobiles, Monorails, Conveyors, Trenchers: Loaders-Rubber Tired and Tractor: Barber Greene and Eimco Loaders and Eimco Backhoes; Mighty Midget and similar breakers and Tampers, Curb and Gutter Pavers and Motor Patrol, Motor Graders and all machines of a similar nature. Locomotives 10 Tons or under. Mini-Max, Break-Tech and machines of a similar nature; Milling machines, robotic and demolition machines and machines of a similar nature, shot blaster, skid steer machines and machines of a similar nature including bobcat, pile rig rubber-tired excavator (37,000 lbs. and under), 2 man auger.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$59.24

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Shift Wage Rate: \$94.78

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 26 of 84

Engineer - Heavy Construction Operating Engineer III

Minor Equipment such as Tractors, Post Hole Diggers, Ditch Witch (Walk Behind), Road Finishing Machines, Rollers five tons and under, Tugger Hoists, Dual Purpose Trucks, Fork Lifts, and Dempsey Dumpers, Fireperson.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$56.22

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Shift Wage Rate: \$89.95

Engineer - Heavy Construction Maintenance Engineer I

Installing, Repairing, Maintaining, Dismantling and Manning of all equipment including Steel Cutting, Bending and Heat Sealing Machines, Mechanical Heaters, Grout Pumps, Bentonite Pumps & Plants, Screening Machines, Fusion Coupling Machines, Tunnel Boring Machines Moles and Machines of a similar nature, Power Packs, Mechanical Hydraulic Jacks; all drill rigs including but not limited to Churn, Rotary Caisson, Raised Bore & Drills of a similar nature; Personnel, Inspection & Safety Boats or any boats used to perform functions of same, Mine Hoists, Whirlies, all Climbing Cranes, all Tower Cranes, including but not limited to Truck Mounted and Crawler Type and machines of similar nature; Maintaining Hydraulic Drills and machines of a similar nature; Well Point System-Installation and dismantling; Burning, Welding, all Pumps regardless of size and/or motor power, except River Cofferdam Pumps and Wells Point Pumps; Motorized Buggies (three or more); equipment used in the cleaning and televising of sewers, but not limited to jet-rodder/vacuum truck, vacall/vactor, closed circuit television inspection equipment; high powered water pumps, jet pumps; screed machines and concrete finishing machines of a similar nature; vermeers.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$58.97

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Shift Wage Rate: \$94.35

Engineer - Heavy Construction Maintenance Engineer II

On Base Mounted Tower Cranes

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$77.30

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Shift Wage Rate: \$123.68

Engineer - Heavy Construction Maintenance Engineer III

On Generators, Light Towers

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$39.10

Supplemental Benefit Rate per Hour: \$31.93

upplemental Note: \$57.46 on overtime

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 27 of 84

Shift Wage Rate: \$62.56

Engineer - Heavy Construction Maintenance Engineer IV

On Pumps and Mixers including mud sucking

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$40.11

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Shift Wage Rate: \$64.18

Engineer - Heavy Construction Oilers I

Gradalls, Cold Planer Grader, Concrete Pumps, Driving Truck Cranes, Driving and Operating Fuel and Grease Trucks.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$53.22

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Shift Wage Rate: \$85.15

Engineer - Heavy Construction Oilers II

All gasoline, electric, diesel or air operated Shovels, Draglines, Backhoes, Keystones, Pavers, Gunite Machines, Battery of Compressors, Crawler Cranes, two-person Trenching Machines.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$36.97

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Shift Wage Rate: \$59.15

Engineer - Steel Erection Maintenance Engineers

Derrick, Travelers, Tower, Crawler Tower and Climbing Cranes

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$57.05

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Shift Wage Rate: \$91.28

Engineer - Steel Erection Oiler I

On a Truck Crane

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$53.43

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 28 of 84

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Shift Wage Rate: \$85.49

Engineer - Steel Erection Oiler II

On a Crawler Crane

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$40.84

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Shift Wage Rate: \$65.34

Overtime Description

On jobs of more than one shift, if the next shift employee fails to report for work through any cause over which the employer has no control, the employee on duty who works the next shift continues to work at the single time rate.

Overtime

Double time the regular rate after an 8 hour day.

Double time the regular time rate for Saturday.

Double time the regular rate for Sunday.

Double time the regular rate for work on the following holiday(s).

Paid Holidays

New Year's Day
Lincoln's Birthday
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

Engineer - Building Work Maintenance Engineers I

Installing, repairing, maintaining, dismantling (of all equipment including: Steel Cutting and Bending Machines, Mechanical Heaters, Mine Hoists, Climbing Cranes, Tower Cranes, Linden Peine, Lorain, Liebherr, Mannes, or machines of a similar nature, Well Point Systems, Deep Well Pumps, Concrete Mixers with loading Device, Concrete Plants, Motor Generators when used for temporary power and lights), skid steer machines of a similar nature including bobcat.

iffective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$54.04

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 29 of 84

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Engineer - Building Work Maintenance Engineers II

On Pumps, Generators, Mixers and Heaters

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$42.10

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Engineer - Building Work Oilers I

All gasoline, electric, diesel or air operated Gradealls: Concrete Pumps, Overhead Cranes in Power Houses: Their duties shall be to assist the Engineer in oiling, greasing and repairing of all machines; Driving Truck Cranes: Driving and Operating Fuel and Grease Trucks, Cherrypickers (hydraulic cranes) over 70,000 GVW, and machines of a similar nature.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$51.40

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Engineer - Building Work Oilers II

Oilers on Crawler Cranes, Backhoes, Trenching Machines, Gunite Machines, Compressors (three or more in Battery).

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$38.31

Supplemental Benefit Rate per Hour: \$31.93 Supplemental Note: \$57.46 on overtime

Overtime Description

On jobs of more than one shift, if an Employee fails to report for work through any cause over which the Employer has no control, the Employee on duty will continue to work at the rate of single time.

Overtime

Double time the regular rate after an 8 hour day.

Double time the regular time rate for Saturday.

Double time the regular rate for Sunday.

Double time the regular rate for work on the following holiday(s).

Paid Holidays

New Year's Day Lincoln's Birthday President's Day Memorial Day Independence Day Labor Day

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 30 of 84

Columbus Day Veteran's Day Thanksgiving Day Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

Shift Rates

Off Shift: double time the regular hourly rate.

(Local #15)

ENGINEER - CITY SURVEYOR AND CONSULTANT

Party Chief

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$35.55

Supplemental Benefit Rate per Hour: \$17.65

Instrument Person

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$29.41

Supplemental Benefit Rate per Hour: \$17.65

Rodperson

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$25.54

Supplemental Benefit Rate per Hour: \$17.65

Overtime Description

Overtime Benefit Rate - \$23.63 per hour (time & one half) \$29.95 per hour (double time).

Time and one half the regular rate after an 8 hour day, Time and one half the regular rate for Saturday for the first eight hours worked, Double time the regular time rate for Saturday for work performed in excess of eight hours, Double time the regular rate for Sunday and Double time the regular rate for work on a holiday.

Paid Holidays

New Year's Day
Lincoln's Birthday
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Ihanksgiving Day
Day after Thanksgiving

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 31 of 84

Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

(Operating Engineer Local #15-D)

ENGINEER - FIELD (BUILDING CONSTRUCTION)

(Construction of Building Projects, Concrete Superstructures, etc.)

Field Engineer - BC Party Chief

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$55.40

Supplemental Benefit Rate per Hour: \$30.62

Supplemental Note: Overtime Benefit Rate - \$42.73 per hour (time & one half) \$54.84 per hour (double time).

Field Engineer - BC Instrument Person

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$43.10

Supplemental Benefit Rate per Hour: \$30.62

Supplemental Note: Overtime Benefit Rate - \$42.73 per hour (time & one half) \$54.84 per hour (double time).

<u>Field Engineer - BC Rodperson</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$27.96

Supplemental Benefit Rate per Hour: \$30.62

Supplemental Note: Overtime Benefit Rate - \$42.73 per hour (time & one half) \$54.84 per hour (double time).

Overtime Description

Time and one half the regular rate after a 7 hour work and time and one half the regular rate for Saturday for the first seven hours worked, Double time the regular time rate for Saturday for work performed in excess of seven hours, Double time the regular rate for Sunday and Double time the regular rate for work on a holiday.

Paid Holidays

New Year's Day

President's Day

Good Friday

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 32 of 84

(Operating Engineer Local #15-D)

ENGINEER - FIELD (HEAVY CONSTRUCTION)

(Construction of Roads, Tunnels, Bridges, Sewers, Building Foundations, Engineering Structures etc.)

Field Engineer - HC Party Chief

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$62.61

Supplemental Benefit Rate per Hour: \$30.62

Supplemental Note: Overtime benefit rate - \$42.73 per hour (time & one half), \$54.84 per hour (double time).

Field Engineer - HC Instrument Person

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$46.00

Supplemental Benefit Rate per Hour: \$30.62

Supplemental Note: Overtime benefit rate - \$42.73 per hour (time & one half), \$54.84 per hour (double time).

Field Engineer - HC Rodperson

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$38.61

Supplemental Benefit Rate per Hour: \$30.62

Supplemental Note: Overtime benefit rate - \$42.73 per hour (time & one half), \$54.84 per hour (double time).

Overtime Description

Time and one half the regular rate after an 8 hour day, Time and one half the regular rate for Saturday for the first eight hours worked, Double time the regular time rate for Saturday for work performed in excess of eight hours, Double time the regular rate for Sunday and Double time the regular rate for work on a holiday.

Paid Holidays

New Year's Day Lincoln's Birthday President's Day Memorial Day Independence Day Labor Day Columbus Day Veteran's Day Thanksgiving Day Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

(Operating Engineer Local #15-D)

ENGINEER - FIELD (STEEL ERECTION)

Field Engineer - Steel Erection Party Chief

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$58.50

Supplemental Benefit Rate per Hour: \$30.62

Supplemental Note: Overtime benefit rate - \$42.73 per hour (time & one half), \$54.84 per hour (double time).

<u>Field Engineer - Steel Erection Instrument Person</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$45.53

Supplemental Benefit Rate per Hour: \$30.62

Supplemental Note: Overtime benefit rate - \$42.73 per hour (time & one half), \$54.84 per hour (double time).

Field Engineer - Steel Erection Rodperson

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$30.43

Supplemental Benefit Rate per Hour: \$30.62

Supplemental Note: Overtime benefit rate - \$42.73 per hour (time & one half), \$54.84 per hour (double time).

Overtime Description

Time and one half the regular rate for Saturday for the first eight hours worked.

Double time the regular rate for Saturday for work performed in excess of eight hours.

Overtime

Time and one half the regular rate after an 8 hour day.

Double time the regular rate for Sunday.

Double time the regular rate for work on the following holiday(s).

Paid Holidays

New Year's Day

Lincoln's Birthday

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

(Operating Engineer Local #15-D)

ENGINEER - OPERATING

Operating Engineer - Road & Heavy Construction I

Back Filling Machines, Cranes, Mucking Machines and Dual Drum Paver.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$67.70

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$108.32

Operating Engineer - Road & Heavy Construction II

Backhoes, Power Shovels, Hydraulic Clam Shells, Steel Erection, Moles and machines of a similar nature.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$70.10

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: 51.75 overtime hours

Shift Wage Rate: \$112.16

Operating Engineer - Road & Heavy Construction III

Mine Hoists, Cranes, etc. (Used as Mine Hoists)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$72.34

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$115.74

Operating Engineer - Road & Heavy Construction IV

Gradealls, Keystones, Cranes on land or water (with digging buckets), Bridge Cranes, Vermeer Cutter and machines of a similar nature, Trenching Machines.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$70.63

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$113.01

Operating Engineer - Road & Heavy Construction V

Pile Drivers & Rigs (employing Dock Builder foreperson): Derrick Boats, Tunnel Shovels.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$69.23

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$110.77

Operating Engineer - Road & Heavy Construction VI

Mixers (Concrete with loading attachment), Concrete Pavers, Cableways, Land Derricks, Power Houses (Low Air Pressure Units).

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$65.76

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$105.22

Operating Engineer - Road & Heavy Construction VII

Barrier Movers , Barrier Transport and Machines of a Similar Nature.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$53.08

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$84.93

Operating Engineer - Road & Heavy Construction VIII

Utility Compressors

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$41.18

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$51.93

Operating Engineer - Road & Heavy Construction IX

Horizontal Boring Rig

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$62.53

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$100.05

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 36 of 84

Operating Engineer - Road & Heavy Construction X

Elevators (manually operated as personnel hoist).

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$57.46

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$91.94

Operating Engineer - Road & Heavy Construction XI

Compressors (Portable 3 or more in battery), Driving of Truck Mounted Compressors, Well-point Pumps, Tugger Machines Well Point Pumps, Churn Drill.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$44.63

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$71.41

Operating Engineer - Road & Heavy Construction XII

All Drills and Machines of a similar nature.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$66.45

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$106.32

Operating Engineer - Road & Heavy Construction XIII

Concrete Pumps, Concrete Plant, Stone Crushers, Double Drum Hoist, Power Houses (other than above).

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$64.34

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$102.94

Operating Engineer - Road & Heavy Construction XIV

Concrete Mixer

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$61.53

Supplemental Benefit Rate per Hour: \$28.60 upplemental Note: \$51.75 overtime hours

hift Wage Rate: \$98.45

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 37 of 84

Operating Engineer - Road & Heavy Construction XV

Compressors (Portable Single or two in Battery, not over 100 feet apart), Pumps (River Cofferdam) and Welding Machines, Push Button Machines, All Engines Irrespective of Power (Power-Pac) used to drive auxiliary equipment, Air, Hydraulic, etc.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$41.44

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$66.30

Operating Engineer - Road & Heavy Construction XVI

Concrete Breaking Machines, Hoists (Single Drum), Load Masters, Locomotives (over ten tons) and Dinkies over ten tons, Hydraulic Crane-Second Engineer.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$58.74

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.85 overtime hours

Shift Wage Rate: \$93.98

Operating Engineer - Road & Heavy Construction XVII

On-Site concrete plant engineer, On-site Asphalt Plant Engineer, and Vibratory console.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$59.21

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$94.74

Operating Engineer - Road & Heavy Construction XVIII

Tower Crane

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$85.00

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$136.00

Operating Engineer - Paving I

Asphalt Spreaders, Autogrades (C.M.I.), Roto/Mil

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$65.76

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 38 of 84

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$105.22

Operating Engineer - Paving II

Asphalt Roller

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$64.04

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$102.46

Operating Engineer - Paving III

Asphalt Plants

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$54.17

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$86.67

Operating Engineer - Concrete I

Cranes

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$70.32

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Operating Engineer - Concrete II

Compressors

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$41.76

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Operating Engineer - Concrete III

Micro-traps (Negative Air Machines), Vac-All Remediation System.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$56.16

upplemental Benefit Rate per Hour: \$28.60 upplemental Note: \$51.75 overtime hours

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 39 of 84

Operating Engineer - Steel Erection I

Three Drum Derricks

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$73.37

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$117.39

Operating Engineer - Steel Erection II

Cranes, 2 Drum Derricks, Hydraulic Cranes, Fork Lifts and Boom Trucks.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$70.50

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$112.80

Operating Engineer - Steel Erection III

Compressors, Welding Machines.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$41.84

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$66.94

Operating Engineer - Steel Erection IV

Compressors - Not Combined with Welding Machine.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$39.85

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Shift Wage Rate: \$63.76

Operating Engineer - Building Work I

Forklifts, Plaster (Platform machine), Plaster Bucket, Concrete Pump and all other equipment used for hoisting material.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$57.82

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 40 of 84

Operating Engineer - Building Work II

Compressors, Welding Machines (Cutting Concrete-Tank Work), Paint Spraying, Sandblasting, Pumps (with the exclusion of Concrete Pumps), All Engines irrespective of Power (Power-Pac) used to drive Auxiliary Equipment, Air, Hydraulic, Jacking System, etc.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$43.28

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Operating Engineer - Building Work III

Double Drum

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$65.83

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Operating Engineer - Building Work IV

Stone Derrick, Cranes, Hydraulic Cranes Boom Trucks.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$69.74

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Operating Engineer - Building Work V

Dismantling and Erection of Cranes, Relief Engineer.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$64.26

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Operating Engineer - Building Work VI

4 Pole Hoist, Single Drum Hoists.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$63.58

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

Operating Engineer - Building Work VII

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 41 of 84

Rack & Pinion and House Cars

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$50.53

Supplemental Benefit Rate per Hour: \$28.60 Supplemental Note: \$51.75 overtime hours

For New House Car projects started after 7/1/11 only: Wage Rate per Hour \$40.31

Overtime Description

On jobs of more than one shift, if an Employee fails to report for work through any cause over which the Employer has no control, the Employee on duty will continue to work at the rate of single time.

For House Cars and Rack & Pinion only: Overtime paid at time and one-half for all hours in excess of eight hours in a day, Saturday, Sunday and Holidays worked.

Overtime

Double time the regular rate after an 8 hour day.

Double time the regular time rate for Saturday.

Double time the regular rate for Sunday.

Double time the regular rate for work on the following holiday(s).

Paid Holidays

New Year's Day
Lincoln's Birthday
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Employees must work at least one day in the payroll week in which the holiday occurs to receive the paid holiday

Shift Rates

For Steel Erection Only: Shifts may be worked at the single time rate at other than the regular working hours (8:00 A.M. to 4:30 P.M.) on the following work ONLY: Heavy construction jobs on work below the street level, over railroad tracks and on building jobs.

(Operating Engineer Local #14)

FLOOR COVERER

(Interior vinyl composition tile, sheath vinyl linoleum and wood parquet tile including site preparation and synthetic turf not including site preparation)

Floor Coverer

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$49.88

Supplemental Benefit Rate per Hour: \$44.10

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Presidential Election Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

Paid Holidays

1/2 day on Christmas Eve if work is performed in the A.M. 1/2 day on New Year's Eve if work is performed in the A.M.

Shift Rates

Two shifts may be utilized with the first shift working 8:00 A.M. to the end of the shift at the straight time of pay. The second shift will receive one hour at double time rate for the last hour of the shift. (eight for seven, nine for eight).

(Carpenters District Council)

GLAZIER

(New Construction, Remodeling, and Alteration)

<u>Glazier</u>

Effective Period: 7/1/2014 - 10/31/2014

Wage Rate per Hour: \$42.50

Supplemental Benefit Rate per Hour: \$35.09

Supplemental Note: Supplemental Benefit Overtime Rate: \$43.59

Effective Period: 11/1/2014 - 6/30/2015

Vage Rate per Hour: \$42.85

Supplemental Benefit Rate per Hour: \$35.59

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 43 of 84

Supplemental Note: Supplemental Benefit Overtime Rate: \$44.09

Overtime Description

An optional 8th hour can be worked at straight time rate. If 9th hour is worked, then both hours or more (8th & 9th or more) will be at the double time rate of pay.

Overtime

Double time the regular rate after a 7 hour day. Double time the regular time rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s). New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Paid Holidays

None

Shift Rates

Shifts shall be any 7 hours beyond 4:00 P.M. for which the glazier shall receive 8 hours pay for 7 hours worked.

(Local #1281)

GLAZIER - REPAIR & MAINTENANCE

(For the Installation of Glass - All repair and maintenance work on a particular building, whenever performed, where the total cumulative contract value is under \$105,000. Except where enumerated (i.e. plate glass windows) does not apply to non-residential buildings.)

Craft Jurisdiction for repair, maintenance and fabrication

Plate glass replacement, Residential glass replacement, Residential mirrors and shower doors, Storm windows and storm doors, Residential replacement windows, Herculite door repairs, Door closer repairs, Retrofit apartment house (non commercial buildings), Glass tinting.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$23.60

Supplemental Benefit Rate per Hour: \$19.04

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 44 of 84

Overtime

Time and one half the regular rate after an 8 hour day.

Double time the regular rate for Sunday.

Time and one half the regular hourly rate after 40 hours in any work week.

Paid Holidays

New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

(Local #1281)

HEAT AND FROST INSULATOR

Heat & Frost Insulator

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$56.98

Supplemental Benefit Rate per Hour: \$34.81

Overtime Description

Double time shall be paid for supplemental benefits during overtime work. 8th hour paid at time and one half.

Overtime

Double time the regular rate after an 8 hour day. Double time the regular time rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

Martin Luther King Jr. Day

President's Day

Memorial Day

Independence Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

riple time the regular rate for work on the following holiday(s). Labor Day

Paid Holidays

None

Shift Rates

The first shift shall work seven hours at the regular straight time rate. The second and third shift shall work seven hours the regular straight time hourly rate plus a fourteen percent wage and benefit premium. Off hour work in occupied or retail buildings may be worked on weekdays with an increment of \$1.00 per hour and eight hours pay for seven (7) hours worked. Double time will apply for over seven (7) hours worked on weekdays, weekends or holidays.

(Local #12)

HOUSE WRECKER (TOTAL DEMOLITION)

House Wrecker - Tier A

On all work sites the first, second, eleventh and every third House Wrecker thereafter will be Tier A House Wreckers (i.e. 1st, 2nd, 11th, 14th etc). Other House Wreckers may be Tier B House Wreckers.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$34.51

Supplemental Benefit Rate per Hour: \$25.59

House Wrecker - Tier B

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$24.02

Supplemental Benefit Rate per Hour: \$19.12

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).
New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 46 of 84

Paid Holidays

(Mason Tenders District Council)

IRON WORKER - ORNAMENTAL

<u> Iron Worker - Ornamental</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$42.70

Supplemental Benefit Rate per Hour: \$45.77

Supplemental Note: Supplemental benefits are to be paid at the applicable overtime rate when overtime is in

effect.

Overtime Description

Time and one half the regular rate after a 7 hour day for a maximum of two hours on any regular work day (the 8th and 9th hour) and double time shall be paid for all work on a regular work day thereafter, time and one half the regular rate for Saturday for the first seven hours of work and double time shall be paid for all work on a Saturday thereafter.

Overtime

Double time the regular rate for Sunday.

Overtime Holidavs

Double time the regular rate for work on the following holiday(s).
New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

Paid Holidays

None

Shift Rates

For off shift work - 8 hours pay for 7 hours of work. When two or three shifts are employed on a job, Monday through Friday, the workday for each shift shall be seven hours and paid for ten and one-half hours at the single time rate. When two or three shifts are worked on Saturday, Sunday or holidays, each shift shall be seven hours and paid fifteen and three-quarters hours.

(Local #580)

IRON WORKER - STRUCTURAL

Iron Worker - Structural

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$47.75

Supplemental Benefit Rate per Hour: \$65.35

Supplemental Note: Supplemental benefits are to be paid at the applicable overtime rate when overtime is in

effect.

Overtime Description

Monday through Friday- the first eight hours are paid at straight time, the 9th and 10th hours are paid at time and one-half the regular rate, all additional weekday overtime is paid at double the regular rate. Saturdays- the first eight hours are paid at time and one-half the regular rate, double time thereafter. Sunday-all shifts are paid at double time.

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).
New Year's Day
Good Friday
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

Paid Holidays

1/2 day on Christmas Eve if work is performed in the A.M. 1/2 day on New Year's Eve if work is performed in the A.M.

Shift Rates

Monday through Friday - First Shift: First eight hours are paid at straight time, the 9th & 10th hours are paid at time and a half, double time paid thereafter. Second and third Shifts: First eight hours are paid at time and one-half, double time thereafter. Saturdays: All shifts, first eight hours paid at time and one-half, double time thereafter: Sunday all shifts are paid at double time.

(Local #40 & #361)

LABORER

(Foundation, Concrete, Excavating, Street Pipe Layer and Common)

<u>Laborer</u>

Excavation and foundation work for buildings, heavy construction, engineering work, and hazardous waste removal in connection with the above work. Landscaping tasks in connection with heavy construction work, engineering work and building projects. Projects include, but are not limited to pollution plants, sewers, parks, subways, bridges, highways, etc.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$39.85

Supplemental Benefit Rate per Hour: \$34.88

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).
New Year's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Presidential Election Day
Thanksgiving Day
Christmas Day

Paid Holidays

Labor Day Thanksgiving Day

Shift Rates

When two shifts are employed, single time rate shall be paid for each shift. When three shifts are found necessary, each shift shall work seven and one half hours (7 $\frac{1}{2}$), but shall be paid for eight (8) hours of labor, and be permitted one half hour for lunch.

(Local #731)

LANDSCAPING

(Landscaping tasks, as well as tree pruning, tree removing, spraying and maintenance in connection with the planting of street trees and the planting of trees in city parks but not when such activities are performed as part of, or in connection with, other construction or reconstruction projects.)

Landscaper (Above 6 years experience)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$25.75

Supplemental Benefit Rate per Hour: \$13.80

<u> Landscaper (3 - 6 years experience)</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$24.75

Supplemental Benefit Rate per Hour: \$13.80

Landscaper (up to 3 years experience)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$22.25

Supplemental Benefit Rate per Hour: \$13.80

Groundperson

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$22.25

Supplemental Benefit Rate per Hour: \$13.80

Tree Remover / Pruner

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$30.75

Supplemental Benefit Rate per Hour: \$13.80

Landscaper Sprayer (Pesticide Applicator)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$20.75

Supplemental Benefit Rate per Hour: \$13.80

Watering - Plant Maintainer

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$15.75

Supplemental Benefit Rate per Hour: \$13.80

Overtime Description

For all overtime work performed, supplemental benefits shall include an additional seventy-five (\$0.75) cents per hour.

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Time and one half the regular rate for work on a holiday plus the day's pay.

Paid Holidays

New Year's Day Memorial Day Independence Day Labor Day Thanksgiving Day Christmas Day

Shift Rates

Work performed on a 4pm to 12am shift has a 15% differential. Work performed on a 12am to 8am shift has a 20% differential.

(Local #175)

MARBLE MECHANIC

Marble Setter

Effective Period: 7/1/2014 - 12/31/2014

Wage Rate per Hour: \$50.85

Supplemental Benefit Rate per Hour: \$34.21

Effective Period: 1/1/2015 - 6/30/2015

Wage Rate per Hour: \$51.15

Supplemental Benefit Rate per Hour: \$34.87

Marble Finisher

Effective Period: 7/1/2014 - 12/31/2014

Wage Rate per Hour: \$39.99

Supplemental Benefit Rate per Hour: \$33.34

Effective Period: 1/1/2015 - 6/30/2015

Wage Rate per Hour: \$40.26

Supplemental Benefit Rate per Hour: \$33.90

Marble Polisher

Effective Period: 7/1/2014 - 12/31/2014

Wage Rate per Hour: \$35.96

Supplemental Benefit Rate per Hour: \$25.92

Effective Period: 1/1/2015 - 6/30/2015

Wage Rate per Hour: \$36.25

upplemental Benefit Rate per Hour: \$26.28

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 51 of 84

Overtime Description

Supplemental Benefit contributions are to be made at the applicable overtime rates. Time and one half the regular rate after a 7 hour day or time and one half the regular rate after an 8 hour day - chosen by Employer at the start of the project and then would last for the full duration of the project.

Overtime

Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day
President's Day
Good Friday
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Paid Holidays

None

(Local #7)

MASON TENDER

Mason Tender

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$36.05

Supplemental Benefit Rate per Hour: \$26.74

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

Overtime Holidays

Double time the regular rate for work on the following holiday(s). New Year's Day President's Day

Memorial Day Independence Day Labor Day Thanksgiving Day Christmas Day

Paid Holidays

None

Shift Rates

The Employer may work two (2) shifts with the first shift at the straight time wage rate and the second shift receiving eight (8) hours paid for seven (7) hours work at the straight time wage rate.

(Local #79)

MASON TENDER (INTERIOR DEMOLITION WORKER)

(The erection, building, moving, servicing and dismantling of enclosures, scaffolding, barricades, protection and site safety structures etc., on Interior Demolition jobs.)

Mason Tender Tier A

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$34.99

Supplemental Benefit Rate per Hour: \$21.10

Mason Tender Tier B

On Interior Demolition job sites 33 1/3 % of the employees shall be classified as Tier A Interior Demolition Workers and 66 2/3 % shall be classified as Tier B Interior Demolition Workers; provided that the employer may employ more than 33 1/3 % Tier A Interior Demolition Workers on the job site. Where the number of employees on a job site is not divisible by 3, the first additional employee (above the number of employees divisible by three) shall be a Tier B Interior Demolition Worker, and the second additional employee shall be a Tier A Interior Demolition Worker.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$24.18

Supplemental Benefit Rate per Hour: \$15.42

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Sunday.

Overtime Holidays

ouble time the regular rate for work on the following holiday(s). ew Year's Day

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 53 of 84

President's Day Memorial Day Independence Day Labor Day Thanksgiving Day Christmas Day

Paid Holidays

None

(Local #79)

METALLIC LATHER

Metallic Lather

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$42.03

Supplemental Benefit Rate per Hour: \$41.07

Supplemental Note: Supplemental benefits for overtime are paid at the appropriate overtime rate.

Overtime Description

Overtime would be time and one half the regular rate after a seven (7) or eight (8) hours workday, which would be set at the start of the job.

Overtime

Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).
New Year's Day
Washington's Birthday
Good Friday
Memorial Day
Independence Day
Labor Day
Columbus Day
Presidential Election Day
Thanksgiving Day
Christmas Day

Paid Holidays

1/2 day on Christmas Eve if work is performed in the A.M. 1/2 day on New Year's Eve if work is performed in the A.M.

Shift Rates

There shall be either two (2) or three (3) shifts, each shift shall be eight (8) hours with nine (9) hours pay, including one half (½) hour for lunch. Off-Hour Start shall commence after 3:30 P.M. and shall conclude by 6:00 A.M. The first consecutive seven (7) hours shall be at straight time with a differential of twelve dollars (\$12.00) per hour. Fringes shall be paid at the straight time rate.

(Local #46)

MILLWRIGHT

Millwright

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$48.44

Supplemental Benefit Rate per Hour: \$50.52

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day President's Day Good Friday Memorial Day Independence Day

Labor Day Columbus Day Presidential Election Day

Thanksgiving Day Christmas Day

•

Paid Holidays

1/2 day on Christmas Eve if work is performed in the A.M. 1/2 day on New Year's Eve if work is performed in the A.M.

Shift Rates

The first shift shall receive the straight time rate of pay. The second shift receives the straight time rate of pay plus fifteen (15%) per cent. Members of the second shift shall be allowed one half hour to eat, with this time being included in the hours of the workday established. There must be a first shift to work a second shift. All additional hours worked shall be paid at the time and one-half rate of pay plus fifteen (15%) per cent for weekday hours.

Local #740)

MOSAIC MECHANIC

Mosaic Mechanic - Mosaic & Terrazzo Mechanic

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$45.23

Supplemental Benefit Rate per Hour: \$36.59

Supplemental Note: Supplemental benefits for overtime to be paid at the rate of \$47.56 per hour.

Mosaic Mechanic - Mosaic & Terrazzo Finisher

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$43.63

Supplemental Benefit Rate per Hour: \$36.57

Supplemental Note: Supplemental benefits for overtime to be paid at the rate of \$47.54 per hour.

Mosaic Mechanic - Machine Operator Grinder

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$43.63

Supplemental Benefit Rate per Hour: \$36.57

Supplemental Note: Supplemental benefits for overtime to be paid at the rate of \$47.54per hour.

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).
New Year's Day
Washington's Birthday
Good Friday
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Day after Thanksgiving

Paid Holidays

Christmas Day

None

(Local #7)

PAINTER

Painter - Brush & Roller

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$39.50

Supplemental Benefit Rate per Hour: \$26.12 Supplemental Note: \$30.75 on overtime

Spray & Scaffold / Decorative / Sandblast

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$42.50

Supplemental Benefit Rate per Hour: \$26.12 Supplemental Note: \$30.75 on overtime

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).
New Year's Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Thanksgiving Day
Christmas Day

Paid Holidays

None

(District Council of Painters #9)

PAINTER - SIGN

<u>Designer</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$36.15

Supplemental Benefit Rate per Hour: \$9.66

<u>Journeyperson</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$33.62

Supplemental Benefit Rate per Hour: \$9.66

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Time and one half the regular rate for Sunday.

Double time the regular rate for work on the following holiday(s).

Paid Holidays

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Election Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

Shift Rates

All work performed outside the regular 8 hour work day (either 7:00 A.M to 3:30 P.M or 8:00 A.M. to 4:30 P.M) shall be paid at time and one half the regular hourly rate.

(Local #8A-28A)

PAINTER - STRIPER

Striper (paint)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$34.00

Supplemental Benefit Rate per Hour: \$12.60

Supplemental Note: Overtime Supplemental Benefit rate - \$8.35 New Hire Rate (0-3 months) - \$0.00

<u>Lineperson (thermoplastic)</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$38.00

Supplemental Benefit Rate per Hour: \$12.60

Supplemental Note: Overtime Supplemental Benefit rate - \$8.35; New Hire Rate (0-3 months) - \$0.00

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Time and one half the regular rate for work on the following holiday(s).

Paid Holidays

New Year's Day
Good Friday
Memorial Day
Independence Day
Labor Day
Columbus Day
Presidential Election Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Shift Rates

Employees hired before April 1, 2003: 15% night shift premium differential for work commenced at 9:00 PM or later.

Vacation

Employees with one to two years service shall accrue vacation based on hours worked: 250 hours worked - 1 day vacation; 500 hours worked - 2 days vacation; 750 hours worked - 3 days vacation; 900 hours worked - 4 days vacation; 1,000 hours worked - 5 days vacation. Employees with two to five years service receive two weeks vacation. Employees with five to twenty years service receive three weeks vacation. Employees with twenty to twenty-five years service receive four weeks vacation. Employees with 25 or more years service receive five weeks vacation. Vacation must be taken during winter months. 2 Personal Days except employees hired after 4/1/12 who do not have 2 years of service.

(Local #917)

PAINTER - STRUCTURAL STEEL

Painters on Structural Steel

Effective Period: 7/1/2014 - 9/30/2014

Wage Rate per Hour: \$47.00

Supplemental Benefit Rate per Hour: \$33.58

Effective Period: 10/1/2014 - 6/30/2015

Wage Rate per Hour: \$48.75

Supplemental Benefit Rate per Hour: \$34.58

Painter - Power Tool

Effective Period: 7/1/2014 - 9/30/2014

Wage Rate per Hour: \$53.00

Supplemental Benefit Rate per Hour: \$33.58

ffective Period: 10/1/2014 - 6/30/2015

Wage Rate per Hour: \$54.75

Supplemental Benefit Rate per Hour: \$34.58

Overtime Description

Supplemental Benefits shall be paid for each hour worked, up to forty (40) hours per week for the period of May 1st to November 15th or up to fifty (50) hours per week for the period of November 16th to April 30th.

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s). New Year's Day
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

Paid Holidays

None

Shift Rates

Regular hourly rates plus a ten per cent (10%) differential

(Local #806)

PAPERHANGER

Paperhanger

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$41.08

Supplemental Benefit Rate per Hour: \$29.23

Supplemental Note: Supplemental benefits are to be paid at the appropriate straight time and overtime rate.

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s). New Year's Day President's Day

Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Paid Holidays

None

Shift Rates

Evening shift - 4:30 P.M. to 12:00 Midnight (regular rate of pay); any work performed before 7:00 A.M. shall be at time and one half the regular base rate of pay.

(District Council of Painters #9)

PAVER AND ROADBUILDER

Paver & Roadbuilder - Formsetter

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$44.19

Supplemental Benefit Rate per Hour: \$35.15

Paver & Roadbuilder - Laborer

Paving and road construction work, regardless of material used, including but not limited to preparation of job sites, removal of old surfaces, asphalt and/or concrete, by whatever method, including but not limited to milling; laying of concrete; laying of asphalt for temporary, patchwork, and utility paving (but not production paving); site preparation and incidental work before the installation of rubberized materials and similar surfaces; installation and repair of temporary construction fencing; slurry seal coating, maintenance of safety surfaces; play equipment installation, and other related work.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$40.32

Supplemental Benefit Rate per Hour: \$35.15

<u>Production Paver & Roadbuilder - Screed Person</u>

(Production paving is asphalt paving when using a paving machine or on a project where a paving machine is traditionally used)

Adjustment of paving machinery on production paving jobs.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$45.24

supplemental Benefit Rate per Hour: \$35.15

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 61 of 84

Production Paver & Roadbuilder - Raker

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$44.73

Supplemental Benefit Rate per Hour: \$35.15

Production Paver & Roadbuilder - Shoveler

General laborer (except removal of surfaces - see Paver and Roadbuilder-Laborer) including but not limited to tamper, AC paint and liquid tar work.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$41.44

Supplemental Benefit Rate per Hour: \$35.15

Overtime Description

Veteran's Day is a Paid Holiday for employees working on production paving.

If an employee works New Year's Day or Christmas Day, they receive the single time rate plus 25%.

Employees who work on a holiday listed below receive the straight time rate plus one day's pay for the holiday.

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Paid Holidays

Memorial Day Independence Day Labor Day Presidential Election Day Thanksgiving Day

Shift Rates

When two shifts are employed, the work period for each shift shall be a continuous eight (8) hours. When three shifts are employed, each shift will work seven and one half (7 $\frac{1}{2}$) hours but will be paid for eight (8) hours since only one half (1/2) hour is allowed for meal time.

When two or more shifts are employed, single time will be paid for each shift.

Night Work - On night work, the first eight (8) hours of work will be paid for at the single time rate, except that production paving work shall be paid at 15% over the single time rate for the screed person, rakers and shovelers directly involved only. All other workers will be exempt. Hours worked over eight (8) hours during said shift shall be paid for at the time and one-half rate.

| (Local #1010) | |
|---------------|--|
| | |

PLASTERER

Plasterer

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$42.43

Supplemental Benefit Rate per Hour: \$27.95

Overtime

Time and one half the regular rate after a 7 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

Martin Luther King Jr. Day

President's Day

Good Friday

Memorial Day

Independence Day

Labor Day

Columbus Day

Presidential Election Day

Thanksgiving Day

Christmas Day

Paid Holidays

None

Shift Rates

When it is not possible to conduct alteration work during regular work hours, in a building occupied by tenants, said work shall proceed on a shift basis: however work over seven (7) hours in any twenty four (24) hour period, the time after seven (7) hours shall be considered overtime.

The second shift shall start at a time between 3:30 p.m. and 7:00 p.m. and shall consist of seven (7) working hours and shall receive eight (8) hours of wages and benefits at the straight time rate. The workers on the second shift shall be allowed one-half ($\frac{1}{2}$) hour to eat with this time being included in the seven (7) hours of work.

(Local #530)

PLASTERER - TENDER

Plasterer - Tender

ffective Period: 7/1/2014 - 6/30/2015

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 63 of 84

Wage Rate per Hour: \$35.53

Supplemental Benefit Rate per Hour: \$26.31

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

Overtime Holidays

Washington's Birthday

Memorial Day

Independence Day

Labor Day Presidential Election Day

Thanksgiving Day

Christmas Day

Paid Holidays

None

Shift Rates

When work commences outside regular work hours, workers receive an hour additional (differential) wage and supplement payment. Eight hours pay for seven hours work or nine hours pay for eight hours work.

(Mason Tenders District Council)

PLUMBER

Plumber

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$65.27

Supplemental Benefit Rate per Hour: \$25.78

Supplemental Note: Overtime supplemental benefit rate per hour: \$40.78

Plumber - Temporary Services

Temporary Services - When there are no Plumbers on the job site, there may be three shifts designed to cover the entire twenty-four hour period, including weekends if necessary, at the following rate straight time.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$52.24

Supplemental Benefit Rate per Hour: \$20.20

Overtime Description

Double time the regular rate after a 7 hour day - unless for new construction site work where the plumbing contract price is \$1.5 million or less, the hours of labor can be 8 hours per day at the employers option. On Alteration jobs when other mechanical trades at the site are working an eighth hour at straight time, then the plumber shall also work an eighth hour at straight time.

Overtime

Double time the regular time rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

Shift Rates

Shift work, when directly specified in public agency or authority documents where plumbing contract is \$8 million or less, will be permitted. 30% shift premium shall be paid for wages and fringe benefits for 4:00 pm and midnight shifts Monday to Friday. 50% shift premium shall be paid for wages and fringe benefits for 4:00 pm and midnight shift work performed on weekends. For shift work on holidays, double time wages and fringe benefits shall be paid.

(Plumbers Local #1)

PLUMBER (MECHNICAL EQUIPMENT AND SERVICE)
(Mechanical Equipment and Service work shall include any repair and/or replacement of the present plumbing system.)

<u>Plumber</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$38.27

Supplemental Benefit Rate per Hour: \$12.84

Overtime

Time and one half the regular rate after an 8 hour day. ime and one half the regular rate for Saturday. ime and one half the regular rate for Sunday.

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 65 of 84

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

Paid Holidays

None

(Plumbers Local # 1)

PLUMBER (RESIDENTIAL RATES FOR 1, 2 AND 3 FAMILY HOME CONSTRUCTION)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$45.19

Supplemental Benefit Rate per Hour: \$18.79

Overtime

Double time the regular rate after an 8 hour day. Double time the regular time rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

Paid Holidays

None

Shift Rates

30% shift premium shall be paid for wages and fringe benefits for 4:00 pm and midnight shifts Monday to Friday. 50% shift premium shall be paid for wages and fringe benefits for 4:00 pm and midnight shift work performed on weekends. For shift work on holidays, double time wages and fringe benefits shall be paid.

(Plumbers Local #1)

PLUMBER: PUMP & TANK

Oil Trades (Installation and Maintenance)

Plumber - Pump & Tank

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$62.83

Supplemental Benefit Rate per Hour: \$21.37

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

Paid Holidays

None

Shift Rates

All work outside the regular workday (8:00 A.M. to 3:30 P.M.) is to be paid at time and one half the regular hourly rate

(Plumbers Local #1)

POINTER - WATERPROOFER, CAULKER MECHANIC (EXTERIOR BUILDING RENOVATION)

ointer - Waterproofer, Caulker Mechanic

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$47.41

Supplemental Benefit Rate per Hour: \$24.40

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Time and one half the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement

weather.

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).

New Year's Day

Martin Luther King Jr. Day

President's Day

Memorial Day

Independence Day

Labor Day

Thanksgiving Day

Christmas Day

Paid Holidays

None

Shift Rates

All work outside the regular work day (an eight hour workday between the hours of 6:00 A.M. and 4:30 P.M.) is to be paid at time and one half the regular rate.

(Bricklayer District Council)

ROOFER

Roofer

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$40.70

Supplemental Benefit Rate per Hour: \$28.67

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Time and one half the regular rate for Sunday.

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).

New Year's Day

President's Day **Memorial Day** Independence Day **Labor Day Presidential Election Day** Thanksgiving Day **Christmas Day**

Paid Holidays

None

Shift Rates

Second shift - Regular hourly rate plus a 10% differential. Third shift - Regular hourly rate plus a 15% differential.

(Local #8)

SANDBLASTER - STEAMBLASTER (Exterior Building Renovation)

Sandblaster / Steamblaster

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$47.41

Supplemental Benefit Rate per Hour: \$24.40

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement

weather.

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s). **New Year's Day** Martin Luther King Jr. Day **President's Day Memorial Day** Independence Day **Labor Dav** Thanksgiving Day **Christmas Day**

Paid Holidays

None

hift Rates

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 69 of 84

All work outside the regular work day (an eight hour workday between the hours of 6:00 A.M. and 4:30 P.M.) is to be paid at time and one half the regular rate.

(Bricklayer District Council)

SHEET METAL WORKER

Sheet Metal Worker

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$46.21

Supplemental Benefit Rate per Hour: \$43.89

Supplemental Note: Supplemental benefit contributions are to be made at the applicable overtime rates.

Sheet Metal Worker - Fan Maintenance

(The temporary operation of fans or blowers in new or existing buildings for heating and/or ventilation, and/or air conditioning prior to the completion of the project.)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$36.97

Supplemental Benefit Rate per Hour: \$43.89

Sheet Metal Worker - Duct Cleaner

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$12.90

Supplemental Benefit Rate per Hour: \$8.07

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s). **New Year's Day**

Martin Luther King Jr. Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

Page 70 of 84

Paid Holidays

None

Shift Rates

Work that can only be performed outside regular working hours (seven hours of work between 7:30 A.M. and 3:30 P.M.) - First shift (work between 3:30 P.M. and 11:30 P.M.) - 10% differential above the established hourly rate. Second shift (work between 11:30 P.M. and 7:30 A.M.) - 15% differential above the established hourly rate.

For Fan Maintenance: On all full shifts of fan maintenance work the straight time hourly rate of pay will be paid for each shift, including nights, Saturdays, Sundays, and holidays. No journeyperson engaged in fan maintenance shall work in excess of forty (40) hours in any work week.

(Local #28)

SHEET METAL WORKER - SPECIALTY (Decking & Siding)

Sheet Metal Specialty Worker

The first worker to perform this work must be paid at the rate of the Sheet Metal Worker. The second and third workers shall be paid the Specialty Worker Rate. The ratio of One Sheet Metal Worker, then Two Specialty Workers shall be utilized thereafter.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$40.78

Supplemental Benefit Rate per Hour: \$23.38

Supplemental Note: Supplemental benefit contributions are to be made at the applicable overtime rates.

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).
New Year's Day
Martin Luther King Jr. Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Christmas Day

aid Holidays

None

(Local #28)

SHIPYARD WORKER

Shipyard Mechanic - First Class

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$23.83

Supplemental Benefit Rate per Hour: \$2.87

Shipyard Mechanic - Second Class

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$15.44

Supplemental Benefit Rate per Hour: \$2.54

Shipyard Laborer - First Class

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$19.28

Supplemental Benefit Rate per Hour: \$2.69

Shipyard Laborer - Second Class

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$12.36

Supplemental Benefit Rate per Hour: \$2.43

Shipyard Dockhand - First Class

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$22.68

Supplemental Benefit Rate per Hour: \$2.82

Shipyard Dockhand - Second Class

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$14.22

Supplemental Benefit Rate per Hour: \$2.50

Overtime Description

Work performed on holiday is paid double time the regular hourly wage rate plus holiday pay.

Overtime

Time and one half the regular rate after an 8 hour day.
Time and one half the regular rate for Saturday.
Double time the regular rate for Sunday.
Time and one half the regular hourly rate after 40 hours in any work week.

Paid Holidays

New Year's Day
Martin Luther King Jr. Day
President's Day
Good Friday
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Based on Survey Data

SIGN ERECTOR (Sheet Metal, Plastic, Electric, and Neon)

Sign Erector

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$44.20

Supplemental Benefit Rate per Hour: \$44.10

Overtime

Time and one half the regular rate after a 7 hour day.

Time and one half the regular rate for Saturday.

Time and one half the regular rate for Sunday.

Time and one half the regular rate for work on the following holiday(s).

Paid Holidays

New Year's Day
Washington's Birthday
Memorial Day
Independence Day
Labor Day
Columbus Day
Election Day
Thanksgiving Day
Day after Thanksgiving
Christmas Day

Shift Rates

Time and one half the regular hourly rate is to be paid for all hours worked outside the regular workday either (7:00 A.M. through 2:30 P.M.) or (8:00 A.M. through 3:30 P.M.)

(Local #137)

STEAMFITTER

Steamfitter I

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$53.25

Supplemental Benefit Rate per Hour: \$51.04

Supplemental Note: Overtime supplemental benefit rate: \$101.34

Overtime

Double time the regular rate after a 7 hour day. Double time the regular time rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

Paid Holidays

None

Shift Rates

Work performed between 3:30 P.M. and 7:00 A.M. and on Saturdays, Sundays and Holidays shall be at double time the regular hourly rate and paid at the overtime supplemental benefit rate above.

Steamfitter II

For heating, ventilation, air conditioning and mechanical public works contracts with a dollar value not to exceed \$15,000,000 and for fire protection/sprinkler public works contracts not to exceed \$1,500,000.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$53.25

Supplemental Benefit Rate per Hour: \$51.04

Supplemental Note: Overtime supplemental benefit rate: \$101.34

Overtime

Double time the regular rate after an 8 hour day. Double time the regular time rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

Paid Holidays

None

Shift Rates

May be performed outside of the regular workday except Saturday, Sunday and Holidays. A shift shall consist of eight working hours. All work performed in excess of eight hours shall be paid at double time. No shift shall commence after 7:00 P.M. on Friday or 7:00 P.M. the day before holidays. All work performed after 12:01 A.M. Saturday or 12:01 A.M. the day before a Holiday will be paid at double time. When shift work is performed the wage rate for regular time worked is a thirty percent premium together with fringe benefits.

On Transit Authority projects, where work is performed in the vicinity of tracks all shift work on weekends and holidays may be performed at the regular shift rates.

Local #638

STEAMFITTER - REFRIGERATION AND AIR CONDITIONER (Maintenance and Installation Service Person)

Refrigeration and Air Conditioner Mechanic

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$38.30

Supplemental Benefit Rate per Hour: \$12.76

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 75 of 84

Refrigeration and Air Conditioner Service Person V

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$31.47

Supplemental Benefit Rate per Hour: \$11.55

Refrigeration and Air Conditioner Service Person IV

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$26.07

Supplemental Benefit Rate per Hour: \$10.52

Refrigeration and Air Conditioner Service Person III

Filter changing and maintenance thereof, oil and greasing, tower and coil cleaning, scraping and painting, general housekeeping, taking of water samples.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$22.38

Supplemental Benefit Rate per Hour: \$9.76

Refrigeration and Air Conditioner Service Person II

Filter changing and maintenance thereof, oil and greasing, tower and coil cleaning, scraping and painting, general housekeeping, taking of water samples.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$18.56

Supplemental Benefit Rate per Hour: \$9.06

Refrigeration and Air Conditioner Service Person I

Filter changing and maintenance thereof, oil and greasing, tower and coil cleaning, scraping and painting, general housekeeping, taking of water samples.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$13.57

Supplemental Benefit Rate per Hour: \$8.30

Overtime

Time and one half the regular rate after an 8 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s). New Year's Day Independence Day Labor Day Veteran's Day

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 76 of 84

Thanksgiving Day Christmas Day

Double time and one half the regular rate for work on the following holiday(s).

Martin Luther King Jr. Day

President's Day

Memorial Day

Columbus Day

Paid Holidays

New Year's Day
Martin Luther King Jr. Day
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Veteran's Day
Thanksgiving Day
Christmas Day

(Local #638B)

STONE MASON - SETTER

Stone Mason - Setters

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$46.56

Supplemental Benefit Rate per Hour: \$36.40

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s). New Year's Day
Washington's Birthday
Good Friday
Memorial Day
Independence Day
Labor Day
Thanksgiving Day
Christmas Day

Paid Holidays

/2 day on Christmas Eve if work is performed in the A.M.

Shift Rates

For all work outside the regular workday (8:00 A.M. to 3:30 P.M. Monday through Friday), the pay shall be straight time plus a ten percent (10%) differential.

(Bricklayers District Council)

TAPER

Drywall Taper

Effective Period: 7/1/2014 - 12/30/2014

Wage Rate per Hour: \$45.32

Supplemental Benefit Rate per Hour: \$22.66

Effective Period: 12/31/2014 - 6/30/2015

Wage Rate per Hour: \$45.82

Supplemental Benefit Rate per Hour: \$22.66

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).
New Year's Day
Martin Luther King Jr. Day
President's Day
Good Friday
Memorial Day
Independence Day
Labor Day
Columbus Day
Thanksgiving Day
Christmas Day

Paid Holidays

Any worker who reports to work on Christmas Eve or New Year's Eve pursuant to his employer's instruction shall be entitled to three (3) hours afternoon pay without working.

Shift Rates

Time and one half the regular rate outside the regular work hours (8:00 A.M. through 3:30 P.M.)

(Local #1974)

TELECOMMUNICATION WORKER (Voice Installation Only)

Telecommunication Worker

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$39.18

Supplemental Benefit Rate per Hour: \$13.19

Supplemental Note: The above rate applies for Manhattan, Bronx, Brooklyn, Queens. \$12.64 for Staten Island

only.

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Time and one half the regular rate for Sunday.

Overtime Holidays

Time and one half the regular rate for work on the following holiday(s).
New Year's Day
Lincoln's Birthday
Washington's Birthday
Memorial Day
Independence Day
Labor Day
Columbus Day

Election Day Veteran's Day Thanksgiving Day Christmas Day

Paid Holidays

New Year's Day
Lincoln's Birthday
Washington's Birthday
Memorial Day
Independence Day
Labor Day
Columbus Day
Election Day
Veteran's Day
Thanksgiving Day
Christmas Day

Employees have the option of observing either Martin Luther King's Birthday or the day after Thanksgiving instead of Lincoln's Birthday

Shift Rates

For any workday that starts before 8A.M. or ends after 6P.M. there is a 10% differential for the applicable worker's hourly rate.

Vacation

After 6 months.......one week.

After 12 months but less than 7 years.....two weeks.

After 7 or more but less than 15 years.....three weeks.

After 15 years or more but less than 25 years.....four weeks.

(C.W.A.)

TILE FINISHER

Tile Finisher

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$38.80

Supplemental Benefit Rate per Hour: \$28.03

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Good Friday

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving

Christmas Day

Paid Holidays

None

Shift Rates

Off shift work day (work performed outside the regular 8:00 A.M. to 3:30 P.M. workday): shift differential of one and one quarter (1½) times the regular straight time rate of pay for the seven hours of actual off-shift work.

(Local #7)

TILE LAYER - SETTER

Tile Layer - Setter

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$49.88

Supplemental Benefit Rate per Hour: \$32.36

Overtime

Time and one half the regular rate after a 7 hour day. Time and one half the regular rate for Saturday. Double time the regular rate for Sunday.

Overtime Holidays

Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Good Friday

Memorial Day

Independence Day

Labor Day

Columbus Day

Veteran's Day

Thanksgiving Day

Day after Thanksgiving Christmas Day

Shift Rates

Off shift work day (work performed outside the regular 8:00 A.M. to 3:30 P.M. workday): shift differential of one and one quarter (1½) times the regular straight time rate of pay for the seven hours of actual off-shift work.

(Local #7)

TIMBERPERSON

Timberperson

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$44.33

Supplemental Benefit Rate per Hour: \$45.39

Overtime

Time and one half the regular rate after an 8 hour day.

Time and one half the regular rate for Saturday.

Double time the regular rate for Sunday.

Saturday may be used as a make-up day at straight time when a day is lost during that week to inclement weather.

Time and one half the regular hourly rate after 40 hours in any work week.



Double time the regular rate for work on the following holiday(s).

New Year's Day

President's Day

Memorial Day

Independence Day

Labor Day

Columbus Day

Presidential Election Day

Paid Holidays

Thanksgiving Day Christmas Day

None

Shift Rates

Off shift work commencing between 5:00 P.M. and 11:00 P.M. shall work eight and one half hours allowing for one half hour for lunch. The wage rate shall be 113% of the straight time hourly wage rate.

(Local #1536)

TUNNEL WORKER

Blasters, Mucking Machine Operators (Compressed Air Rates)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$54.20

Supplemental Benefit Rate per Hour: \$48.20

Tunnel Workers (Compressed Air Rates)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$52.31

Supplemental Benefit Rate per Hour: \$46.59

Top Nipper (Compressed Air Rates)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$51.35

Supplemental Benefit Rate per Hour: \$45.78

<u>Outside Lock Tender, Outside Gauge Tender, Muck Lock Tender (Compressed Air Rates)</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$50.42

Supplemental Benefit Rate per Hour: \$44.91

Bottom Bell & Top Bell Signal Person: Shaft Person (Compressed Air Rates)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$50.42

Supplemental Benefit Rate per Hour: \$44.92

Changehouse Attendant: Powder Watchperson (Compressed Air Rates)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$43.94

Supplemental Benefit Rate per Hour: \$42.55

Blasters (Free Air Rates)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$51.72

Supplemental Benefit Rate per Hour: \$46.03

Tunnel Workers (Free Air Rates)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$49.48

Supplemental Benefit Rate per Hour: \$44.06

All Others (Free Air Rates)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$45.73

Supplemental Benefit Rate per Hour: \$40.75

Microtunneling (Free Air Rates)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$39.58

Supplemental Benefit Rate per Hour: \$35.25

Overtime Description

For Repair-Maintenance Work on Existing Equipment and Facilities - Time and one half the regular rate after a 7 hour day, or for Saturday, or for Sunday. Double time the regular rate for work on a holiday.

For Small-Bore Micro Tunneling Machines - Time and one-half the regular rate shall be paid for all overtime.

Overtime

Double time the regular rate after an 8 hour day. Double time the regular time rate for Saturday. Double time the regular rate for Sunday. Double time the regular rate for work on the following holiday(s).



PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 83 of 84

Lincoln's Birthday
President's Day
Memorial Day
Independence Day
Labor Day
Columbus Day
Election Day
Veteran's Day
Thanksgiving Day
Christmas Day

(Local #147)

WELDER
TO BE PAID AT THE RATE OF THE JOURNEYPERSON IN THE TRADE
PERFORMING THE WORK.

OFFICE OF THE COMPTROLLER

CITY OF NEW YORK

220 APPRENTICESHIP PREVAILING WAGE SCHEDULE

APPENDIX

Pursuant to Labor Law §220 (3-e), only apprentices who are individually registered in a bona fide program to which the employer contractor is a participant and registered with the New York State Department of Labor, may be employed on a public work project.

Any employee listed on a payroll at an apprentice wage rate, who is not registered as above, shall be paid the journey person wage rate for the classification of work he actually performed.

Apprentice ratios are established to ensure the proper safety, training and supervision of apprentices. A ratio establishes the number of journey workers required for each apprentice in a program and on a job site. Ratios are interpreted as follows: in the case of a 1:1, 1:4 ratio, there must be one journey worker for the first apprentice, and four additional journey workers for each subsequent apprentice.

TABLE OF CONTENTS

| CLASSIFICATION | PAGE |
|---|-------------|
| ASBESTOS HANDLER | 3 |
| BOILERMAKER | 3 |
| BRICKLAYER | |
| CARPENTER | 5 |
| CEMENT MASON | 6 |
| CEMENT AND CONCRETE WORKER | 6 |
| DERRICKPERSON & RIGGER (STONE) | 7 |
| DOCKBUILDER/PILE DRIVER | |
| ELECTRICIAN | 8 |
| ELEVATOR CONSTRUCTOR | 11 |
| ELEVATOR REPAIR & MAINTENANCE | 12 |
| ENGINEER | 13 |
| ENGINEER - OPERATING | 14 |
| FLOOR COVERER | 14 |
| GLAZIER | 15 |
| HEAT & FROST INSULATOR | 16 |
| HOUSE WRECKER | 17 |
| IRON WORKER - ORNAMENTAL | |
| IRON WORKER - STRUCTURAL | |
| LABORER (FOUNDATION, CONCRETE, EXCAVATING, STREET PIPE LAYER & COMMON |)19 |
| MARBLE MECHANICS | 19 |
| MASON TENDER | 21 |
| METALLIC LATHER | 21 |
| MILLWRIGHT | 22 |
| PAVER AND ROADBUILDER | |
| PAINTER | 24 |
| PAINTER - STRUCTURAL STEEL | 24 |
| PLASTERER | 25 |
| PLUMBER | 26 |
| POINTER - WATERPROOFER, CAULKER MECHANIC (EXTERIOR BUILDING RENOVATIO | N) .27 |
| ROOFER | |
| SHEET METAL WORKER | |
| SIGN ERECTOR | 29 |
| STEAMFITTER | |
| STONE MASON - SETTER | |
| TAPER | |
| TILE LAYER - SETTER | |
| TIMBERPERSON | 33 |

ASBESTOS HANDLER

(Ratio of Apprentice Journeyperson: 1 to 1, 1 to 3)

Asbestos Handler (First 1000 Hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 78% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$15.45

Asbestos Handler (Second 1000 Hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$15.45

Asbestos Handler (Third 1000 Hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 83% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$15.45

Asbestos Handler (Fourth 1000 Hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 89% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$15.45

(Local #78)

BOILERMAKER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Boilermaker (First Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 65% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$29.74

Boilermaker (Second Year: 1st Six Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 75% of Journeyperson's rate supplemental Benefit Rate Per Hour: \$31.40

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 3 of 34

Boilermaker (Second Year: 2nd Six Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 75% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$33.05

Boilermaker (Third Year: 1st Six Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rat Supplemental Benefit Rate Per Hour: \$34.69

Boilermaker (Third Year: 2nd Six Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 85% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$36.34

Boilermaker (Fourth Year: 1st Six Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 90% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$38.00

Boilermaker (Fourth Year: 2nd Six Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 95% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$39.65

(Local #5)

BRICKLAYER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Bricklayer (First 750 Hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$17.10

Bricklayer (Second 750 Hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$17.10

Bricklayer (Third 750 Hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 70% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$17.10

Bricklayer (Fourth 750 Hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$17.10

Bricklayer (Fifth 750 Hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 90% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$17.10

Bricklayer (Sixth 750 Hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 95% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$17.10

(Bricklayer District Council)

CARPENTER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Carpenter (First Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 40% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$30.25

Carpenter (Second Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$30.25

Carpenter (Third Year)

Effective Period: 7/1/2014 - 6/30/2015

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 5 of 34

Wage Rate Per Hour: 65% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$30.25

Carpenter (Fourth Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: \$30.25

(Carpenters District Council)

CEMENT MASON

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Cement Mason (First Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's Rate

Cement Mason (Second Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's Rate

Cement Mason (Third Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 70% of Journeyperson's Rate

(Local #780)

CEMENT AND CONCRETE WORKER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Cement & Concrete Worker (0 - 500 hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$18.04

Cement & Concrete Worker (501 - 1000 hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 65% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$18.87

Cement & Concrete Worker (1001 - 2000 hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 65% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$24.25

Cement & Concrete Worker (2001 - 4000 hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$25.07

(Cement Concrete Workers District Council)

DERRICKPERSON & RIGGER (STONE)

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Derrickperson & Rigger (stone) - First Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: 50% of Journeyperson's rate

<u>Derrickperson & Rigger (stone) - Second Year: 1st Six Months</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: 75% of Journeyperson's rate

Derrickperson & Rigger (stone) - Second Year: 2nd Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: 75% of Journeyperson's rate

Derrickperson & Rigger (stone) - Third Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 90% of Journeyperson's rate

Supplemental Benefit Rate Per Hour: 75% of Journeyperson's rate

(Local #197)

DOCKBUILDER/PILE DRIVER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 6)

Dockbuilder/Pile Driver (First Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 40% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$31.26

Dockbuilder/Pile Driver (Second Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$31.26

Dockbuilder/Pile Driver (Third Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 65% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$31.26

Dockbuilder/Pile Driver (Fourth Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate Supplemental Benefit Rate Per Hour: \$31.26

(Carpenters District Council)

ELECTRICIAN

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Electrician (First Term: 0-6 Months)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$12.50

Supplemental Benefit Rate per Hour: \$11.10
Overtime Supplemental Rate Per Hour: \$11.93

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$13.00

Supplemental Benefit Rate per Hour: \$11.61
Overtime Supplemental Rate Per Hour: \$12.47

Electrician (First Term: 7-12 Months)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$13.50

Supplemental Benefit Rate per Hour: \$11.62

Overtime Supplemental Rate Per Hour: \$12.51

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$14.00

Supplemental Benefit Rate per Hour: \$12.12
Overtime Supplemental Rate Per Hour: \$13.04

Electrician (Second Term: 0-6 Months)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$14.50

Supplemental Benefit Rate per Hour: \$12.13
Overtime Supplemental Rate Per Hour: \$13.08

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$15.00

Supplemental Benefit Rate per Hour: \$12.63
Overtime Supplemental Rate Per Hour: \$13.62

Electrician (Second Term: 7-12 Months)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$15.50

Supplemental Benefit Rate per Hour: \$12.64
Overtime Supplemental Rate Per Hour: \$13.66

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$16.00

Supplemental Benefit Rate per Hour: \$13.14
Overtime Supplemental Rate Per Hour: \$14.19

Electrician (Third Term: 0-6 Months)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$16.50

Supplemental Benefit Rate per Hour: \$13.15
Overtime Supplemental Rate Per Hour: \$14.23

Effective Period: 5/13/2015 - 6/30/2015

Vage Rate per Hour: \$17.00

Supplemental Benefit Rate per Hour: \$13.65
Overtime Supplemental Rate Per Hour: \$14.77

Electrician (Third Term: 7-12 Months)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$17.50

Supplemental Benefit Rate per Hour: \$13.65 Overtime Supplemental Rate Per Hour: \$14.81

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$18.00

Supplemental Benefit Rate per Hour: \$14.16
Overtime Supplemental Rate Per Hour: \$15.34

Electrician (Fourth Term: 0-6 Months)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$18.50

Supplemental Benefit Rate per Hour: \$14.16
Overtime Supplemental Rate Per Hour: \$15.38

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$19.00

Supplemental Benefit Rate per Hour: \$14.67
Overtime Supplemental Rate Per Hour: \$15.92

Electrician (Fourth Term: 7-12 Months)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$20.50

Supplemental Benefit Rate per Hour: \$15.18
Overtime Supplemental Rate Per Hour: \$16.53

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$21.00

Supplemental Benefit Rate per Hour: \$15.68
Overtime Supplemental Rate Per Hour: \$17.07

Electrician (Fifth Term: 0-12 Months - Hired on or after 5/10/07)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$22.50

Supplemental Benefit Rate per Hour: \$18.06
Overtime Supplemental Rate Per Hour: \$19.47

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$23.00

Supplemental Benefit Rate per Hour: \$18.56 Overtime Supplemental Rate Per Hour: \$20.00

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 10 of 34

Electrician (Fifth Term: 13-18 Months - Hired on or after 5/10/07)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$27.00

Supplemental Benefit Rate per Hour: \$20.32 Overtime Supplemental Rate Per Hour: \$22.01

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$27.50

Supplemental Benefit Rate per Hour: \$20.82 Overtime Supplemental Rate Per Hour: \$22.54

Electrician (Fifth Term: 0-18 Months - Hired before 5/10/07)

Effective Period: 7/1/2014 - 5/12/2015

Wage Rate per Hour: \$26.30

Supplemental Benefit Rate per Hour: \$19.96
Overtime Supplemental Rate Per Hour: \$21.61

Effective Period: 5/13/2015 - 6/30/2015

Wage Rate per Hour: \$26.80

Supplemental Benefit Rate per Hour: \$20.46
Overtime Supplemental Rate Per Hour: \$22.14

Overtime Description

Overtime Wage paid at time and one half the regular rate For "A" rated Apprentices (work in excess of 7 hours per day) For "M" rated Apprentices (work in excess of 8 hours per day)

(Local #3)

ELEVATOR CONSTRUCTOR

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 2)

Elevator (Constructor) - First Year

Effective Period: 7/1/2014 - 3/16/2015

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$25.46

Effective Period: 3/17/2015 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$26.94

Elevator (Constructor) - Second Year

Effective Period: 7/1/2014 - 3/16/2015

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$25.86

Effective Period: 3/17/2015 - 6/30/2015

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$27.35

Elevator (Constructor) - Third Year

Effective Period: 7/1/2014 - 3/16/2015

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Rate Per Hour: \$26.66

Effective Period: 3/17/2015 - 6/30/2015

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Rate Per Hour: \$28.17

Elevator (Constructor) - Fourth Year

Effective Period: 7/1/2014 - 3/16/2015

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Rate Per Hour: \$27.46

Effective Period: 3/17/2015 - 6/30/2015

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Rate Per Hour: \$29.00

(Local #1)

ELEVATOR REPAIR & MAINTENANCE

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 2)

Elevator Service/Modernization Mechanic (First Year)

Effective Period: 7/1/2014 - 3/16/2015

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Benefit Per Hour: \$24.85

Effective Period: 3/17/2015 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Benefit Per Hour: \$26.87

Elevator Service/Modernization Mechanic (Second Year)

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 12 of 34

Effective Period: 7/1/2014 - 3/16/2015

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Benefit Per Hour: \$25.24

Effective Period: 3/17/2015 - 6/30/2015

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Benefit Per Hour: \$27.27

Elevator Service/Modernization Mechanic (Third Year)

Effective Period: 7/1/2014 - 3/16/2015

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Benefit Per Hour: \$26.02

Effective Period: 3/17/2015 - 6/30/2015

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Benefit Per Hour: \$28.08

Elevator Service/Modernization Mechanic (Fourth Year)

Effective Period: 7/1/2014 - 3/16/2015

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Benefit Per Hour: \$26.81

Effective Period: 3/17/2015 - 6/30/2015

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Benefit Per Hour: \$28.89

(Local #1)

ENGINEER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 5)

Engineer - First Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$22.49

Supplemental Benefit Rate per Hour: \$20.68

Engineer - Second Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$28.11

Supplemental Benefit Rate per Hour: \$20.68

<u> Engineer - Third Year</u>

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 13 of 34

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$20.92

Supplemental Benefit Rate per Hour: \$20.68

Engineer - Fourth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$33.73

Supplemental Benefit Rate per Hour: \$20.68

(Local #15)

ENGINEER - OPERATING

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 5)

Operating Engineer - First Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour 40% of Journeyperson's Rate

Supplemental Benefit Per Hour: \$18.60

Operating Engineer - Second Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's Rate

Supplemental Benefit Per Hour: \$18.60

Operating Engineer - Third Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 60% of Journeyperson's Rate

Supplemental Benefit Per Hour: \$18.60

(Local #14)

FLOOR COVERER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Floor Coverer (First Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$30.25

Floor Coverer (Second Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$30.25

Floor Coverer (Third Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Rate Per Hour: \$30.25

Floor Coverer (Fourth Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$30.25

(Carpenters District Council)

GLAZIER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Glazier (First Year)

Effective Period: 7/1/2014 - 10/31/2014

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$12.97

Effective Period: 11/1/2014 - 6/30/2015

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$13.12

Glazier (Second Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$22.25

Glazier (Third Year)

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 15 of 34

Effective Period: 7/1/2014 - 10/31/2014

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$24.75

Effective Period: 11/1/2014 - 6/30/2015

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$25.10

Glazier (Fourth Year)

Effective Period: 7/1/2014 - 10/31/2014

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$29.87

Effective Period: 11/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$30.02

(Local #1281)

HEAT & FROST INSULATOR

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Heat & Frost Insulator (First Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 40% of Journeyperson's rate

Heat & Frost Insulator (Second Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's rate

Heat & Frost Insulator (Third Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 70% of Journeyperson's rate

Heat & Frost Insulator (Fourth Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 80% of Journeyperson's rate

(Local #12)

HOUSE WRECKER (TOTAL DEMOLITION)

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

House Wrecker - First Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$20.52

Supplemental Benefit Rate per Hour: \$16.60

House Wrecker - Second Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$21.67

Supplemental Benefit Rate per Hour: \$16.60

House Wrecker - Third Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$23.27

Supplemental Benefit Rate per Hour: \$16.60

House Wrecker - Fourth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$25.83

Supplemental Benefit Rate per Hour: \$16.60

(Mason Tenders District Council)

IRON WORKER - ORNAMENTAL

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Iron Worker (Ornamental) - 1st Ten Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$35.15

ron Worker (Ornamental) - 11 -16 Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$36.21

Iron Worker (Ornamental) - 17 - 22 Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$37.27

Iron Worker (Ornamental) - 23 - 28 Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: \$39.40

Iron Worker (Ornamental) - 29 - 36 Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$41.52

(Local #580)

IRON WORKER - STRUCTURAL

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 6)

Iron Worker (Structural) - 1st Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$24.98

Supplemental Benefit Rate per Hour: \$45.53

Iron Worker (Structural) - 7- 18 Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$25.58

Supplemental Benefit Rate per Hour: \$45.53

Iron Worker (Structural) - 19 - 36 months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$26.18

Supplemental Benefit Rate per Hour: \$45.53

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 18 of 34

(Local #40 and #361)

LABORER (FOUNDATION, CONCRETE, EXCAVATING, STREET PIPE LAYER & COMMON)

(Ratio Apprentice to Journeyperson: 1 to 1, 1 to 3)

<u>Laborer (Foundation, Concrete, Excavating, Street Pipe Layer & Common) - First</u> 1000 hours

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$34.88

<u>Laborer (Foundation, Concrete, Excavating, Street Pipe Layer & Common) - Second 1000 hours</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$34.88

<u>Laborer (Foundation, Concrete, Excavating, Street Pipe Layer & Common) - Third 1000 hours</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Rate Per Hour: \$34.88

<u>Laborer (Foundation, Concrete, Excavating, Street Pipe Layer & Common) - Fourth 1000 hours</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 90% of Journeyperson's rate

Supplemental Rate Per Hour: \$34.88

(Local #731)

MARBLE MECHANICS

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 19 of 34

Cutters & Setters - First 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's rate

NO BENEFITS PAID DURING THE FIRST TWO MONTHS (PROBATIONARY PERIOD)

Cutters & Setters - Second 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 55% of Journeyperson's rate

Cutters & Setters - Third 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 65% of Journeyperson's rate

Cutters & Setters - Fourth 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 75% of Journeyperson's rate

Cutters & Setters - Fifth 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 85% of Journeyperson's rate

Cutters & Setters - Sixth 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 95% of Journeyperson's rate

Polishers & Finishers - First 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's rate

NO BENEFITS PAID DURING THE FIRST TWO MONTHS (PROBATIONARY PERIOD)

Polishers & Finishers - Second 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's rate

Polishers & Finishers - Third 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 75% of Journeyperson's rate

Polishers & Finishers - Fourth 750 Hours

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 20 of 34

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 90% of Journeyperson's rate

(Local #7)

MASON TENDER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Mason Tender - First Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$20.99

Supplemental Benefit Rate per Hour: \$17.86

Mason Tender - Second Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$22.14

Supplemental Benefit Rate per Hour: \$17.86

Mason Tender - Third Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$23.84

Supplemental Benefit Rate per Hour: \$17.86

Mason Tender - Fourth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$26.50

Supplemental Benefit Rate per Hour: \$17.86

(Local #79)

METALLIC LATHER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Metallic Lather (First Year -Called Prior to 6/29/11)

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 21 of 34

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$28.11

Supplemental Benefit Rate per Hour: \$22.79

Metallic Lather (Second Year - Called Prior to 6/29/11)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$32.71

Supplemental Benefit Rate per Hour: \$24.44

Metallic Lather (Third Year - Called Prior to 6/29/11)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$37.77

Supplemental Benefit Rate per Hour: \$25.59

Metallic Lather (First Year -Called On Or After 6/29/11)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$17.71

Supplemental Benefit Rate per Hour: \$19.85

Metallic Lather (Second Year - Called On Or After 6/29/11)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$22.81

Supplemental Benefit Rate per Hour: \$19.85

Metallic Lather (Third Year - Called On Or After 6/29/11)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$27.91

Supplemental Benefit Rate per Hour: \$19.85

(Local #46)

MILLWRIGHT

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Millwright (First Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$26.64

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 22 of 34

Supplemental Benefit Rate per Hour: \$32.84

Millwright (Second Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$31.49

Supplemental Benefit Rate per Hour: \$36.18

Millwright (Third Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$36.33

Supplemental Benefit Rate per Hour: \$40.66

Millwright (Fourth Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$46.02

Supplemental Benefit Rate per Hour: \$46.24

(Local #740)

PAVER AND ROADBUILDER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Paver and Roadbuilder - First Year (Minimum 1000 hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$26.61

Supplemental Benefit Rate per Hour: \$16.50

Paver and Roadbuilder - Second Year (Minimum 1000 hours)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$28.22

Supplemental Benefit Rate per Hour: \$16.50

(Local #1010)

PAINTER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Painter - Brush & Roller - First Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$15.80

Supplemental Benefit Rate per Hour: \$11.88

Painter - Brush & Roller - Second Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$19.75

Supplemental Benefit Rate per Hour: \$15.73

Painter - Brush & Roller - Third Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$23.70

Supplemental Benefit Rate per Hour: \$18.64

Painter - Brush & Roller - Fourth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$31.60

Supplemental Benefit Rate per Hour: \$24.02

(District Council of Painters)

PAINTER - STRUCTURAL STEEL

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Painters - Structural Steel (First Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 40% of Journeyperson's rate

Painters - Structural Steel (Second Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's rate

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 24 of 34

Painters - Structural Steel (Third Year)

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 80% of Journeyperson's rate

(Local #806)

PLASTERER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Plasterer - First Year: 1st Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$15.76

Plasterer - First Year: 2nd Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 45% of Journeyperson's rate

Supplemental Rate Per Hour: \$16.24

<u>Plasterer - Second Year: 1st Six Months</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$18.21

Plasterer - Second Year: 2nd Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$19.29

Plasterer - Third Year: 1st Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: \$21.46

Plasterer - Third Year: 2nd Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 75% of Journeyperson's rate

upplemental Rate Per Hour: \$22.54

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 25 of 34

(Local #530)

PLUMBER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Plumber - First Year: 1st Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$14.00

Supplemental Benefit Rate per Hour: \$0.71

Plumber - First Year: 2nd Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$14.00

Supplemental Benefit Rate per Hour: \$2.96

Plumber - Second Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$23.87

Supplemental Benefit Rate per Hour: \$11.46

Plumber - Third Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$25.97

Supplemental Benefit Rate per Hour: \$11.46

Plumber - Fourth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$28.82

Supplemental Benefit Rate per Hour: \$11.46

<u> Plumber - Fifth Year: 1st Six Months</u>

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$30.22

Supplemental Benefit Rate per Hour: \$11.46

Plumber - Fifth Year: 2nd Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$42.29

Supplemental Benefit Rate per Hour: \$11.46

(Plumbers Local #1)

POINTER - WATERPROOFER, CAULKER MECHANIC (EXTERIOR BUILDING RENOVATION)

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Pointer - Waterproofer, Caulker Mechanic - First Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$25.01

Supplemental Benefit Rate per Hour: \$4.75

Pointer - Waterproofer, Caulker Mechanic - Second Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$27.25

Supplemental Benefit Rate per Hour: \$9.70

Pointer - Waterproofer, Caulker Mechanic - Third Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$32.24

Supplemental Benefit Rate per Hour: \$12.45

Pointer - Waterproofer, Caulker Mechanic - Fourth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$38.66

Supplemental Benefit Rate per Hour: \$12.45

(Bricklayer District Council)

ROOFER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 2)

Roofer - First Year

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 35% of Journeyperson's Rate

Roofer - Second Year

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's Rate

Roofer - Third Year

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's Rate

Roofer - Fourth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 75% of Journeyperson's Rate

(Local #8)

SHEET METAL WORKER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Sheet Metal Worker (0-6 Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 25% of Journeyperson's rate

Supplemental Rate Per Hour: \$6.15

Sheet Metal Worker (7-18 Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 35% of Journeyperson's rate

Supplemental Rate Per Hour: \$16.21

Sheet Metal Worker (19-30 Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 45% of Journeyperson's rate

Supplemental Rate Per Hour: \$22.23

Sheet Metal Worker (31-36 Months)

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 28 of 34

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$26.16

Sheet Metal Worker (37-42 Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$28.13

Sheet Metal Worker (43-48 Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: \$32.09

Sheet Metal Worker (49-54 Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Rate Per Hour: \$34.07

Sheet Metal Worker (55-60 Months)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$36.03

(Local #28)

SIGN ERECTOR

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Sign Erector - First Year: 1st Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 35% of Journeyperson's rate

Supplemental Rate Per Hour: \$5.96

Sign Erector - First Year: 2nd Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$6.75

ign Erector - Second Year: 1st Six Months

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 29 of 34

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 45% of Journeyperson's rate

Supplemental Rate Per Hour: \$7.55

Sign Erector - Second Year: 2nd Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$8.34

Sign Erector - Third Year: 1st Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 55% of Journeyperson's rate

Supplemental Rate Per Hour: \$9.13

Sign Erector - Third Year: 2nd Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 60% of Journeyperson's rate

Supplemental Rate Per Hour: \$9.92

Sign Erector - Fourth Year: 1st Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Rate Per Hour: \$10.72

Sign Erector - Fourth Year: 2nd Six Months

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: \$11.51

Sign Erector - Fifth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 75% of Journeyperson's rate

Supplemental Rate Per Hour: \$12.30

Sign Erector - Sixth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$12.30

(Local #137)

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 30 of 34

STEAMFITTER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 3)

Steamfitter - First Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate and Supplemental Per Hour: 40% of Journeyperson's rate

Steamfitter - Second Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate and Supplemental Rate Per Hour: 50% of Journeyperson's rate.

Steamfitter - Third Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate and Supplemental Rate per Hour: 65% of Journeyperson's rate.

Steamfitter - Fourth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate and Supplemental Rate Per Hour: 80% of Journeyperson's rate.

Steamfitter - Fifth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate and Supplemental Rate Per Hour: 85% of Journeyperson's rate.

(Local #638)

STONE MASON - SETTER

(Ratio Apprentice of Journeyperson: 1 to 1, 1 to 2)

Stone Mason - Setters - First 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's rate

Stone Mason - Setters - Second 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Nage Rate Per Hour: 60% of Journeyperson's rate

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 31 of 34

Supplemental Rate Per Hour: 50% of Journeyperson's rate

Stone Mason - Setters - Third 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 70% of Journeyperson's rate

Supplemental Rate Per Hour: 50% of Journeyperson's rate

Stone Mason - Setters - Fourth 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: 50% of Journeyperson's rate

Stone Mason - Setters - Fifth 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 90% of Journeyperson's rate

Supplemental Rate Per Hour: 50% of Journeyperson's rate

Stone Mason - Setters - Sixth 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 100% of Journeyperson's rate

Supplemental Rate Per Hour: 50% of Journeyperson's rate

(Bricklayers District Council)

TAPER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Drywall Taper - First Year

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 40% of Journeyperson's rate

Drywall Taper - Second Year

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 60% of Journeyperson's rate

Drywall Taper - Third Year

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 80% of Journeyperson's rate

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 32 of 34

(Local #1974)

TILE LAYER - SETTER

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 4)

Tile Layer - Setter - First 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 50% of Journeyperson's rate

Tile Layer - Setter - Second 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 55% of Journeyperson's rate

Tile Layer - Setter - Third 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 65% of Journeyperson's rate

Tile Layer - Setter - Fourth 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 75% of Journeyperson's rate

Tile Layer - Setter - Fifth 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 85% of Journeyperson's rate

Tile Layer - Setter - Sixth 750 Hours

Effective Period: 7/1/2014 - 6/30/2015

Wage and Supplemental Rate Per Hour: 95% of Journeyperson's rate

(Local #7)

TIMBERPERSON

(Ratio of Apprentice to Journeyperson: 1 to 1, 1 to 6)

Timberperson - First Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 40% of Journeyperson's rate

Supplemental Rate Per Hour: \$30.89

Timberperson - Second Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 50% of Journeyperson's rate

Supplemental Rate Per Hour: \$30.89

Timberperson - Third Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 65% of Journeyperson's rate

Supplemental Rate Per Hour: \$30.89

Timberperson - Fourth Year

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate Per Hour: 80% of Journeyperson's rate

Supplemental Rate Per Hour: \$30.89

(Local #1536)

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 34 of 34

NYC ADMINISTRATIVE CODE § 6-109 SCHEDULE OF "LIVING WAGES"

Contractors who provide the following services to the City of New York must post a copy of this Living Wage Schedule at their work site(s) as required by New York City Administrative Code § 6-109:

- Building Services,
- Day Care Services,
- Food Services,
- Head Start Services.
- Homecare Services,
- Services to Persons with Cerebral Palsy, and
- Temporary Services.

In accordance with NYC Administrative Code § 6-109, the Comptroller of the City of New York promulgated this schedule of living wages for the above services on contracts for non-emergency work in excess of the small purchase limit set by the Procurement Policy Board; contracting agencies must annex this schedule to such contracts.

This schedule is a compilation of separate determinations of the prevailing rate of wage and supplements made by the Comptroller for each trade classification listed herein pursuant to New York City Administrative Code section 6-109. The source of the wage and supplement rates, whether a collective bargaining agreement, survey data or other, is listed at the end of each classification.

A city service contractor or subcontractor that provides homecare services, day care services, head start services or services to persons with cerebral palsy must pay its covered employees that directly render such services in performance of the city service contract or subcontract no less than the living wage and must provide its employees health benefits (supplemental benefits) or must supplement their hourly wage rate by an amount no less than the health benefits supplement rate. This requirement applies for each hour that the employee works performing the city service contract or subcontract.

A city service contractor or subcontractor that provides building services, food services or temporary services must pay its employees that are engaged in performing the city service contract or subcontract no less than the living wage or the prevailing wage, whichever is greater. Where the living wage is greater than the prevailing wage, the city service contractor or subcontractor must either provide its employees health benefits or must supplement their hourly wage rate by an amount no less than the health benefits supplement rate. Where the prevailing wage is greater than the living wage, the city service contractor or subcontractor must provide its employees the prevailing wage and supplements. These requirements apply for each hour that the employee works performing the city service contract or subcontract.

The appropriate schedule of living wages must be posted at all work sites pursuant to NYC Administrative Code 6-109.

The schedule is applicable for work performed during the effective period, unless otherwise noted. You will be notified of any changes to this schedule by addenda published on our web site www.comptroller.nyc.gov. Schedules for future one-year periods will be published annually in the City Record on or about July 1st of each succeeding year and on our web site www.comptroller.nyc.gov.

The living wage rate and the health benefit supplement rate are known through June 30 of each year and those rates are listed in this schedule.

The living wage rates listed in this schedule may not include all hourly wage calculations for overtime, shift differential, Holiday, Saturday, Sunday or other premium time work. Similarly, this schedule does not set forth every living wage practice with which employers must comply.

Some of the rates in this schedule are based on collective bargaining agreements. These agreements are available for inspection by appointment. Requests for appointments may be made by calling (212) 669-4443, Monday through Friday between the hours of 9 a.m. and 5 p.m.

Answers to questions concerning prevailing wage practices may be obtained from the Classification Unit by calling (212) 669-7974. Please direct all other compliance issues to; Bureau of Labor Law, Attn: Wasyl Kinach, P.E., Office of the Comptroller, 1 Centre Street, Room 1122, New York, N.Y. 10007; Fax (212) 669-4002.

Contractors are solely responsible for maintaining original payroll records, which delineate, among other things, the hours each employee worked within a given classification. Contractors using rates and/or classifications not promulgated by the Comptroller do so at their own risk. Additionally, prior to bid, an agency's chief contracting officer must contact the Bureau of Labor Law to obtain a wage determination for a work classification not published in this schedule.

The information listed below is intended to assist you in meeting your living wage and prevailing wage obligation. Contractors are advised to review the Comptroller's Living Wage Schedule prior to submitting a bid for City work. Any wage rate error made by the contracting agency in the contract documents will <u>not</u> preclude a finding against the contractor for an underpayment of the applicable living wage or the applicable prevailing wage.

This schedule sets forth the living wage and benefit rates required to be annexed to and form part of the contract specifications for work covered by New York City Administrative Code § 6-109. Contractors performing such work are required to pay not less that the rates specified in this schedule for the applicable trade or occupation.

Benefits are paid for *EACH HOUR WORKED* unless otherwise noted.

Wasyl Kinach, P.E.
Director of Classifications
Bureau of Labor Law

TABLE OF CONTENTS

| CLASSIFICATION | AGE |
|---|-----|
| BUILDING CLEANER AND MAINTAINER (OFFICE) | 4 |
| BUILDING CLEANER AND MAINTAINER (RESIDENTIAL) | 4 |
| CLEANER (PARKING GARAGE) | 4 |
| DAY CARE SERVICES | 4 |
| FOOD SERVICE EMPLOYEES | 4 |
| GARDENER | 5 |
| HEAD START SERVICES | 5 |
| HOMECARE SERVICES | 6 |
| SECURITY GUARD (ARMED) | 6 |
| SECURITY GUARD (UNARMED) | 6 |
| SERVICES TO PERSONS WITH CEREBRAL PALSY | 6 |
| TEMPORARY OFFICE SERVICES | 7 |
| WINDOW CLEANER | 8 |

BUILDING CLEANER AND MAINTAINER (OFFICE)

For the above building service classification, see the Labor Law Section 230 Schedule.

BUILDING CLEANER AND MAINTAINER (RESIDENTIAL)

For the above building service classification, see the Labor Law Section 230 Schedule.

CLEANER (PARKING GARAGE)

For the above building service classification, see the Labor Law Section 230 Schedule.

DAY CARE SERVICES

Day Care Services

'Day Care Services' means provision of day care services through the city's center-based day care program administered under contract with the city's Administration for Children's Services. No other day care programs shall be covered, including family-based day care programs administered by city-contracted day care centers.

Effective Period: 7/1/2014 - 6/30/2015 Wage Rate per Hour: \$10.00

Supplemental Benefit Rate per Hour: \$1.50

(NYC Administrative Code §6-109)

FOOD SERVICE EMPLOYEES

Cook

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$16.35

Supplemental Benefit Rate per Hour: \$1.63

Cafeteria Attendant

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$10.41

Supplemental Benefit Rate per Hour: \$1.63

Counter Attendant

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$11.00

Supplemental Benefit Rate per Hour: \$1.63

Kitchen Helper / Dishwasher

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$9.99

Supplemental Benefit Rate per Hour: \$1.63

Overtime

Time and one half the regular hourly rate after 40 hours in any work week.

(Based on data from NYS Department of Labor Occupational Employment Statistics and US Department of Labor Bureau of Labor Statistics)

GARDENER

For the above building service classification, see the Labor Law Section 230 Schedule.

HEAD START SERVICES

Head Start Services

'Head Start Services' means provision of head start services through the city's center-based head start program administered under contract with the city's Administration for Children's Services. No other head start programs shall be covered.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$10.00

Supplemental Benefit Rate per Hour: \$1.50

(NYC Administrative Code §6-109)

HOMECARE SERVICES

Home Care Services

'Homecare Services' means the provision of homecare services under the city's Medicaid Personal Care/Home Attendant or Housekeeping Programs, including but not limited to the In-Home Services for the Elderly Programs administered by the Department for the Aging.

For homecare services provided under the Personal Care Services program, the wage and supplemental benefit rate above shall apply only as long as the state and federal government maintain their combined aggregate proportionate share of funding and approved rates for homecare services in effect as of the date of the enactment of this section.

For contractors or subcontractors providing homecare services, the supplemental benefit rate may be waived by the terms of a bona fide collective bargaining agreement with respect to employees who have never worked a minimum of eighty (80) hours per month for two consecutive months for that covered employer, but such provision may not be waived for any employee once a minimum of eighty (80) hours for two consecutive months has been achieved.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$10.00

Supplemental Benefit Rate per Hour: \$1.50

(NYC Administrative Code §6-109)

SECURITY GUARD (ARMED)

For the above building service classification, see the Labor Law Section 230 Schedule.

SECURITY GUARD (UNARMED)

For the above building service classification, see the Labor Law Section 230 Schedule.

SERVICES TO PERSONS WITH CEREBRAL PALSY

Services To Person With Cerebral Palsy

'Services to Persons with Cerebral Palsy' means provision of services which enable persons with cerebral palsy and related disabilities to lead independent and productive lives through an agency that provides health care, education, employment, housing and technology resources to such persons under contract with the city or the department of education.

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$10.00

Supplemental Benefit Rate per Hour: \$1.50

(NYC Administrative Code §6-109)

TEMPORARY OFFICE SERVICES

Administrative Assistant

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$33.29

Supplemental Benefit Rate per Hour: None

Cashier

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$11.50

Supplemental Benefit Rate per Hour: None

Clerk (various)

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$14.82

Supplemental Benefit Rate per Hour: None

Computer Assistant

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$19.94

Supplemental Benefit Rate per Hour: None

Data Entry Operator

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$16.44

Supplemental Benefit Rate per Hour: None

Receptionist

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$15.03

Supplemental Benefit Rate per Hour: None

Secretary (various)

Effective Period: 7/1/2014 - 6/30/2015

Vage Rate per Hour: \$19.31

Supplemental Benefit Rate per Hour: None

Word Processor

Effective Period: 7/1/2014 - 6/30/2015

Wage Rate per Hour: \$18.49

Supplemental Benefit Rate per Hour: None

Overtime

Time and one half the regular hourly rate after 40 hours in any work week.

(Based on data from NYS Department of Labor Occupational Employment Statistics and US Department of Labor Bureau of Labor Statistics or NYC Administrative Code §6-109)

WINDOW CLEANER

For the above building service classification, see the Labor Law Section 230 Schedule.

PUBLISH DATE: 7/1/2014 EFFECTIVE PERIOD: JULY 1, 2014 THROUGH JUNE 30, 2015 Page 8 of 8



THE CITY OF NEW YORK OFFICE OF THE COMPTROLLER 1 CENTRE STREET ROOM 1120 NEW YORK, N.Y. 10007-2341

TELEPHONE: (212) 669-36 FAX NUMBER: (212) 669-84

ALAN G. HEVESI COMPTROLLER

MEMORANDUM

November 6, 2000

To

Agency Chief Contracting Officers

From:

Leonard A. Mancusi

Re:

Security at Construction Sites

Prior to the enactment of Administrative Code §6-109, security guards on construction sites were not subject to prevailing wages. Security guards under the New York State labor law are covered under §230 which provides that prevailing wages are to be paid for security guards in existing buildings. §6-109 of the Administrative Code which was enacted in 1996 closed this loophole by including all security guards working pursuant to a city contract as a prevailing wage trade.

Although some construction contract boilerplate language has been amended to include §6-109, sub-contractors performing security services have advised us that they were not aware of this provision and, since traditionally, security guards were not a covered trade on construction sites, and they were not advised by a prime contractor that they would have to pay prevailing wages, they have not been doing so.

To avoid the possibility of issuing stop payments against prime contractors for the failure of their security service sub-contractors to pay

prevailing wages, we suggest that you write to all your existing security guard sub-contractors and their primes and in the future, upon approval of a security guard sub-contractor, advise the contractors of their obligation to pay prevailing wages under §6-109 of the Administrative Code.

As always, your cooperation is appreciated.

LAM:er ACCO.SECURITY AT SITES



INFRASTRUCTURE DIVISION BUREAU OF DESIGN

VOLUME 2 OF 3

| | Contractor |
|--|----------------------------|
| Dated | |
| APPROVED AS TO FORM
CERTIFIED AS TO LEGAL AUTHORITY | |
| | Acting Corporation Counsel |
| Dated | |



INFRASTRUCTURE DIVISION BUREAU OF DESIGN

VOLUME 2 OF 3

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto BOROUGH OF BROOKLYN

| Bedford / Car P Cons | Fruction Inc-
Contractor |
|---|-----------------------------|
| Dated January 26 | |
| APPROVED AS TO FORM CERTIFIED AS TO LEGAL AUTHORITY | Acting Corporation Counsel |
| Dated April 21 | |



THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

30-30 THOMSON AVENUE LONG ISLAND CITY, NEW YORK 11101-3045 TELEPHONE (718) 391-1000 WEBSITE www.nyc.gov/buildnyc

VOLUME 3 OF 3

SCHEDULE A ADDENDA NOS. 1 TO 6

FOR FURNISHING ALL LABOR AND MATERIALS NECESSARY AND REQUIRED FOR:

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto
BOROUGH OF BROOKLYN
CITY OF NEW YORK

FOR THE DEPARTMENT OF ENVIRONMENTAL PROTECTION PREPARED BY IN-HOUSE DESIGN

March 26, 2015



SPECIFICATIONS AND STANDARDS OF NEW YORK CITY

The following New York City Department of Transportation (NYCDOT) reference documents are available on-line at:

http://www.nyc.gov/html/ddc/html/pubs/pubs_infrastdts.shtml or for purchase between 9:00 A.M. and 3:00 P.M. at 55 Water St., Ground Floor, NYC, N.Y. 10041. Contact: Ms Vivian Valdez, Tel. (212) 839-9434

- 1. NYCDOT Standard Highway Specifications, November 1, 2010
- 2. NYCDOT Standard Highway Details of Construction, July 1, 2010
- 3. NYCDOT Division of Street Lighting Specifications
- 4. NYCDOT Division of Street Lighting Standard Drawings
- 5. NYCDOT Standard Specifications for Traffic Signals
- 6. NYCDOT Standard Drawings for Traffic Signals

The following reference documents for New York City Department of Environmental Protection (NYCDEP) are available on-line at: http://www.nyc.gov/html/ddc/html/pubs/pubs infrastdts.shtml or for pick up between 8:00 A.M. and 4:00 P.M. at 30-30 Thomson Avenue, 3rd Floor, Division of Infrastructure, Long Island City, N.Y. 11101. Contact: Mr. Wagar Ahmad, Tel. (718) 391-2056

- 1. NYCDEP Standard Sewer and Water Main Specifications, July 1, 2014
- 2. NYCDEP Instructions for Concrete Specifications, Jan. 92
- 3. NYCDEP General Specification 11-Concrete, November 1991
- 4. NYCDEP Sewer Design Standards, (September 2007) Revised January 2009

The following reference documents for New York City Department of Environmental Protection (NYCDEP) are available on-line at: http://www.nyc.gov/html/ddc/html/pubs/pubs infrastdts.shtml or for pick up between 8:00 A.M. and 4:00 P.M. at 30-30 Thomson Avenue, 3rd Floor, Division of Infrastructure, Long Island City, N.Y. 11101. Contact: Mr. Robert Kuhlmann, Tel. (718) 391-2145

- 1. NYCDEP Water Main Standard Drawings
- Specifications for Trunk Main Work, dated July 2014
 Standards for Green Infrastructure, latest version, available only on-line at: http://www.nyc.gov/html/dep/pdf/green infrastructure/bioswalesstandard-designs.pdf

Water main work material specifications are available at the Department of Environmental Protection, 59-17 Junction Boulevard, 3rd Floor Low-Rise Building, Flushing, N.Y. 11373-5108.

Contact: Mr. Tarlock Sahansra, P.E., Tel. (718) 595-5302 E-mail: TSAHANSRA@DEP.NYC.GOV

Standard Specifications and Drawings for Fire Department Communications facilities of New York City are available at 87 Union Street, Engineering Office, Brooklyn, N.Y. 11231-1416. Contact: Mr. Ed Durkin, Tel. (718) 624-3752

Tree Planting Standards of the City of New York Parks & Recreation are available at the following Department of Parks & Recreation website: http://www.nycgovparks.org/pagefiles/53/Tree-Planting-Standards.pdf

SPECIFICATIONS AND STANDARDS OF PRIVATE UTILITIES

The Following reference document for Private Utility Work is available for pick up between 8:30 A.M. and 4:00 P.M. at 30-30 Thomson Avenue, First Floor Bid Procurement Room, L.I.C., N.Y. 11101.

1. CET SPECIFICATIONS AND SKETCHES dated November 2010

(NO TEXT ON THIS PAGE)

SCHEDULE "A"

(GENERAL CONDITIONS TO CONSTRUCTION CONTRACT) (INCLUDING GENERAL CONDITIONS RELATED TO ARTICLE 22 - INSURANCE)

PART I. REQUIRED INFORMATION

| 1 | |
|--|--|
| INFORMATION FOR BIDDERS SECTION 26 BID SECURITY The Contractor shall obtain a bid security in the amount indicated to the right. | See Attachment 1 (page A-1 of the Bid Booklet) |
| INFORMATION FOR BIDDERS SECTION 26 PERFORMANCE AND PAYMENT BONDS The Contractor shall obtain performance and | See Attachment 1 (page A-1 of the Bid Booklet) |
| The Contractor shall obtain performance and payment bonds in the amount indicated to the right. | |
| CONTRACT ARTICLE 14. DATE FOR SUBSTANTIAL COMPLETION | S B |
| The Contractor shall substantially complete the Work in the number of calendar days indicated to the right. | See Page SA-4 |
| CONTRACT ARTICLE 15. LIQUIDATED DAMAGES | |
| If the Contractor fails to substantially complete the Work within the time fixed for substantial completion plus authorized time extensions or if the Contractor, in the sole determination of the Commissioner, has abandoned the Work, the Contractor shall pay to the City the amount indicated to the right. | For Each Consecutive Calendar Day Over Substantial Completion Time: \$1,500.00 |
| CONTRACT ARTICLE 17. SUB-CONTRACTOR The Contractor shall not make subscatter to 1.1. | Not to Exceed 35% of the Contract Price |
| The Contractor shall not make subcontracts totaling an amount more than the percentage of the total Contract price indicated to the right. | of the Contract Price |
| CONTRACT ARTICLE 21. RETAINAGE | |
| The Commissioner shall deduct and retain until the substantial completion of the Work the percent value of the Work indicated to the right. | 5% of the Value of the Work |
| CONTRACT ARTICLE 22. | |
| (Per Directions Indicated To The Right) | See pages SA-5 through SA-9 |
| | |

| CONTRACT ARTICLE 24. DEPOSIT GUARANTEE As security for the faithful performance of its obligations, the Contractor, upon filing its requisition for payment on Substantial Completion, shall deposit with the Commissioner a sum equal to the percentage of the Contract price indicated to the right. | 1% of Contract Price |
|---|---|
| CONTRACT ARTICLE 24. PERIOD OF GUARANTEE Periods of maintenance and guarantee other than the period set forth in Article 24.1 are indicated to the right. | Eighteen (18) Months, excluding Trees Twenty-Four (24) Months for Tree Planting Thirty-Six (36) Months for BMP Landscaping Work |
| CONTRACT ARTICLE 74. STATEMENT OF WORK The Contractor shall furnish all labor and materials and perform all Work in strict accordance with the Contract Drawings, Specifications, and all Addenda thereto. | See Contract Article 74 |
| CONTRACT ARTICLE 75. COMPENSATION TO BE PAID TO CONTRACTOR The City shall pay and the Contractor shall accept in full consideration for the performance of the Contract, subject to additions and deductions as provided in Contract Article 75, this said sum being the amount at which the Contract was awarded to the Contractor at a public letting thereof, based upon the Contractor's bid for the Contract. | See Contract Article 75 |
| CONTRACT ARTICLE 78. PARTICIPATION BY MINORITY-OWNED AND WOMEN- OWNED BUSINESS ENTERPRISES IN CITY PROCUREMENT | See M/WBE Utilization Plan in the Bid Booklet |

STANDARD HIGHWAY SPECIFICATIONS SECTION 6.40 LIQUIDATED DAMAGES FOR ENGINEER'S FIELD OFFICE

If the Contractor fails to satisfactorily provide the field office and all equipment specified in **Section 6.40 - Engineer's Field Office**, and/or if a cited deficiency exceed seventy two (72) hours after notice from the Engineer in writing, or is permitted to recur, liquidated damages will be assessed in the amount specified herein for each subsequent calendar day or part thereof that a cited deficiency resulting in nonpayment, as described in **Section 6.40.5**, is not corrected.

For Each Calendar Day of Deficiency: \$250.00

STANDARD HIGHWAY SPECIFICATIONS SECTION 6.70 LIQUIDATED DAMAGES FOR MAINTENANCE AND PROTECTION OF TRAFFIC

For each instance of failure to comply with the Maintenance and Protection of Traffic requirements within three (3) hours after written notice from the Engineer: \$250.00

For each and every hour of failing to open the entire width of roadway to traffic the morning following a night/weekend work operation: \$500.00

STANDARD HIGHWAY SPECIFICATIONS SECTION 7.13 LIQUIDATED DAMAGES FOR MAINTENANCE OF SITE

If the Contractor fails to comply, within three (3) consecutive hours after written notice from the Engineer, with the requirements of **Section 7.13 - Maintenance of Site**, the Contractor shall pay to the City of New York, until such notice has been complied with or rescinded, the sum specified above per calendar day, for each instance of such failure, as liquidated damages and not as a penalty, for such default.

For Each Calendar Day, for Each Occurrence: \$250.00

Date for Substantial Completion (Reference: Article 14)

The Contractor shall substantially complete the Work within the Final Contract Duration determined in accordance with the terms and conditions set forth herein.

| The Base Contract Duration for this project is | 1095 | consecutive calendar days ("o | cds"). |
|--|------|-------------------------------|--------|
|--|------|-------------------------------|--------|

The Final Contract Duration shall be the Base Contract Duration when a check mark is indicated before the word "NO", below, and shall be the Base Contract Duration adjusted by the table set forth below when a check mark is indicated before the word "YES", below.

| √ ' | YES | NO |
|------------|-----|----|
| Y | 1 | |

When the Final Contract Duration is indicated above to be adjusted by the table below, the table may increase the Base Contract Duration depending on the date of scheduled substantial completion to avoid a scheduled substantial completion of the Work during the winter months. The date of the scheduled substantial completion shall be determined by adding the Base Contract Duration to the date specified to commence work in the written Notice To Proceed. The Final Contract Duration shall then be determined as follows:

- (a) Find the row that corresponds to the month of the substantial completion based on the Base Contract Duration added to the date specified to commence work in the written Notice To Proceed.
- (b) Find the number of days to be added to the Base Contract Duration in the table below. Add that number of days to the Base Contract Duration to obtain the Final Contract Duration in consecutive calendar days.

| Month Of Substantial Completion Based On The Base Contract Duration | Number Of Days Of
Adjustment |
|---|---------------------------------|
| January | 150 |
| February | 120 |
| March | 90 |
| April | 60 |
| May | 30 |
| June | 0 |
| July | 0 |
| August | 0 |
| September | 0 |
| October | 0 |
| November - December 15 | 0 |
| December 16 - December 31 | 180 |

In addition, should Item No. 9.30 - STORM WATER POLLUTION PREVENTION exist in the Contract and the required Storm Water Pollution Prevention Plan (SWPPP) does not conform to NYSDEC's recommended Standards, an additional 60-ccds shall be added to the above Final Contract Duration.

(GENERAL CONDITIONS RELATING TO ARTICLE 22 - INSURANCE) PART II. TYPES OF INSURANCE, MINIMUM LIMITS AND SPECIAL CONDITIONS

Note: All certificate(s) of insurance submitted pursuant to Contract Article 22.3.3 must be accompanied by a Certification by Broker consistent with Part III below and include the following information:

- For each insurance policy, the name and NAIC number of issuing company, number of policy, and effective dates;
- Policy limits consistent with the requirements listed below;
- Additional insureds or loss payees consistent with the requirements listed below; and
- The number assigned to the Contract by the City (in the "Description of Operations" field).

Insurance indicated by a blackened box () or by an X in a box () to left will be required under this contract

| TYPES OF INSURANCE (per Article 22 in its entirety, including listed paragraph) | | MINIMUM LIMITS AND SPECIAL CONDITIONS |
|---|--|--|
| Commercial General Liability | | The minimum limits shall be \$3,000,000 per Occurrence and \$6,000,000 per Project Aggregate applicable to this Contract. Additional Insureds: (1) City of New York, including its officials and employees, with coverage at least as broad as ISO Form CG 20 10 and CG 20 37. (2) All person(s) or organization(s), if any, that Article 22.1.1(b) of the Contract requires to be named as Additional Insured(s), with coverage at least as broad as ISO Form CG 20 26. The Additional Insured endorsement shall either specify the entity's name, if known, or the entity's title (e.g., Project Manager). (3) National Grid (4) |

| | | , |
|--|-------------|---|
| Workers' Compensation | Art. 22.1.2 | Workers' Compensation, Employers' Liability, and Disability
Benefits Insurance: Statutory per New York State law without |
| Disability Benefits Insurance | Art. 22.1.2 | regard to jurisdiction. |
| Employers' Liability | Art. 22.1.2 | Note: The following forms are acceptable: (1) New York State Workers' Compensation Board Form No. C-105.2, (2) State Insurance Fund Form No. U-26.3, (3) New York State |
| ☐ Jones Act | Art. 22.1.3 | Workers' Compensation Board Form No. DB-120.1 and (4) Request for WC/DB Exemption Form No. CE-200. The City |
| U.S. Longshoremen's and Harbor
Workers Compensation Act | Art. 22.1.3 | will not accept an ACORD form as proof of Workers' Compensation or Disability Insurance. |
| | | Jones Act and U.S. Longshoremen's and Harbor Workers' Compensation Act: Statutory per U.S. Law. |
| | | Additional Requirements: |
| | | (1) |
| | | (2) |
| ☐ Builders' Risk | Art. 22.1.4 | 100% of Total Value of Work |
| | | Contractor the Named Insured; the City both an Additional Insured and one of the loss payees as its interests may appear. |
| | | If the Work does not involve construction of a new building or gut renovation work, the Contractor may provide an installation floater in lieu of Builders Risk insurance. |
| | | Note: Builders Risk Insurance may terminate upon Substantial Completion of the Work in its entirety. |
| Commercial Auto Liability | Art. 22.1.5 | \$2,000,000 per accident combined single limit |
| | | If vehicles are used for transporting hazardous materials, the Contractor shall provide pollution liability broadened coverage for covered vehicles (endorsement CA 99 48) as well as proof of MCS 90. |
| · | | Additional Insureds: |
| | | (1) City of New York, including its officials and employees. |
| | | (2) |
| | | (3) |
| | | |

| ☐ Contractors Pollution Liability | Art. 22.1.6 | \$ per occurrence |
|-----------------------------------|----------------|--|
| | | \$aggregate |
| | | Additional Insureds: |
| | | (1) City of New York, including its officials and employees. |
| | | (2) |
| | | (3) |
| ☐ Marine Protection and Indemnity | Art. 22.1.7(a) | \$each occurrence |
| · | | \$ aggregate |
| | | Additional Insureds: |
| | | (1) City of New York, including its officials and employees. |
| | | (2) |
| | | (3) |
| ☐ Hull and Machinery Insurance | Art. 22.1.7(b) | \$per occurrence |
| , | | \$ aggregate |
| | | Additional Insureds: |
| | | (1) City of New York, including its officials and employees. |
| | | (2) |
| | | (3) |
| ☐ Marine Pollution Liability | Art. 22.1.7(c) | \$ per occurrence |
| | | \$ aggregate |
| | | Additional Insureds: |
| y. | | (1) City of New York, including its officials and employees. |
| | | (2) |
| | | (3) |

| [OTHER] | Art. 22.1. |
|--------------------------------------|------------|
| Railroad Protection Liability Policy | |

(ISO-RIMA or equivalent form) approved by Permittor covering the work to be performed at the designated site and affording protection for damages arising out of bodily injury or death, physical damage to or destruction of property, including damage to the Insured's own property and conforming to the following:

- Policy Endorsement CG 28 31 Pollution Exclusion Amendment is required to be endorsed onto the policy when environmentalrelated work and/or exposures exist.
- Indicate the Name and address of the Contractor to perform the work, the Contract Number and the name of the railroad property where the work is being performed and the Agency Permit.
- Evidence of Railroad Protective Liability Insurance, must be provided in the form of the Original Policy. A detailed Insurance Binder (ACORD or Manuscript Form) will be accepted pending issuance of the Original Policy, which must be provided within thirty (30) days of the Binder Approval.

\$2,000,000 per occurrence \$6,000,000 annual aggregate

Named Insureds:

- (1)
- (2)

[OTHER] Art. 22.1.8

Professional Liability

A. The Contractor's Professional Engineer shall maintain and submit evidence of Professional Liability Insurance in the minimum amount of \$1,000,000 per claim. The policy or policies shall include an endorsement to cover the liability assumed by the Contractor under this Contract arising out of the negligent performance of professional services or caused by an error, omission or negligent act of the Contractor's Professional Engineer or anyone employed by the Contractor's Professional Engineer.

B. Claims-made policies will be accepted for Professional Liability Insurance. All such policies shall have an extended reporting period option or automatic coverage of not less than two (2) years. If available as an option, the Contractor's Professional Engineer shall purchase extended reporting period coverage effective on cancellation or termination of such insurance unless a new policy is secured with a retroactive date, including at least the last policy year.

[OTHER]

Art. 22.1.8

Engineer's Field Office

Section 6.40, Standard Highway Specifications

Fire insurance, extended coverage and vandalism, malicious mischief and burglary, and theft insurance coverage in the amount of \$40,000

[OTHER] Art. 22.1.8

The Following Additional Insurance Must Be Provided:

<u>Umbrella/Excess Liability Insurance</u> - The Contractor shall provide Umbrella/Excess Liability Insurance in the minimum amount of \$10,000,000 per Occurrence and \$10,000,000 in Aggregate. The policy terms and condition should be at least as broad as the underlying policies. The underlying policies should comply with the insurance provision as outlined by the contract. Defense cost should be in addition to the limit of liability. The City of New York, including its officials and employees, should be included as additional insured as respects to the noted project.

SCHEDULE "A" (GENERAL CONDITIONS TO CONSTRUCTION CONTRACT) (GENERAL CONDITIONS RELATING TO ARTICLE 22 - INSURANCE)

PART III. BROKER'S CERTIFICATION

Pursuant to Article 22.3.3 of the **Contract**, every Certificate Of Insurance must be accompanied by either the following certification by the broker setting forth the following text and required information and signatures or certified copies of all policies referenced in the Certificate Of Insurance.

CERTIFICATION BY BROKER

The undersigned insurance broker represents to the City of New York that the attached Certificate Of Insurance is accurate in all material respects, and that the described insurance is effective as of the date of this Certification.

| | [Name Of Broker (Typewritten)] |
|-----------------------------------|---|
| | [Address Of Broker (Typewritten)] |
| | [E-Mail Address Of Broker (Typewritten)] |
| | [Phone Number/Fax Number Of Broker (Typewritten)] |
| | [Signature Of Authorized Official Or Broker] |
| | [Name And Title Of Authorized Official (Typewritten)] |
| State of)
) ss.:
County of) | |
| Sworn to before me this day of _ | , 20 |
| NOTARY PUBLIC FOR THE STATE O | F |

SCHEDULE "A"

(GENERAL CONDITIONS TO CONSTRUCTION CONTRACT)

PART IV. ADDRESS OF COMMISSIONER

Wherever reference is made in Article 7 or Article 22 to documents to be sent to the **Commissioner** (e.g., notices, filings, or submissions), such documents shall be sent to the address set forth below or, in the absence of such address, to the **Commissioner's** address as provided elsewhere in this **Contract**.

| DDC Director, Insurance Risk Manager |
|--|
| • |
| |
| 30 - 30 Thomson Avenue, 4th Floor (IDCNY Building) |
| |
| |
| Long Island City, NY 11101 |
| |
| |
| |

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto
BOROUGH OF BROOKLYN
CITY OF NEW YORK

ADDENDUM NO. 1

DATED: February 24, 2014

THIS ADDENDUM IS HEREBY MADE A PART OF THE CONTRACT DOCUMENTS

The New York City Department of Transportation Standard Highway Specifications, dated November 1, 2010, (which include, but are not limited to, "General Conditions", "Basic Materials of Construction", "Combined Materials of Construction", "Construction Methods", "Inspection and Testing of Materials, Adjustments for Deficiencies, and Maintenance", and "Supplemental Construction Methods"), as modified by addenda issued prior to the opening of bids, shall apply to and become a part of the contract.

All references contained herein are to the New York City Department of Transportation, Standard Highway Specifications, dated November 1, 2010. The said Specifications are hereby revised. Included hereunder are the following REVISIONS:

- 1. Amendments to Standard Highway Specifications, Volume I
- 2. Amendments to Standard Highway Specifications, Volume II, including Section 7.88 (Revised) and new Section 6.44 PO and 6.52 CG.

1. AMENDMENTS TO STANDARD HIGHWAY SPECIFICATIONS, VOLUME I

The following amendments to the Contract Requirements shall become a part of and apply to the contract:

[Added 12-09-2010]

1. Refer to Page 15, Subsection 1.06.23.(C) CONFORMANCE WITH FEDERAL, STATE AND CITY AGENCIES;

Add the following new paragraphs:

"The Contractor is notified that all vehicles that are owned, leased or operated by the Contractor or its subcontractors and used in connection with the Project shall comply with the following requirement:

Every truck, tractor, and tractor-trailer or semitrailer combination, having a gross vehicle weight rating of twenty-six thousand pounds or more, and a conventional cab configuration in which more than half of the engine length is forward of the foremost point of the windshield base, and the steering wheel hub is in the forward quarter of the vehicle length shall be equipped with a convex mirror on the front of such vehicle or combination of vehicles. Such convex mirror shall be adjusted so as to enable the operator of such vehicle or combination of vehicles to see all points on an imaginary horizontal line which is three feet above the road, is one foot directly forward from the midpoint of the front of such vehicle or combination of vehicles, and extends the full width of the front of such vehicle or combination of vehicles.

Any vehicle that does not comply with this provision may be prohibited from entering the Project site and/or supplying equipment or materials to the Project. The Contractor shall not be entitled to any damages as a result of such prohibition."

[Added 01-09-2011]

2. Refer to Page 240, Subsection 4.16.5.(B) STUMP REMOVAL;

Delete Subsection 4.16.5.(B) STUMP REMOVAL, in its entirety:
Substitute the following revised Subsection 4.16.5.(B):

"(B) STUMP REMOVAL

- 1. Tree stumps designated to be removed and their roots shall be completely excavated to a minimum depth of three (3) feet below the existing grade. A portable stump cutter may be required in some locations. It may be necessary to remove concrete, asphalt, pavers, and/or other types of material surrounding the base of the stump. All excess debris, including chips from tree stumps, shall be removed and disposed of by the Contractor, away from the site prior to backfilling and the area shall be restored by completion of the workday, to the satisfaction of the Engineer. The disposal of tree stumps by burning in open fires will not be permitted.
- 2. All voids and excavations left after the removal of the stump and roots shall be backfilled to grade with clean earth fill. Fill shall be placed and compacted to a minimum of 95 percent of Standard Proctor Maximum Density by acceptable methods to the satisfaction of the Engineer. Where paving blocks exist, they are to be reset to the existing grade as directed.
- 3. Maximum safety and care must be used by Contractor during stump removal. The Contractor shall carefully protect against damage all existing trees, plants, curbs, sidewalks and utilities and other features to remain. The Contractor is responsible for locating and protecting underground utilities from damage during stump removal procedures. During stump grinding operations, plywood must be used to protect adjacent vehicles, real property, and pedestrians. If, when removing stumps, existing sidewalks or curbs are disturbed, the Contractor shall restore and/or reset these sidewalks and curbs, at no additional cost to the City. Restoration work shall be done to match the existing, to the satisfaction of the Engineer. All damaged trees, curbs, sidewalks, real property, vehicles and utilities must be addressed within three (3) days."

[Added 04-18-2011]

3. Refer to Pages 218 and 219, Subsection 4.13.4.(H) PIGMENT;

Delete the first three (3) paragraphs on page 219:

Substitute the following revised three (3) paragraphs.

"Where the color of the concrete is required to simulate the color of dark gray bluestone, the concrete shall be integrally pigmented to produce a gray color equivalent to: Davis Colors No. 884-3%; Lansco Color No. 437 "Strong Black" 5 lbs. per 94 lbs. Light Grey Portland Cement and 3 parts sand; L.M. Scofield "Cool Black No. 4"; Bayferrox Limestone 330, 2 lbs. per 94 lbs. Light Gray Portland Cement; or an approved equivalent, unless otherwise specified.

Where the color of the concrete is required to simulate the color of light to medium gray granite, the concrete shall be integrally pigmented to produce a gray color equal to: Davis Colors No. 884-1%; Lansco Color No. 437 "Strong Black" 2.5 lbs. per 94 lbs. Light Grey Portland Cement and 3 parts sand; L.M. Scofield "Cool Black No. 1"; Bayferrox Silver 330, 1 lb. per 94 lbs. Light Gray Portland Cement; or an approved equivalent, unless otherwise specified.

Where the sidewalk is designated to have a saw cut joint finish the color of the concrete shall be integrally pigmented to produce a gray color equivalent to L.M. Scofield "Landmarks Grey" K-157-4; L.M. Scofield "Cool Black No. 4"; Davis Colors No. 884-3%; Lansco Color No. 437 "Strong Black" 5 lbs. per 94 lbs. Light Grey Portland Cement and 3 parts sand; Bayferrox NYC Landmark Commission Gray, 3.5 lbs. per 94 lbs. Light Gray Portland Cement; or an approved equivalent, unless otherwise specified."

[Added 07-01-2011]

- 4. Refer to Page 14, Subsection 1.06.23.(A) PERMITS;
 Delete line (b) under the first paragraph;
 Substitute the following text:
 - "(b) Any planned work requiring a DOT Construction Permit that may potentially be within 100 feet of a bridge structure will be placed on a Bridge Hold. If any proposed work is within 100 feet of a bridge structure, permittees must submit a scaled drawing showing the work and exact location, along with the following:
 - Plan layout of the project area.
 - The scope of work.
 - The contractor's means and methods.
 - Indicate if work will be done of the bridge itself or its abutments, and the type of work.

If the work is more than 100 feet away from the bridge structure, permittees may send a certification by e-mail stating so. Either response must be sent to the Division of Bridges at bridgeshold@dot.nyc.gov for review and release prior to commencing work. Emergency work will not be placed on hold and shall proceed in accordance with the New York City Highway Rules, section 2-11 (g);

(c) Permits from the Department of Sanitation for use of City landfills;"

[Added 07-27-2011]

- 5. Refer to Page 37, Subsection 1.06.46.(A) 6. Sign Graphics;

 Delete article "a." beginning with the words "All visual components of the sign are in an Adobe *.pdf file, . . ." and ending with the words ". . . DDC to the Contractor (on a CD or via E-mail) for printing.", in its entirety;

 Substitute the following revised article "a":
 - "a. All visual components of the sign are in an Adobe *.pdf file, which is provided by the Commissioner's representative. The file is not to be altered for composition, type font or image from the version provided by DDC. The Commissioner's representative shall provide a complete file with data and image. The digital file shall be provided by DDC to the Contractor (on a CD or via E-mail) for printing."

[Added 09-27-2012]

6. Refer to Page 36, Subsection 1.06.46. Project Sign;

Delete the words "Unless otherwise specified in the Special

Provisions of the contract, the following shall apply:";

Substitute the following revised text:

"The Contractor is notified that he shall be required to furnish, install, maintain, and remove, when directed, Construction Project Information Signs (CPIS) as per Sec. 2-02(c)(4) and (5) of the NYC DOT Highway Rule and the cost shall be deemed included under all scheduled items of the contract. In addition, unless otherwise specified in the Special Provisions of the contract, the following Project Sign shall also apply:"

[Added 04-08-2013]

7. Refer to Page 200, Subsection 4.11.2.(B), first paragraph, sixth line;

Delete the word "porcelain,".

8. Refer to Page 201, Subsection 4.11.3.(B) FILL AND BACKFILL, second and third paragraphs;

Delete the second and third paragraphs under Subsection 4.11.3.(B), in their entirety;
Substitute the following revised two paragraphs:

"Glass or Recycled Porcelain Aggregate (RPA) from recycling facilities that meets the requirements of **Subsection 4.11.3.(E)** for Glass and **Subsection 4.11.3.(F)** for RPA shall be considered suitable material for mixing with fill provided the Contractor maintains the gradations specified herein. However, glass shall not be placed in contact with synthetic liners, geogrids, geotextiles or other geosynthetics.

Glass and/or RPA incorporated into fill shall be thoroughly mixed with other suitable material so that glass, RPA or combination of both constitutes no more than 30 percent by volume anywhere in the fill as visually determined by the Engineer."

- 9. Refer to Page 202, Subsection 4.11.3.(E) GLASS;
 Add the following new Subsection 4.11.3.(F) RECYCLED PORCELAIN
 AGGREGATE (RPA):
 - "(F) RECYCLED PORCELAIN AGGREGATE (RPA)

All porcelain to be used as RPA shall be crushed by a New York City Department of Environmental Protection (NYCDEP) approved recycling facility to a maximum particle size of 3/8 inch and graded to meet the gradation specified above for use in either fill, backfill or select fill, as may be required. RPA from any other source will not be permitted. The NYCDEP approved recycling facility will also certify that the RPA being furnished is free from organic material and other unsuitable material.

Should the Contractor desire to use RPA in his fill or backfill material, he shall contact Mr. Vasyl Kravchyk at NYCDEP (Tel. No. 718-595-7512) to determine the availability of RPA and from which recycling facility it can be obtained.

The Contractor shall be required to make arrangement with the recycling plant, at least two (2) weeks in advance of when he would need the material, to schedule the time, date and quantity available for pickup. The Contractor shall be required to furnish the recycling facility with a complete list of his trucks involved in transporting the material, which shall include the name of the registered owner (Contractor), Consumer Affairs or DOS Permit numbers, body license plate number, and truck volume. This information must be supplied to the facility prior to the start of picking up the RPA.

Weight ticket receipt slips given by the recycling facility to each truck driver picking up RPA shall be collected by the Contractor and given to the Engineer upon delivering fill or backfill material to the site that contains RPA, and the Contractor agrees and warrants that in obtaining the RPA that such material has originated only from a NYCDEP approved recycling plant and it has not been mixed with porcelain material from any other source.

The Contractor shall be required to transport said material from the approved recycling facility to his yard for storage and mixing with his fill material; however, there is not guarantee that the material will actually be available.

The Contractor is advised that there is no guarantee that RPA will in fact be available for his use from a NYCDEP approved recycling plant and he shall make no claim against the City for loss of anticipated profits should the material not be available upon request by the Contractor.

All excess RPA not used in the fill or backfill shall remain the property of the DDC Contractor.

The Contractor must comply with all rules and regulations of the Department of Transportation and the Department of Environmental Protections governing the use of RPA in its fill and backfill material."

10. Refer to Pages 218 and 219, Subsection 4.13.4.(H) PIGMENTING, first four paragraphs;

 $\underline{\underline{\text{Delete}}}$ the first four paragraphs under Subsection 4.13.4.(H), in their entirety;

Substitute the following revised four paragraphs:

"Where pigmenting is specified, the concrete sidewalks shall be pigmented with an admixture complying with the requirements of **Section 2.19** and the following requirements:

'Commercial Gray': In commercial districts C4–4 through C4–7, C5 and C6, as defined in the Zoning Resolution of the City of New York, and in areas under the jurisdiction of the Lower Manhattan Development Corporation the color of the concrete shall be integrally pigmented to produce a gray color equivalent to L.M. Scofield 'Landmarks Grey' K-157-4; L.M. Scofield 'Cool Black No. 4'; Davis Colors No. 884-3%; Lansco Color No. 437 'Strong Black' 5 lbs. per 94 lbs. Light Grey Portland Cement and 3 parts sand; Bayferrox NYC Landmark Commission Gray, 3.5 lbs. per 94 lbs. Light Gray Portland Cement; or an approved equivalent, unless otherwise specified.

'Bluestone': Where the color of the concrete is required to simulate the color of dark gray bluestone, the concrete shall be integrally pigmented to produce a gray color equivalent to: Davis Colors No. 884-3%; Lansco Color No. 437 'Strong Black' 5 lbs. per 94 lbs. Light Grey Portland Cement and 3 parts sand; L.M. Scofield 'Cool Black No. 4'; Bayferrox Limestone 330, 2 lbs. per 94 lbs. Light Gray Portland Cement; or an approved equivalent, unless otherwise specified.

'Granite': Where the color of the concrete is required to simulate the color of light to medium gray granite, the concrete shall be integrally pigmented to produce a gray color equal to: Davis Colors No. 884-1%; Lansco Color No. 437 'Strong Black' 2.5 lbs. per 94 lbs. Light Grey Portland Cement and 3 parts sand; L.M. Scofield 'Cool Black No. 1'; Bayferrox Silver 330, 1 lb. per 94 lbs. Light Gray Portland Cement; or an approved equivalent, unless otherwise specified."

[Added 05-24-2013]

- 11. Refer to Page 14, Subsection 1.06.23.(A) PERMITS, first paragraph as modified by Article 4 on page A1-1b;
 Add the following new text:
 - "(d) All necessary permits from the Department of Environmental Protection which may include, but are not limited to, permits for use of City water."
- 12. Refer to Page 14, Subsection 1.06.23.(A) PERMITS, second paragraph;

 Add the following as the third paragraph:

"No fee permits for use of City water necessary to complete roadway pavement reconstruction project in conjunction with installation of sewers and/or water mains, will be issued by the Department of Environmental Protection. However, for all other type projects (such as installation of sidewalks, installation of pedestrian ramps, pavement milling, resurfacing, rehabilitation of retaining walls, and bridge reconstruction type projects) the Contractor will be required to obtain the water use permit at its own cost."

[Added 08-05-2013]

13. Refer to page 116, second paragraph up from the bottom of the page, first line;
Change the words "Concrete of Type IA and IIA shall have..." to read "Concrete of

nge the words "Concrete of Type IA and IIA snall have . . ." to read "Concrete c Type IA, IIA and IIIA shall have . . ."

[Added 09-04-2013]

14. Refer to page 100, Subsection 3.01.3.(C)1.(c);

Delete the last two lines of text beginning with the words "The proportion of reclaimed asphalt pavement permitted within each mix...";

Substitute the following sentence: "The proportion of reclaimed asphalt pavement permitted within each mix shall be not less than 30 percent for the top and bottom courses as per Local Law #71 of 2011."

15. Refer to page 110, Subsection 3.05.2.(A), Table 3.05-I;
Insert the following text at the bottom of Table 3.05-I:

"Note: The above proportions shown for non-High-Early mixes shall be modified by pozzolan substitutes as per **Subsection 3.05.4**."

16. Refer to page 112, Subsection 3.05.3.(C), second paragraph;

Delete the second paragraph in its entirety;

Substitute the following paragraph:

"Water shall be potable and drawn from municipal water mains."

17. Refer to page 113, first line of text, beginning with the words "condition making up one (1) cubic yard of concrete.";

<u>Insert</u> the following sentence between the words "condition making up one (1) cubic yard of concrete." and "The range of water-cement ratio within which the . . . ":

"The calculated yield of the mix shall be within ± 2% of the Theoretical (1) cubic yard."

18. Refer to Page 113, second paragraph beginning with the words "The Contractor may substitute Portland cement . .";

Delete the second paragraph under Subsection 3.05.4., in its entirety;

Substitute the following revised paragraph:

"With the exception of high-early strength concrete, the Contractor shall be required to substitute Portland cement with pozzolans (Fly Ash or GGBFS) such that the maximum amount of Portland cement per cubic yard of concrete does not exceed 400 pounds, and with the use of an approved non-corrosive, non-chloride admixture as required to obtain a minimum compressive strength of 3,000 psi in seven (7) days. For high-early strength concrete the Contractor may substitute Portland cement with pozzolans (Fly Ash or GGBFS), pound for pound, up to 20% (or up to 25% for tidal/sea water spray areas) of the weight of cement specified for any concrete mixture provided the Contractor can obtain a minimum compressive strength of 3,000 p.s.i. in three (3) days. The Contractor, immediately following but not later than eight weeks after the date of the Contractor's Notice to Proceed, shall file with the Engineer, Age-Strength data of the job mix he proposes to use for the various ambient temperatures anticipated during the period of concrete placement. This data shall be presented in both tabular and graphical form for those various ambient temperatures with a maximum setting period of seven (7) days for Class B-32 concrete or seventy-two (72) hours for High-Early Strength Concrete."

- 19. Refer to Page 115, TABLE 3.05-III INGREDIENT MATERIALS;

 Change in the third row, second column, the type of Portland

 Cement from "Type III*" to read "Type II or Type III*"
- 20. Refer to page 132, Subsection 3.06.3.(D);

 Change the words "Water shall be drawn from mains owned by The City of New York." to read "Water shall be potable and drawn from municipal water mains."
- 21. Refer to page 133, Subsection 3.07.3.(D);

 Change the words "Water shall be drawn from mains owned by or supplying water to The City of New York." to read "Water shall be potable and drawn from municipal water mains."
- 22. Refer to page 134, Subsection 3.08.4.(D);
 Change the words "Water shall be drawn from mains owned by or supplying water to The
 City of New York." to read "Water shall be potable and drawn from municipal water
 mains."

- 23. Refer to Page 166, Subsection 4.05.2.(A);

 Delete Subsection 4.05.2.(A), in their entirety;

 Substitute the following revised Subsection 4.05.2.(A):
- "(A) Concrete Pavement shall be of the following types:

Type 1--Non-reinforced

Type 2--Reinforced (Unpigmented or pigmented if specified)

Type 3--High Early Strength Reinforced (Unpigmented or pigmented if specified)

Type 2 and Type 3 pavements shall consist of a concrete surface course, which shall be unpigmented or pigmented if specified, laid on a concrete base course, which may or may not be pigmented at the Contractor's option, while the base course is still plastic, of the thickness shown on the Contract Drawings, with reinforcement placed between the surface and base courses."

- 24. Refer to Page 166, Subsection 4.05.3.(A);
 Insert the following new Subsection 4.05.3.(A1):
 - "(A1) PIGMENTING

Where pigmenting is specified, the surface course of the concrete bus pad shall be pigmented with an admixture complying with Section 2.19 and the following requirements:

Where the color of the concrete is required to simulate the red color of the Red Bus Lane Pavement Overlay (Item 6.44 POR in Section 6.44 PO), the surface course concrete shall be integrally pigmented to produce a red color equivalent to Scofield's quarry red.

Except for the use of an air-entraining agent complying with ASTM Designation C 260 and water reducing admixtures complying with ASTM Designation C 494 used in combination with the Pigment Admixture as per the pigment manufacturer's instruction, no other admixtures (including, but not limited to, calcium chloride) shall be used unless stated in writing by the manufacturer of the Pigment Admixture to be of no consequence to the colorfastness of the concrete mixture and is approved by the Engineer.

All pigmented concrete at different locations shall be identical, unless otherwise directed. Variations in color/tint/hue will not be acceptable. Therefore, the same brand and type of cement and the same source and type of aggregate shall be used throughout the project.

Prior to the mix design being made, the cement intended for use shall be checked to determine that its lightness/darkness is similar to the cement used in the original approved sample. The Pigmented Admixture shall be added in the standard proportion specified by the manufacturer."

25. Refer to Page 170, Subsection 4.05.5.(A) GENERAL; Insert the following two new paragraphs:

"For pigmented concrete, the Contractor shall within eight weeks of the notice to proceed, submit the name of its proposed roadway installer upon which his bid is based, along with their respective work history experience in placing pigmented concrete. The installer shall have documented experience in working with pigmented concrete.

Prior to making any field samples and the placing of any pigmented concrete, the Contractor, its concrete supplier, installer, cement producer, laboratory, the pigmented admixture's representative, and the Engineer shall meet and agree on the specifications and methods of handling the pigmented concrete."

- 26. Refer to Page 183, Subsection 4.05.9. PRICES TO COVER, 4th line;

 Insert in the fourth line, the words "pigment when specified" between the words "specifications, including, but not limited to," and "furnishing and installing...":
- 27. Refer to Page 183, Subsection 4.05.9. PRICES TO COVER;

 Insert the following two new Items to the list of Item Nos. at the bottom of Subsection 4.05.9:
- "4.05 ACP REINFORCED CONCETE PAVEMENT (BUS STOPS)(PIGMENTED) C.Y.
- 4.05 AXP HIGH-EARLY STRENGTH REINFORCED CONCRETE PAVEMENT (BUS STOPS)(PIGMENTED) C.Y."

2. AMENDMENTS TO STANDARD HIGHWAY SPECIFICATIONS, VOLUME II

[Added 01-25-2012]

Refer to Pages 365 and 366, Subsection 6.40.2.(C)(c)(1) Personal Computer(s) - Workstation Configuration;
 Delete the text under Subsections (a), (b), (c), (d), (h), (i),

and (m), in their entirety;

Substitute the following revised text:

"(a) Make and Model: Dell; HP; Gateway; Acer, or, an

approved equivalent. (Note: an approved equivalent requires written approval of the Assistant

Commissioner of ITS.)

(b) Processor: i5-2400 (6MB Cache, 3.1GHz) or

faster computer - Single Processor.

(c) System Ram: Minimum of 4GB (Gigabytes) Dual

Channel DDR3 SDRAM at 1333MHz – 2 DIMMSs

(d) Hard Disk Drive(s): 500 GB (Gigabytes) Serial ATA

(7200RPM) w/DataBurst Cache, or

larger."

"(h) Video Display Card: HD Graphics (VGA, HDMI) with a

minimum of 64 MB of RAM.

(i) Monitor: 22" W, 23.0 Inch VIS, Widescreen,

VGA/DVI LCD Monitor."

"(m) Software Requirements: Microsoft Windows 7 Professional

SP1, 64 bit; Microsoft Office Professional 2010; Microsoft Project 2010; Adobe Acrobat reader; Anti-Virus software package with 2 year updates subscription; and, either Auto Cad 2012 LT or Microsoft Visio 2010 Standard Edition, as directed by

the Engineer."

2. Refer to Page 366, Subsection 6.40.2.(C)(c)(b);

Delete the text under Subsection (b), which begins with the words

"(b) One (1) 600 DPI HP Laser Jet . . ", in its entirety;

Substitute the following revised text:

"(b) One (1) 600 DPI HP Color Laser Jet all-in-one
Printer/Scanner/Copier/Fax (twelve (12) pages per minute or
faster) with one (1) Extra Paper Tray (Legal Size) networked
to all office computers."

3. Refer to Page 367, Subsection 6.40.3. SPECIFIC REQUIREMENTS FOR ENGINEERS FIELD OFFICE (TYPE A, B, C, CU, D OR DU), first paragraph;

Delete the text in the first paragraph of Subsection 6.40.3., in its entirety;

Substitute the following revised text:

6.40.3. SPECIFIC REQUIREMENTS FOR ENGINEER'S FIELD OFFICE (TYPE A, B, C, CU, D, OR DU). In addition to the general requirements, each type of Field Office shall have the minimum floor area indicated in Table 6.40-I calculated based on usable area only, excluding any loss factors. Loss factors are defined as those areas such as lobby, sidewalk window ledge, elevator shafts and stairways. The Contractor shall provide and maintain furnishings for each type of Field Office in the quantity specified in Table 6.40-I. The furnishings shall be new or used equipment satisfactory to the Engineer:

Refer to Page 368, TABLE 6.40-I, ADDITIONAL REQUIREMENTS SPECIFIC REQUIREMENTS; Delete the requirements for a Photocopy Machine shown in the 15th row of TABLE 6.40-I, in its entirety; Substitute the following revised requirements: Photocopying Machine - Stand-alone, heavy duty, electric, dryprocess color photocopying type with a minimum production rate of 70 pages per minute and an adequate supply of copy paper, toner, etc. The machine shall be capable of duplex copying paper sizes of 8-1/2 x 11 inches, 8-1/2 x 14 inches and 11 x 17 inches, and have separate trays for each paper size. It shall have a document feeder, collator, stapler, and the capability to reduce/enlarge copies between each paper size. The supply of each size copy paper, toner, etc. shall be replenished and the machines shall be maintained for the duration of the contract by the Contractor as required by the Engineer. Make and model can be Minolta Canon, IBM, Epson, or an approved equivalent, and shall be networked to the office computers.

5. Refer to Page 368, TABLE 6.40-I, ADDITIONAL REQUIREMENTS SPECIFIC REQUIREMENTS;

Insert the following two additional requirements:

| Heavy duty commercial grade diamond cut shredder with automatic start. The shredder shall be able to receive 8-1/2 inch wide paper and shred a minimum of 15 sheets simultaneously along with CDs and staples. | 1 | 1 | 1 | 1 | 1 | 1 |
|--|---|---|---|---|---|---|
| Projector – 1080p LCD with a min. of 2200 ANSI Lumins, 1920 x 1080, 16:9, 40,000:1 contrast ratio, HDMI, VGA, USB, and a 10 feet diagonal, 16:9 Projection Screen. | - | - | 1 | 1 | 1 | 1 |

6. Refer to Page 496, Subsection 7.20.4. METHODS, last paragraph beginning with the words "When directed by the Engineer, due to the original conditions . . .";

Add the following sentence to the end of the last paragraph under Subsection 7.20.4:

"However, if the owner at his own expense supplies the replacement frame and doors or hatch covers the Contractor shall install the replacement frame and doors or hatch covers under this Item 7.20, as a basement access reset, in lieu of the steel safety closure plate."

[Added 07-16-2012]

7. Refer to Page 365, Subsection 6.40.2.(C)(c)(1) "Personal Computer(s) - Workstation Configuration";

Delete the text under Subsections (g) and (k), in their entirety;
Substitute the following revised text:

"(g) I/O Ports:

Must have at least one (1) Serial Port, one (1) Parallel Port, and

three (3) USB Ports.

(k) Network Interface:

Integrated 10/100/1000 Ethernet

card."

- 8. Refer to Page 366, Subsection 6.40.2.(C)(c)(2) "All field offices requiring computers shall be provided with the following:";

 Delete the text under Subsection (a), in its entirety;
 Substitute the following revised text:
 - "(a) One (1) broad-band internet service account. Wideband Internet connectivity at a minimum throughput of 15 Mbps download and 5 Mbps upload is required at each field office location with 1-5 staffers. For larger field offices see table below for minimum required upload speeds. Telephone service should be bundled together with Internet connectivity. Because of throughput requirements Verizon FIOS is the preferred connectivity provider where available.

| Office
Personnel
| Upload Speeds
(Minimum) |
|--------------------------|----------------------------|
| 1 - 5 | 5 Mbps |
| 6 - 10 | 10 Mbps |
| 11 - 15 | 15 Mbps |
| 16 - 20 | 20 Mbps |

This account will be active for the life of the project. The e-mail name for the account shall be the DDC Field Office/project Id (e.g. FLD K HWK666 McGuinness@earthlink.com)."

[Added 08-09-2012]

- 9. Refer to Page 366, Subsection 6.40.2.(C)(c)(2)(b), as amended by Article 2 on page A1-2 of this Addendum;

 Delete the text under Subsection (b), in its entirety;

 Substitute the following words: "(b) (No Text)."
- 10. Refer to Page 368, TABLE 6.40-I, ADDITIONAL REQUIREMENTS SPECIFIC REQUIREMENTS;

 Delete the requirements for a Photocopy Machine shown in the 15th

Delete the requirements for a Photocopy Machine shown in the 15th row of TABLE 6.40-I, as modified by Article 4 on page A1-2a of this Addendum, in its entirety;

Substitute the following revised requirements:

| Photocopying Machine – Stand-alone, heavy duty, electric, dry-process color photocopying type with color scan and send capability via e-mail, a minimum production rate of 70 pages per minute and an adequate supply of copy paper, toner, etc. The machine shall be capable of duplex copying paper sizes of 8-1/2 x 11 inches, 8-1/2 x 14 inches and 11 x 17 inches, and have separate trays for each paper size. It shall have a document feeder, collator, stapler, and the capability to reduce/enlarge copies between each paper size. The supply of each size copy | 1 | 1 | 1 | 1 | 1 | 1 |
|--|---|---|---|---|---|---|
| | | | | | | |
| Canon, IBM, Epson, or an approved equivalent, and shall be networked to the office computers. | | | | | | |

[Added 11-26-2012]

11. Refer to Pages 504 through 508, SECTION 7.88 - Rodent and Waterbug Pest Control;

Delete Section 7.88, in its entirety;
Substitute SECTION 7.88 (Revised), as contained on the following
pages A1-2d through A1-2i.

[Added 02-08-2013]

12. (NO TEXT)

SECTION 7.88 (Revised) Rodent and Waterbug Pest Control

- **7.88.1. DESCRIPTION.** The Contractor shall provide all labor, materials, plant and equipment, and incidentals required to survey and monitor rodent activity and control any infestation or outbreak of rodents and waterbugs (American cockroaches) within the project limit.
- **7.88.2. MATERIALS.** All materials shall be approved by the New York State Department of Environmental Conservation and comply with the New York City Health Code for the intended usage.

Rodenticide weatherproof bait blocks shall be multiple dose anticoagulants such as Chlorophacinone or Dephacinone, or single feed rodenticides such as ContraMeal, ContracBait block, Quintox pellets or TalonG pellets, or an approved equivalent.

Tamper proof bait station boxes shall be designed to exclude other mammals and shall be used with poisoned bait to attract rats. Information on "tamper proof bait station boxes" is available from the NYC Bureau of Regulatory & Environmental Health Services, Pest Control Office (718-956-7103/4).

Live traps shall be of proper dimensions for trapping rats and shall <u>not</u> be used with poisoned bait.

Insecticide bait shall be a residual type such as phenol methyl carbamate (2%) bait or an approved equivalent.

(A) SUBMITTALS

Prior to commencement of construction activities the Contractor shall submit to the Engineer manufacturer's installation instructions for all materials required for rodent and waterbug pest control work and product data which shall include illustrations, catalog data, product characteristics, typical use, performance, and limitation criteria of all rodent and waterbug pest control materials required.

- **7.88.3. PERSONNEL.** The Contractor shall employ two independent licensed exterminators: one to engage in survey and monitoring work to establish the level of infestation of rodents and insects and provide recommendations for specific Integrated Pest Management (IPM) actions, and one to execute the rodent and waterbug pest control work to deal with such infestations. All pest control personnel employed by each exterminator company must be supervised by an exterminator licensed in categories 7A & 8. The Contractor shall submit the names and license credentials of the two exterminator companies to the Engineer for approval prior to the commencement of any work under this section.
- **7.88.4. METHODS.** Application and dosage of all materials shall be done in strict compliance with the manufacturer's recommendations. All surveying, monitoring, baiting, and/or live trapping work shall be performed in the presence of the Engineer, without which no payment will be made under this Section.

(A) GENERAL

The Contractor's construction activity is expected to disturb any established rodent and/or waterbug population that may exist within the project limits, possibly causing their dispersion. The Contractor shall take all appropriate action to eliminate and/or control these populations within the construction corridor: the construction corridor shall be defined as being the full width of streets under the contract and intersecting streets up to the limits of construction, from property line to property line, excluding buildings and under sidewalk building vaults.

Under the Maintenance of Site requirements for the contract, any unsanitary conditions, such as uncollected garbage or debris, resulting from the Contractor's activities which will provide food and shelter to the resident rodent population shall be corrected by the Contractor immediately after notification of such condition by the Engineer. Non-compliance shall be subject to the application of the "Nonconformance" provisions of the Item for Maintenance of Site, and no payment will be made for any additional application of rodenticide or insecticide needed to control resultant infestations.

(B) SURVEY AND MONITORING WORK

- (1) Prior to Construction The Contractor's designated survey and monitoring exterminator shall execute a survey of the project area and estimate the level of rodent (Norway rat, House mouse) infestation and the waterbug population within the construction corridor. An appropriate sample of utility manholes (sewer, electrical, telephone, etc.) and catch basins should be opened and surveyed to the satisfaction of the Engineer. Contractor shall maintain all survey records in the manner described in 7.88.6., Records and Reports.
- (2) <u>During Construction</u> The Contractor shall monitor the rodent activity through trapping (snap, glue traps or live traps), fecal count methods, and inspection of the conditions of all installed baits every week during construction activity or as otherwise directed by the Engineer. Contractor shall maintain all monitoring records in the manner described in 7.88.6., Records and Reports.

(C) RODENT CONTROL WORK

- (1) Wetlands, Woodlands and Areas Within Seventy-five (75') feet of a Stream. In wetlands, woodlands and areas adjacent to a stream, special precautions must be taken to protect water quality and to ensure the safety of other wildlife. To prevent poisoned bait from entering streams, no poisoned bait shall be used in areas within seventy-five (75') feet of either streambank. Live traps must be used in these seventy-five (75') feet buffer zone areas and within wetland and woodland areas.
- (2) <u>Outside Wetland Areas, Woodland Areas and Beyond Seventy-five (75')</u> feet of a Stream. In areas outside the seventy-five foot zone of protection adjacent to streams, and areas outside wetlands and woodlands, tamper proof bait stations with poisoned bait shall be established during the period of construction and any consumed or decomposed bait shall be replenished as directed.

Rodent control shall be achieved in two stages as follows:

Stage I. At least one month prior to initiation of the construction work, and periodically thereafter, live traps and/or rodenticide bait, as directed above, shall be placed at locations [e.g., burrows, utility manholes (sewer, electrical, phone, etc.), and catch basins] that are inaccessible to pets, human beings, children and other non-target species, particularly wildlife (e.g., birds) in the construction corridor. Locations of initial bait placement and quantities of bait shall be determined by the survey and monitoring exterminator's written report of his survey and monitoring results, or as otherwise directed by the Engineer.

Stage II. <u>During Construction</u> - Infested sites as determined by the survey and monitoring exterminator's monitoring report shall be baited and/or rebaited, and live traps shall be collected and replaced, the rates and quantities of which shall be determined by the written monitoring reports submitted weekly or as otherwise directed by the Engineer in consultation with the City's Office of Pest Control.

The baiting exterminator shall be responsible for collecting and disposing of all trapped and poisoned rodents found in live traps and tamper proof bait stations. The baiting exterminator shall also be responsible for posting and maintaining signs announcing the baiting of each particular location.

The Contractor, under his maintenance of site operations, shall be responsible for the immediate collection and disposal of any visible rodent remains found on streets or sidewalk within the project limits. Any visible remains shall be placed into double plastic bags. No more than five (5) carcasses shall be placed into each bag. Each bag shall be a minimum of 3 mils thick, black plastic. No additional payment will be made for this work.

It is anticipated that public complaints will be addressed to the Engineer's Field Office. The Contractor, where directed by the Engineer, shall take appropriate Integrated Pest Management (IPM) actions, such as baiting, trapping, proofing, etc., to remedy the source of a complaint within the next six (6) hours of normal working time, which is defined herein, for the purposes of this section, as 7 A.M. to 6 P.M. on Mondays through Saturdays.

(D) WATERBUG (AMERICAN COCKROACH) CONTROL

Infested sites (e.g., sewers) shall be baited at least 2 times per month with insecticides, or as directed by the Engineer in consultation with the exterminator monitoring the work and the City's Office of Pest Control.

7.88.5. EDUCATION & TRAINING. The Contractor shall post notices in all Construction Bulletin Boards advising workers, employees, and residents to call the Engineer's Field Office to report rodent and waterbug infestations. The Contractor shall provide and distribute literature pertaining to IPM techniques of rodent control to affected businesses and superintendents of nearby residential buildings to ensure their participation in maintaining their establishments free of unsanitary conditions, harborage removal and rodent proofing.

Prior to application of any chemicals, the Contractor shall furnish copies or sample labels for each pesticide, antidote information, and Material Data Safety Sheets (MSDS) for each chemical used.

7.88.6. RECORDS AND REPORTS.

(A) GENERAL

The Contractor shall be responsible for assigning within the construction corridor an identifying number to each manhole, catch basin, and other location where bait and/or live trap placement and/or waterbug control work is proposed by the survey and monitoring exterminator. The Contractor shall then provide that list of locations and corresponding reference numbers along with a drawing showing the locations, as a reference for the exterminator(s) performing the work, to indicate locations of bait placement and waterbug control work and rodent and waterbug activity (droppings, bait consumed, dead rodents, etc.).

(B) SURVEY AND MONITORING WORK

- (1) Prior to Construction Contractor shall submit to the Engineer, for approval, a written survey report including proposed IPM procedures, including specific materials, quantities, locations, methods, and time schedule for the implementation of the exterminating work. The written report shall also include a survey with a drawing (provided by the Contractor) marked with locations indicating all signs of rodent (Norway rat, House mouse) infestation and waterbug activity discovered during the execution of the survey indicating that rodent and waterbug pest control work is necessary.
- (2) <u>During Construction</u> Based on monitoring results, Contractor shall submit to the Engineer a weekly written monitoring report identifying all locations and conditions of installed bait and/or other rodent control work. The monitoring report shall also include any other recommended IPM techniques, such as baiting, trapping, proofing, etc., proposed for rodent and waterbug pest control.

The survey and monitoring exterminator shall keep a record of all rodent and waterbug infestation surveys s/he has conducted. The Contractor shall be required to submit a copy of all survey and monitoring reports to the Engineer each week, prior to payment.

(C) RODENT AND WATERBUG CONTROL WORK

The baiting exterminator shall maintain records of all locations baited along with the type and quantity of rodenticide and insecticide bait used. These records will be kept by the City Inspector. A weekly report shall be prepared, signed and certified by the approved licensed exterminator, and such reports shall be submitted to the Engineer each week, prior to payment.

7.88.7. NONCONFORMANCE. If the Contractor fails to perform as directed to control the rodent and/or waterbug population at any location within the project limits for a period of more than one week, the Engineer will correct the adverse conditions by any means he deems appropriate, including but not limited to, the use of "outside services" and shall deduct the cost of the corrective work from any monies due to the Contractor. The deducted cost of this work shall be in addition to the non-payment for rodent and waterbug pest control.

7.88.8. MEASUREMENT.

(A) RODENT INFESTATION SURVEY AND MONITORING

The quantity to be measured for payment under Item No. 7.88 AA, RODENT INFESTATION SURVEY AND MONITORING, shall be a Lump Sum measurement.

(B) RODENT BAIT STATIONS

The quantity to be measured for payment under Item No. 7.88 AB, RODENT BAIT STATIONS, shall be the number of tamper-proof rodent bait station boxes and/or live traps satisfactorily installed or reinstalled after inspection within the construction corridor, as approved by the Engineer. However, the initial baiting, and subsequent rebaiting as may be required, of any bait station will be paid for under Item 7.88 AC.

(C) BAITING OF RODENT BAIT STATIONS

The quantity to be measured for payment under Item No. 7.88 AC, BAITING OF RODENT BAIT STATIONS, shall be the number of tamper-proof rodent bait station boxes, utility manholes, catch basins, or other locations approved by the Engineer, satisfactorily baited or rebaited to replenish consumed or decomposed bait within the construction corridor, as approved by the Engineer.

(D) WATERBUG BAIT APPLICATION

The quantity to be measured for payment under Item No. 7.88 AD, WATERBUG BAIT APPLICATIONS, shall be the number of blocks satisfactorily treated with insecticide bait within the construction corridor, as approved by the Engineer. A block shall be defined as the area of street, measured between property lines, from intersection to intersection. Each rebaiting of any block shall be considered as a new block for measurement purposes.

7.88.9. PRICES TO COVER.

(A) RODENT INFESTATION SURVEY AND MONITORING

Payment will be made at the lump sum price bid for RODENT INFESTATION SURVEY AND MONITORING which shall include the cost of furnishing all the labor, materials, plant, equipment (traps, etc.), insurance, and other incidentals required, including but not limited to providing all required maintenance of traffic equipment, to perform a rodent infestation survey of the project area and then monitor the site each week for rodent activity, all in accordance with the specifications and the directions of the Engineer.

Ten (10%) percent of the lump sum price bid will be paid when the initial survey of the project area has been completed and the written survey report has been submitted to the satisfaction of the Engineer. The remainder will be paid in proportion to the percentage of contract completion.

(B) RODENT BAIT STATIONS

The Contract price bid for RODENT BAIT STATIONS shall be a unit price per each tamper proof bait station box and/ or live trap installed or reinstalled after inspection and shall cover the cost of furnishing all labor, materials, plant, equipment (bait stations, etc.), insurance, and other incidentals, including but not limited to providing all required maintenance of traffic equipment, required to control the rodent population found within the project limits in accordance with the specifications and the directions of the Engineer.

In addition to the payment for Rodent Bait Stations installed or reinstalled under this Item 7.88 AB, the Contractor will also be paid for each baiting or rebaiting, when required, of each bait station, under Item No. 7.88 AC.

(C) BAITING OF RODENT BAIT STATIONS

The Contract price bid for BAITING OF RODENT BAIT STATIONS shall be a unit price per each bait station, utility manhole, catch basin or other location approved by the Engineer satisfactorily baited or rebaited, when required, and shall cover the cost of furnishing all labor, materials, plant, equipment (bait), insurance, and other incidentals, in accordance with the specifications and directions of the Engineer. Installation or resetting of the bait station will be paid for under Item 7.88 AB.

(D) WATERBUG BAIT APPLICATION

The Contract price bid for WATERBUG BAIT APPLICATION shall be a unit price per block treated by the exterminator and shall include the cost of furnishing all the labor, materials, plant, equipment (bait, etc.), insurance, and other incidentals, including but not limited to providing all required maintenance of traffic equipment, necessary to control the waterbug population found within the project limits for the duration of the contract in accordance with the specifications and the directions of the Engineer.

Payment will be made under:

| Item No. | Item | Pay Unit |
|----------|--|----------|
| 7.88 AA | RODENT INFESTATION SURVEY AND MONITORING | L.S. |
| 7.88 AB | RODENT BAIT STATIONS | EACH |
| 7.88 AC | BAITING OF RODENT BAIT STATIONS | EACH |
| 7.88 AD | WATERBUG BAIT APPLICATION | BLOCK |

[Added 05-24-2013]

- 13. Refer to Page 366, Subsection 6.40.2.(C)(c)(1)(m) Software

 Requirements, as modified by Article 1 on page A1-2;

 Delete the text under Subsection (m), in its entirety;

 Substitute the following revised text:
 - "(m) Software Requirements: Microsoft Windows 7 Professional SP1, 32 bit; Microsoft Office Professional 2010; Microsoft Project 2010; Adobe Acrobat reader; Anti-Virus software package with 2 year updates subscription; and, either Auto Cad LT or Microsoft Visio Standard Edition, as directed by the Engineer."

[Added 09-04-2013]

14. Refer to Page 384, the end of Section 6.44 - White and Yellow

Thermoplastic Reflectorized Pavement Markings;

Insert new SECTION 6.44 PO, after Section 6.44, as contained on the following pages A1-2k through A1-2m.

[Added 02-10-2014]

15. Refer to Pages 393 and 394, SECTION 6.52 - Uniformed Full-Time Flagperson;

Delete Section 6.52 on pages 393 and 394, but do not delete examples on pages 395 and 396;

Substitute SECTION 6.52 CG, as contained on the following pages A1-2n and A1-2o.

SECTION 6.44 PO Lane Pavement Overlay

6.44PO.1. DESCRIPTION. This section describes the furnishing and application of an approved Green Asphalt Pavement Color Scheme along designated bicycle lanes and Brick-Red Asphalt Pavement Color Scheme matching Quest's StreetBondCL Terracotta color along designated Select Bus Service (SBS) lanes, as indicated in the Contract Drawings or as directed by the Engineer.

6.44PO.2. REFERENCES.

- ASTM D-4541 Standard Test Method for Pull-Off Strength of Coatings Using Portable Adhesion Tester.
- B. ASTM D-4060 Test Method for Abrasion Resistance of Organic Coatings by the Taber Abrasion.
- C. ASTM D-522-93A Standard Test Method for Mandrel Bend Test of Attached Organic Coatings.
- D. ASTM G-155 QUV Accelerated Weathering Environment. Standard Practice for Operating Fluorescent Light Apparatus for UV Exposure of Nonmetallic Materials.
- E. ASTM D-2486 MEK rub test for chemical resistance.
- F. ASTM D-570 Standard Test Method for water absorption of plastics.
- G. ASTM E-303 British Pendulum test for friction.
- H. EPA 24 ASTM D3960-05 Volatile Organic Compounds.

6.44PO.3. SUBMITTALS.

- A. A copy of the current year accreditation certificate available from the Contractor or subcontractor who will be performing this work, or written verification from the coating supplier that the Contractor or subcontractor is qualified to perform this Work.
- B. Written and published specification for the application of the selected asphalt pavement coating.
- C. Confirmation of coating color.
- D. Proof of coating performance through a Certificate of Analysis or equivalent document as provided by the Contractor or the coating supplier.

6.44PO.4. MATERIALS.

The following table outlines minimum performance properties of a typical asphalt pavement coating.

| Characteristic | Test Specification | Measured result |
|---|--|---|
| Durability:
Taber Abrasion
resistance | ASTM D-4060
7 day cure, H-10 wheel (wet test) | < 5.0 g/1000 |
| Water sensitivity | ASTM D-570 Water absorption after 9 days: Remaining absorption after 1 hour of recovery: | < 10%
< 1.0% |
| Color stability | ASTM G-155
QUV 2,000 hours (CIE units) | New York City
Bike Lane
Green
ΔE < 1.5 |
| Color stability | ASTM G-155
QUV 2,000 hours (CIE units) | Brick color
ΔE < 1.5 |

| Flexibility:
Mandrel Bend | ASTM D-522-93A Flexibility as measured by Mandre 0.5mm thick sample passes 10 mm at 21°C 0.5mm thick sample passes 125mm at -18°C | l bend |
|------------------------------|---|----------------------|
| Chemical resistance | ASTM D-2486 Modified MEK scrubs 16 dry mils, number of scrubs until 50% substrate exposed | >5000 |
| Adhesion to
Asphalt | ASTM D-4541 | Substrate
Failure |
| Friction Wet | ASTM E-303 British Pendulum Tester | >55 |
| Environmental
Sensitivity | EPA 24 ASTM D-3960-05
Volatile Organic Compounds | VOC < 150 |

These properties shall be evidenced by Certificates of Analysis produced by an independent qualified testing facility.

Green Bicycle and Red Bus Lane Pavement Overlays furnished by the following manufacturers, or approved equivalent, are acceptable for use in this contract:

Ennis Paint, Inc. 1509 S. Kaufman Street Ennis, TX 75119

Integrated Pavement Concepts, Inc. 102-17957 55th Avenue Surrey, BC Canada V3S 6C4

Crafco, Inc. 420 N. Roosevelt Avenue Chandler, AZ 85226

6.44PO.5. METHODS. The asphalt pavement coating system shall be applied to the pavement in accordance with the manufacturer's specification. In its hardened state the color shall be as specified, and as approved by the Engineer. The material shall present a marking whose color and chemical resistance will not degrade under normal exposure to calcium chloride, sodium chloride or automotive oils and fuels. Color pigments used shall remain stable under exposure to ultra violet light. A minimum of four (4) layers of coating material shall be applied to the pavement surface.

The Contractor shall be required to use the proper equipment in the application of the asphalt pavement coating, as per the recommendation of the coating supplier, and as approved by the Engineer.

Asphalt pavement must be stable, well compacted and generally in excellent condition for the application of the asphalt pavement coating to be successful. The Engineer shall make the final determination as to the suitability of the existing asphalt pavement.

The asphalt pavement surface shall be dry and free from all foreign matter, including but not limited to dirt, dust, de-icing materials, and chemical residue.

The asphalt pavement coating shall only be applied in the correct environmental conditions as instructed by the coating supplier, and as approved by the Engineer.

Refer to the instructions provided by the coating supplier regarding when the painted lane may be opened to traffic. Wait time is typically a function of the dry rate of the coating, and climate conditions.

The Engineer may, at his discretion, require the Contractor to remove all extraneous marks on the pavement made by the agents or employees of the Contractor, or made by others due to improper control or protection of the work area by the Contractor, his agents or employees. Any installation which, in the opinion of the Engineer, is not acceptable, whether by reason of poor workmanship, poor appearance, poor performance, poor materials, improper width or improper alignment, shall be reworked by the Contractor at no cost to the City. The Contractor shall replace rejected installation as directed by the Engineer, within fifteen (15) days after receiving written notification of the rejection of such completed work.

6.44PO.6. MEASUREMENT. The quantities to be measured for payment shall be the number of square yards of Lane Pavement Overlay, of each color, placed as specified to the satisfaction of the Engineer.

PRICES TO COVER. The unit prices bid per square yard of Green Bicycle Lane Pavement Overlay and Red Bus Lane Pavement Overlay shall cover the cost of all labor, materials, plant, equipment, insurance, and necessary incidentals required including, but not limited to, testing, cleaning, preparation of surfaces, and application of the lane pavement overlay materials, all in accordance with the contract plans and specifications, and as directed by the Engineer.

Payment will be made under:

| Item No. | ltem | Pay Unit |
|----------|-------------------------------------|----------|
| 6.44 POG | GREEN BICYCLE LANE PAVEMENT OVERLAY | S.Y. |
| 6.44 POR | RED BUS LANE PAVEMENT OVERLAY | S.Y. |

SECTION 6.52 CG Crossing Guard

- **6.52CG.1. INTENT.** This section describes the employment of full-time uniformed crossing guards to direct and detour traffic.
- **6.52CG.2. DESCRIPTION.** The Contractor shall furnish an adequate number of competent crossing guards to control vehicular and pedestrian traffic when it is necessary to maintain alternating one-way traffic in one lane of a two-way roadway, and at all other locations where construction operations, construction vehicles and equipment, and temporary traffic patterns related to the construction operations require positive temporary traffic control for safe, efficient traffic operations.
- **6.52CG.3. METHODS.** All crossing guards, whether paid for under this item or not, shall be proficient in speaking, writing and reading English and adequately trained, as approved by the Engineer, in controlling vehicular and pedestrian traffic at construction sites.

All crossing guards, whether paid for under this item or not, their apparel, hand-signaling devices, and active two-way radios shall be appropriate for use at roadway construction sites as approved by the Engineer.

Prior to the start of crossing guard operations, the Contractor shall provide to the Engineer a list of crossing guards to be used in the contract, identifying the source of crossing guard training for each individual. When requested by the Engineer, crossing guards shall demonstrate their competency in crossing guard procedures. Crossing guards not competent in controlling vehicular and pedestrian traffic procedures to the satisfaction of the Engineer shall be retrained or replaced at once. Each crossing guard paid under this item must be a full-time crossing guard. If any worker performing services under this item is also assigned the task of directing construction equipment (as per attached Example #2, worker acting as a flagperson 'A') or any laborer tasks, then such worker shall be deemed to be subject to the provisions of Labor Law §220 Prevailing Wage Schedule and will not be paid for under this Item.

- **6.52CG.4. MEASUREMENT**. The quantity to be measured for payment shall be the number of person-hours of uniformed crossing guard service actually performed, as authorized by the Engineer. Laborers who are not full-time crossing guard will not be measured for payment as crossing guards under this or any other item. Each uniformed crossing guard shall be required to work a minimum of eight (8) hours a day and the Contractor will be given a minimum of twelve (12) hours advanced notice by the Engineer as to when to furnish a crossing guard.
- **6.52CG.5. PRICE TO COVER.** The contract price per person-hour shall cover the cost of all labor, materials, equipment, and insurance necessary to employ a uniformed full-time crossing guard, and equip him/her with safety vests, hard hats, and signaling devices, including all other incidental costs necessary to control and detour traffic, as shown on the Contract Drawings, the Examples #1 and #2 on pages 395 and 396 (excluding worker acting as a flagperson "A" in Example #2), or as directed by the Engineer.

Payment for flagperson "A" in Example #2, shall be deemed to be included under other items of work, as appropriate.

Where there is no scheduled item for Crossing Guard, the cost of furnishing Crossing Guards as required shall be deemed included in the unit price bid for the Maintenance and Protection of Traffic item.

Payment will be made under:

Item No.

Item

Pay Unit

6.52 CG

CROSSING GUARD

PERSON-HOUR (P/HR)

[Added 02-24-2014]

16. Refer to PageS 480 and 481, Subsection 7.13.2.(B) MAINTENANCE OF STREETS, 4th paragraph, beginning with the words "The Contractor shall maintain the traveled way . . .;

Delete the 4th paragraph, in its entirety;
Substitute the following text:

"The Contractor shall maintain the traveled way in such a condition and conduct operations in such a manner that snow and ice may be readily removed by others as and when necessary, and in such a manner that proper drainage is provided for the melting of snow in the banks resulting from normal plowing. However, the Contractor will not be responsible for snow or ice removal on the pavement or traveled way opened for public usage, except within the limits of the work zone(s) which may include, but is not be limited to, stairways, promenades, esplanade areas, and sidewalk, including those fronting his office and the Engineer's field office all of which will be the responsibility of the Contractor."

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98^{TH} STREET AND EAST 108^{TH} STREET; AVENUE J BETWEEN EAST 98^{TH} STREET AND EAST 108^{TH} STREET; EAST 108^{TH} STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE K; EAST 107^{TH} STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106^{TH} STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104^{TH} STREET BETWEEN FLATLANDS AVENUE J; EAST 103^{TD} STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE AND AVENUE J; EAST 101^{ST} STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100^{TH} STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100^{TH} STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE J; EAST 99^{TH} STREET BETWEEN FLATLANDS 15^{ST} STREET BETWEEN EAST 100^{TH} STREET BETWEEN FLATLANDS 100^{TH} STREET; FLATLANDS 100^{TH} STREET BETWEEN EAST 100^{TH} STREET AND EAST 100^{TH} STREET; FLATLANDS 100^{TH} STREET BETWEEN EAST 100^{TH} STREET BETWEEN EAST 100^{TH} STREET BETWEEN EAST 100^{TH} STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 100^{TH} STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto

BOROUGH OF BROOKLYN

ADDENDUM NO. 2

DATED: March 18, 2015

This Addendum is issued for the purpose of amending the requirements of the contract documents and is hereby made part of said contract documents to the same extent as if it was originally included therein.

The Standard Sewer And Water Main Specifications of the Department of Environmental Protection (dated July 1, 2014), Sewer Design Standards of the Department of Environmental Protection (dated (September 2007) Revised January 2009), Water Main Standard Drawings of the Department of Environmental Protection (latest revisions), Specifications For Trunk Main Work of the Department of Environmental Protection (dated July 2014) and the Standard Highway Specifications (Volumes I and II) of the Department of Transportation (dated November 1, 2010) of The City of New York, shall be included as part of the contract documents. These said specifications and standard drawings are hereby revised under the following section headings:

- A. NOTICE TO BIDDERS
- B. AMENDMENTS TO THE STANDARD HIGHWAY SPECIFICATIONS
- C. AMENDMENTS TO THE STANDARD SEWER AND WATER MAIN SPECIFICATIONS
- D. AMENDMENTS TO THE SPECIFICATIONS FOR TRUNK MAIN WORK

A. NOTICE TO BIDDERS

(1) (A) The Contractor is advised that copies of the Standard Sewer And Water Main Specifications (dated July 1, 2014), Sewer Design Standards (dated (September 2007) Revised January 2009), Specifications For Trunk Main Work (dated July 2014) and Water Main Standard Drawings (latest revisions) are available to all prospective bidders at no cost upon presentation of receipt of purchase of Bid Package at the following location:

> Department of Design and Construction Division of Infrastructure Design Services, Specifications, 3rd Floor 30-30 Thomson Avenue Long Island City, NY 11101

(B) The Contractor is advised that copies of the Standard Highway Specifications (Volume I and II) (dated November 1, 2010), Standard Highway Details of Construction (latest revisions), Division of Street Lighting Specifications (latest revisions), Division of Street Lighting Standard Drawings (latest revisions), Standard Specifications for Traffic Signals (latest revisions), and Standard Drawings for Traffic Signals (latest revisions) are available to all prospective bidders for a fee at the following location:

Department of Transportation 55 Water Street, Ground Floor New York City, NY 10041

- (2) The Contractor is notified that a Notice To Proceed (NTP) date will be issued for work to commence within twenty-one (21) to thirty (30) days of Contract Registration.
- (3) The Contractor shall furnish, install, maintain and subsequently remove temporary Protective Tree Barriers. Protective Tree Barriers shall be Type B, unless otherwise directed by the Engineer, and shall be constructed and installed as shown on the Protective Tree Barrier sketch in Department Of Transportation, Standard Highway Details Of Construction, Drawing No. H-1046A, as directed by the Engineer, and in accordance with Department of Parks and Recreation requirements.
- (4) All utility locations and invert elevations are not guaranteed, nor is there any guarantee that all existing utilities, whether functional or abandoned within the project area are shown.
- (5) All existing house connections shall be maintained and supported during construction. The Contractor shall replace any existing house connection damaged as a result of the Contractor's construction operations as ordered by the Engineer at no cost to the City.
- (6) The Contractor is advised that any City owned light poles, traffic signals, street name signs, traffic signs and encumbrances including, but not limited to, underground conduit displaced as the result of the installation of the new sewers, water mains, catch basins, catch basin connections and appurtenances shall be replaced in kind and as directed by the Engineer. The cost of such work shall be deemed included in the prices bid for all items of work under this contract.
- (7) The Contractor is notified that Victaulic Style 77 Coupling is no longer acceptable for use in any steel water main work. All reference to Victaulic Style 77 Coupling within the Standard Sewer And Water Main Specifications of the Department of Environmental Protection (dated July 1, 2014), the Water Main Standard Drawings of the Department of Environmental Protection (latest revisions), the Specifications For Trunk Main Work (dated July 2014), and the contract drawings, shall be replaced with Bolted Split-Sleeve Restrained Coupling.
- (8) The Contractor is notified that wherever the Item No. "6.52" and words "flagger", "flagperson" and "flagman" are used in the contract documents and drawings it shall mean the Item No. "6.52 CG" and the words "Crossing Guard", respectively.

(9) The Contractor is notified that the fuel cost per gallon used in the formula under **Sub-Article 26.2.8** of the Standard Construction Contract for **Extra Work** will be derived from the fuel price index for the United States East Coast published weekly by the United States Energy Information Administration ("USEIA"), and available on its website at http://www.eia.gov/petroleum/gasdiesel/. The USEIA published cost per gallon for the applicable fuel on the East Coast for the week in which the first day of each calendar quarter during the contract term occurs (i.e., January 1st, April 1st, July 1st and September 1st) will be used in the reimbursement formula for all **Extra Work** invoiced that was performed during that calendar quarter. Should the USEIA stop publishing this fuel price index, the fuel cost per gallon will be determined by reference to a substitute index to be agreed upon by the Contractor and the City.

(10)The Contractor is responsible for any damage to the existing street and traffic signal equipment, including underground conduits and the safety of both pedestrian and vehicular traffic for the duration of the contract.

Should any conduits, cables or foundations need repair due to the Contractor's negligent operations during construction, all work shall be performed according to NYCDOT Bureau of Traffic's Standard Drawings and Specifications at the sole expense of the Contractor.

It is the Contractor's responsibility to secure an approved electrical contractor to perform all traffic signal work (if any). For list of approved electrical contractors, contact Mr. Michael R. LeFosse of New York City Department of Transportation at (718) 786-2236.

- (11)The Contractor is advised that where the existing roadway pavement is designated to be replaced from curb to curb, then no full depth saw cutting of pavement for sewer and water main trenches will be required, except at the limits of full width pavement restoration. No separate or additional payment will be made for any saw cutting.
- (12)The Contractor is advised that at certain locations within the project limit, existing manholes, seepage basins, basins, sewers and water mains that are to be abandoned may fall partially or totally within the trench of proposed sewer or water main. These existing structures shall be removed in part or in whole as necessary and required in order to accommodate the installation of the new sewer or water main. After the removal of the said structures, the resultant voids shall be satisfactorily filled and compacted up to the subgrade of the new sewer or water main by the Contractor. No separate or additional payment will be made for the removal and filling of the said existing structures, additional excavation, sheeting and bracing, providing bulkheads and all other items necessary to complete this work, the cost therefore shall be deemed included in the prices bid for all contract items of work.
- (13)In order to properly abandon existing seepage basins the Contractor shall remove castings, demolish walls to the required depth, bulkhead pipes, break up bottom slabs, fill and compact openings, and perform all work as directed by the Engineer. The cost for this work shall be deemed in the prices bid for all contract items of work. In streets where new storm sewer is being constructed all existing seepage basins shall be replaced by new catch basins and connected to the proposed storm sewer at the direction of the Engineer. The Contractor shall abandon the existing seepage basins using the method outlined in **Subsection 51.41.3 (E) ABANDONING EXISTING CATCH BASINS** of the Standard Sewer and Water Main Specifications (dated July 1, 2014), at no cost to the City.
- (14)The Contractor is advised that at locations throughout this project, where proposed sewer(s) or water main(s) crosses under existing water mains which are not designated for replacement/relocation, the Contractor shall properly support and protect the said existing water mains during the construction of new sewer(s). The Contractor shall take full responsibility for any damage to the said existing water mains and he shall submit support and protection systems and design computations to D.D.C. for approval at least two (2) weeks prior to the start of construction. The cost of this work including supporting design and all necessary incidental work thereto shall be deemed to be included in all bid items of work.

(15)The Contractor is notified that at some locations there presently exists sewers, manholes, water mains, etc., which are to remain undisturbed and are in close proximity to the line of the proposed work. The Contractor shall exercise extreme care, minimize the trench width of the proposed sewers and take all necessary precautions in placing sheeting and during excavation of the trenches to prevent any damage to the existing structures, pavement, curbs, and sidewalks that are to remain while working adjacent to them. Should any damage occur to any portion of the existing structures that are to remain due to the Contractor's operations, the Contractor shall make all repairs to the existing structures to the satisfaction of and as directed by the Engineer. The cost of such repair shall be borne by the Contractor, at no cost to the City.

- (16)The Contractor is notified that all chambers and all box curve sections shall be poured in place. No precast substitutions will be permitted.
- (17)At some locations as indicated on the contract plans, the Contractor is required to reconnect all existing sewers to the proposed manholes in this contract. The said manholes shall be fabricated to provide openings for the existing sewers at the specified invert elevations as shown on the contract drawings. The cost of reconnecting existing sewer pipes to new manholes, including concrete collar with steel reinforcements and/or grouting around the existing sewer pipes at the openings and all work necessary to complete the pipe reconnection, to the satisfaction of the Resident Engineer shall be deemed included in the prices bid for all items of work. No additional payment shall be made.
- (18)At all locations where the Engineer determines that the existing subgrade material has an unsatisfactory soil bearing capacities, the Contractor shall excavate below subgrade to the depth required to remove the unsatisfactory soil (maximum five (5) foot depth below subgrade), and shall backfilled to subgrade with stone ballast as described in Section 5.28. Payment for this work shall be made under Item No. 73.31AEO ADDITIONAL EARTH EXCAVATION INCLUDING TEST PIT (ALL DEPTHS); and, Item No. 70.71SB STONE BALLAST. The cost for any additional sheeting and bracing required for excavating below subgrade shall be deemed included in the price bid for Item No. 73.31AEO ADDITIONAL EARTH EXCAVATION INCLUDING TEST PIT (ALL DEPTHS).
- (19)The Contractor is advised that the existing sanitary sewers at some locations as indicated on the contract drawings have been lined by others. The Contractor shall exercise extreme caution, minimize the trench width of the proposed sewers and take all necessary precautions in placing sheeting when installing the proposed sewers, so as not to disturb or damage the existing lined sanitary sewers, which is in close proximity to the said proposed sewers. Any damage to any portion of the said existing lined sanitary sewers caused by the construction operations shall be repaired at the Contractor's own expense.
- (20)The Contractor is advised that there's no record to verify whether there are any existing storm Leader House Connection drains on the existing storm sewers within the project limit. However, if any existing Leader House Connections are encountered during trench excavation, the Contractor shall reconnect them to the proposed storm sewer as ordered by the Engineer. The cost of the work, including but not limited to, investigations; sheeting and bracing; earth excavation; clean backfill; restoration of disturbed and damaged sidewalk, curbs, grass, steps etc. required and necessary to reconnect the existing Leader House Connection drain shall be deemed included in the prices bid for Item No. 52.41V06R 6" E.S.V.P. HOUSE CONNECTION DRAIN ON CONCRETE CRADLE (RECONNECTION) and Item No. 52.41V08R 8" E.S.V.P. HOUSE CONNECTION DRAIN ON CONCRETE CRADLE (RECONNECTION).
- (21)The Contractor is advised that the proposed siphon is to be constructed crossing under the existing 60 inch water main and 30 inch gas main at the intersection of East 108th Street and Flatlands Avenue, the Contractor shall exercise extreme care and take all necessary precautions in placing sheeting and excavating to prevent any damage to the said existing 60 inch water main and 30 inch gas main. The Contractor shall submit shop drawings to the Engineer, showing all the details and his method of construction including his procedure and sequence of construction, supporting and protecting the existing 60 inch water main and 30 inch gas main, with necessary design calculations for approval prior to the start of the construction. The design shall be made by a New York State licensed Professional Engineer specialized in this type of construction and as further evidenced by the imprint

of his seal in all drawings. The cost of this work including investigation and verification of locations, maintaining, supporting and protection of the existing 60 inch water main and 30 inch gas main and all other items necessary to complete this work, all in accordance with the plans and specifications and as directed by the Engineer, shall be deemed to be included in the price bid for Item No. 51.11S000 - SIPHON CHAMBER.

- (22)The Contractor is advised that the location and level of the existing 72 inch storm sewers and outfall inside the sewer easement at Avenue K within the project limits was plotted based on available information from NYCDEP's record. Their accuracy is not guaranteed. The Contractor prior to the start of construction, shall investigate and determine the correctness of the location and level of the existing storm sewers and outfall as shown on the contract drawing in order to insure that the existing storm sewers and outfall is not disturbed or damaged during the construction of new box sewers and new outfall and their appurtenances which are in close proximity to the said 72 inch storm sewers and outfall. Should the Contractor's investigation reveal discrepancies between field condition and contract drawing, the Contractor shall notify the Engineer immediately. The aforementioned investigations must be performed prior to the start of construction and the cost therefore shall be deemed included in the prices bid for all items of work.
- (23)The Contractor shall replace disturbed or damaged existing bus pads due to the interference with the construction of water mains with new ones. New bus pads shall be constructed in compliance with the New York City Department Of Transportation (NYCDOT) Standard Highway Specifications Section 4.05 Concrete Pavement and "Typical Cross Sections and Details for Bus Pad" on contract drawing sheet No. 37 of 51.
- (24)The Contractor shall realize that at certain locations within the project limit, the existing storm sewers which required to be removed are lower than the proposed storm sewers. It might be necessary for the Contractor to excavate below the subgrade of the said proposed storm sewer to remove the existing storm sewers in part or in whole as directed by the Engineer in order to accommodate the installation of the proposed storm sewers. After the removal of the said storm sewers, the Contractor shall satisfactorily fill and compact the affected area in accordance with the specifications, up to the subgrade of the proposed storm sewers. No separate or additional payment will be made for the above work, including but not limited to, investigations, removal of the said storm sewers, labor, materials, equipment, insurance etc., and incidentals required to complete the work. The cost shall be deemed included in the prices bid for all items of work.
- (25)The Contractor is advised that no additional or separate payment shall be made for piles cap, decking, headwall, riprap, slope pavement, boulder protection, flap gate, sign, hand railing, sheeting and bracing and all other items necessary to complete the outfall at Fresh Creek. The cost shall be deemed included in the price bid for contract Item No. 51.61F000 OUTFALL.
- (26)No separate or additional payment will be made for the work of investigation, modification of existing roof slab and all work required and necessary to complete the construction of access manhole on existing 54 inch combined sewer. The cost for this work shall be deemed to be included in the price bid for the contract Item No. 51.21A000000E ACCESS MANHOLE ON EXISTING SEWER.
- (27)The contractor is advised that the 13'-0"W x 4'-0" box sewer between chamber No. 5 and bend No. 1, and between siphon chamber and chamber No. 5 shall be poured in place <u>only</u>. No precast substitutions will be allowed. The cost for this work shall be deemed to be included in the price bid for the Item No. 50.11MS130040 13'-0"W X 4'-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER.
- (28)The Contractor is advised that the roof slabs of the existing 54 inch and 66 inch combined sewers shall be modified as invert slabs to accommodate the 13'-0"W X 4'-0"H Box Sewer at the intersection of Flatland Ave. and East 108th Street, as shown on the respective details. No separate or additional payment will be made for all work required and necessary to complete the construction of the 13'-0"W X 4'-0"H Box Sewer crossing over the existing 54 inch and 66 inch combined sewer at the aforementioned intersection, including the work of investigation and modification of existing roof slabs.

The cost for this work shall be deemed to be included in the price bid for the Item No. 50.11MS130040 - 13'-0"W X 4'-0"H SINGLE BARREL FLAT TOP REINFORCED STORM SEWER.

- (29)The Contractor is informed that High Pressure (H.P.) 30 inch gas main at the intersection of East 105th Street and Avenue J will be relocated. The Contractor is also informed that National Grid expects to start gas relocation work on March 1, 2016 and estimates to complete the work by September 30, 2016. During this time frame, all work that is not completed by March 1, 2016 should be suspended so that National Grid has full access to the location mentioned above. The Contractor shall develop a construction schedule that acknowledges these restrictions to prevent any conflicts or delays. In addition, National Grid may use the East 105th Street and Avenue K intersection as the shutdown point for the H.P. 30 inch gas main. All costs for phasing and coordination shall be deemed included in the prices bid and no additional payment will be made.
- (30)The Contractor is informed that, except for surface pavement breaking; hand excavation shall be utilized for excavation near National Grid's H.P. 30 inch Gas Main. The Contractor shall perform test pits to verify location of the H.P. 30 inch Gas Main prior to proposed sewer and water main trench cuts. Compensation of such work will be borne under the EP-7 items. When encountered, contractor shall support and protect National Grid's H.P. 30" Gas Main. Contractor shall only utilize wood sheeting when crossing or excavating parallel and in close proximity to the H.P. 30" Gas Main as ordered by the Engineer. The compensation of such work shall be included within the contractor's bid price for respective bid items and no additional payment will be made.
- (31)The Contractor is advised that the existing 60 inch steel trunk water main in Flatlands Avenue shall be supported and protected during reconstruction and offset. The Contractor shall exercise extreme care and take all necessary precautions to prevent any damage to the water main including its coating. Any damage to the said existing water main including its coating shall be repaired by Contractor to the satisfaction of the Engineer. The cost for such repair shall be borne by the Contractor, at no cost to the City. Any shutdown of the trunk water main will not be granted during the Summer Trunk Water Main Embargo period from May 15 to September 15.
- (32)The Contractor is advised that the use of steel sheeting or a slide rail system will be required for trench excavation. Such methods may cause vibration thus requiring a submission of a construction report. Furthermore, the Contractor is advised that the properties on the north side of East 108th Street between Flatlands Avenue and Flatland 1st Street are in close proximity to the line of proposed combined sewer work. Vibrations may affect said properties. The cost of all labor, materials, plant, equipment, and insurance required for the pre-construction report shall be paid under Item No. 76.11CR CONSTRUCTION REPORT.
- (33)The Contractor is advised that the section of timber guard rail at the intersection of E. 108th Street and Avenue K shall be removed, salvaged, and reinstalled upon completion of sewer and outfall work. If any damage were to occur to the timber guard rail, the Contractor shall replace it in kind to the satisfaction of the Engineer. The cost for this work shall be deemed to be included in the price bid for the contract item No. 50.11MS096050 "9'-0"W X5'-0"H SINGLE BARREL FLAT TOP REINFORCED STORM SEWER." No additional or separate payment will be made.
- (34)The Contractor is advised the beam barrier at the intersection of E. 108th Street and Avenue K shall be installed as per NYCDOT Standard Highway Drawing H-1022, with the exception that the bent ends shall be straight. The cost of all labor, materials, and equipment to replace the beam barrier shall be deemed to be included in the price bid for Item No. 6.42 A06 BEAM BARRIERS FOR DEAD-END STREETS, TYPE 6. No additional or separate payment will be made.
- (35)The Contractor is notified that as part of this contract a Preconstruction Report (Preconstruction Condition Survey, Vibration Monitoring, And Geotechnical Evaluations For Construction Of Storm, Sanitary and Combined Sewers and Water Main In Fresh Creek, Borough Of Brooklyn, New York) has been prepared by the firm of CDM Smith, noting the maximum vibration limits for structures within the project area. An executive summary of this report consisting of three (3) pages has been included in the contract documents. The full report is available for review at the offices of the Department of

Design and Construction (DDC) located at 30-30 Thomson Avenue, 3rd Floor, Long Island City, New York. Contact Mr. Chung Ho Lam at 718-391-2076 to set up an appointment for review.

- (36)The Contractor is advised that the Department of Design and Construction has contacted The United States Army Corps of Engineers pertaining to required permits needed to perform the proposed modification work on the specified outfalls. It shall be the Contractor's responsibility to pursue and obtain such permits and no work shall commence until such permits have been obtained for this project. No additional or separate payment shall be made for this work in order to comply with the requirements, for the required updating of permits and obtaining the permits. The cost of such work shall be deemed included in the prices bid for all contract items of work.
- (37)The Contractor is advised that the Department of Design and Construction is in the process of filing permit application with the New York State Department of Environmental Conservation (NYSDEC), under the Environmental Conservation Law, Article 25 Tidal Wetlands, implemented by 6NYCRR Part 661; and, Title 5 of Article 15, implemented by 6NYCRR Part 401 Water Quality Certification. No work shall commence until the above-mentioned permit has been obtained for this project by the City. It is the Contractor's responsibility to comply with the permit requirements and to update the said permit. No separate or additional payment shall be made to the Contractor for updating of said permits. The cost of such work shall be deemed included in the prices bid for all contract items of work.
- (38)The Contractor is advised that the Department of Design and Construction is in the process of filing permit application with the New York State Department of State (NYSDOS); Costal Management Program Consistency Determination. No work shall commence until such permit has been obtained for this project by the Contractor. No additional or separate payment shall be made for the work in order to comply with the requirements, for the required updating of permits and obtaining the permits. The cost of such work shall be deemed included in the prices bid for all contract items of work.

B. AMENDMENTS TO THE STANDARD HIGHWAY SPECIFICATIONS

(1) <u>Refer</u> to Standard Highway Specifications Volume II (November 1, 2010), Page 360: Add the following new **Section 6.34 A**:

SECTION 6.34 A - Temporary Chain Link Fence, 6'-0" High

- **6.34A.1. DESCRIPTION.** Under this section, the Contractor shall furnish, erect, maintain, and remove, when directed, each type of Temporary Chain Link Fence as shown on the contract drawings and directed by the Engineer.
- **6.34A.2. MATERIALS AND METHODS.** All materials and methods shall be as specified in **Section 6.34** of the Standard Highway Specifications, with the following modifications and additions:

Temporary Chain Link Fence to be furnished under Item No. 6.34 ACT - TEMPORARY CHAIN LINK FENCE, 6'-0" HIGH, shall consist of chain link fence fabric, top and bottom tension wires, gates, posts to be embedded in the pavement, and all necessary incidentals in accordance with the contract drawings and the directions of the Engineer.

Temporary Chain Link Fence to be furnished under Item No. 6.34 ACTP - TEMPORARY CHAIN LINK FENCE, 6'-0" HIGH, (WITH TOP AND BOTTOM RAILS AND POSTS MOUNTED ON STEEL PLATES), shall consist of chain link fence fabric, top and bottom rails for mounting a decorative mesh (to be furnished under Item No. 9.06 HW), gates, and posts. Posts shall be mounted on two (2) feet square steel plates with a vertical pin not less than two (2) feet high welded to the center of the plate, all as approved by the Engineer. The Contractor shall also be required to secure the fence with sand bags to hold fence in place, and all necessary incidental in accordance with the contract drawings and the directions of the Engineer.

When directed by the Engineer, the Contractor shall remove and dispose of the temporary chain link fence to the satisfaction of the Engineer. The Contractor shall then fill any holes left in the pavement with compacted clean sand to grade.

6.34A.3. MEASUREMENT. The quantities of Temporary Chain Link Fence to be measured for payment shall be the number of linear feet of each type satisfactorily installed, complete, measured in place, from center to center of end posts.

Payment will be made for each type of Temporary Chain Link Fence only for the initial installation at any location. Whenever temporary chain link fence are moved to a new location, as required by the plans or directed by the Engineer, payment will be made in the same manner as if it were an initial installation. Minor movement of temporary chain link fence from one side of the roadway to the other side, or rearrangement within a work area will <u>not</u> be considered as a movement to a new location and will not entitle the Contractor to additional payment.

No payment will be made: for movements of each type of temporary chain link fence made for the Contractor's convenience; for movement of temporary chain link fence at a given location at the end of a work period and subsequent replacement at the same location at the beginning of the next work period; for movement of temporary chain link fence at a given location during a work period and subsequent replacement at the same location during the same work period; or for the interchanging of temporary chain link fence between initial installations.

6.34A.4. PRICES TO COVER. The contract prices bid per linear foot for each type of "TEMPORARY CHAIN LINK FENCE" shall be a unit price per linear foot and shall cover the cost of all labor, materials, plant, equipment, insurance, and necessary incidentals required to furnish, install, maintain, and remove temporary chain link fence; all in accordance with the contract drawings, the specifications and the directions of the Engineer. Temporary chain link fence shall also include, but not limited to, any gates as may be required.

PROJECT ID.: SE851 ADDENDUM NO. 2

Payment will be made under:

Pay Unit Item Description Item No.

L.F. TEMPORARY CHAIN LINK FENCE, 6'-0" HIGH 6.34 ACT TEMPORARY CHAIN LINK FENCE, 6'-0" HIGH, (WITH TOP AND BOTTOM RAILS AND POSTS MOUNTED ON STEEL PLATES) L.F. 6.34 ACTP

C. AMENDMENTS TO THE STANDARD SEWER AND WATER MAIN SPECIFICATIONS

(1) Refer to Subsection 10.15 - Notice To Utility Companies, Etc., To Remove Structures Occupying Place Of Sewers, Water Mains Or Appurtenances, Page I-11:

Add the following to Subsection 10.15:

(1) CONSOLIDATED EDISON COMPANY OF NEW YORK (CON EDISON)

There are CON EDISON facilities in the area of construction. The Contractor shall notify CON EDISON at least seventy-two (72) hours prior to the start of construction by contacting Ms. Theresa Kong at (212) 460-4834.

(2) NATIONAL GRID

There are NATIONAL GRID facilities in the area of construction. The Contractor shall notify NATIONAL GRID at least seventy-two (72) hours prior to the start of construction by contacting Mr. Neville Jacobs Jr. at (718) 963-5612.

(3) VERIZON

There are VERIZON facilities in the area of construction. The Contractor shall notify VERIZON at least seventy-two (72) hours prior to the start of construction by contacting Mr. Aubrey Makhanlall at (718) 977-8165.

(4) TIME WARNER CABLE OF NEW YORK CITY

There are TIME WARNER CABLE facilities in the area of construction. The Contractor shall notify TIME WARNER CABLE at least seventy-two (72) hours prior to the start of construction by contacting Mr. Mark Larm at (917) 335-9181.

(5) RCN TELECOM SERVICES OF NEW YORK

There are RCN facilities in the area of construction. The Contractor shall notify RCN at least seventy-two (72) hours prior to the start of construction by contacting Mr. Joey Maisonet at (718) 861-7361.

(2) Refer to Subsection 10.21 - Contractor To Notify City Departments, Page I-13: Add the following to Subsection 10.21:

(1) N.Y.C. D.E.P., BUREAU OF WATER AND SEWERS OPERATIONS

The Contractor shall notify Mr. James Garin, P.E., Director, Engineering at the Department of Environmental Protection, 59-17 Junction Blvd., 3rd floor low rise, Corona N.Y. 11368, at least thirty (30) days prior to the start of construction.

(2) NEW YORK CITY FIRE DEPARTMENT

The Contractor shall notify the Bureau of Fire Communications at least thirty (30) days prior to the start of construction by contacting Mr. Nick Varone at (718) 624-4194.

(3) N.Y.C. DEPARTMENT OF TRANSPORTATION

The Contractor shall notify Mr. Steve Galgano, P.E. Chief of Signal/Street Lighting Operations, 34-02 Queens Blvd., Long Island City, N.Y. 11101 at (718) 786-3550, at least seventy-two (72) hours prior to the start of construction.

(4) N.Y.C. DEPARTMENT OF PARKS AND RECREATION

The Contractor shall notify the Parks Department at least seventy-two (72) hours prior to the start of construction by contacting Mr. Daniel Grulich at (718) 760-6927.

(5) N.Y.C. TRANSIT AUTHORITY

(a) The Contractor is advised that bus routes as well as bus stops, within the scope of this project may be affected during construction operations. The Contractor shall notify the Transit Authority at least two (2) weeks prior to the start of construction, in order to make the necessary arrangements.

Arrangements shall be made through:

Ms. Sarah Wyss
Director Of Short Range, Bus Service Planning (SRB)
New York City Transit
2 Broadway, 17th Floor
New York, N.Y. 10004
Telephone No. (646) 252-5517
sarah.wyss@nyct.com

- (3) <u>Refer</u> to Subsection 10.30 Contractor To Provide For Traffic, Page I-15: <u>Add</u> the following to Subsection 10.30:
 - (1) Traffic Stipulations:

The Contractor shall refer to the Traffic Stipulations (three (3) pages) that are attached to the end of this addendum, and as directed by the Engineer.

- (4) Refer to Subsection 40.02.15 Disposal Of Water From Trenches, Page IV-9: Add the following to Subsection 40.02.15:
 - (A) The Department of Design and Construction has <u>not</u> filed application for Dewatering Permit with the New York State Department of Conservation (NYSDEC), under the Environmental Conservation Law (ECL), Title 15 of Article 15, for a Temporary Well Point System Permit. However, it is anticipated that the criteria for rate of pumping specified herebefore in this section will be exceeded in areas of construction; the Contractor shall be responsible for applying and obtaining the necessary dewatering permit prior to the dewatering of trenches within the scope of this project.

As part of the permit application the Contractor will be required to comply with all the requirements of **Section 40.14** of this addendum.

Copies of all materials submitted to NYSDEC shall be sent to the New York City Department of Design and Construction (NYCDDC), Infrastructure/Design.

The following minimum requirements set forth by the New York Department of Environmental Conservation shall be complied with prior to the start of work in areas of construction requiring dewatering permit:

(1) An analysis must be made of water samples taken. The results are to be submitted to the Regional Permit Administrator. An analysis shall be made for BOD, salinity, oil, and grease. The samples shall be analyzed by a laboratory certified by the New York State Health Department and the results are to be submitted directed to the New York State Department of Environmental Conservation by the laboratory.

(2) Prior to setting any wells, wellpoints or header pipes, the Contractor shall submit to the NYSDEC a layout of the complete dewatering system including the location of the discharge point. When permitted by the NYSDEC, discharge of groundwater on the beach areas shall be done in such a manner as to eliminate any erosion or siltation and will require the installation of splash blocks and/or settling basins.

The Contractor is advised that all work required in obtaining a permit, must be submitted to, and approved by the NYSDEC prior to the commencement of any work in areas of construction requiring dewatering permit. No payment for any item of work will be made, and no shop drawing shall be approved for the areas of construction until such time that a written approval is obtained from the NYSDEC.

(B) The Contractor is advised that all work shall be governed by the provisions and requirements of the obtained permit, and their said provisions and requirements shall be made a part of the contract and the Contractor shall be responsible for strict adherence thereto.

The cost of all work required for applying, complying and obtaining required dewatering permits including the cost for any required updating of permits shall be deemed included in the prices bid for all item of this contract. No additional or separate payment will be made for any work required in order to comply with these requirements.

(5) <u>Refer</u> to Page IV-34: <u>Add</u> the following new <u>Section 40.14</u>:

SECTION 40.14 DEWATERING PERMITS

40.14.1 DESCRIPTION

Under this contract, and at locations where groundwater will be present in the trenches and excavations, the Contractor is required to install, maintain and operate a temporary dewatering system of sufficient size and capacity to control ground and surface water flow into the excavation and to allow all work to be accomplished in the "dry condition".

The Contractor shall be required to obtain the following permits in order to operate a temporary dewatering system.

- (A) A Dewatering/Discharge Permit from the New York City Department of Environmental Protection (NYCDEP);
- (B) A Long Island Well Permit from the New York State Department of Environmental Conservation (NYSDEC), under the Environmental Conservation Law (ECL), Title 15 of Article 15, implemented by 6NYCRR Part 601 - Water Supply and Part 602 - Long Island Well. <u>This permit is required only in the Boroughs of Brooklyn and Queens to withdraw</u> <u>water using a well point or deep well system where the total capacity of such well or wells is in excess of 45-gallons per minute (or 64,800-gallons per day)</u>; and,
- (C) An Industrial State Pollutant Discharge Elimination System (SPDES) or a Non-Jurisdictional Determination Letter in compliance with Title 8 and 7 of Article 17 of the Environmental Conservation Law of New York State, respectively.

The Contractor is advised that the provisions and requirements of the aforementioned permits shall govern all work, and the said provisions and requirements are hereby made a part of the sewer contract and the Contractor shall be responsible for strict adherence thereto.

No dewatering work shall commence until the above-mentioned Permits have been obtained for this project.

The Contractor is advised that in order to comply with all the permits requirements, the Contractor will be required to submit maps, test data, etc. prior to the start of work. In order to expedite the processing of the permit and its requirements, the Contractor shall be required to obtain the services of an independent Environmental Scientist as herein described below in **Subsection 40.14.2** to perform this work and act as liaison with NYSDEC and NYCDEP.

40.14.2 QUALIFICATIONS

The Environmental Scientist utilized to perform the work required under this section must have adequate experience in work of this nature (obtaining Long Island Well Permit/Dewatering Permit) and must have previous experience in working with the NYSDEC and the NYCDEP, designing equivalent dewatering systems, and have successfully obtained the type of permits required under this contract. Prior to the start of work, the Contractor will be required to submit the name and resume of the Environmental Scientist for approval.

40.14.3 NYSDEC DEWATERING PERMITS

The dewatering system shall be designed by the Environmental Scientist using accepted and professional methods of design and engineering consistent with the best modern practices.

The material to be submitted shall include, but not be limited to the following:

(1) Site Plan - Scaled, showing construction activity (e.g. excavation, pathway of the pipe, new outfalls, etc.) locations of well points, header pipes and pumps, and all staging and storage areas.

Also included herein shall be a layout of the complete dewatering system including the location of the discharge point. When permitted by the NYSDEC, discharge of groundwater on beach areas shall be done in such a manner as to prevent any erosion or siltation and will require the design and installation of splash blocks and/or settling basins.

- (2) Dewatering System Specifications:
 - (a) Number of Well Points
 - (b) Diameter of Well Points
 - (c) Spacing of Well Points
 - (d) Length to Screen
 - (e) Depth to Bottom of Screen
 - (f) Static Water Level
 - (g) Drawdown Required

- (h) Total Volume Pumped
- (i) Number of Pumps
- (j) Capacity of Pumps
- (k) Duration of Pumping
- (I) Initial and Average GPM
- (m) Estimated Daily Pumpage
- (n) Flow Meter
- (3) Cross Section Scaled, showing well points, riser, header, annular material (if used) and other equipment associated with each point. A typical construction style drawing may be utilized. Should the Contractor be permitted to use a deep well system, all information regarding it must be submitted.
- (4) Drawdown Contour Map Based upon a review of the surrounding area affected by the dewatering and upon boring within the project area and characteristics of the soils, the depth and pumping rate of dewatering system and the duration of the pumping, the Environmental Scientist shall submit both a narrative and diagram showing the anticipated maximum cone of depression which shall be shown from both above and in cross section on scaled diagrams. Contour lines on diagrams shall be labeled to show depth from land surface.
- (5) Description of Site and Adjacent Areas A short narrative shall be prepared describing the land use in the area paying attention to any potential sources of groundwater contamination that may migrate into the well's cone of depression, such as gas stations, chemical plants, wrecking yards, sanitary landfills, etc. Latest map of the area shall be included in the narrative.

(6) Groundwater Analysis - The Environmental Scientist shall develop and submit a sampling and analysis program subject to NYSDEC Approval (a minimum of one groundwater sample from a site well shall be collected and analyzed). A laboratory certified by the New York State Health Department shall analyze the samples. The sampling and analysis program must include but is not limited to the following:

NYSDEC REGION 2 - DEWATERING PROJECTS SAMPLING INFORMATION

| NO. | PARAMETERS | TYPE | EPA METHOD | DETECTION |
|-----|-----------------------------|------|---------------------|--------------|
| 1 | рН | Grab | 150.1 | EPA min |
| 2 | Temperature | °F | After Pumping | EPA min |
| 3 | Fecal Coliform | Grab | 5-Tubes/3-Dilutions | 2-MPN/100-ml |
| 4 | Oil & Grease | Grab | 413.1 | EPA min |
| 5 | BOD5 | Grab | 405.1 | EPA min |
| 6 | Total Suspended Solids | Grab | 160.2 | EPA min |
| 7 | Settleable Solids | Grab | 160.5 | EPA min |
| 8 | Chlorides | Grab | 325.1-325.3 | EPA min |
| 9 | Benzene | Grab | 602 | EPA min |
| 10 | Toluene | Grab | 602 | EPA min |
| 11 | Xylenes | Grab | 602 | EPA min |
| 12 | Ethylbenzene | Grab | 602 | EPA min |
| 13 | PCB's | Grab | 608 | (See Note 1) |
| 14 | Pesticides | Grab | 608 | EPA min |
| 15 | 13 Priority Metals | Grab | 200 series | EPA min |
| 16 | Acids Base/Neutrals | Grab | 625-GC/MS | EPA min |
| 17 | Halogenated Volatiles | Grab | 601-GC | EPA min |
| 18 | Nitrate/Nitrite | Grab | 300 or 353.3 | EPA min |
| 19 | Aromatic Volatiles | Grab | 602-GC | EPA min |
| 20 | Cyanide (total or amenable) | Grab | 335.1/335.2 | EPA min |

NOTE:

(1) List each individual aroclor found and report the concentration of each aroclor tested. Use the N.Y.S. detection limit, which is 0.065-µg/l.

Small dewatering projects with a total estimated pumped volume up to 15-Million Gallons (MG) require sampling analysis for parameters No.'s 1 through 12.

Medium dewatering projects with a total estimated pumped volume between 15-MG and 60-MG require sampling analysis for parameters No.'s 1 through 14.

Large dewatering projects with a total estimated pumped volume greater than 60-MG require sampling analysis for parameters No.'s 1 through 20.

Samples are to be collected after development of the well by a licensed well driller.

A laboratory certified by the NYS Department of Health must conduct all testing.

Irrespective of the aforementioned sampling requirements based on total estimated pumped volumes, the Department may require sampling of additional parameters if the proposed dewatering site is suspected of being contaminated.

40.14.4 SUBMISSION OF DEWATERING PLAN

The Environmental Scientist will be required to submit two (2) copies of the Dewatering Plan (together with all reports, materials, designs, drawings, maps and plans) to the Infrastructure Engineering Support Unit for review and approval. Once approved the Environmental Scientist shall submit in triplicate the Final Dewatering Plan to both the NYSDEC and the NYCDEP. The Dewatering Plan should be bound and bear the name of the Contractor, NYSDEC Application Number and the Signature of the preparer. All drawings and maps shall be on sheets 27-inches by 40-inches and to scale not less than 1"=30'.

40.14.5 **DAMAGES**

The Contractor shall be responsible for and shall repair at no cost to the City any damage caused by inadequate or improper design and operation of the dewatering system, and any mechanical or electrical failure of the dewatering system.

40.14.6 SYSTEM REMOVAL

The Contractor shall remove all dewatering equipment and temporary electrical service from the site. All wells shall be removed or cut off a minimum of three (3) feet below the final ground surface and capped. Holes left from pulling wells or wells that are capped shall be grouted in a manner approved by the Engineer.

40.14.7 PAYMENTS

No additional or separate payment will be made for any work described herein. The costs for all labor, materials, equipment, permit fees, samples, tests, reports, services and insurance required or necessary to perform all the work described herein shall be deemed included in the price bid for all items of work.

(6) Refer to Page IV-34:

Add the following new Section 40.15:

SECTION 40.15 OUTFALL AND TIDAL WETLANDS PERMITS

40.15.1 DESCRIPTION

Under this contract, at location(s) where outfall(s) are being constructed, and where work is being performed within area(s) of tidal wetlands, the Contractor shall be required to comply with the following permits while performing outfall work within navigable waters and/or work within tidal wetland areas.

- (A) A Protection Of Waters Permit from the New York State Department of Environmental Conservation (NYSDEC), under the Environmental Conservation Law (ECL), Title 5 of Article 15, implemented by 6NYCRR Part 608 - Protection Of Waters: (i) For The Excavation And Fill In Navigable Waters; and, (ii) Part 401 - Water Quality Certification; and.
- (B) A Tidal Wetlands Permit from the New York State Department of Environmental Conservation (NYSDEC), under the Environmental Conservation Law (ECL), Article 25, implemented by 6NYCRR Part 661 - Tidal Wetlands; and,
- (C) A Department Of The Army Permit from the U.S. Army Corps of Engineers, under Code of Federal Regulations, Title 7 Outfall Structures And Associated Intake Structures and,
- (D) A Coastal Consistency Concurrence Certification from the New York State Department of State (NYSDOS).

To expedite the Permit process, the Department of Design and Construction has filed a joint application for (A), (B), (C), and (D) above. As the application is being processed it shall be the

Contractor's responsibility to comply with the requirements of the said permits. The Application ID number will be provided to the Contractor at the Preconstruction meeting.

The Contractor is advised that the provisions and requirements of the aforementioned permits shall govern all work, and the said provisions and requirements are hereby made a part of the sewer contract and the Contractor shall be responsible for strict adherence thereto.

No work shall commence until the above-mentioned Permits have been obtained for this project, and a copy of each permit transmitted to the Engineer.

The Contractor is advised that in order to comply with all the permits requirements, the Contractor will be required to submit maps, test data, etc. prior to the start of work. In order to expedite the processing of the permit and its requirements, the Contractor shall be required to obtain the services of an independent Wetland Specialist and, if required, an Environmental Scientist as herein described below in **Subsection 40.15.2** to perform this work and act as liaison with NYSDEC and NYCDEP.

40.15.2 QUALIFICATIONS

The Wetland Specialist and/or Environmental Scientist utilized to perform the work required under this section must have adequate experience in work of this nature (obtaining Protection Of Waters, Tidal Wetlands and Department Of The Army Permits) and must have previous experience in working with the NYSDEC and the NYCDEP and have successfully obtained the type of permits required under this contract. Prior to the start of work, the Contractor will be required to submit the name and resume of the Wetland Specialist and/or Environmental Scientist for approval.

40.15.3 NYSDEC PERMITS

The Wetland Specialist and/or Environmental Scientist shall prepare and submit all appropriate data and perform tasks as specified and required by the NYSDEC and/or Army Corps of Engineers.

The data to be prepared and submitted and the tasks to be performed shall include, but not be limited to the following:

- (1) The Wetland Specialist shall flag/stake the limits of the wetlands. These boundary locations are to be surveyed and plotted on a site plan whereon the adjacent areas shall then be drawn using the regulated wetland limit as a baseline. This site plan shall depict all existing conditions including descriptions of all vegetation.
- (2) An overlay of the site plan described above depicting the Contractor's proposed construction operations, including areas of equipment and material storage, and access roads.
- (3) Development of a sedimentation and erosion control plan including the location and specification for installing hay bales and siltation fencing between the construction right-of-way, staging areas, stockpiled materials and wetland adjacent areas.
- (4) Plans and specifications for the restoration/revegetation of all disturbed wetlands and regulated adjacent areas impacted by the Contractor's operations.
- (5) Upon completion of sewer, outfall and other related work on this project, the Contractor shall commence with the restoration/revegetation plan. All planting and revegetation shall be done under the supervision of the Wetland Specialist.
- (6) Should dewatering be required within the project area information regarding all dewatering activities must be submitted to and approved by NYSDEC in accordance with **Subsection 40.02.15**.
- (7) Wherever dewatering is extensive or of long duration and the cone of depression will extend to wetland areas the Wetlands Specialist shall develop and implement a program to monitor groundwater levels in the wetlands (e.g. install hand driven well points) and surface water levels in

water bodies. Prior to construction, the Wetlands Specialist shall gather information on any rare, endangered or threatened species and base-line data on existing vegetation and wildlife. Monitoring of these parameters shall continue throughout the construction to assure no adverse impacts to habitat within wetlands and water bodies from dewatering.

(8) The Wetland Specialist shall also submit a plan for mitigation should the monitoring of wetlands reveal any adverse effects to vegetation, etc.

40.15.4 SUBMISSION OF REPORT

The Wetland Specialist and/or Environmental Scientist will be required to submit two (2) copies of a Report (together with all appropriate data, maps, site plans and surveys, mitigation plan, reports, materials, designs and drawings) to the Infrastructure Engineering Support Unit for review and approval. Once approved the Wetland Specialist and/or Environmental Scientist shall submit in triplicate this report to both the NYSDEC and the NYCDEP. The Report should be bound and bear the name of the Contractor, NYSDEC Application Number and the Signature of the preparer. All drawings and maps shall be on sheets 27-inches by 40-inches and to scale not less than 1"=30'.

40.15.5 **DAMAGES**

The Contractor shall be responsible for and shall repair at no cost to the City any damage caused to the outfall location(s) and tidal wetland areas by inadequate or improper designs and construction operations by the Contractor.

40.15.6 AREAS TO BE LEFT CLEAN

The Contractor shall remove all material and equipment from the outfall location(s) and area(s) of tidal wetlands after completion of work at the site(s). The locations and areas shall be left in a clean and neat condition in accordance with the requirements and directions of the Engineer, the NYSDEC and the Army Corps of Engineers.

40.15.7 PAYMENTS

No additional or separate payment will be made for any work described herein. The costs for all labor, materials, equipment, permit fees, samples, tests, reports, services and insurance required or necessary to perform all the work described herein shall be deemed included in the price bid for all items of work.

- (7) Refer to Subsection 71.41.4 Specific Pavement Restoration Provisions, Page VII-67:

 Add the following to Subsection 71.41.4:
 - (E) Specific Pavement Restoration Provisions:
 - (1) In Flatlands Avenue between East 99th Street and East 108th Street one half (1/2) of the roadway (the south side of Flatlands Avenue only), the entire intersection of Flatlands Avenue and East 108th Street, the entire intersection of Flatlands Avenue and East 108th Street, Avenue J between East 98th Street and East 108th Street, East 108th Street between Flatlands Avenue and Avenue and Avenue J, East 105th Street between Flatlands Avenue and Avenue J, East 105th Street between Flatlands Avenue and Avenue J, East 103rd Street between Flatlands Avenue and Avenue J, East 102nd Street between Flatlands Avenue and Avenue J, East 100th Street between Flatlands Avenue and Avenue J, East 100th Street between Flatlands Avenue and Avenue J, East 99th Street between Flatlands Avenue and Avenue J, Flatlands 1st Street between East 105th Street and East 108th Street, and Flatlands 2nd Street between East 108th Street and East 108th Street, the restoration shall be as follows:

(a) The permanent restoration over the trench width and cutbacks only shall consist of a top course of one and one-half (1-1/2) inches of binder mixture on a base course of a minimum of four and one-half (4-1/2) inches of binder mixture, or a top course of a minimum of three (3) inches of binder mixture on a base course of a minimum of six (6) inches of high-early strength concrete, to match the existing pavement as directed by the Engineer.

- (b) Finally an overlay of two (2) inches of asphaltic concrete wearing course shall be installed over the entire width of the roadway from **curb to curb** or **edge to edge** of existing roadway.
- (2) For East 108th Street between Flatlands 1st and Avenue K requiring sewer and water main work, the restoration shall be as follows:
 - (a) The permanent restoration, from **curb to curb or from edge to edge of existing roadway**, shall consist of a minimum of six (6) inches binder mixture or a minimum of six (6) inches of concrete base to match the existing grade as directed by the Engineer.
 - (b) Finally an overlay of two (2) inches of asphaltic concrete wearing course shall be installed over the entire width of the roadway from **curb to curb** or **edge to edge** of existing roadway.
- (3) In East 100th Street between Conklin Avenue and Flatlands Avenue, Conklin Avenue between East 98th Street and East 99th Street, East 99th Street between Conklin Avenue and Glenwood Road, and East 98th Street between Conklin Avenue and Glenwood Road, the restoration shall be as follows:
 - (a) The permanent restoration over the trench width and cutbacks only shall consist of a top course of one and one-half (1-1/2) inches of asphaltic concrete wearing course on a base course of a minimum of four and one-half (4-1/2) inches of binder mixture, or a top course of one and one-half (1-1/2) inches of asphaltic concrete wearing course on a minimum of one and one-half (1-1/2) inches of binder mixture on a base course of a minimum of six (6) inches of high-early strength concrete, to match the existing pavement as directed by the Engineer.
- (4) The following requirements apply:
 - (a) Before the top course is installed, an additional width of asphalt beyond the edge of new base course shall be saw-cut and removed from all edges of trenches to a depth to accommodate the specified top course and the entire area restored. This additional removal shall be in accordance with paragraph (b) below.
 - (b) Pavement excavation along with saw cutting of pavements for sewer and water main trenches shall be in accordance with **Section 71.21 Pavement Excavation** of the Standard Sewer And Water Main Specifications.
 - (c) At locations requiring the installation of a concrete base course, a reflective cracking membrane shall be installed over joints prior to restoration, the cost of which shall be deemed included in the prices bid for all pavement restoration items. Additionally, appropriate pavement keys as described below shall be used.
 - (d) Pavement keys **Type B-1** shall be used to insure a desired four (4) inch curb reveal (two and one-half (2-1/2) inch absolute minimum). Pavement key **Type A** shall be used in all intersections. Both keys are to be per Bureau of Highways Operations Specifications and Standard Details of Construction.

(e) Unless otherwise specified, the cost for Proctor analyses, in-place soil density tests, tack coating, eradication of temporary roadway markings, stripping or milling of pavement keys and adjustment of city-owned castings for all roadway work shall be deemed included in the prices bid for all pavement restoration items.

- (f) Payment for placement of temporary pavement marking shall be made under Item No. 6.49 TEMPORARY PAVEMENT MARKINGS (4" WIDE).
- (g) Payment for removal of existing pavement markings shall be made under Item No. 6.53 REMOVE EXISTING LANE MARKINGS (4"WIDE).
- (h) Payment for placement of permanent pavement marking with thermoplastic reflectorized pavement markings (crosswalk and lane dividers) shall be made under Item No. 6.44 - THERMOPLASTIC REFLECTORIZED PAVEMENT MARKINGS (4" WIDE).
- (i) Payment for pavement restoration shall be made under the following items:

| <u>Item No.</u> | <u>Item</u> | Payment Description |
|-----------------|--|---|
| 4.02 AB-R | Asphaltic Concrete Wearing Course, 1-1/2" Thick | (For asphaltic concrete wearing course top course when <u>no</u> overlay is required.) |
| 4.02 AF-R | Asphaltic Concrete Wearing Course, 2" Thick | (For 2" asphaltic concrete wearing course overlay from curb to curb or edge to edge.) |
| 4.02 CA | Binder Mixture | (For binder mixture base course over trenches and cutbacks; binder mixture top filler course under asphaltic concrete wearing course when <u>no</u> overlay is required; binder mixture top course when overlay is required; binder mixture in Type A and B Keys; and binder mixture to fill in roadway depressions and to provide a leveling course prior to overlay where ordered.) |
| 4.04 H | Concrete Base For Pavement,
Variable Thickness For Trench
Restoration (High-Early
Strength) | (For concrete base course over trenches and cutbacks.) |
| 4.05 AX | High-Early Strength Reinforced Concrete Pavement (Bus Stop) | (For reinforced concrete pavement at bus stops.) |


D. AMENDMENTS TO THE SPECIFICATIONS FOR TRUNK MAIN WORK

1) Refer to Part 1 – Furnishing And Delivering Steel Pipes And Appurtenances 30 Inches In Diameter And Larger, Paragraph 13. Special Fittings:, Page 5;
Add the following to Paragraph 13:

The steel reducer shall have a length of seven (7) feet for every twelve (12) inches reduction in diameter.

END OF ADDENDUM NO. 2

This Addendum consists of twenty (20) pages plus twelve (12) pages of attachments.





EXECUTIVE SUMMARY

On behalf of the New York City Department of Design and Construction (DDC), Bureau of Environmental and Geotechnical Services (BEGS), Camp Dresser McKee and Smith (CDM Smith) conducted a pre-construction building condition survey, vibration monitoring and geotechnical evaluations of the existing subsurface data with respect to the proposed storm, sanitary, and combined sewers and water main in Fresh Creek in the Borough of Brooklyn, New York (DDC Project ID. SE851).

This report presents pre-construction condition survey records and results, observed ground vibrations in terms of peak particle velocities (PPV) in inches per second (in/s) and corresponding frequencies in Hertz (Hz), and geotechnical analyses and evaluations including conclusions and recommendations to assist in the selection of suitable foundation systems to support the proposed sewers and water main. Recommendations include suggested measures to minimize damage to existing utilities and buildings due to vibration from construction related activities. All elevations (El.) shown in this report are referenced to the Brooklyn Highway datum.

The site is located in the Canarsie section of Brooklyn and is bound by Conklin Avenue and Flatlands Avenue to the north, Avenue J and Avenue K to the south, East 98th Street to the west and East 108th Street and the Fresh Creek Basin to the east. CDM Smith performed a geotechnical subsurface investigation program between May 15 and July 16, 2014 that consisted of 158 test borings (157 land borings and 1 marine boring) drilled to approximately 32 feet below ground surface (bgs) or 52 feet below mudline (bml). All test borings were drilled by Warren George, Inc. of Jersey City, New Jersey. Based on a review of the Record of Borings (ROBs) recently completed by CDM Smith and other pertinent geotechnical data along roadways and in the creek at the project site, the subsurface conditions consisted of (top to bottom) approximately 6 to 32 feet of Fill and 3 to 43 feet of Sand. However, at 25 of the testing boring locations, 4.5 to 10 feet of Peat was encountered below the Fill stratum. In addition, at test boring locations B-13, B-64 and B-141, 3.5 to 5 feet of Gravel was interbedded within the Sand stratum, and at test boring B-68, 6 feet of Marine Sediment was encountered at the mudline above the Sand stratum. Groundwater was observed in installed observation wells, at depths ranging from approximately 3.9 to 14.5 feet below ground surface and ranged from El. -1.0 to 2.7.

Based on our evaluation, the subsurface conditions consist of Fill (Stratum 1), Peat (Stratum 2), Sand (Stratum 3) and Gravel (Stratum 4). For the majority of the sewer and water main alignments, Fill, Peat and loose or disturbed soils were encountered at or below the proposed utilities subgrades and are not acceptable as suitable subgrade materials. However, where the medium dense to very dense Sand (Stratum 3) is present at utility subgrades, the "do-nothing" shallow foundation system is suitable for the support of the proposed utilities.

Per DDC's standard sewer foundation design manual, all sewers shall be supported on piles if the N-value of the subgrade soils is less than 12 blows per foot (bpf). Therefore, it is anticipated that deep foundations are necessary for the support of the proposed utilities along Flatlands Avenue between East 101^{st} Street and East 108^{th} Street, Avenue J, Flatlands 1^{st} Street, Flatlands 2^{nd} Street, Avenue K, East 101^{st} Street and East 103^{rd} Street through East 108^{th} Street of the sewer and water main alignments. A summary of deep foundation piles with allowable 20-ton axial compression capacity is shown below.



| Table 1 | L: | Pile | Recomr | nend | lations |
|---------|----|------|--------|------|---------|
| | | | | | |

| lable 1. I lie Recommendations | | |
|--------------------------------|---------------|--|
| Pile Type | Diameter (in) | Approximate Embedment Length in Sand below Subgrade (ft) |
| Timber | 14/9(1) | 28 |
| Continuous Flight Auger (CFA) | 18 | 17 |

Notes:

1. Note that the timber pile dimensions include a pile butt diameter of 14 inches and a pile tip diameter of 9 inches. In addition, the pile has a taper of 0.00521 ft/ft.

Alternatively, it is anticipated that the "do nothing" shallow foundation system is suitable for the support of the proposed utilities along Conklin Avenue, Flatlands Avenue between East 98th Street and East 101st Street, East 98th Street through East 100th Street and East 102nd Street. However, where present at utility subgrade, the miscellaneous fill or loose, soft, organic or disturbed soils are not acceptable as subgrade. As such, limited portions of the project area may require excavation and replacement of existing soils up to four feet below the bottom of the proposed foundation. Deep foundations, while technically feasible, are not considered necessary or an economically viable solution for the support of the proposed utilities along these streets.

The pre-construction building condition survey and vibration monitoring were conducted at the site between January 6 and February 26, 2015 to (a) observe and document the existing conditions and evaluate existing distress features of the building structures likely to be impacted by the proposed construction, and (b) monitor and record background vibration levels at the project site prior to the proposed construction.

Interior building condition surveys were conducted at 12 structures including 1170 East 98th Street, 984 East 99th Street, 945 East 104th Street, 962 East 108th Street, 964 East 108th Street, 9902 Avenue J, 9906 Avenue J, 10719 Avenue J, 10721 Avenue J, 10565 Flatlands 1st Street, 10560 Flatlands 2nd Street and 10578 Flatlands 2nd Street.

Walk-by surveys that assessed the general condition of the structures from publicly accessible areas were conducted for all 805 properties. Walk-by survey results indicated that 61 structures were classified to be in "poor" condition (defined as displaying a wide range of major distress features, structural integrity not compromised), 548 structures were found to be in "fair" condition (defined as displaying a wide range of minor distress features) and 196 structures were in "good" condition (defined as localized minor distressed features). No structures were classified to be in "excellent" condition (defined as no observed distress features).

It is also understood that the standoff distance of the properties from the proposed utilities construction ranged from 20 to 75 feet, with most of the properties at a standoff distance of about 25 to 50 feet. This study concluded that buildings within 25 feet of standoff distance, at locations where the proposed construction of the pipes is deeper than 20 feet, may be affected by the anticipated construction activity. Thus, measures recommended in this report and others developed by the construction contractor should be adopted to mitigate potential damage.

In order to establish ambient (background) vibrations at the project site, vibration monitoring was conducted using vibration monitoring (i.e., seismographs) units at 14 representative locations at the site. The majority of vibrations at the project site, in a minimum 27 hour time period, were between 0.003 and



0.023 inch per second (in/s). The maximum background levels were generally between 0.004 and 0.096 in/s, excluding the isolated, infrequent, high values likely attributed to human interference. The maximum allowable peak particle velocity (PPV) levels at different frequency ranges for structures of different ages, construction materials and foundation types were estimated based on observations during the condition survey.

This report suggests specific construction means and methods (i.e., types of construction equipment) for this project and develops typical standoff distances for the type of equipment that would likely be used. Based on the surveyed building conditions and proposed standoff distances, PPV "Threshold" and "Limiting" values have been recommended as follows.

Table 2: PPV Threshold and Limiting Values

| Frequency | Max. Peak Particle Velocity (in/sec) | | |
|--------------|--------------------------------------|-------------------|--|
| (Hz) | Threshold (in/sec) | Limiting (in/sec) | |
| Over 40 | 1.0 | 2.0 | |
| 30 to 40 | 0.75 | 1.5 | |
| 20 to 30 | 0.5 | 1.0 | |
| Less than 20 | 0.35 | 0.5 | |

The proposed PPV vibration criteria presented in the above table are based on the U.S. Bureau of Mines recommendations associated with minimizing the risk of construction related damage to existing utilities and structures. Also note that the recommended action levels are mainly dependent on wave frequencies. Typically, wave frequency depends on type of equipment used for site construction activities, type of hammer (i.e., impact hammer, vibratory hammer), input energy, and standoff distances. It is imperative that PPV be monitored and not exceed recommended Threshold values.

It is also recommended that the contractor monitor vibrations during the entire phase of installation of any piles for foundations and shoring, excavation, asphalt cutting/removal, backfill, compaction and repair/improvement of the pavements and sidewalks.

The contractor must be prepared to take additional precautionary and corrective measures, as appropriate, since the established vibration criteria cannot guarantee that no damage would occur for vibrations below the established Threshold limits. In particular, all sensitive buildings and all existing utilities should be closely monitored for signs of damage during construction. Any building found to be in "poor" or "fair" condition, at the time of construction, should be closely monitored for signs of damage.



Department of Transportation

POLLY TROTTENBERG, Commissioner

OCMC TRAFFIC STIPULATIONS

11/17/2014

OCMC FILE NO: BNEC-14-388
CONTRACT NO: SE-851 - PHASE 1A

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY SEWERS AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA.

PERMISSION IS HEREBY GRANTED TO THE **NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION** AND ITS DULY AUTHORIZED AGENT, TO ENTER UPON AND RESTRICT THE FLOW OF TRAFFIC AT THE ABOVE LOCATION AND ITS LOCAL ADJACENT STREETS FOR THE PURPOSE OF CARRYING OUT THE ABOVE NOTED PROJECT, SUBJECT TO THE STIPULATIONS, AS NOTED BELOW:

A. SPECIAL STIPULATIONS

- 1. EMBARGOES A CONSTRUCTION EMBARGO WILL APPLY TO THOSE LOCATIONS BELOW WHICH FALL WITHIN THE HOLIDAY EMBARGO OR ANY OTHER SPECIAL EVENT EMBARGOES AS PUBLISHED BY THE BUREAU OF PERMIT MANAGEMENT AND CONSTRUCTION CONTROL.
- 2. BIKE LANES IF WORK IS IN OR AFFECTING A BIKE LANE, THE CONTRACTOR MUST POST ADVANCE WARNING SIGNS 350 FEET AND 200 FEET PRIOR TO THE WORK ZONE STATING "CONSTRUCTION IN BIKE LANE AHEAD PROCEED WITH CAUTION", AND ALSO POST A SIGN AT THE WORK ZONE STATING "CONSTRUCTION IN BIKE LANE PROCEED WITH CAUTION". SUCH SIGNS SHALL BE ORANGE, 3' X 3', DIAMOND-SHAPED WITH 4" BLACK LETTERING. SIGNS SHALL BE POSTED IN ACCORDANCE WITH THE FEDERAL MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD).
- 3. BUS STOPS THE CONTRACTOR SHALL PROVIDE WRITTEN NOTICE TO NYC DOT OCMC AND NEW YORK CITY TRANSIT (NYCT) A MINIMUM OF FIVE (5) WEEKS IN ADVANCE FOR LANE/STREET CLOSURES THAT AFFECT BUS ROUTES/BUS STOPS.
- 4. METERS THE CONTRACTOR MAY NOT REMOVE OR RELOCATE PARKING METERS WITHOUT FIRST OBTAINING APPROVAL FROM NYCDOT PARKING METER DIVISION AT 718—894—8651.
- 5. ACCESS TO ABUTTING PROPERTIES THE CONTRACTOR SHALL COORDINATE ALL ACTIVITIES WITH ABUTTING PROPERTY OWNERS TO ENSURE ACCESS IS PROVIDED TO/FROM ENTRANCES/DRIVEWAYS AT ALL TIMES.
- 6. AUTHORIZED PARKING PRIOR TO PERFORMING WORK WHICH IMPACTS AUTHORIZED PARKING, THE CONTRACTOR SHALL SUBMIT IN WRITING, AND COPY OCMC-STREETS, A REQUEST TO OCCUPY SPACE CURRENTLY USED BY AUTHORIZED VEHICLES. APPROVAL MUST BE RECEIVED FROM AUTHORIZED PARKING PRIOR TO OCCUPYING THESE AREAS.
- 7. NOTIFICATION THE CONTRACTOR MUST AT LEAST TWO (2) WORKING DAYS BEFORE THE START OF CONSTRUCTION NOTIFY THE NYC FIRE DEPARTMENT, NYC POLICE DEPARTMENT, NYCEMS, LOCAL COMMUNITY BOARD, BOROUGH PRESIDENT'S OFFICE-CHIEF ENGINEER, NYCDOT OCMC OFFICE, AND ALL ABUTTING PROPERTY OWNERS.
- 8. CONSTRUCTION INFORMATIONAL SIGNS THIS PROJECT REQUIRES A CONSTRUCTION PROJECT INFORMATIONAL SIGN (CPIS) IN ACCORDANCE WITH NYCDOT HIGHWAY RULE SECTION 2-02 (4) AND (5). CRITERIA AND A PROTOTYPE FOR THIS SIGN MAY BE FOUND ON THE NYCDOT WEBSITE AT:

 HTTP://WWW.NYC.GOV/HTML/DOT/HTML/PERMITS/STPERMIT.SHTML#INFO_SIGNS.

9. ENHANCED MITIGATIONS

- O NYPD TRAFFIC AGENTS ARE REQUIRED FOR THIS PROJECT: 3 POSTS PLUS RELIEF MONDAY THROUGH FRIDAY ON POST FROM 7:00AM TO 7:00PM (1 SHIFT) FOR THE DURATION OF THE PROJECT. THESE AGENTS SHALL BE DISTRIBUTED ALONG THE WORK ZONE.
- O ENHANCED MITIGATIONS FOR PEDESTRIAN FLOW, INCLUDING METAL FENCING, SHALL BE PROVIDED TO ENSURE PEDESTRIANS STAY WITHIN THEIR DESIGNATED PATH/ROUTE. FLAGGERS SHALL BE PROVIDED TO ASSIST WITH PEDESTRIANS AT THE DESIGNATED CROSSWALK AREAS. THESE FLAGGERS SHALL BE ASSIGNED TO THIS FUNCTION ONLY.
- O VARIABLE MESSAGE SIGNS (VMS) A TOTAL OF 4 VMS SHALL BE PROVIDED FOR THE DURATION OF THIS PROJECT. THE LOCATIONS AND MESSAGES SHALL BE RECOMMENDED BY NYCDDC AND THEIR CONTRACTOR (BASED ON THE STAGING OF WORK) A MINIMUM OF TWO (2) WEEKS PRIOR TO WORK COMMENCING, FOR OCMC REVIEW AND APPROVAL. THE VMS MUST BE IN POSITION AND ACTIVE A MINIMUM OF SEVEN (7) CALENDAR DAYS IN ADVANCE OF WORK.

A. SPECIAL STIPULATIONS (CONTINUED)

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA . 11/17/ 2014

Page 2 of 9

 "NO STANDING ANYTIME-TEMPORARY CONSTRUCTION" SIGNS AND TEMPORARY PAVEMENT MARKINGS SHALL BE INSTALLED AND MAINTAINED AS WARRANTED BY THE MAINTENANCE AND PROTECTION OF TRAFFIC (MPT) REQUIRED TO FACILITATE TRAFFIC MOVEMENTS THROUGH THE WORK ZONE. ALL TEMPORARY SIGNS AND PAVEMENT MARKINGS SHALL BE REMOVED UPON COMPLETION OF THE PROJECT.

O COMMUNITY OUTREACH SHALL BE PROVIDED FOR THE DURATION OF THE PROJECT.

B. MAINTENANCE AND PROJECTION OF TRAFFIC

- 1. INTERSECTION OF FLATLANDS AVENUE AND EAST 98 STREET
- 2. INTERSECTION OF FLATLANDS AVENUE AND EAST 99 STREET
- 3. INTERSECTION OF FLATLANDS AVENUE AND EAST 100 STREET
- 4. INTERSECTION OF FLATLANDS AVENUE AND EAST 101 STREET
- 5. INTERSECTION OF FLATLANDS AVENUE AND EAST 102 STREET
- 6. INTERSECTION OF FLATLANDS AVENUE AND EAST 103 STREET
- INTERSECTION OF FLATLANDS AVENUE AND EAST 104 STREET
- 8. INTERSECTION OF FLATLANDS AVENUE AND EAST 105 STREET
- 9. INTERSECTION OF FLATLANDS AVENUE AND EAST 106 STREET
- 10. INTERSECTION OF FLATLANDS AVENUE AND EAST 107 STREET
- 11. INTERSECTION OF FLATLANDS AVENUE AND EAST 108 STREET
 - Work hours shall be as follows: 9:00 AM to 4:00 PM and 9AM to 2PM during school hours, where
 applicable.
 - During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. When road is divided, maintain two 11 foot lanes for traffic and no impact on the opposite side of the roadway. After working hours, the full width of the roadway shall be opened to traffic.
 - The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
 - All work must be coordinated with schools where applicable.
 - Access to abutting properties, including stores, must be maintained at all times.

12. FLATLANDS AVENUE BETWEEN EAST 98 STREET AND EAST 99 STREET

- Work hours shall be as follows: 9:00AM to 4:00PM.
- During all stages of construction, the contractor shall maintain a minimum of 2-11 foot lanes for traffic (1-11 foot lane in each direction) at all times. After working hours, the full width of the roadway shall be opened to traffic...
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

13. FLATLANDS AVENUE BETWEEN EAST 99 STREET AND EAST 100 STREET

- Work hours shall be as follows: 9:00AM to 4:00PM.
- During all stages of construction, the contractor shall maintain a minimum of 2-11 foot lanes for traffic and no impact on the opposite side of the roadway. After working hours, the full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA. 11/17/2014

Page 3 of 9

14. FLATLANDS AVENUE BETWEEN 100 STREET AND 101 STREET

 Work hours shall be as follows: 9:00AM to 2:00PM during school and 9:00AM to 4PM only when school is close.

 During all stages of construction, the contractor shall maintain a minimum of 2-11 foot lanes for traffic and no impact on the opposite side of the roadway. After working hours, the full width of the roadway shall be opened to traffic.

 The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.

All work must be coordinated with schools where applicable.

Access to abutting properties, including stores, must be maintained at all times.

15. FLATLANDS AVENUE BETWEEN EAST 101 STREET AND EAST 102 STREET

Work hours shall be as follows: 9:00AM to 4:00PM.

- During all stages of construction, the contractor shall maintain a minimum of 2-11 foot lanes for traffic and no impact on the opposite side of the roadway. After working hours, the full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.

All work must be coordinated with schools where applicable.

Access to abutting properties, including stores, must be maintained at all times.

16. FLATLANDS AVENUE BETWEEN EAST 102 STREET AND EAST 103 STREET

Work hours shall be as follows: 9:00AM to 4:00PM.

- During all stages of construction, the contractor shall maintain a minimum of 2-11 foot lanes for traffic and no impact on the opposite side of the roadway. After working hours, the full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.

All work must be coordinated with schools where applicable.

Access to abutting properties, including stores, must be maintained at all times.

17. FLATLANDS AVENUE BETWEEN EAST 103 STREET AND EAST 104 STREET

Work hours shall be as follows: 9:00AM to 4:00PM.

- During all stages of construction, the contractor shall maintain a minimum of 2-11 foot lanes for traffic and no impact on the opposite side of the roadway. After working hours, the full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.

All work must be coordinated with schools where applicable.

Access to abutting properties, including stores, must be maintained at all times.

18. FLATLANDS AVENUE BETWEEN EAST 104 STREET AND EAST 105 STREET

Work hours shall be as follows: 9:00AM to 4:00PM.

- During all stages of construction, the contractor shall maintain a minimum of 2-11 foot lanes for traffic and no impact on the opposite side of the roadway. After working hours, the full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.

All work must be coordinated with schools where applicable.

Access to abutting properties, including stores, must be maintained at all times.

19. FLATLANDS AVENUE BETWEEN EAST 105 STREET AND EAST 106 STREET

Work hours shall be as follows: 9:00AM to 4:00PM.

 During all stages of construction, the contractor shall maintain a minimum of 2-11 foot lanes for traffic and no impact on the opposite side of the roadway. After working hours, the full width of the roadway shall be opened to traffic.

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA. 11/17/2014

Page 4 of 9

- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

20. FLATLANDS AVENUE BETWEEN EAST 106 STREET AND 107 STREET

- Work hours shall be as follows: 9:00AM to 4PM.
- During all stages of construction, the contractor shall maintain a minimum of 2-11 foot lanes for traffic and no impact on the opposite side of the roadway. After working hours, the full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

21. FLATLANDS AVENUE BETWEEN EAST 107 STREET AND 108 STREET

- Work hours shall be as follows: 9:00AM to 4PM.
- During all stages of construction, the contractor shall maintain a minimum of 2-11 foot lanes for traffic and no impact on the opposite side of the roadway. After working hours, the full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

22. EAST 108 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

23. EAST 106 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

24. EAST 104 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

25. EAST 102 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

Work hours shall be as follows: 7:00AM to 6:00PM.

CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND PROJECT:

APPURTENANCES IN FRESH CREEK AREA.

11/17/2014 Page 5 of 9

During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.

The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.

All work must be coordinated with schools where applicable.

Access to abutting properties, including stores, must be maintained at all times.

26. EAST 98 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

Work hours shall be as follows: 7:00AM to 6:00PM.

- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.

All work must be coordinated with schools where applicable.

Access to abutting properties, including stores, must be maintained at all times.

Must coordinate with hospital prior to start working.

27. FLATLANDS 1st STREET BETWEEN EAST 105 STREET AND EAST 108 STREET

Work hours shall be as follows: 7:00AM to 6:00PM.

- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.

All work must be coordinated with schools where applicable.

Access to abutting properties, including stores, must be maintained at all times.
 AVENUE J BETWEEN EAST 98 STREET AND EAST 99 STREET

Work hours shall be as follows: 7:00AM to 6:00PM.

- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.

All work must be coordinated with schools where applicable.

Access to abutting properties, including stores, must be maintained at all times.

29. AVENUE J BETWEEN EAST 99 STREET AND EAST 100 STREET

Work hours shall be as follows: 7:00AM to 6:00PM.

- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.

All work must be coordinated with schools where applicable.

Access to abutting properties, including stores, must be maintained at all times.

30. AVENUE J BETWEEN EAST 100 STREET AND EAST 101 STREET

- Work hours shall be as follows: 9:00AM to 2:00PM during school hours and 7AM to 6PM only when
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.

All work must be coordinated with schools where applicable.

Access to abutting properties, including stores, must be maintained at all times.

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA. 11/17/2014

Page 6 of 9

31. AVENUE J BETWEEN EAST 101 STREET AND EAST 102 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

32. AVENUE J BETWEEN EAST 102 STREET AND EAST 103 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

33. AVENUE J BETWEEN EAST 103 STREET AND EAST 104 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

34. AVENUE J BETWEEN EAST 104 STREET AND EAST 105 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

35. AVENUE J BETWEEN EAST 105 STREET AND EAST 106 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

36. AVENUE J BETWEEN EAST 106 STREET AND EAST 107 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA.

11/17/2014 Page 7 of 9

- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

37. AVENUE J BETWEEN EAST 107 STREET AND EAST 108 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.
- 38. INTERSECTION OF AVENUE J AND EAST 98 STREET
- 39. INTERSECTION OF AVENUE J AND EAST 99 STREET
- 40. INTERSECTION OF AVENUE J AND EAST 100 STREET
- 41. INTERSECTION OF AVENUE J AND EAST 101 STREET
- 42. INTERSECTION OF AVENUE J AND EAST 102 STREET
- 43. INTERSECTION OF AVENUE J 103 STREET
- 44. INTERSECTION OF AVENUE J AND EAST 104 STREET
- 45. INTERSECTION OF AVENUE J AND EAST 105 STREET
- 46. INTERSECTION OF AVENUE J AND EAST 106 STREET
- 47. INTERSECTION OF AVENUE J AND EAST 107 STREET
- 48. INTERSECTION OF AVENUE J EAST 108 STREET
 - Work hours shall be as follows: 9:00 AM to 4:00 PM and 9AM to 2PM during school hours, where
 applicable.
 - During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, the full width of the roadway shall be opened to traffic.
 - The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
 - All work must be coordinated with schools where applicable.
 - Access to abutting properties, including stores, must be maintained at all times.

49. EAST 99 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

50. EAST 101 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND PROJECT:

APPURTENANCES IN FRESH CREEK AREA.

11/17/2014 Page 8 of 9

Work hours shall be as follows: 7:00AM to 6:00PM.

- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

51. EAST 103 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

52. EAST 105 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

53. EAST 107 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 9:00AM to 2:00PM during school hours and 7AM to 6PM only when
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

54. CONKLIN AVENUE BETWEEN EAST 98 STREET AND EAST 100 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

55. FLATLANDS 2ND STREET EAST 105 STREET AND EAST 108 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA.

11/17/2014

Page 9 of 9

C. GENERAL NOTES

- 1. THIS IS NOT A PERMIT. THIS STIPULATION SHEET MUST BE SUBMITTED WITH ALL REQUESTS FOR PERMITS PERTAINING TO THE ABOVE CONTRACT AND PRESENT AT THE WORK SITE ALONG WITH ALL ACTIVE CONSTRUCTION PERMITS WHEN THE APPROVED WORK IS BEING PERFORMED.
- 2. ALL RELOCATION WORK BY THE UTILITIES SUCH AS; CON EDISON, TELEPHONE, GAS AND CABLE COMPANIES SHALL PRECEDE THE CONTRACTORS' START OF WORK ON ALL AFFECTED ROADWAYS IN THE IMPACTED CONTRACT AREA.
- 3. THE CONTRACTOR IS ADVISED THAT OTHER CONTRACTORS MAY BE WORKING IN THE GENERAL AREA DURING THE TERM OF THIS STIPULATION. IN WHICH EVENT, THE CONTRACTOR MAY REQUIRE MODIFICATIONS BY THE OCMC-STREETS.
- 4. THE PERMITTEE IS NOT AUTHORIZED TO ENTER, OCCUPY OR USE ANY PUBLICLY-OWNED OR PRIVATELY OWNED, NON-PAVED, LANDSCAPE OR NON-LANDSCAPED LOCATION WITHOUT SPECIFIC WRITTEN PERMISSION. WHEN THE LOCATION IS WITHIN THE RIGHT-OF-WAY OF A LIMITED-ACCESS ARTERIAL HIGHWAY, WRITTEN APPROVAL FROM THE NYCDOT OCMC-HIGHWAYS IS REQUIRED. WHEN THE LOCATION IS WITHIN THE RIGHT-OF-WAY OF A PUBLIC STREET OR PUBLIC PARK, WRITTEN APPROVAL FROM THE NEW YORK CITY DEPARTMENT OF TRANSPORTATION OR NEW YORK CITY DEPARTMENT OF PARKS AND RECREATION IS REQUIRED. WHEN THE LOCATION IS WITHIN THE RIGHT-OF-WAY OF ANY OTHER JURISDICTION SUCH AS PRIVATE PROPERTY, STATE, FEDERAL ETC., IT IS THE PERMITTEE'S RESPONSIBILITY TO DETERMINE THE PROPERTY OWNER AND OBTAIN THE WRITTEN APPROVAL.
- 5. THE PERMITTEE SHALL ADHERE TO THE NYCDOT BUREAU OF BRIDGES' SPECIAL PROVISIONS FOR LANDSCAPE PROTECTION, MAINTENANCE AND RESTORATION, ITEMS 1.18.15 THROUGH 1.18.19, WHENEVER AND WHEREVER ANY OF THE PERMITTEE'S ACTIVITIES OCCUR WITHIN A LIMITED ACCESS ARTERIAL HIGHWAY RIGHT OF WAY.

C. GENERAL NOTES (CONTINUED)

- 6. NO DEVIATION OR DEPARTURE FROM THESE STIPULATIONS WILL BE PERMITTED WITHOUT THE PRIOR WRITTEN APPROVAL FROM THE OCMC-STREETS. REQUEST FOR SUCH MODIFICATIONS SHALL BE SUBMITTED TO THE OFFICE OF THE OCMC-STREETS, NEW YORK CITY DEPARTMENT OF TRANSPORTATION, A MINIMUM OF TWENTY (20) DAYS IN ADVANCE FOR CONSIDERATION.
- 7. FOR THIS PROJECT THE CONTRACTOR SHALL FURNISH, INSTALL AND MAINTAIN ALL NECESSARY ADVANCE WARNING AND DETOUR SIGNS, TEMPORARY CONTROL DEVICES, BARRICADES, LIGHTS AND FLASHING ARROW BOARDS IN ACCORDANCE WITH THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES," THE TYPICAL SCHEMES INCLUDED IN THIS SPECIFICATION; AND AS ORDERED BY THE ENGINEER-INCHARGE AND THE OCMC-STREETS.
- 8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR IDENTIFYING HIS CONSTRUCTION SIGNAGE. THE IDENTIFICATION SHALL INCLUDE THE CONTRACTOR'S NAME, SPONSORING AGENCY NAME AND THE CONTRACT NUMBER. THE IDENTIFICATION SHALL BE PLACED ON THE BACK OF THE SIGN. THE LETTERING SHALL BE THREE (3) INCHES HIGH.
- 9. FOR ANY CONSTRUCTION ACTIVITY RESULTING IN THE FULL CLOSURE OF A ROADWAY FOR MORE THAN 180 CONSECUTIVE CALENDAR DAYS, THE CONTRACTOR MUST PRODUCE AND SUBMIT A COMMUNITY REASSESSMENT, IMPACT AND AMELIORATION (CRIA) STATEMENT TO NYCDOT PLANNING AND OBTAIN THEIR APPROVAL BEFORE APPLYING FOR PERMITS, IN COMPLIANCE WITH THE PROVISIONS OF LOCAL LAW 24 STREET CLOSURE LAW.
- 10. THE OCMC-Streets reserves the right to void or modify these stipulations should construction fail to commence within two (2) years of the signed date of these stipulations.

11. THE CONTRACTOR MUST COMPLY WITH ALL CONSTRUCTION EMBARGOS ISSUED BY THE NYCDOT INCLUDING THE HOLIDAY EMBARGO.

JOSEPH P.

EXECUTIVE DI

DANIEL PRINCIVIL PROJECT MANAGER

OCMC-STREETS

JPN/db

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 107TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET BETWEEN FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 100TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto BOROUGH OF BROOKLYN

| ADDENDUM NO. 3 |
|-----------------------|
| |
| DATED: March 26, 2015 |

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was originally included therein.

GAS COST SHARING (EP-7) STANDARD SPECIFICATIONS

EP-7 GAS COST SHARING STANDARD SPECIFICATIONS

TABLE OF CONTENT

I - NOTICE TO ALL BIDDERS; GAS COST SHARING WORK

II - GENERAL PROVISIONS; GAS COST SHARING WORK

- 1. General
- 2. Gas Interferences And Accommodations
 - 2a. Water Main Accommodations
 - 2b. Sewer Accommodations
- 3. Quantity Overruns, EP-7 Funded Bid Items
- 4. Changes And Extra Work
- 5. Excavation
- 6. Backfilling And Street Restoration
- 7. Non-Responsive Bids
- 8. Minimum Clearances
- 9. Work By Facility Operator
- 10. Materials Furnished By Facility Operator
- 11. Liability And Insurance
- 12. Width And Depth Of Excavation
- 13. Depth And Crossing Angles Of Gas Facilities
- 14. Maintenance Of Traffic For Gas Work
- 15. Relocated Gas And Temporary Systems Installation
- 16. Role Of Company Inspector
- 17. Coordination With Gas Company

III - TECHNICAL SECTION

- SECTION 6.01 Trench Crossings; Support And Protection Of Gas Facilities And Services.
- SECTION 6.02 Extra Excavation For The Installation Of Catch Basin Sewer Drain Pipes With Gas Interferences.
- SECTION 6.02.1 Extra Excavation For The Installation Of Catch Basin Sewer Drain Pipes With Upstream Inverts Greater Than Six (6) Feet.
- SECTION 6.03 Removal Of Abandoned Gas Facilities. All Sizes.
- SECTION 6.03.1 Removal Of Abandoned Gas Facilities With Possible Coal Tar Wrap. All Sizes. (For National Grid Work Only)
- SECTION 6.03.1a Removal Of Abandoned Gas Facilities With Possible Coal Tar Wrap. All Sizes. (For Con Edison Work Only)
- SECTION 6.04 Adjust Hardware To Grade Using Spacer Rings/Adaptors. (Street Repaving.)
- SECTION 6.05 Adjust Hardware To Grade By Resetting. (Road Reconstruction.)
- SECTION 6.06 Special Care Excavation And Backfilling.
- SECTION 6.07 Test Pits For Gas Facilities.

IV - STANDARD SKETCHES; GAS COST SHARING WORK

- NO. 1 Support Requirements For Gas Mains And Services Crossing Excavation Greater Than 4'0" Wide At Any Angle
- NO. 1A Support Requirements For Gas Mains Over 16" Diameter Up To And Including 48" Diameter Crossing Excavation At Any Angle
- NO. 2 Typical Methods Of Measurement For Gas Crossings
- NO. 3 Utility Crossings During Catch Basin Chute Connection Pipe Installation
- NO. 4 Utility Crossings During Catch Basin Chute Connection Pipe Installation (Extra Depth)
- NO. 5 Gas Main Encroachment On And/Or Parallel To Excavation Of Unsheeted Trench

V - PRELIMINARY GAS WORK TO BE PERFORMED BY FACILITY OPERATOR

VI - LISTING OF APPROXIMATE LOCATIONS OF EP-7 BID ITEMS QUANTITIES

I - NOTICE TO ALL BIDDERS; GAS COST SHARING WORK

All prospective bidders are hereby advised that, pursuant to the "Gas Facility Cost Allocation Act", ("the Act"), the City of New York has entered into an agreement ("the Agreement") with the gas companies (Con Edison or National Grid (formerly KeySpan Energy Delivery)) operating in their respective areas of the City to "share" the cost of facility relocation and/or support and protection of facilities disturbed by proposed water and/or sewer and related City work specified in this contract. Therefore, bid items, specifications and estimated quantities for the incremental costs of support and protection of certain gas facilities have been included in this contract. The low bid for this contract shall be determined by examining each bid for all work to be performed under this contract including any work of support and protection of gas facilities to be performed. The Contractor shall not seek additional compensation from gas companies except as specifically set forth in its contract.

II - GENERAL PROVISIONS; GAS COST SHARING WORK

1. General:

The Contractor shall perform City work with interferences from existing live and abandoned gas facilities. This shall be defined as utility work. Therefore, this contract includes bid items, specifications and estimated quantities designed to fully compensate him/her for the incremental costs of supporting, protecting, providing accommodations and, avoiding disturbing gas facilities located in the streets shown on the contract drawings. In the event that any other provisions of this contract related to gas facilities (or private utilities) conflict with these provisions, these provisions shall supersede and govern all work related to gas facilities owned by the companies operating in the project area. All utility work, as defined in these specifications, including changes and additions thereto shall be paid solely by the City except when specified otherwise in this contract. Contractor hereby agrees that the facility operator shall not be liable to pay him/her for any work performed including extra utility work. Contractor agrees that its bid prices include all compensation for loss of productivity and efficiency, idle time, delays (including any delays occasioned by negotiation of a contract change), change in operations, mobilization, demobilization, remobilization, added cost or expense, lost of profit, other damages or impact costs that may be suffered by or because of utility work, or the presence of gas facilities in the proximity of City work and that it will not seek additional compensation for these items. All disputes shall be resolved as specified in the contract.

Pursuant to the Act, Agreement, and the New York City Administrative Code, the gas company(ies) has been directed by the Commissioner and is required to perform all maintenance, repairs, replacement, shifting, alteration, relocation, and/or removal work that are not part of this contract. By having bid on this contract, the Contractor understands and agrees that the Commissioner has preasserted any right the City has to require, including the issuance of any directives or so called "order outs" under the New York City Administrative Code, any or all gas companies to maintain, repair, replace, protect, support, shift, alter, relocate, and/or remove all gas facilities that are about to be disturbed by the City contract work. The issuance of additional such directives during the performance of the contract work, where necessary in the sole judgment of the Commissioner, shall be initiated by such Commissioner as set forth in the relevant sections of the Act and Agreement. Contractor further agrees to insert such requirements as set forth herein above into any contracts with its approved subcontractors so that its subcontractors also understand and agree to such contract requirements.

2. Gas Interferences And Accommodations:

During the performance of sewer and water main work funded by the New York City Department of Environmental Protection (NYCDEP), as instructed by the Engineer, the use of any applicable contract bid item is allowed in order to resolve and accommodate all gas facilities interferences with such City work, including the removal of contaminated soil in associated trench excavation. This is in addition to the specified EP-7 bid items in the contract. Payment for such accommodation shall be funded by EP-7 bid item "UTL-GCS-2WS - GAS INTERFERENCES AND ACCOMMODATIONS" (F.S. Fixed Sum). The value of such accommodation shall be computed by multiplying the appropriate unit prices bid to the quantity of work performed, as determined by the Engineer, and applying the total amount thus to be paid

to EP-7 bid item "<u>UTL-GCS-2WS - GAS INTERFERENCES AND ACCOMMODATIONS</u>". When EP-7 bid item "<u>UTL-GCS-2WS - GAS INTERFERENCES AND ACCOMMODATIONS</u>" does not exist, such additional accommodation work shall be at no cost to the City but shall be a matter of adjustment between gas facility operator and Contractor. Private facilities, other than gas, that become in interference due to gas interferences accommodations shall also be accommodated, if so directed by the Resident Engineer, at no additional cost to the City and, provided that its owner agrees to be responsible for all additional costs to Contractor, otherwise, such facility shall be ordered by the City to be maintained, shifted, relocated or replaced by its owner at his/her expenses.

2a. Water Main Accommodations:

When water main construction is to be performed in this contract, Contractor shall be required, if warranted by field conditions, and at locations designated by the Resident or Borough Engineer, to change the vertical or horizontal alignment of water mains including but not limited to all additional labor, material, work method accommodations, furnishing, delivering and laying offset fittings and pipes, etc., necessary in order to complete water main installation and, avoid gas interferences in the project area, including street intersections. Typical work method accommodations shall include, but not be limited to, pier and plate, installation of filter fabric and select fill, etc. Such work shall be performed as directed by the Engineer and in accordance with contract specifications and latest edition of water mains standards and specifications.

2b.Sewer Accommodations:

When sewer construction is to be performed in this contract, Contractor shall be required, if warranted by field conditions, and at locations designated by the Resident or Borough Engineer, to change the horizontal alignment of sewer facilities (if possible) including but not limited to all additional labor, material, work method accommodations, furnishing, delivering and construction of additional manholes or modification of manholes/catch basins, extending chute connections, house connections, using alternate materials and methods, poured-in-place structures, etc., necessary in order to complete sewer installation and, avoid gas interferences in the project area, including street intersections. The term sewer facility shall include, but not be limited to, all sewer pipe and appurtenances, manholes, catch basins, catch basin chutes, etc. Such work shall be performed as directed by the Engineer and in accordance with contract specifications and latest edition of sewer standards and specifications.

3. Quantity Overruns, EP-7 Funded Bid Items:

No quantity overrun, in excess of one hundred twenty five (125) percent, shall be permitted for EP-7 funded bid items (gas) included in this contract, except when Resident Engineer determines that such overruns are caused by field modifications to planned City work, or approved construction methods, or contract scope changes. Overruns not paid by City shall be negotiated and paid to Contractor by gas facility operator who then shall be entitled to reimbursement by NYCDEP under established cost sharing procedures.

4. Changes And Extra Work:

This section is not applicable to work defined under "Emergency Reconstruction Contracts" or so-called "Where and When Contracts" since these projects, by definition, inherently encounter unanticipated gas facilities and cannot be pre-engineered. In all other cases, any contract changes proposed for City work shall also cover and include all associated changes to support and protection of gas facilities affected by such changes to City work. In all other cases where the Contractor finds that City work cannot be performed as planned and specified and/or, as approved because of a need to support, protect and/or alleviate interferences from gas facilities that were not listed and/or shown, or incorrectly shown in contract plans and specifications, he shall immediately notify the Resident Engineer and the facility operators' representative of his findings. Resident Engineer shall promptly examine such claims and determine whether or not such work is covered by contract bid items and /or specifications (contract bid items and specifications shall include city contract items as well as EP-7 items). The Resident Engineer shall also examine the claim to determine if the application of EP-7 bid item "UTL-GCS-2WS - GAS INTERFERENCES AND ACCOMMODATIONS" is appropriate to resolve the claim. If upon examination, the Engineer determines that such field conditions were unanticipated (not shown and/or listed, or incorrectly shown in contract documents) and are not covered by bid items and contract specifications, he shall then direct the Contractor and the affected facility operator to negotiate the cost of supporting and

protecting, and/or alleviating the impact on City work caused by such unanticipated gas facilities with each other with the understanding that the performance of City work shall continue during negotiations. If a cost agreement is reached, the Contractor and facility operator shall adjust such costs between themselves at no additional costs to the City contract. If the Contractor and affected facility operator do not reach an agreement concerning the price to be paid for the extra work within five (5) business days of the Engineer's directive to engage into such negotiations and, after considering: public safety and inconvenience, requirements of laws and regulations applicable to private utilities, integrity of all utility systems, including but not limited to sewer and water, gas, electric, telephone and, cable TV facilities, sound engineering practices, cost (long and short term) to all affected parties, and potential City work delays, then the Resident Engineer, depending on nature and severity of interferences with City work, shall either, direct the facility operator to relocate or replace its facilities at its own discretion and cost, reimbursable by NYCDEP under established gas cost sharing procedures or, direct the Contractor to perform the utility work on actual time, material and equipment costs basis pursuant to relevant contract requirements and amendments. Contract bid prices for any applicable items of work involved shall be applied, or converted to an allowance for time and material charges. Changes shall be for affected portions of utility work and, shall be processed with EP-7 funds.

5. Excavation:

All excavators shall notify the NYC/LI One Call Center at 1-800-272-4480 at least two (2) working days, not including the day of the call, but not more than ten (10) working days in advance of the start of any excavation work. The gas company(ies) will mark out its facilities within the project limits and provide Construction Inspector(s) during all excavation work in close proximity (within twelve (12) inches) to gas facilities. The Contractor shall exercise extreme caution when excavating in the vicinity of any gas facilities. Hand excavation shall be performed within twelve (12) inches of gas facilities. The Contractor prior to excavating underneath these facilities shall adequately support all gas facilities. Standard support details for gas facilities have been included in the specifications. Any damage to gas facilities shall be reported immediately to the gas company(ies). The Contractor shall be responsible for all cost associated with repairs made necessary by damages caused by his operations.

6. Backfilling And Street Restoration:

Backfilling operations and street restorations shall be in accordance with contract requirements.

7. Non-Responsive Bids:

Every gas (EP-7) bid item has a suggested "Not less than" value per unit indicated on contract bid sheet. Bids resulting in cost of less than suggested for EP-7 items are hereby prohibited and if submitted shall be considered NON-RESPONSIVE.

8. Minimum Clearances:

Clearance requirements for City work shall govern and supersede any clearance requirement of gas facility operator. Therefore, a minimum of twelve (12) inches clearance between private utilities and City water mains, sewers or related structures to be installed in this contract shall be maintained. When this clearance is not attainable, the Resident Engineer may allow a minimum of four (4) inches clearance. With less than twelve (12) inches clearance a neoprene/polyethylene shield (to be provided by facility operator) shall be installed as part of all work item specifications. However, if Resident Engineer determines that City work cannot be performed within allowable clearance and no reasonable City accommodation (no-cost change to City work) is possible, the City shall direct the facility operator to remove, relocate, shift, or alter their facility(ies) pursuant to the New York City Administrative Code.

9. Work By Facility Operator:

The facility operator may find it necessary to perform the following types of work during performance of City work: accommodating a contractor's request for gas facilities modifications (in order to facilitate City contractor's proposed construction method) or, remedial and emergency work on gas facilities proper with their own resources and materials if an approved method of construction for City work causes unanticipated disturbances to gas facilities or, replacing defective gas facilities when they are exposed by the Contractor and their actual conditions are observable by the facility operator. Also included in the above category of defective gas facilities are: the presence of environmental contaminants attributable to

the gas facility in or around gas facilities. If such work is deemed required by the facility operator or if facility operator is directed by the City to address such deficiencies at any time during the course of construction, the Contractor shall modify the construction schedule at no cost to the City and allow the facility operator five (5) business days to perform such work without interferences. Additional costs to the facility operator (in cases of accommodations) or, Contractor (in cases of defective gas facilities) due to such gas work, if any, shall be the responsibility of the parties involved and not of the City. Such costs shall be a matter of adjustment between the Contractor and the facility operator.

10. Materials Furnished By Facility Operator:

It shall be the Contractor's responsibility to inspect material to be installed by him immediately upon delivery and advise the facility operator through its authorized representative, of all damaged materials. The Contractor at no additional costs to the City or the facility operator shall replace any material that is damaged or lost after the Contractor's inspection.

11. Liability And Insurance:

Notwithstanding the provisions of this contract, the existing division of liabilities to third parties shall remain the same as between the City and the company. Therefore, it is specifically agreed by the City, company and Contractor (by bidding on this contract) that for the purpose of any liabilities to third parties, that the City contractor performing work directly and physically relating to gas company facilities in this project, shall be deemed an agent of the company and not an agent of the City, the New York City Municipal Water Finance Authority, or the New York City Water Board. Contractor shall include the company as an additional insured on all insurance policies maintained to comply with the City's insurance requirements.

12. Width And Depth Of Excavation:

Contractor shall not be authorized to deliberately change trench or excavation widths and/or depth specified without Engineer's approval. Enlargement of any side of excavation up to eighteen (18) inches beyond pay limits (or inside face of sheeting) requested by the Contractor for the installation of certain types of sheeting may be granted. However, such enlargements or those greater than allowable shall not be approved when, in the sole judgment of the City, field conditions allow the water mains and sewer work to be performed within the limits specified and, the sole purpose of such enlargement request is to impact adjacent utilities (public or private) whose support and protection are part of this contract. Any approval shall be given at no additional cost to the City contract, including EP-7 funding, and all costs associated with unauthorized enlargements shall be the sole responsibility of the Contractor.

13. Depth And Crossing Angles Of Gas Facilities:

Where gas facilities are shown (or specified as) crossing proposed alignment of sewers, water mains, catch basins and chute connections or any other proposed excavations at specific angles (as measured off plans or sketches or specified in contract), it shall be understood that actual field measurements may deviate (plus or minus) forty-five (45) degrees from those shown or specified. The cover, or depth from street surface to top of facilities, shall be as shown or specified in contract documents, no deviation is to be assumed. Where gas facilities are not shown on contract documents, but their support and protection are otherwise included in this contract then, all references to facilities crossing at "various angles and depth" in the gas sections shall mean that such facilities are crossing sewer, water, catch basin and, catch basin chute, and other excavations at a ninety (90) degree angle to the proposed sheeting line or side of excavation (for unsheeted trenches) with an allowable deviation of forty-five (45) degrees in any direction, except for catch basin chute excavation where the allowable deviation shall be sixty (60) degrees. Where the cover is not noted or specified, the bottom face of such facilities shall be assumed to be crossing catch basin chutes at a depth of three (3) foot eight (8) inches or less from the street surface. Paragraph No. 2 above shall apply in cases of distribution water main construction. Appropriate bid items and specifications are provided for cases where angle and depth are greater than stated above. This section also applies to work defined in "Emergency Reconstruction Contracts" or so-called "Where and When Contracts". These contracts are not pre-engineered and consequently have no drawings, sketches or determined locations and so, gas facilities encountered will be crossing existing and proposed sewer, water, catch basin/catch basin chutes and all appurtenances at various angles and depths.

14. Maintenance Of Traffic For Gas Work:

All work pertaining to gas bid items and specifications shall be performed within the contract maintenance of traffic plan as specified in the contract document. The bid price for the Maintenance and Protection of Traffic shall cover all work pertaining to gas items. The City shall make compensation for additional maintenance and protection of traffic items in connection with gas item of work only when such additional work is deemed reasonable and necessary by the Resident Engineer and is approved by him prior to its performance.

15. Relocated Gas And Temporary Systems Installation:

In cases where the Contractor is allowed to select the location for temporary construction such as, installation of dewatering headers, wells, well points, etc., he shall not disturb any gas facilities shown on sketches provided in this section. The only exception shall be, if the affected gas company agrees to such relocation and provided that the cost of such relocation is a matter of adjustment between the company and Contractor, and at no cost to the City.

16. Role Of Company inspector:

In any case in which the City elects to perform some or all support and protection work with its own employees, personnel or contractors, the facility operator shall provide onsite inspectors to approve and certify such support and protection work (exclusive of City accommodations) performed by the City's own employees, personnel, and contractors. Facility operator's inspectors are not authorized to direct City contractor during the performance of contract work. They shall act through the City Resident Engineer and provide him/her required approvals and certifications, prior to preparing partial payments of EP-7 items, in a format and frequency to be prescribed by the appropriate City Head of Construction.

17. Coordination With Gas Company:

The Contractor shall be required to notify the gas company(ies), in writing, at least two (2) weeks prior to the start of final paving in order to allow companies to complete any unfinished gas work located within the area to be paved. Every effort shall be made to maintain gas service with minimum inconvenience to the public.

III - TECHNICAL SECTION

SECTION 6.01 - Trench Crossings; Support And Protection Of Gas Facilities And Services.

1. Description:

Under this section, the Contractor shall provide all labor, materials, equipment, and incidentals required to support and/or protect the integrity of gas mains, services and appurtenances of any sizes, configurations, and operating pressures crossing trench excavations above subgrade for planned construction of sewers and water mains facilities. A gas service shall be defined as a gas pipe of three (3) inches in diameter or less branching from the main to a customer pick up point or property valve box. A gas main may be any size pipe that is part of a distribution or transmission network other than services described above. Crossings shall be defined as gas facilities spanning the width of excavation (one side to the other side). These crossings may be at various angles and depth as shown on "Gas Cost Sharing Work Standard Sketches Nos. 1 and 1A", and as specified in "General Provisions; Gas Cost Sharing Work Paragraph No. 13" and, at the locations shown or listed in contract documents. The gas company operating in the area, (facility operator), owns these facilities. The work shall be performed in accordance with contract specifications, plans, and at the directions of the Resident Engineer in consultation with the authorized representatives of the facility operator.

2. Method Of Construction:

- A. Protection: In general, the gas facilities shall be protected as required by New York State Industrial Code 753. In particular, the Contractor shall use hand excavation methods (pick and shovel or hand held power tools) directly below the pavement base to expose the gas facilities (marked out by facility operators) and to ascertain the clearances and cover of the facilities with respect to the proposed excavation. Upon exposing the affected facilities sufficiently, at the discretion of the Resident Engineer, to ascertain the foregoing, Contractor shall be permitted to proceed with a combination of hand and machine excavation, as appropriate, outside a zone of protection whose limit shall be defined as a perimeter located twelve (12) inches from the outside face of each gas facility crossings (See "Gas Cost Sharing Work Standard Sketch No. 2"). If the facilities are in direct interference with City work, meaning that "Minimum Clearances" described in "General Provisions; Gas Cost Sharing Work Paragraph No. 8" cannot be maintained, and excavation has to be temporarily or permanently abandoned then this particular location shall become a test pit and dealt with as specified in Section 6.07, and "General Provisions; Gas Cost Sharing Work Paragraphs Nos. 2 and 8".
- B. Support: Gas mains or services crossing excavations equal or less than four (4) feet wide are generally self supporting, unless field conditions as determined by the Resident Engineer require otherwise. The support requirements for gas mains and services crossing excavations greater than four (4) feet wide shall be as shown on the attached "Gas Cost Sharing Work Standard Sketch No. 1" and Contractor shall use sheeting methods that permit the maintenance of gas facilities in their existing locations and configurations. Alternate methods equivalent to those shown on the sketch or accommodations by the facility operator proposed by the Contractor in order to facilitate the execution of the specified work shall be allowable, provided that prior approval is obtained by the Contractor from the Engineer and the facility operator. The support and protection of gas facilities crossings shown on plans, drawings, listings or otherwise identified in this contract shall not be circumvented with the issuance of so called "order outs".

3. Method Of Measurement:

The Contractor shall be paid for supporting and/or protecting gas facilities crossing trench excavations under the appropriate bid items covered by this section. The Contractor shall be directly responsible to the facility operator for the total cost of using any alternate method requiring the use of resources owned by the facility operator. Regardless of the method used, the City shall pay the bid price for the appropriate support and/or protect item of work. The average rate charged by the facility operator for alternate support and protection work such as, disconnecting and reconnecting gas services is listed in attached "Schedule GCS-A".

4. Payment Restrictions:

These items shall not be paid for: gas services crossing unsheeted water main trench excavation; abandoned gas main/services identified by facility operator; gas mains/services crossing trench excavations for fire hydrant branch connections pipes, catch basins and/or chutes (sewer drain pipe), house sewer and/or water services; gas facilities encroaching any face of excavation for sewer and/or water construction, all of which are covered under other contract sections. Also this item shall not be paid for new gas mains and services crossing water trenches when trenching for such new facilities has been performed by the Contractor in common with trench excavation for City work (overlapping trench limits). The cost of supporting and protecting such gas facilities crossings shall be deemed included in the cost of trench excavation for the new gas facilities. This payment restriction shall apply even if such common trench gas excavation is not part of the contract. The prices bid for items covered by this section represent full compensation to Contractor to completely perform the work described. No other bid items shall be combined with these items in order to pay for gas main and/or services crossing excavations specified herein.

5. Method Of Payment:

Each (Ea.) gas facility crossing trench excavation as described in these specifications shall be counted for payment.

6. Price To Cover:

The cost of timber/steel supports installed for gas facilities shall be included in the bid price. The bid price for each crossing shall also cover all additional supervision, labor, material (except those provided by the facility operator), equipment and insurance necessary to completely maintain the gas facilities without disruption of service to the customers and in accordance with contract plans, specifications and facility operator standards. The price shall also include: changes of method of operations; sheeting modifications where necessary to accommodate the gas facilities crossings; installation and removal of water pipe under gas facilities (so called "snaking"); extra care during excavation (including hand excavation under existing single and multiple gas facilities); extra backfilling and compaction around, over and under gas facilities; installation and removal of sheeting around gas facilities; associated maintenance and protection of traffic; barricades; and traffic plates that may be required to temporarily close and/or complete the work.

SECTION 6.02 - Extra Excavation For The Installation Of Catch Basin Sewer Drain Pipes With Gas Interferences.

1. Description:

Under this item, the Contractor shall provide all labor, materials, equipment, insurance, and incidentals for the extra excavation associated with the installation of catch basin sewer drain pipes (chute) under gas facilities of various sizes crossing the trench excavation at various angles and depth at the locations shown in the contract documents and also, for the support and protection of these facilities during associated excavation and backfill operations. The gas company operating in the area, (facility operator), owns these facilities.

2. Method Of Measurement:

The bid price shall be per location (Each) where extra excavation is required when catch basin sewer drain pipes are installed at an upstream invert depth lower than four (4) feet (up to a maximum of six (6) feet) from the proposed pavement grade because the bottom faces of interfering gas mains and appurtenances are located at a depth greater than three (3) foot eight (8) inches from proposed pavement surface (See "Gas Cost Sharing Work Standard Sketch No. 4").

3. Method Of Construction:

Incremental cost responsibility for chute excavation is determined by the first private facility encountered starting from catch basin structure proper and that prevents the installation of the chute connection at an upstream cover less than or equal to three (3) feet or any other minimum cover required to avoid City facilities (e.g. water, sewer, etc.) as directed by the Resident Engineer.

4. Payment Restrictions:

This item shall not apply and related bid item shall not be paid in cases where:

- A. Upstream invert chute is more than six (6) feet deep because of gas facilities.
- B. Chute cannot be installed above existing gas facilities because of interferences with other private facilities that are not otherwise covered under this contract, regardless of upstream invert depth.

The above cases shall be at no cost to the City, but shall be a matter of adjustment between the Contractor and the facility operator(s).

5. Price To Cover:

The bid price shall cover the additional cost of all additional supervision, labor, materials, equipment and insurance, to complete the installation of catch basins and associated sewer connections in accordance with the contract plans and specifications. The price shall include: excavation by hand around and under single and multiple gas facilities; locating, supporting and protecting gas facilities; backfilling and all other items necessary to perform all work incidental thereto including: installation and removal of drain pipe under gas facilities ("snaking"); widening of trenches to facilitate the above work; subsequent additional

backfill and pavement restoration; modifying precast catch basin window to accommodate connection; changing sheeting method and configuration to accommodate gas facility crossings; maintenance and protection of traffic; barricades; and installation of traffic plates that may be required to temporarily close and/or complete the work. The price shall not include removal of ledge rock and/or excavation of boulders in open cut.

SECTION 6.02.1 - Extra Excavation For The Installation Of Catch Basin Sewer Drain Pipes With Upstream Inverts Greater Than Six (6) Feet.

1. Description:

Under this item, the Contractor shall provide all labor, materials, equipment, insurance and incidentals for the extra excavation of catch basin chutes where the upstream invert is greater than six (6) feet under gas facilities of various sizes crossing the trench excavation at various angles and depth at the locations shown in the contract documents or as determined by field conditions and also, for the support and protection of these facilities during the associated excavation, sheeting and backfilling operations.

2. Method Of Measurement:

The bid price shall be per location (Each) where extra excavation and sheeting is required when the catch basin chute installed at an upstream invert depth lower than six (6) feet from the proposed pavement grade because the bottom faces of the interfering gas mains and appurtenances are located at a greater depth than three foot eight inches from the proposed pavement surface only.

3. Method Of Construction:

Incremental cost responsibility for chute excavation is determined by the first private facility encountered during such excavation when initiated from catch basin structure and that prevents the installation of the chute at an upstream cover less than or equal to three (3) feet or any other cover required to avoid City facilities as directed by the Resident Engineer.

4. Payment Restriction:

This item shall not apply and related bid item shall not be paid in cases where:

Upstream invert chute is less than or equal to six (6) feet deep because of gas facilities. Section 6.02 shall be paid.

5. Price To Cover:

The bid price shall cover the additional cost of all supervision, labor, materials, equipment and insurance to complete the installation of catch basin and associated sewer connections in accordance with the contract plans and specifications. The price shall include: excavation by hand around and under single and multiple gas facilities; locating, supporting and protecting gas facilities incidental thereto; widening of trenches to facilitate the above work; subsequent additional backfilling and pavement restoration; modifying pre-cast basin window to accommodate connection; the installation of catch basin with deeper sumps as specified; additional sheeting and changes in sheeting method and configuration to accommodate gas facility crossings; maintenance and protection of traffic; barricades; and installation of traffic plates that may be required to temporarily close and/or complete the work.

SECTION 6.03 - Removal Of Abandoned Gas Facilities. All Sizes.

1. Description:

Under this section the Contractor shall provide all labor, materials, equipment, insurance and, incidentals required for the removal of abandoned gas mains, services, or appurtenances thereof, located within the street shown on the contract plans, owned by gas company operating in the project area (facility operator), used or to be used for or in connection with or to facilitate the conveying, transportation, distribution or

furnishing of gas (natural or manufactured or mixture of both) for light, heat, or power, but does not include property used solely for or in connection with business of selling, distributing or furnishing of gas in enclosed containers. Such removal shall include only abandoned gas facilities that interfere with (i.e. cause additional work) City work.

2. Determination Of Operating Status Of Gas Facilities:

The Contractor shall notify facility operator, as required by New York State Industrial Code 753. Gas facilities shall not be removed without the approval of the facility operator whose authorized representative shall certify in writing (specific facility or area wide facilities certification) and in a timely manner acceptable to the Resident Engineer that abandoned facilities are free of combustible gas and any other environmental contaminants prior to removal. The Resident Engineer shall rely on facility operator's certification. The facility operator may request the excavation of test pits (See Section 6.07) for this determination ahead of City work and, Contractor shall provide safe access, facilitate and permit facility operator to enter test pit excavations for the purpose of testing gas facilities to be removed by the Contractor. However, facility operator may prefer to make this test during performance of City work, in order to issue the above certification. This shall be permitted provided that it is agreed that additional costs, if any resulting from this choice shall be a matter of adjustment between the Contractor and facility operator only, and at no cost to the City.

3. Restrictions:

The facility operator shall be solely responsible for its contaminated gas facilities, surrounding contaminated soil and their disposal and abatement procedures, unless contract bid items are applicable and provided for such work. In such cases, the quantity removed shall be charged to EP-7 bid item "UTL-GCS-2WS - GAS INTERFERENCES AND ACCOMMODATIONS" at the City bid prices.

4. Method Of Measurement:

Abandoned gas pipeline removal shall be measured for payment per linear foot of pipe and appurtenances removed.

5. Price To Cover:

The price shall cover all additional cost of supervision, labor, materials, equipment, and insurance necessary to complete this work in accordance with the contract plans and specifications, including excavation by hand around and under other City and facility operator owned properties and, where necessary, support and protection of such properties. The price shall also cover breaking, cutting, and/or burning of abandoned gas pipes and their disposal from the site; sealing open ends remaining in the excavation with concrete or caps (caps to be provided by the facility operator) and backfilling of the area where the pipeline has been removed with clean backfill. The price shall also include any required dump charges. This item does not include any type of extra excavation, backfilling, compaction, pavement removal and restoration associated with abandoned gas facilities removal, all of which are covered under Section 6.06.

SECTION 6.03.1 - Removal Of Abandoned Gas Facilities With Possible Coal Tar Wrap. All Sizes. (For National Grid Work Only)

1. Description:

Under this section the Contractor shall provide all labor, materials, equipment, insurance and, incidentals required for the removal of abandoned gas mains, services or appurtenances thereof, located within the street shown on the contract plans, owned by the gas company operating in the project area (facility operator), used or to be used for or in connection with or to facilitate the conveying, transportation, distribution or furnishing of gas (natural or manufactured or mixture of both) for light, heat, or power, but does not include property used solely for or in connection with business of selling, distributing or furnishing of gas in enclosed containers. Such removal shall include only abandoned gas facilities that interfere with (i.e. cause additional work) City work. These gas facilities may be coated with Coal Tar Wrap and so, may require special handling and disposal methods as specified in National Grid Standard Operating Procedure 12-2, Coal Tar Wrap Handling and 12NYCRR56.

2. Determination Of Operating Status Of Gas Facilities:

The Contractor shall notify facility operator, as required by New York State Industrial Code 753. Gas facilities shall not be removed without the approval of the facility operator whose authorized representative shall certify in writing (specific facility or area wide facilities certification) and in a timely manner acceptable to the Resident Engineer that abandoned facilities are free of combustible gas and any other environmental contaminants prior to removal. The Resident Engineer shall rely on the facility operator's certification. The facility operator may request the excavation of test pits (See Section 6.07) for this determination ahead of City work and, the Contractor shall provide safe access, facilitate and permit facility operator to enter test pit excavations for the purpose of testing gas facilities to be removed by the Contractor. However, the facility operator may prefer to make this test during performance of City work, in order to issue the above certification. This shall be permitted provided that it is agreed that additional costs, if any, resulting from this choice shall be a matter of adjustment between the Contractor and the facility operator only, and at no cost to the City contract. Should such investigation result in the determination that the abandoned gas facilities do not contain Coal Tar Wrap then the removal of said facilities shall be covered under separate item (See Section 6.03).

3. Requirements:

The City Contractor shall excavate abandoned gas facility sufficiently, either in its entirety, or at locations determined by Contractor to allow the removal of Coal Tar Wrap (if present on the abandoned gas facility) and to facilitate the safe extraction of manageable lengths of abandoned pipe without damage to adjacent facilities, utilities or City structures either parallel to or crossing above or below abandoned gas facility. The Contractor is to allow access to the designated cutting points within the Contractor's trench by authorized National Grid personnel who will remove the Coal Tar Wrap as per National Grid procedures. This work by National Grid personnel shall be performed in a timely fashion and shall not unduly impede the Contractor's progress and/or productivity. Upon completion of the coating removal, the Contractor shall be allowed to cut, burn or grind the gas facility and remove the section of abandoned pipe. The Contractor at a site designated by the Contractor shall stockpile the removed pipe. The facility operator will be responsible to provide trucking and disposal services with its own personnel and shall remove the stockpiled pipes during off hours or during such time as agreed to by the Contractor. Since the pipe removed will remain the property of the facility operator and is to be disposed of by the facility operator, the facility operator shall be responsible for any required notifications, filings, dump charges and incidentals associated with the disposal of abandoned gas facilities found to contain Coal Tar Wrap.

4. Method Of Measurement:

Abandoned gas pipeline removal shall be measured for payment per linear foot of pipe and appurtenances removed.

5. Price To Cover:

The price shall cover all additional cost of supervision, labor, materials, equipment and insurance necessary to complete this work in accordance with the contract plans and specifications, including excavation by hand around and under other City and facility operator owned properties and, where necessary, the support and protection of such properties. The cost shall also include hand excavation in the area(s) of proposed abandoned pipe cut(s), cutting and/or burning of abandoned gas pipes and stockpile of removed sections of abandoned pipe and associated maintenance and protection of traffic, blocking and temporary fencing if required. The unit price shall also cover sealing open ends remaining in the excavation with concrete or end caps (end caps to be provided by the facility operator) and backfilling of the area where the abandoned pipeline has been removed with clean backfill material. This item does not include any type of extra excavation, backfilling, compaction, pavement removal and/or restoration (temporary and permanent) associated with abandoned pipe removal ("lost trench"), all of which are covered under separate Section 6.06. The price shall also include allowance for any loss of productivity by the Contractor due to required facility operator work to remove pipe coating and prepare pipe for cutting as well as any change in Contractor's excavation method, additional trucking and/or stockpilling costs.

SECTION 6.03.1a - Removal Of Abandoned Gas Facilities With Possible Coal Tar Wrap. All Sizes. (For Con Edison Work Only)

1. Description:

Under this section the Contractor shall provide all labor, material, equipment, insurance and, incidentals required to prepare abandoned gas mains, services and appurtenances thereof located within the street shown on contract plans, owned by the gas company operating in the project area (facility operator), for removal due to interference with proposed City work. These abandoned gas facilities were, at one time, used for or in connection with or to facilitate the conveying, transportation, distribution or furnishing of gas (natural, manufactured or a combination of both) for light, heat, or power, but does not include property used solely for or in connection with business of selling, distribution or furnishing of gas in enclosed containers. Such preparation for removal shall include only abandoned gas facilities that interfere with (i.e. cause additional work) City work. These gas facilities may be coated with Coal Tar Wrap which may contain asbestos or PCB's and so, may require special handling and disposal methods as specified in Con Edison - ASBESTOS MANAGEMENT MANUAL, CHAPTER 6 - ASBESTOS WORK PROCEDURES, SECTION 06.04 - COAL TAR WRAP REMOVAL. For under 25' (feet) in length and an approved NYC-DEP variance for over 25' (feet).

2. Determination Of Operating Status Of Gas Facilities:

The Contractor shall notify facility operator, as required by New York State Industrial Code 753. Gas Facilities shall not be removed without the approval of the facility operator whose authorized representative shall certify in writing (specific facility or area wide facilities certification) and in a timely manner acceptable to the Resident Engineer that abandoned facilities are free of combustible gas and any other environmental contaminants prior to removal. The Resident Engineer shall rely on the facility operator's certification. The facility operator may request the excavation of test pits (See Section 6.07) for this determination ahead of City work and Contractor shall provide safe access, facilitate and permit facility operator to enter test pit excavations for the purpose of testing gas facilities. However, the facility operator may prefer to make this test during performance of City work in order to issue the above certification. This shall be permitted provided that it is agreed that additional costs, if any, resulting from this choice shall be a matter of adjustment between the Contractor and the facility operator only, and at no cost the City contract. Should such investigation result in the determination that the abandoned gas facilities do not contain Coal Tar Warp then the removal of said facilities shall be covered under separate item (See Section 6.03).

3. Requirements:

The Contractor shall excavate abandoned gas facility sufficiently, either in it's entirety, or at locations determined by Contractor to allow the removal of Coal Tar Wrap (if present on the abandoned gas facility) and to facilitate the safe extraction of manageable lengths of abandoned pipe without damage to adjacent facilities, utilities or city structures either parallel to or crossing above or below abandoned gas facility. The Contractor is to allow access to the designated cutting points within the Contractors trench by authorized Con Edison personnel who will remove the Coal Tar Wrap as per Con Edison and/or NYC-DEP approved procedures. This access shall conform to all applicable codes, rules & regulations. This work by Con Edison personnel shall be performed in a timely fashion and shall not unduly impede the Contractors progress and/or productivity. Upon completion of the coating removal, the Contractor shall be allowed to cut, burn or grind the gas facility and remove the section of abandoned pipe. Contractor shall designate a specific site to stockpile those removed pipes. The facility operator will be responsible to provide trucking and disposal services with its own personnel and shall remove the stockpiled pipes during off hours or during such time as agreed to by the Contractor. Since the pipe removed will remain the property of the facility operator and is to be disposed of by the facility operator, the facility operator shall be responsible for any required notifications, filings, dump charges and incidentals associated with the disposal of abandoned gas facilities found to contain Coal Tar Wrap.

4. Method Of Measurement:

Abandoned gas facility removal shall be measured for payment per linear foot of pipe and appurtenances removed.

5. Price To Cover:

The price shall cover all additional cost of supervision, labor, materials, equipment and insurance necessary to complete this work in accordance with the plans and specifications, including, but not limited to, excavation by hand around and under other City and facility operator owned properties and, where necessary, the support and protection of such properties. The cost shall also include hand excavation in the area(s) of proposed abandoned pipe cut(s), cutting and/or burning of abandoned gas pipes and stockpile of removed sections of abandoned pipe and associated maintenance of traffic, blocking and temporary fencing if required. The unit price shall also cover sealing open ends remaining in the excavation with concrete or end caps (end caps to be supplied by facility operator) and backfilling of the area where the abandoned pipeline has been removed with clean backfill material. This item does not include any type of extra excavation, backfilling, compaction, pavement removal and/or restoration (temporary and permanent) associated with abandoned pipe removal ("lost trench"), all of which are covered under separate Section 6.06. The price shall also include allowance for any loss of productivity by the Contractor due to required facility operator work to remove pipe coating and prepare pipe for cutting as well as any change in Contractor excavation method, additional trucking and/or stockpiling costs.

SECTION 6.04 - Adjust Hardware To Grade Using Spacer Rings/Adaptors. (Street Repaying.)

1. Description:

Under this section, the Contractor shall provide all labor, supervision, materials, equipment, insurance and incidentals required to adjust to final grade gas street surface hardware located within the contract area boundaries shown on the plans. The gas company operating in the area, (facility operator), owns these facilities. The work shall be performed in accordance with the contract plans, specifications and at the directions of the Resident Engineer in concurrence with authorized representative of the facility operator.

2. Materials:

The facility operator shall furnish and deliver all prefabricated hardware parts required. These include adaptors for the grade adjustment proper and new street hardware if existing ones are found to be defective, all in accordance with the facility operator standards and City rules and regulations. The Contractor shall notify the facility operator of the installation schedule at least three (3) business days before materials are required on the site. Should the facility operator fail to deliver the necessary material according to any schedule mutually agreed upon by the Contractor and facility operator, the City shall not be responsible for any delays attributable thereto, nor for the failure of delivery of such materials. On project where material storage is not permitted on site, the facility operator shall deliver the required material to the Contractor's yard and it shall be the Contractor's responsibility to transport the material to the work site when needed for installation. It shall also be the Contractor's responsibility to inspect the materials to be installed by him immediately upon delivery and advise the facility operator through its authorized representative, of all damaged materials. The Contractor at no additional expense to the City or the facility operator shall replace any material that is damaged or lost after the Contractor's inspection.

3. Method Of Measurement:

The Contractor shall be paid for each six (6) inch round box and/or nine (9) inch square box adjusted to grade regardless of adjustment height requirements.

4. Price To Cover:

The unit price bid for this item shall include all additional labor, supervision, insurance, equipment and, material (except those to be provided by the facility operator), required to adjust each box to grade as required in the contract plans and specifications. The bid price shall also include the removal of existing frames and covers from existing facilities to be salvaged and returned to the facility operator and, all material transportation from the Contractor's material storage yard to the work site. In addition the bid price shall include "chipping" around existing box using appropriate means and methods where grinding is required.

SECTION 6.05 - Adjust Hardware To Grade By Resetting. (Road Reconstruction.)

1. Description:

Under this item, the Contractor shall provide all labor, supervision, materials, equipment, insurance and incidentals required to adjust to the proposed grade gas street surface hardware located within the contract area boundaries shown on the plans. The gas company operating in the area, (facility operator), owns these facilities. The work shall consist of either building up or lowering or resetting the casting by removing the existing frame and cover building up or decreasing the existing installation, replacing the frame and/or cover if damaged or worn out, as determined by the Resident Engineer, with a new frame and/or cover furnished by the owner, and setting the frame and cover to new elevation. The work shall be performed in accordance with the contract plans, specifications and at the directions of the Resident Engineer.

2. Materials:

The facility operator shall furnish and deliver all new hardware parts required. The Contractor shall furnish materials such as mortar, bricks and concrete in compliance with contract requirements. At locations where high-early strength concrete is required under this contract to be placed adjacent to gas facilities, then the requirement for concrete shall be high-early strength complying with the current New York State Department of Transportation, Standard Specifications for Class F concrete. Existing castings may be replaced as required and deemed necessary by the Engineer and by City rules and regulations. The Contractor shall install the new castings of various sizes furnished by the facility operator. The Contractor shall notify the facility operator of the installation schedule at least three (3) business days before materials are required on the site and, shall provide off-loading services to the facility operator. Should the facility operator fail to deliver the necessary material according to any schedule mutually agreed upon by the Contractor and facility operator, the City shall not be responsible for any delays attributable thereto, nor for the failure of delivery of such materials. Such delays shall be a matter of adjustment between the Contractor and the facility operator. On project where material storage is not permitted on site, the facility operator shall deliver the required material to the Contractor's yard and it shall be the Contractor's responsibility to transport the material to the work site when needed for installation. It shall also be the Contractor's responsibility to inspect the materials to be installed by him, immediately upon delivery and advise the facility operator through its authorized representative, of all damaged materials. Contractor at no additional expense to the City or the facility operator shall replace any material that is damaged or lost after the Contractor's inspection.

3. Methods Of Construction:

The Contractor shall remove and reinstall existing castings or install new castings to the proposed grade. Setting and resetting the castings shall be done with mortar and brick according to the standards of the facility operator. Work shall be performed in a workmanlike manner. Castings that are deemed unacceptable for resetting shall remain the property of the facility operator and he shall be responsible for their removal and proper disposal from site. No traffic shall be allowed on adjusted street hardware until permitted by the Engineer.

4. Method Of Measurement:

The Contractor shall be paid for each gas hardware adjusted to grade regardless of size or adjustment height requirements (up or down).

5. Price To Cover:

The unit price bid for this item shall include all additional labor, supervision, insurance, equipment and, material (except those to be provided by the facility operator), required to adjust each gas hardware to grade as required in the contract plans and specifications. The bid price shall also include the removal of existing frames and covers from existing facilities; building up the existing installations with bricks and mortar, or lowering the existing installation by removing bricks and mortar; replacing damaged frames and/or covers with new frames and/or covers furnished by the facility operator; setting the frames and covers to the new elevations; protect existing installations; repair minor structural damages to existing installations prior to resetting frames; unloading of furnished castings at the Contractor's yard and transporting castings from the Contractor's yard to the job site as required; completing the work in

accordance with the contract plans, specifications and, at the directions of the Engineer. In addition the bid price shall include "chipping" around existing gas facilities using appropriate means and methods where grinding is required.

SECTION 6.06 - Special Care Excavation And Backfilling.

1. Description:

Under this section, the Contractor shall provide all labor, materials, equipment, insurance and incidentals required to support and protect the integrity of live gas facilities including mains, services, related structures and appurtenances during excavations. The gas company operating in the area, (facility operator), owns these facilities. The work shall be performed in accordance with the contract plans, specifications and at the directions of the Resident Engineer in consultation with authorized representatives of the facility operator.

2. Applicability Of Section:

This section shall apply to live gas facilities of various sizes located within two (2) feet of any face of unsheeted excavation, (unsheeted excavation refers to any excavation performed for city work and includes excavations performed that are to be subsequently sheeted using approved methods) and paralleling or, encroaching any face of excavation. Also, for crossings greater than forty-five (45) degrees and/or located at a cover depth greater than five (5) feet from existing street surface. Parallel facilities are not exposed at any time during excavation (See "Gas Cost Sharing Work Standard Sketch No. 5"). Encroaching facilities are partially exposed inside the limit of excavation (See "Gas Cost Sharing Work Standard Sketch No. 5"). This section shall also apply to gas facilities crossing catch basins excavation, and catch basins sewer connections (chutes) trench excavation only when extra depth (covered in other section), is not required for chutes installations because of such utilities interferences (See "Gas Cost Sharing Work Standard Sketch No. 3"). This section shall also apply to gas services (if shown or otherwise listed in contract documents) crossing unsheeted excavations for water mains, gas facilities crossing fire hydrant branch connections, house sewer and/or water service connections excavations. This section shall also apply for so called "loss trench", as described further, and for additional excavation (pavement and/or soil), backfilling, compaction, roadway base and pavement restoration due to abandoned gas facilities, only if removed by Contractor. If operating status of gas facilities cannot be determined prior to excavation then such facilities shall be considered live and this section shall fully apply. The excavation around fully exposed live gas facilities along and within limits of excavation (not crossings) shall be covered by this section also (not shown on "Gas Cost Sharing Work Standard Sketch No. 5"), however the support requirement, if any is required, of such facilities is beyond the scope of these specifications and therefore shall be the responsibility of facility operator to determine and prescribe, at no cost to the City contract, but shall be a matter of adjustment between the Contractor and facility operator.

3. Payment Restriction:

No special care excavation shall be paid for abandoned gas facilities paralleling and/or encroaching excavation and therefore are not in direct interference with City work. Except as allowed in this section, the bid item specified under this section shall not be used in combination with items covered under other sections for work done due to a particular gas facility. This item shall not be paid for new gas facilities when trenching for such new facilities has been performed by the Contractor of record in common with trench excavation for City Work (overlapping trench limits). The cost of excavating with care as defined in this section shall be deemed included in the cost of trench excavation for the new gas facilities. This restriction shall apply even if such gas common trench excavation is not part of the contract. If facilities are in direct interference with City work, meaning that "Minimum Clearances" described in "General Provisions; Gas Cost Sharing Work Paragraph No. 8" cannot be maintained and excavation has to be temporarily or permanently abandoned then this particular location shall become a test pit and dealt with as specified in Section 6.07 and "General Provisions; Gas Cost Sharing Work Paragraphs Nos. 2 and 8".

4. Method Of Construction:

All excavation in the vicinity of gas facilities shall be as required by NYS Industrial Code 753. Where these facilities are paralleling and located two (2) feet or less from the limits of the proposed excavation, the Contractor shall use hand excavation methods (pick and shovel or hand held power tools) to ascertain

the clearances of these facilities with respect to the proposed excavation. Once the location of these facilities with respect to the proposed excavation is verified to the satisfaction of the Resident Engineer, the Contractor shall then proceed with a combination of hand and machine excavation as required preserving the integrity of the facilities. The installation of timber supports or underpinning, when soil foundation cannot fully support partially exposed pipes, may be required to prevent pipe movement as directed by the Resident Engineer.

5. Method Of Payment:

The unit price for this work item shall be based on cubic yard (CY) of average excavation with care and, is to be considered as an incremental cost for performing City work with gas facilities interferences.

6. Method Of Measurement:

- A. For Paralleling Facilities: Volume calculated as: Depth as measured from existing street surface to the bottom of unsheeted trench excavation allowable by OSHA regulations, multiplied by, the width measured as one (1) foot from the face of excavation toward the center of excavation, multiplied by the length of parallel facility, divided by twenty-seven (27) cubic feet per cubic yard (See "Gas Cost Sharing Work Standard Sketch No. 5"). The gas facility is no longer considered to be in interference once sheeting has been installed, therefore no further compensation for paralleling facilities as described above will be made.
- B. For Encroaching Facilities: Volume calculated as: Depth of trench as allowable by OSHA, maximum up to five (5) feet multiplied by, the width of partially exposed pipe plus one (1) foot, multiplied by the length of facility encroachment, divided by twenty-seven (27) cubic feet per cubic yard (See "Gas Cost Sharing Work Standard Sketch No. 5").
- C. Fully Exposed Gas Facilities: (Not shown on "Gas Cost Sharing Work Standard Sketch No. 5") along and inside trench and/or crossing trench at an angle greater than forty-five (45) degrees and/or a cover depth greater than five (5) feet from the existing street surface. The volume shall be measured as the depth of trench excavation multiplied by the distance measured along the sheeting line between two (2) points of intersections of the gas facilities and the sides of trench excavation, multiplied by the width of trench excavation.
- D. For Additional Excavation And Restoration Due To So Called "Loss Trench", When The Integrity Of Pavement And Soil Above And Around Existing Live Gas Facilities Cannot Be Maintained Due To Its Lack Of Cohesiveness: Volume shall be calculated as: Depth of unsheeted trench excavation multiplied by width measured as distance of facility from closest edge of unsheeted excavation plus, width of facility proper plus, one (1) foot or a maximum width of three (3) feet multiplied by length of facility fully exposed divided by, twenty-seven (27) cubic feet per cubic yard (not shown on "Gas Cost Sharing Work Standard Sketch No. 5").
- E. For Facilities Crossing Excavation For Catch Basins, Or Chutes Installations (When NYCDEP Funded) Or Fire Hydrant Branch Connections, Or Unsheeted Water Main Trench, Or House Sewer And/Or Water Services: Volume calculated as: Depth as measured from existing street surface to the bottom of the trench excavation multiplied by, the width taken as the outside diameter of pipe or the width of structure plus one (1) foot on either side (two (2) feet), multiplied by, the length of exposed facility crossing the trench, divided by twenty-seven (27) cubic feet per cubic yard (not shown on "Gas Cost Sharing Work Standard Sketch No. 5").

Overlapping volume dimensions measured as described above may occur when multiple facilities are paralleling excavations, encroaching excavations or crossing catch basins and catch basin chute installations. In such cases, all such facilities shall be counted as one limited by the extreme pipes, faces (See "Gas Cost Sharing Work Standard Sketch No. 2"). The volume shall then be calculated as described above.

7. Price To Cover:

The bid price shall also cover all additional supervision, labor, material, equipment and insurance necessary to excavate while protecting and maintaining (excluding supports for fully exposed live gas) gas facilities without disruption of service to the public and in accordance with contract specifications. The

price shall also include, changes of sheeting method and excavation width configuration where necessary to accommodate gas facilities in their existing locations; difficulties during the installation of catch basins, chute connections, hydrant branch, and house sewer and water connections under or over gas facilities; loss of productivity due to slower rate of excavation (special care) during excavation, including the use of such methods as: hand excavation around existing single and multiple facilities, extra excavation and backfilling due to lost trench because of existing and adjacent gas facilities, compaction, removal of sheeting from the facilities, extra roadway base restoration and temporary pavement, associated maintenance and protection of traffic, barricades, and traffic plates that may be required to temporarily close and/or complete the work.

SECTION 6.07 - Test Pits For Gas Facilities.

1. Description:

Under this section, the Contractor shall furnish all labor, materials, insurance, equipment and appliances necessary to excavate, sheet and, maintain test pits at locations approved by the Resident Engineer in consultation with the facility operator. Test pits shall be dug in order to ascertain exact locations, cover and invert elevations, clearances, alignment and operating status (live or dead) of existing gas facilities. The Contractor shall inspect jointly with the Resident Engineer and facility operator, gas facilities and other structures uncovered, take all relevant measurements and elevations as directed by the Resident Engineer. Tests to determine operating status of gas facilities shall be performed by facility operator. The pits shall be covered with steel plates during daytime nonworking hours, and uncovered, as required, until the inspection work is completed. Testing of gas facilities may require a maximum of four (4) hours. Then, the pits shall be backfilled with clean fill, and resurfaced with temporary pavement. All traffic shall be maintained and all safety measures as stipulated shall be complied with.

2. Methods Of Construction:

- A. Excavation: Existing pavement to be removed shall be neatly cut along lines of removal with a saw or other approved equipment which leaves a neat straight joint line along the juncture with subsequently replaced pavement. Excavation in the vicinity of utilities and other structures shall be performed using hand tools. Use of hand operated pneumatic and electric jackhammers will be permitted only for breaking pavement and removal of masonry, concrete and boulders, or as otherwise directed by the Resident Engineer. The Contractor shall properly dispose of all materials excavated from test pits away from site. Test pits shall be excavated at locations shown on the contract drawings or as directed by the Resident Engineer. Additional test pits may be required and shall be excavated where required, as ordered by the Resident Engineer. All test pits shall be excavated to a depth and size necessary to locate the existing facilities. Sheeting shall be used when depth of excavation exceeds five (5) feet. The sheeting required shall be furnished and installed in full compliance with the State of New York and Federal Safety Codes requirements and as specified in contract, whichever is more stringent. Care shall be taken that no existing gas facilities or other structures are broken or damaged. All broken or damaged facilities shall be reported immediately to facility operator who shall decide whether such facilities shall be repaired or replaced by company forces or by City contractor and in conformance with "General Provisions; Gas Cost Sharing Work Paragraph No. 9". Contractor shall excavate all material encountered, including large masses of concrete, cemented masonry and boulders, as directed by the Resident Engineer. Any type of excavation protection used, shall satisfy the following:
 - (a) Industrial Code Rule 753.
 - (b) Prevent injury to workers and the public, and avoid damage to existing water, sewer, and gas pipes or other structures, and to pavements and their foundations, through caving or sliding of the banks of the excavation.

Should it become necessary, as determined by the Resident Engineer, to enlarge any test pit in any dimension after sheeting has been placed, the Contractor shall remove portions of the sheeting, as necessary, enlarge the test pits as directed, and replace the sheeting without additional compensation for this work other than for the additional volume of material excavated.

B. Maintenance Of Test Pits: Excavated test pits shall be maintained free of debris and kept dry by the Contractor in order to permit the inspection and measurements and to determine the locations of facilities. In order to accomplish this, Contractor shall, upon completion of excavation and placement of sheeting (if depth greater than five (5) feet), furnish and install adequate steel plates and posting over the excavated pits and shall temporarily remove all equipment debris and workers, and relocate barricades in order to open the full width of street to traffic during nonworking hours. The Contractor shall then, at no additional cost, relocate such barricades, barrels, cones and other warning devices and remove steel plates, as and when directed by the Resident Engineer to facilitate the inspection of exposed facilities. When work is being performed and the pits are not covered with steel plates, the Contractor shall provide complete and safe access to the test pits as may be required, and he shall provide construction barricades and maintain traffic at all times as shown or as directed by the Resident Engineer. Upon completion of test pit inspection by the Resident Engineer, the pit shall be backfilled by the Contractor as specified in contract, except that backfill material shall conform to contract specifications for such purpose.

C. Pavement And Sidewalk Restoration: After backfilling is completed, the Contractor shall construct a temporary pavement consisting of a minimum of four (4) inches thick asphaltic concrete mixture in roadway areas or a two (2) inches thick asphaltic concrete mixture in sidewalk areas in order to maintain existing pedestrian and vehicular traffic. This temporary pavement shall be maintained until permanent pavement and sidewalk replacement is constructed as specified in contract.

3. Measurements:

The quantity to be measured for payment shall be the number of cubic yards of material removed from within the limits of the pit dimensions as directed by the Resident Engineer. The volume occupied by existing pipes or other structures remaining within the maximum payment lines will not be deducted from the total volume measured except, where the cross sectional area of these facilities exceeds four (4) square feet. As determined by the Resident Engineer, the quantity measured for payment may be proportionate to a fair and reasonable estimate of gas responsibility in the total volume excavated.

4. Price To Cover:

The contract price bid per cubic yard for test pits shall cover all additional costs of labor, material, insurance, equipment, appliances and incidentals required to excavate test pits, including removal and disposal of excavated materials, sheeting, steel plating, backfill, compaction and temporary pavement and sidewalk restoration all in accordance with the specifications and as directed by the Resident Engineer. The price shall also include the cost of providing safe access to the excavation by facility operator for the performance of certain test to determine operating status of gas facilities prior to City work. The price shall also include support and protection of all gas facilities crossing excavation, paralleling and/or encroaching any face of excavation.

GAS COST SHARING STANDARD SPECIFICATIONS SCHEDULE GCS-A

Average rate charged by utility companies to Disconnect and Reconnect Gas Services:

1. National Grid

- \$586.90 per Service/and Visit

2. Con Edison


- \$524.00 per Service/and Visit

IV - STANDARD SKETCHES; GAS COST SHARING WORK


Hereinafter attached are the following Standard Sketches for Gas Cost Sharing Work:

- Sketch No. 1 Support Requirements For Gas Mains And Services Crossing Excavation Greater Than 4' 0" Wide At Any Angle
- Sketch No. 1A Support Requirements For Gas Mains Over 16" Diameter Up To And Including 48" Diameter Crossing Excavation At Any Angle
- Sketch No. 2 Typical Methods Of Measurement For Gas Crossings
- Sketch No. 3 Utility Crossings During Catch Basin Chute Connection Pipe Installation
- Sketch No. 4 Utility Crossings During Catch Basin Chute Connection Pipe Installation (Extra Depth)
- Sketch No. 5 Gas Main Encroachment On And/Or Parallel To Excavation Of Unsheeted Trench

GAS COST SHARING WORK (SKETCH NO. 1) SUPPORT REQUIREMENTS FOR GAS MAINS AND SERVICES CROSSING EXCAVATION GREATER THAN 4'-0" WIDE AT ANY ANGLE




GAS COST SHARING WORK (SKETCH NO. 1A) SUPPORT REQUIREMENTS FOR GAS MAINS OVER 16" DIAMETER UP TO AND INCLUDING 48" DIAMETER CROSSING EXCAVATION AT ANY ANGLE




A3-21B

GAS COST SHARING WORK (SKETCH NO. 2) TYPICAL METHODS OF MEASUREMENT FOR GAS CROSSINGS




GAS COST SHARING WORK (SKETCH NO. 3) UTILITY CROSSINGS DURING CATCH BASIN CHUTE CONNECTION PIPE INSTALLATION




TYPICAL SEWER MANHOLE

GAS COST SHARING WORK (SKETCH NO. 4) UTILITY CROSSINGS DURING CATCH BASIN CHUTE CONNECTION PIPE INSTALLATION (EXTRA DEPTH)



TYPICAL SEWER MANHOLE

GAS COST SHARING WORK (SKETCH NO. 5) GAS MAIN ENCROACHMENT ON AND/OR PARALLEL TO EXCAVATION OF UNSHEETED TRENCH



NOTES:

- (1) GAS MAIN LOCATED AS SHOWN MAY HAVE TO BE REMOVED BY THE FACILITY OPERATOR PRIOR TO THE START OF CITY EXCAVATION, OTHERWISE, THE CONTRACTOR WILL BE PAID UNDER SECTION 6.06 FOR THE SAID WORK. IF GAS MAIN IS ABANDONED THEN SECTION 6.03 SHALL APPLY.
- (2) EIGHTEEN (18) INCHES FROM STANDARD NEAT LINE IS THE MAXIMUM ALLOWABLE WIDTH OF AREA THAT MAY BE DISTURBED OR EXCAVATED DURING INSTALLATION OF CERTAIN TYPES OF SHEETING SYSTEMS THAT MEET THE REQUIREMENTS OF THE STANDARD SPECIFICATIONS OF THE DEPARTMENT OF DESIGN AND CONSTRUCTION OF THE CITY OF NEW YORK.

NO TEXT THIS PAGE

V - PRELIMINARY GAS WORK TO BE PERFORMED BY FACILITY OPERATOR

APPLICABLE TO ALL GAS DRAWINGS:

- ALL RELOCATION WORK SHOWN IN THIS ADDENDUM IS TO BE PERFORMED BY FACILITY OPERATOR.
- ALL SUPPORT AND PROTECTION WORK TO BE PERFORMED BY CITY CONTRACTOR
- IF ADDITIONAL INFORMATION IS NEEDED REGARDING THE FACILITY OPERATOR RELOCATION WORK, THE CONTRACTOR IS ADVISED TO CONTACT THE GAS COMPANY REPRESENTATIVE:

NATIONAL GRID 287 MASPETH AVENUE BROOKLYN, NY 11211 TEL.: 718-963-5506

(NO TEXT IN THIS AREA, TURN PAGE)

SE-851 (FLATLANDS AVE) National Grid Gas Main Work


| | (alementond Ed | Hocksway Phw | Shaffleld Ave | lateni | 1 176 | 54 | 4.000 | HEX SORE | Nex. |
|-----|----------------|------------------|---------------|-------------|-----------|------------|-----------|------------|----------|
| | Glenward Rd | Bockman Phay | Shaffield Ave | Inchall | 12 | SA | 4 Dan | I DYAWCI | VAS |
| | | Locustial Thirty | | | | | 2000 | | |
| 2 | Fiatiands Ave | HOCKAWAY PKWY | Sheffled Ave | Install | | | 300,0 | | Yes |
| • | Conklin Ave | Rockaway Pkwy | East 100 St | Install | | PL | 850 | LP(6WC) | No
No |
| 2 | Glenwood Rd | Esst 102 St | East 103 St | Install | 15"/16" | SM | 200 | (#09)aH/a7 | Yes |
| 9 | East 103 St | Glenwood Rd | Avenue K | (nstal) | - 16° | SM | 2,400 | LP(6WC) | Yes |
| 7 | Avenue | Rockaway Pkwy | East 106 St | Install | 4. | P | 3,500 | (#D(60#) | Yes |
| 8 | East 98 St | Flatiands Ave | Avenue J | Install | | 76 | 988 | HP(60#) | χes |
| 6 | East 99 St | Flatlands Ave | Avenue J | Install | 4. | 76 | 208 | HP(60#) | Ž |
| 10 | East 100 St | Flatiands Ave | Avenue J | Install | ** | PL | 008 | HP(60#) | Ş |
| F | East 101 St | Flattends Ave | Avenue J | Install | 4" | 12 | 1,200 | HP(60#) | , |
| 12 | East 102 St | Flettends Ave | Avenue | Install | .,7 | 7 | 1,600 | HP(60#) | XeY |
| 14 | East 104 St | Sattands Ave | Avenue | Instaff | .7 | 1 | 1,200 | HP(60#) | ¥ () |
| 15 | East 105 St | Flattands Ave | Avenue J | Install | ** | 2 | 1,600 | HP(60#) | Ş |
| 16 | East 106 St | Flatfands Ave | Avenue | Instail | 4. | PL | 1,200 | HP(60#) | Ş, |
| 4 | East 107 St | Flatfands Ave | Avenue | Install | | 76 | 908 | HP(60#) | ¥e: |
| 18 | East 108 St | Flatlands Ave | Avenue K | Install | | P | 2,000 | HP(60#) | Xe. |
| 61 | Flatfands 1 St | East 105 St | East 108 St | Instail | -
- | 7 | 202 | (CM9)dT | Yer |
| 82 | Flatlands 2 St | East 105 St | East 108 St | Install | 50 | PL | 18 | LP(6WC) | ĕ |
| 21 | East 105 St | Avenue | Intersection | Install | -8 | SS
SS | 150 | HP(350#) | Ş
Ver |
| 47 | East 98 St | Fieldands Ave | Glenwood Rd | Install | io | 1 | 450 | LP(6WC) | χeχ |
| 8 | East 99 St | Flatlands Ave | Glenwood Rd | Install | ibo | 2 | 450 | LP(6WC) | Ye |
| | Truckleman La | Rockaway Pkwy | East 98 St | linstall in | 2 | Ы | 220 | HP(60#) | Yes |
| _ | East 101 St | Flatlands Ave | Glenwood Rd | (laten) | | PL | 900 | HP(60#) | 2 |
| | East 102 St | Glenwood Rd | Flatlands Ave | Install | 9 | 1 | 98 | HP(60#) | 2 |
| | East 103 St | Glenwood Rd | Intersection | Install | | Td. | 22 | LP(6WC) | Yes |
| | East 104 St | Glenwood Rd | Intersection | Install | . | Z | 83 | LP(6WC) | Yer |
| 58 | East 105 St | Glenwood Rd | Intersection | Install | .9 | P L | 22 | Th(eWC) | ¥e: |
| | East 105 St | Glenwood Rd | Intersection | Install | i. | 74 | 28 | (eWC) | Ye |
| 28 | Williams Ave | Cozine Ave | Intersection | Install | .9 | T | 92 | LP(6WC) | Υe |
| | Alabama Ave | Cozine Ave | Intersection | İnstall | 9 | 7 | 15 | LP(6WC) | Ύeg |
| | Alabama Ave | Cozine Ave | Flatlands Ave | Install | . | Z | 250 | HP(60#) | χeχ |
| 5 | Georgia Ave | Cozine Ave | Flatlands Ave | Install | | 74 | 250 | HP(60#) | Yes |
| | Sheffleld Ave | Glenwood Rd | Flatlands Ave | Instail | i. | 5 | 300 | HP(60#) | Xe. |
| 22 | Melta St | Flatiands Ave | Intersection | Instaff | .g | PL | 75 | HP(60#) | ,
Yes |
| 7 | Louisiana St | Flatlands Ave | | Instail | | PL | 100 | HP(80#) | Yes |
| 76 | East 103 St | Glenwood Rd | Avenue K | install | . | 7 | 1,500 | HP(60#) | Yes |
| 80 | East 108 St | Flatlands Ave | Avenue K | Install | 2, | 7 | 1,500 | HP(60#) | Yes |
| 150 | East 108 St | Avenue | Avenue K | Install | i | 74 | 900 | LP(6WC) | Yes |
| 40 | | | | | | | | | |

A3-22A


| Gas |
|----------|
| Grid |
| tional |
| 2 |
| A |
| ANDS |
| (FLATI |
| SE-851 (|


| | . romanara I.j. | | . 28 2 | 788 | Yes | | 180 / | Yes | Yes | Year | A V | | | 700 | 901 | 201 | 70% | | - 100 A | | Yes | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Α. | S) | 21 | ON. | | 041 | | * | 39) ,"∵∴ | , Yes: | , Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | Yes | | No | No. |
|---------------|-----------------|-----------|---------------|--|---------|-----------|--------------|------------------------|--------------------------|--|---------------------|------------|--------------|------------------|--|-----------|------------|------------------|---------------|----------------------|------------|---|-----------------------|-----------------|------------------|-------------|--|--------|-----|---|------------------------------|--------------------|------------|---------------------------------------|-----------------|--------------|---------------------|--------------|---|--|-------------------|-----------------|-----------------|--|------------------------------|--|---------------------------|
| | | 147(3504) | | | LE(BNC) | LP(6WC): | - IP(ewc): | TE (BWC) | TO LEGING | TO TOWN CO. | I DIRING | | | | | TE COMICS | S. EHOWC) | TENSING IN | | LP(BHC) | I P(6WC) | I PIGNO | I DIRECT | (P(6WC) | I Digue | | I PACHICAL TO A STATE OF THE ST | Erlond | | | HP(MA) | | (408)4H | (EWGWC) | LPIGWCI | HP(60m) | IPY6WC): | HE/60s1 | I PATSING | TIP(6HC) | | IFP(6WC) | (CANS) | THE GOOD | II DIUNCI | | TIP(6WC) |
| n Work | | 1001 | DOM: | 310 | 1,000 | 720 | 2715 T | 296 | | 7.00 | 27.2 | UHO GIALLI | | | | | 020 | 625 | 216 | 010 | 130 | 100 | 194 Care 194 Care 194 | 116 | 2012 | | | 200 | 400 | | | * * * 2,516 * * | 200 | 051 | 1 (080) | 100 | 100 | 1001 | 475 | 2000 | 14.100 K | Z45 | 88 | 1001 | 730 TAN | | 1089 |
| Grid Gas Main | | | | 0 I See 1 | | 6 | 6 | SAL STATE OF THE SALES | ST. T. T. | | State of the second | | | | | | 200 | | | | | | | | | | | 7.5 | | | r. P. | 12" WS | E E | SW. | SW SW | | | | SW STATE | | | SW SEE SEE | 2"STATE OF WEST | SW THE SW | SAN SERVICE SERVICES | A COUNTY OF THE PERSON NAMED IN COUN | T WS |
| National G | | | | TOTAL STATE OF THE | | | HOLESSE MEN | Ret | Rac | The state of the s | M. Rotherson Family | | | | | | | H-101 | For Section 1 | Hed The Table | | S Ret Service | | Fig. | / 177 | 190 | | | THE | Hets. | Ret | | . Bec | Red | Ret | Retirement | Ret | Reference 1 | Reference | Hear State of State o | Hot man a seed of | Para Service of | Ref. | Her T | 7 | | Peters Const |
| ATLANDS AV | | | | | | (Average) | Avenue J. C. | Anonus Users | (Avenue: January) | ZAvenue | Aberralian | | | | | | | | | Avenue d'ares Same | | analogd Rd Targett | | East/100/Street | | Esery(m)(S) | | | | Cook state of the | fersection (2012) | Same Parket | | Conklini Ave | SHEETING STATES | Intersection | tersections and and | | Section 1 | Glennossi Rdi | (Vertical) | 4 (C)(S) | 103.94 | 1100 SYSTEM TO SERVICE STATE OF THE SERVICE STATE STATE OF THE SERVICE STATE OF THE SERVICE STATE OF THE SERVICE S | WAyners of the second second | | prefood (Rd) see |
| SE-851 (FLATL | 4 | | | | | | | | | | | | | | | | | TEANGE SEE STATE | | | | The Mande Ave 72 2 22 Glenn | | | | | | | | | | | | W. Flattendo / Avo. W. S. B. W. J. C. | | | 18 Ave | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | retal lists if heldende Avel | | | | | | | | The Change of the state of the | | | - 102.9t | 100000 | 1988 | 333 | N B | (managed Franklands/Ave.) |
| | | | | | | | | | # [FF. 18 East of 04/50] | Esst 103 St. | Ent.103St | Avenue | A Haddanda V | The Handard Awar | SECOND SE | ECONTROLL | | | | E E ST PB ST | East 98(St | East 86(St | | | Mark Conking Ave | Continue Am | Continue A | | | | Shoffleld/Ave | * See Fattence Ave | Carola Ave | «(Georgia/Aire) | | Alabama A | No street | Williams/Ave | 107.51 | Esst, 105 St | 100 | *** | Rettende Ave | Flattends/Ave | 103 84 | | |
| Herman | 4 | | 160 | | 3 8 | 9 (| Z12. | 8 | 8 | | 31 | 32 | 33 | .34: | 35 | | 3 8 | | 3 | 8 | 40 | 41 | 42. | 43 | | | | 12 | | IC. | 89 | 9 | . 65 | 99 | - 29 | 99 | 98 | .72 | 22 | 747 | 75 | L | . 28 | 2 | 58 | 78. | 98 |


A3-22B




A3-22C









A3-22G




A3-221+




A3-22I






A3-22K




A3-22L




= NEW HP GAS MAIN(60#)
= NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)






A3-22N




SE-851 ID#52A-111 SHT#13/57

KEY

- - = NEW HP GAS MAIN(60#)
- - = NEW LP GAS MAIN(6WC)
- - = NEW FAC GAS MAIN(350#)




- = NEW HP GAS MAIN(60#) - = NEW LP GAS MAIN(6WC) - = NEW FAC GAS MAIN(350#)



A3-22Q

SE-851 ID#52-11 SHT#16/57





KEY

A3-22R

SE-851 ID#52-15A SHT#17/57


KEY






- = NEW LP GAS MAIN(6WC)
- = NEW FAC GAS MAIN(350#) -- = NEW HP GAS MAIN(60#)

A3-22U



A3-22V


SA SA TO SCALE



SE-851 ID#52-59A SHT#21/57

KEY


= NEW HP GAS MAIN(60#)
= NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)



SE-851 ID#52-31 SHT#23/57


> = NEW HP GAS MAIN(60#) = NEW LP GAS MAIN(6WC) = NEW FAC GAS MAIN(350#)

A3-22Y



= NEW HP GAS MAIN(60#)
= NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)


A3-22Z



SE-851 ID#52-20 SHT#25/57


> NEW LP GAS MAIN(6WC) = NEW FAC GAS MAIN(350#)

A3-22AA



= NEW HP GAS MAIN(60#)
= NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)


A3-22BB



SE-851 ID#52-16A SHT#27/57


SHT#28/57 ID#52-12 SE-851 COINT. TENESA TRET (27WS) (INST 4"PL) CONT. Man and the Feel of (INST 4"PL) ITEM#3 CONT. (REL-12MS) "NOT TO SCALE" = NEW LP GAS MAIN(6WC) = NEW FAC GAS MAIN(350#) = NEW HP GAS MAIN(60#) FLATLANDS LILIEC PEL TYRU 3 KEY

-55D **A3**




SE-851 ID#52-13 SHT#29/57

A3-22EE




A3-22 FF




KEY
= NEW HP GAS MAIN(60#)
= NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)

A3-2269



= NEW HP GAS MAIN(60#)
= NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)

43-22 HH




-2 2

ID#62A-69 SHT#33/57 SE-851


KEY

= NEW LP GAS MAIN(6WC) = NEW FAC GAS MAIN(350#) = NEW HP GAS MAIN(60#)




= NEW HP GAS MAIN(60#)
= NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)

A3-22JJ




SE-851 ID#62A-47 SHT#35/57



- - - - NEW HP GAS MAIN(60#)
- - - NEW LP GAS MAIN(6WC)
- - - NEW FAC GAS MAIN(350#)


A3-22LL




SE-851 ID#62A-66 SHT#37/57

KEY
= NEW HP GAS MAIN(60#)
= NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)

3-22MM



A3-22NN





SE-851 ID#62A-63 SHT#39/57

KEY

= NEW HP GAS MAIN(60#)
= NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)

A3-2200







SE-851 ID#62A-85 SHT#41/57

KEY


= NEW HP GAS MAIN(60#)
= - NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)





SE-851 ID#62A-87 SHT#43/57


KEY




SE-851 ID#62A-88 SHT#44/57

KEY

--- --- NEW HP GAS MAIN(60#)
--- --- NEW LP GAS MAIN(6WC)
--- --- NEW FAC GAS MAIN(350#)







SE-851 ID#62A-90 SHT#46/57

KEY

= NEW HP GAS MAIN(60#)
= NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)

A3-22 VV






A3-22XX

SHT#48/57

- NEW LP GAS MAIN(6WC) - NEW FAC GAS MAIN(350#)



SE-851 ID#62A-93 SHT#49/57

KEY


A3-22 YY

SE-851 ID#62-6 SHT#50/57

KEY

-- - NEW HP GAS MAIN(60#)
-- - NEW LP GAS MAIN(6WC)
-- - NEW FAC GAS MAIN(350#)

43-22ZZ



SE-851 ID#62-5 SHT#51/57


KEY

= NEW HP GAS MAIN(60#)

- - - - NEW LP GAS MAIN(6WC)

- - - NEW FAC GAS MAIN(350#)


SE-851



KEY


= NEW HP GAS MAIN(60#)
= = NEW LP GAS MAIN(6WC)
= = NEW FAC GAS MAIN(350#)

A3-22BBB



KEY


A3-22CCC



KEY

= NEW HP GAS MAIN(60#)
= NEW LP GAS MAIN(6WC)
= NEW FAC GAS MAIN(350#)

A3-22DDD




SE-851 ID#62-17 SHT#55/57


KEY

- - = NEW HP GAS MAIN(60#)
- - = NEW LP GAS MAIN(6WC)
- - = NEW FAC GAS MAIN(350#)

A3-22 EEE



A3-22 FFF



SE-851 ID#62-19 SHT#57/57

KEY

A3-22GGG

VI - LISTING OF APPROXIMATE LOCATIONS OF EP-7 BID ITEMS QUANTITIES

(NO TEXT IN THIS AREA, TURN PAGE)

The City of New York Department of Design and Construction is planning to install sewers and/or water mains and all appurtenances in various locations in The City of New York along with all work incidental thereto.

6.01.1 - Support & Protect Gas Main Crossing Sewer Up To 24" In Diameter (Ea.)

- 1 in East 108 St. @ Ave. J
- 1 in Flatlands Ave. @ East 98 St.
- 1 in East 103 St. @ Flatlands Ave.
- 1 in East 103 St. @ Ave. J
- 1 in Flatlands Ave. @ East 105 St.

6.01.2A- Support & Protect Gas Main Crossing Sewer 38"W x 24"H H.E.R.P. (Ea.)

1 in Flatlands Ave. @ East 99 St.

6.01.4A- Support & Protect Gas Main Crossing Sewer 4'-0"W x 2'-0"H F.T.R.P. (Ea.)

1 in Flatlands Ave. @ East 100 St.

6.01.4N- Support & Protect Gas Main Crossing Sewer 4'-6"W x 2'-6"H F.T.R.P. (Ea.)

- 1 in Flatlands Ave. @ East 102 St.
- 1 in Flatlands Ave. @ East 101 St.

6.01.5C- Support & Protect Gas Main Crossing Sewer 5'-0"W x 2'-6"H F.T.R.P. (Ea.)

- 1 in Ave. J @ East 105 St.
- 1 in Ave. J @ East 103 St.

6.01.6E- Support & Protect Gas Main Crossing Sewer 6'-0"W x 3'-0"H F.T.R.P. (Ea.)

- 1 in Flatlands Ave. @ East 107 St.
- 3 in Flatlands Ave. @ East 105 St.
- 1 in Flatlands Ave. @ East 104 St.
- 1 in Flatlands Ave. @ East 103 St.

6.01.700- Support & Protect Gas Main Crossing Sewer 13'-0"W x 4'-0"H F.T.R.P. (Ea.)

- 2 in East 108 St. @ Flatlands Ave.
- 1 in East 108 St. @ Ave. J

The City of New York Department of Design and Construction is planning to install sewers and/or water mains and all appurtenances in various locations in The City of New York along with all work incidental thereto.

6.01.8 - Support & Protect Gas Services Crossing Trenches And/Or Excavations (Ea.)

30 in Various Locations As Required, Including But Not Limited To The Following Locations:

East 103 St. Bet. Flatlands Ave. & Ave. J East 105 St. Bet. Flatlands Ave. & Ave. J

6.01.9 - Support & Protect Gas Main Crossing Water Main Up To 20" In Diameter (Ea.)

- 1 in Flatlands Ave. @ East 107 St.
- 1 in Flatlands Ave. @ East 106 St.
- 3 in Flatlands Ave. @ East 105 St.
- 1 in Flatlands Ave. @ East 104 St.
- 2 in Flatlands Ave. @ East 103 St.
- 1 in Flatlands Ave. @ East 102 St.
- 1 in Flatlands Ave. @ East 101 St.
- 1 in Flatlands Ave. @ East 100 St.
- 1 in Flatlands Ave. @ East 99 St.
- 1 in Flatlands Ave. @ East 98 St.
- 2 in East 107 St. Bet. Flatlands Ave. & Ave. J
- 2 in East 106 St. Bet. Flatlands Ave. & Ave. J
- 2 in East 105 St. Bet. Flatlands Ave. & Ave. J
- 2 in East 104 St. Bet. Flatlands Ave. & Ave. J
- 2 in East 103 St. Bet. Flatlands Ave. & Ave. J
- 2 in East 102 St. Bet. Flatlands Ave. & Ave. J
- 2 in East 101 St. Bet. Flatlands Ave. & Ave. J
- 2 in East 100 St. Bet. Flatlands Ave. & Ave. J
- 2 in East 99 St. Bet. Flatlands Ave. & Ave. J
- 2 in East 98 St. Bet. Flatlands Ave. & Ave. J
- 1 in East 100 St. @ Conklin Ave.
- 1 in East 99 St. @ Conklin Ave.
- 2 in East 98 St. @ Conklin Ave.
- 1 in East 108 St. @ Ave. J
- 3 in East 108 St. @ Flatlands Ave.
- 1 in Ave. J @ East 103 St.

The City of New York Department of Design and Construction is planning to install sewers and/or water mains and all appurtenances in various locations in The City of New York along with all work incidental thereto.

6.02 - Extra Excavation For The Installation Of Catch Basin Sewer Drain Pipes With Gas Interferences (Ea.)

10 in Various Locations As Required, Including But Not Limited To The Following Locations:

East 103 St. Bet. Flatlands Ave. & Ave. J East 105 St. Bet. Flatlands Ave. & Ave. J

6.03 - Removal Of Abandoned Gas Facilities. All Sizes (L.F.)

5000 in Various Locations As Required

6.03.1 - Removal Of Abandoned Gas Facilities With Possible Coal Tar Wrap. All Sizes. (For National Grid Work Only) (L.F.)

15000 in Various Locations As Required

6.04 - Adjust Hardware To Grade Using Spacer Rings / Adaptor (Street Repaving) (Ea.)

250 in Various Locations As Required

6.05 - Adjust Hardware To Grade By Resetting (Road Reconstruction) (Ea.)

250 in Various Locations As Required

6.06 - Special Care Excavation & Backfilling (C.Y.)

1500 CY In Various Locations As Required, Including But Not Limited To All Gas Services Crossing Unsheeted Water Main Trenches.

6.06A - Special Care Excavation & Backfilling For Transmission Mains (C.Y.)

800 CY In Various Locations As Required, Including But Not Limited To All Gas Services Crossing Unsheeted Water Main Trenches And The Following Locations:

East 108 St. @ Flatlands Ave. East 105 St. @ Flatlands Ave.

The City of New York Department of Design and Construction is planning to install sewers and/or water mains and all appurtenances in various locations in The City of New York along with all work incidental thereto.

East 105 St. @ Ave. J

6.07 - Test Pits For Gas Facilities (C.Y.)

500 in Various Locations As Required.

SECTION 6.06A - Special Care Excavation and Backfilling for Transmission Mains. (Transmission Main is described as any gas main with a MAOP greater than 124 psig)

1. Description:

Under this section, the contractor shall provide all labor, materials (except for sand to be utilized for backfill of a one foot envelope around the facility to be furnished by the facility operator), equipment, and incidentals required to support and protect the integrity of Gas Transmission Main during excavations. This facility is owned by the gas company operating in the area, hereafter referred to as facility operator. The work shall be performed in accordance with the contract plans, specifications and at the directions of the Resident Engineer in consultation with authorized representatives of the facility operator.

2. Applicability of Section:

This section shall apply to Transmission Main of various sizes located within any excavation sheeted or unsheeted (excavation refers to any excavation performed for city work and includes excavations performed that are to be subsequently unsheeted/sheeted using approved shoring methods and paralleling, encroaching and crossing any excavation. Parallel facilities are not exposed at any time during excavation (within 2' of edge of excavation)). Encroaching facilities are partially/fully exposed inside the limit of excavation. This section shall also apply to gas facility crossing catch basins excavation and catch basins sewer connections (chutes), water mains, fire hydrant branch connections, sanitary sewer, storm sewer, combination sewer, house sewer and/or water service connections excavations. The excavation around fully exposed live gas facilities along and within limits of excavation shall be covered by this section also, however the support requirement, if any is required, of such facilities is beyond the scope of these specifications and therefore shall be the responsibility of facility operator to determine and prescribe, at no cost to the City contract, but shall be a matter of adjustment between the contractor and facility operator.

3. Payment Restriction:

The bid item specified under this section shall not be used in combination with items covered under other sections for work done due to a particular gas facility. This item shall not be paid for new gas facilities when trenching for such new facilities has been performed by the contractor of record in common with trench excavation for City Work (overlapping trench limits). The cost of excavating with care as defined in this section shall be deemed included in the cost of trench excavation for the new gas facilities. This restriction shall apply even if such gas common trench excavation is not part of the contract. If facilities are in direct interference with City work, meaning that "minimum clearances" described in the General Provisions for Gas Cost Sharing (Para. No.8) cannot be maintained, the excavation shall be abandoned and the contractor shall be compensated as per the provisions specified in Paragraphs Nos. 5 and 6 of this item (6.06A).

4. Method of Construction:

All excavations in the vicinity of gas facilities shall be as required by NYS Industrial Code 753. No saw cutting of pavement or masonry for gas mains having less than 2 feet of cover to break asphalt/concrete as determined by the facility operator. The contractor shall use power excavation for the removal of pavement or masonry but only to the depth of such pavement or masonry (breaking of pavement or masonry shall be done by means of hand held pneumatic breaking equipment). Upon removal of pavement or masonry the contractor shall use hand excavation methods only (pick and shovel; no power tools) to ascertain the clearances of these facilities with respect to the proposed excavation. Once the location of these facilities with respect to the proposed excavation is verified to the satisfaction of the Resident Engineer and the facility operator the contractor shall then proceed with hand only within the zone of protection described as 2 feet from the face of the facility in all directions of the facility as required to preserve the integrity of the facility. Once outside of the zone of protection as described above the contractor may use a combination of hand and machine to complete the excavation.

5. Method of Payment:

The unit price for this work item shall be based on cubic yard (CY) of average excavation with special care and, is to be considered as an incremental cost for performing City work with gas facilities interferences.

6. Method of Measurement:

A. For Paralleling Facilities:

Volume calculated as: Depth as measured from existing street surface to the bottom of facility, multiplied by, the width measured as two (2) feet from the face of excavation toward the center of excavation, multiplied by the length of parallel facility, divided by twenty-seven (27) cubic feet per cubic yard Only hand excavation shall be utilized within the zone of protection identified as 2 feet from face of facility, beyond 2 feet from the face of facility the contractor can use a combination of hand and machine.

B. For Encroaching Facilities:

Volume calculated as: Depth as measured from existing street surface to the bottom of facility, multiplied by, the width measured as two (2) feet plus the exposed facility toward the center of excavation, multiplied by the length of the encroached facility, divided by twenty-seven (27) cubic feet per cubic yard Only hand excavation shall be utilized within the zone of protection identified as 2 feet from face of facility, beyond 2 feet from the face of facility the contractor can use a combination of hand and machine.

C. Fully Exposed Gas Facilities:

Volume calculated as: Depth as measured from existing street surface to the bottom of facility, multiplied by, the width measured as two (2) feet from the face of the facility on

either side plus the facility, multiplied by the length of the facility, divided by 27 cubic feet per cubic yard. Only hand excavation shall be utilized within the zone of protection identified as 2 feet from face of facility in all directions, beyond 2 feet from the face of facility in all directions the contractor can use a combination of hand and machine.

D. For Additional Excavation And Restoration Due To So Called "Loss Trench", When The Integrity Of Pavement And Soil Above And Around Existing Live Gas Facilities Cannot Be maintained Due To Its Lack of Cohesiveness:

Volume shall be calculated as: Depth of unsheeted trench excavation multiplied by width measured as distance of facility from closest edge of unsheeted excavation plus, width of facility proper plus, one (1) foot or a maximum width of three (3) feet multiplied by length of facility fully exposed divided by, twenty-seven (27) cubic feet per cubic yard (not shown on "Gas Cost Sharing Work Standard Sketch No. 5").

E. For Facilities Crossing Excavation For Catch Basins, Or Chutes Installations (When NYCDEP Funded) Or Fire Hydrant Branch Connections, Or Unsheeted Water Main Trench, Or House Sewer And/Or Water Services:

Volume calculated as: Depth as defined above multiplied by, the width taken as the outside diameter of pipe or the width of structure plus one (1) foot on either side (two (2) feet), multiplied by, the length of exposed facility crossing the trench, divided by twenty-seven (27) cubic feet per cubic yard (not shown on "Gas Cost Sharing Work Standard Sketch No. 5").

7. Price to Cover:

The bid price shall also cover all additional supervision, labor, material, equipment and insurance necessary to excavate while protecting and maintaining (excluding supports for fully exposed live gas) gas facilities without disruption of service to the public and in accordance with contract specifications. The price shall also include, changes of sheeting method and excavation width configuration where necessary to accommodate gas facilities in their existing locations; difficulties during the installation of catch basins, chute connections, hydrant branch, and house sewer, sanitary sewer, storm sewer, combination sewer and water connections under or over gas facilities; loss of productivity due to slower rate of excavation (special care) during excavation, compaction, removal of sheeting from the facilities, extra roadway base restoration and temporary pavement, associated maintenance of traffic, barricades, and traffic plates that may be required to temporarily close and/or complete the work. Breaking shall be done by means of hand held pneumatic breaking equipment. Inspection of exposed mains shall be performed by facility operator in a timely fashion and shall not unduly impede contractor's progress or productivity.

End of Addendum No.3 This Addendum consists of ninety-six (96) pages.

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF SANITARY SEWERS, STORM SEWERS, COMBINED SEWERS, WATER MAIN AND APPURTENANCES IN:

FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J EAST 104^{TH} STREET BETWEEN FLATLANDS AVENUE AND AVENUE J EAST 102^{ND} STREET BETWEEN FLATLANDS AVENUE AND AVENUE J EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND 108TH AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND 108TH EAST 98TH STREET BETWEEN GLENWOOD ROAD AND CONKLIN AVENUE EAST 99TH STREET BETWEEN GLENWOOD ROAD AND CONKLIN AVENUE

INCLUDING SEWER, WATER MAIN, STREET LIGHTING, AND TRAFFIC WORK TOGETHER
WITH ALL WORK INCIDENTAL THERETO

BOROUGH OF BROOKLYN CITY OF NEW YORK

ADDENDUM NO.4

DATED: March 6, 2015

THIS ADDENDUM IS HEREBY MADE A PART OF THE CONTRACT DOCUMENTS

- 1. The Contractor shall be responsible for compliance with all the provisions of the following Sections and Schedules, which are hereby made a part of the original contract documents:
 - A. "SECTION U: Additional Contract Requirements Applying to Work Performed in the Presence of Privately Owned Utility Facilities" (Pages A4-4 through A4-14)
 - B. Schedule U-1 (Page A4-15)
 - C. Schedules U-2 (one for each Utility Company) (Pages A4-16 through A4-33)
 - D. Section U-3 Page A4-34 (as per the Private Utilities reference document for SECTION U called "CET SPECIFICATIONS AND SKETCHES", dated November 2010), Test Pits, Pages (A4-35 through A4-40) in this Addendum; and,

- E. Utility drawings (42 Sheets) consisting of:
 - * Coned Overhead Electrical Conduit Report (24 sheets)
 - * Coned Conduit and Duct Occupancy Plates (8 sheets)
 - * Coned Low Tension Main and Service Plates (9 sheets)
- * Verizon Existing Facilities Plan (1 sheet) attached to the Plans.
- 2. Each facility operator shall provide inspectors at the work site to inspect methods of interference work, verify quantities and items of Utility Work, and coordinate all phases of the facility operator operations.
- 3. In addition, the following statements are made to provide clarification of various paragraphs under Section U:
 - A. Section U, ¶4, requires the Contractor to immediately commence negotiations with each Company for an Interference Agreement under which the Company will compensate the Contractor for any Interference Work which the Company does not elect to perform with its own forces or by specialty contractors retained by the Company. Thus the Contractor is on notice that its work under the Contract may be affected by Interference Work performed by (a) the Contractor pursuant to a separate Interference Agreement with the Company, (b) the Company, or (c) partly by each.
 - B. Section U, ¶2, informs the Contractor that the duration of the Contract as shown in Schedule A includes the time which may be necessary for the Contractor to perform the necessary Interference Work.
 - C. The Contractor is hereby informed that the duration of the Contract as shown in Schedule A includes the time which may be necessary for the Company to perform whatever portion of the Interference Work which the Company elects to perform with its own forces or by specialty contractors retained by the Company.
 - D. Section U informs the Contractor that the City has entered into a Utility Agreement with the Companies regarding interferences to the City work in this Contract created by the facilities owned and/or operated by such Companies. Pursuant to this Addendum, a sample of the Utility Agreement letter as executed by the Companies is annexed on page A4-14, as an Exhibit to the Contract. Signed copies of those Utility Agreement letters are on file with NYCDDC.
 - E. The City has no contract with any of the Companies for work on or adjacent to the site of work under this Contract, and the Companies are not "Other Contractors" as defined for the purposes of this Contract. The Contractor is reminded, however, that pursuant to Section U, ¶4, the City will not compensate the Contractor for any direct and/or indirect costs related to Interference Work, regardless of whether such Interference Work is covered by an Interference

- Agreement between the Contractor and the Company or is performed by the Company using its own forces or by specialty contractors retained by the Company.
- F. Section U, ¶14, provides that the provisions of Section U are material provisions of the Contract and that the Contractor's failure to comply with the procedures set forth in Section U are sufficient for the Commissioner to declare the Contractor in default pursuant to Article 48 of the Contract.

 Pursuant to this Addendum, the Contractor is informed that the Performance Bond required of the Contractor pursuant to the Contract is not deemed to guarantee performance of any of the Interference Work.

Section U: Additional Contract Requirements Applicable to Work Performed in the Presence of Privately Owned Utility Facilities

The Contractor is hereby notified that pursuant to the law and franchise agreements issued by the City, certain private utility and public service companies named in Schedule U-1 ("the Companies") own and/or operate surface and/or subsurface facilities within the limits of this contract. The existence of these facilities impacts the productivity of the City work called for in the contract. In order to improve coordination of the City construction with the private utility facilities owned and/or operated by the Companies named in Schedule U-1, Article 1.06.30 of the Standard Highway Specifications of the New York City Department of Transportation, Dated November 1, 2010; and Articles 10.15 through 10.18 of the General Provisions of the Standard Sewer and Water Main Specifications of the New York City Department of Environmental Protection, dated July 1, 2014; as applicable, are amended and will be implemented as follows:

1. Pre-engineering:

The anticipated scopes of private utility facilities interferences and anticipated work items and specifications are included in this contract. The locations of these interferences are indicated on the plans and/or listed in the specifications for this contract, and a schedule of estimated quantities by type of interference expected to be encountered within the limits of this project area have been listed on Schedule U-2. In addition, in Section U-3 the Companies have provided standard details and methods for supporting, protecting, relocating, and/or working around their facilities when they are in interference with City contract work.

2. Means and methods for City work:

- a) The Contractor is hereby notified that the utility interferences identified on the plans and/or listed in the Specifications to be known conditions which may impact the performance of, and/or interferes with, City work. The contractor will be required to perform such utility work as directed by the Resident Engineer in order to clear all utility interferences from the project site as required for satisfactory completion of City work within specified contract schedule.
- b) In areas serviced by overhead electric system, the contractor understands and by bidding for this contract agrees that he/she has reviewed the section 'U' package and that he/she will be required to perform the public work in the presence of energized electrical overhead lines and appurtenances located in areas adjacent and/or within the

project area. As a consequence he/she will select means and method of construction appropriate to maintain the safety clearances required or as permitted by contract specifications (e.g. "CET 350 – Overhead Accommodation Protection of Overhead Facilities, Poles, and Appurtenances") in order to avoid damaging the insulation or shielding of these lines and also to prevent knocking them down. The duration of the contract as shown in Schedule A thus includes the time which may be necessary for the Contractor to remove, repair, protect, support, shift, relocate, temporarily remove and replace, work around and/or work in the presence of the Companies' facilities ("Interference Work") as described on the plans and/or specifications of the contract during the progress of the City work.

3. Field inspection prior to construction:

Prior to the start of any contract work in areas serviced by overhead electric lines, and after the award to the apparent low bidder for this contract, the contractor must request a field walk of the project area along with the operator of the overhead electrical facilities and the DDC Engineer-In-Charge. At that time the facility operator, pursuant to contract specification (e.g. "CET 350 — Overhead Accommodation Protection of Overhead Facilities, Poles, and Appurtenances") will confirm the type and condition of the overhead electrical lines and the sufficiency of their insulating properties with respect to the means and methods proposed by the contractor. The contractor must be prepared to describe in enough details his/her proposed means and methods of construction operations in order to anticipate the likelihood that electric lines insulation would be cut or otherwise compromised. Also such details will allow the facility operator to anticipate the need for added insulation and/or shielding of non-insulated lines.

4. Compensation for interference work:

Compensation for Interference Work is a matter of adjustment between the Contractor and each private utility company located within the limits of the project area and whose utility facilities are affected by City contract work. In particular, the City will not compensate the Contractor for any direct and/or indirect costs related to Interference Work, including, but not limited to, lost profit, increased overhead, or any other impact costs. Upon receipt of a Notice of Award from the City, the Contractor shall immediately commence negotiations with each of the Companies concerning the manner in which and the price for which the Contractor, through its own forces or by others hired by it, will perform and be paid by the Company for all necessary Interference Work as defined above that the Company(ies) choose(s) not to

Section U

perform with its(their) own forces or by specialty Contractors hired by it (them) (as per "Interference Agreement"). (Specialty contractors' work is limited to (i) insulation installation and removal, (ii) live gas and steam work, (iii) cleanup and disposal of hazardous materials, (iv) splicing live electrical and telecommunications facilities, and (v) work not traditionally performed by general construction contractors.)

5. Interference Agreement:

- 1. The Companies have provided estimate of the quantity of each of the types of interferences expected to be encountered in the contract in Schedule U-2. Although the parties may negotiate an Interference Agreement in any format or manner they deem fit, the Contractor is hereby advised that the Companies have indicated to the City that they will agree to compensate the Contractor on a unit price basis according to the Quantity and Types of Interferences expected to be encountered on this Contract as stated in Schedule U-2.
- 2. Furthermore, in Section U-3, standard unit work measurement and payment provisions are specified and shall apply only if the Contractor and affected Utility companies enters into a unit price based Interference Agreement, otherwise the unit of work measurement, and payment provisions set forth in Section U-3 shall not apply. The Contractor shall notify the City upon concluding an Interference Agreement with each of the Companies, which shall be binding and final once concluded.

6. City contract work to continue without Interference Agreement:

If, prior to the start of construction, as directed by the City's Order to work / Notice To Proceed (OTW/ NTP) date any of the Companies and the Contractor have not concluded an Interference Agreement as described above, then the City construction will proceed as ordered and the Contractor will be directed by the Resident Engineer to perform the City work on Time, Material and Equipment basis (T&M) as specified in standard City contract agreement Article 26.2. T&M records will include identification of types of utility facilities interfering with City work, utility facility owners, specifying the nature and quantity of any materials, plant and equipment furnished or used in connection with the performance of such work and crew size, such as: name and number of each worker employed on such work. T&M records will also indicate the hours of active time, standby time and idle time. The Company (ies) and the Contractor will maintain separate records of the actual quantity and cost of labor, materials, and equipment expended, and will provide copies of this information to the other party on a daily basis for reconciliation. These T&M records along with cost evaluations will be

submitted daily to the Resident Engineer for review and approval. The total cost of City work will be based on quantity of work performed multiplied by unit price contract bid items. The total interference cost will be calculated as the difference between the total T&M cost and total cost for City work. The Resident Engineer will conduct a monthly reconciliation session of the daily T&M records with the affected Company (ies) and contractor. If the contractor and affected utility companies cannot reconcile their T&M records, by the last day of each month, then the Resident Engineer will submit the approved City's T&M records along with total cost evaluations to the DDC Director of Construction who will review these records and recommend approval and validity certification by the DDC Deputy Commissioner.

- 1. Copies of the DDC approved and certified T&M records will then be transmitted by the DDC to the contractor and the utility companies. These certified records may be used by the contractor for compensation claims against the responsible private facility owners, or may be used by any party as supporting documentation in dispute regarding compensation for performing Interference Work as identified in Schedule U-2. The contractor will be required to perform City work while invoices are submitted by the contractor to the Utility companies for payment within 30 days, or while compensation disputes between contractor and affected company (ies) are submitted to Binding Arbitration process described in Paragraph 10.
- 2. All issues related to utility work and/ or delays due to compensation disputes or claims against utility companies are not allowable as justification for granting contract time extensions. The City may assess liquidated damages specified in the contract for net overall delays suffered by City contract work as a result of utility issues, disputes and claims.
- 3. The standard City contract dispute resolution process specified in Article 27 "Presentation of disputes to Commissioner", of the standard City contract agreement is not applicable to any disputes related to utility work and/ or compensation for such work or claim against utility companies. Utility work issues, disputes and claims may only be submitted to Binding Arbitration process described in Paragraph 10.
- 4. The contractor will notify the Resident Engineer when utility capital work not specified in Schedule U2 and/ or for utility work that require the intervention of company utility specialty crews causes excessive contractor's labor and equipment standby or idleness and, thereby jeopardizing the City project schedule. The Resident Engineer will submit the facts to the DDC Director of construction who will recommend to the Deputy

- Commissioner regarding the issuance of a "48 hours notice" to the concerned utility company as authorized by the New York City administrative Code Section 19-143 and/or Section 24-521 as applicable.
- 5. Utility delays caused by utility capital work not listed in Schedule U2 and/ or by unavailability of utility specialty crews cannot be discounted for earning any contractual bonus when such bonus clause is included in a contract. However, if such specified bonus is not earned or disallowed by the City or if the City assesses specified liquidated damages as a result of such excessive delays, the contractor may seek damages from the responsible utility company (ies).

7. Extra utility work with Utility Agreement:

If during construction the Contractor encounters utility facilities interferences or utility scope of work that it believes is not covered by the Interference Agreement as described above, then the Contractor shall immediately notify the Company in writing, with a copy to the City, describing the nature and location of the extra work in question. The Company then has five (5) business days to investigate the conditions and then:

- 1. Advise the Contractor and the City in writing that no interference with its facilities exists at the location in question, and hence that the Contractor may proceed with City work without providing for any impact from Company facilities;
- 2. Advise the Contractor and the City in writing that the Interference Agreement negotiated pursuant to Paragraph (6), above, provides for the scope of work encountered, specifying the exact unit items and/or terms of the agreement that cover the work;
- 3. Advise the Contractor and the City in writing that it intends to perform the necessary utility Work with company forces or with its own contractor including, but not limited to, relocating its facility out of the way of the proposed City work. In this case, the Company shall provide a written schedule for the performance of the utility work it proposes to perform, which shall be subject to approval by the City based on its impact to the Contractor's currently approved progress schedule. Upon approval of the Company's schedule by the City, the Contractor shall provide access to the worksite to the Company and/or any contractors hired by it to perform this utility work. If necessary, the City may grant a contract time extension for delays caused by the performance of such utility work by the company.

4. Reasonably specify in writing the scope of work to be performed by the Contractor on behalf of the Company that is not covered under the Interference Agreement negotiated pursuant to Paragraph (6), including, but not limited to, relocating, supporting, and/or protecting the Company's facilities, and/or shifting the City facility if approved by the Resident Engineer, and/or otherwise changing its operations to work in the presence of the Company's facilities. Should the Company elect this option, it must adequately define and provide an initial price offer for the work required to be performed.

8. Means and Methods for utility work:

Upon receipt of the Company's determination pursuant to paragraphs 7.2, or 7.4, above, the Contractor shall determine reasonable means and methods of performing the work defined by the Company. These means and methods are subject to approval of the Company, which shall not be unreasonably withheld. If, however, the Company objects to the Contractor's proposed means and methods then it shall define an alternate method of construction. Upon receipt of the Company's approval or its proposed alternate method of construction, the Contractor shall commence performance of the work defined by the Company as soon as possible, and shall perform the work in a good, workmanlike, and efficient manner, using the means and methods approved by the Company, in order to permit the City work to proceed in the most expeditious manner possible, but without imposing unreasonable and/or unnecessary costs on the Company. It is expressly understood by all parties that the City's rights pursuant to Article 4 of the Contract apply to Utility Work performed pursuant to this section.

9. Disputed utility work covered by a utility agreement:

The City Work will continue as described in paragraph 6 above. In the event of any dispute between the Company (ies) and the Contractor regarding any issue related to the performance of, or payment for, utility work, including, but not limited to, any indirect or impact costs incurred by the Contractor due to the Utility Work and/or to the existence of facilities owned or operated by the Company (ies) on the line of the work. The Company (ies) and the Contractor hereby agree to submit to each other a "Final Offer," in writing, by certified mail. Each party shall then have three business days to consider each other's Final Offer. In the event that neither party accepts the other's Final Offer within those three days, the Company (ies) and the Contractor agree to immediately submit the dispute to binding arbitration as described in Paragraph 10. During the pendency of any arbitration, the Company (ies) and the Contractor shall maintain separate records of the actual quantity and cost of labor, materials, and equipment expended, and to provide copies of this information to the other party on a daily

basis for reconciliation. Any and all disagreement with the records maintained and provided by the other, must be documented in writing to all parties. However, these records are solely for the benefit of presentation to the arbitrator, whose decision may not necessarily be based on these records and in any event is final. Both parties should be aware that the City will not confirm or deny the accuracy of any records maintained by either party for Utility work performed pursuant to a Utility Agreement. While the arbitration is pending, the Company shall pay the Contractor on a monthly basis, based on the price offered by the Company to the Contractor for the performance of the work.

10. Arbitration of utility work:

The arbitration of the issues described above shall be conducted pursuant to the Construction Industry Arbitration Rules of the American Arbitration Association (hereinafter "the Rules" and "AAA") in effect on the date the arbitration is initiated except as set forth herein. The arbitration award shall be final and binding upon the parties to the arbitration and judgment upon the award may be entered in a court having jurisdiction.

- (a) Once an arbitrator(s) has been appointed by the AAA, the arbitration shall be scheduled as promptly as possible given the arbitrator(s) and the parties' schedules.
- (b) No later than seven days prior to the first arbitration hearing, Company and Contractor shall submit to the arbitrator(s), and to each other, a summary of each party's respective position and such other information as is deemed appropriate, along with a copy of each party's Final Offer as specified in paragraph 9.
- (c) The arbitration shall be conducted and concluded in two days.
- (d) On the morning of the first day of the arbitration, Contractor and/or representatives shall have 3 ½ hrs to make a presentation of its claim to the arbitrator. During its presentation, Contractor shall not be permitted to produce any documents or cost records which have not already been provided to the Company. Contractor shall be permitted to produce any analysis or description of its claim which has been prepared for the purpose of its presentation.
- (e) After lunch, Company and/or its representatives shall have two hours to ask Contractor questions about its claim and its presentation. Thereafter the arbitrator(s) shall have two hours to ask Contractor questions about its claim and its presentation.
- (f) On the morning of the second day of the arbitration, Company and/or its representatives shall have 3 ½ hours to make a presentation of its claim to the arbitrator. During its presentation, the Company shall not be permitted to produce any documents or cost

- records which have not already been provided to the Contractor. The Company shall be permitted to produce any analysis or description of its claim which has been prepared for the purpose of its presentation.
- (g) After lunch, Contractor and/or its representatives shall have two hours to ask Company questions about its claim and its presentation. Thereafter the arbitrator(s) shall have two hours to ask Company questions about its claim and its presentation.
- (h) Subject to the above time limitations, the arbitrator(s) may conduct the arbitration in such manner as the arbitrator(s) deems reasonable.
- (i) The arbitrator(s) shall then have one week to select in writing, as the arbitrator ('s) award, that party's Final Offer which appears to be more reasonable, based on the presentations at the arbitration hearings.
- (j) The arbitrator shall have no discretion to grant an award other than one of the two Final Offers submitted by the parties.
- (k) Any award for work that has already been performed shall be paid on the 7th day after receipt of the arbitrator's decision, or on the 30th day after completion of the work, whichever is later. Payment for work not yet completed at the time of the arbitrator's decision shall be paid within 30 days of completion of work. Interest shall accrue from the date payment is due at the rate of 9% per annum. Either party may cause judgment to be entered in accordance with the arbitrator(s) decision in a court in the State of New York, County of New York.
- (l) The arbitrator's fees and any other costs of the arbitration shall be initially shared equally by Company and Contractor. The non-prevailing party shall then pay all arbitrator's fees and costs of the arbitration and shall reimburse the prevailing party for its share of such fees and costs theretofore paid.
- (m) The parties may, at any time, settle any matter submitted to arbitration.

11. Order-out waiver:

The Contractor and all subcontractors hired by it, if an Interference Agreement is executed as specified between the concerned parties, agree to waive any rights they may have, if any, under law, contract or otherwise to compel the City to assert any right the City may have, including the issuance of any directives required under the New York City Administrative Code, Section 19-143 and Section 24-521, to require any or all of the Companies to maintain, repair, replace, protect, support, shift, alter, relocate, and/or remove utility facilities in connection with the work to be performed under this contract. However, nothing in this section shall preclude the City from exercising its rights under the Law to issue such a directive to the Company.

12. Cost of insurance:

Each of the named Companies, at their option and if an Interference Agreement is executed as specified between the concerned parties, may be named as an additional insured on all insurance policies required to be maintained under this contract. In the event that a Company opts to be so named as an additional insured, the actual incremental cost, if any, to the Contractor of providing such insurance coverage shall be borne by that Company. The Contractor shall provide a written statement from its insurance provider documenting the actual cost of this added coverage to the Company. Under no circumstances shall the cost of insurance coverage on behalf of any Company be borne by the City. Nothing in this paragraph shall be interpreted to imply the City's acceptance of any additional responsibility or liability for any matter related to the performance of Utility Work. In particular, the Company and the Contractor bear joint and full responsibility to ensure that any Utility Work performed by the Contractor is in compliance with all applicable government and Company regulations.

13. Cost of utility interference work:

The Companies, by virtue of a prior agreement with the City, have agreed to perform their obligations described in this section. It is expressly understood that the cost of Utility Work shall not be a charge against the City, but shall be a matter for adjustment between the Contractor and the Company or Companies concerned. The City and the Contractor agree that the Companies are third party beneficiaries of this section of the contract, if a Utility Agreement is executed between the contractor and utility company (ies). The provisions of this section shall govern in all cases where Company property interferes with or is about to be disturbed by the City work, notwithstanding any other provision of the Contract, except for Natural Gas transmission/distribution facilities covered subject to the Gas Facility Cost Allocation Act (GFCAA) and covered separately in this contract.

14. Default declaration:

The Contractor agrees that the provisions of this section are material provisions of the contract, and that the Contractor's failure to comply with the procedures set forth above are sufficient for the Commissioner to declare the Contractor in default pursuant to Article 48 of the Contract.

15. NYS Labor Law:

The Contractor is hereby advised that New York State Labor Law applies to public work. The work described in this Section U of the contract performed by utility company (ies) with their own forces or vendors hired by such company (ies) is not public work.

16. Facility operators:

The insurance requirements in Paragraph 12 of this Section U apply to: (i) additional Companies, if any, who were not named in Schedule "A" but which have executed a Utility Agreement with the contractor for utility work; and (ii) additional coverage, if any, paid for by Utility Companies whose utility facilities are located within the project limits, that they may require for the utility work pursuant to an utility agreement between the contractor and such utility companies.

[End]

"STANDARD UTILITY LETTER OF AGREEMENT"

(Name)

| Deputy Commissioner, Infrastructure Division |
|--|
| Department of Design and Construction |
| 30-30 Thomson Avenue |
| Long Island City, NY 11101 |
| RE: <u>City Work Performed in the Presence of Private Utility Facilities</u> Project No: |
| Dear (Name): |
| This letter is to certify that |
| Sincerely, |
| By: Authorized Company Representative |
| Title |
| NOTARY PUBLIC |
| |
| CERTIFIED AS TO FORM
AND LEGAL AUTHORITY: |
| By: |

SCHEDULE U-1

SE851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS AND WATER MAIN

SCHEDULE U-1

LISTING OF COMPANIES NAMED FOR THIS CONTRACT

| COMPANY NAME | CONTACT NAME | CONTACT TELEPHONE |
|--------------|------------------|-------------------|
| CON EDISON | THERESA KONG | 212-460-4834 |
| VERIZON | AUBREY MAKHANLAL | 718- 877-8165 |

SCHEDULE U-2 FOR INFORMATION ONLY ENGINEER'S ESTIMATE OF QUANTITY AND TYPES OF INTERFERENCE FOR CONSOLIDATED EDISON

SE-851 HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

| CET ITEM | DESCRIPTION | UNITS | ESTIMATED QUANTITY |
|------------|--|-------|--------------------|
| CET 100.1 | UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TESTPIT (TYPE .1) | EA | 4 |
| CET 100.2 | UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TESTPIT (TYPE .2) | EA | 5 |
| CET 101.1 | UTILITIES CROSSING TRENCH FOR SEWERS UP TO AND INCL. 24" DIAMETER (TYPE .1) | EA | 4 |
| CET 101.2 | UTILITIES CROSSING TRENCH FOR SEWERS UP TO AND INCL. 24" DIAMETER (TYPE .2) | EA | 2 |
| CET 102.1 | UTILITIES CROSSING TRENCH FOR SEWERS OVER 24" TO 36" DIAMETER (TYPE .1) | EA | 5 |
| CET 104.1 | UTILITIES CROSSING TRENCH FOR SEWERS OVER 48" TO 54" DIAMETER (TYPE .1) | EA | 1 |
| CET 108.1 | UTILITIES CROSSING TRENCH FOR WATERMAIN UP TO AND INCL. 12" DIAMETER (TYPE .1) | EA | 7 |
| CET 108.2 | UTILITIES CROSSING TRENCH FOR WATERMAIN UP TO AND INCL. 12" DIAMETER (TYPE .2) | EA | 1 |
| CET 109.1 | UTILITIES CROSSING TRENCH FOR WATERMAIN OVER 12" AND UP TO 24" (TYPE .1) | EA | 7 |
| CET 110.1 | UTILITIES CROSSING TRENCH FOR WATERMAIN OVER 24" AND UP TO 36" (TYPE .1) | EA | 3 |
| CET 116,1 | UTILITIES CROSSING TRENCH FOR WATERMAIN OR SEWER 84" DIAMETER AND OVER (TYPE .1) | EA | 9 |
| CET 200.1 | EXTRA DEPTH EXCAVATION OF CATCH BASIN CHUTE CONNECTIONS (INVERT DEPTH 4'-6" TO 5' FOR TYPE 2 OR UP TO 5'-6 FOR TYPE 3) | LF | 135 |
| CET 225.1A | INSTALLATION AND REMOVAL OF CATCH BASINS WITH UTILITY INTERFERENCES | EA | 6 |
| CET 225.1B | INSTALLATION OF CATCH BASINS WITH UTILITY INTERFERENCES | EA | 4 |
| CET 300 | SPECIAL CARE EXCAVATION AND BACKFILING | СҮ | 11 |
| CET 304 A | FURNISH, DELIVER AND INSTALL CONCRETE ROAD BASE | СУ | 21 |
| CET 305 | FURNISH AND INSTALL ASPHALT PAVING MIXTURE | TONS | 19 |

SCHEDULE U-2 FOR INFORMATION ONLY

ENGINEER'S ESTIMATE OF QUANTITY AND TYPES OF INTERFERENCE FOR CONSOLIDATED EDISON

SE-851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

| | | | |
|---------------|--|-------|--------------------|
| CET ITEM | DESCRIPTION | UNITS | ESTIMATED QUANTITY |
| CET 330E-A.1 | SUPPORT & PROTECT ELEC, GAS & STEAM FAC. DURING EXCAVATION OF
CITY TRENCH WHEN FAC. LIE W/IN TRENCH LIMITS W/O SHEETING (TYPE .1) | LF | 36 |
| CET 330E-B.1 | SUPPORT & PROTECT ELEC, GAS & STEAM FAC. DURING EXCAVATION OF
CITY TRENCH WHEN FAC. LIE W/IN TRENCH LIMITS W/ SHEETING (TYPE .1) | LF | 6 |
| CET 350 | OVERHEAD ACCOMMODATION, PROTECTION OF OVERHEAD FACILITIES AND APPURTENANCES | LS | 1 |
| CET 351 | INSTALL AND REMOVE "A" FRAME ON UTILITY POLES | EA | 8 |
| CET 400 | TEST PITS FOR UTILITY FACILITIES | СУ | 64 |
| CET 401 | TRENCH EXCAVATION FOR ADJUSTMENT OF UTILITIES | CY | 110 |
| CET 402.2 | EXISTING OCCUPIED NON-CONCRETE ENCASED CONDUITS PLACED IN FINAL POSITION W/O CONCRETE ENCASEMENT | LF | 560 |
| CET 450.2 | CONSTRUCTION FIELD SUPPORT REQUIRING AVERAGE SMALL SIZE CREW CAPABLE OF PERFORMING VARIOUS TASKS (TYPE .2) | CRHRS | 4 |
| CET 500 | REMOVAL OF ABANDONED UTILITY CONDUITS (NON-CONCRETE ENCASED) | LF | 1,035 |
| CET 501 | REMOVAL OF ABANDONED MASONRY FOR ELEC. AND TEL. FACILITIES | CY | 14 |
| CET 601.1 | INSTALL CONDUIT IN PAVED AREA (1 EA. 2", 4" OR 5" CONDUIT - ALL TYPES) | LF | 40 |
| CET 636 ED RD | ADJUSTMENT OF UTILITY HARDWARE IN ROADWAY (30" TO UNDER 34" WIDTH) | EA | 4 |
| CET 636 MD | MOD. OF WORK METHODS TO ACCOMM. UTILITY STREET HARDWARE
DURING PAVE MILL. & RESURF. OPS. (30" TO UNDER 34" WIDTH) | EA | 9 |
| CET 710.1 | REMOVAL OF ABANDONED UTILITY STEEL/CAST IRON/PLASTIC, UP TO AND INCL. 12" DIAMETER PIPES | LF | 40 |
| CET 1006V | 6" VERTICAL OR ROLLED WATER MAIN OFFSET | EA | 1 |
| CET 1008V | 8" VERTICAL OR ROLLED WATER MAIN OFFSET | EA | 1 |
| CET 1012V | 12" VERTICAL OR ROLLED WATER MAIN OFFSET | EA | 1 |
| | | | |

SCHEDULE U-2 FOR INFORMATION ONLY

ENGINEER'S ESTIMATE OF QUANTITY AND TYPES OF INTERFERENCE FOR CONSOLIDATED EDISON

SE-851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

| CET ITEM | DESCRIPTION | UNITS | ESTIMATED QUANTITY |
|-----------|--|-------|--------------------|
| CET 1020V | 20" VERTICAL OR ROLLED WATER MAIN OFFSET | EA | 4 |

SE-851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

| CET 100.1 | UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONTINUE | |
|-----------|---|----|
| | UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TESTPIT (TYPE .1) At the following locations: | |
| | W/S of E. 108th Street, 20' S/S/C Flatlands Ave. N/S Flatlands Avenue, 20' E/E/C E. 103rd Street W/S of E. 105th Street, 25' N/N/C Flatlands Avenue E/S of E. 98th Street, 15' N/N/C Avenue J | |
| | Total Quantity for CET 100.1 = 4 | |
| CET 100.2 | UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TESTPIT (TYPE .2) At the following locations: | 1 |
| | S/W/C Avenue J and E. 98th Street Opp. #1177, Avenue J F/O #9824, Avenue J F/O #9924, Avenue J N/S Flatlands Avenue, 25' W/W/C E. 103rd Street | |
| | Total Quantity for CET 100.2 = 5 | |
| CET 101.1 | UTILITIES CROSSING TRENCH FOR SEWERS UP TO AND INCL. 24" DIAMETER (TYPE .1) At the following locations: | E |
| | F/O #959, E. 108th Street On E. 105th Street, 100' S/S/C Flatlands Avenue F/O #284, Conklin Avenue F/O #939, E. 99th Street | |
| | Total Quantity for CET 101.1 = 4 | |
| CET 101.2 | UTILITIES CROSSING TRENCH FOR SEWERS UP TO AND INCL. 24" DIAMETER (TYPE .2) | - |
| | At the following locations: | E. |
| | F/O 1001 E. 108th Street | |
| | Total Quantity for CET 101.2 = 2 | |

SE-851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

| CET 102.1 | UTILITIES CROSSING TRENCH FOR SEWERS OVER 24" TO 36" DIAMETER (TYPE .1) | EA |
|-----------|--|----|
| | At the following locations: | |
| | E/S Int. of Flatlands Avenue and E. 102nd Street N/W Int. of Flatlands Avenue and E. 103rd Street W/S Int. of Flatlands Avenue and 103rd Street S/E Int. of E. 98th Street and Avenue J | |
| | Total Quantity for CET 102.1 = 5 | |
| CET 104.1 | UTILITIES CROSSING TRENCH FOR SEWERS OVER 48" TO 54" DIAMETER (TYPE .1) At the following locations: | EA |
| | N Int. of Flatlands Avenue and E. 103rd Street | |
| | Total Quantity for CET 104.1 = 1 | |
| CET 108.1 | UTILITIES CROSSING TRENCH FOR WATERMAIN UP TO AND INCL. 12" DIAMETER (TYPE .1) | EA |
| | At the following locations: | |
| | W/S E. 101st Street, 40' N/N/C Flatlands Ave. F/O #938, E. 107th Street On E. 105th Street, 90' S/S/C Flatlands Avenue | |
| | F/O #283, Conklin Avenue | |
| | F/O #944, E. 99th Street F/O #1177, E. 98th Street N/E Int. of E. 108th Street and Avenue J | |
| | Total Quantity for CET 108.1 = 7 | |
| CET 108.2 | UTILITIES CROSSING TRENCH FOR WATERMAIN UP TO AND INCL. 12" DIAMETER (TYPE .2) | EA |
| | At the following locations: | |
| | S/E Int. of Avenue J and E 99th Street | |
| | Total Quantity for CET 108.2 = 1 | |

SE-851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

| UTILITIES CROSSING TRENCH FOR WATERMAIN OVER 12" AND UP TO 24" (TYPE .1) | EA |
|--|--|
| At the following locations: | |
| S/W/C Flatlands Ave. and E. 108th Street F/O #901, E. 108th Street Opp. #913, E. 108th Street F/O #960, E. 108th Street S/S of Flatlands Avenue, 70' E/E/C E. 105th Street | |
| | |
| Total Quantity for CET 109.1 = 7 | - |
| UTILITIES CROSSING TRENCH FOR WATERMAIN OVER 24" AND UP TO 36" (TYPE .1) | EA |
| At the following locations: | EA |
| S/E/C Flatlands Avenue and E. 102nd Street S/W Int. of Flatlands Avenue and E. 103rd Street F/O #10316, Flatlands Ave. | |
| Total Quantity for CET 110.1 = 3 | |
| UTILITIES CROSSING TRENCH FOR WATERMAIN OR SEWER 84" DIAMETER AND OVER (TYPE .1) | ĒΑ |
| At the following locations: | |
| S int. of Flatlands Ave. and E. 108th Street E/S of E. 108th Street, 90' S/S/C Flatlands Ave. F/O #913, E. 108th Street F/O #959, E. 108th Street S/S of Flatlands Avenue, 60' E/E/C E. 105th Street S/E Int. of Flatlands Avenue and E. 106th Street S/S of Flatlands Avenue, 70' E/E/C E. 107th Street | |
| | S/W/C Flatlands Ave. and E. 108th Street F/O #901, E. 108th Street Opp. #913, E. 108th Street F/O #960, E. 108th Street S/S of Flatlands Avenue, 70' E/E/C E. 105th Street S/S of Flatlands Avenue and E. 106th Street S/S of Flatlands Avenue and E. 106th Street S/S of Flatlands Avenue, 70' E/E/C E. 107th Street Total Quantity for CET 109.1 = 7 UTILITIES CROSSING TRENCH FOR WATERMAIN OVER 24" AND UP TO 36" (TYPE.1) At the following locations: S/E/C Flatlands Avenue and E. 102nd Street S/W Int. of Flatlands Avenue and E. 103rd Street F/O #10316, Flatlands Ave. Total Quantity for CET 110.1 = 3 UTILITIES CROSSING TRENCH FOR WATERMAIN OR SEWER 84" DIAMETER AND OVER (TYPE.1) At the following locations: F/O 1001 E. 108th Street S int. of Flatlands Ave. and E. 108th Street E/S of E. 108th Street, 90' S/S/C Flatlands Ave. F/O #913, E. 108th Street S/S of Flatlands Avenue, 60' E/E/C E. 105th Street S/S of Flatlands Avenue, 60' E/E/C E. 105th Street |

Total Quantity for CET 116.1

SE-851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

CET 200.1 EXTRA DEPTH EXCAVATION OF CATCH BASIN CHUTE CONNECTIONS (INVERT DEPTH 4'-6" TO LF 5' FOR TYPE 2 OR UP TO 5'-6 FOR TYPE 3) At the following locations: W/S of E. 108th Street, 20' S/S/C Flatlands Ave. S/W/C Avenue J and E. 98th Street Opp. #1177, Avenue J F/O #9824, Avenue J F/O #9924, Avenue J N/S Flatlands Avenue, 25' W/W/C E. 103rd Street E/S of E. 98th Street, 15' N/N/C Avenue J Total Quantity for CET 200.1 INSTALLATION AND REMOVAL OF CATCH BASINS WITH UTILITY INTERFERENCES **CET 225.1A** EA At the following locations: F/O #9824, Avenue J F/O #9924, Avenue J N/S Flatlands Avenue, 25' W/W/C E. 103rd Street N/S Flatlands Avenue, 20' E/E/C E. 103rd Street W/S of E. 105th Street, 25' N/N/C Flatlands Avenue E/S of E. 98th Street, 15' N/N/C Avenue J Total Quantity for CET 225.1A

CET 225.1B INSTALLATION OF CATCH BASINS WITH UTILITY INTERFERENCES

EA

At the following locations:

E/S of E. 108th Street, 20' S/S/C Flatlands Ave.

S/W/C Avenue J and E. 98th Street

Opp. #1177, Avenue J Opp. #10001, Avenue J

Total Quantity for CET 225.1B =

SE-851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

CY

CET 300 SPECIAL CARE EXCAVATION AND BACKFILING At the following locations: Opp. #1177, Avenue J N/E/C Flatlands Avenue and E. 102nd Street F/O #102, Flatlands Ave. N/W Int. of Flatlands Avenue and E. 103rd Street F/O #10402, Flatlands Ave. **Total Quantity for CET 300** FURNISH, DELIVER AND INSTALL CONCRETE ROAD BASE **CET 304 A** CY At the following locations: W/S of E. 108th Street, 20' S/S/C Flatlands Ave. S/W/C Avenue J and E. 98th Street Opp. #1177, Avenue J F/O #9824, Avenue J F/O #9924, Avenue J N/S Flatlands Avenue, 25' W/W/C E. 103rd Street E/S of E. 98th Street, 15' N/N/C Avenue J Total Quantity for CET 304 A = 21 **CET 305** FURNISH AND INSTALL ASPHALT PAVING MIXTURE TONS At the following locations: W/S of E. 108th Street, 20' S/S/C Flatlands Ave. S/W/C Avenue J and E. 98th Street Opp. #1177, Avenue J F/O #9824, Avenue J F/O #9924, Avenue J N/S Flatlands Avenue, 25' W/W/C E. 103rd Street E/S of E. 98th Street, 15' N/N/C Avenue J **Total Quantity for CET 305** = 19SUPPORT & PROTECT ELEC, GAS & STEAM FAC. DURING EXCAVATION OF CITY TRENCH WHEN **CET 330E-A.1** FAC. LIE W/IN TRENCH LIMITS W/O SHEETING (TYPE .1) At the following locations: F/O #972, E. 107th Street On E. 105th Street, 90' S/S/C Flatlands Avenue

November 14, 2014

.Total Quantity for CET 330E-A.1 = 36

SE-851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

| CET 330E-B.1 | SUPPORT & PROTECT ELEC, GAS & STEAM FAC. DURING EXCAVATION OF CITY TRENCH WHEN FAC. LIE W/IN TRENCH LIMITS W/ SHEETING (TYPE .1) | LF |
|--------------|--|----|
| | At the following locations: | |
| | On E. 105th Street, 100' S/S/C Flatlands Avenue | |
| | Total Quantity for CET 330E-B.1 = 6 | |
| CET 350 | OVERHEAD ACCOMMODATION, PROTECTION OF OVERHEAD FACILITIES AND APPURTENANCES | LS |
| | At the following locations: | |
| | Various | |
| | AS SHOWN ON CONTRACT DOCUMENTS | |
| | Total Quantity for CET 350 = 1 | |
| CET 351 | INSTALL AND REMOVE "A" FRAME ON UTILITY POLES | EA |
| | At the following locations: | |
| | N/W/C E. 108th St. and 1st St. | |
| | F/O #960, E. 108th Street | |
| | F/O #10424, Flatlands Ave. | |
| | S/W/C Flatlands Ave. and E. 101st Street N/W/C Flatlands 1st Street and 108th Street | |
| | N/W/C E. 102nd Street and Avenue J | |
| | F/O #958, E. 101st Street | |
| | S/W/C E. 100th Street, Conklin Avenue | |
| | Total Quantity for CET 351 = 8 | |
| CET 400 | TEST PITS FOR UTILITY FACILITIES | CY |
| | At the following locations: | |
| | Various | |
| | Total Quantity for CET 400 = 64 | |

SE-851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

CET 401 TRENCH EXCAVATION FOR ADJUSTMENT OF UTILITIES

CY

CRHRS

At the following locations:

W/S of E. 108th Street, 20' S/S/C Flatlands Ave.

S/W/C Avenue J and E. 98th Street

Opp. #1177, Avenue J

F/O #9824, Avenue J

F/O #9924, Avenue J

N/S Flatlands Avenue, 25' W/W/C E. 103rd Street

W/S of E. 105th Street, 25' N/N/C Flatlands Avenue

E/S of E. 98th Street, 15' N/N/C Avenue J

AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE

Total Quantity for CET 401

= 110

EXISTING OCCUPIED NON-CONCRETE ENCASED CONDUITS PLACED IN FINAL POSITION W/O **CET 402.2** CONCRETE ENCASEMENT

At the following locations:

W/S of E. 108th Street, 20' S/S/C Flatlands Ave.

S/W/C Avenue J and E. 98th Street

Opp. #1177, Avenue J

F/O #9824, Avenue J

F/O #9924, Avenue J

N/S Flatlands Avenue, 25' W/W/C E. 103rd Street

E/S of E. 98th Street, 15' N/N/C Avenue J

AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE

Total Quantity for CET 402.2 = 560

CONSTRUCTION FIELD SUPPORT REQUIRING AVERAGE SMALL SIZE CREW CAPABLE OF **CET 450.2** PERFORMING VARIOUS TASKS (TYPE .2)

At the following locations:

Various

Total Quantity for CET 450.2

SE-851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

| CET 636 MD | MOD. OF WORK METHODS TO ACCOMM. UTILITY STREET HARDWARE DURING PAVE MILL. & RESURF. OPS. (30" TO UNDER 34" WIDTH) | EA |
|------------|---|----|
| | At the following locations: | |
| | Opp. #1177, Avenue J | |
| | N/E/C Avenue J and E. 99th Street | |
| | N/E/C Flatiands Avenue and E. 102nd Street | |
| | F/O #102, Flatlands Ave. | |
| | N/W int. of Flatlands Avenue and E. 103rd Street | |
| | F/O #10316, Flatlands Ave. | |
| | F/O #938, E. 107th Street
F/O #1177, E. 98th Street | |
| | AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE | |
| | Total Quantity for CET 636 MD = 9 | |
| CET 710.1 | REMOVAL OF ABANDONED UTILITY STEEL/CAST IRON/PLASTIC, UP TO AND INCL. 12"
DIAMETER PIPES | LF |
| | At the following locations: | |
| | W/S of E. 105th Street, 25' N/N/C Flatlands Avenue | |
| | Total Quantity for CET 710.1 = 40 | |
| CET 1006V | 6" VERTICAL OR ROLLED WATER MAIN OFFSET | EA |
| | At the following locations: | |
| | Various | |
| | AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE | |
| | Total Quantity for CET 1006V = 1 | |
| CET 1008V | 8" VERTICAL OR ROLLED WATER MAIN OFFSET | EA |
| | At the following locations: | |
| | Various | |
| | AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE | |
| | Total Quantity for CET 1008V = 1 | |
| | Total Quantity for CET 1006V - 1 | |
| CET 1012V | 12" VERTICAL OR ROLLED WATER MAIN OFFSET | EA |
| | At the following locations: | |
| | Various | |
| | AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE | |
| | Total Quantity for CET 1012V = 1 | |
| | | |

SE-851

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS & WATERMAIN

EA

CET 1020V

20" VERTICAL OR ROLLED WATER MAIN OFFSET

At the following locations:

S/W/C Flatlands Ave. and E. 108th Street

F/O #901, E. 108th Street Opp. #913, E. 108th Street F/O #935, E. 108th Street

AS ENCOUNTERED AND DIRECTED BY A CON EDISON REPRESENTATIVE

Total Quantity for CET 1020V = 4

SECTION U WORKSHEET

FOR INFORMATION ONLY

ENGINEER'S ESTIMATE OF QUANTITY AND TYPES OF INTERFERENCE

FOR VERIZON

SE-851 - H.L.S.S., SANITARY, COMBINED SEWERS & WATER MAINS IN FRESH CREEK BASIN AREA, PHASE 1A BOROUGH OF BROOKLYN

| CET | | | |
|------------|--|---------|-----------|
| ITEM | DESCRIPTION | Unit of | Estimated |
| NUMBER | | Measure | Quantity |
| | | | |
| CET 100.1 | UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TEST PIT (TYPE .1) | EA. | 15.00 |
| CET 100.2 | UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT.
AND/OR TEST PIT (TYPE .2) | EA. | 4.00 |
| CET 100.3 | UTILITIES CROSSING TRENCH FOR CATCH BASIN CHUTE CONNECT. AND/OR TEST PIT (TYPE .3) | EA. | 3.00 |
| CET 101.1 | UTILITIES CROSSING TRENCH FOR SEWERS OVER 12" TO 24" DIAMETER (TYPE .1) | EA. | 5.00 |
| CET 101.2 | UTILITIES CROSSING TRENCH FOR SEWERS OVER 12" TO 24" DIAMETER (TYPE .2) | EA. | 2.00 |
| CET 101.3 | UTILITIES CROSSING TRENCH FOR SEWERS OVER 12" TO 24" DIAMETER (TYPE .3) | EA. | 3.00 |
| CET 103.1 | UTILITIES CROSSING TRENCH FOR SEWERS OVER 36" TO 48" DIAMETER (TYPE .1) | EA. | 3.00 |
| CET 103.2 | UTILITIES CROSSING TRENCH FOR SEWERS OVER 36" TO 48" DIAMETER (TYPE .2) | EA. | 1.00 |
| CET 103.3 | UTILITIES CROSSING TRENCH FOR SEWERS OVER 36" TO 48" DIAMETER (TYPE .3) | EA. | 1.00 |
| CET 108.1 | UTILITIES CROSSING TRENCH FOR WATERMAIN UP TO AND INCL. 12" DIAMETER (TYPE .1) | EA. | 6.00 |
| CET 108.2 | UTILITIES CROSSING TRENCH FOR WATERMAIN UP TO AND INCL.
12" DIAMETER (TYPE .2) | EA. | 3.00 |
| CET 108.3 | UTILITIES CROSSING TRENCH FOR WATERMAIN UP TO AND INCL.
12" DIAMETER (TYPE .3) | , EA. | 3.00 |
| CET 109.1 | UTILITIES CROSSING TRENCH FOR WATERMAIN OVER 12" AND UP
TO 24" DIAMETER (TYPE .1) | EA. | 14.00 |
| CET 109.2 | UTILITIES CROSSING TRENCH FOR WATERMAIN OVER 12" AND UP
TO 24" DIAMETER (TYPE .2) | EA. | 1.00 |
| CET 109.3 | UTILITIES CROSSING TRENCH FOR WATERMAIN OVER 12" AND UP TO 24" DIAMETER (TYPE .3) | EA. | 1.00 |
| CET 225,1A | REMOVAL AND INSTALLATION OF CATCH BASINS WITH UTILITY INTERFERENCES | EA. | 4.00 |
| CET 300 | SPECIAL CARE EXCAVATION & BACKFILLING | C.Y. | 24.00 |
| CET 304A | FURNISH, DELIVER & INSTALL CONCRETE ROAD BASE | C.Y. | 27.00 |
| CET 305 | FURNISH & INSTALL ASPHALT PAVING MIXTURE | TONS | 18.00 |
| CET 330T | SUPPORT & PROTECTION OF COMMUNICATION UTILITY FACILITIES DURING EXCAVATION OF CITY TRENCH WHEN FACILITIES LIE IN OR CLOSE PROXIMITY TO TRENCH LIMITS | L.F. | 535.00 |
| CET 400 | TEST PITS | C.Y. | 20.00 |

2/26/2015

SE851 - Verizon CET Scope.xisx - INFORMATION ONLY

SECTION U WORKSHEET

FOR INFORMATION ONLY

ENGINEER'S ESTIMATE OF QUANTITY AND TYPES OF INTERFERENCE

FOR VERIZON

SE-851 - H.L.S.S., SANITARY, COMBINED SEWERS

& WATER MAINS IN FRESH CREEK BASIN AREA, PHASE 1A BOROUGH OF BROOKLYN

| DESCRIPTION | Unit of
Measure | Estimated
Quantity |
|---|---|---|
| TRENCH EXCAVATION FOR ADJUSTMENT OF UTILITIES | C.Y. | 166.00 |
| 1FOS. WITH CONCH. ENCSMNT | L.F. | 1,470.00 |
| FOS. WITHOUT CONCR. ENCSMNT. | L.F. | 80.00 |
| PLACING STEEL PROTECTION PLATES FOR UTILITIES | S.F. | 200.00 |
| ENCASED) | L.F. | 300.00 |
| 6" VERTICAL OR ROLLED WATER MAIN OFFSET | EA. | 1.00 |
| 8" VERTICAL OR ROLLED WATER MAIN OFFSET | EA. | 1.00 |
| 20" VERTICAL OR ROLLED WATER MAIN OFFSET | EA. | 1.00 |
| | TRENCH EXCAVATION FOR ADJUSTMENT OF UTILITIES EXIST. OCCUPIED CONGR. ENCASED CONDUITS PLCD. IN FINAL | TRENCH EXCAVATION FOR ADJUSTMENT OF UTILITIES C.Y. EXIST. OCCUPIED CONCR. ENCASED CONDUITS PLCD. IN FINAL POS. WITH CONCR. ENCASED CONDUITS PLCD. IN FINAL L.F. EXIST. OCCUPIED NON-CONCR. ENCASED CONDUITS PLCD. IN FINAL L.F. POS. WITHOUT CONCR. ENCSMNT. PLACING STEEL PROTECTION PLATES FOR UTILITIES S.F. REMOVAL OF ABANDONED UTILITY CONDUITS (NON-CONCRETE L.F. ENCASED) 6" VERTICAL OR ROLLED WATER MAIN OFFSET EA. 8" VERTICAL OR ROLLED WATER MAIN OFFSET EA. |

SUPPORT & PROTECTION

SE-851 - H.L.S.S., SANITARY, COMBINED SEWERS

& WATER MAINS IN FRESH CREEK BASIN AREA, PHASE 1A

BOROUGH OF BROOKLYN

| CET 100.1 | UTILITIES CROSSING TRENCH I | FOR CATCH BAS | IN CHUTE | CONNECT. AND/OR TEST PIT (TYPE .1) | EA. |
|------------------|--|----------------------------------|-------------------------|--------------------------------------|--|
| | At the following locations: | | | | , |
| | S/S FLATLANDS AVENUE W/O EAST 98TH STREET E/S EAST 98TH STREET S/O FLATLANDS AVENUE E/S EAST 100TH STREET S/O FLATLANDS AVENUE W/S EAST 100TH STREET S/O FLATLANDS AVENUE E/S EAST 102ND STREET S/O FLATLANDS AVENUE E/S EAST 104TH STREET S/O FLATLANDS AVENUE S/S FLATLANDS AVENUE W/O EAST 105TH STREET S/S FLATLANDS AVENUE E/O EAST 105TH STREET W/S EAST 106TH STREET S/O FLATLANDS AVENUE S/S FLATLANDS AVENUE W/O EAST. 107TH STREET S/S FLATLANDS AVENUE W/O EAST. 107TH STREET S/S FLATLANDS AVENUE E/O EAST. 107TH STREET | | | | 1.00
2.00
2.00
1.00
2.00
1.00
1.00
2.00
1.00 |
| | Total quantity for | CET 100.1 | = | 15.00 | |
| CET 100.2 | UTILITIES CROSSING TRENCH F | OR CATCH BAS | IN CHUTE | CONNECT. AND/OR TEST PIT (TYPE .2) | EA. |
| | At the following locations: | | | | |
| | S/S FLATLANDS AVENUE W/O EAST 98TH STREET INT. OF FLATLANDS AVENUE & EAST 101ST STREET | | | | |
| | Total quantity for | CET 100.2 | . = | 4.00 | |
| CET 100.3 | UTILITIES CROSSING TRENCH F | OR CATCH BASI | N CHUTE | CONNECT, AND/OR TEST PIT (TYPE .3) | EA. |
| | At the following locations: | | | | |
| | S/S FLATLANDS AVI
S/S FLATLANDS AVI
S/S FLATLANDS AVI | ENUE BET, EAST
ENUE BET, EAST | 99TH ST. &
101ST ST. | & EAST 100TH ST.
& EAST 102ND ST. | 1.00
1.00
1.00 |
| CET 101.1 | Total quantity for | CET 100.3 | = | 3.00 | |
| CE1 101.1 | UTILITIES CROSSING TRENCH FO | or sewers ovi | SR 12" TO | 24" DIAMETER (TYPE .1) | EA. |
| | At the following locations: INT. OF FLATLANDS AVENUE & EAST 98TH STREET INT. OF FLATLANDS AVENUE & EAST 106TH STREET INT. OF FLATLANDS AVENUE & EAST 107TH STREET | | | | 1.00
2.00
2.00 |
| | Total quantity for | CET 101.1 | = | 5.00 | 2.00 |
| CET 101.2 | UTILITIES CROSSING TRENCH FO | OR SEWERS OVE | ER 12" TO | 24" DIAMETER (TYPE .2) | EA. |
| | At the following locations: | | | | |
| | INT. OF FLATLANDS AVENUE & EAST 98TH STREET | | | | |
| | Total quantity for | CET 101.2 | = | 2.00 | |

SUPPORT & PROTECTION

SE-851 - H.L.S.S., SANITARY, COMBINED SEWERS

& WATER MAINS IN FRESH CREEK BASIN AREA, PHASE 1A BOROUGH OF BROOKLYN

| CET 108.3 | UTILITIES CROSSING TRENCH I | FOR WATERMA | IN UP TO | AND INCL. 12 | 2" DIAMETER (TYPE .3) | EA. |
|------------|---|-----------------|------------|--------------|--------------------------|----------------------|
| | At the following locations: | | | | | |
| | INT. OF FLATLANDS AVENUE & EAST 99TH STREET INT. OF FLATLANDS AVENUE & EAST 100TH STREET INT. OF FLATLANDS AVENUE & EAST 102ND STREET | | | | | 1.00
1.00
1.00 |
| | Total quantity for | CET 108.3 | = | 3.00 | | |
| CET 109.1 | UTILITIES CROSSING TRENCH F | OR WATERMAI | N OVER 1 | 12" AND UP T | O 24" DIAMETER (TYPE .1) | EA. |
| | At the following locations: | | | | | |
| | INT. OF FLATLAND | S AVENUE & EAS | T IONTH S | STREET | | |
| | INT. OF FLATLAND | S AVENUE & EAS | T 102ND | STREET | | 3.00
2.00 |
| | INT, OF FLATLAND | S AVENUE & EAS | ST 104TH S | STREET | | 1.00 |
| | INT. OF FLATLANDS | S AVENUE & EAS | ST 106TH S | STREET | | 2.00 |
| | INT. OF FLATLANDS
W/S EAST 108TH ST | S AVENUE & EAS | T 108TH S | STREET | | 5.00 |
| | Wis EAST TOOM ST | REEI 3/O FLAIL | ANDS AVI | ENUE | | 1.00 |
| | Total quantity for | CET 109.1 | = | 14.00 | | |
| CET 109.2 | UTILITIES CROSSING TRENCH FO | OR WATERMAII | NOVER 1 | 2" AND UP TO | 24" DIAMETER (TYPE .2) | EA. |
| | At the following locations: | | | • | | |
| | AS ENCOUNTERED | OR DIRECTED BY | Y VERIZO | N FIELD REPR | ESENTATIVE | 1.00 |
| | Total quantity for | CET 109.2 | = | 1.00 | | |
| CET 109.3 | UTILITIES CROSSING TRENCH FO | OR WATERMAIN | OVER 1 | 2" AND UP TO | 24" DIAMETER (TYPE .3) | EA. |
| | At the following locations: | | | | | |
| | AS ENCOUNTERED (| OR DIRECTED BY | VERIZO1 | N FIELD REPR | ESENTATIVE | 1.00 |
| | Total quantity for | CET 109.3 | = | 1.00 | | |
| CET 225.1A | REMOVAL AND INSTALLATION O | F CATCH BASIN | S WITH 1 | UTILITY INTI | ERFERENCES | EA. |
| | At the following locations: | | | | | |
| | S/S FLATLANDS AVE | NUE W/O EAST 9 | 8TH STRE | ET | | 1.00 |
| | E/S EAST 98TH STREI | ET S/O FLATLAN | DS AVEN | UE | | 1.00 |
| | E/S EAST 102ND STRI
E/S EAST 108TH STRE | EET S/O FLATLAI | NDS AVE | NUE | • | 1.00 |
| | DS EAST 100 LA SIRI | EI S/U FLAILAN | NDS AVEN | IUE | | 1.00 |
| | Total quantity for | CET 225.1A | = | 4.00 | | |
| CET 300 | SPECIAL CARE EXCAVATION & B. | ACKFILLING | | | | C.Y. |
| | At the following locations: | | | | | |
| | AS ENCOUNTERED O | R DIRECTED BY | VERIZON | FIELD REPRE | SENTATIVE | 6.00 |
| | INT. OF FLATLANDS | AVENUE & EAST | 100TH ST | REET | | 10.00 |
| | W/S EAST 106TH STRI | EEI S/UTLAILAI | NUS AVEN | NUE | | 8.00 |
| | Total quantity for | CET 300 | = | 24.00 | | |
| CET 304A | FURNISH, DELIVER & INSTALL CO | NCRETE ROAD | BASE | | | C.Y. |
| | At the following locations: | | | | | |
| | | | | | | |

2/26/2015

SE851 - Verizon CET Scope.xlsx - CET SCOPE

SUPPORT & PROTECTION

SE-851 - H.L.S.S., SANITARY, COMBINED SEWERS

& WATER MAINS IN FRESH CREEK BASIN AREA, PHASE 1A

BOROUGH OF BROOKLYN

| , | | | | | | |
|-------------|--|-----------------------------------|----------------------|--|------------------|--------------|
| | INT. OF FLATL | ANDS AVENUE & E | AST 99TH | STREET | | |
| | INT. OF FLATLA | ANDS AVENUE & E | AST 100TH | STREET | | 2.50 |
| | E/S EAST 100TH | I STREET S/O FLAT | LANDS AV | ENIE | | 2.50 |
| | INT. OF FLATLA | ANDS AVENUE & E | AST 101ST | STREET | | 5.56 |
| | S/S FLATLANDS | S AVENUE BET, EA | ST 101ST S | T & FAST IONN ST | | 3.33 |
| | IN I. OF FLATLA | NNDS AVENUE & E. | AST INONE | STREET | | 3.33 |
| | INT. OF FLATLA | INDS AVENUE & E. | AST 107TH | STREET | | 3.33 |
| | INT. OF FLATLA | INDS AVENUE & E | AST 108TH | STREET | | 2.50
3.33 |
| | Total quantity for | CET 304A | = | 27.00 | | 2.33 |
| CET 305 | FURNISH & INSTALL ASPHAI | T PAVING MIXTI | TDE | -/ | | |
| | At the following locations | | | | | TONS |
| | | | | | • | |
| | INT. OF FLATLA | NDS AVENUE & EA | ast 99th s | TREET | | 1 46 |
| | INT. OF FLATLA | NDS AVENUE & EA | ST 100TH | STREET | | 1.65
1.65 |
| | E/S EAST 100TH | STREET S/O FLATL | ANDS AVI | ENUE | | 3.68 |
| | INT. OF FLATLAI | NDS AVENUE & EA | ST 101ST : | STREET | | 2.21 |
| | 5/5 FLATLANDS | AVENUE BET. EAS | T 101ST \$1 | . & EAST 102ND ST. | | 2.21 |
| | INT. OF FLATLAT | NDS AVENUE & EA | ST 102ND | STREET | | 2.21 |
| | INT. OF FLATLAN | NDS AVENUE & EA | ST 107TH : | STREET | | 1.65 |
| | INT. OF FLATLAN | NDS AVENUE & EA | ST 108TH : | STREET | | 2.21 |
| | Total quantity for | CET 305 | = | 18.00 | | 2.21 |
| COTT TO THE | | | | | • | |
| CET 330T | SUPPORT & PROTECTION OF A
TRENCH WHEN FACILITIES LI | COMMUNICATION
IE IN OR CLOSE P | N UTILITY
ROXIMIT | Y FACILITIES DURING EX
Y TO TRENCH LIMITS | CAVATION OF CITY | L.F. |
| | At the following locations: | | | | | |
| | S/S FLATI ANDS A | AVENUE W/O EAST | OPTH OTT | T-17-10 | | |
| | INT. OF FLATI AN | IDS AVENUE & EAS | 981H SIK | EET | | 60.00 |
| | S/S FLATI ANDS A | VENUE DET EACT | 01 A91H 21 | . & EAST 105TH ST. | | 40.00 |
| | W/S EAST 106TH | STREET S/O FLATL | 1041H 51 | & EAST 105TH ST. | | 200.00 |
| | INT. OF FLATI AN | DS AVENUE & EAS | MINDS AVE | There | | 70.00 |
| | E/S EAST 108TH S | TREET BET. FLATL | ANDS AVI | ikeei
Mig & avenue i | | 40.00 |
| | _ | | , | STOL & AVENUE! | | 125.00 |
| | Total quantity for | CET 330T | = | 535.00 | | |
| CET 400 | TEST PITS | | | | | C.Y. |
| | At the following locations: | | | | | C.1. |
| | AS ENCOUNTERE | D OR DIRECTED BY | Y VERIZON | FIELD REPRESENTATIVE | | |
| | Total quantity for | CET 400 | | | | 20.00 |
| CET 401 | TRENCH EXCAVATION FOR AD | | = | 20.00 | | |
| | | JOSEMENT OF UI | ILITIES | | | C.Y. |
| | At the following locations: | | | | | |
| | INT. OF FLATLAND | OS AVENUE & EAST | Г 99ТН STT | REET | | 15.00 |
| | INT. OF FLATLAND | DS AVENUE & EAST | T2 HT001 1 | REFT | | 15.00 |
| | E/S EAST 100TH ST | REET S/O FLATLAN | NDS AVEN | lie | | 18.30 |
| | INT. OF FLATLAND | S AVENUE & EAST | FIGIST ST | REET | | 22.20 |
| | S/S FLATLANDS AV | VENUE BET, EAST 1 | 101ST ST. A | FAST 102ND ST | | 26.70 |
| | IN I. OF FLATLAND | S AVENUE & EAST | 102ND ST | REET | | 26.70 |
| | INT. OF FLATLAND | S AVENUE & EAST | 107TH ST | REET | | 26.70 |
| | INT. OF FLATLAND | S AVENUE & EAST | 108 TH ST | REET | | 15.00 |
| | Total quantity for | CET 401 | = | 166.00 | | 15.00 |
| | | | | | | |

SUPPORT & PROTECTION

SE-851 - H.L.S.S., SANITARY, COMBINED SEWERS

& WATER MAINS IN FRESH CREEK BASIN AREA, PHASE 1A

BOROUGH OF BROOKLYN

| CET 402T.1 | 1A EXIST. OCCUPIED CONCR. ENCASED CONDUITS PLCD. IN FINAL POS. WITH CONCR. ENCSMNT. | L.F. | | |
|--|--|--|--|--|
| | At the following locations: | EAL. | | |
| | INT. OF FLATLANDS AVENUE & EAST 99TH STREET INT. OF FLATLANDS AVENUE & EAST 100TH STREET INT. OF FLATLANDS AVENUE & EAST 101ST STREET S/S FLATLANDS AVENUE BET. EAST 101ST ST. & EAST 102ND ST. INT. OF FLATLANDS AVENUE & EAST 102ND STREET INT. OF FLATLANDS AVENUE & EAST 107TH STREET INT. OF FLATLANDS AVENUE & EAST 108TH STREET | 240.00
180.00
210.00
210.00
210.00
180.00
240.00 | | |
| | Total quantity for CET 402T.1A = 1470.00 | 240.00 | | |
| CET 402T.2 | EXIST. OCCUPIED NON-CONCR. ENCASED CONDUITS PLCD. IN FINAL POS. WITHOUT CONCR. ENCSMNT. At the following locations: | L.F. | | |
| | E/S EAST 100TH STREET S/O FLATLANDS AVENUE | | | |
| | Total quantity for CET 402T.2 = 80.00 | 80.00 | | |
| CET 403 | PLACING STEEL PROTECTION PLATES FOR UTILITIES | | | |
| | At the following locations: | S.F . | | |
| | AS ENCOUNTERED OR DIRECTED BY VERIZON FIELD REPRESENTATIVE | • | | |
| , | Total quantity for CET 403 = 200.00 | 200.00 | | |
| CET 500 | REMOVAL OF ABANDONED UTILITY CONDUITS (NON-CONCRETE ENCASED) | | | |
| | At the following locations: | L.F. | | |
| | AS ENCOUNTERED OR DIRECTED BY VERIZON FIELD REPRESENTATIVE | | | |
| | Total quantity for CET 500 = 300.00 | | | |
| CET 1006V | 6" VERTICAL OR ROLLED WATER MAIN OFFSET | E3.4 | | |
| | At the following locations: | EA. | | |
| | AS ENCOUNTERED OR DIRECTED BY VERIZON FIELD REPRESENTATIVE | 1.00 | | |
| | Total quantity for CET 1006V = 1.00 | 1.00 | | |
| CET 1008V | 8" VERTICAL OR ROLLED WATER MAIN OFFSET | 17.4 | | |
| | At the following locations: | EA. | | |
| | AS ENCOUNTERED OR DIRECTED BY VERIZON FIELD REPRESENTATIVE | 1.00 | | |
| | Total quantity for CET 1008V = 1.00 | 1.00 | | |
| CET 1020V | 20" VERTICAL OR ROLLED WATER MAIN OFFSET | | | |
| | At the following locations: | EA. | | |
| AS ENCOUNTERED OR DIRECTED BY VERIZON FIELD REPRESENTATIVE | | | | |
| | Total quantity for CET 1020V = 1.00 | 1.00 | | |
| | | | | |


SECTION U-3


(NO TEXT IN THIS SECTION)


TEST PITS


- (1) THESE TEST PITS DETAIL EXISTING CONDITIONS (AS OF BID DATE) OF UTILITIES AND OTHER SUBSURFACE FACILITIES AT LOCATIONS AS SHOWN ON THE TEST PIT LOCATIONS PLAN OF THE CONTRACT DRAWINGS.
- (2) DEPTHS OF FACILITIES ARE FROM EXISTING ROADWAY AND SIDEWALK ELEVATIONS AS SHOWN, OFFSETS ARE FROM EXISTING CURB, PROPERTY AND BUILDING LINES, AS SHOWN.
 - (3) RELEVANT ITEMS ARE NOTED ON EACH TEST PIT DIAGRAM.


(NO TEXT IN THIS SECTION)











PROJECT ID: SE851

END OF ADDENDUM No. 4 This Addendum consists of Forty-One (41) pages and Forty-Two (42) Sheets of contract drawings

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98^{TH} STREET and EAST 108^{TH} STREET; AVENUE J BETWEEN EAST 98^{TH} STREET AND EAST 108^{TH} STREET; EAST 108^{TH} STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE K; EAST 107^{TH} STREET BETWEEN FLATLANDS AVENUE J; EAST 105^{TH} STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104^{TH} STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103^{TD} STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE AND AVENUE J; EAST 101^{ST} STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100^{TH} STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100^{TH} STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE AND AVENUE AND STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE AND AVENUE AND STREET BETWEEN EAST 108^{TH} STREET BETWEEN FLATLANDS 18^{TT} STREET BETWEEN EAST 108^{TH} STREET AND EAST 100^{TH} STREET; FLATLANDS 18^{TT} STREET BETWEEN EAST 105^{TH} STREET AND EAST 108^{TH} STREET; FLATLANDS 2^{ND} STREET BETWEEN EAST 105^{TH} STREET AND EAST 108^{TH} STREET; FLATLANDS 2^{ND} STREET BETWEEN EAST 105^{TH} STREET AND EAST 108^{TH} STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98^{TH} STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto BOROUGH OF BROOKLYN

| AD | DEN | IDUM | NO. | 5 | |
|----|-----|------|-----|---|--|
| | | | | | |

DATED: March 26, 2015

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was originally included therein.

SPECIFICATIONS FOR
HANDLING, TRANSPORTATION AND DISPOSAL
OF NONHAZARDOUS AND POTENTIALLY HAZARDOUS
CONTAMINATED MATERIALS

(NO TEXT ON THIS PAGE)

SPECIFICATIONS FOR HANDLING, TRANSPORTATION AND DISPOSAL OF NON-HAZARDOUS AND POTENTIALLY HAZARDOUS CONTAMINATED MATERIALS

Installation of High Level Storm Sewer in Fresh Creek Area

Phase 1A

Borough of Brooklyn

DDC Project No. SE851

Prepared By:

NEW YORK CITY DEPARTMENT OF DESIGN + CONSTRUCTION

30-30 Thomson Avenue, 3rd Floor Long Island City, New York 11101

Date: 3/11/2015

Table of Contents

| ITEM 8.01 C1 | HANDLING, TRANSPORTING AND DISPOSAL OF NON-HAZARDOUS | |
|--------------|---|----|
| | CONTAMINATED SOILS | 1 |
| ITEM 8.01 C2 | SAMPLING AND TESTING OF CONTAMINATED/POTENTIALLY | |
| | HAZARDOUS SOILS FOR DISPOSAL PARAMETERS | 7 |
| ITEM 8.01 H | HANDLING, TRANSPORTING AND DISPOSAL OF HAZARDOUS SOILS | 9 |
| ITEM 8.01 S | HEALTH AND SAFETY | 15 |
| ITEM 8.01 W1 | REMOVAL, TREATMENT AND DISCHARGE/DISPOSAL OF | |
| | CONTAMINATED WATER | 20 |
| ITEM 8.01 W2 | SAMPLING AND TESTING OF CONTAMINATED WATER | 27 |
| | | |
| | | |
| | | |
| Attachments | 1. New York City Department of Environmental Protection Limitations for | |
| | Effluent to Storm-Sanitary or Combined Sewers Parameters | |
| | 2. Applicable Regulations | |

4. Phase II Subsurface Corridor Investigation Report

3. Definitions

ITEM 8.01 C1 HANDLING, TRANSPORTING AND DISPOSAL OF NON-HAZARDOUS **CONTAMINATED SOILS**

8.01 C1.1 WORK TO INCLUDE

General: This work shall consist of the handling, transportation and disposal of non-hazardous contaminated soils. The materials covered by this specification are soils that are contaminated with petroleum or chemical products but cannot be classified as hazardous waste. For the purpose of this specification, soil shall be defined as any material excavated below the pavement and base for pavement.

Non-hazardous contaminated soils are defined as soils exhibiting one or more of the following characteristics:

- Elevated Photo-Ionization Detector (PID) readings, subsequently confirmed by lab analysis
- Visual evidence of contamination
- Petroleum and/or chemical odors

DDC Project No. SE851

Soils that have been documented as contaminated in previous environmental reports

Non-hazardous contaminated soils must be stockpiled at an off-site approved location or secured onsite by the Contractor, meeting all required Federal, State and Local stipulations. Sampling and laboratory analysis must be conducted to determine if the soils are hazardous, unless the alternative procedure as defined under subsection 8.01 C1.1 A.5 has been agreed upon by treatment facilities. Contaminated soils determined to be non-hazardous shall be handled in accordance with the specifications herein for Item 8.01 C1. Contaminated soils determined to be hazardous shall be handled in accordance with the specifications for Item 8.01 H - Handling, Transporting and Disposal of Hazardous Soils.

The Contractor shall retain the services of an independent Environmental Consultant, as specified under Item 8.01 S - Health and Safety, to oversee the work required under this Item.

Non-hazardous soils shall be delivered to the disposal or treatment facility within thirty (30) calendar days after excavation.

The Contractor shall conduct sampling and analysis of the impacted soils as specified under Item 8.01 C2 - Sampling and Testing of Contaminated/Potentially Hazardous Soils for Disposal Parameters. The laboratory results shall be forwarded to DDC Program Administration, Engineering Support Services (ESS) for review to determine if the soils will be handled and disposed of as contaminated regulated soils or hazardous waste. No other soils shall be sampled or tested without the DDC's approval or direction.

The Contractor shall ensure that all operations associated with the handling, sampling, loading, transportation, and disposal of non-hazardous contaminated soils are in compliance with all applicable Federal, State, and City statutes and regulations.

The Contractor shall document the excavation, handling, transportation and disposal of nonhazardous contaminated soils. The Contractor shall supply all equipment, material and labor required to conduct the specified work of this Item.

- Material Handling Plan: Within forty-five (45) calendar days after award of Contract, the Contractor shall submit to the Program Administration, ESS for review, a Material Handling Plan (MHP). The MHP must be approved by the Program Administration, ESS, prior to the Contractor's commencement of work. The MHP shall, at a minimum, consist of:
 - 1. The Contractor's procedures for identifying non-hazardous contaminated soils during excavation, including the specific model and manufacturer of intended organic vapor

Page 1

- monitoring equipment and calibration procedures to be used. It should also include the training and experience of the personnel who will operate the equipment.
- 2. The Contractor's procedures for safely handling non-hazardous contaminated soils. The procedures must include personnel safety and health as well as environmental protection considerations.
- 3. Name, address, New York State Department of Health's (DOH) Environmental Laboratories Accreditation Program (ELAP) status and telephone number of the proposed laboratory for analysis of representative soil samples. The ELAP for the intended analysis must approve the laboratory.
- 4. Identification of the Contractor's proposed waste transporter(s). This information shall include:
 - a. Name and Waste Transporter Permit Number
 - b. Address
 - c. Name of responsible contact for the hauler
 - d. Telephone number for the contact
 - e. Any and all necessary permit authorizations for each type of waste transported
 - f. Previous experience in performing the type of work specified herein
- 5. All staging/stockpiling areas (if stockpiling areas are intended and available), or alternate procedures that will be used. Alternate procedures may include, but are not limited to, agreements from the intended disposal or treatment facilities to accept boring data and/or analytical data previously obtained during the site characterization so that materials may be directly loaded into vehicles for shipment to the disposal facility.
- 6. A backup facility should the staging/stockpile areas become unavailable, insufficient in area or not be present by some other unforeseen difficulty.
- 7. Identification of the Contractor's two proposed Treatment Storage or Disposal (TSD) facilities for non-hazardous contaminated soils (primary and back-up) for final disposal of the soils. The primary TSD shall be an approved soil recycling/treatment facility. The backup facility may be a recycling/treatment facility or a New York State Department of Environmental Conservation (DEC) approved lined landfill or other facility approved by DEC to accept this material. The information required for each facility shall include:
 - a. Facility name and the State identification number
 - (1) Facility location
 - (2) Name of responsible contact for the facility
 - (3) Telephone number for contact
 - (4) Signed letter of agreement to accept waste as specified in this contract
 - (5) Unit of measure utilized at facility for costing purposes
 - b. A listing of all permits, licenses, letters of approval, and other authorizations to operate, which are currently held and valid for the proposed facility.
 - c. A listing of all permits, licenses, letters of approval, and other authorizations to operate which have been applied for by the proposed facility but not yet granted or issued.

- d. The Contractor shall specify and describe the disposal/containment unit(s) that the proposed facility will use to manage the waste. The Contractor shall identify the capacity available in the units and the capacity reserved for the subject waste.
- e. The Contractor shall provide the date of the proposed facility's last compliance inspection.
- f. A list of all active (unresolved) compliance orders (or agreements), enforcement notices, or notices of violations issued to the proposed facility shall be provided. The source and nature of the cause of violation shall be stated, if known.
- 8. Description of all sampling and field/laboratory analyses that will be needed to obtain disposal facility approval.

8.01 C1.2 MATERIALS

- A. Containers shall be as required in the United State Department of Transportation (DOT) regulations.
- B. Polyethylene to be placed under (20 mil. thickness minimum) and over (10 mil. thickness minimum) soil piles.
- C. The Contractor shall assure that the waste hauler's appropriate choice of vehicles and operating practices shall prevent spillage or leakage of contaminated material from occurring en route.
- D. The Contractor shall provide, install and maintain any temporary loading facilities on site as required until completion of material handling activities. The location and design of any facilities shall be included in the MHP and be approved by the Program Administration, ESS.

8.01 C1.3 CONSTRUCTION DETAILS

A. Material Handling

- 1. Immediately after excavation of non-hazardous contaminated soil the Contractor shall:
 - a. Load material directly onto trucks/tankers/roll offs for disposal off site; or
 - b. If interim stockpiling is required, place on a minimum of 20 mil. or equivalent plastic ground cloth and cover by minimum of 10 mil. polyethylene sheeting or equivalent to protect against leaching or runoff of contaminants into groundwater or stormwater. Weight or secure the sheeting by appropriate means and seal seams as approved by the DDC to prevent tearing or removal by weather. Grade surrounding surface to provide for positive drainage away from pile. Stockpile shall not exceed 100 cubic yards.
- 2. Institute appropriate procedures and security measures to ensure the protection of site personnel and the public from contaminated materials as described in the approved MHP and Item 8.01 S Health and Safety.
- 3. Any soil encountered that appears to contain unknown contaminants (based on visual, odor, or other observation), or that vary substantially from the material originally identified must be segregated in stockpiles and the independent Environmental Consultant promptly notified. Construct stockpiles to the same requirements as stated in subsection A.1.b above.

- 4. Provide any dewatering that is necessary to complete the work. Contaminated water shall be disposed of in accordance with Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.
- 5. Provide and operate field organic vapor test equipment, a PID or a flame ionization detector (FID), to detect general organic vapor levels at intervals of approximately fifty (50) cubic yards of soil excavated, when visual or odor observations indicate the material may substantially differ from the soil previously excavated and/or as directed by the independent Environmental Consultant.

B. Off-Site Transportation to Disposal or Treatment Facility

1. General

- a. The Contractor shall furnish all labor, equipment, supplies and incidental costs required to transport contaminated material from the work area to the off-site disposal or treatment facility, and any other items and services required for transporting contaminated material for disposal at an off-site facility.
- b. The Contractor shall submit the name and location of the facility where an off-site scale is located. The Contractor shall also submit a plan to the DDC for review outlining procedures on controlling trucks leaving the work site and en-route to the off-site scale. The Contractor shall be responsible for tracking all material/vehicles from the site to the off-site scale.
- c. The Contractor shall provide to the DDC certified tare and gross weight slips for each load received at the accepted facility which shall be attached to each returned manifest.
- d. The Contractor shall coordinate the schedule for truck arrival and material deliveries at the job site to meet the approved project schedule.
- e. The Contractor shall inspect all vehicles leaving the project site to ensure that contaminated soils adhering to the wheels or undercarriage are removed prior to the vehicle leaving the site.
- f. The Contractor shall obtain letters of commitment from the waste haulers and the treatment, disposal or recovery facility to haul and accept shipments. The letter shall indicate agreement to handle and accept the specified estimated quantities and types of material during the time period specified in the project schedule and any time extension as deemed necessary.
- g. The Program Administration, ESS shall review and approve waste profiles before transportation to the TSD facility.

2. Hauling

- a. The Contractor shall coordinate manifesting, placarding of shipments, and vehicle decontamination. All quantities shall also be measured and recorded upon arrival at the disposal or treatment facility. If any deviation between the two records occurs, the matter is to be reported immediately to the DDC and to be resolved by the Contractor to the satisfaction of the DDC.
- b. The Contractor shall be held responsible, at its own cost for any and all actions necessary to remedy situations involving material spilled in transit or mud and dust tracked off-site.

- c. The Contractor shall ensure that trucks are protected against contamination by properly covering and lining them with compatible material (such as polyethylene) or by decontaminating them prior to and between acceptances of loads.
- d. The Contractor shall be responsible for inspecting the access routes for road conditions, overhead clearance, and weight restrictions.
- e. The Contractor shall only use the transporter(s) identified in the MHP for the performance of work. Any use of substitute or additional transporters must have previous written approval from the Program Administration, ESS at no additional cost to the City.
- f. The Contractor shall develop, document, and implement a policy for accident prevention.
- g. The Contractor shall not combine contaminated materials from other projects with material from this project.
- h. No material shall be transported until approved by the DDC.

3. Off-Site Disposal

- a. The Contractor shall use only the facility(ies) identified in the MPH for the performance of the work. Substitutions or additions shall not be permitted without prior written approval from the Program Administration, ESS, and if approved shall be at no extra cost to the City.
- b. The Contractor shall be responsible for acceptance of the materials at an approved facility, for ensuring that the facility is properly permitted to accept the stated materials, and that the facility provides the stated treatment and/or disposal services.
- c. The DDC reserves the right to contact and visit the disposal or treatment facility and regulatory agencies to verify the agreement to accept the stated materials and to verify any other information provided.
- d. In the event that the identified and approved facility ceases to accept the stated materials or the facility ceases operations, it is the Contractor's responsibility to locate an alternate approved and permitted facility(ies) for accepting materials. The alternate facility(ies) must be approved in writing by the DDC in the same manner and with the same requirements as for the original facility(ies). This shall be done at no extra cost or delay to the City.
- e. The Contractor shall obtain manifest forms, and complete the shipment manifest records required by the appropriate regulatory agencies for verifying the material and quantity of each load in unit of volume and weight. Copies of each manifest shall be submitted to the DDC within four (4) business days following shipment, and within three (3) business days after notification of receipt of the facility. Any manifest discrepancies shall be reported immediately to the DDC and be resolved by the Contractor to the satisfaction of the DDC.

4. Equipment and Vehicle Decontamination

a. The Contractor shall design and construct a portable decontamination station to be used to decontaminate equipment and vehicles exiting from the exclusion zone. The cost for this work will be paid under Item 8.01 S - Health and Safety.

Page 5

b. Water generated during the decontamination process shall be disposed of in accordance with Item 8.01 W1 – Removal, Treatment and Discharge/Disposal of Contaminated Water.

8.01 C1.4 METHOD OF MEASUREMENT

Quantities for non-hazardous contaminated soils shall be measured in tons. The tonnage will be determined by off-site truck scales, as per Subsection 8.01 C1.3.B1, that are capable of generating load tickets.

8.01 C1.5 PRICE TO COVER

- A. The unit bid price bid per ton for Item 8.01 C1 shall include the cost of furnishing all labor, materials, equipment, plan, and insurance for excavation, handling, transportation, disposal, documentation, fees, permits, loading, stockpiling, hauling, and any other incidentals necessary to complete all the work as specified herein for handling, transporting, and disposal of non-hazardous contaminated soil.
- B. Final disposal of hazardous soil shall be paid for under Item 8.01 H Handling, Transporting and Disposal of Hazardous Soils. Disposal of decontamination water shall be paid for under Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.
- C. Backfill will be paid for under its respective item as specified in the contract document.
- D. The independent Environmental Consultant shall be paid under Item 8.01 S Health and Safety.

Payment will be made under:

| ITEM NUMBER | ITEM | PAYMENT UNIT |
|-------------|---|--------------|
| 8.01 C1 | Handling, Transporting, and Disposal of Non-Hazardous Contaminated Soil | Tons |

ITEM 8.01 C2 SAMPLING AND TESTING OF CONTAMINATED/ POTENTIALLY HAZARDOUS SOIL FOR DISPOSAL PARAMETERS

8.01 C2.1 WORK TO INCLUDE

A. Description

The work shall consist of collecting and analyzing representative soil samples for parameters typically requested by the disposal facilities.

B. Sampling and Laboratory Analysis

- 1. At least thirty (30) days prior to the commencement of work, the Contractor's independent Environmental Consultant must submit a Soil Sampling Plan/Field Sampling Plan (SSP/FSP) to the Program Administration, Engineering Support Services (ESS) for review and approval. The plan shall include the name, address, DOH's ELAP status, and telephone numbers of the proposed laboratory. The plan shall also include training and experience of the personnel who will collect the samples.
- 2. The Contractor shall sample and analyze representative samples of the contaminated/potentially hazardous soils. For stockpiled soils, the Contractor shall collect and analyze one (1) composite sample per 500 cubic yards or fraction thereof. Each composite sample shall consist of a minimum of five (5) grab samples collected from greater than two (2) feet below the soil surface. For drummed soil, the Contractor shall collect one (1) composite sample per (ten) 10 drums or fraction thereof. Each composite sample shall consist of a grab sample from each of the ten (10) drums or fraction thereof. Each composite sample shall be analyzed for Resource Conservation and Recovery Act (RCRA) hazardous waste characteristics (Ignitability, Reactivity, Corrosivity), Full Toxicity Characteristic Leaching Procedure (TCLP) (including RCRA metals, volatile Organic Compounds (VOCs), Semi-Volatile Organic Compounds (SVOCs), pesticides, herbicides), Total Petroleum Hydrocarbons (TPH) and Polychlorinated Biphenyls (PCBs). All samples collected should be analyzed on a five (5) calendar days turn around time and analytical results must be submitted to Program Administration, ESS upon receipt of the analytical results.
- 3. All sampling shall be conducted by a person trained in sampling protocols using standard accepted practices for obtaining representative samples.
- 4. The Contractor must also contact the disposal facility where the waste will be sent for permanent disposal, and arrange to collect any additional samples required by the facility. The cost associated with additional sampling and testing shall be included in the bid price of this Item.
- 5. The quality of the data from the sampling program is the Contractor's responsibility. The Contractor must furnish all qualified personnel, equipment and instruments necessary to carry out the sampling. Unless directed otherwise, all sampling procedures must follow the DEC sampling guidelines and protocols.
- 6. All sample containers shall be marked and identified with legible sample labels which shall indicate the project name, sample location and/or container, the sample number, the date and time of sampling, preservatives utilized and other information that may be useful in determining the character of the sample. Chain-of-custody shall be tracked from laboratory issuance of sample containers through laboratory receipt of the samples.

- 7. The Contractor shall maintain a bound sample logbook. The Contractor shall provide DDC access to it at all times and shall turn it over to the DDC in good condition at the completion of the work. The following information, as a minimum shall be recorded to the log:
 - 1. Sample identification number
 - 2. Sample location
 - 3. Field observation
 - 4. Sample type
 - 5. Analyses
 - 6. Date/time of collection
 - 7. Collector's name
 - 8. Sample procedures and equipment utilized
 - 9. Date sent to laboratory and name of laboratory
- 8. The City reserves the right to direct the Contractor to conduct alternative sampling in lieu of the parameters described in subsection B2, if the situation warrants. The substitute sampling parameters shall be of equal or lesser monetary value than those described in subsection B2, as determined by industry laboratory pricing standards.
- 9. Only dedicated sampling equipment may be used to collect these samples. All equipment involved in field sampling must be decontaminated before being brought to the sampling location, and must be properly disposed after use.
- 10. Soils exceeding any of the hazardous characteristic criteria meet the legal definition of hazardous soils (rather than non-hazardous contaminated soils) and shall be transported or disposed of under Item 8.01 H Handling, Transporting and Disposal of Hazardous Soils. All analyses must be done by a laboratory that has received approval from the ELAP for the methods to be used. The Contractor must specify the laboratory in the MHP.

8.01 C2.2 METHOD OF MEASUREMENT

Quantities for samples shall be measured as the number of sets of samples that are tested. A set shall be defined as one (1) composite sample analyzed for the full range of parameters as specified in subsection B2.

8.01 C2.3 PRICE TO COVER

The unit price bid per set for Item 8.01 C2 shall include the cost of furnishing all labor, materials, equipment, plan, and insurance necessary for sampling, handling, transporting, testing, documentation, fees, permits and any other incidentals necessary to complete the work as specified herein for sampling and testing of contaminated/potentially hazardous soil.

Payment will be made under:

| ITEM NUMBER | ITEM | PAYMENT UNIT |
|-------------|--|--------------|
| 8.01 C2 | Sampling and Testing of Contaminated/ Potentially Hazardous Soil for Disposal Parameters | Set |

ITEM 8.01 H HANDLING, TRANSPORTING, AND DISPOSAL OF HAZARDOUS SOILS

8.01 H.1 WORK TO INCLUDE

General: This work shall consist of the handling, transportation and disposal of soils or materials that are listed as hazardous wastes or exhibit any of the characteristics of a hazardous waste, namely ignitability, corrosivity, reactivity, and toxicity, as defined in 6 NYCRR Part 371, Section 371.3 and 40 CFR Section 261. For the purpose of this specification, soils shall be defined as any materials excavated below the pavement and base for pavement.

Contaminated soils determined to be hazardous under Item 8.01 C2 shall be handled, transported, and disposed of under Item 8.01 H in accordance with the specifications herein.

The independent Environmental Consultant retained by the Contractor, as specified under Item 8.01 S – Health and Safety, shall conduct sampling and analysis of above soils to determine which soils are hazardous.

All work under Item 8.01 H shall be performed under the direct supervision of the Contractor's Environmental Consultant, as approved by the Program Administration, Engineering Support Services (ESS).

The Contractor shall ensure that all operations associated with the handling, sampling, loading, transportation, and disposal of hazardous materials are in compliance with the applicable Federal, State, and Local statutes and regulations.

The Contractor shall document the excavation, handling, sampling, and testing, transportation and disposal of hazardous soils. The City shall be listed in the disposal documents as the waste generator.

The Contractor shall supply all equipment, material and labor required to conduct the specified work of this section.

The Contractor shall ensure that all operations associated with the handling, sampling, loading, transportation and disposal of hazardous soils are conducted in a manner to protect site personnel, the public and the environment, in accordance with all applicable Federal, State, and Local laws and regulations.

The Contractor shall decontaminate all equipment prior to its removal from the exclusion zone and/or following contact with hazardous materials, as detailed in Item 8.01 S - Health and Safety. Water generated during the decontamination process shall be disposed of under Item 8.01 W1 – Removal, Treatment and Discharge/Disposal of Contaminated Water.

- A. <u>Material Handling Plan</u>: Within forty-five (45) calendar days after award of Contract, the Contractor shall submit to the Program Administration, ESS for review, a Material Handling Plan (MHP). The MHP must be approved by the Program Administration, ESS, prior to the Contractor's commencement of work. The MHP shall, at a minimum, consist of:
 - 1. The Contractor's procedures for identifying contaminated/potentially hazardous soils during excavation, including instrumentation and calibration procedures to be used.
 - 2. The Contractor's procedures for safely handling hazardous soils or soils which have not yet been tested but are believed to be potentially hazardous.
 - 3. Identification of the Contractor's proposed waste transporter(s). This information shall include:
 - a. Name and waste transporter permit number
 - b. Address

- c. Name of responsible contact for the hauler
- d. Telephone number for the contact
- e. Any and all necessary permit authorizations for each type of waste transported
- f. Previous experience in performing the type of work specified herein
- 4. All staging/stockpiling areas (if stockpiling areas are intended and available), or alternate procedures that will be used. Alternate procedures could include, but are not limited to, agreements from the intended disposal or treatment facilities to accept boring data and/or analytical data previously obtained during the site characterization so that materials may be directly loaded into vehicles for shipment to the disposal facility or the use of off-site stockpiling locations approved by the DEC.
- 5. A backup facility, should the staging/stockpile areas become unavailable, insufficient in area or not be present by some other unforeseen difficulty.
- 6. Identification of the Contractor's two proposed United State Environmental Protection Agency (EPA) or DEC approved RCRA TSD facilities for hazardous soils.
- 7. The Contractor shall submit the following information prior to any transportation of soils regarding the temporary and final off-site TSD or facilities where it is proposing to take hazardous soils. The expense of furnishing all information will be included in the Contractor's bid price:
 - a. General Information
 - (1) Facility name and the EPA identification number
 - (2) Facility location
 - (3) Name of responsible contact for the facility
 - (4) Telephone number for contact
 - (5) Signed letter of agreement to accept waste as specified in this contract
 - (6) Signed letter of agreement with a TSD for disposal of waste that may not be land-disposed
 - (7) Unit of measure utilized at each facility for costing purposes
 - b. A listing of all permits, licenses, letters of approval, and other authorizations to operate, which are currently held and valid for the proposed facility as they pertain to receipt and management of wastes derived from this Contract.
 - c. A listing of all permits, licenses, letters of approval, and other authorizations to operate which have been applied for by the proposed facility.
 - d. The Contractor shall specify and describe the disposal/containment unit(s) that the proposed facility will use to manage the waste. The Contractor shall identify the capacity available in the units and the capacity reserved for the subject waste.
 - e. The Contractor shall provide the date of the proposed facility(ies) last compliance inspection under RCRA.
 - f. A list of all active (unresolved) compliance orders, agreements, enforcement notices or notices of violations issued to the proposed facility shall be approved. The source and nature of the cause of violation shall be stated, if known.
- 8. Description of all sampling and analyses that will be needed to obtain disposal facility approval.

8.01 H.2 MATERIALS

- A. Containers shall be watertight as required in the DOT regulations and must meet all applicable regulations including but not limited to those in Attachment 2.
- B. Polyethylene (20 mil. thickness minimum) to be placed under and (10 mil. thickness minimum) over soil piles. If soils are placed in drums, polyethylene must be placed over the drums.

8.01 H1.3 CONSTRUCTION DETAILS

A. Material Handling

- 1. The Contractor shall institute procedures to protect site personnel and the public from the non-hazardous and hazardous materials as described in Section 8.01 S Health and Safety.
- 2. The Contractor shall handle hazardous soil as approved in the MHP.
- 3. Stockpiled materials at the temporary TSD facility shall be handled according to the facility requirements but at a minimum: shall be drummed or placed on and covered with polyethylene to protect against erosion and leaching into surrounding soils, the stockpile area shall be graded for positive drainage away from the pile, and shall be labeled while being held for sampling prior to permanent disposal.
- 4. Provide any dewatering that is necessary to complete the work. Water shall be disposed of in accordance with Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.

B. Off-Site Transportation and Disposal

1. The Contractor shall furnish all labor, equipment and supplies required to transport hazardous materials from the work area to the off-site TSD facility(ies) and to acquire any other items and services required for transporting hazardous materials for storage and/or disposal at an approved off-site facility.

2. Weight Measurement

- a. The Contractor shall submit the name and location of the facility where an off-site scale is located. The Contractor shall also submit a plan to the DDC for review outlining procedures on controlling trucks leaving the work site and on-route to the off-site scale. The Contractor shall be responsible for tracking all materials/vehicles from the site to the off-site scale.
- b. The Contractor shall provide to the DDC certified tare and gross weight slips for each load received at the accepted facility which shall be attached to each returned manifest.

3. General

- a. Manifests: The Contractor shall organize and maintain the material shipment records/manifests required by law.
- b. The Contractor shall coordinate the schedule for truck arrival and material deliveries at the job site to meet the approved project schedule. The schedule shall be compatible with the availability of equipment and personnel for material handling at the job site.

- c. The Contractor shall inspect all vehicles leaving the project site to ensure that hazardous soils adhering to the wheels or under carriage are removed prior to the vehicle leaving the site.
- d. The Contractor shall obtain letters of commitment from the waste haulers and the TSD facility to haul and accept shipments. The letter shall indicate agreement to handle and accept the specified estimated quantities and types of material during the time period specified in the project schedule and any time extension as deemed as necessary.

4. Hauling

- a. The Contractor shall not deliver waste to any facility other than the TSD facility(ies) listed on the shipping manifest.
- b. The Contractor shall coordinate manifesting, placarding, of shipments, and vehicle decontamination. All quantities shall also be measured and recorded upon arrival at the TSD facility. If any deviation between the two records occurs, the matter is to be reported immediately to the DDC and to be resolved by the Contractor to the satisfaction of the DDC.
- c. The Contractor shall be held responsible, at its own expense, for any and all actions necessary to remedy situations involving material spilled in transit or mud and dust tracked off-site.
- d. The Contractor shall ensure that trucks are protected against contamination by properly covering and lining them with compatible material (such as polyethylene) or by decontaminating them prior to any use other than hauling hazardous materials.
- e. The Contractor shall be responsible for inspecting the access routes for road conditions, overhead clearance, and weight restrictions.
- f. The Contractor shall only use the transporter(s) identified in the MHP for the performance of work. Only a transporter with a current Part 364 Waste Transporter Permit from the DEC may transport this material. Any use of substitute or additional transporters must have previous written approval from the DDC at no additional cost to the City.
- g. The Contractor shall develop, document, and implement a policy for accident prevention.
- h. The Contractor shall not combine hazardous materials from other projects with material from this project.
- i. The Contractor shall obtain for the City an EPA hazardous waste generator identification number and a representative of Program Administration, ESS will review and sign the manifest as the generator.
- j. No materials shall be transported until approved by the DDC.

5. Off-Site Disposal

- a. The Contractor shall be responsible for acceptance of the materials at an approved TSD facility, for ensuring that the facility is properly permitted to accept the stated materials, and that the facility provides the stated storage and/or disposal services.
- b. In the event that the identified and approved facility ceases to accept the stated materials or the facility ceases operations, it is the Contractor's responsibility to

locate an alternate approved and permitted facility(ies) for accepting materials. The Contractor is responsible for making the necessary arrangements to utilize the facility(ies), and the alternate facility(ies) must be approved in writing by the DDC in the same manner and with the same requirements as for the original facility(ies). This shall be done with no extra cost or delay to the City.

- c. The Contractor shall submit all results and weights to the DDC.
- d. The Contractor is responsible to pay all fees associated with the generation and disposal of all excavated hazardous waste. These fees include, but are not limited to, the New York State Department of Finance and Taxation (DFT) quarterly fees for hazardous waste and the New York State DEC annual hazardous waste regulatory fee program. The Contractor shall submit a copy of proof of payment to the DDC and Program Administration, ESS.
- 6. Equipment and Vehicle Decontamination

The Contractor shall design and construct a portable decontamination station to be used to decontaminate equipment and vehicles exiting from the exclusion zone. The cost for this work shall be paid under Item 8.01 S - Health and Safety. Disposal of decontamination liquids is described under Item 8.01 W1 - Removal, Treatment and Discharge/Disposal of Contaminated Water.

7. Record Keeping

The Contractor shall obtain manifest forms, and complete the shipment manifest records required by the appropriate regulatory agencies for verifying the material and quantity of each load in unit of volume and weight. Copies of each manifest shall be submitted to the DDC within four (4) business days following shipment, and within three (3) business days after notification of receipt of the facility. Any manifest discrepancies shall be reported immediately to the DDC and be resolved by the Contractor to the satisfaction of the DDC.

8.01 H.4 METHOD MEASUREMENT

Quantities for hazardous soil shall be measured in tons satisfactorily delivered to the treatment, storage or disposal facility. The tonnage will be determined by off-site truck scales, as per subsection 8.01 H1.3.B.2, that are capable of generating load tickets.

8.01 H.5 PRICE TO COVER

- A. The unit price bid per ton for Item 8.01 H shall include the cost of furnishing all labor, materials, equipment, plan, and insurance for excavation, handling, transportation, disposal, documentation, permits, fees, taxes, stockpiling, hauling, and any other incidentals necessary to complete the work as specified herein for handling, transporting and disposal of hazardous soils.
- B. Final disposal of non-hazardous materials shall be paid for under Item 8.01 C1 Handling, Transporting and Disposal of Non-Hazardous Soils. Disposal of decontamination water shall be paid under Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.
- C The independent Environmental Consultant shall be paid under Item 8.01 S Health and Safety.
- D. Backfill will be paid for under its respective item.

Payment will be made under:

ITEM NUMBER ITEM PAYMENT UNIT

8.01 H Handling, Transporting, and Disposal of Hazardous Soils

Tons

ITEM 8.01 S HEALTH AND SAFETY

8.01 S.1 WORK TO INCLUDE

Health and Safety Requirements

A. Scope of Work

It is the Contractor's responsibility to stage and conduct his work in a safe manner. The Contractor shall implement a Health and Safety Plan (HASP) for contaminated/hazardous soil intrusive activities as set forth in Occupational Safety and Health Administration (OSHA) Standards 1910.120 and 1926.650-652. The Contractor shall ensure that all workers have at a minimum hazard awareness training. The Contractor shall segregate contaminated work area in secured exclusion zones. These zones shall limit access to Contractor personnel specifically trained to enter the work area. The exclusion zone shall be set up to secure the area from the public and untrained personnel. The project health and safety program shall apply to all construction personnel including persons entering the work area. In addition, the Contractor shall protect the public from on-site hazards, including subsurface contaminants associated with on-site activities. The HASP shall be signed off by a Certified Industrial Hygienist and reviewed by Program Administration, Engineering Support Services (ESS).

Work shall include, but not be limited to:

- 1. Implementation of a baseline medical program.
- 2. Providing safety equipment and protective clothing for site personnel, including maintenance of equipment on a daily basis; replacement of disposable equipment as required; decontamination of clothing, equipment and personnel; and providing all other health and safety measures.
- 3. Providing, installing, operating and maintaining on-site emergency medical first aid equipment as specified in this section for which payment is not provided under other pay items in this Contract.
- 4. Providing, installing, operating, maintaining and decommissioning all equipment and personnel decontamination facilities specified within this section, including, but not limited to, the decontamination pad, decontamination water supply, decontamination water collection equipment and all other items and services required for the implementation of the health and safety requirements for which pay items are not provided elsewhere in this Contract.
- 5. Provide the minimum health and safety requirements for excavation activities within the limits of this Contract.
- 6. Implement and enforce a HASP: The HASP as presented in these specifications is dynamic with provisions for change to reflect new information, new practices or procedures, changing site environmental conditions or other situations which may affect site workers and the public. The HASP will also address measures for community protection, accident prevention, personnel protection, emergency response/contingency planning, air monitoring, odor control and hazardous chemicals expected on site. Providing a Confined Space Entry Program as defined in the Occupational Safety and Health Act, Confined Space Entry Standard, 29 CFR 1910.146.

B. Environmental Consulting Services

The Contractor shall retain an independent Environmental Consultant to obtain all permits and perform all field screening, air monitoring, community air monitoring, soil sampling, and

health and safety services. The independent Environmental Consultant shall at a minimum provide documentation to the Program Administration, ESS demonstrating the minimum requirements as set forth below:

- 1. The independent Environmental Consultant project supervisor on site and other designated key personnel shall have a minimum of three (3) years experience in the environmental field dealing with issues associated with contaminated soils. Such experience shall include oversight on environmental, specifically volatile organic compound and dust monitoring services as a routine part of its daily operations.
- 2. The independent Environmental Consultant must be experienced in work of this nature, size, and complexity and must have previous experience in working with the DEC.
- 3. The independent Environmental Consultant shall furnish a project listing identifying the location, nature of services provided, owner, owner's contact, contact's telephone number, project duration and value for at least five (5) projects within the last three (3) years.
- 4. If conditions within the exclusion zone are deemed hazardous, then the Contractor and its independent Environmental Consultant shall ensure that all personnel working within identified exclusion zones and/or involved (direct contact) with the handling, storage or transport of hazardous and contaminated materials shall have completed a minimum of forty (40) hours of Health and Safety Training on Hazardous Waste Sites in accordance with 29 CFR 1910.120(e). The training program shall be conducted by a qualified safety instructor. If conditions in the exclusion zone are deemed to be non-hazardous, the independent Environmental Consultant shall provide site specific training.
- 5. The Contractor shall ensure that on-site management and supervisors directly responsible for or who supervise employees engaged in hazardous waste operations shall receive the training specified in above and at least eight (8) additional hours of specialized training on managing such operations at the time of job assignment.

C. Submittals

- 1. The Contractor shall submit, within forty-five (45) calendar days after the contract award, a written HASP as specified herein, to Program Administration, ESS for review and comment. The Contractor shall make all necessary revisions required by Program Administration, ESS and resubmit the HASP to the Program Administration, ESS for acceptance. Start-up work for the project will not be permitted until written acceptance has been issued by the Program Administration, ESS.
- 2. Daily safety logs shall be maintained by the Contractor and shall be submitted to the DDC either on request or on completion of the work. Training logs shall be maintained by the Contractor and submitted to the DDC either on request or on completion of the work. Daily logs on air monitoring during excavation activities shall be prepared and maintained by the Contractor and submitted to the DDC either on request or upon completion of the work.
- 3. A closeout report shall be submitted by the Contractor to the DDC upon completion of the work within the defined exclusion zones. This report shall summarize the daily safety and monitoring logs and provides an overview of the Contractor's performance regarding environmental and safety issues. The report shall carefully document all areas where contamination has been found including pictures, addresses of locations, and potential sources.
- 4. Medical Surveillance Examinations: The Contractor shall submit to the DDC the name, office address and telephone number of the medical consultant utilized. Evidence of

baseline medical examinations together with the evidence of the ability to wear National Institute for Occupational Safety and Health (NIOSH) approved respirators (as specified in American National Standards Institute (ANSI) Z88.6) shall be provided to the DDC for all construction personnel who are to enter the exclusion zones.

5. Accident Reports: All accidents, spills, or other health and safety incidents shall be reported to the DDC.

D. Health and Safety Plan

The HASP shall comply with OSHA regulations 29 CFR 1910.120/1926.65. This document shall at a minimum contain the following:

- 1. Description of work to be performed
- 2. Site description
- 3. Key personnel
- 4. Worker training procedures
- 5. Work practices and segregation of work area
- 6. Hazardous substance evaluation
- 7. Hazard assessment
- 8. Personal and community air monitoring procedures and action levels
- 9. Personal protective equipment
- 10. Decontamination procedures
- 11. Safety rules
- 12. Emergency procedures
- 13. Spill control, dust control, vapor/odor suppression procedures
- 14. Identification of the nearest hospital and route
- 15. Confined space procedures
- 16. Excavation safety procedures

8.01 S.2 MEASUREMENT

Health and Safety Requirements

A. 25% of the lump sum price will be paid when the following items are implemented or mobilized:

Medical surveillance program

Health and safety training

Health and safety plan

Environmental and personnel monitoring

Instrumentation

Spill control

Dust control

Personnel and equipment decontamination facilities

Personnel protective clothing

Communications

Mobilization

- B. 50% will be paid in proportional monthly amounts over the period of work.
- C 25% will be paid when the operation is demobilized and removed from the project site.

8.01 S.3 PRICE TO COVER

Health and Safety Requirements

The lump sum price bid for the health and safety requirements shall include all labor, materials, equipment, and insurance necessary to complete the work in accordance with these specifications. The price bid shall include, but not be limited to, the following:

- A. Providing training, safety personnel, air monitoring and medical examinations as specified.
- B. Providing safety equipment and protective clothing for site personnel, including maintenance of equipment on a daily basis; replacement of disposable equipment as required; decontamination of clothing, equipment and personnel; and all other health and safety activities or costs not paid for under other pay items in this Contract.
- C. Providing, installing, operating and maintaining on-site emergency medical and first aid equipment. This includes all furnishings, equipment, supplies and maintenance of all medical equipment, and all other health and safety items and services for which payment is not provided under other pay items in this Contract.
- D. Providing, installing, operating, maintaining, and decommissioning all personnel and equipment decontamination facilities, including decontamination pad, decontamination water supply, and all other items and services required for the implementation of the health and safety requirements for which pay items are not provided elsewhere in this Contract. Vehicle decontamination pads shall be included in the price of this item. Disposal of decontamination fluid shall be paid for under Item 8.01 W1 Removal, Treatment and Discharge/Disposal of Contaminated Water.

E. Spill Control

- 1. Payment shall account for furnishing, installing, and maintaining all spill control equipment and facilities. Payment will include equipment and personnel to perform emergency measures required to contain any spillage and to remove spilled materials and soils or liquids that become contaminated due to spillage during work within the exclusion zones and handling of excavated soils and liquids from these areas. This collected spill material will be properly disposed of.
- 2. Payment under this item shall not include testing, handling, transportation or disposal of petroleum-contaminated/potentially hazardous soils excavated during construction. The price for this work will be paid for under Items 8.01 C1 Handling, Transporting and Disposal of Non-Hazardous Contaminated Soils, 8.01 C2 Sampling and Testing of Contaminated/Potentially Hazardous Soil for Disposal Parameters or 8.01 H Handling, Transporting and Disposal of Hazardous Soils, as appropriate.

F. Dust Control

Payment shall account for furnishing, installing, and maintaining dust control equipment and facilities to be used whenever applicable dust levels are exceeded. Payment will include all necessary labor, equipment, clean water, foam, and all other materials required by the Dust Control Plan. The DOH Community Air Monitoring Plan (CAMP) may be used as guidance.

G. Vapor/Odor Suppression

Payment shall account for furnishing, installing and maintaining vapor/odor control equipment and facilities to be used whenever organic vapor monitoring or the presence of odors indicates that vapor suppression is required to protect workers or the public. Payment will include all necessary labor, equipment, clean water, foam and all other materials required by the Vapor/Odor Suppression Plan.

H. Mobilization/Demobilization

1. Mobilization

Payment shall include but not be limited to:

- a. All work required to furnish, install and maintain all signs, fencing, support zone facilities, parking areas and all temporary utilities;
- b. All work required to furnish, install, and maintain an office space with phone and utilities for health and safety personnel;
- c. All work required for complete preparation of lay down area for roll-off containers, including sampling, and any required fencing;
- d. All direct invoiced cost from bonding companies and government agencies for permits and costs of insurance; and
- e. All other items and services required for mobilization and site preparation.

2. Demobilization

Payment shall include but not be limited to: All work required to sample the area; remove from the site all equipment, temporary utilities and supporting facilities; performance of necessary decontamination and repairs; disposal of disposable equipment and protective gear and other items and services required for complete demobilization.

Payment will be made under:

| ITEM NUMBER | ITEM | PAYMENT UNIT |
|-------------|-------------------|--------------|
| 8.01 S | Health and Safety | Lump Sum |

ITEM 8.01 W1 REMOVAL, TREATMENT AND DISCHARGE/DISPOSAL OF CONTAMINATED WATER

8.01 W1.1 WORK TO INCLUDE

General: This work shall consist of the proper removal and disposal of all contaminated groundwater and decontamination water generated during construction operations. The Contractor shall be solely responsible for the proper disposal or discharge of all contaminated water generated at the job site. The Contractor will have the option of treating water on-site for discharge to the combined sanitary/storm sewer system or removing contaminated water for off-site disposal. The Contractor shall be responsible to choose a method compatible to the construction work and shall be compensated on a per day basis regardless of method employed. The Contractor will be compensated for only those days where the system is in full operation.

The Contractor shall retain a dewatering/water treatment Specialist (hereinafter the "Specialist") and laboratory as specified under Item 8.01 W2 – Sampling and Testing of Contaminated Water, to conduct any testing that may be required for disposal of impacted water.

The dewatering/water treatment Specialist is responsible to obtain all permits; perform all water sampling, testing; and provide ancillary services related to dewatering and water treatment. The Specialist shall at a minimum provide documentation to the Program Administration, Engineering Support Services (ESS) demonstrating the minimum requirements as set forth below:

- 1. The Specialist shall demonstrate that it has, at a minimum, three (3) years experience in the design of dewatering plans. The Specialist should demonstrate expertise dealing with issues associated with contaminated water. During that three (3) year period, the Specialist shall demonstrate that it provided dewatering and water treatment systems as a routine part of its daily operations.
- 2. The Specialist must be experienced in work of this nature, size, and complexity and must have previous experience in working with the DEC.
- 3. The Specialist shall furnish a project listing identifying the location, nature of services provided, owner, owner's contact, contact's telephone number, project duration and value for at least five (5) projects within the last three (3) years of a similar nature, size, and complexity to this one.
- 4. If conditions within the exclusion zone are deemed hazardous, then the Contractor and its independent Environmental Consultant shall ensure that all personnel working within identified exclusion zones and/or involved (direct contact) with the handling, storage or transport of hazardous and contaminated material shall have completed a minimum of forty (40) hours of Health and Safety Training on Hazardous Waste Sites in accordance with 29 CFR 1910.120(e). The training program shall be conducted by a qualified safety instructor. If conditions in the exclusion zone are deemed to be non-hazardous, the Specialist shall be responsible to provide site-specific training to its employees and other affected personnel.
- 5. The Contractor shall ensure that on-site management and supervisors directly responsible for or who supervise employees engaged in hazardous waste operations shall receive the training specified in above and at least eight (8) additional hours of specialized training on managing such operations at the time of job assignment.

The Contractor shall document all operations associated with the handling, sampling and disposal of contaminated water, and ensure that they are in compliance with applicable Federal, State and Local statutes and regulations.

The Contractor shall supply all labor, equipment, transport, plant, material, treatment, and other incidentals required to conduct the specified work of this section.

If water will be disposed of into the combined sanitary/storm sewer system, the Contractor shall ensure the Specialist treats the water to comply with the New York City Department of Environmental Protection (DEP) Sanitary/Combined and Storm Sewer Effluent Limit concentrations prior to discharge. The Contractor is responsible for providing settling or filtering tanks and any other apparatus required by DEP. Alternatively, the Contractor can provide a plan for transport and disposal at an off-site waste disposal facility.

Within forty-five (45) calendar days after award of Contract, the Contractor shall submit to the Program Administration, ESS for review, a Water Handling Plan (WHP). The WHP must be approved by the Program Administration, ESS, prior to the Contractor's commencement of work. The minimum requirements for the WHP are specified herein Item 8.01W 1.2, for each type of disposal (disposal into the combined sanitary/storm sewer or off-site disposal). The Contractor shall maintain a complete, up to date copy of the WHP on the job site at all times.

8.01 W1.2 CONSTRUCTION DETAILS

For each disposal method the Contractor proposes to utilize (disposal to combined sanitary/storm sewer or off-site disposal), the WHP shall include the information required in paragraphs A and B below, as appropriate.

- A. On-site treatment and discharge into New York City combined sanitary/storm sewers.
 - 1. Regulations: The Contractor shall comply with all applicable regulations. This includes but may not be limited to:
 - Title 15-New DEP Sewer Use Regulations.
 - 2. Permits: The Contractor is solely responsible to obtain all necessary and appropriate Federal, State and Local permits and approvals. The Contractor will be responsible for performing all and any system pilot tests required for permit approval. This includes but may not be limited to:
 - a. Industrial waste approval for the New York City sewer system.
 - b. Groundwater discharge permit for the New York City sewer system (DEP Division of Sewer Regulation and Control), if discharge to sewer exceeds 10,000 gallons per day.
 - c. The Contractor shall comply with DEC State Pollutant Discharge Elimination System (SPDES) Permit Number GP-0-10-001, General Permit for Stormwater Discharges.
 - d. Long Island well point permit for Brooklyn and Queens sites, if well points are used for dewatering.
 - e. Wastewater quality control application, DEP.
 - 3. The WHP for this portion of the work shall include at a minimum:

- a. Identification and design of Contractor's proposed treatment to assure that the water meets the DEP sewer use guidelines prior to discharge to the sewer, including identification of all materials, procedures, settling or filtering tanks, filters and other appurtenances proposed for treatment and disposal of contaminated water.
- b. The name, address and telephone number of the contact for the Contractor's proposed chemical laboratory, as well as the laboratory's certifications under Federal, State or non-governmental bodies.
- c. The name, address and telephone number of the contact for the Contractor's proposed independent Environmental Consultant.
- d. Copies of all submitted permit applications and approved permits the Contractor have received.

4. Materials

The Contractor shall supply all settling or filtering tanks, pumps, filters, treatment devices and other appurtenances for treatment, temporary storage and disposal of contaminated water. All equipment shall be suitable for the work described herein.

5. Execution

- a. The Contractor is solely responsible for disposal of all water, in accordance with all Federal, State and Local regulations.
- b. The Contractor is solely responsible for any treatment required to assure that water discharged into the sewer is in compliance with all permits and Federal, State and Local statutes and regulations.
- c. The Contractor is solely responsible for the quality of the water disposed of into the sewers.
- d. The Contractor is responsible for sampling and testing of water for the DEP Sanitary/Combined and Storm sewer Effluent Limit concentrations. The quality of the data is the Contractor's responsibility. Any sampling and testing shall be conducted and paid in accordance with Item 8.01 W2 Sampling and Testing of Contaminated Water.
- e. The Contractor shall be responsible to maintain the discharge rate to the sewer such that all permit requirements are met, the capacity of the sewer is not exceeded and no surcharging occurs downstream due to the Contractor's actions. Dewatering by means of well points or deep wells will not be allowed in the Boroughs of Brooklyn or Queens where the rate of pumping exceeds forty-five (45) gallons per minute unless the appropriate permit has been secured from the DEC.

f. Disposal of Treatment Media

- (1) The Contractor shall be responsible for disposal or recycling of treatment media in accordance with all Federal, State and Local regulations.
- (2) The Contractor shall provide the DDC with all relevant documentation concerning the disposal of treatment media, including manifests, bills of

- lading, certificates of recycling or destruction and other applicable documentation.
- (3) Disposal of treatment media shall not be considered as a separate pay item; instead it shall be considered as incidental work thereto and included in the unit price bid.

B. Off-Site Disposal

- 1. Regulations: The Contractor shall conform to all applicable Federal, State and Local regulations pertaining to the transportation, storage and disposal of any hazardous and/or non-hazardous materials as listed in Attachment 2.
- 2. The following shall be submitted to the DDC prior to initiating any off-site disposal:
 - a. (1) Name and waste transporter permit number
 - (2) Address
 - (3) Name of responsible contact for the hauler
 - (4) Any and all necessary permit authorizations for each type of waste transported
 - (5) Previous experience in performing the type of work specified herein
 - b. General information for each proposed treatment/disposal facility and at least one backup treatment/disposal facility
 - (1) Facility name and EPA identification number
 - (2) Facility location
 - (3) Name of responsible contact for the facility
 - (4) Telephone number for contact
 - (5) Unit of measure utilized at facility for costing purposes
 - c. A listing of all permits, licenses, letters of approval and other authorizations to operate, which are currently held and valid for the proposed facility as they pertain to receipt and management of the wastes derived from this Contract.
 - d. A listing of all permits, licenses, letters of approval and other authorizations to operate which have been applied for by the proposed facility but not yet granted or issued. Provide dates of application(s) submitted. Planned submittals shall also be noted.
 - e. The Contractor shall specify and describe the disposal/containment unit(s) that the proposed facility will use to manage the waste and provide dates of construction and beginning of use, if applicable. Drawings may be provided. The Contractor shall identify the capacity available in the units and the capacity reserved for the subject waste.
 - f. The Contractor shall provide the date of the proposed facility's last compliance inspection.

- g. A list of all active (unresolved) compliance orders, agreements, enforcement notices or notices of violations issued to the proposed facility shall be submitted. The source and nature of the cause of violation shall be stated, if known. If groundwater contamination is noted, details of the facility's groundwater monitoring program shall be provided.
- h. Description of all sampling and field/laboratory analyses that will be needed to obtain disposal facility approval.

3. Materials

All vessels for temporary storage and transport to an off-site disposal facility shall be as required in DOT regulations.

4. Execution

a. General

- (1) The Contractor shall organize and maintain the material shipment records/manifests required by Federal, State and Local law. The Contractor shall include all bills of lading, certificates of destruction, recycling or treatment and other applicable documents.
- (2) The Contractor shall coordinate the schedule for truck arrival and material deliveries at the job site to meet the approved project schedule. The schedule shall be compatible with the availability of equipment and personnel for material handling at the job site.
- (3) The Contractor shall inspect all vehicles leaving the project site to ensure that contaminated liquids are not spilling and are contained for transport.
- (4) The Contractor shall obtain letters of commitment from the waste haulers and the treatment, disposal or recovery facility to haul and accept shipment. The letter shall indicate agreement to handle and accept the specified estimated quantities and types of material during the time period specified in the project schedule and any time extension as deemed as necessary.
- (5) The Contractor shall verify the volume of each shipment of water from the site.
- (6) The Contractor is responsible for sampling and testing of water for off-site disposal. The quality of the data is the Contractor's responsibility. Any sampling and testing shall be conducted and paid in accordance with Item 8.01 W2 Sampling and Testing of Contaminated Water.
- (7) The Contractor shall be responsible for any additional analyses required by the TSD facility, and for the acceptance of the water at an approved TSD facility.

b. Hauling

(1) The Contractor shall not deliver waste to any facility other than the TSD facility(ies) listed on the shipping manifest.

- (2) The Contractor shall coordinate manifesting, placarding of shipments, and vehicle decontamination. All quantities shall also be measured and recorded upon arrival at the TSD facility(ies). If any deviation between the two records occurs, the matter is to be reported immediately to the DDC and shall be resolved by the Contractor to the satisfaction of the DDC.
- (3) The Contractor shall be held responsible for any and all actions necessary to remedy situations involving material spilled in transit or mud and dust tracked off-site. This cleanup shall be accomplished at the Contractor's expense.
- (4) The Contractor shall be responsible for inspecting the access routes for road conditions, overhead clearance and weight restrictions.
- (5) The Contractor shall only use the transporter(s) identified in the WHP for the performance of work. Only a transporter with a current Part 364 Waste Transporter Permit from DEC may transport this material. Any use of substitute or additional transporters must have previous written approval from the DDC at no additional cost to the City.
- (6) The Contractor shall develop, document, and implement a policy for accident prevention.
- (7) The Contractor shall not combine waste materials from other projects with material from this project.
- (8) The Contractor shall obtain for the City a hazardous waste generator identification number and will sign the manifest as the generator, if necessary.
- (9) No material shall be transported until approved by the DDC.

c. Disposal Facilities

- (1) The Contractor shall use only the TSD facility(ies) identified in the WHP for the performance of the work. Substitutions or additions shall not be permitted without prior written approval from the Program Administration, ESS, and, if approved, shall be at no extra cost to the City.
- (2) The Contractor shall be responsible for acceptance of the material at an approved TSD facility, for ensuring that the facility is properly permitted to accept the stated material, and that the facility provides the stated storage and/or disposal services.
- (3) The DDC reserves the right to contact and visit the disposal facility and regulatory agencies to verify the agreement to accept the stated material and to verify any other information provided. This does not in any way relieve the Contractor of his responsibilities under this Contract.
- (4) In the event that the identified and approved facility ceases to accept the stated materials or the facility ceases operations, it is the Contractor's responsibility to locate an alternate approved and permitted facility(ies) for accepting materials. The Contractor is responsible for making the necessary arrangements to utilize the facility(ies), and the alternate facility(ies) must be

approved in writing by the DDC in the same manner and with the same requirements as for the original facility(ies). This shall be done with no extra cost or delay to the City.

- d. Equipment and Vehicle Decontamination
 - (1) The Contractor shall design and construct a portable decontamination station to be used to decontaminate equipment and vehicles exiting the exclusion zone. The cost for this work shall be paid under Item 8.01 S Health and Safety.

8.01 W1.3 METHOD OF MEASUREMENT

The quantity for on-site treatment and discharge or off-site disposal shall be on a per day basis.

8.01 W1.4 PRICE TO COVER

- A. The per day price bid for Item 8.01 W1 shall include the cost of furnishing all labor, materials, equipment, plan, and insurance for handling, transportation, disposal, documentation, permits, hauling, mobilization and demobilization, and any other incidentals thereto to complete the work.
- B. The Contractor will not be paid for water that is within the DEP Sewer Discharge Limits.

Payment will be made under:

| ITEM NUMBER | ITEM | PAYMENT UNIT | |
|-------------|---|--------------|--|
| 8.01 W1 | Removal, Treatment and Disposal/Discharge of Contaminated Water | Day | |

ITEM 8.01 W2 SAMPLING AND TESTING OF CONTAMINATED WATER

8.01 W2.1 WORK TO INCLUDE

A. Description

The work shall consist of sampling and testing of potentially contaminated groundwater, surface runoff within the excavated area and all contaminated water generated during the decontamination process.

B. Sampling and Testing

- 1. The Contractor is responsible, at a minimum, for sampling and testing of contaminated water for the DEP Sanitary/Combined and Storm Sewer Effluent Limit concentrations as listed in Attachment 1. The quality of the data is the Contractor's responsibility. Any additional testing required by the Federal, State and/or disposal facilities shall be included in the bid price of this Item.
- 2. All sampling and testing shall be conducted by a person trained in sampling protocols using accepted standard practices and/or the DEC sampling guidelines and protocols.
- 3. All sample containers shall be marked with legible sample labels which shall indicate the project name, sample location and/or container, the sample number, the date and time of sampling, preservatives utilized, how the sample was chilled to 4 degrees Celsius, and other information that may be useful in determining the character of the sample.
- 4. Chain-of-custody shall be tracked from laboratory issuance of sample containers through receipt of the samples.
- 5. The Contractor shall maintain a bound sample log book. The Contractor shall provide the DDC access to it at all times and shall turn it over to the DDC in good condition at the completion of the work. The following information, as a minimum, shall be recorded to the log:
 - a. Sample identification number
 - b. Sample location
 - c. Field observation
 - d. Sample type
 - e. Analyses
 - f. Date/time of collection
 - g. Collector's name
 - h. Sample procedures and equipment used
 - i. Date sent to laboratory/name of laboratory
- 6. Only dedicated sampling equipment may be used to collect these samples. All equipment involved in field sampling must be decontaminated before being brought to the site, and must be properly disposed of after use.

- 7. Samples shall be submitted to the Contractor's laboratory within the holding times for the parameters analyzed.
- 8. All analyses must be done by a laboratory that has received approval from the DOH's ELAP for the methods to be done. The Contractor must specify the laboratory in the WHP.
- 9. Analytical results for water discharged to the sewer and for off-site disposal must be submitted to the DDC no later than five (5) days after sample collection.
- 10. The City reserves the right to direct the Contractor to conduct alternative sampling in lieu of the parameters described above, if the situation warrants. The substitute sampling parameters shall be of equal or lesser monetary value than those described above, as determined by industry laboratory pricing standards.

8.01 W2.2 METHOD OF MEASUREMENT

Quantities for samples shall be measured as the number of sets of samples that are tested for the DEP Sanitary/Combined and Storm Sewer Effluent Limit concentrations. A set shall be defined as one (1) representative sample analyzed for the full range of DEP parameters as specified in attachment 1.

8.01 W2.3 PRICE TO COVER

The unit price bid per set for Item 8.01 W2 shall include the cost of furnishing all labor, materials, equipment, plan, and insurance for handling, transport, sampling, testing, documentation, permits, other incidentals necessary to complete the work of sampling and testing of contaminated water. Any additional costs incurred by the Contractor for sampling and testing of contaminated water shall be included in the bid price of this Item.

Payment will be made under:

| ITEM NUMBER | ITEM | PAYMENT UNIT |
|-------------|--|--------------|
| | - | |
| 8.01 W2 | Sampling and Testing of Contaminated Water | Set |

ATTACHMENT 1

New York City Department of Environmental Protection
Limitations for Discharge To Storm, Sanitary/Combined Sewer

NEW YORK CITY DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF WASTEWATER TREATMENT

Limitations for Effluent to Sanitary or Combined Sewers

| Parameter ¹ | Daily
Limit | Units | Sample Type | Monthly Limit |
|------------------------------------|------------------|----------|---------------|---------------|
| Non-polar material ² | 50 | mg/l | Instantaneous | |
| pН | 5-11 | SU's | Instantaneous | |
| Temperature | < 150 | Degree F | Instantaneous | |
| Flash Point | > 140 | Degree F | Instantaneous | |
| Cadmium | 2 | mg/l | Instantaneous | |
| | 0.69 | mg/l | Composite | |
| Chromium (VI) | 5 | mg/l | Instantaneous | |
| Copper | 5 | mg/l | Instantaneous | |
| Lead | 2 | mg/l | Instantaneous | |
| Mercury | 0.05 | mg/l | Instantaneous | |
| Nickel | 3 | mg/l | Instantaneous | |
| Zinc | 5 | mg/l | Instantaneous | |
| Benzene | 134 | ppb | Instantaneous | 57 |
| Carbontetrachloride | | | Composite | |
| Chloroform | | | Composite | |
| 1,4 Dichlorobenzene | | | Composite | |
| Ethylbenzene | 380 | ppb | Instantaneous | 142 |
| MTBE (Methyl-Tert-
Butyl-Ether) | 50 | ppb | Instantaneous | |
| Naphthalene | 47 | ppb | Composite | 19 |
| Phenol | | | Composite | |
| Tetrachloroethylene (Perc) | 20 | ppb | Instantaneous | |
| Toluene | 74 | ppb | Instantaneous | 28 |
| 1,2,4 | | | Composite | |
| Trichlorobenzene | | | Commercia | |
| 1,1,1 Trichloroethane | | 1 | Composite | |
| Xylenes (Total) | 74 | ppb | Instantaneous | 28 |
| PCB's (Total) ³ | 1 2504 | ppb | Composite | |
| Total Suspended | 350 ⁴ | mg/l | Instantaneous | |
| Solids (TSS) | | | Commonito | |
| CBOD ⁵ | | | Composite | *** |
| Chloride ⁵ | | | Instantaneous | |
| Total Nitrogen ⁵ | | | Composite | |
| Total Solids ⁵ | | | Instantaneous | |
| Other | | 1 | | 1 |

All handling and preservation of collected samples and laboratory analyses of samples shall be performed in accordance with 40 C.F.R. pt. 136. If 40 C.F.R. pt. 136 does not cover the pollutant in question, the handling, preservation, and analysis must be performed in

accordance with the latest edition of "Standard Methods for the Examination of Water and Wastewater." All analyses shall be performed using a detection level less than the lowest applicable regulatory discharge limit. If a parameter does not have a limit, then the detection level is defined as the least of the Practical Quantitation Limits identified in NYSDEC's Analytical Detectability and Quantitation Guidelines for Selected Environmental Parameters, December 1988

- Analysis for *non-polar materials* must be done by EPA method 1664 Rev. A. Non-Polar Material shall mean that portion of the oil and grease that is not eliminated from a solution containing N-Hexane, or any other extraction solvent the EPA shall prescribe, by silica gel absorption.
- Analysis for PCB=s is required if **both** conditions listed below are met:
 - 1) if proposed discharge \geq 10,000 gpd;
 - 2) if duration of a discharge > 10 days.

Analysis for PCB=s must be done by EPA method 608 with MDL=<65 ppt. PCB's (total) is the sum of PCB-1242 (Arochlor 1242), PCB-1254 (Arochlor 1254), PCB-1221 (Arochlor 1221), PCB-1232 (Arochlor 1232), PCB-1248 (Arochlor 1248), PCB-1260 (Arochlor 1260) and PCB-1016 (Arochlor 1016).

- For discharge ≥ 10,000 gpd, the TSS limit is 350 mg/l. For discharge < 10,000gpd, the limit is determined on a case by case basis.
- 5 Analysis for Carbonaceous Biochemical Oxygen Demand (CBOD), Chloride, Total Solids and Total Nitrogen are required if proposed discharge ≥ 10,000 gpd.

ATTACHMENT 2

Applicable Regulations

Applicable regulations include, but are not limited to:

- 1. 49 CFR 100 to 179 DOT Hazardous Materials Transport and Manifest System Requirements
- 2. New York State Department of Environmental Conservation (DEC), Spills Technology and Remediation Series (STARS) Memo #1
- 3. 6 NYCRR 360-1 DEC Solid Waste Management Facilities
- 4. 6 NYCRR 364- Waste Transporter permits
- 5. Local restrictions on transportation of waste/debris
- 6. 40 CFR 260 to 272 Hazardous Waste Management (RCRA)
- 7. 6 NYCRR 371 Identification and Listing of Hazardous Wastes
- 8. 6 NYCRR 372 Hazardous Waste Manifest System and Related Standards for Generators, Transporters and Facilities
- 9. 6 NYCRR 373-1 Hazardous Waste Treatment, Storage and Disposal Facility Permitting Requirements
- 10. 6 NYCRR 376 Land Disposal Restrictions
- 11. Posted weight limitations on roads or bridges
- 12. Transportation Skills Programs, Inc. 1985 Hazardous Materials and Waste Shipping Papers and Manifests
- 13. Other local restrictions on transportation of waste/debris
- 14. Occupational Safety and Health Administration (OSHA), Standards and Regulations, 29 CFR 1910 (General Industry)
- 15. OSHA 29 CFR 1910.120 Hazardous Waste Operations and Emergency Response
- 16. OSHA Safety and Health Standards 29 CFR 1926 (Construction Industry)
- 17. OSHA 29 CFR 1910.146 Confined Space Entry Standard
- 18. Standard Operating Safety Guidelines, EPA Office of Emergency and Remedial Response Publication, 9285.1-03
- 19. NIOSH / OSHA / USCG / EPA Occupational Safety and Health Guidance Manual for Hazardous Waste Site Activities (1986)
- 20. U.S. Department of Health and Human Services (DHHS) "NIOSH Sampling and Analytical Methods," DHHS (NIOSH) Publication 84-100
- 21. ANSI, Practice for Respiratory Protection, Z88.2 (1980)
- 22. ANSI, Emergency Eyewash and Shower Equipment, Z41.1 (1983)
- 23. ANSI, Protective Footwear, Z358.1 (1981)
- 24. ANSI, Physical Qualifications for Respirator Use, Z88.6 (1984)
- 25. ANSI, Practice for Occupational and Educational Eye and Face Protection, Z87.1 (1968)
- 26. Water Pollution Control Federation "Manual of Practice No. 1, Safety in Wastewater Works"

Page 33

- 27. NFPA No. 327 "Standard Procedures for Cleaning and Safeguarding Small Tanks and Containers"
- 28. Occupational Safety and Health Act Confined Space Entry Standard 29 CFR 1910.146.87
- 29. Department of Transportation 49 CFR 100 through 179
- 30. Department of Transportation 49 CFR 387 (46 FR 30974, 47073)
- 31. Environmental Protection Agency 40 CFR 136 (41 FR 52779)
- 32. Environmental Protection Agency 40 CFR 262 and 761
- 33. Resource Conservation and Recovery Act (RCRA)
- 34. Any transporter of hazardous or non-hazardous materials shall be licensed in the State of New York and all other states traversed in accordance with all applicable regulations.

ATTACHMENT 3

Definitions

- Contaminated Groundwater and Decontamination Fluids: Groundwater within the excavation trench or decontamination water that contains regulated compounds above the NYCDEP Discharge to Sanitary/Combined Sewer Effluent limits.
- **Disposal or Treatment Facility:** A facility licensed to accept either non-hazardous regulated waste or hazardous waste for either treatment or disposal.
- **Exclusion Zone:** Work area that will be limited to access by Contractor personnel specifically trained to enter the work area only. The exclusion zone will be set up to secure the area from the public and untrained personnel. The project health and safety program will apply to all construction personnel including persons entering the work area.
- Hazard Assessment: An assessment of any physical hazards that may be encountered on a work site.
- **Hazardous Soils:** Soils that exhibit any of the characteristics of a hazardous waste, namely ignitability, corrosivity, reactivity, and toxicity, as defined in 6 NYCRR Part 371, Section 371.3 and 40 CFR Section 261.
- Hazardous Substance Evaluation: An evaluation of the possible or known presence of any hazardous substances that may be encountered on a job site. This evaluation is included in the Health and Safety Plan and will include the identification and description of any hazardous substances expected to be encountered. Material Safety Data Sheets (MSDS) will be included for each substance.
- **Health and Safety Plan:** A plan employed at a work site that describes all the measures that will be taken to assure that all work is conducted in a safe manner, and that the health of the workers and the public will be insured.
- Material Handling Plan: A plan outlining the methods that will be employed to handle, transport and dispose of contaminated materials.
- Non-Hazardous Contaminated Soils: Soils which exhibit a distinct chemical or petroleum odor, or exhibit elevated photoionization detector readings but are not classified as hazardous waste under 6 NYCRR Part 371, Section 371.3 and 40 CFR Section 261.
- New York State Health Department's Environmental Laboratory Approval Program: A program by which the state of New York approves and accredits environmental testing laboratories.
- **PCBs:** Polychlorinated biphenyls are a group of toxic compounds commonly used as a coolant in transformers and other electrical components.
- **Photoionization Detector:** A hand held instrument used to measure volatile organic compounds in air. The instrument ionizes the organic molecules through the use of an ultraviolet lamp.
- RCRA Hazardous Waste Characteristics: Characteristics of a material which may indicate the material is hazardous. These include: ignitability corrosivity, reactivity, and toxicity.
- **Total Petroleum Hydrocarbons:** An analytical procedure used to determine the total amount of petroleum compounds in a material.

ATTACHMENT 4

Phase II Subsurface Corridor Investigation Report

NO TEXT ON THIS PAGE

- Final -

Phase II Subsurface Corridor Investigation Report

For

STORM, SANITARY, AND COMBINED SEWERS AND WATER MAIN IN FRESH CREEK BASIN AREA

EAST 108^{TH} STREET BETWEEN FLATLANDS AVENUE AND OUTFALL BROOKLYN, NEW YORK

DDC PROJECT NO. SE851
WORK ORDER NO. 9145-LIRO-2-8603
CONTRACT REGISTRATION NO. 20101417627

Prepared for:



Bureau of Environmental and Geotechnical Services 30-30 Thomson Avenue, Fifth Floor Long Island City, New York 11101

Prepared by:



LiRo Engineers, Inc. 703 Lorimer Street Brooklyn, New York 11211

PROJECT NO. 10-62-205 April 24, 2014

TABLE OF CONTENTS

| EX | ECUT | IVE SUMMARY | ES-1 |
|-----|---------|--|------|
| 1.0 | IN | TRODUCTION | 1 |
| | 1.1 | SUMMARY OF PREVIOUS ENVIRONMENTAL INVESTIGATIONS | |
| | 1.2 | SCOPE OF WORK | |
| 2.0 | | ORRIDOR INFORMATION | |
| | 2.1 2.2 | CORRIDOR LOCATION, DESCRIPTION, AND USE DESCRIPTION OF SURROUNDING PROPERTIES | |
| | 2.3 | CORRIDOR AND REGIONAL TOPOGRAPHIC SETTING | 5 |
| | 2.4 | CORRIDOR AND REGIONAL HYDROGEOLOGY | |
| 3.0 | 2.5 | ORRIDOR EVALUATION | |
| 3.0 | 3.1 | SOIL QUALITY INVESTIGATION | |
| | 3.2 | GROUNDWATER QUALITY INVESTIGATION | 10 |
| | 3.3 | LABORATORY ANALYSES | |
| 4.0 | 3.4 | DATA EVALUATION | |
| 4.0 | 4.1 | NDINGS FIELD SCREENING. | |
| | 4.1 | SOIL AND GROUNDWATER LABORATORY ANALYTICAL RESULTS | |
| | 4.2.1 | Volatile Organic Compounds (VOCs) in Soil | 12 |
| | 4.2.2 | Semi-Volatile Organic Compounds (SVOCs) in Soil | 12 |
| | 4.2.3 | Target Analyte List Metals (TAL Metals) in Soil | 12 |
| | 4.2.4 | Pesticides in Soil | 13 |
| | 4.2.5 | Herbicides in Soil | 13 |
| | 4.2.6 | PCBs in Soil | 13 |
| | 4.2.7 | Waste Classification of Soil | 13 |
| | 4.2.8 | Analysis of NYCDEP Parameters in Groundwater | 13 |
| | 4.2.9 | VOCs in Groundwater | 14 |
| | 4.2.10 | SVOCs in Groundwater | 14 |
| | | TAL Metals (Total and Dissolved) in Groundwater | |
| | 4.2.12 | Pesticides in Groundwater | 14 |
| | 4.2.13 | Herbicides in Groundwater | 14 |
| | | PCBs in Groundwater | |
| | 4.2.15 | Quality Assurance/Quality Control Data | 15 |
| 5.0 | C | ONCLUSIONS AND RECOMMENDATIONS | 16 |
| 6.0 | ST | ATEMENT OF LIMITATIONS | 18 |



TABLE OF CONTENTS (continued)

| Tables | 1 | Summary of Environmental Boring Data |
|----------------|----|--|
| | 2 | Summary of TCL VOCs Detected in Soil |
| | 3 | Summary of TCL SVOCs Detected in Soil |
| | 4 | Summary of TAL Metals Detected in Soil |
| | 5 | Summary of Pesticides Detected in Soil |
| | 6 | Summary of Herbicides Detected in Soil |
| | 7 | Summary of PCBs Detected in Soil |
| | 8 | Summary of Waste Characterization in Soil |
| | 9 | Groundwater Quality Compared to NYCDEP Sewer Effluent Parameters |
| | 10 | Summary of TCL VOCs Detected in Groundwater |
| | 11 | Summary of TCL SVOCs Detected in Groundwater |
| | 12 | Summary of TAL Total Metals Detected in Groundwater |
| | 13 | Summary of TAL Dissolved Metals Detected in Groundwater |
| | 14 | Summary of Pesticides Detected in Groundwater |
| • | 15 | Summary of Herbicides Detected in Groundwater |
| | 16 | Summary of PCBs Detected in Groundwater |
| | 17 | Summary of Quality Assurance/Quality Control Data |
| Figures | 1 | Topographic Corridor Location Map |
| | 2 | Sample Location Plan |
| | 3 | Soil Sample Results Plan |
| | 4 | Groundwater Sample Results Plan |
| Appendices | A | Boring Location Sketches |
| | В | Geologic Boring Logs and Temporary Well Construction Details |
| | C | Laboratory Analytical Results – Included on Attached CD |



EXECUTIVE SUMMARY

On behalf of the New York City Department of Design and Construction (NYCDDC), LiRo Engineers, Inc. (LiRo) conducted a Phase II Subsurface Corridor Investigation (SCI) of the Fresh Creek Basin Area – East 108th Street between Flatlands Avenue and Outfall Corridor (hereinafter referred to as the Corridor). The Corridor is located within the Starrett City and Canarsie neighborhoods of Brooklyn, New York. This project is subject to additional review under City Environmental Quality Review (CEQR) by New York City Department of Environmental Protection (NYCDEP) since a portion of the proposed infrastructure work will include an outfall which may impact the wetlands area in the vicinity of Fresh Creek Basin. Excavation for the installation of storm, sanitary, and combined sewers and water main is proposed along the corridor. The Corridor is comprised of one (1) area and consists of the following 16 street segments and one (1) easement in the Starrett City/Canarsie neighborhoods.

Corridor Area

- Flatlands Avenue and Avenue J between East 98th Street and East 108th Street (approximately 2,700 linear feet each);
- Conklin Avenue between East 98th Street and East 100th Street (approximately 500 linear feet);
- Flatlands 1 Street and Flatlands 2 Street between East 105th Street and East 108th Street (approximately 700 linear feet each);
- East 98th Street, East 99th Street, East 101st Street, East 102nd Street, East 103rd Street, East 104th Street, East 105th Street, East 106th Street, and East 107th Street between Flatlands Avenue and Avenue J (approximately 750 linear feet each);
- East 100th Street between Glenwood Road and Avenue J (approximately 1,500 linear feet);
- East 108th Street between Flatlands Avenue and Avenue K (approximately 1,550 linear feet); and,
- The Fresh Creek Basin Outfall between East 108th Street and the Fresh Creek Basin (approximately 350 linear feet).


LiRo prepared a Phase I Corridor Assessment Report (Phase I CAR) dated July 31, 2013, which presented the results of a survey conducted along the Corridor to assess the presence of potential sources of subsurface contamination within, and in the immediate vicinity of, the Corridor. The Phase I CAR identified 10 sites that had a potential "High" risk and seven (7) sites that had a potential "Moderate" risk that may impact the subsurface (soil and/or groundwater) of the Corridor and provided recommendations that included the performance of a Phase II SCI. The objective of the Phase II SCI was to assess the presence of subsurface contamination that may potentially impact proposed construction activities. The proposed construction activities for the Corridor include infrastructure improvements consisting of the installation and/or repair of storm and sanitary sewers. The Phase II SCI activities outlined in this report consisted of the following components:

• The advancement of 22 borings (SB-01 through SB-09, SB-11 through SB-23). All borings except SB-15 were installed to a terminal depth of 20 ft bgs. Boring SB-15 was installed to a terminal depth of 15 ft bgs. Field screening consisted of classification and identification of soils from surface grade to the bottom of each boring. Soil samples were classified in the field using the Unified Soil Classification System (USCS), including photo-ionization detector (PID) readings and visual and olfactory indicators of contamination (staining, odors). Each boring was cleared to a depth of 6 ft bgs using a vacuum excavator (Vaccex)/air knife combination;

- The collection of 22 soil samples and two (2) duplicate soil samples, which were analyzed for United States Environmental Protection Agency (USEPA) Target Compound List (TCL) volatile organic compounds (VOCs);
- The collection of 22 soil samples and two (2) duplicate soil samples, which were analyzed for the following parameters: (1) TCL Base Neutral/Acid (BN/A) extractable semi-volatile organic compounds (SVOCs); (2) Target Analyte List (TAL) metals; (3) TCL pesticides; (4) TCL Herbicides; and, (5) TCL polychlorinated biphenyls (PCBs);
- The collection of four (4) waste characterization soil samples, which were analyzed for: (1) the USEPA Full Toxicity Characteristics Leaching Procedure (TCLP) parameters, including PCBs;
 (2) the Resource Conservation and Recovery Act (RCRA) Characteristics (ignitability, reactivity, and corrosivity); and, (3) Total Petroleum Hydrocarbons Diesel Range Organics/Gasoline Range Organics (TPHC DRO/GRO);
- The installation of four (4) temporary well points (TWPs), the collection of one (1) groundwater sample from each TWP and the laboratory analyses of these samples for the parameters published by the NYCDEP as Limitations for Effluent to Sanitary or Combined Sewers (NYCDEP Sewer Discharge Criteria), USEPA TCL VOCs by Method 8260, TCL BN/A extractable SVOCs by USEPA Method 8270, total and dissolved TAL metals by USEPA Method 6010B/7010, TCL pesticides by USEPA Method 8081A, TCL herbicides by Method 8151A, and TCL PCBs by USEPA Method 8082;
- As part of the sample collection and analytical process, Quality Assurance/Quality Control (QA/QC) samples were also collected to evaluate the precision and accuracy of the analytical data. The QA/QC sampling included two (2) duplicate soil grab samples, two (2) duplicate soil composite samples, four (4) laboratory supplied trip blanks, and one (1) laboratory supplied field blank for groundwater; and,
- The preparation of this report, which includes tables summarizing the laboratory analytical results and figures depicting boring locations, significant site features and, if applicable, contamination occurrence and distribution.

In order to evaluate the subsurface soil quality, laboratory analytical results for the soil samples were compared with the regulatory standards identified in: (1) New York State Department of Environmental Conservation (NYSDEC) CP-51 – Supplemental Soil Cleanup Levels (CP-51 SSCLs Table 1 - Residential); (2) NYSDEC Subpart 375-6: Remedial Program Unrestricted and Restricted Use (Track 1 and Track 2) Soil Cleanup Objectives (SCOs); and, (3) the Toxicity Characteristic Regulatory Levels for Hazardous Waste published in RCRA and NYSDEC Part 371. In order to evaluate the groundwater quality, the laboratory analytical results for the groundwater samples were compared to the NYCDEP Sewer Discharge Criteria and NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater.

The subsurface soils encountered during this Phase II SCI consisted predominantly of brown, gray, and black fine to coarse sand with some gravel, traces of silt and clay with some peat layers in some locations. Anthropogenic materials (brick, concrete, rebar, ash, etc.) and/or wood/root fragments, which are indicative of urban fill, were encountered throughout the Corridor at depths ranging from 0.5 to 20 ft bgs. Bedrock was not encountered during the advancement of the 22 soil borings.





Field screening did not identify any visual or olfactory evidence of petroleum-impacted soils within the Corridor. However, one (1) elevated PID reading (103 parts per million [ppm]) was detected from five (5) to 10 ft bgs within SB-16. Groundwater was encountered at depths ranging from nine (9) to 15 ft bgs within the soil borings advanced along the Corridor. Soil samples were collected from all 22 soil borings advanced along the Corridor (SB-01 through SB-09 and SB-11 through SB-23). Proposed soil boring SB-10 was not advanced due to the presence of a concrete obstruction. TWPs were installed within four (4) of the 22 soil borings.

Soil

One (1) VOC (acetone) was reported at a concentration exceeding the Unrestricted Use (Track 1) SCO in 11 of the 24 samples collected. Acetone is a common laboratory solvent and its detection is likely due to laboratory contamination. Seven (7) SVOCs (benzo(a)anthracene, benzo(a)pyrene, benzo(b) fluoranthene, benzo(k)fluoranthene, chrysene, Dibenz(a,h)anthracene, and indeno(1,2,3-cd)pyrene) were reported at concentrations above the Unrestricted Use (Track 1) and/or Restricted Use (Track 2) SCOs within one (1) of the 24 composite samples collected. Most of the reported SVOCs are polycyclic aromatic hydrocarbons (PAHs), and may be indicative of the presence of historic fill material placed at the Site. One (1) or more of the five (5) metals (beryllium, chromium (total), copper, mercury, and/or zinc) were reported above Unrestricted Use (Track 1) and/or Restricted Use (Track 2) SCOs in six (6) of the 24 composite samples collected. Iron was reported above CP-51 SSCLs in all 24 composite samples Based on their consistency, most of the reported iron concentrations are attributed to background levels. However, some of the reported concentrations for the other metals may be attributed to contaminants in historic fill material placed throughout the Corridor. Two (2) pesticides (4,4'-DDD and 4,4'-DDE) were reported above Unrestricted Use (Track 1) SCOs in two (2) of the 24 composite samples collected. The presence of these pesticides may be indicative of the presence of historic fill material placed at the Site. No concentrations of herbicides or PCBs were detected in any of the 24 composite samples collected.

The four (4) waste characterization soil samples did not exhibit evidence of hazardous waste characteristics.

Groundwater

Three (3) VOCs (benzene, MTBE, and vinyl chloride) were reported above NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater in the groundwater samples collected from TWP-02/SB-23 and TWP-03/SB-07. Benzene and MTBE may be attributed to the numerous fuel stations along the Corridor. Vinyl chloride is a degradation product of chlorinated solvents, common in degreasing liquids and dry cleaning fluids and may be attributed to former dry cleaning sites along the Corridor. One (1) SVOC (acenapthene) was reported above NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater in the groundwater samples collected from TWP-02/SB-23. The reported SVOC is a PAH and may be indicative of the presence of historic fill material placed at the Site. Total and dissolved metals were reported at concentrations above NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater in all four (4) groundwater samples collected. There were no detected concentrations of pesticides, herbicides, or PCBs in the four (4) groundwater samples collected.

One (1) metal, cadmium, was reported above the NYCDEP Sewer Discharge Limitation to Sanitary or Combined Sewers in the Total Metals results from TWP-04/SB-09 groundwater sample. However, cadmium was not detected above laboratory detection limits in the Dissolved Metals from the same sample location (TWP-04/SB-09) nor was cadmium detected in the groundwater sample from the same TWP analyzed for NYCDEP Limitations to Sanitary or Combined Sewers. Based upon the result from



the three (3) samples obtained from the same TWP, it can be concluded that the cadmium concentration in the total groundwater analysis is possibly due to suspended solid particles entrained in the groundwater sample.

Total Suspended Solids (TSS) was reported at concentrations exceeding the NYCDEP Sewer Discharge Limitation of 350 mg/L in unfiltered groundwater samples collected from the four (4) TWPs (TWP-01/SB-01, TWP-02/SB-23, TWP-03/SB-07, and TWP-04/SB-09). The presence of TSS in the groundwater is attributed to the fact that an unfiltered groundwater sample was collected from a TWP and not a permanent monitoring well. However, the groundwater sample collected from a TWP is considered to be representative of conditions to be encountered during construction activities.

Quality Assurance/Quality Control Data (QA/QC)

One (1) field blank sample was collected during this subsurface investigation. The analytical results of the field blanks report no VOCs, SVOCs, TAL metals, pesticides, herbicides, or PCBs. No VOCs were reported within the three (3) trip blank samples submitted for analysis.

Conclusions

Based on the evaluation of the field screening data and the laboratory analytical results, and a comparison to applicable regulatory standards, the following conclusions are presented:

- Field screening did not identify any visual or olfactory evidence of petroleum-impacted soils within the Corridor. However, one (1) elevated PID reading (103 ppm) was detected from five (5) to 10 ft bgs within SB-16.
- One (1) VOC was reported in 11 of the 24 samples collected. Acetone is a common laboratory solvent and its detection is likely due to laboratory contamination;
- Laboratory analytical results identified impacted soils within the Corridor. The presence of elevated concentrations of SVOCs and pesticides in the subsurface soils of the Corridor is attributed primarily to contaminants in historic fill material placed on the Corridor;
- The presence of elevated concentrations of metals in the subsurface soils of the Corridor is attributed primarily to: (a) contaminants in historic fill material placed on the Corridor; and/or, (b) natural background levels (iron);
- The subsurface soils did not exhibit hazardous waste characteristics;
- Groundwater samples contained concentrations of TSS and cadmium that exceeded the NYCDEP Sewer Discharge Criteria. The presence of elevated levels of TSS and cadmium in the groundwater are attributed to the fact that an unfiltered groundwater sample was collected from a TWP. However, the groundwater samples collected from TWPs are considered to be representative of conditions to be encountered during construction activities. Other than the presence of elevated TSS and cadmium, the groundwater at the Site meets the NYCDEP Sewer Discharge Criteria for sanitary, storm or combined sewers; and.



Groundwater samples contained concentrations of VOCs, SVOCs, total metals, and dissolved metals
that exceeded NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater.
The VOCs in groundwater may be attributed to historic and current anthropogenic materials such as
fueling and dry cleaning sites along the Corridor. The VOC concentrations do not appear to be
indicative of a nearby petroleum spill.

Based on the results of the field investigation and laboratory analytical results, LiRo recommends the following:

- The Contract documents should identify provisions for managing, handling, transporting, and disposing of non-hazardous impacted soils (SVOCs, metals, and pesticides). The Contractor should be required to submit a Material Handling Plan (MHP), to identify the specific protocol and procedures that will be employed to manage the waste in accordance with applicable regulations;
- Due to the presence of VOCs, SVOCs, metals, and pesticides above applicable standards within the proposed Corridor, dust control mitigation procedures are recommended during excavation activities to minimize the production and dispersion of fugitive airborne dust. The Contractor to minimize the release of potential airborne contaminants as a direct result of construction activities should develop and implement a Community Air Monitoring Plan (CAMP). The CAMP shall be developed in accordance with NYSDEC DER-10 Requirements. The CAMP requires real-time monitoring for VOCs and particulates (i.e., dust) at the downwind perimeter of each designated work area when proposed construction activities are in progress at contaminated sites. The CAMP is intended to provide a measure of protection for the surrounding community located downwind from potential airborne contaminant releases as a direct result of investigative and remedial work activities. Specific requirements shall be reviewed for each situation in consultation with New York State Department of Health (NYSDOH) to ensure proper applicability;
- Based on the Phase II SCI field activities, groundwater was encountered between nine (9) and 15 ft bgs. Dewatering may be necessary during construction activities within the Corridor. Since TSS and cadmium were reported in groundwater samples at concentrations exceeding the NYCDEP Sewer Discharge Limitations, groundwater may require pre-treatment for these parameters prior to discharge. Therefore, should dewatering be necessary during construction activities within the Corridor to a sanitary or combined sewer, the contractor should be required to obtain NYCDEP sewer discharge permit;
- If discharge into storm sewers is required during dewatering, it may be done under the appropriate NYSDEC State Pollutant Discharge Elimination System (SPDES) permit. The current groundwater data reported concentrations of VOCs, SVOCs, and metals above NYS Ambient Water Quality Standards and Guidance Values. Additional treatment sampling and laboratory analysis may be required to satisfy NYSDEC requirements prior to discharge into storm sewers; and,
- Before beginning any excavation activity, the contractor shall submit a site-specific health and safety plan (HASP) that will meet the requirements set forth by the Occupational, Safety, and Health Administration (OSHA), the NYSDOH, and any other applicable regulations. The HASP should identify the possible locations along the Corridor and risks associated with the potential contaminants that may be encountered, and the administrative and engineering controls that will be utilized to mitigate environmental concerns (i.e., dust control procedures for SVOCs, metals, and pesticides).



1.0 INTRODUCTION

On behalf of the New York City Department of Design and Construction (NYCDDC), LiRo Engineers, Inc. (LiRo) conducted a Phase II Subsurface Corridor Investigation (Phase II SCI) of Fresh Creek Basin Area – East 108th Street between Flatlands Avenue and Outfall Corridor (hereinafter referred to as the Corridor). The Corridor is located within the Starrett City and Canarsie neighborhoods of Brooklyn, New York. This project is subject to additional review under City Environmental Quality Review (CEQR) by New York City Department of Environmental Protection (NYCDEP) since a portion of the proposed infrastructure work will include an outfall which may impact the wetlands area in the vicinity of Fresh Creek Basin. Excavation for the installation of storm, sanitary, and combined sewers and water main is proposed along the corridor.

The Corridor is comprised of one (1) area and consists of the following 16 street segments and one (1) easement in the Starrett City/Canarsie neighborhoods.

Corridor Area

- Flatlands Avenue and Avenue J between East 98th Street and East 108th Street (approximately 2,700 linear feet each);
- Conklin Avenue between East 98th Street and East 100th Street (approximately 500 linear feet);
- Flatlands 1 Street and Flatlands 2 Street between East 105th Street and East 108th Street (approximately 700 linear feet each);
- East 98th Street, East 99th Street, East 101st Street, East 102nd Street, East 103rd Street, East 104th Street, East 105th Street, East 106th Street, and East 107th Street between Flatlands Avenue and Avenue J (approximately 750 linear feet each);
- East 100th Street between Glenwood Road and Avenue J (approximately 1,500 linear feet);
- East 108th Street between Flatlands Avenue and Avenue K (approximately 1,550 linear feet); and,
- The Fresh Creek Basin Outfall between East 108th Street and the Fresh Creek Basin (approximately 350 linear feet).

1.1 Summary of Previous Environmental Investigations

LiRo prepared a Phase I Corridor Assessment Report (Phase I CAR) dated July 31, 2013, which presented the results of a survey conducted along the Corridor to assess the presence of potential sources of subsurface contamination within, and in the immediate vicinity of, the Corridor. The survey also included a review of fire insurance maps to document historical use and a limited review of the New York State databases to identify sites that are known to be contaminated.

The Phase I CAR identified 10 sites that had a Final "High" risk and seven (7) sites that had a Final "Moderate" risk to impact the subsurface of the Corridor and recommended advancing a total of 23 borings, installing temporary well points (TWPs), and collecting soil and groundwater samples to assess potential impacts.

HIGH RISK SITES

- 1) Cumberland Farms No. 70226, currently a Gulf Gas Station, 10802-10824 Flatlands Ave. (High Risk Site No. 1) SB-01 and SB-02
- 2) Decent Dry Cleaning, Inc., 907 E. 107th St. and Paint Store, 913-915 E. 107th St. (High Risk Site No. 2) SB-03 and SB-04

- 3) Sunoco Service Station, Tidal Realty Corp., 105-24 Gas Corp., 10504-10524 Flatlands Ave., 902-912 E. 106th St. (High Risk Site No. 3) SB-05 and SB-06
- 4) Filling Station, 10417-10423 Flatlands Ave., 765-775 E. 105th St. (High Risk Site No. 4) **SB-07** and **SB-08**
- 5) Currently Flatlands Mini-Market, formerly First Class Dry Cleaners, 10414-10424 Flatlands Ave. (High Risk Site No. 5) SB-07 and SB-08
- 6) Post Office, Former Dry Cleaners, 10201-10221 Flatlands Ave. (High Risk Site No. 6) SB-09 and SB-10
- 7) CVS Pharmacy No. 2906, Former Filling Station, 10202-10224 Flatlands Ave. (High Risk Site No. 7) SB-10 and SB-11
- 8) Dry Cleaners, 1463 Rockaway Pkwy. (High Risk Site No. 8) SB-12 and SB-13
- 9) Getty No. 58053, Lukeoil No. 58053, Filling Station, 9616-9626 Flatlands Ave., 1510-1522 Rockaway Pkwy. (High Risk Site No. 9) SB-13 and SB-14
- 10) Christine Cleaners, Smile Cleaners, 1588-1590 Rockaway Pkwy. (High Risk Site No. 10) SB-14 and SB-15

MODERATE RISK SITES


- 1) Intermediate School No. 211, 1001 E. 100th St. (Moderate Risk Site No. 1) SB-16
- 2) Seashore Management Company (apartments), 1177 E. 98th St. (Moderate Risk Site No. 2) SB-15
- 3) Holy Family School and Church, 9717-9719 Flatlands Ave. (Moderate Risk Site No. 3) SB-12 and SB-13
- 4) 1449-1451 Rockaway Pkwy. (former storage tank on-site) (Moderate Risk Site No. 4) SB-12
- 5) Greenpoint Savings Bank, currently Capital One Bank, 1425 Rockaway Pkwy. (Moderate Risk Site No. 5) SB-12
- 6) Currently Sharon's Laundry and Dry Cleaning, 9619 Glenwood Rd. (Moderate Risk Site No. 6) SB-12
- 7) Adult Retardates Center, LARC, 1121 E. 96th St. (Moderate Risk Site No. 7) SB-13 and SB-14

Soil borings SB-17 through SB-23 were added after a Corridor inspection by LiRo and the NYCDDC Project Manager to characterize general areas along the Corridor and do not apply to specific risk sites identified above. Boring SB-23/TWP is located closest to the area of the outfall.

1.2 Scope of Work

The Phase II SCI consisted of a field investigation, laboratory analyses, and the preparation of this report, which includes tables summarizing the laboratory analytical results and figures depicting boring locations, significant site features and, if applicable, contamination occurrence and distribution. The Scope of Work was based on the *Phase II SCI Work Plan* prepared by LiRo and dated August 28, 2013 and included the contingency items specified in the NYCDEP Work Plan approval letter dated October 1, 2013.


Drilling activities for the field investigation were performed by Associated Environmental Services, Limited (AES) of Hauppauge, New York. Oversight of drilling activities was performed by LiRo. Laboratory analyses were provided by Hampton Clarke-Veritech Laboratories (HCV) of Fairfield, New Jersey, a NYS Department of Health (NYSDOH) Environmental Laboratory Approval Program (ELAP) certified laboratory (No. 11408). Field derived Quality Assurance/Quality Control (QA/QC) samples (i.e., field blanks, trip blanks, duplicates) were also collected for this project.





The field investigation was conducted between March 11 and 19, 2014 and consisted of the following components:

- The advancement of 22 borings (SB-01 through SB-09, SB-11 through SB-23). All borings except SB-15 were installed to a terminal depth of 20 ft bgs. Boring SB-15 was installed to a terminal depth of 15 ft bgs. The borings were advanced using a Geoprobe® direct push drill rig. Prior to direct push advancement, borings were cleared to a depth of 6 ft bgs using a vacuum excavator (Vaccex)/air knife combination. Soil samples were collected using 5-foot long, 2-inch diameter Macro Core stainless steel samplers equipped with polyvinyl chloride (PVC) liners. In addition, a site specific Health and Safety Plan (HASP) was prepared prior to commencing field work.
- Field screening, classification, and identification of soils from the ground surface to the bottom of each boring. Soil samples were visually classified in the field using the Unified Soil Classification System (USCS). Field screening consisted of visual and olfactory indicators of impacts as well as screening with a photoionization detector (PID).
- The collection of one (1) composite and one (1) grab sample from all 22 soil borings (SB-01 through SB-09 and SB-11 through SB-23). Duplicate QA/QC soil samples were also collected including two (2) duplicate grab samples and two (2) duplicate composite samples from soil borings SB-04 and SB-12. The composite samples were comprised of soil from the entire boring column. The grab samples were collected from the 6-inch interval above the saturation zone or from the bottom 6-inch interval of the boring.
- One (1) proposed soil boring, SB-10, was eliminated during the field activities due to the presence of a concrete obstruction.
- Laboratory analysis of the composite samples for: (1) Target Compound List (TCL) Base Neutral/Acid (BN/A) extractable semi-volatile organic compounds (SVOCs) by United States Environmental Protection Agency (USEPA) Method 8270; (2) Target Analyte List (TAL) metals by USEPA Method 6010B/7010; (3) TCL pesticides by USEPA Method 8081A; (4) TCL herbicides by Method 8151A; and, (5) TCL polychlorinated biphenyls (PCBs) by USEPA Method 8082.
- Laboratory analysis of the grab samples for TCL volatile organic compounds (VOCs) by USEPA Method 8260.
- The installation of four (4) TWPs in borings SB-01, SB-07, SB-09, and SB-23, and the collection of one (1) groundwater sample from each TWP using direct push technology by installing a 20-slot PVC screen in to the groundwater table and riser pipe to grade. Dedicated PVC tubing was deployed in each TWP and connected to a check valve to extract the groundwater samples.
- Laboratory analysis of the groundwater samples for the parameters published by the NYCDEP as
 Limitations for Effluent to Sanitary or Combined Sewers (NYCDEP Sewer Discharge Criteria)
 and NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater, USEPA
 TCL VOCs by Method 8260, TCL BN/A extractable SVOCs by USEPA Method 8270, total and
 dissolved TAL metals by USEPA Method 6010B/7010, TCL pesticides by USEPA Method
 8081A, TCL herbicides by Method 8151A, and TCL PCBs by USEPA Method 8082.





- The collection of four (4) composite waste characterization (WC) samples as follows:
 - o WC-1: composited of soil aliquots from borings SB-01 through SB-04, SB-22, and SB-23 (grade to bottom).
 - WC-2: composited of soil aliquots from borings SB-05 through SB-08, SB-17, and SB-21 (grade to bottom).
 - WC-3: composited of soil aliquots from borings SB-09, SB-11, SB-16, and SB-20 (grade to bottom).
 - o WC-04: composited of soil aliquots from borings SB-12 through SB-15, SB-18, and SB-19.
- Laboratory analysis of the waste characterization samples for: (a) Full Toxicity Characteristics
 Leaching Procedure (TCLP) by USEPA Method SW846, including PCBs; (b) Resource Conservation
 and Recovery Act (RCRA) Characteristics (ignitability, reactivity, and corrosivity) by USEPA
 Method SW846; and, (c) Total Petroleum Hydrocarbons Diesel Range Organics/Gasoline Range
 Organics (TPHC DRO/GRO) by USEPA Method 8015B.



2.0 CORRIDOR INFORMATION

2.1 Corridor Location, Description, and Use

The Corridor is located within the Starrett City and Canarsie neighborhoods of Brooklyn, New York. The Corridor consists of various streets within the East 108th Street between Flatlands Avenue and the Fresh Creek Basin outfall located along East 108th Street. The location is shown on Figure 1. The Corridor segments are characterized primarily commercial and residential properties. Properties of potential environmental concern noted along the Corridor include the following.

- Gulf Gas Station, 10802-10824 Flatlands Ave. (High Risk Site No. 1)
- Intermediate School No. 211, 1001 E. 100th St. (Moderate Risk Site No. 1)
- Holy Family School and Church, 9717-9719 Flatlands Ave. (Moderate Risk Site No. 3)

The Corridor includes the Fresh Creek Basin Outfall which is located between East 108th Street and the Fresh Creek Basin.

2.2 Description of Surrounding Properties

Properties located within the immediate area of the Corridor but not immediately adjacent to the Corridor consist primarily of commercial and residential properties. Properties of potential environmental concern noted in the area surrounding the Corridor include the following.

- Getty No. 58053, 9616-9626 Flatlands Ave., 1510-1522 Rockaway Pkwy. (High Risk Site No. 9)
- Smile Cleaners, 1588-1590 Rockaway Pkwy. (High Risk Site No. 10)
- Sharon's Laundry and Dry Cleaning, 9619 Glenwood Rd. (Moderate Risk Site No. 6)

2.3 Corridor and Regional Topographic Setting

Based on a review of the United States Geological Survey (USGS.) 7.5-Minute Quadrangle Map, Brooklyn, New York, dated 1975, the elevation of the Corridor ranges from sea level at the outfall/easterly end of the Corridor to 20 feet above mean sea level [msl] at the westerly end of the Corridor. The topography of the immediate Corridor area is generally level. A copy of the topographic map is presented in Figure 1.

2.4 Corridor and Regional Geology

Bedrock is of Precambrian and Paleozoic age. The thickness of the subsurface sedimentary sequence ranges from 0 to approximately 1,300 ft bgs from north to south. Outcrops of metamorphic bedrock can be found along the northwest portions of Queens. The uppermost unconsolidated unit consists of Pleistocene glacial till and moraine deposits in the northern portions of the Queens and Kings Counties and glaciofluvial sediments derived from melt-water of the retreating glaciers to the south. These deposits constitute the Upper Glacial Aquifer.



The overlying Cretaceous age sediments are characterized by three (3) periods of deposition separated by periods of erosions. The lowermost unit, known as the Raritan Formation, was deposited by streams and coalescing delta deposits. The formation has been divided into two (2) units, the Lloyd Sand Member and a conformable overlying clay unit (the Raritan Confining Unit). After the period of erosion, the Magothy Formation was deposited in an environment dominated by streams and coalescing deltas. The coarse basal unit indicates an environment of high energy that decreases rapidly, resulting in deposition of finer sands and silts that make up the majority of the formation.

Several episodes of Pleistocene glaciations by a southward advance from New England and the Hudson River valley eroded the Cretaceous deposits. The unconformity that extends across most of Queens and Kings Counties between the Cretaceous deposits and the overlying sediment, represents glacial scouring and glaciofluvial activity. Evidence of ice contact with the underlying Cretaceous deposits is absent in the southern portion of Queens and Kings Counties, indicating the southernmost limit of the advancing ice sheets.

The oldest Pleistocene deposit, represented only on western Long Island and Queens and Kings Counties is the Jameco Gravel (Jameco Aquifer). It is a channel filling of gravel and coarse sands which may represent a paleo Hudson River.

The terminal moraine of the last glacial advance is represented by the Harbor Hill Moraine. The Moraine trends southwest to northeast through central Kings and Queens Counties. The moraine deposits consist of poorly sorted silts, clays, sands and boulders and form the topographic highs in the area.

The subsurface soils encountered during this Phase II SCI consisted predominantly of brown, gray, and black fine to coarse sand with some gravel, traces of silt and clay with some peat layers in some locations. Anthropogenic materials (brick, concrete, rebar, ash, etc.) and/or wood/root fragments, which are indicative of urban fill, were encountered throughout the Corridor at depths ranging from 0.5 to 20 ft bgs. Bedrock was not encountered during the advancement of the 22 soil borings.

2.5 Corridor and Regional Hydrogeology

The first regional unconfined aquifer encountered is the upper glacial aquifer. The depth to the water table varies but generally follows the regional topography. At ground elevations closer to sea level, groundwater can occur at depths of five (5) to 10 ft bgs. The depth to groundwater may be significantly greater in areas of higher ground elevations. Generally, groundwater flow follows topography, with flow from higher to lower elevations. The terminal moraine deposits in the northern portions of Queens and Kings Countries act as a groundwater divide.

Groundwater flow direction at the Site is likely to the east and south toward Fresh Creek and Jamaica Bay. The nearest surface water body is the Fresh Creek Basin which is located at the east end of the Corridor. Estimated groundwater levels and/or flow direction(s) may vary due to seasonal fluctuations in precipitation, local usage demands, geology, underground structures, or dewatering operations.

Based on a review of the EDR database maps and the Topographic map for the Corridor, the easement from East 108th Street to Fresh Creek Basin and the southerly end of the Corridor within East 108th Street are located within the national wetland inventory (Federal Emergency Management Agency [FEMA]). The maps provided within the database report also identified the same portion of the Corridor within the 500-year flood zone.



Based on the Phase II SCI field observations, groundwater was encountered at depths ranging between nine (9) to 15 ft bgs within the borings advanced. Estimated groundwater levels and/or flow direction(s) may vary due to seasonal fluctuations in precipitation, local usage demands, geology, underground structures, or dewatering operations.



3.0 CORRIDOR EVALUATION

Proposed construction activities at this site include soil excavation and may include dewatering, which inturn requires that soils and groundwater at the site be characterized to identify material handling requirements (i.e., use of protective equipment) and for material reuse, handling, and/or waste disposal requirements. LiRo provided oversight for the advancement of 22 soil borings by AES between March 11 and 19, 2014, the installation of four (4) TWPs, and the collection of soil and groundwater samples during the field investigation at the designated areas in the vicinity of the planned construction. A summary of the field observations, including the location of the sites and the details of the soil borings, is provided in Table 1.

3.1 Soil Quality Investigation

Twenty-one (21) borings (SB-01 through SB-09, SB-11 through SB-14, and SB-16 through SB-23) were advanced to a terminal depth of 20 ft bgs while one (1) boring (SB-15) was advanced to a terminal depth of 15 ft bgs using a Geoprobe® direct push drill rig. Prior to direct push advancement, borings were cleared to a depth of 6 ft bgs using a vacuum excavator (Vaccex)/air knife combination. This equipment removes unconsolidated material by the use of compressed air to loosen the material and vacuum to remove it. Soil samples were collected using 5-foot long, 2-inch diameter Macro Core stainless steel samplers equipped with polyvinyl chloride (PVC) liners. Soil boring locations are shown on Figure 2. The designations and sampling intervals for the samples that were submitted to the laboratory are included in Table 1. Maps depicting each boring location are included in Appendix A. Boring logs are provided in Appendix B. The locations of each boring are described below:

- SB-01 Advanced in the vicinity of "High" risk site Nos. 1 and 2 and located on East 108th Street, 68 feet southeast of Flatlands Avenue and three (3) feet northeast of East 108th Street.
- SB-02 Advanced in the vicinity of "High" risk site Nos. 1 and 2 and located on East 108th Street, 43 feet southeast of Flatlands Avenue and two (2) feet southwest of East 108th Street.
- SB-03 Advanced in the vicinity of "High" risk site No. 2 and located on East 108th Street, 352 feet northwest of Avenue J and five (5) feet southwest of East 108th Street.
- SB-04 Advanced in the vicinity of "High" risk site No. 2 and located on East 107th Street, 195 feet southeast of Flatlands Avenue and five (5) feet southwest of East 107th Street.
- SB-05 Advanced in the vicinity of "High" risk site No. 3 and located on East 106th Street, 118 feet southeast of Flatlands Avenue and three (3) feet southwest of East 106th Street.
- SB-06 Advanced in the vicinity of "High" risk site No. 3 and located on Flatlands Avenue, 83 feet southwest of East 106th Street and one (1) foot southeast of Flatlands Avenue.
- SB-07 Advanced in the vicinity of "High" risk site Nos. 3 and 5 and located on East 105th Street, 109 feet southeast of Flatlands Avenue and four (4) feet southwest of East 105th Street.
- SB-08 Advanced in the vicinity of "High" risk site Nos. 4 and 5 and located on Flatlands Avenue, 47 feet southwest of East 105th Street and one (1) foot southeast of Flatlands Avenue.



- SB-09 Advanced in the vicinity of "High" risk site No. 7 and located on East 103rd Street, 93 feet southeast of Flatlands Avenue and 10 feet southwest of East 103rd Street.
- **SB-11** Advanced in the vicinity of "High" risk site No. 7 and located on East 102nd Street, 110 feet southeast of Flatlands Avenue and four (4) feet southwest of East 102nd Street.
- SB-12 Advanced in the vicinity of "Moderate" risk site No. 3 and located on Conklin Avenue, 27 feet northeast of East 98th Street and five (5) feet southeast of Conklin Avenue.
- SB-13 Advanced in the vicinity of "Moderate" risk site No. 3 and located on East 98th Street, 13 feet northwest of Flatlands Avenue and 10 feet southwest of East 98th Street.
- SB-14 Advanced in the vicinity of "High" risk site Nos. 9 and 10 and "Moderate" risk site No. 2 and located on East 98th Street, 23 feet southeast of Trucklemans Lane and four (4) feet southwest of East 98th Street.
- SB-15 Advanced in the vicinity of "High" risk site No. 10 and "Moderate" risk site No. 2 and located on East 98th Street, 40 feet northwest of Avenue J and seven (7) feet northeast of East 98th Street.
- SB-16 Advanced in the vicinity of "Moderate" risk site No. 1 and located on Avenue J, 73 feet northeast of East 100th Street and four (4) feet northwest of Avenue J.
- SB-17 Advanced along Flatlands Avenue, 11 feet southwest of East 104th Street and one (1) foot southwest of Flatlands Avenue.
- SB-18 Advanced along East 100th Street, 35 feet southeast of Conklin Avenue and three (3) feet southwest of East 100th Street.
- SB-19 Advanced along Flatlands Avenue, 64 feet southwest of East 99th Street and five (5) feet southeast of Flatlands Avenue.
- SB-20 Advanced on Avenue J, eight (8) feet northeast of East 102nd Street and two (2) feet northwest of Avenue J.
- SB-21 Advanced on Avenue J, 25 feet northeast of East 104th Street and three (3) feet southeast of Avenue J.
- SB-22 Advanced on East 107th Street, 13 feet northwest of Avenue J and eight (8) feet northeast of East 107th Street.
- SB-23 Advanced on East 108th Street, 29 feet northwest of Avenue K and three (3) feet southwest of East 108th Street. Boring SB-23 is located closest to the area of the outfall.

NOTE:

• While SB-10 was proposed to be installed, due to the presence of a concrete obstruction, this boring was not advanced.



Soil from each boring was classified and examined for visual evidence (i.e., staining, discoloration) and any olfactory indications (i.e., odors) of contamination. Continuous soil samples were collected from each of the borings at 5-foot intervals. In addition, a PID was used to screen the soil for VOC vapors.

In order to identify representative conditions relative to the presence of SVOCs, metals, pesticides, herbicides, and PCBs over the entire soil column in each boring, composite soil samples were collected by mixing the soil from the entire column in a stainless steel bowl. Boring composite samples were collected from all 22 borings (SB-01 through SB-09 and SB-11 through SB-23). QA/QC duplicate composite samples were collected at boring SB-04 and SB-12.

In order to identify representative conditions relative to the presence of VOCs, grab soil samples were collected from the 6-inch interval above the water table. QA/QC duplicate grab samples were collected at borings SB-04 and SB-12.

In order to identify representative conditions for disposal purposes, waste classification (WC) samples were collected as follows:

- o WC-1: composited of soil aliquots from borings SB-01 through SB-04, SB-22, and SB-23 (grade to bottom).
- o WC-2: composited of soil aliquots from borings SB-05 through SB-08, SB-17, and SB-21 (grade to bottom).
- o WC-3: composited of soil aliquots from borings SB-09, SB-11, SB-16, and SB-20 (grade to bottom).
- o WC-04: composited of soil aliquots from borings SB-12 through SB-15, SB-18, and SB-19.

Soil classification information, including stratigraphy, is documented on the boring logs included in Appendix B. All boring equipment was cleaned by rinsing with tap water, scrubbed with Alconox®, then rinsed with deionized water again between each sample interval. In addition, a clear plastic liner was used inside the sampler for neat recovery of the soil cores. Following the completion of each boring, the boreholes were back-filled with drill cuttings, and then sealed to the surface grade with cement grout.

3.2 Groundwater Quality Investigation

As groundwater may be encountered within the depths associated with the proposed excavation, four (4) groundwater samples (TWP-01 through TWP-04) were collected for screening and laboratory analysis during the soil boring activities. TWPs were installed in soil borings SB-01, SB-07, SB-09, and SB-23. Boring SB-23 is located closest to the area of the outfall.

Groundwater was encountered at depths ranging between 9 and 15 ft bgs. For the installation of each TWP, the Geoprobe® unit was advanced to a depth of 20 ft bgs, approximately five (5) to 10 feet into the encountered water table. The TWPs consisted of a 20-foot length section of 1-inch diameter schedule 40 PVC screen and riser. A groundwater sample was collected from each TWP for screening and laboratory analysis via dedicated Teflon tubing and check valves. All tubing was new, clean, and unused and was properly disposed after use. Upon extraction, the samples were examined for visual evidence (i.e., discoloration, sheen) and any olfactory indications (i.e., odors) of contamination were noted.

A summary of the measurements taken from the TWPs is provided in Appendix B. The locations of the TWPs are provided in Figure 2.



3.3 Laboratory Analyses

The soil and groundwater samples were submitted to HCV of Fairfield, New Jersey, a NYSDOH ELAP-certified laboratory (No. 11408). Field derived QA/QC samples (i.e., field blank, trip blank, duplicate) were also collected for this project. Laboratory analytical reports are included in Appendix C.

The grab soil samples were analyzed for USEPA TCL VOCs by Method 8260. The boring composite soil samples were analyzed for: (1) TCL BN/A extractable SVOCs by USEPA Method 8270; (2) TAL metals by USEPA Method 6010B/7010; (3) TCL pesticides by USEPA Method 8081A; (4) TCL herbicides by Method 8151A; and, (5) TCL PCBs by USEPA Method 8082.

The waste characterization soil samples were analyzed for: (1) the USEPA Full TCLP parameters, including PCBs; (2) the RCRA Characteristics (ignitability, reactivity, and corrosivity); and, (3) TPHC DRO/GRO.

In accordance with the stipulations and contingencies stated within the NYCDEP approval letter, four (4) groundwater samples were collected and analyzed by TCL VOCs, TCL SVOCs, TCL Pesticides, TCL Herbicides, PCBs, and Total and Dissolved TAL Metals.

The groundwater samples were analyzed for parameters published by NYCDEP as Limitations for Effluent to Sanitary or Combined Sewers along with USEPA TCL VOCs by Method 8260, TCL BN/A extractable SVOCs by USEPA Method 8270, total and dissolved TAL metals by USEPA Method 6010B/7010, TCL pesticides by USEPA Method 8081A, TCL herbicides by Method 8151A, and TCL PCBs by USEPA Method 8082.

3.4 Data Evaluation

In order to evaluate the subsurface soil quality, the laboratory analytical results of the grab and composite soil samples were compared with the regulatory standards identified in: (1) NYSDEC Subpart 375-6: Remedial Program Unrestricted and Restricted Use (Track 1 and Track 2) Soil Cleanup Objectives (SCOs); and, (2) NYSDEC CP-51 – Supplemental Soil Cleanup Levels (CP-51 SSCLs Table 1 - Residential). The laboratory analytical results of the waste classification soil samples were compared with the Toxicity Characteristic Regulatory Levels for Hazardous Waste published in RCRA and NYSDEC Part 371. The analytical results of the groundwater samples were compared to the NYCDEP Sewer Discharge Criteria and NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater.



4.0 FINDINGS

This section discusses the analytical data and findings for the activities discussed in Section 3.0. Boring logs and well installation records can be found in Appendix B. Complete analytical data reports are included in Appendix C.

4.1 Field Screening

Field screening did not identify any visual or olfactory evidence of petroleum-impacted soils within the Corridor. However, one (1) elevated PID reading (103 parts per million [ppm]) was detected from five (5) to 10 ft bgs within SB-16. Groundwater was encountered at depths ranging from nine (9) to 15 ft bgs within the soil borings advanced along the Corridor. Soil samples were collected from all 22 soil borings advanced along the Corridor (SB-01 through SB-09 and SB-11 through SB-23). Proposed soil boring SB-10 was not advanced due to the presence of a concrete obstruction. TWPs were installed within four (4) of the 22 soil borings. Refer to Table 1 for a summary of environmental boring data.

4.2 Soil and Groundwater Laboratory Analytical Results

4.2.1 Volatile Organic Compounds (VOCs) in Soil

VOCs were reported in 17 of the 24 grab samples collected. One (1) VOC (acetone) was reported at a concentration exceeding the Unrestricted Use (Track 1) SCO in 11 of the 24 samples collected. Acetone is a common laboratory solvent and its detection is likely due to laboratory contamination. QA/QC sample results from the SB-04 duplicate sample were similar to the primary sample results. VOC concentrations for the duplicate soil sample for SB-12 are different for acetone and methylene chloride. The detection of these two (2) compounds is likely due to laboratory contamination. Refer to Table 2 for a summary of TCL VOC detections.

4.2.2 Semi-Volatile Organic Compounds (SVOCs) in Soil

SVOCs were reported in 17 of the 24 composite samples collected. Benzo(a)anthracene, benzo(a)pyrene, benzo(b) fluoranthene, benzo(k)fluoranthene, chrysene, Dibenz(a,h)anthracene, and indeno(1,2,3-cd)pyrene were reported at concentrations above the Unrestricted Use (Track 1) and Restricted Use (Track 2) SCOs. QA/QC sample results from the SB-04 and SB-12 duplicate samples are within variability ranges for environmental samples when compared to primary sample results. Most of the reported SVOCs are polycyclic aromatic hydrocarbons (PAHs), and may be indicative of the presence of historic fill material placed at the Site. Refer to Table 3 for a summary of TCL SVOC detections.

4.2.3 Target Analyte List Metals (TAL Metals) in Soil

Metals were reported in all 24 composite samples collected. Beryllium, chromium (total), copper, mercury, and/or zinc were reported above Unrestricted Use (Track 1) and/or Restricted Use (Track 2) SCOs in six (6) of the 24 composite samples collected. QA/QC sample results from the SB-04 and SB-12 duplicate samples are within variability ranges for environmental samples when compared to primary sample results. Iron was reported above CP-51 SSCLs in all 24 composite samples collected. Based on their consistency, most of the reported iron concentrations are attributed to background levels. However,



some of the reported concentrations for the other metals may be attributed to contaminants in historic fill material placed throughout the Corridor. Refer to Table 4 for a summary of TAL metals detections.

4.2.4 Pesticides in Soil

Pesticides were reported in three (3) of the 24 composite samples collected. 4,4'-DDD and 4,4'-DDE were reported above Unrestricted Use (Track 1) SCOs in two (2) of the 24 composite samples collected. The presence of these pesticides may be indicative of the presence of historic fill material placed at the Site. Refer to Table 5 for a summary of pesticide detections.

4.2.5 Herbicides in Soil

Herbicides were not detected in any of the 24 composite samples collected. Refer to Table 6.

4.2.6 PCBs in Soil

PCBs were not detected in any of the 24 composite samples collected. Refer to Table 7.

4.2.7 Waste Classification of Soil

Ignitability (flash point), reactivity (cyanide and sulfide), and corrosivity (pH) were within the acceptable RCRA ranges. TCLP VOCs, SVOCs, herbicides, pesticides, and PCBs were not reported in the four (4) waste classification soil samples (WC-01 through WC-04) collected. While metals (barium and lead) were reported, both were below 6 NYCRR Part 371 and RCRA standards. DRO and GRO were not detected in the four (4) waste classification samples collected. Analytical results will need to be compared to levels acceptable by the chosen receiving facility to determine appropriate waste classification prior to off-site disposal. Refer to Table 8 for a summary of TCLP parameters, RCRA characteristics and DRO/GRO results.

4.2.8 Analysis of NYCDEP Parameters in Groundwater

The four (4) groundwater samples (TWP-01 through TWP-04) were analyzed for the parameters required by the NYCDEP Limitations for Effluent to Sanitary or Combined Sewers (Daily Limit). One (1) metal, cadmium, was reported above the NYCDEP Sewer Discharge Limitation to Sanitary or Combined Sewers in the Total Metals results from TWP-04/SB-09 groundwater sample. However, cadmium was not detected above laboratory detection limits in the Dissolved Metals from the same sample location TWP (TWP-04/SB-09) nor was cadmium detected in the groundwater sample from the same TWP analyzed for NYCDEP Limitations to Sanitary or Combined Sewers.

In addition, Total Suspended Solids (TSS) were reported exceeding the NYCDEP Sewer Discharge Limitation in unfiltered groundwater samples collected from the four (4) TWPs (TWP-01/SB-01, TWP-02/SB-23, TWP-03/SB-07, and TWP-04/SB-09). TSS was reported at concentrations ranging from 410 milligrams per liter (mg/L) in groundwater sample TWP-01/SB-01 to 770 mg/L in groundwater sample TWP-04/SB-09. These concentrations exceed the NYCDEP Sewer Discharge Limitation of 350 mg/L.

The presence of cadmium and TSS in the groundwater is attributed to the fact that an unfiltered groundwater sample was collected from a TWP and not a permanent monitoring well. However, the groundwater sample collected from a TWP is considered to be representative of conditions to be



encountered during construction activities. Refer to Table 9 for a summary of selected NYCDEP parameters in groundwater.

4.2.9 **VOCs in Groundwater**

VOCs were reported in in all four (4) groundwater samples collected. Benzene, MTBE, and vinyl chloride were reported above NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater in the groundwater sample collected from TWP-01/SB-01, TWP-02/SB-23, and TWP-03/SB-07. Benzene and MTBE may be attributed to the numerous fuel stations along the Corridor. Vinyl chloride is a degradation product of chlorinated solvents, common in degreasing liquids and dry cleaning fluids and may be attributed to former dry cleaning sites along the Corridor. Refer to Table 10 for a summary of TCL VOC detections in groundwater.

4.2.10 SVOCs in Groundwater

SVOCs were reported in three (3) of the four (4) groundwater samples collected. Acenapthene was reported above the NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater in the groundwater sample collected from TWP-02/SB-23. The reported SVOC is a PAH and may be indicative of the presence of historic fill material placed at the Site. Refer to Table 11 for a summary of TCL SVOC detections in groundwater.

4.2.11 TAL Metals (Total and Dissolved) in Groundwater

Total metals were reported in all four (4) groundwater samples collected. Arsenic, barium, beryllium, chromium (VI), copper, iron, lead, magnesium, manganese, mercury, nickel, selenium, sodium, and/or zinc were reported above NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater in one (1) or more of the four (4) groundwater samples collected. As indicated in Section 4.2.8 above, cadmium was detected above NYCDEP Limitations to Sanitary or Combined Sewers daily limits. The reported concentrations are attributed to leaching of metals from fill material placed at the Site or to background levels. Refer to Table 12 for a summary of TAL total metal detections.

Dissolved metals were reported in all four (4) groundwater samples collected. Iron, magnesium, manganese, and/or sodium were reported above NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater in one (1) or more of the four (4) groundwater samples collected. The reported concentrations are attributed to leaching of metals from fill material placed at the Site or to background levels. Refer to Table 13 for a summary of TAL dissolved metal detections.

4.2.12 Pesticides in Groundwater

Pesticides were not detected in any of the four (4) groundwater samples collected. Refer to Table 14.

4.2.13 Herbicides in Groundwater

Herbicides were not detected in any of the four (4) groundwater samples collected. Refer to Table 15.

4.2.14 PCBs in Groundwater

PCBs were not detected in any of the four (4) groundwater samples collected. Refer to Table 16.



4.2.15 Quality Assurance/Quality Control Data

One (1) field blank sample was collected during this subsurface investigation. Based on the analytical results of this sample, no VOCs, SVOCs, TAL metals, pesticides, herbicides, or PCBs were reported.

No VOCs were reported within the three (3) trip blank samples submitted for analysis. Refer to Table 17 for a summary of the QA/QC data results.



5.0 CONCLUSIONS AND RECOMMENDATIONS

Based on the evaluation of the field screening data and the laboratory analytical results, and a comparison to applicable regulatory standards, the following conclusions are presented:

- Field screening did not identify any visual or olfactory evidence of petroleum-impacted soils within the Corridor. However, one (1) elevated PID reading (103 ppm) was detected from five (5) to 10 ft bgs within SB-16.
- One (1) VOC was reported in 11 of the 24 samples collected. Acetone is a common laboratory solvent and its detection is likely due to laboratory contamination;
- Laboratory analytical results identified impacted soils within the Corridor. The presence of elevated concentrations of SVOCs, and pesticides in the subsurface soils of the Corridor is attributed primarily to contaminants in historic fill material placed on the Corridor;
- The presence of elevated concentrations of metals in the subsurface soils of the Corridor is attributed primarily to: (a) contaminants in historic fill material placed on the Corridor; and/or, (b) natural background levels (iron);
- The subsurface soils did not exhibit hazardous waste characteristics;
- Groundwater samples contained concentrations of TSS and cadmium that exceeded the NYCDEP Sewer Discharge Criteria. The presence of elevated levels of TSS and cadmium in the groundwater is attributed to the fact that an unfiltered groundwater sample was collected from a TWP. However, the groundwater samples collected from TWPs are considered to be representative of conditions to be encountered during construction activities. Other than the presence of elevated TSS and cadmium, the groundwater at the Site meets the NYCDEP Sewer Discharge Criteria for sanitary, storm or combined sewers; and,
- Groundwater samples contained concentrations of VOCs, SVOCs, total metals, and dissolved metals
 that exceeded NYS Ambient Water Quality Standards/Guidance Values for Class GA groundwater.
 The VOCs in groundwater may be attributed to historic and current anthropogenic materials such as
 fueling and dry cleaning sites along the Corridor. The VOC concentrations do not appear to be
 indicative of a nearby petroleum spill.

Based on the results of the field investigation and laboratory analytical results, LiRo recommends the following:

- The Contract documents should identify provisions for managing, handling, transporting, and disposing of non-hazardous impacted soils (SVOCs, metals, and pesticides). The Contractor should be required to submit a Material Handling Plan (MHP), to identify the specific protocol and procedures that will be employed to manage the waste in accordance with applicable regulations;
- Due to the presence of VOCs, SVOCs, metals, and pesticides above applicable standards within the proposed Corridor, dust control mitigation procedures are recommended during excavation activities to minimize the production and dispersion of fugitive airborne dust. The Contractor to minimize the release of potential airborne contaminants as a direct result of construction activities should develop

LiRo Engineers, Inc.
DDC CAPIS ID No. SE851

April 24, 2014

Work Order Letter No. 9145-LIRO-2-8603



and implement a Community Air Monitoring Plan (CAMP). The CAMP shall be developed in accordance with NYSDEC DER-10 Requirements. The CAMP requires real-time monitoring for VOCs and particulates (i.e., dust) at the downwind perimeter of each designated work area when proposed construction activities are in progress at contaminated sites. The CAMP is intended to provide a measure of protection for the surrounding community located downwind from potential airborne contaminant releases as a direct result of investigative and remedial work activities. Specific requirements shall be reviewed for each situation in consultation with NYSDOH to ensure proper applicability;

- Based on the Phase II SCI field activities, groundwater was encountered between nine (9) and 15 ft bgs. Dewatering may be necessary during construction activities within the Corridor. Since TSS and cadmium were reported in groundwater samples at concentrations exceeding the NYCDEP Sewer Discharge Limitations, groundwater may require pre-treatment for these parameters prior to discharge. Therefore, should dewatering be necessary during construction activities within the Corridor to a sanitary or combined sewer, the contractor should be required to obtain NYCDEP sewer discharge permit;
- If discharge into storm sewers is required during dewatering, it may be done under the appropriate NYSDEC State Pollutant Discharge Elimination System (SPDES) permit. The current groundwater data reported concentrations of VOCs, SVOCs, and metals above NYS Ambient Water Quality Standards and Guidance Values. Additional treatment sampling and laboratory analysis may be required to satisfy NYSDEC requirements prior to discharge into storm sewers; and,
- Before beginning any excavation activity, the contractor shall submit a site-specific health and safety plan (HASP) that will meet the requirements set forth by the Occupational, Safety, and Health Administration (OSHA), the New York State Department of Health (NYSDOH), and any other applicable regulations. The HASP should identify the possible locations along the Corridor and risks associated with the potential contaminants that may be encountered, and the administrative and engineering controls that will be utilized to mitigate environmental concerns (i.e., dust control procedures for SVOCs, metals, and pesticides).



6.0 STATEMENT OF LIMITATIONS

The data presented and the opinions expressed in this report are qualified as stated in the attachment to this section of the report.

Report Prepared By:

Amy Hewson

Senior Environmental Analyst

Report Reviewed By:

Thomas Fralick

Senior Geologist

Report Reviewed By:

Robert Kreuzer

Project Manager



STATEMENT OF LIMITATIONS

The data presented and the opinions expressed in this report are qualified as follows:

The sole purpose of the investigation and of this report is to assess the physical characteristics of the Site with respect to the presence or absence in the environment of oil or hazardous materials and substances as defined in the applicable state and federal environmental laws and regulations and to gather information regarding current and past environmental conditions at the Site.

LiRo derived the data in this report primarily from visual inspections, examination of records in the public domain, interviews with individuals with information about the Site, and a limited number of subsurface explorations made on the dates indicated. The passage of time, manifestation of latent conditions or occurrence of future events may require further exploration at the Site, analysis of the data, and reevaluation of the findings, observations, and conclusions expressed in the report.

In preparing this report, LiRo has relied upon and presumed accurate certain information (or the absence thereof) about the Site and adjacent properties provided by governmental officials and agencies, the Client, and others identified herein. Except as otherwise stated in the report, LiRo has not attempted to verify the accuracy or completeness of any such information.

The data reported and the findings, observations, and conclusions expressed in the report are limited by the Scope of Services, including the extent of subsurface exploration and other tests. The Scope of Services was defined by the requests of the Client, the time and budgetary constraints imposed by the Client, and the availability of access to the Site.

Because of the limitations stated above, the findings, observations, and conclusions expressed by LiRo in this report are not, and should not be considered, an opinion concerning the compliance of any past or present owner or operator of the site with any federal, state or local law or regulation. No warranty or guarantee, whether express or implied, is made with respect to the data reported or findings, observations, and conclusions expressed in this report. Further, such data, findings, observations, and conclusions are based solely upon site conditions in existence at the time of investigation.

This report has been prepared on behalf of and for the exclusive use of the Client, and is subject to and issued in connection with the Agreement and the provisions thereof.



TABLES

TABLE 1 – SUMMARY OF FIELD INVESTIGATION TABLE 2 – SUMMARY OF TCL VOCs DETECTED IN SOIL TABLE 3 – SUMMARY OF TCL SVOCs DETECTED IN SOIL TABLE 4 – SUMMARY OF TAL METALS DETECTED IN SOIL TABLE 5 – SUMMARY OF PESTICIDES DETECTED IN SOIL TABLE 6 - SUMMARY OF HERBICIDES DETECTED IN SOIL TABLE 7 -SUMMARY OF PCBs DETECTED IN SOIL TABLE 8 – SUMMARY OF WASTE CHARACTERIZATION IN SOIL TABLE 9 – SUMMARY OF GROUNDWATER QUALITY COMPARED TO NYCDEP TABLE 10 – SUMMARY OF TCL VOCs DETECTED IN GROUNDWATER TABLE 11 – SUMMARY OF TCL SVOCs DETECTED IN GROUNDWATER TABLE 12 – SUMMARY OF TAL TOTAL METALS DETECTED IN GROUNDWATER TABLE 13 – SUMMARY OF TAL DISSOLVED METALS DETECTED IN GROUNDWATER TABLE 14 – SUMMARY OF PESTICIDES DETECTED IN GROUNDWATER TABLE 15 – SUMMARY OF HERBICIDES DETECTED IN GROUNDWATER TABLE 16 - SUMMARY OF PCBs DETECTED IN SOIL TABLE 17 -SUMMARY OF QUALITY ASSURANCE/QUALITY CONTROL DATA

河

New York City Department of Design and Construction Phase II Subsurface Confoor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flattands Ave. and Outfall - Brooklyn, NY.

Table 1. Summary of Environmental Boring Data
Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area
E. 108th St. between Fiatlands Ave. and Outfall, Brooklyn, New York

| | | | | marrie warra | Sign enned | nache were | a supplied to the supplied to | aren appea | | Dorde winner | 3 50 40 40 | Agente Manne | - | Darde Wein | a second | mark ware | | Tale tendera | Diput signed | and a south | 200 | Andre worth | | presence | | paces were |
|---|------------|-----------------------|-----------------------|--|--|--|---|---|--|--|------------------|---|----------------|--|------------|---|------------|--|--------------|---|------------|---|------------|--|--|--|
| | | Other Comments | : | No visital offschory or PID evidence of impacts were | page of the page o | No visual offerton or PID evidence of Impacts were | petion | No visual offection of PID evidence of impacts were | more of the control o | No visual, offschory or PID evidence of impacts were | patou | No visual offschool or PIO evidence of impacts uses | pepor | No visual, offschov, or PID evidence of impacts were | noted | No visual, offsettoy, or PID addence of impacts | petro | No vietnal offerency or PIO avidance of impacts were | peton | No visual offschory or PID evidence of impacts were | hatru | No visual offertory or PID evidence of investe were | nated. | Proposed boring not advanced due to the presence | No design of the second of the | No visual, oraciony, of this evidence of impacts were noted. |
| | Total | \sim | (s6q | | 8 | | ଛ | | R | | i | 8 | | | 8 | | R | | 8 | | ន | | R | ¥ | | 8 |
| | Depth to | Water (ft | (sbq | | ÷ | | 2 | | 2 | | 1 | 2 | | | 2 | ; | 9 | | 2 | | o, | | 2 | ž | | o |
| | Total | | (ng/L) | | 2 | 1 | ≨ | | ž | : | ≨ | | ≨ | | ž | : | ≨ | ! | 2 | : | <u>≨</u> | | 2 | ž | | <u></u> |
| | Total | Herbicides | (ug/C) | | 2 | | ≨
Ž | | ž | : | ď. | | ž | | ≨ | : | ž | | Ž | : | ž | ! | 2 | ¥ | | ≨ |
| | Total | Pesticides Herbicides | (ug/L) | ١ | 2 | : | ž | | ₹
Ž | ; | ž | | ž | 1 | ₹ | l: | ž | ! | 2 | : | ≨ | ! | 2 | ¥ | | ź |
| 1 | Dissolved | Former | (Yes/No) ² | ļ | 8 | : | Ş | ; | ž | : | ź | 1 | ≨ | | ž | : | <u></u> | : | \$ | ; | <u></u> | ; | ¥68 | ş | T | ≨ |
| | Metals | Exceed | (Yes/No)* | , | ¥ | ; | Š | ; | Š | ; | Ę | ; | ž | 1 | ž | 1 |
£ | , | <u> </u> | : | <u> </u> | , | £ | ¥ | T | ¥ |
| | Total | SVOCS | (5g) | ٤ | 2 | ; | Ę | 1 | ≦ | ; | Ę | ; | ž | 1 | ž | 1 | Š | 10,000 | 80.27 | 1 | ž | į | 3 | ž | Ī | ≨ |
| | Total | VOCs | (4g/L) | Ŀ | - | - | Ę | 1 | Ę | 1 | § | 1 | § | 5 | Š | 714 | ٤ | 70,7 | 14.24 | 2 | § | í | , | ¥ | | ¥. |
| | Total | PCBs | (ng/kg) | ≨ | 2 | NA
NA | Ş | NA | QN | ≨ | Ą | QN | Q | ¥ | Ω | ž | QN | ¥ | ş | ¥ | QN. | ≨ | 9 | AN
A | Ą | S |
| | Herbicides | | (Yes/No) | AN
AN | ş | ¥ | S | Ą | QN | ΨN | ΑN | Q | QN | ΑN | QN | ٧ | QN | ¥ | 2 | ¥ | QN | ž | 9 | AN | ž | Q |
| | Total | Pesticide | (ug/kg) | WA | 4 | ž | QN | ¥ | QΝ | ¥ | ¥ | Q | QN | Ν | Q | ¥ | QN | ž | QN | ¥ | 2 | ž | Q | NA | ž | 2 |
| | Metals | Exceed | (Yes/No) | Ā | Yes | ¥ | Yes | ¥ | Yes | ¥ | ¥ | ŞQ, | Xes. | ¥ | Yes | ¥ | Yes | ¥ | Yes | ¥ | Yes | ¥ | Yes | NA
A | ≨ | Yes |
| | Total | | (ug/kg) | NA | 1,336 | ¥ | 195 | ž | Ş | Ϋ́ | Ν | 1,401 | Q | ž | 828 | ¥ | 20 | ž | 75 | ¥ | 120 | ¥ | 11,523 | ¥ | ≨ | 1,631 |
| | | _ | (ug/kg) | 402.2 | Ϋ́ | 2 | ¥ | 127 | ٧× | S | Q | ¥ | ¥ | 114 | ¥ | S | ž | 116 | ž | 113 | ٧ | 131 | ≨ | ¥ | 8 | ₹ |
| | Sample | Interval (ft | pge) | 14.5-15 | Composite | 9.5-10 | Composite | 9.5-10 | Composite | 9.5-10 | 9.5-10 | Composite | Composite | 9.5-10 | Composite | 9.5-10 | Composite | 9.5-10 | Composite | 8.5-9 | Composite | 9.5-10 | Composite | Ą | 8.5.9 | Composite |
| | Ē | 2 00 | , | 7 | Н | 7 | Ч | 7 | Ч | | <u>ا</u> | | | 7 | Н | , | Н | , | Ĺ | 7 | ۲. | 7 | ٦ | ≨ | , | V |
| | | Sample ID | | SB-01-14.5-15 | SB-01-COMP | SB-02-9.5-10 | SB-02-COMP | SB-03-9.5-10 | SB-03-COMP | SB-04-8.5-10 | SB-04-9,5-10-DUP | SB-04-COMP | SB-04-COMP-DUP | - SB-05-9,5-10 | SB-05-COMP | SB-06-9.5-10 | SB-06-COMP | \$8-07-9,5-10 | SB-07-COMP | SB-08-8:5-9 | SB-08-COMP | SB-09-9.5-10 | SB-09-COMP | × | SB-11-8.5-9 | SB-11-COMP |
| | Rodos | Ž | ! | 10.83 | 200 | - was | 30-05 | Sans | 20.00 | | 7 | <u>.</u> | | SP.OR | 20.00 | 200 | 200 | 20.43 | 1000 | 20.00 | 2000 | J ov as | 3 | SB-10 | ; | 5 |

Netals) exceeds CP-61 SCLa/SCLa, Unrestricted Use (Track 1) SCOs, and/or Restricted Residential Use (Track 2) SCOs.

2. Metals) exceeds NYCDEP Unitations for Effluent to Sanitary or Combined Servers (daily limit) or NYS Ambient Water Quality Standards/Guidance Values.

All sanites were analyzed for Target Compound List (TCL.) Vokatile Organic Compounds (VOCs), Semi-Vokatile Organic Compounds (SYOCs), Pesticides, PCBs, Herbicides, and Target Analyte List (TAL.) Metals.

ND = Non detact

ND = Non detact

R ps = feet below, grade surface

ppm = parts per militor (or mg/kg)

ppm = parts per militor (or mg/kg)

ug/k = micrograms per kilogram

ug/k = micrograms per kilor

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 1 of 2

24-Apr-14 Work Order Letter No. 9145-LIRO-2-8603

AS-71

Table 1. Summary of Environmental Boring Data
Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area
E. 198th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| Other Comments | No visual, olfactory, or PID evidence of Impacts were | No visual, offactory, or PID evidence of impacts were | noted. | No visual, offactory, or PID evidence of impacts were | noted. | No visual, offactory, or PID evidence of impacts were | noted. | No visual, offactory, or PID evidence of impacts were | noted. | PID reading of 103 ppm was noted from 6-10 ft bgs. | No visual or offactory evidence of impacts. | No visual, olfactory, or PID evidence of impacts were | noted. | No visual, olfactory, or PID evidence of impacts were | noted. | No visual, offactory, or PID evidence of impacts were | noted. | No visual, offactory, or PID evidence of impacts were | noted. | No visual, offactory, or PID evidence of impacts were | noted. | No visual, offactory, or PID evidence of Impacts were | noted. | No visual, offsctory, or PID evidence of impacts were | noted. |
|---|---|---|----------------|---|------------|---|------------|---|------------|--|---|---|------------|---|------------|---|------------|---|------------------|---|------------|---|------------|---|------------|
| Total
Depth (ft
bgs) | | 8 | | æ | 7 | ۶ | 3 | Ť. | 2 | ۶ | | 8 | 1 | 8 | 1 | 5 | 3 | ۶ | 22 | ç | 3 | ۶ | | 8 | *** |
| Depth to
Water (ft
bgs) | | 5 | | ž. | 2 | f, | 2 | Ş | | Ç | 2 | Ç | 2 | 5 | 2 | ę | 2 | a | 0 | ç | 2 | o | , | ç | 2 |
| Total
PCBs
(ug/L) | | ž | | ٩N | | 42 | 5 | Ą | 5 | 42 | 5 | Ą | - | ΝA | | ΨN | | ΨN | 5 | VIV | ç | AIA | : | ç | 2 |
| Total
Herbicides
(ug/L) | | ž | | ΨN | | ΨN | Ę | ٩X | 145 | 42 | <u> </u> | AN | 5 | 44 | 5 | ΨN | 2 | V. | | 47 | Š | VIV. | 5 | 2 | 2 |
| Total Total Pesticides Herbicides (ug/L) (ug/L) | | <u></u> | | ٧N | 2 | Ą | <u> </u> | ٩× | 5 | ٧X | <u>.</u> | Ą | 101 | 42 | 5 | ٧X | 1 | VIN | MA | VV | 3 | MA | 150 | 9 | 2 |
| Dissolved Metals Exceed (Yes/No) ² | | ş | | ΨN | | ΨM | ţ | 47 | | ٧N | Ş | ΨN | | 92 | 'N' | Ą | Į. | VIV | 180 | A14 | 757 | MA | 180 | ×-× | 1 659 |
| Metals
Exceed
(Yes/No) ² | | ź | | Ą | | ΨN | <u>.</u> | ٧N | 5 | ٧N | Ç | δN | 1 | 42 | 5 | φN | <u>.</u> | 414 | Ş | *14 | Ş | VIV | 5 | , | 8 |
| Total
SVOCs
(ug/L) | | Ź | | ΔN | 5 | MA | ₹ | | ž | | ž | | ž | | NA NA | | <u> </u> | ¥2 | <u> </u> | VIX | ٤ | 414 | <u> </u> | ţ | <u>`</u> |
| Total
VOCs
(ug/L) | | ş | | AM | 5 | V. | ź | | 1 | ΨN | , m, | MM | , | WN | | AM | | VIA | ٤ | 714 | Š | 414 | <u>{</u> | 40.5 | 12.0 |
| Total
PCBs
(ug/kg) | ≨ | § 9 | Ð | ¥ | 9 | ¥ | Q | Ā | Q | ¥ | 9 | ¥ | Ş | ¥ | Q | ¥ | 2 | NA | 9 | ¥ | Q | ¥ | Ş | ¥ | 2 |
| Herbicides
Exceed
(Yes/No) | Y S | 2 | Q | ¥ | 2 | NA | 2 | NA | QN. | NA | Q | ΑN | Q | ¥ | NO. | ¥ | Q | Ϋ́ | QN | ¥ | NO | NA | S | NA | ND |
| Total
Pesticide
(ug/kg) | ΥN | ₹ 9 | Q | Ϋ́ | S | NA | GN | Ϋ́ | 23 | Ϋ́ | QN | ΝĄ | QN | ΑN | Ö | Ϋ́ | 2.8 | ¥ | QN | ž | Q | NA
NA | S | AN | Q |
| Metals
Exceed
(Yes/No)* | ≨ : | \$ \$ | Ϋ́ | Ϋ́ | Yes | Ν | Yes | Ā | Yes | ¥Ν | χes | ΑN | Yes | Ä | Xes. | ¥ | Yes | ¥ | \$ 8
X | ≨ | Yes | ¥ | Xes
X | ž | Yes |
| Total
SVOCs
(ug/kg) | ≨ ∶ | 2 | ₽ | ¥ | Q | ¥ | QN | Ϋ́ | 9,179 | ¥ | 35,980 | ΑN | 4 | ž | 888 | NA | 6,140 | ¥ | 543 | ž | 1,220 | ¥ | 2 | ş | 3,018 |
| Total
VOCs
(ug/kg) | 8 5 | 2 2 | ≨ | Q | ΑÄ | QN | ¥ | 120 | ¥ | 23 | ž | 3.7 | NA | 44.3 | ¥ | 86 | ž | 55 | ž | 22 | ¥ | 13 | ¥ | ই | NA |
| Sample
Interval (ft
bgs) | 14.5-15 | Composite | Composite | 14.5-15 | Composite | 14,6-15 | Composite | 9.5-10 | Composite | 9.5-10 | Composite | 9.5-10 | Composite | 9.5-10 | Composite | 9.5-10 | Composite | 8.5-9 | Composite | 9.5-10 | Composite | 8.5-9 | Composite | 9.5-10 | Composite |
| Qid (bbm) | | ⊽ | | ļ | 7 | Ţ | · | [| 7 | į | 3 | Ţ | 7 | į | 7 | , | · | , | <u> </u> | ŀ |
V | , | ; | , | ,
, |
| Sample ID | SB-12-14.5-15 | SB-12-14.5-15-10-DUP | SB-12-COMP-DUP | SB-13-14.5-15 | SB-13-COMP | SB-14-14,5-15 | SB-14-COMP | SB-15-9.5-10 | SB-15-COMP | SB-16-9.5-10 | SB-16-COMP | SB-17-9.5-10 | SB-17-COMP | SB-18-9.5-10 | SB-18-COMP | SB-19-9,5-10 | SB-19-COMP | SB-20-8.5-9 | SB-20-COMP | SB-21-9.5-10 | SB-21-COMP | SB-22-8.5-9 | SB-22-COMP | SB-23-9,5-10 | SB-23-COMP |
| Boring
No. | | SB-12 | | 2 | 2 | 1 | 26-14
4 | 3 | 5 | 3 | 20-18
20-18 | 27, 00 | 2 | | 200 | 9, 50 | 5-100 | | 20-20 | | 200 | | 77-90 | | 20-73 |

. Metal(s) exceeds CP-G1 SCLs/SCLs, Unrestricted Use (Track 1) SCOs, and/or Restricted Residential Use (Track 2) SCOs.

2. Metal(s) exceeds NYCDED Limitations for Effluent to Sanitary or Combined Sewers (daily limit) or NYS Ambient Water Quality Standards/Guidence Values.

All samples were analyzed for Target Compound List (TCL) Volatifie Organic Compounds (NOCs), Pestidides, PCBs, Herbiddes, and Target Analyte List (TAL) Metals.

ND = Non detect

ND = Non detect

ND = Non detect

ND = Non detect

Day = parts per million (or mg/kg)

ug/Ns = microgram per liker

ug/L = micrograms per liker

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 2 of 2

24-Apr-14 Work Order Letter No. 9145-LIRO-2-8503

AS-12



Table 2. Summary of Target Compound List (TCL) Volatile Organic Compounds (VOCs) Detected in Soll Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | Part 375-6.8 (a)
Unrestricted Use | Part 375-6.8 (b)
Restricted Use (Track | CP-51 Soil Cleanup | | | Sampl | e ID, Date Coll | Sample ID, Date Collected, and Depth (ft bgs) | (pgs) | | |
|--------------------|--------------------------------------|---|--------------------|---------------|--------------|--|-----------------|--|--------------|--------------|--------------|
| TCL VOC | (Track 1) | 2) Residential Soil | 2 | SB-01-14.5-15 | SB-02-9,5-10 | 5 SB-02-9,5-10 SB-03-9,5-10 SB-04-9,5-10 | SB-04-9.5-10 | SB-04-9.5-10-DUP SB-05-9.5-10 SB-06-9.5-10 SB-07-9.5-1 | SB-05-9.5-10 | SB-06-9.5-10 | SB-07-9.5-10 |
| | Soil Cleanup | Cleanup Objectives | Residential | 3/17/2014 | 3/18/2014 | 3/18/2014 | 3/19/2014 | 3/19/2014 | 3/20/2014 | 3/20/2014 | 3/17/2014 |
| | Objectives (SCOs) | (SCOs) | | 14.5-15 | 9.5-10 | 9.5-10 | 9.5-10 | 9.5-10 | 9.5-10 | 9.5-10 | 9.5-10 |
| Acetone | 20 | 100,000 | SN | 920 | QN | ************************************** | QN | 2 | 140 | Q | -25 |
| Methylene chloride | 50 | 51,000 | SN | 46 | ON. | 17 | Q | 2 | 4,1 | S | 19 |
| o-Xylene | NS | SN | SN | 2.7 | S | Q | 2 | 2 | 2 | ş | £ |
| Xylene (Mixed) | 260 | 100,000 | SN | 3.5 | QN
ON | 2 | Q | Q | Q | £ | 2 |
| Total VOCs | SN | SS. | SN | 402.2 | QZ | 127 | Q | QN | 114 | QN | 116 |

All concentrations are reported in parts per billion (ppb or ug/kg)

ft bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdi's)

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 – Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs

Italicized = Concentration exceeds Restricted Use (Track 2) Residential Soil Cleanup Objectives

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

24-Apr-14 Work Order Letter No. 9145-LIRO-2-8603



Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY New York City Department of Design and Construction Phase II Subsurface Comidor Investigation Report

Table 2. Summary of Target Compound List (TCL) Volatile Organic Compounds (VOCs) Detected in Soil Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | Part 375-6.8 (a)
Unrestricted Use | Part 375-6.8 (b) Restricted Use (Track | CP-51 Soil Cleanup | | | Samp | le ID, Date Colle | Sample ID, Date Collected, and Depth (ft bgs) | bgs) | | |
|--------------------|--------------------------------------|--|--------------------|-------------|--------------|-------------|-------------------|--|---------------|---------------|--------------|
| TCL VOC | (Track 1) | 2) Residential Soil | Levels (SCLs) - | 8B-08-8.5-9 | SB-09-9.5-10 | SB-11-8.5-9 | SB-12-14.5-15 S | SB-11-8.5-9 SB-12-14.5-15 SB-12-14.5-15-DUP SB-13-14.5-15 SB-14-14.5-15 SB-15-9.5-1 | SB-13-14.5-15 | SB-14-14.5-15 | SB-15-9.5-10 |
| | Soil Cleanup | Cleanup Objectives | Residential | 3/19/2014 | 3/17/2014 | 3/19/2014 | 3/21/2014 | 3/21/2014 | 3/21/2014 | 3/20/2014 | 3/20/2014 |
| | Objectives (SCOs) | (scos) | | 8.5-9 | 9.5-10 | 8.5-9 | 14.5-15 | 14.5-15 | 14.5-15 | 14.5-15 | 9.5-10 |
| Acetone | 50 | 100,000 | SN | 001 | 1014 | 32 | 72 | QN | Q | Ω | |
| Methylene chloride | 90 | 51,000 | SN | 13 | 21 | 7.1 | 22 | 2 | 2 | Q | 9.6 |
| o-Xylene | SN | SN | SN | 2 | 2 | 2 | S | QV | Q | S | 2 |
| Xylene (Mixed) | 260 | 100,000 | SN | ₽ | 2 | Q | 2 | 2 | 2 | QN | S |
| Total VOCs | SN | SN | SN | 113 | 131 | 36 | 94 | 2 | Q | QN | 120 |

All concentrations are reported in parts per billion (ppb or ug/kg)

ft bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdl's)
SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).
CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 – Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs
SECTION CONCENTRATION OF SECTION OF SEC

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 2 of 3

Work Order Letter No. 9145-LIRO-2-8603

A5-74



Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY New York City Department of Design and Construction

Table 2. Summary of Target Compound List (TCL) Volatile Organic Compounds (VOCs) Detected in Soil Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Fiatlands Ave. and Outfall, Brooklyn, New York

| | Part 375-6.8 (a)
Unrestricted Use | Part 375-6.8 (b)
Restricted Use (Track | CP-51 Soil Cleanup | | - | Sample | Sample ID, Date Collected, and Depth (it bgs) | ed, and Depth | (ft bgs) | | |
|--------------------|--------------------------------------|---|--------------------|--------------|--------------|---|---|---------------|--------------|-------------|--------------|
| TCL VOC | (Track 1) | 2) Residential Soil | Levels (SCLs) - | SB-16-9.5-10 | SB-17-9.5-10 | SB-16-9.5-10 SB-17-9.5-10 SB-18-9.5-10 SB-19-9.5-10 SB-20-8.5-9 | SB-19-9.5-10 | SB-20-8.5-9 | SB-21-9.5-10 | SB-22-8.5-9 | SB-23-9.5-10 |
| | Soli Cleanup | Cleanup Objectives | Residential | 3/20/2014 | 3/19/2014 | 3/21/2014 | 3/21/2014 | 3/19/2014 | 3/18/2014 | 3/19/2014 | 3/17/2014 |
| | Objectives (SCOs) | (SCOs) | | 9.5-10 | 9.5/10 | 9.5-10 | 9.5-10 | 8.5-9 | 9.5-10 | 8.5-9 | 9.5-10 |
| Acetone | 09 | 100,000 | SN | Q | QN | 98 | 79 | æ | .85 | 2 | 86 |
| Methylene chloride | 950 | 51,000 | SN | ಜ | 3.7 | 8.3 | 22 | 19 | 7.2 | 13 | 7.9 |
| o-Xylene | SS | NS. | SN | 2 | S | 2 | 2 | S | £ | 2 | 2 |
| Xylene (Mixed) | 260 | 100,000 | NS | 2 | Q | Q | Q | Q | õ | Ñ | £ |
| Total VOCs | SN | NS | NS | ಜ | 3.7 | 44.3 | 98 | 92 | 72 | 13 | <u>5</u> |

Notes:

All concentrations are reported in parts per billion (ppb or ug/kg)

ft bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdf's)
SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).
CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 - Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs

SECTION OF A CONCENTRATION EXCEEDS SECTION OF A CONCENTRATION OF A CONCENTRATION EXCEEDS SECTION OF A CONCENTRATION exceeds Restricted Use (Track 2) Residential Soil Clearup Objectives

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 3 of 3

Work Order Letter No. 9145-LIRO-2-8603

A5-15



Table 3. Summary of Target Compound List (TCL) Semi-Volatile Organic Compounds (SVOCs) Detected in Soil Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | Part 375-6.8 (a)
Unrestricted Use | Part 375-6.8 (b)
Restricted Use (Track | CP-51 Soil Cleanup | | | Sam | ple ID, Date Co | Sample ID, Date Collect, and Depth (ft bgs) |) sbq | | |
|----------------------------|--------------------------------------|---|--------------------|------------|------------|------------|-----------------------|---|------------|------------|------------|
| TCL SVOC | (Track 1) | 2) Residential Soil | Levels (SCLs) - | SB-01-COMP | SB-02-COMP | SB-03-COMP | SB-03-COMP SB-04-COMP | SB-04-COMP-DUP | SB-05-COMP | SB-06-COMP | SB-07-COMP |
| | Soil Cleanup | Cleanup Objectives | Residential | 3/17/2014 | 3/18/2014 | 3/18/2014 | 3/19/2014 | 3/19/2014 | 3/20/2014 | 3/20/2014 | 3/17/2014 |
| | Objectives (SCOs) | (SCOs) | | Composite | Composite | Composite | Composite | Composite | Composite | Composite | Composite |
| 2-Methylnaphthalene | SN | SN | 410 | QN | QN | ON. | QX | ON | QN | 2 | 2 |
| Acenaphthene | 20,000 | 100,000 | SN | Q | S | QN | ΩN | QN | QN | QN | 2 |
| Acenaphthylene | 100,000 | 100,000 | SN | S | Q | ON | ΩN | QN | Q | S | Ş |
| Anthracene | 100,000 | 100,000 | NS | QN
Q | Q | ON | 42 | ND | QN | 2 | 2 |
| Benzo(a)anthracene | 1,000 | 1,000 | NS | 130 | Q | ΝĐ | 120 | ND | 26 | Q | S |
| Benzo(a)pyrene | 1,000 | 1,000 | SN | 100 | ₽ | ND | 94 | ND | Q | ð | S |
| Benzo(b)fluoranthene | 1,000 | 1,000 | SN | 130 | Q. | Q | 130 | ON | 110 | Ð | Q |
| Benzo(g,h,i)perylene | 100,000 | 100,000 | NS | 98 | 9 | 2 | 64 | NO | QN | 2 | 2 |
| Benzo(k)fluoranthene | 800 | 1,000 | SN | QN | 95 | Q | 46 | ON | Ð | QN | 2 |
| bis(2-Ethylhexyl)phthalate | SN | SN | 50,000 | 55 | ND | Q | QV | ΩN | 81 | QN | 75 |
| Carbazole | SN | SN | SN | QV | ND | Ð | QN | ON | Ð | Q | S |
| Chrysene | 1,000 | 1,000 | SN | 110 | S | ON
O | 110 | QN | 06 | Q | Q |
| Dibenz[a,h]anthracene | 330 | 330 | SN | QN | ND | NO. | QN | QN | QN | QN | S |
| Dibenzofuran | SN | NS | NS | NO | NO | Q | 11 | QN | QN | Q | ð |
| Di-n-butylphthalate | NS | NS | 100,000 | 2 | NO | Q | 20 | QN | Q | QN | Q |
| Flouranthene | 100,000 | 100,000 | NS | 200 | NO | ON | 230 | ON | 130 | QN | QN |
| Fluorene | 30,000 | 100,000 | NS | S | S | Q | Q | QN | Q | Q | Q |
| Indeno(1,2,3-cd)pyrene | 200 | 500 | SN | 99 | ND | QN
ON | 54 | QN | QN | QN | Ş |
| Napthalene | 12,000 | 100,000 | NS | Q | N
Q | 9 | 2 | QN | Ş | 20 | QN |
| Phenanthrene | 100,000 | 100,000 | S | 110 | S | Ö | 220 | QN | 88 | QN | QN |
| Pyrene | 100,000 | 100,000 | SN | 350 | 100 | QN | 260 | QN | 240 | QN | ΩŽ |
| Total SVOCs | SN | NS | SN | 1,336 | 195 | QN | 1,401 | ON | 828 | 20 | 75 |

All concentrations are reported in parts per billion (ppb or ug/kg)

it bgs = feet below grade surface NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdf's)
SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).
CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 - Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs
Shading = Concentration exceeds Unrestricted Use (Track 1) Soil Cleanup Objectives
Italicized = Concentration exceeds Restricted Use (Track 2) Residential Soil Cleanup Objectives

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 1 of 3

Work Order Letter No. 9145-LIRO-2-8603

AS-76



Phase II Subsurface Corridor investigation Report Storm, Sanitary, & Combined Sewers & Water Main In Fresh Creek Basin Area New York City Department of Design and Construction E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Table 3. Summary of Target Compound List (TCL) Semi-Volatile Organic Compounds (SVOCs) Detected in Soil Phase il Subsurface Corridor investigation for the Storm, Senitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooktyn, New York

| | Part 375-6.8 (a) | Part 375-6.8 (b)
Restricted Use (Track | CP-51 Soll Cleanup | | | Samp | le ID, Date Coll | Sample ID, Date Collected, and Depth (ft bgs) | (pgs) | - | |
|----------------------------|-------------------|---|--------------------|------------|------------|------------|------------------|--|------------|------------|------------|
| TCL SVOC | (Track 1) | 2) Residential Soil | Levels (SCLs) - | SB-08-COMP | SB-09-COMP | SB-11-COMP | SB-12-COMP | SB-09-COMP SB-11-COMP SB-12-COMP SB-12-COMP-DUP SB-13-COMP SB-14-COMP SB-15-COMP | SB-13-COMP | SB-14-COMP | SB-15-COMP |
| | Soil Cleanup | Cleanup Objectives | Residential | 3/19/2014 | 3/17/2014 | 3/19/2014 | 3/21/2014 | 3/21/2014 | 3/21/2014 | 3/20/2014 | 3/20/2014 |
| , | Objectives (SCOs) | (SCOS) | | Composite | Composite | Composite | Composite | Composite | Composite | Composite | Composite |
| 2-Methylnaphthalene | SN | SN | 410 | QN | 61 | 2 | Q | QN | QN | QN | 2 |
| Acenaphthene | 20,000 | 100,000 | SN | Q. | 180 | 46 | 2 | S | Q | 2 | 310 |
| Acenaphthylene | 100,000 | 100,000 | NS | S | 2 | 2 | 9 | Q | Q | 2 | 2 |
| Anthracene | 100,000 | 100,000 | SN | S | 350 | 110 | 9 | Q | Q | 2 | 380 |
| Benzo(a)anthracene | 1,000 | 1,000 | SN | ON | 960 | 140 | 9 | NO | Q | Q | 740 |
| Benzo(a)pyrene | 1,000 | 1,000 | SN | 120 | 690 | 99 | Q | S | ND | S | 570 |
| Benzo(b)fluoranthene | 1,000 | 1,000 | SN | QN | 720 | 140 | Q | NO | QN | S | 680 |
| Benzo(a.h.i)perviene | 100,000 | 100,000 | SN | QN | 420 | 47 | QN | ND | ON | S | 490 |
| Benzo(k)fluoranthene | 800 | 1,000 | SN | QN | 210 | 50 | Q | S | Q | 2 | 250 |
| bis(2-Ethylhexyl)phthalate | SN | SN | 20,000 | QN | QN | S | 2 | 9 | S | S | 2 |
| Carbazole | SN | NS | SN | QN | 77 | S | 2 | Š | Q | 2 | 2 |
| Chrysene | 1,000 | 1,000 | SN | ON | 930 | 120 | S | ND | ND | S | 620 |
| Dibenzía.h]anthracene | 330 | 330 | SN | ND | 110 | S | QN. | NO | QN | Q | 2 |
| Dibenzofuran | SN | SN | SN | QN | 85 | 13 | ON. | 9 | ON | S | 9.3 |
| Di-n-butylphthalate | Ş | SN | 100,000 | QV | QN | NO | <u>N</u> | Q | QN | 9 | 2 |
| Flouranthene | 100,000 | 100,000 | SN | Q | 1,200 | 320 | 9 | Q | 2 | 2 | 870 |
| Fluorene | 30,000 | 100,000 | SN | Q | 180 | 2 | ₽ | £ | 2 | 2 | 460 |
| Indeno(1.2.3-cd)pyrene | 900 | 200 | SN | 2 | 340 | ND | NO
NO | Q | Q
N | 2 | 360 |
| Napthalene | 12,000 | 100,000 | SN | Q | 110 | 16 | S | 9 | ON. | 2 | 160 |
| Phenanthrene | 100,000 | 100,000 | SN | Q | 2,200 | 240 | S | 9 | 2 | 2 | 1,800 |
| Pyrene | 100,000 | 100,000 | SN | ð | 2,700 | 290 | N
O | Q | Q | NO. | 1,500 |
| Total SVOCs | SN | SN | SN | 120 | 11,523 | 1,631 | QN | QN | Q | ON | 9,179 |
| | | | | | | | | | | | |

All concentrations are reported in parts per billion (ppb or ug/kg) it bgs = feet below grade surface

NS = No Standard

ND = Compound not detacted above method detection limit (see attached lab report for mdi's)
SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).
CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 – Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs Schools Concentration exceeds NYSDEC CP-51 SCLs Schools Concentration exceeds Restricted Use (Track 2) Residential Soil Clearup Objectives

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 2 of 3

24-Apr-14 Work Order Letter No. 9145-LIRO-2-8803



Table 3. Summary of Target Compound List (TCL) Semi-Volatile Organic Compounds (SVOCs) Detected in Soil Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | Part 375-6,8 (a)
Unrestricted Use | Part 375-6.8 (b)
Restricted Use (Track | CP-51 Soil Cleanup | | | Sample | ID, Date Colle | Sample ID, Date Collect, and Depth (ft bgs) | t bgs) | | |
|----------------------------|--------------------------------------|---|--------------------|------------|------------|------------|----------------|---|------------|------------|------------|
| TCL SVOC | (Track 1) | 2) Residential Soil | Levels (SCLs). | SB-16-COMP | SB-17-COMP | SB-18-COMP | SB-19-COMP | SB-19-COMP SB-20-COMP SB-21-COMP SB-22-COMP SB-32-COM | SB-21-COMP | SP.22.COMP | SR 22 COMB |
| | Soil Cleanup | Cleanup Objectives | Residential | 3/20/2014 | 3/19/2014 | 3/21/2014 | 3/21/2014 | 3/19/2014 | 3/18/2014 | 3/19/2014 | 2H772014 |
| | Objectives (SCOs) | (SCOs) | | Composite | Composite | Composite | Composite | Composite | Composite | Composite | Composite |
| z-Methynaphthalene | SN | NS | 410 | 2 | QN | QN | S | Ş | Ş | Ç | 9 |
| Acenaphthene | 20,000 | 100,000 | SN | 920 | 2 | Ş | 5 | Ş | 2 2 | 2 2 | 2 4 |
| Acenaphthylene | 100,000 | 100,000 | SN | 88 | 2 | Ę | 32 | 2 5 | 2 | | 2 |
| Anthracene | 100,000 | 100,000 | NS | 1,500 | 2 | Q | 140 | 2 | 2 2 | 2 2 | 2 9 |
| Benzo(a)anthracene | 1,000 | 1,000 | NS | 2,900 | Q | 28 | 540 | 52 | 5 5 | 2 2 | 200 |
| Benzo(a)pyrene | 1,000 | 1,000 | SS | 2,700 | 2 | 22 | 490 | S | a | 2 2 | 200 |
| Benzo(b)fluoranthene | 1,000 | 1,000 | SN | 3,700 | Q | 96 | 280 | 3 2 | 8 65 | 2 2 | 180 |
| Benzo(g,h,i)perylene | 100,000 | 100,000 | SN | 2,200 | 2 | 8 | 420 | 8 | 3 2 | 2 2 | SS C |
| Benzo(k)fluoranthene | 800 | 1,000 | NS | | Q | Ę | ē | 3 5 | 3 5 | | 2 |
| bis(2-Ethylhexyi)phthalate | NS | NS | 50,000 | ₽ | 44 | 46 | S | 2 5 | 2 2 | 2 | 2 |
| Carbazole | SS | SN | SN | Q | S | 8 | 2 | 2 2 | 2 2 | 22 | 2 2 |
| Chrysene | 1,000 | 1,000 | NS | 2,700 | Q | 82 | 550 | 52 | 18 | 2 5 | 250 |
| Dibenz[a,h]anthracene | 330 | 330 | NS | 840 | QN | Q | 110 | 2 | S | 2 | 3 5 |
| Die hat tekt fet | SN | SS | SS | 340 | QN | Q | 13 | 2 | 2 | Ę | 2 |
| Flouranthan | 20000 | SN | 100,000 | Q | S | Ω | 9 | Ş | \$ | 2 | 2 |
| Fliorene | 30,000 | 100,000 | SS | 3,900 | 2 | 150 | 069 | 75 | 130 | 2 | 88 |
| Indeno(1.2 3-cd)mene | 0000 | 100,000 | SS | 920 | 2 | 오 | Q | 2 | 9 | £ | 2 |
| Naothalene | 12 000 | 000 000 | 200 | 2,000 | 2 | 42 | 340 | 41 | 59 | Q | Q |
| Phenanthrene | 100,000 | 200,000 | 2 | 9/4 | 2 | 2 | 19 | S | 2 | Q | 38 |
| Pyrene | 100,000 | 000,000 | 2 | 3,900 | 2 | <u>8</u> | 220 | 51 | 140 | 2 | 290 |
| Total SVOCe | 914 | 000,001 | CN. | 006,6 | QN | 170 | 1,500 | 100 | 300 | S | 980 |
| 10tal Sycoss | 22 | S. | SN | 35,980 | 4 | 888 | 6,140 | 543 | 1,220 | £ | 3,018 |
| | | | | | | | | | | | |

All concentrations are reported in parts per billion (ppb or ug/kg)

ft bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdi's)

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 – Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs Shading = Concentration exceeds With SINGIGUS (TROCT) SOLICIEM (p.c) pectives: Italicized = Concentration exceeds Restricted Use (Track 2) Residential Soli Cleanup Objectives

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 3 of 3

AS-18

24-Apr-14 Work Order Letter No. 9145-LIRO-2-8603



Phase II Subsurface Corridor investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flattands Ave. and Outfall - Brooklyn. NY New York City Department of Design and Construction

Table 4. Summary of Target Analyte List (TAL) Metals Detected in Soil
Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area
E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | Part 375-6.8 (a) | Part 375-6.8 (b) | | | | | | | | | |
|---------------------------|-------------------|-----------------------|--------------------|------------|-------------------------|------------|-----------------|---|-------------|-----------|------------|
| | Unrestricted Use | Restricted Use (Track | CP-51 Soil Cleanup | | | Sam | ple ID, Date Co | Sample ID, Date Collect, and Depth (ft bgs) | pas) | | |
| Target Analyte List Metal | (Track 1) | 2) Residential Soil | Levels (SCLs) - | SB-01-COMP | SB-01-COMP SB-02-COMP | SB-03-COMP | SB-04-COMP | SB-03-COMP SB-04-COMP SR-04-COMB-NUB SB-05-COMP | GINCO av do | 200000 | 41.00 |
| | Soil Cleanup | Cleanup Objectives | Residential | 3/17/2014 | 3/18/2014 | 3/18/2014 | 3/19/2014 | 2/19/2014 | 3/30/304.4 | SPOOLOGIE | SE-U/-COMP |
| | Objectives (SCOs) | (SCOS) | | Composite | Composite | Composite | Composite | Composito | SECUENTAL | 3202014 | 4LV2/11/2 |
| Aluminum | SN | SN | SZ | 11 000 | 12.00 | 900 | 2027 | anicodiiioo | Composing | Composite | Composite |
| Arsenic | 13 | 16 | SN | 2 | Ş | 200 | 000: | 0,000 | 9,200 | 4,500 | 7,400 |
| Barlum | 350 | 350 | SN | 9 | 2 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| Beryllum | 7.2 | 14 | WZ | 02.0 | 2 4 | 2 | 2 | 12 | ğ | 2 | 24 |
| Cadmium | 2.5 | 25 | S N | 20.0 | 2 | 2 | 2 | Westernam 3 facilities and | 0.29 | Q | £ |
| Calcium | NN. | ON. | 014 | 200 | 2 | 2 | 2 | 2 | S | 2 | 2 |
| Chmmirm (total) | 2 | 2 | CN | 0,200 | 000.9 | 2 | 2 | 2 | 9 | 2 | 2 |
| Carolinani (Mari) | 8 | 8 | NS | 17 | 37 | 12 | 9.2 | 2 | 18 | 80 | 6 |
| Copali | SN | NS | 30 | 2 | 8.3 | 3.1 | S | 47 | 2,0 | | 3 |
| Copper | 90 | 270 | SN | 24 | 75 | ŧ | | | , | S.S | 2 |
| Iron | SN | SN | 2 000 | 15,000 | 000 90 | - | | 7.7 | 10 | 40 | 15 |
| Lead | æ | 400 | Nie Prie | 2000 | 2000 | (, S | 0,400 | 12,000 | 11,000 | 7,700 | 13,000 |
| Magnesium | SIN | 914 | S. S. | 2/2 | 8 | 4 | - | S | 18 | 8.3 | 2 |
| Mandanese | 1 800 | SN | SZ. | 2,700 | 5,400 | 1,700 | 1,400 | 2,200 | 2,200 | 2.400 | 3.600 |
| Memin | 1,000 | 2,000 | 2 | ς/. | 310 | 49 | 42 | 69 | 110 | 75 | 110 |
| Nickel | 9.5 | 440 | 2 | 2 | Q | 2 | 2 | 2 | QN | S | 2 |
| Potassium | Siv | 041 | S | 4 | 28 | 1 | 15 | - 45 | 14 | 1, | 22 |
| Silver | 26 | 22 | 2 | 230 | 1,900 | 2 | QV | ₽ | 2 | S | Ş |
| Codem | 7 | 95 | SZ | 2 | S | Q | Q | 2 | 2 | Ş | 2 |
| Vanadim | 22 | 2 | SS | ç | 680 | Q | Q | ş | Q | Ç | 2 |
| Zinc | 200 | S. | 100 | 21 | \$ | 14 | 12 | 16 | 18 | 2 | 24 |
| | RO1 | 2,200 | SN | 88 | 51 | 21 | 13 | 22 | 22 | æ | 1 |

Notes:

All concentrations are in parts per million (ppm or mg/kg)

ft bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdfs)

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).

CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 – Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs
Shading: Concentration exceeds NYSDEC CP-51 SCLs
Italicized = Concentration exceeds Restricted Use (Track 2) Residential Soil Cleanup Objectives

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

24-Apr-14 Work Order Letter No. 9145-LIRO-2-8603

Table 4. Summary of Target Analyte List (TAL) Metals Detected in Soil Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | Part 375-6.8 (a) | Part 375-6.8 (b) | CP-51 Soil Cleanup | | | Samp | le ID, Date Coli | Sample ID, Date Collected, and Depth (ft bgs) | t bgs) | | |
|--------------------------|-------------------|---------------------|--------------------|------------|------------|------------|------------------|---|------------|------------|------------|
| Total de l'es Motel | Grant 1) | 2) Residential Soil | | SB-08-COMP | SB-09-COMP | SB-11-COMP | SB-12-COMP | SB-08-COMP SB-08-COMP SB-11-COMP SB-12-COMP SB-12-COMP SB-13-COMP SB-14-COMP SB-15-COMP | SB-13-COMP | SB-14-COMP | SB-15-COMP |
| arget Analyte List metal | Soil Cleanup | Cleanup Objectives | | 3/19/2014 | 3/17/2014 | 3/19/2014 | 3/21/2014 | 3/21/2014 | 3/21/2014 | 3/20/2014 | 3/20/2014 |
| _ | Objectives (SCOs) | (\$CO\$) | | Composite | Composite | Composite | Composite | Composite | Composite | Composite | Composite |
| Aleminator | SN | SN | SN | 006'9 | 7,400 | 9,400 | 3,000 | 3,100 | 2,500 | 3,500 | 5,300 |
| Accimination | 13 | 16 | SN | Ş | Q | Ş | QN | QN | B | 2 | 4.6 |
| Aselic
Bookin | 350 | 350 | SN | 20 | 31 | 26 | 17 | 22 | 13 | 18 | 100 |
| Darini. | 7.9 | 14 | SN | Q | 0.37 | 2 | 2 | Q | S | 2 | 0.31 |
| Del yardin | 2.5 | 2.5 | SN | Ş | 9 | 2 | QN | ON | ND | S | 0.73 |
| Carmina | SZ | SZ | SX | Q | 9 | S | Q | QN | Q | SO | 14,000 |
| Calcium (total) | 200 | 36 | SZ | 15 | 16 | 16 | 8.3 | 7.8 | 6.3 | 7.7 | 20 |
| Calculate (solet) | SN | SS | 90 | ę | 3.5 | 3.7 | 3 | 3.5 | Q | 3.5 | 5.2 |
| Conse | 909 | 270 | SN | 6.6 | 11 | 12 | 8.4 | 8.8 | 6.6 | 8.4 | * |
| 50000 | SN | SN | 2.000 | 4,800 | 8,500 | 7,100 | 8,700 | 8,200 | 6,900 | 9,200 | 19,000 |
| HOII | £ 2 | 400 | SN | 2 | 22 | 7.5 | Q | Q | Q | QN | 210 |
| Lead | 32 | SN | SS | 1.400 | 1,900 | 2,100 | 1,100 | 1,500 | 1,200 | 1,500 | 3,900 |
| Managed | 1,600 | 2.000 | SN | 14 | 69 | 51 | 220 | 220 | 160 | 500 | 270 |
| Mercin | 0.18 | 0.81 | SN | Q | £\$:0 | QN | Q. | 2 | 2 | g | 0.97 |
| a din | 90 | 140 | SN | 8.1 | 13 | 4 | 12 | 15 | Ŧ | = | 18 |
| Potassium | SN | SN | SN | QN | 2 | 2 | 9 | ₽ | 2 | 2 | 280 |
| Cilver | 2 | 38 | SN | S | 8 | 2 | Q | Q | 2 | 2 | 2 |
| Sodius | SN | Ş | SN | 9 | QN | Q | Q | Q | Q | 2 | 2 |
| Wanadiim | SZ | SN | 100 | 19 | 25 | 23 | ‡ | + | 2 | = | 8 |
| Zioc | 109 | 2,200 | SN | 13 | 29 | 23 | 13 | 14 | 12 | 14 | 210 |
| | | | | | | | | | | | |

All concentrations are in parts per million (ppm or mg/kg)

ft bgs = feet below grade surface

NS = No Standard

BOLD = Concentration exceeds NYSDEC CP-51 SCLs Shading = Concentration exceeds Unresinded Use (Track c) Soil Clean in Objectives Instituted = Concentration exceeds Restricted Use (Track 2) Residential Soil Cleanup Objectives

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 2 of 3

Work Order Letter No. 9145-LIRO-2-8603



New York City Department of Design and Construction Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Table 4. Summary of Target Analyte List (TAL) Metals Detected in Soil
Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area
E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | Part 375-6.8 (a)
Unrestricted Use | Part 375-6.8 (b)
Restricted Use (Track | CP-51 Soll Cleanup | | | Sampl | Sample ID, Date Collect, and Depth (ft bgs) | ct, and Depth (| ft bgs) | | |
|---------------------------|--------------------------------------|---|--------------------|--------------|------------|------------|--|-----------------|------------|------------|------------|
| Target Analyte List Metal | (Track 1) | 2) Residential Soil | Levels (SCLs) - | SB-16-COMP | SB-17-COMP | SB-18-COMP | SB-17-COMP SB-18-COMP SB-19-COMP SB-21-COMP SB-22-COMP SB-22-COMP SB-22-COMP SB-23-COMP SB-23 | SB-20-COMP | SR-21-COMP | SR-22-COMP | CB 22 COMB |
| | Soil Cleanup | Cleanup Objectives | Residential | 3/20/2014 | 3/19/2014 | 3/21/2014 | 3/21/2014 | 3/19/2014 | 3/18/2014 | 3/19/2014 | 3/17/2014 |
| | Objectives (SCOs) | (scos) | | Composite | Composite | Composite | Composite | Composite | Composite | Composite | Composite |
| Aluminum | SS | SN | SN | 8,400 | 5,800 | 5,400 | 5.100 | 3,600 | 9 400 | 3 200 | 000 8 |
| Arsenic | 13 | 16 | SS | S | 2 | CZ | Ç | S | | 2012 | 2027 |
| Barium | 350 | 350 | SN | 88 | 16 | 20 | 1.7 | 1,2 | 9 | 2 2 | 3 5 |
| Beryllium | 7.2 | 14 | SE | 0.24 | 2 | 2 | 020 | : CN | 200 | 2 2 | 3 5 |
| Cadmium | 2.5 | 2.5 | SN | S | Q | 2 | 5.900 | S | 2 | 2 2 | 80.0 |
| Calcium | SN | SN | SS | 46,000 | Q | 2 | Ş | Ş | 2 | 2 5 | 200 |
| Chromium (total) | 30 | 36 | SS | 13 | 12 | 13 | 5 | 3,2 | 2 | Ş . | 2,400 |
| Cobatt | SN | SN | 88 | 6.1 | 9 | 3.2 | 3.9 | 2 2 | - 5 | ٩ | 0 4 |
| Copper | 90 | 270 | SS | 130 | 6.6 | 7.2 | 16 | 100 | 2 8 | 2 2 | 9.9 |
| Iron | NS | SN | 2,000 | 19,000 | 6,800 | 8.500 | 11.000 | 9 200 | 8 200 | 000 | 42,000 |
| Lead | 63 | 400 | Ş | 5 | Q | 6.5 | 59 | 73 | 47 | 200 | 12,000 |
| Magnesium | SN | SN | SS | 5,400 | 1.800 | 1,700 | 3 400 | 1600 | 1 500 | 200 | 860 |
| Manganese | 1,600 | 2,000 | SN | 210 | 7 | 180 | 220 | 89 | 120 | 4 | 140 |
| Mercury | 0.18 | 0.81 | SN | 0.2 | 2 | Q | 0.27 | S. | 2 | 9 | CZ. |
| Nickel | 30 | 140 | SS | 24 | 9.4 | 28 | 15 | F | 9 | 9 | Ş |
| Potassium | SN | SN | NS | 610 | Q | Q | QN | 2 | 2 | 2 | S |
| Silver | 2 | 36 | NS | S | Q | QN | 2 | £ | 9 | 2 | 2 |
| Sodium | SZ | SN | SS | 330 | 2 | QN | Š | ş | 340 | 2 | 1.500 |
| Vanadium | SZ | SN | 100 | ႙ | 14 | QN | 16 | £ | 4 | 13 | 21 |
| ZINC | 109 | 2,200 | NS | 130 | 16 | 21 | 49 | 8 | 22 | ž | 28 |

All concentrations are in parts per million (ppm or mg/kg)

ft bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdl's)
SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).
CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 – Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs Shiding ** Concentration exceeds University (1904) Scil. Cleanur Collectives Italicized = Concentration exceeds Restricted Use (Track 2) Residential Soil Cleanup Objectives

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 3 of 3

Work Order Letter No. 9145-LIRO-2-8603



New York City Department of Design and Construction Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Table 5. Summary of Pesticides Detacted in Soil
Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area
E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | Part 375-6.8 (a) | Part 375-6.8 (b) | | | | Sami | ple ID. Date Col | Sample ID. Date Collect. and Depth (# bos) | (50) | | |
|------------------|-------------------|-----------------------|--------------------|------------|----------------------|------------|------------------|--|------------|------------|------------|
| _ | Unrestricted Use | Restricted Use (Track | CP-51 Soil Cleanup | | | | | | , | | |
| Pesticides | (Track 1) | 2) Residential Soil | Levels (SCLs) - | SB-01-COMP | B-01-COMP SB-02-COMP | SB-03-COMP | SB-04-COMP | SB-03-COMP SB-04-COMP SB-04-COMP-DUP SB-05-COMP SB-06-COMP SB-07-COM | SB-05-COMP | SB-06-COMP | SB-07-COMP |
| | Soil Cleanup | Cleanup Objectives | Residential | 3/17/2014 | 3/18/2014 | 3/18/2014 | 3/19/2014 | 3/19/2014 | 3/20/2014 | | 3/17/2014 |
| | Objectives (SCOs) | (scos) | | Composite | Composite | Composite | Composite | 1 | Composite | Composite | Composite |
| 4 4'-000 | 3.3 | 2.600 | SN | Q | QN | Š | Q. | 2 | Ö | QN | 2 |
| 44-005 | 3.3 | 1.800 | SN | 40 | 2 | 2 | 2 | Q | Q | QN | Q |
| 4 4'-DDT | 3.3 | 1,700 | SN | 2 | QN | Q | Q | QV | Q | QN | Q. |
| Total Pesticides | SZ. | SN | SN | 4 | QN | QN | S | Q | QN
N | Q | Q |

All concentrations are reported in parts per billion (ppb or ug/kg)

ft bgs = feet below grade surface

ND = Compound not detected above method detection limit (see attached lab report for mdl's) NS = No Standard

D = Diluted

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).

CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 - Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs Shading Concentration exceeds Universitated Use (Track 1) Soli Clean (Discrimes) Italicized = Concentration exceeds Restricted Use (Track 2) Residential Soli Cleanup Objectives

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 1 of 3

Work Order Letter No. 9145-LIRO-2-8603



New York City Department of Design and Construction Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Table 5. Summary of Pesticides Detected in Soil
Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area
E. 108th St. between Flatiands Ave. and Outfall, Brooktyn, New York

| | Part 375-6.8 (a)
Unrestricted Use | | CP-51 Soil Cleanup | | | Sampl | e ID, Date Colle | Sampie ID, Date Collected, and Depth (ft bgs) | (såq | | |
|------------------|--------------------------------------|---------------------|--------------------|------------|------------|-------------------------|------------------|---|------------|------------|------------|
| Pesticides | | 2) Residential Soil | | SB-08-COMP | SB-09-COMP | SB-09-COMP SB-11-COMP | SB-12-COMP | SB-12-COMP-DUP | SB-13-COMP | SB-14-COMP | SB-15-COMP |
| | | Cleanup Objectives | Residential | 3/19/2014 | 3/17/2014 | 3/19/2014 | 3/21/2014 | 3/21/2014 | 3/21/2014 | 3/20/2014 | 3/20/2014 |
| | Objectives (SCOs) | (SCOS) | | Composite | Composite | Composite | Composite | Composite | Composite | Composite | Composite |
| 4,4'-DDD | 3.3 | 2,600 | SN | QN | QN | Q | Q | QV
Q | QN | QN | 23 |
| 4.4'-DDE | 3.3 | 1,800 | SN | Q. | Q | QN | 9 | QN | QN | QN | Q |
| 4.4'-DDT | 3.3 | 1,700 | NS | QN | g | QV | Q | Q. | QN | QN | QN |
| Total Pesticides | SN | SN | SN | QN | Q | Q | QN | NO. | QN | QN | 23 |

All concentrations are reported in parts per billion (ppb or ug/kg) if bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).

CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 - Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level. D = Diluted

BOLD = Concentration exceeds NYSDEC CP-51 SCLs
Shading = Concentration exceeds Ontestificad Use/(Track 1) Scill (Searul Objectives)
Italicized = Concentration exceeds Restricted Use (Track 2) Residential Soil Cleanup Objectives

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 2 of 3

Work Order Letter No. 9145-LIRO-2-8603



Table 5. Summary of Pesticides Detected in Soil
Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main In Fresh Creek Basin Area
E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| _ | T. | _ | _ | _ | T | _ | • |
|---|---|--------------------|-------------------|----------|----------|----------|------------------|
| | SB-23-COMP | 3/17/2014 | Composite | 2 | Q | QV. | 2 |
| | SB-22-COMP | 3/19/2014 | Composite | 2 | 9 | 2 | ٢ |
| t bgs) | SB-21-COMP | 3/18/2014 | Composite | Ş | 2 | Ş | Ç |
| ct, and Depth (1 | SB-20-COMP | 3/19/2014 | Composite | QN | Ş | Q | CZ |
| Sample ID, Date Collect, and Depth (ft bgs) | B-16-COMP SB-17-COMP SB-18-COMP SB-19-COMP SB-20-COMP SB-21-COMP SB-23-COMP | 3/21/2014 | Composite | Q | Ð | 2.8 D | 2.8 |
| Sample | SB-18-COMP | 3/21/2014 | Composite | Q | 2 | QV | CN |
| | SB-17-COMP | 3/19/2014 | Composite | QN | 2 | Q | CN |
| | SB-16-COMP | 3/20/2014 | Composite | QN | QN | QN | QN |
| CP-51 Soil Cleanup | Levels (SCLs) - | Residential | | NS | NS | NS | SN |
| Part 375-6.8 (b)
Restricted Use (Track | 2) Residential Soil | Cleanup Objectives | (SCOs) | 2,600 | 1,800 | 1,700 | SZ |
| Part 375-6.8 (a)
Unrestricted Use | (Track 1) | Soli Cleanup | Objectives (SCOs) | 3.3 | 3.3 | 3.3 | SN |
| | Pesticides | | | 4,4'-DDD | 4,4'-DDE | 4.4'-DDT | Total Pesticides |

All concentrations are reported in parts per billion (ppb or ug/kg)

ft bgs = feet below grade surface NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

D = Diluted

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).
CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 - Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs Shading = Concentration exceeds Unestitical Use (Track 1) Soil Cleanily Objectives, Haliotzed = Concentration exceeds Restricted Use (Track 2) Residential Soil Cleanup Objectives

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 3 of 3

Work Order Letter No. 9145-LIRO-2-8603



New York City Department of Design and Construction Phase II Subsurface Conflor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Table 6. Summary of Herbicides Detected in Soil
Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area
E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | Part 375-6.8 (a) | Part 375-6.8 (b) | | | | Sam | ple ID. Date Co | Sample ID. Date Collect. and Depth (R bas) | bas) | | |
|------------|-------------------------------|---|---------------------------------------|------------|------------|------------|---------------------|---|------------|------------|------------|
| Herbicides | Unrestricted Use
(Track 1) | Restricted Use (Track 2) Residential Soil | CP-51 Soil Cleanup
Levels (SCLs) - | SB-01-COMP | SB-02-COMP | SB-03-COMP | SB-04-COMP | B-01-COMP SB-02-COMP SB-03-COMP SB-04-COMP-DUP SB-05-COMP SB-05-COMP SB-07-COMP | SB-05-COMP | SB-06-COMP | SB-07-COMP |
| | Soil Cleanup | Cleanup Objectives | Residential | 3/17/2014 | 3/18/2014 | 3/18/2014 | 3/19/2014 | 3/19/2014 | 3/20/2014 | 3/20/2014 | 3/17/2014 |
| | Objectives (SCOs) | (SCOs) | | Composite | Composite | | Composite Composite | Composite | Composite | Composite | Composite |
| Herbicides | SN | NS | SN | Q | QN | ND | 2 | QN | QN | QN | Q. |

All concentrations are reported in parts per billion (ppb or ug/kg)

ft bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-8 Remedial Program Soil Cleanup Objectives (December 14, 2006).

CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 – Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs
Shading = Concentration exceeds (Intestituted (Fee (Track II) Scit Clean or Objectives)
Italicized = Concentration exceeds Restricted Use (Track 2) Residential Soil Cleanup Objectives

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 1 of 3

Work Order Letter No. 9145-LIRO-2-8603



Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY Phase II Subsurface Corridor Investigation Report New York City Department of Design and Construction

Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York Table 6. Summary of Herbicides Detected in Soil

| _ | Restricted Use (Track CP-51 Soil Cleanup | S | Cleanup Objectives Residential | (SCOS) Composite Composite | CN C |
|------------------|--|---------------------|--------------------------------|--|--|
| | | -08-COMP SB-09- | V19/2014 3/17/2 | omposite Comp | QN ON |
| | CP-51 Soil Cleanup | | | ວັ | SN |
| Part 375-6.8 (b) | Restricted Use (Track | 2) Residential Soil | Cleanup Objectives | (SCOS) | SN |
| | nrestricted Use | (Track 1) | Soil Cleanup | Objectives (SCOs) | SN |
| Part 375-6.8 (a) | Unrestri | Ē | Soil | Object | |

All concentrations are reported in parts per billion (ppb or ug/kg)

ft bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached tab report for mid's)
SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).
CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 – Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs

Shading :: Concentration exceeds Utrestricted Use (Track 2) Soit Stearup Objectives.

Relicized = Concentration exceeds Restricted Use (Track 2) Residential Soil Cleanup Objectives

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 2 of 3

Work Order Letter No. 9145-LIRO-2-8603



Phase II Subsurface Corridor Investigation Report New York City Department of Design and Construction Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Table 6. Summary of Herbicides Detected in Soil Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | 1-10000 | , | | | | | | | | | |
|------------|-------------------|-----------------------|--------------------|------------|------------|-------------|--|----------------|---|------------|------------|
| | rart 3/3-0.8 (a) | ran 3/3-6.8 (D) | | | | • | | | | | |
| | Unrestricted Use | Restricted Use (Track | CP-51 Soil Cleanup | | | Sample | Sample ID, Date Collect, and Depth (R bgs) | t, and Depth (| R bgs) | | |
| Herbicides | (Track 1) | 2) Residential Soil | Levels (SCLs)- | SB-16-COMP | SB-17-COMP | SB-18-COMP | SB-18-COMP | SB-20-COMP | SB-16-COMP SB-17-COMP SB-18-COMP SB-19-COMP SB-20-COMP SB-21-COMP SB-22-COMP SB-22-COMP | SB-22-COMP | SR-23-COMP |
| | Soll Cleanup | Cleanup Objectives | Residential | 3/20/2014 | 3/19/2014 | 3/21/2014 | 3/21/2014 | 3/19/2014 | 3/18/2014 | 3/19/2014 | 3/17/2014 |
| | Objectives (SCOs) | (SCOs) | | Composite | Composite | Composite (| Composite Composite | Composite | Composite | Composite | Composite |
| Herbicides | SN | SN | SN | QN | Q | 2 | Q. | QN | • | CZ | Č |

All concentrations are reported in parts per billion (ppb or ug/kg) it bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).

CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 - Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs Shading = Concentration exceeds Universitated Use (Track 1) SOLCientury Objectives: Italicized = Concentration exceeds Restricted Use (Track 2) Residential Soli Cleanup Objectives

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 3 of 3

Work Order Letter No. 9145-LIRO-2-8603

Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY Phase II Subsurface Corridor Investigation Report New York City Department of Design and Construction

Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York Table 7. Summary of Polychlorinated Biphenyls (PCBs) Detected in Soil

| | Part 375-6.8 (a)
Unrestricted Use | Part 375-6.8 (b) Restricted Use (Track | CP-51 Soll Cleanup | | | Sam | iple ID, Date Co | Sample ID, Date Collect, and Depth (it bgs) | bgs) | | |
|------------|--------------------------------------|--|--------------------|--------------|------------|-----------------------|------------------|---|------------|------------|------------|
| PCBs | (Track 1) | 2) Residential Soil | Levels (SCLs) - | SB-01-COMP | SB-02-COMP | SB-03-COMP | SB-04-COMP | SB-01-COMP SB-02-COMP SB-03-COMP SB-04-COMP SB-04-COMP-DUP SB-05-COMP SB-05-COMP SB-07-COMP | SB-05-COMP | SB-06-COMP | SB-07-COMP |
| | Soil Cleanup | Cleanup Objectives | Residential | 3/17/2014 | 3/18/2014 | 3/18/2014 | 3/19/2014 | 3/19/2014 | 3/20/2014 | 3/20/2014 | 3/17/2014 |
| | Objectives (SCOs) | (SCOs) | | Composite Co | Composite | Composite Composite | Composite | Composite | Composite | Composite | Composite |
| Total PCBs | 100 | 1,000 | SN | QN | QN | QN | QN | ON | QN
N | QN | QN |

All concentrations are reported in parts per billion (ppb or ug/kg)

ft bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mid's)
SCOs = Soil Cleanup Objectives as per the NYSDEC Ragulations & NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).
CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 – Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-61 SCLs Sheding = Concentration exceeds Unrestricted Use (Track 3) Soil Cleanup Objectives Italicized = Concentration exceeds Restricted Use (Track 2) Residential Soil Cleanup Objectives

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Work Order Letter No. 9145-LIRO-2-8603



New York City Department of Design and Construction Phase II Subsurface Conflor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Table 7. Summary of Pohychlorinated Biphenyls (PCBs) Detected in Soil
Phase II Subsurface Corridor investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area
E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | Part 375-6.8 (a)
Unrestricted Use | Part 375-6.8 (b)
Restricted Use (Track | CP-51 Soil Cleanup | | | Samp | le ID, Date Coll | Sample ID, Date Collected, and Depth (ft bgs) | bgs) | | |
|------------|--------------------------------------|---|--------------------|------------|---|------------|---------------------|---|------------|-----------------------------------|------------|
| PCBs | (Track 1) | 2) Residential Soil | Levels (SCLs) - | SB-08-COMP | SB-09-COMP | SB-11-COMP | SB-12-COMP | SB-08-COMP SB-08-COMP SB-11-COMP SB-12-COMP SB-12-COMP-DUP SB-13-COMP SB-14-COMP SB-15-COMP | SB-13-COMP | SB-14-COMP | SB-15-COMP |
| | Soil Cleanup | Cleanup Objectives | Residential | 3/19/2014 | 3/17/2014 | 3/19/2014 | 3/19/2014 3/21/2014 | 3/21/2014 | 3/21/2014 | 3/20/2014 | 3/20/2014 |
| | Objectives (SCOs) | (SCOs) | | Composite | Composite Composite Composite Composite | Composite | Composite | Composite | Composite | Composite Composite Composite | Composite |
| Total PCBs | 100 | 1,000 | NS | QN | QN | QN | Q | 2 | QX | QN | S |

All concentrations are reported in parts per billion (ppb or ug/kg)

ft bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdl's)
SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).
CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 - Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs
Strading: Concentration exceeds Unrestrated Life (Trade (TSOI Celanis) Objectives
Italicized = Concentration exceeds Restricted Use (Track 2) Residential Soil Clearup Objectives

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Work Order Letter No. 9145-LIRO-2-8603



Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY New York City Department of Design and Construction

Phase il Subsurface Corridor investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfail, Brooklyn, New York Table 7. Summary of Polychlorinated Biphenyls (PCBs) Detected in Soil

| Γ | - | ۵ | | | |
|------------------|---|--|--------------------|-------------------|------------|
| | | SB-23-CO | 3/17/201 | Composite | S |
| | | SB-16-COMP SB-17-COMP SB-18-COMP SB-20-COMP SB-21-COMP SB-22-COMP SB-23-COMP | 3/19/2014 | ان | |
| | (ft bgs) | SB-21-COMP | 3/18/2014 | | Q |
| | ct, and Depth | SB-20-COMP | 3/19/2014 | Composite | 1 |
| | Sample ID, Date Collect, and Depth (ft bgs) | SB-19-COMP | 3/21/2014 | Composite | Q |
| | Sampl | SB-18-COMP | 3/21/2014 | Composite | Q. |
| | | SB-17-COMP | 3/19/2014 | Composite | Q |
| | | SB-16-COMP | 3/20/2014 | Composite | QN |
| | CP-51 Soil Cleanup | Levels (SCLs) - | Residential | | SN |
| Part 375-6.8 (b) | Restricted Use (Track | 2) Residential Soll | Cleanup Objectives | (SCOs) | 1,000 |
| Part 375-6.8 (a) | Unrestricted Use | (Track 1) | Soil Cleanup | Objectives (SCOs) | 100 |
| | | PCBs | | | Total PCBs |

All concentrations are reported in parts per billion (ppb or ug/kg)

ft bgs = feet below grade surface

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdl's)
SCOs = Soil Cleanup Objectives as per the NYSDEC Regulations 6 NYCRR Subpart 375-6 Remedial Program Soil Cleanup Objectives (December 14, 2006).
CP-51 SCLs = New York State Department of Environmental Conservation (NYSDEC) CP-51 – Soil Cleanup Guidance (CP-51) (October 21, 2010) Supplemental (Table 1 -Residential) Soil Cleanup Level.

BOLD = Concentration exceeds NYSDEC CP-51 SCLs Shading = Concentration exceeds Officeficities (Track 1) Solf Cleanup Objectives Halicized = Concentration exceeds Restricted Use (Track 2) Residential Soil Cleanup Objectives

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 3 of 3

Work Order Letter No. 9145-LIRO-2-8603



New York City Department of Design and Construction Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York Table 8. Summary of Waste Characterization in Soil

| | 7 0 000000 | | Sample ID an | Sample ID and Date Collect | |
|--------------------------------------|----------------|-----------|--------------|----------------------------|-----------|
| Parameter | 274 Cad DCDA | WC-01 | WC-02 | WC-03 | WC-04 |
| | S/ I dilu nona | 3/21/2014 | 3/21/2014 | 3/21/2014 | 3/21/2014 |
| VOCs1 | ug/L | QN | 2 | QN | ΩN |
| SVOCs1 | na/L | 9 | Ę | Ş | Ş |
| | | | | | Ş |
| PESTs1 | ug/L | QN | Q | QV | Ş |
| | | | | | |
| HERBs1 | ug/L | QN | QN | QN | Q |
| METALS ¹ | I/ori | | | | |
| Barium | 100,000 | QN | 9 | 360 | 410 |
| ead | 5,000 | QN | QV | 130 | 100 |
| | | | | | |
| PCBs1 | ug/Kg | QN | ð | Ω _N | S |
| | | | | | |
| MISC. PARAMETERS (units) | | | | | |
| Reactivity Sulfide (mg/kg) | 200 | QN | Q | 9 | 2 |
| Reactivity Cyanide (mg/kg) | 250 | QN | S | 9 | Q |
| oH (SU) | 2-12.5 | 8.2 | 8.2 | 8.3 | 7.9 |
| gnitability | >140 °F | >140 | >140 | >140 | >140 |
| PHC Diesel Range Organics (mg/kg) | SN | QN | QN | Ą | S |
| PHC Gasoiline Range Organics (mg/kg) | SN | QN | QN | QV. | QQ. |
| | | | | | |

Notes:

NS = No Standard

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

SU = Standard unit

ug/L = microgram per liter

ug/Kg = microgram per kilogram

mg/Kg = milligram per kilogram

F = Degrees Fahrenheit

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 1 of 1

Work Order Letter No. 9145-LIRO-2-8603



Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Fistlands Ave. and Outfall - Brooklyn, NY New York City Department of Design and Construction

Table 9. Groundwater Quality

Phase il Subsurface Corridor investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | NYCDEP Limitations | imitations | | Well ID and Date Collect | Date Collect | |
|---|--------------------|------------|----------------|--------------------------|----------------|----------------|
| Parameter | to Sanitary or | tary or | TWP-01 (SB-01) | TWP-02 (SB-23) | TWP-03 (SB-07) | TWP-04 (SB-09) |
| | Combined Sewers | d Sewers | 3/17/2014 | 3/17/2014 | 3/17/2014 | 3/17/2014 |
| CBOD4 | SN | mg/L | 11 | 13 | 11 | ΩN |
| Chloride* | SN | mg/L | 280 | 220 | 99 | 068 |
| Flash Point - Liquid/Solid | > 140 | 뷻 | >141 | >141 | >141 | >141 |
| Nitrate+Nitrite | SN | mg/L | ON | QN | 22 | QN |
| Non-Polar Material ² | 20 | mg/L | QN | QN | QN | QN |
| Ho | 5-12 | Hd | 7 | 7 | 6.8 | 7.1 |
| Phenolics | SN | mg/L | QN | QN | QN | QN |
| Temperature | 150 | Fah. | NA | ΑN | NA | ΥN |
| TKN | SN | 7/6w | 7.36 | 4.44 | 8.5 | 6.42 |
| Total Nitrogen | SN | mg/L | AA | ΑN | NA | Α¥ |
| Total Solids* | SN | ₩g/L | 1,600 | 1,500 | 1,100 | 2,100 |
| Total Suspended Solids (TSS) ³ | 350 | mg/L | 4.10 | | 280 | |
| Cadmium (instantaneous/composite) | 2 / 0.69 | mg/L | QN | Q | QN | QN |
| Chromium Hexavalent (VI) | 5 | mg/L | Q | Q | Q | QV |
| Copper | 9 | mg/L | 0.1 | 1.6 | 0.087 | 0.14 |
| Lead | 2 | mg/L | 0.023 | 0.42 | 0.055 | 0.097 |
| Mercury | 0.05 | mg/L | Q | 0.00032 | QN | S |
| Nickel | 3 | mg/L | 0.062 | 1.5 | 0.083 | 0.15 |
| Zinc | 5 | mg/L | 0.098 | 1.7 | 0.13 | 0.17 |
| Benzene | 134 | ug/L | QN | 2 | 2.7 | Q |
| Carbontetrachloride | SN | ug/L | Q | Q | Q | QV |
| Chloroform | SN | ng/l. | Q | Q | Q | Q |
| 1,4 Dichlorobenzene | SN | ug/L | S | Ð | QN | QN |
| Ethylbenzene | 380 | ng/L | QN | QV | QV | QN |
| Methyl-Tert-Butyl-Ether (MTBE) | SS | T/6n | 13 | 8.3 | 0.7 | 1.2 |
| Naphthalene | 47 | ng/L | QN | 0.85 | 0.86 | 6.7 |
| Tetrachloroethylene (Perc) | 20 | ug/L | Q | Q | 2 | Q |
| Toluene | 74 | ug/L | QV | Q | Q | QN |
| 1,2,4 Trichlorobenzene | SN | ug/L | Q | ΩN | Q | Q |
| 1,1,1 Trichloroethane | SN | ug/L | QN | 2 | Q | Q |
| Xylenes (Total) | 74 | ug/L | 9 | 1.8 | 7 | 2 |
| PCBs (Total) | 1 | ug/t. | Q | QN | QN | QN |

NS = No Standard

NA = Not Analyzed

ND = Parameter not detected above minimun detection limits (MDL) value reported in the MDL for that parameter.

mg/L = milligram per liter

ug/L. = microgram per liter

Shaded = Concentration exceeds NYCDEP/Limitations for Emiliarities Saultany or Combined Severis Idaliya Inthin

All handling and preservation of collected samples and laboratory analyses of samples was performed in accordance with 40 CFR Part 136.

Analysis for non-polar materials was performed by USEPA method 1664.

For discharge >= 10,000 gallons per day (gpd), the TSS limit is 350 mg/l. For discharge < 10,000 gpd, the limit is determined on a case by case basis.

Analysis for Carbonaceous Biochemical Oxygen Demand (CBOD), Chloride, Total Solids, and Total Nitrogen are required if proposed discharge >= 10,000 gpd.

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 1 of 1

Work Order Letter No. 9145-LIRO-2-8603





New York City Department of Design and Construction Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York Table 10. Summary of Target Compound List (TCL) Volatile Organic Compounds (VOCs) Detected in Groundwater

| foot 197 | SE | NYS Ambient Water
Quality | | Sample ID and | Sample ID and Date Collect | |
|-------------------------|-----------------|------------------------------|----------------|----------------|----------------------------|----------------|
|)
 | Combined Sewere | Standards/Guidance | TWP-01 (SB-01) | TWP-02 (SB-23) | TWP-03 (SB-07) | TWP-04 (SB-09) |
| | | Values | 3/18/2014 | 3/18/2014 | | |
| Benzene | 134 | 1 | Q | 2.2 | 2.7 | QN |
| cis-1,2-Dichloroethene | SN | 5 | QN | Q | 2 | 1.6 |
| Isopropylbenzene | SN | 5 | QN | Q | 2.3 | QN |
| Methyl-tert-butyl ether | 50 | 10 | 11 | 8.8 | 0.84 | 1.4 |
| o-Xylene | SN | 5 | 2 | Ð | 1.8 | Q |
| p- & m-Xylenes | SN | 5 | Q | 1.5 | 4.1 | 2 |
| Vinyl chloride | SN | 2 | QN | Q | 2.5 | Q |
| Xylene (Mixed) | 74 | NS | QN | 1.5 | 5.9 | Q |
| Total VOCs | SN | SN | 11 | 12.5 | 14.24 | 3 |

Notes.

All concentrations are reported in parts per billion (ppb or ug/L)

NYS Ambient Water Quality Standards/Guidance Values for GA Waterbody Classifications

NS = No Standard/Not Sampled

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

Shaded = Concentration exceeds NYCDER utminations for Efficial Sanhasy occombined Sewers (daily limit)

Bold = Concentration exceeds NYS Ambient Water Quality Standards/Guidance Values

All handling and preservation of collected samples and laboratory analyses of samples was performed in accordance with 40 CFR Part 136.

LIRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 1 of 1

Work Order Letter No. 9145-LIRO-2-8603



Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY Phase II Subsurface Corridor Investigation Report New York City Department of Design and Construction

Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area Table 11. Summary of Target Compound List (TCL) Semi-Volatile Organic Compounds (SVOCs) Detected in Groundwater E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| | NYCDEP Limitations | NYS Ambient Water
Quality | | Sample ID and Date Collect | d Date Collect | |
|---------------------|--------------------|------------------------------|----------------|----------------------------|----------------|----------------|
| TCL SVOC | to Sanitary or | Standards/Guidance | TWP-01 (SB-01) | TWP-02 (SB-23) | TWP-03 (SB-07) | TWP-04 (SB-09) |
| | Compined Sewers | Values | 3/18/2014 | 3/18/2014 | 3/18/2014 | 3/18/2014 |
| 2-Methylnaphthalene | SN | SN | QN | 47 | 31 | 4.7 |
| Acenaphthene | SN | 20 | QN | 78 | ΩN | 14 |
| Acenaphthylene | SN | SN | QN | ND | 817 | GN |
| Carbazole | SN | SN | QN | 11 | 12 | ΩN |
| Dibenzofuran | SN | SN | QN | 1.6 | QN | QΝ |
| Flouranthene | SN | 90 | QN | 2.1 | QN | QN |
| Fluorene | SN | 20 | QN | 21 | 2 | 2.3 |
| Napthalene | SN | 10 | QN | 0.91 | 96.0 | 9.1 |
| Phenanthrene | SN | 50 | Q | 15 | 3.7 | QN |
| Total SVOCs | SN | SN | QN | 176.61 | 102.68 | 30.1 |

All concentrations are reported in parts per billion (ppb or ug/L)

NYS Ambient Water Quality Standards/Guidance Values for GA Waterbody Classifications

NS = No Standard/Not Sampled

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

Strated = Concentration exceeds NYCDEE Unitations for Efficient of Salitance Cambined Sewers (daily limit).

Boid = Concentration exceeds NYS Ambient Water Quality Standards/Guidance Values

¹ All handling and preservation of collected samples and laboratory analyses of samples was performed in accordance with 40 CFR Part 136.

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 1 of 1

Work Order Letter No. 9145-LIRO-2-8603



New York City Department of Design and Construction
Phase II Subsurface Corridor Investigation Report
Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area
E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Fiatlands Ave. and Outfall, Brooklyn, New York Table 12. Summary of Target Analyte List (TAL) Total Metals Detected in Groundwater

| to Sanitary or Combined Sewers | Tamet Analyte Liet | NYCDEP Limitations | NYS Ambient Water | | Sample ID and | Sample ID and Date Collect | |
|---|----------------------------------|--------------------|--------------------|----------------|----------------|----------------------------|----------------|
| tum NS Values 3/18/2014 3/18/2014 tum NS NS 7,400 22,000 bury NS 25 2.4 3.9 c NS 1,000 140 44 um NS 3 ND 1.2 um NS 1,000 1.2 44 um NS 1,000 1.2 44 um NS 1,000 1.0 44 um NS 1,000 1.0 ND m Metal NS 1,000 25,000 25,000 m Metal NS 1,000 25,000 25,000 r Silum NS 1,500 22,000 r NS 3,000 25,000 20,000 21,000 r NS 0,7 ND ND ND r NS 1,500 36,000 190,000 190,000 r NS 1,500 | Metal* | to Sanitary or | Standards/Guidance | TWP-01 (SB-01) | TWP-02 (SB-23) | TWP-03 (SB-07) | TWP-04 (SB-09) |
| Num NS NS 7,400 22,000 Dryy NS 3 ND ND C NS 25 2.4 3.9 ND n NS 1,000 140 44 ND um NS 3 ND 4.2 ND 1.2 um (instant.) 2 / 0.69 5 ND ND 1.2 ND 1.2 um (instant.) 2 / 0.69 5 ND ND 1.2 ND 1.2 um (instant.) 2 / 0.69 5 NB 140,000 25,000 1.2 ND | | | Values | 3/18/2014 | 3/18/2014 | 3/18/2014 | 3/18/2014 |
| Dryy NS 3 ND ND c NS 25 2.4 3.9 n NS 1,000 140 44 um NS 3 ND 1.2 um NS 5 ND ND 1.2 osite) NS NS 140,000 25,000 1.1 m Metal NS NS 1.1 ND 1.1 m Metal NS NS 1.1 ND ND | Aluminum | SN | SN | 7,400 | 22,000 | 26,000 | 580.000 |
| c NS 25 2.4 3.9 n NS 1,000 140 44 um NS 1,000 140 44 um NS 3 ND 1.2 selfe) 5 NS 140,000 25,000 1.2 m Metal NS NS 140,000 25,000 11 m Metal NS NS 140,000 25,000 11 r NS NS NS 11 ND r NS NS 5,000 25,000 25,000 25,000 r NS 35,000 20,000 20,000 22,100 21 r NS 35,000 34,000 36,000 71 190 r NS NS NS ND ND ND ND r NS NS NS ND ND ND ND r NS NS NS | Antimony | SN | 3 | Q | 2 | 2 | 2 |
| n NS 1,000 140 44 um NS 3 ND 1,2 cum (instant.) 2 / 0.69 5 ND ND cosite) NS NS 140,000 25,000 m Metal NS NS 50 25,000 mium (VI) 5,000 50 29 70 ivium (VI) NS 300 20 21 ivium (VI) NS 300 20,000 21 ivium (VI) NS 300 20,000 21 ivium (VI) NS 300 20,000 22,000 ivium (VI) NS 300 20,000 22,000 ivium (VI) NS 300 20,000 36,000 ivium (VI) NS 100 ND ND ivium (VI) NS 20,000 36,000 100 ivium (VII) NS 20,000 20,000 100 ivium (VII) NS 20,000 | Arsenic | SN | 25 | 2.4 | 3.9 | 3.9 | 61 |
| um NS 3 ND 1.2 saite) 5 ND ND ND saite) NS 140,000 25,000 25,000 itum (VI) 5,000 20 29 70 r 5,000 20 29 70 r NS 300 20,000 21 selum NS 35,000 34,000 21 selum NS 35,000 34,000 58,000 r NS 300 1,500 190 r NS 300 1,500 190 r NS 0,7 ND ND r NS 0,7 ND ND r NS 10 ND ND r NS 20,000 20,000 100 r NS 5,000 100 100 r NS 20,000 100 r NS 10 | Barium | SN | 1,000 | 140 | 4 | 150 | 2.200 |
| um (instant./ instant./ instant./ interest 2 / 0.69 5 ND ND m Metal NS 140,000 25,000 25,000 25,000 25,000 20 21 12 12 | Beryllium | SN | 3 | 2 | 1.2 | 0.83 | 30 |
| m Metal NS 140,000 25,000 AB ium (VI) 5,000 50 52 88 11 88 ir NS NS 5,33 11 11 11 11 11 11 11 11 11 11 11 11 11 11 11 12 | Cadmium (Instant./
Composite) | 2/0.69 | S | QN | Q | QN | 4.5 |
| Itium (VI) 5,000 50 53 11 88 Ir NS NS 5.3 11 11 Ir 5,000 200 29 70 70 Ir 2,000 25 20 21 21 Insitum NS 35,000 34,000 58,000 190 190 Insitum NS 0.7 ND 190 ND 10 11 ND ND< | Calcium Metal | NS | SN | 140,000 | 25,000 | 56,000 | 250,000 |
| r NS NS 5.3 11 r 5,000 200 29 70 NS 300 20,000 22,000 22,000 ssium NS 35,000 1,500 58,000 rese NS 30,000 1,500 190 ND rium NS NS 20,000 36,000 ND ND nm NS 20,000 200,000 190,000 ND ND n NS 20,000 200,000 190,000 190,000 n NS NS NS 43 92 n 5,000 2,000 51 93 | Chromium (VI) | 5,000 | 50 | 52 | 88 | \$ | 1,400 |
| rf 5,000 200 29 70 R NS 300 20,000 22,000 22,000 seium NS 35,000 1,500 58,000 190 rese NS 0,7 ND ND 71 sium NS 10 ND ND ND nm NS 10 ND ND ND nm NS 20,000 200,000 190,000 ND nm NS 0,000 200,000 190,000 190,000 nm NS NS 43 92 nm 5,000 2,000 51 93 | Cobalt | SN | NS | 5.3 | 11 | 8.5 | 290 |
| NS 300 22,000 22,000 21 22 | Copper | 5,000 | 200 | 29 | 70 | 69 | 1,600 |
| selum 2,000 25 20 21 selum NS 35,000 34,000 58,000 rese NS 300 1,500 190 190 ry NS 0,7 ND ND ND sium NS 100 ND ND um NS 50,000 200,000 190,000 nm NS 0,5 ND ND ium NS NS 43 92 ium 5,000 2,000 51 93 | Iron | SN | 300 | 20,000 | 22,000 | 26,000 | 620,000 |
| Incident NS 35,000 34,000 58,000 Incident NS 300 1,500 190 Incident NS 0,7 ND ND Incident NS 100 ND ND Incident NS 50,000 200,000 190,000 Incident NS 0,5 ND ND Incident NS 0,5 ND ND ND | Lead | 2,000 | 25 | 20 | 21 | 93 | 1,500 |
| Incise NS 300 1,500 190 Incise NS 0.7 ND ND Incise NS 100 30 71 Incise NS 100 ND ND Incise NS 50 ND ND Incise NS 0.5 ND ND Incise NS 0.5 ND ND Incise NS 0.5 ND ND Incise 5,000 2,000 51 92 | Magnesium | SN | 35,000 | 34,000 | 58,000 | 37,000 | 140,000 |
| ry NS 0.7 ND ND sium NS 20,000 36,000 71 um NS 10 ND ND n NS 50 ND ND m NS 0.5 ND ND lum NS 0.5 ND ND lum 5,000 2,000 51 93 | Manganese | SN | 300 | 1,500 | 190 | 850 | 6,000 |
| sidem 3,000 100 30 71 um NS NS 20,000 36,000 n NS 50 ND ND n NS 20,000 200,000 190,000 m NS 0,5 ND ND lum NS NS 43 92 lum 5,000 2,000 51 93 | Mercury | SN | 0.7 | QN | Q | Q | 1.7 |
| sium NS NS 20,000 36,000 um NS 10 ND ND n NS 20,000 200,000 190,000 m NS 0.5 ND ND lum NS NS 43 92 lum 5,000 2,000 51 93 | Nickel | 3,000 | 100 | 30 | 71 | 44 | 1,600 |
| UITH NS 10 ND ND N SO ND ND ND N NS 20,000 200,000 190,000 IUTH NS 0.5 ND ND IUTH NS NS 43 92 IUTH 5,000 2,000 51 93 | Potassium | SN | SN | 20,000 | 36,000 | 23,000 | 62,000 |
| NS 50 ND ND n NS 20,000 200,000 190,000 m NS 0.5 ND ND ium NS A3 92 tum 5,000 2,000 51 93 | Selenium | SN | 10 | Q | Q | Q | 110 |
| NS 20,000 200,000 190,000 NS NS ND NS 43 92 ND 83 93 NS 14 93 93 NS NS 14 93 93 NS NS 15 15 93 | Silver | SN | 20 | ND | QN | S | 9 |
| ium NS 0.5 ND ND ium idium NS NS 43 92 62 63 65,000 2,000 51 93 | Sodium | SN | 20,000 | 200,000 | 190,000 | 26,000 | 270,000 |
| idium NS NS 43 92 600 5,000 5,000 51 93 | Thallium | SN | 0.5 | Q. | QN | 2 | 2 |
| 5,000 2,000 51 93 | Vanadium | SN | NS | 43 | 92 | 80 | 1,900 |
| | Zinc | 5,000 | 2,000 | 51 | 93 | 130 | 2,200 |

Notes:

All concentrations are reported in parts per billion (ppb or ug/L)

NYS Ambient Water Quality Standards/Guidance Values for GA Waterbody Classifications

NS = No Standard/Not Sampled

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

Shaded - Concentration exceeds NVCDEPX mirators for Entitle no Santary of Combined Severs (daily mit).

Bold = Concentration exceeds NYS Ambient Water Quality Standards/Guidance Values

1 All handling and preservation of collected samples and laboratory analyses of samples was performed in accordance with 40 CFR Part 136.

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 1 of 1

24-Apr-14 Work Order Letter No. 9145-LIRO-2-8603



Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area New York City Department of Design and Construction E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY Phase II Subsurface Corridor Investigation Report

Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York Table 13. Summary of Target Analyte List (TAL) Dissolved Metals Detected in Groundwater

| Metal (num) to Sanitary of Standards/Guidance (standards/Guidance | Target Analyte List | NYCDEP Limitations | NYS Ambient Water
Quality | | Sample ID and Date Collect | f Date Collect | |
|--|----------------------------------|--------------------|------------------------------|----------------|----------------------------|----------------|----------------|
| um NS NB ND ND um NS 31812014 31812014 31812014 31812014 um NS 3 ND ND ND nm NS 1,000 110 ND ND nm NS 1,000 110 ND ND nm NS 1,000 110 ND ND nm(n) NS 1,000 10 ND ND nm(n) NS 180,000 25,000 10 ND nm(n) NS 180,000 25,000 ND ND nm(v) NS 180,000 25,000 ND ND nm NS 300 ND ND ND nm NS 35,000 35,000 21,000 21,000 nm NS 35,000 35,000 ND ND nm NS 100 ND ND ND | Metal | to Sanitary or | Standards/Guidance | TWP-01 (SB-01) | TWP-02 (SB-23) | TWP-03 (SB-07) | TWP-04 (SB-09) |
| um NS NS NS ND ND ND iny NS 3 ND ND ND ND iny NS 1,000 110 ND S9 ND inm NS 3 ND ND ND ND inm NS 5 ND ND ND ND inm (instant.) 2 / 0.69 5 ND ND ND ND inm (instant.) 2 / 0.69 5 ND ND ND ND inm (instant.) 2 / 0.69 5 ND ND ND ND inm (instant.) 2 / 0.69 5 ND ND ND ND inm (instant.) 1,000 50 ND ND ND ND inm (int) NS 3,000 1,600 5,000 5,000 1,600 1,600 inm NS 3,000 1,600 1,600 1,600 1,000 <th></th> <th>Combined sewers</th> <th>Vafues</th> <th>3/18/2014</th> <th>3/18/2014</th> <th>3/18/2014</th> <th>3/18/2014</th> | | Combined sewers | Vafues | 3/18/2014 | 3/18/2014 | 3/18/2014 | 3/18/2014 |
| my NS 3 ND ND ND c NS 1,000 110 ND ND c NS 1,000 110 ND ND ssite) 3 ND ND ND ND um (instant.) 2 / 0.69 5 ND ND ND ND um (instant.) 2 / 0.69 5 ND ND ND ND ND m Metal NS NS 160,000 25,000 100 ND | Aluminum | SN | SN | QN
ON | QV
· | SN
SN | QN |
| NS 1,000 110 ND 59 ND ND 110 ND 59 ND ND ND S9 ND ND ND ND ND ND ND N | Antimony | SN | 3 | Q | Q | NO | QN |
| Institution | Arsenic | SN | 25 | 9 | QN | ND
ND | 1.5 |
| Limin (Instant) LIST (Instant) LIST (LOGG) STAND ND ND <td>Barium</td> <td>SN</td> <td>1,000</td> <td>110</td> <td>QN</td> <td>59</td> <td>91</td> | Barium | SN | 1,000 | 110 | QN | 59 | 91 |
| um (Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./
Instant./ | Beryllium | SN | 3 | QN | Q | NO | QN |
| m Metal NS NS 160,000 25,000 58,000 r 5,000 50 ND ND ND ND r 5,000 200 ND ND ND ND r 5,000 200 3,000 2,100 ND ND situm NS 35,000 35,000 56,000 33,000 ND situm NS 37,000 1,600 59 700 ND situm NS 0.7 ND ND ND ND situm NS 100 ND ND ND ND situm NS 10 ND ND ND ND situm NS 10 ND ND ND ND ND situm NS 20,000 210,000 200,000 57,000 ND ND ND situm NS 20,000 210,000 210,000 ND | Cadmium (Instant./
Composite) | 2 / 0.69 | 5 | QN | QN | ON | QN |
| itim (VI) 5,000 50 ND ND ND r 5,000 200 ND ND ND ND r 5,000 200 3,900 2,100 ND ND r 0,000 25 ND ND ND ND r 0,000 35,000 56,000 33,000 ND ND r 0,000 1,500 56 ND ND ND r 0,000 100 ND ND ND ND r 0,000 100 ND ND ND ND r 0,000 100 ND ND ND ND ND r 0,000 100 ND < | Calcium Metal | SN | SN | 160,000 | 25,000 | 58,000 | 130,000 |
| r NS ND ND ND r 5,000 200 ND ND ND r NS 300 3,900 2,900 2,100 r 2,000 25 ND ND ND r NS 35,000 35,000 30,000 ND ND r NS 0,7 ND ND ND ND ND r NS 100 ND ND ND ND ND r NS 10 ND ND ND ND ND r NS 10 ND ND ND ND ND r NS 20,000 210,000 20,000 57,000 ND ND r NS 20,000 210,000 200,000 57,000 ND ND r NS 20,000 210,000 200,000 57,000 ND ND r </td <td>Chromium (VI)</td> <td>2,000</td> <td>20</td> <td>QN</td> <td>QN</td> <td>ΩN</td> <td>QN</td> | Chromium (VI) | 2,000 | 20 | QN | QN | ΩN | QN |
| r 5,000 200 ND ND ND NS 300 3,900 2,900 2,100 selum NS 35,000 35,000 56,000 33,000 nnesse NS 0,7 ND ND ND ND nnesse NS 0,7 ND ND ND ND ND nn NS 100 ND ND ND ND ND ND nm NS 10 ND ND ND ND ND ND ND nm NS 20,000 210,000 36,000 20,000 ND | Cobalt | SN | SN | QN | QN | QN | 2.5 |
| NS 300 3,900 2,900 2,100 | Copper | 5,000 | 200 | QN | QN | QN | QN |
| Signature Sign | lron | SN | 300 | 3,900 | 2,900 | 2,100 | 1,900 |
| selum NS 35,000 35,000 35,000 33,000 nnese NS 300 1,600 59 700 ry NS 0,7 ND ND ND sidm NS 100 ND ND ND um NS 50 ND ND ND n NS 20,000 210,000 200,000 57,000 n NS NS ND ND ND imm NS NS ND ND ND imm 5,000 2,000 ND ND ND | Lead | 2,000 | 25 | S | QN | QN | QN |
| Inese NS 300 1,600 59 700 ry NS 0.7 ND ND ND ND si,000 100 ND ND ND ND ND um NS 50 ND ND ND ND n NS 20,000 210,000 200,000 57,000 Imp ND ND im NS NS NS ND ND ND ND ND im NS 2,000 2,000 ND ND ND ND ND | Magnesium | SN | 35,000 | 35,000 | 000'95 | 33,000 | 20,000 |
| ryy NS 0.7 ND ND ND sium NS 100 ND ND ND um NS 50 ND ND ND m NS 20,000 210,000 57,000 m NS 0.5 ND ND ium NS NS ND ND ium 5,000 2,000 ND ND ium 5,000 2,000 ND ND | Manganese | SN | 300 | 1,600 | 59 | 002 | 1,000 |
| sium NS ND N | Mercury | NS | 0.7 | QN | QN | QN | QN |
| sign NS NS 20,000 36,000 20,000 um NS 10 ND ND ND n NS 20,000 210,000 200,000 57,000 n NS NS ND ND ium NS NS ND ND ium 5,000 2,000 ND ND | Nickel | 3,000 | 100 | 2 | Q | QN. | Q |
| um NS 10 ND ND NS 50 ND ND ND Im NS 20,000 210,000 260,000 57,000 Im NS ND ND ND Ium NS NS ND ND Ium NS ND ND ND | Potassium | NS | SN | 20,000 | 36,000 | 20,000 | 20,000 |
| NS 50 ND ND ND ND ND ND ND N | Selenium | SN | 10 | QN | QN | QN | QN |
| 11 NS 20,000 210,000 57,000 10 | Silver | SN | 20 | QN | QN | QN | QN |
| Um NS 0.5 ND ND Idium NS ND ND 6,000 2,000 ND ND | Sodium | SN | 20,000 | 210,000 | 200,000 | 27,000 | 260,000 |
| Idium NS ND | Thallium | NS | 0.5 | QN | QN | QN | ND |
| 5,000 2,000 ND ND ND | Vanadium | SN | SN | Q | QN | QN | QN |
| | Zinc | 5,000 | 2,000 | QN | QN | QN | QV |

Notes:

All concentrations are reported in parts per billion (ppb or ug/L)
NYS Ambient Water Quality Standards/Guidance Values for GA Waterbody Classifications

NS = No Standard/Not Sampled

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

Shabed = Concentration exceeds NXCDEPLINIEDOS SPORE INSTITUTE SENTIAL SENTENCES CONTINUED SENTENCE INTRIBUTE S Bold = Concentration exceeds NYS Ambient Water Quality Standards/Guidance Values

1 All handling and preservation of collected samples and laboratory analyses of samples was performed in accordance with 40 CFR Part 136.

LiRo Engineers, Inc.

DDC CAPIS ID No.: SE851

Page 1 of 1

Work Order Letter No. 9145-LIRO-2-8603





New York City Department of Design and Construction
Phase II Subsurface Corridor Investigation Report
Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area
E. 108th St. between Flattands Ave. and Outfall - Brooklyn, NY

Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York Table 14. Summary of Pesticides Detected in Groundwater

| Pesticdes ¹ | NYCDEP Limitations
to Sanitary or
Combined Sewers | NYS Amblent Water Sample ID and Date Collect Quality Standards/Guidance TWP-01 (SB-01) TWP-02 (SB-23) TWP-03 (SB-07) TWP-04 (SB-09) Values 3/18/2014 3/18/2014 3/18/2014 | TWP-01 (SB-01)
3/18/2014 | Sample ID and Date Collect TWP-02 (SB-23) TWP-03 (SB-3/18/2014 3/18/2014 | 1 Date Collect TWP-03 (SB-07) 3/18/2014 | TWP-04 (SB-09)
3/18/2014 | |
|------------------------|---|---|-----------------------------|---|---|-----------------------------|--|
| lotal resudices | OZ. | SZ | 2 | CZ | CZ | 2 | |

Notes:

All concentrations are reported in parts per billion (ppb or ug/L)

NYS Ambient Water Quality Standards/Guidance Values for GA Waterbody Classifications

NS = No Standard/Not Sampled

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

Shaded = Concentration exceeds NYCDEP transform to Affluentic Santian for combined Sewers (daily limb)

Bold = Concentration exceeds NYS Ambient Water Quality Standards/Guidance Values

¹ All handling and preservation of collected samples and laboratory analyses of samples was performed in accordance with 40 CFR Part 136.

LiRo Engineers, Inc.

DDC CAPIS ID No.: SE851

Page 1 of 1

24-Apr-14 Work Order Letter No. 9145-LIRO-2-8603



New York City Department of Design and Construction Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York Table 15. Summary of Herbicides Detected in Groundwater

| | NYCDEP Limitations | NYS Ambient Water
Quality | | Sample ID an | Sample ID and Date Collect | |
|-----------------|--------------------|------------------------------|----------------|----------------|---|----------------|
| Herbicides' | to Sanitary or | Standards/Guidance | TWP-01 (SB-01) | TWP-02 (SB-23) | TWP-01 (SB-01) TWP-02 (SB-23) TWP-03 (SB-07) TWP-04 (SB-09) | TWP-04 (SB-09) |
| | Compined Sewers | Values | 3/18/2014 | 3/18/2014 | 3/18/2014 | 3/18/2014 |
| otal Herbicides | SN | SN | QN | 2 | QN | Q |

Notes:

All concentrations are reported in parts per billion (ppb or ug/L)

NYS Ambient Water Quality Standards/Guidance Values for GA Waterbody Classifications

NS = No Standard/Not Sampled

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

Shaded = Concentration exceeds NVCDEP/Linitationship Efficientico Sanitary or Combined Seviers (dain) in it)

Bold = Concentration exceeds NYS Ambient Water Quality Standards/Guidance Values

¹ All handling and preservation of collected samples and laboratory analyses of samples was performed in accordance with 40 CFR Part 136.

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851

Page 1 of 1

24-Apr-14 Work Order Letter No. 9145-LIRO-2-8603



New York City Department of Design and Construction Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area Table 16. Summary of Polychlorinated Biphenyls (PCBs) Detected in Groundwater E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York

| DCR. 1.2 | NYCDEP Limitations | NYS Ambient Water Quality | | Sample ID and | Sample ID and Date Collect | |
|------------|--------------------|--|----------------|----------------|----------------------------|----------------|
| 3 | Combined Sewers | Standards/Guidance TWP-01 (SB-01) TWP-02 (SB-23) TWP-03 (SB-07) TWP-04 (SB-09) | TWP-01 (SB-01) | TWP-02 (SB-23) | TWP-03 (SB-07) | TWP-04 (SB-09) |
| | | Values | 3/18/2014 | 3/18/2014 | 3/18/2014 | 3/18/2014 |
| lotal PCBs | - | 5 | Q | QN | CX | CN |

All concentrations are reported in parts per billion (ppb or ug/L)

NYS Ambient Water NYS Ambient Water Quality Standards/Guidance Values for GA Waterbody Classifications

NS = No Standard/Not Sampled

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

Shabed—I Concentration exceeds NYCOEP tripliation et of Enfort (olsanitary or Combined Sewers (daily impl)

Bold = Concentration exceeds NYS Ambient Water Quality Standards/Guidance Values

² Analysis for PCBs was performed according to EPA method 608 with method detection limit =<65 parts per trillion. Analysis for PCBs is required if ¹ All handling and preservation of collected samples and laboratory analyses of samples was performed in accordance with 40 CFR Part 136. discharge =>10,000 gallons per day (gpd) and duration of discharge > 10 days.

DDC CAPIS ID No.: SE851 LiRo Engineers, Inc.

Page 1 of 1

Work Order Letter No. 9145-LIRO-2-8603



New York City Department of Design and Construction Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall - Brooklyn, NY

Phase II Subsurface Corridor Investigation for the Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall, Brooklyn, New York Table 17. Summary of Quality Assurance/Quality Control Data

| | | Semple 17.8 | Cample ID & Date Collect | |
|--------------------|----------------------|----------------------|--------------------------|-------------|
| Parameters | Trip Blank (3/17/14) | Trip Blank (3/18/14) | Trip Blank-2 (3/21/14) | Field Blank |
| | 3/11/2014 | 3/11/2014 | 3/11/2014 | 3/18/2014 |
| TCL VOCs (ug/kg) | | | | |
| Acetone | QN | QN |] ON] | QN |
| Methylene chloride | QN | QN | QN | Q |
| m&p-Xylenes | QN | QN | ND I | 9 |
| o-Xylene | ON | QN | QN | ON
ON |
| Xylenes (Total) | QN | QN | ON | 9 |
| | | | | |
| Total SVOCs (ug/L) | ΝΑ | NA | NA | Q |
| | | | | |
| TAL Metals (ug/L) | NA | ΑN | ΑN | Q |
| | | | | |
| Pesticides (ug/L) | NA | ΑN | ΨV | Q |
| | | | | |
| Herbicides (ug/L) | AN | NA | AA | 2 |
| | | | | |
| PCBs (ug/L) | AN | NA | ΑN | QN |
| | | | | |
| | | | | |

Notes:

ug/kg = microgram per kilogram

ug/L = microgram per liter NA = Not analyzed

ND = Compound not detected above method detection limit (see attached lab report for mdl's)

LiRo Engineers, Inc. DDC CAPIS ID No.: SE851


Page 1 of 1


Work Order Letter No. 9145-LIRO-2-8603



New York City Department of Design and Construction Final Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall – Brooklyn, NY


FIGURE 1 – TOPOGRAPHIC CORRIDOR LOCATION MAP FIGURE 2 – SAMPLE LOCATION PLAN FIGURE 3 – SOIL SAMPLE RESULTS PLAN FIGURE 4 – GROUNDWATER SAMPLE RESULTS PLAN





STORM, SANITARY, & COMBINED SEWERS & WATER MAIN IN FRESH CREEK BASIN AREA - E. 108TH ST. BETWEEN FLATLANDS AVE. & OUTFALL BROOKLYN, NEW YORK WOL NO:9145-LIRO-2-8603 NEW YORK CITY DEPARTMENT OF DESIGN + CONSTRUCTION FIGURE: 3 96 µg/Kg 50 µg/Kg 12,000 mg/Kg 2,000 mg/Kg SOIL SAMPLE RESULTS PLAN 7,500 mg/Kg 2,000 mg/Kc 3/17/2014 6,600 mg/kg 2,000 mg/kg LiRo Engineers, Inc. 3 Aerial Way, Syosset, New York 3/17/2014 110 µg/Kg 50 µg/Kg 13,000 mg/Kg 2,000 mg/Kg 3/19/2014 3/18/2014 97 µg/Kg 50 µg/Kg DATE: 4/2014 3/17/2014 23/TWP SB-23-9.5-10 8,500 mg/Kg 2,000 mg/Kg OUTFALL POINT 3/17/2014 Acetone 3/17/2014 Acetone 65 µg/kg 50 µg/kg 3/18/2014 Iron SB-01-COMP SB-23-COMP SB-03-COMP SB-03-9.5-10 Acetone SB-22-COMP 3/18/2014 SB-07-9.5-10 SCALE: AS SHOWN Acetone SB-07-COMP DDC ID NO:SE851 37 mg/kg 30 mg/kg 37 mg/kg 36 mg/kg 28,000 mg/kg 2,000 mg/kg SB-09-COMP SB-21-COMP 49/Kg 50 µg/Kg SB-21-9.5-10 3/18/2014 3/17/2014 3/17/2014 SCALE IN FEET SB-01-14.5-15 XXII IKXXX 3/19/2014 1,000 µg/Kg 1,000 µg/Kg 2,000 mg/Kg SB-09-9.5-10 1,000 µg/Kg 1,000 µg/Kg 0.18 mg/kg 800 µg/kg 330 µg/kg 500 µg/Kg 109 mg/Kg 50 mg/kg 9,200 mg/Kg စ္က Iron Batas 3/20/2014 19,000 mg/Kg 0.2 mg/kg 2,000 µg/Kg 130 mg/Kg SB-20-COMP Dibenz(a,h)anthracene ideno(1,2,3-cd)pyrene Benzo(b)fluoranthene Benzo(k)fluoranthene Benzo(a)anthracene 3/19/2014 Benzo(a)pyrene SB-16-COMP Chrysene Copper Mercury Zinc Ē Iron 11,000 mg/Kg 2,000 mg/Kg 7,700 mg/Kg 2,000 mg/Kg 3/20/2014 12,000 mg/Kg 2,000 n 4,800 mg/Kg 2,000 mg/Kg 6,400 mg/kg 2,000 stone fig 1ug/kg 50 3/19/2014 3/19/2014 3/20/2014 3/20/2014 SB-11-COMP 3/19/2014 3/19/2014 (PROPOSED BORING NOT ADVANCED) SB-05-9.5-10 SB-04-COMP-DUP SB-04-COMP SB-05-COMP SB-08-8.5-9 SB-06-COMP SB-08-COMP 94-mg/kg 2.000 mg/kg 18.000 mg/kg 2.000 mg/kg 6.87 mg/kg 0.18 mg/kg 216 mg/kg 109 mg/kg 110-49/Kg 50 µg/Kg 3/19/2014 3/20/2014 3/20/2014 J;\10-62-205 DDC BEGS 2010\Projects\Phase I - Phase II Projects\9145 E 108 th RED = CONCENTRATION EXCEEDS RESTRICTED USE (TRACK 2) RESIDENTIAL SCOS GUIDANCE CRITERIA 9.200 mg/kg 2,000 mg/kg TEMPORARY WELL 64 mg/Kg 50 mg/Kg DETECTED CONC. SHADING = CONCENTRATION EXCEEDS UNRESTRICTED USE (TRACK 1) SCOs 11,000 mg/kg 2,000 mg/kg 0.2 mg/kg BOLD = CONCENTRATION EXCEEDS NYSDEC CP-51 SLCs CONTAMINANT SOIL BORING CORRIDOR WORK AREA 3/21/2014 SB-15-9.5-10 POINT (TWP) 3/20/2014 SAMPLE I.D. LEGEND SB-17-COMP 6,900 mg/kg 2,000 mg/kg 3/21/2014 SB-15-COMP DATE 6,700 mg/kg 2,000 mg/kg 8,200 mg/kg 2,000 mg/kg 3/21/2014 SB-19-9.5-10 Acetone 72 µg/Kg 50 µg/ 8,500 mg/kg 2,000 3/21/2014 3/21/2014 0 3/21/2014 3/21/2014 SB-14-COMP SB-19-COMP SB-12-14.5-15 3/21/2014 SB-13-COMP Iran SB-18-COMP SB-12-COMP-DUP SB-12-COMP SB-12-14.5-15








New York City Department of Design and Construction Final Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall – Brooklyn, NY

APPENDIX A BORING LOCATION SKETCHES





New York City Department of Design and Construction Final Phase II Subsurface Corridor Investigation Report Storm, Sanitary, & Combined Sewers & Water Main in Fresh Creek Basin Area E. 108th St. between Flatlands Ave. and Outfall – Brooklyn, NY

APPENDIX B
GEOLOGIC BORING LOGS AND TEMPORARY WELL CONSTRUCTION DETAILS

| IR. | 3 | | | LiRo | Engi | neers, | Inc. | | TEST BOR | ING LC | G | |
|---------------|---------------|-------------|------------|-----------------|--------------------|------------------|---|--------------|---|---------|--------------|---------------|
| | | | • | | | , | , | | LOCATION: | SB-01/ | TWP-0 | 1 |
| PROJECT: | : | Fresh C | reek B | asin Area, | East 108th S | t. between Fla | atlands Ave. and O | utfall, BK | SHEET: | 1 of | 1 | |
| CLIENT: | | | | | n and Consi | | | | JOB NO.: | SE851 | | |
| BORING C | | | | | | ntal Services, | înc. | | LOCATION: | See Cor | nments | |
| GROUNDV | VATER: | 15 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | EL | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | 2, 2014 | |
| 03/17/14 | | 15 | | NA | DIA. | | 2™ | | DATE FINISHED: | March 1 | 7, 2014 | |
| | | | | | WT. | | NA | | DRILLER: | Ryan Je | | |
| | | | | | FALL | | NA NA | <u></u> | GEOLOGIST: | Eva Jak | | ia |
| | | | | | <u>}</u> | , | · | | REVIEWED BY: | W. Czel | usta | |
| | ļ | | _ | IPLE | | ļ | | DESCRIF | | | | |
| DEPTH
FEET | STRATA | "\$"
NO. | "N"
NO. | BLOWS
PER 6" | REC% | COLOR | CONSISTENCY
HARDNESS | | MATERIAL
DESCRIPTION | USCS | <u> </u> | REMARKS |
| | 11111 | | | | <u> </u> | | | | | | | |
| 1 | | | | | 1 | | | | | | | |
| ĺ | | | | | 1 | | | 1 | | | | |
| | | | | | ┨ | | | | as cleared to a depth of 6 ft. bgs | i | 1 | |
| | | | | | | Dark | h Anadh ann | using a v | acuum excavator (Vaccex)/air knife | FILL | Dry | PID 0.0 ppm |
| | | | | | NA NA | Brown | Medium | 4 | ion.
dium to coarse sand with gravel red | FILL | Diy | CID O.O ppiii |
| | | | | | 4 | | | | ., fill material | | | |
| 5 | | | | | | | · | | | | | |
| | ╫╁╁╁╁ | | | | 1 | | | | | | | |
| | <u> </u> | | | | | ļ.,i | | <u> </u> | | | | |
| | | | | | | | | | | | | |
| | . | | | | 4 | | | | | I | 1 | |
| | | | | | | | | | | | 1 | , |
| | | | | | 60% | Brown | Medium | 6'-10' Me | dium sand, some gravel | SP | Dry | PID 0.0 ppm |
| | | | | |] | | | | | | | |
| | 1 | | | | 1 | | | 1 | | | 1 | |
| 10 | 1,1,1,1,1,1,1 | | : | | ļ | | | | | - | | |
| | | | | | | | | | • | | | 1 |
| | | | | | 1 | | | | | | | |
| | | | | | | Grey / | | | | | 1 | |
| | | | | | 60% | Black to | Medium | 10'-15' 9 | and and Peat | | Wet | PID 0.0 ppm |
| | | SB-01- | | | - | Brown | | | | | • | |
| | | 14.5-15 | | | 1 | | | 1 | | | | |
| | | | | | 1 | | | | | | | |
| 15 | | | | | | | | | | - SM | <u> </u> | ļ |
| | | | | | | | | | | - [| | , |
| | | | | | 1 | | | 1 | | | 1 | |
| |] | | | | _ | | | | | | | |
| | | | | | 60% | Dark Grey | Medium | 15'-20' F | ine sand, trace silt | | Wet | PID 0.0 ppm |
| | | | | | 4 | 1 | | Į | • | 1 | | |
| | | | | | | | | | | | | |
| | | | İ | | 1 | | • | | | | 1 | , |
| 20 | | | | | <u> </u> | | | <u> </u> | · | | <u> </u> | |
| | | | | | | | | | END OF BORING | | | |
| | | | | | | | | | | | | |
| COMMEN. | TS: | 44 | | L | . Fal Hatall atale | -: Al 4 | | Cant | PROJECT NO.: | | | 62-205-9145 |
| | | | | | | | nd 2 and located or
and three (3) feet | | BORING NO.: | | SI | B-01 / TWP-01 |
| | | of East | 108th | Street, Soil | samples we | re classified ir | n the field using the | Unified | | | | |
| | | Soil Cla | esifica | tion Systen | n (USCS). G | roundwater w | as encountered at | 15 ft. bgs. | | | | |
| | | | | | | | (2) soil samples w
imple (SB-01-14,5) | | | | | |
| 1 | | | | | | | mposite sample (S | | | | | |
| | | COMP | of the | entire bori | ng length. A | groundwater s | ample was collect | ed from a | | | | |
| 4 | | | | | P-01), A por | | nposite sample wa | s used for | | | | |

| P |) | | | Lik | Ro Eng | TEST BORING LOG | | | | | | | | |
|--|-----------------------------------|--|--|--|--|------------------------------|--|--|--|------------------|---------------|--------------|--|--|
| DBO JECT | | Facel (| | | | | | | LOCATION: SB-02 | | | | | |
| PROJECT:
CLIENT: | | | | | ea, East 108th S | outfall, BK | SHEET: 1 of 1 | | | | | | | |
| CLIENT: NYC Department of Design and Cons
BORING CONTRACTOR: Associated Environme | | | | | | | | | | | SE851 | | | |
| GROUNDY | | 10 | | 7680CI | ated Ellanoinie | CAS. | TUBE | LOCATION: See Comments GROUND ELEVATION: | | | | | | |
| DATE | TIME | LEV | | TYP | E TYPE | LAS. | SAMPLER
Macro Core | | | | | | | |
| 03/18/14 | TIME | 10 | | NA NA | | | | | | March | | | | |
| 00110711 | | | | 177 | wr. | | NA NA | | DATE FINISHED:
DRILLER: | March | | 4 | | |
| | | | | | FALL | - | NA NA | <u> </u> | GEOLOGIST: | John V | | t-m | | |
| | | | | | | <u></u> | | <u> </u> | REVIEWED BY: | Eva Ja
W. Cze | | Ka | | |
| | | | SAI | APLE | B | T | | DESCRIP | | 11.02 | TV. OZDIGORI | | | |
| DEPTH | | "S" | "N" | BLOW | /S REC% | CONSISTENCY | | MATERIAL | USCS | | REMARKS | | | |
| FEET | STRATA | NO. | NO. | PER | " RQD% | COLOR | HARDNESS | | DESCRIPTION | | 1 | TILWING INCO | | |
| · 1 | | | | | | · | | 8-4- | | | | | | |
| | | | | | NA NA | Black then
Red /
Brown | Soft | using a va
combinati
0'-0.5' Co | | FILL | Dry | PID 0.0 ppm | | |
| 5 | | SB-02-
9.5-10 | | | | | | 1'-6' Fine | to medium sand with large gravel | | | | | |
| | | | | | 30% | Light Red
Brown | Medium | 6'-10' Med | lium sand, some gravel | SP | Dry to
Wet | PID 0.0 ppm | | |
| 10 | | | | | | | | | | | | - | | |
| 15 | | , | | | 50% | Dark Grey | Medium | | dium sand some gravel
e sand and Peat | PT | Wet | PID 0.0 ppm | | |
| | | | • | | 50% | Brown | Medium | 15'-20' Med | dium sand | SP | Wet | PID 0.0 ppm | | |
| 20 | | | | | | | | | END OF BODING | | | | | |
| | | | | | | | | | END OF BORING | | | 1 | | |
| A41454- | | | | | | | | | | | | | | |
| OMMENTS | <u>A</u>
1
2
2
1
2 | 08th Str
f East 10
oil Class
he borin
oilected | eet, 43
08th Si
sification
of was
and so | feet sou
treet. So
on Syste
driven to
ent for la | of "High" risk si
theast of Flatla
il samples were
m (USCS). Gro
o a depth of 20 i
boratory analysi | ROJECT NO.:
ORING NO.: | | 10-6 | 2-205-9145
SB-02 | | | | | |
| | <u>C</u> | OMP) o | f the e | ntire bor | | rtion of the co | posite sample (SB-
omposite sample wa | | | | | | | |

| (I |) | | | LiRo | TEST BORING LOG | | | | | | | | | |
|--|-------------------------|--------------------|-----------|-------------|--|----------------|--------------------------------------|----------------|--------------------------------------|------------|---------|---------------------------------------|--|--|
| PROJECT | T. | Eroch | Crook | Daala A | F 400# 4 | | | | LOCATION: SB-03 | | | | | |
| CLIENT: | <u> </u> | AIVC F | Creek | basin Area, | East 108th S | ot. between F | latlands Ave. and | Outfall, BK | SHEET: 1 of 1 | | | | | |
| BORING | CONTRAC | | eparm | | gn and Cons | | | | JOB NO.: SE851 | | | | | |
| | | | | Associate | d Environme | ntal Services | , Inc. | | LOCATION: See Comments | | | | | |
| GROUND | | 10 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | | | |
| DATE | TIME | | VEL_ | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March | 11, 201 | 4 | | |
| 03/18/14 | | 10 |) | NA | DIA. | | 2" | | DATE FINISHED: | March | | | | |
| | | | | | WT. | | NA | | DRILLER: | John V | | 17 | | |
| | <u> </u> | | | | FALL | | NA | | GEOLOGIST: | Eva Jal | | ·ko | | |
| | | | | | | | | | REVIEWED BY: | W. Cze | | ska | | |
| | | | SAI | APLE . | | | | DESCRIP | | T CZ6 | iusia | | | |
| DEPTH | | '8" | "N" | BLOWS | REC% | | CONSISTENCY | 1 | | ┨ | ı | | | |
| FEET | STRATA | NO. | NO. | PER 6" | RQD% | COLOR | | 1 | MATERIAL | USCS | | REMARKS | | |
| | | | 10. | PERU | nuu% | COLOR | HARDNESS | | DESCRIPTION | | | | | |
| 1 | |] | 1 | | | | | ł | • | | | | | |
| | 177777 | 1 | | | 1 | 1 | ' | 1 | | 1 | 1 | 1 | | |
| | | 1 | | | | | | L . | | | | | | |
| | 111111 | 1 | | | 1 | Light | | Boring wa | as cleared to a depth of 6 ft. bgs | | | | | |
| | | 1 | | | | Brown | | using a v | acuum excavator (Vaccex)/air knife | 1 | 1 | | | |
| | 1 | | | | - NA | Black to | Medium | combinat | | 1 | Dry | PID 0.0 ppm | | |
| | $\parallel + + + + + +$ | l | | | 1 | Dark | | | ncrete with rebar | | J, | T IO 0.0 ppn | | |
| | 177777 | | | | -1 | Brown | | fill materia | dium sand with gravel, coal and ash, | ł | 1 | | | |
| 5 | | | | 1 | į | i i | | I'm materia | 31. | | | • | | |
| | 11111 | | | | 1 |] | • | 1 | | FILL | | l | | |
| | | | | ŀ | | i i | | 1 | | '' | l | I | | |
| | | | | | | | | | | J | | | | |
| | HHH | | | ĺ | | | | | | 1 | | | | |
| | | ļ | | _ | 1 | l i | | 1 | | | 1 | | | |
| | | | | 1 | | Dark | | | | | | i | | |
| | | SB-03-
9.5'-10" | | | 30% | Brown | Medium | 6"-10" Fine | sand, with gravel, concrete pieces, | | Dry to | PID 0.0 ppm | | |
| | | | ı | | j . | Diow, | | fili materia | 1 | | Wet | , in 0.0 ppin | | |
| | ╚┤╎┦┩ ╢ | | ŀ | | | | | | | | | | | |
| . 10 | | | i | ŀ | i | l | | 1 | | | | l | | |
| | 9990 | | ŀ | | | | | | | | | | | |
| | | | | - 1 | | | | l | | | | | | |
| | | | ŀ | | | | | | | | | ł | | |
| | | | | | | | | İ | | SM | | l | | |
| $\overline{}$ | | J | ŀ | | | Dark | | 10'-13' Fin | e to medium sand | J | | | | |
| - 1 | | | | | 40% | Brown | Medium | 13'-14' Pe | at | 1 | Wet | PID 0.0 ppm | | |
| | | | ŀ | | | 2.5 | | 14'-15' Me | dium sand | | | . 15 0.0 pp | | |
| | <i>?????</i> ? | l | - 1 | | | | | | | PT | | | | |
| | ********* | | | - 1 | - 1 | | | | ÷ | | ļ | | | |
| 15 | | | 1 | | | | | | i | SP | | | | |
| | 10111111 | - 1 | ŀ | | | | | ļ | | | | | | |
| l | | ĺ | l | | Ī | 1 | | ĺ · | | l | | | | |
| | | 1 | _ h | | | l | | | | | | | | |
| - 1 | | 1 | l | | | i | | ĺ | | l | ĺ | | | |
| | | - 1 | r | \neg | 1 | ŀ | | | | | | | | |
| | | | | | 60% | Brown | Medium | 15'-20' Find | e to medium sand | SM | Wet | PID 0.0 ppm | | |
| | | - 1 | r | | - 1 | | | | | | | · · · · · · · · · · · · · · · · · · · | | |
| - 1 | | - 1 | | | j | 1 | | | | I | | | | |
| | 9888 8 | - 1 | - | | | 1 | | | | | | | | |
| 20 | | - 1 | | | | 1 | | | | | | | | |
| | | | | | | | | | END OF BODING | | | | | |
| | | | | | | | | | END OF BORING | | | 2 | | |
| | | | | | | | | | | | | | | |
| OMMENTS | S: | | | | | | | J _P | ROJECT NO.: | | 10.6 | 2.205.0445 | | |
| | | | | | | I | ORING NO.: | | 10-0 | 2-205-9145 | | | | |
| Advanced in the vicinity of "High" risk site No. 2 and located on East 108th Street, 352 feet northwest of Avenue J and five (5) feet southwest of East 108th | | | | | | | | | CIMIC RU., | | | SB-03 | | |
| | S | Street, 35 | 2 feet | northwest o | f Avenue J a | nd five (5) fe | et southwest of Fa | st 108th | | | | į | | |
| | 3 | Noocie | all sam | pies were c | assified in th | e field using | the Unified Soll | | | | | į | | |
| | 7 | <u>adosince</u> | uon Si | stem (USC | S). Groundw | ater was end | ountered at 10 ft. | bas. The | | | | | | |
| | 2 | willia WE | for labor | raton: | 1 01 20 1t. bg: | s. IWO (2) soi | samples were co | lected | | | . ' | í | | |
| | e e | ust above | e the ~ | mawry anal | ysis, a grab (| sample (SB-0 | 3-9.5'-10') from the | area | | | | | | |
| | <u>بر</u>
ه | ntire bor | ing len | oth A north | no of the sec | viliposite sai | mple (SB-03-COM
e was used for wa | ≥) of the | | | | I | | |
| | c c | haracter | ization | sample WC | <u>/// UI IIIO CON</u>
201 | iposite sampi | e was used for wa | <u>sie</u> | | | | 1 | | |
| | <u>¥</u> | | | | - V I. | | | | | | | | | |

| AR |) | | | LiRa | Engi | TEST BORING LOG | | | | | | | |
|--|----------------|---|---|---|---|---|---|--|--|---------|---------------|----------------------|--|
| | | | | | | | | | LOCATION: SB-04 | | | | |
| TO UEOT | | Eroch C | rook B | acia Area | East 108th St | tfali, BK | SHEET: 1 of 1 | | | | | | |
| PROJECT: | | Fresh C | eek D | asiii Alea | ion and Const | JOB NO.: SE851 | | | | | | | |
| CLIENT: NYC Department of Design and Construction BORING CONTRACTOR: Associated Environmental Services, Inc. | | | | | | | | | LOCATION: See Comments | | | | |
| TUPE | | | | | | | | | GROUND ELEVATION: | | | | |
| | ROUNDWATER: 10 | | | | | | Macro Core | 5' | DATE STARTED: | March 1 | 2, 2014 | | |
| DATE | TIME | | | | | | 2 ⁿ | | DATE FINISHED: March 14 | | | | |
| 03/14/14 | | | | | | | NA NA | | DRILLER: | | ohn Veiss | | |
| | | | | | WT. | | NA NA | | GEOLOGIST: | Eva Jak | ubowsk | a | |
| | FALL | | | | | | 11/1 | <u> </u> | REVIEWED BY: | W. Czel | | | |
| | | | | | | | 1 | | | | | | |
| | | | SAN | PLE | | ļ | | DESCRIP | MATERIAL | uscs | P | EMARKS | |
| DEPTH | | *S" | "N" | BLOWS | REC% | i i | CONSISTENCY | | | 0505 | . " | | |
| FEET | STRATA | NO. | NO. | PER 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | | | | |
| 5 | | | | | NA NA | Dark
Brown | Medium | using a v
combina
0'-6' Med | ioring was cleared to a depth of 6 ft. bgs
ising a vacuum excavator (Vaccex)/air knife
ombination.
'-6' Medium sand trace clay, with gravel, red
rick, roots | | | PID 0.0 ppm | |
| 10 | | SB-04-
9.5'-10' | | | 60% | Brown | Medium | 6'-10' Fi | ne to medium sand | | Dry to
Wet | PID 0.0 ppm | |
| 15 | - | | | | 60% | Brown | Medium | 10'-15' f | Fine sand, trace silt | SM | Wet | PID 0.0 ppm | |
| | | | | | 70% | Red Brown | Medium | 15'-20' 1 | Fine to medium sand | | Sat. | PID 0.0 ppm | |
| 20 | 100000 | 4 | | | | | <u> </u> | | END OF BORING | | | | |
| 1 | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | 40 | 62 20E 044E | |
| COMMEN | ITS: | Street,
East 1
Classi
boring
and se
10'-DL | 195 fe
07th S
fication
was d
ent for
JP) fro
es (SB
n of the | treet. Soil System riven to a laborator m the are | ast of Flatland
samples were
USCS). Groun
depth of 20 ft.
analysis, grate
i just above the | s Avenue and
classified in indwater was
bgs. Four (4)
samples (SE
e groundwate
OMP-DUP) of | d located on East 1 five (5) feet south the field using the L encountered at 10 soil samples were -04-9.5'-10' and Si r level and compos the entire boring le te characterization | west of
Inified Soi
ft. bas. Th
collected
3-04-9.5'-
site
ength. A | PROJECT NO.:
BORING NO.: | | 10- | 62-205-9145
SB-04 | |

| | | | | | | | | TEST BORING LOG | | | | | |
|---|---------------------|---|-----------|--------------|----------------|--|---------------------------------------|--|--------------------------------------|----------------------------|---------------|----------------|--|
| | | | | LiRo | Engl | TEST BORING LOG | | | | | | | |
| | · | | | | | | | | LOCATION: SB-05 | | | | |
| PROJECT | <u>:</u> | Fresh (| Creek E | Basin Area, | East 108th S | Outfall, BK | SHEET: 1 of 1 | | | | | | |
| CLIENT: NYC Department of Design and Construction | | | | | | | | | JOB NO.: SE851 | | | | |
| BORING C | ONTRAC | TOR: | | Associated | Environme | LOCATION: See Comments | | | | | | | |
| GROUND | NATER: | 10 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | | |
| DATE | ATE TIME LEVEL TYPE | | | | TYPE | | | | DATE STARTED: | March 1 | 1 2014 | 4 | |
| 03/20/14 | 20/14 10 NA | | | | DIA. | | 2" DATE FINISHED: | | | | 0, 2014 | | |
| | | | | | WT. | | NA | | DRILLER: | John Ve | | <u> </u> | |
| | | | | | FALL | | NA | | GEOLOGIST: | | | | |
| · · · · · · · · · · · · · · · · · · · | † | | | | | <u></u> | | | REVIEWED BY: | Eva Jakubowska W. Czelusta | | | |
| | 1 | <u> </u> | SAL | PLE | <u> </u> | T | ···· | DESCRIP | | 11. 026 | usia
I | | |
| DEPTH | | *S* | "N" | BLOWS | I DECOV | | CONDICTENSIA | DESCRIP | | ł I | | | |
| FEET | STRATA | NO. | NO. | PER 6" RQD% | | CONSISTENCY | | | MATERIAL | USCS | ' | REMARKS | |
| 1 1 1 1 1 | JIIII | NO. | 110. | PENO | HQD% | COLOR | HARDNESS | | DESCRIPTION | <u> </u> | | | |
| 1 1 | | | | | | | | | | İ | | | |
| | (| | | | 1 | 1 | | 1 | | 1 | | | |
| İ | H | | | | | | | | | | | | |
| | 1 | | | | 1 | 1 | | Boring w | as cleared to a depth of 6 ft. bgs | | | | |
| | | | | | NA NA | Dark | Medium | | acuum excavator (Vaccex)/air knife | | ۱_ | | |
| | | | | |] "^ | Brown | Medium | combinat | ion. | FILL | Dry | PID 0.0 ppm | |
| | / | | | |] | 1 | | 0'-6' Med | ium sand with medium to large gravel | | | | |
| _ | | | | | | 1 1 | | ŀ | | | | i | |
| 5 | | l l | | | 1 | 1 1 | | | | 1 | | | |
| | | | | | | | | | | | İ | | |
| - | | | | | ļ | | | _ | | | <u> </u> | | |
| | | | | | ļ. | | | | | | | | |
| | | | | | ł | | | | | | | | |
| | | | | | | Red Brown | | 1 | | 1 | | | |
| | | SB-05- | | | 30% | to Brown | Medium | 6'-10' Fin | e sand, trace clay, some gravel | | Dry to
Wet | PID 0.0 ppm | |
| | | 9.5'-10' | | | | | | 1 | | SM | *** | | |
| | | | | | 1 | 1 | | | | | | | |
| 10 | | | | | 1 | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | j | | | 1 | | | | | |
| | XXXXX | | | | | 1 1 | | 1 | | | | | |
| | XXXXX | | Ì | | | 1 | | 10'-11' M | edium to fine sand | РТ | , | | |
| | XXXXX | | | | 50% | Dark Grey | Medium | 11'-13' Pe | | ' | Wet | PID 0.0 ppm | |
| | $\sim\sim$ | | | | ł | to Grey | | | ne sand, trace silt | | | · is old ppiii | |
| | | | | | | 1 | | 1 | | | | | |
| | | | ŀ | | ł | 1 1 | | | | | | | |
| 15 | | · [| i | 1 | | | | | | | | | |
| | | | ŀ | | | | ····· | 1 | • | | | | |
| | | | | | | 1 1 | | 1 | | | | | |
| | | 1 | 1 | | İ | l l | | 1 | | | | | |
| | | | Į | |] | 1 1 | | | | SM | | | |
| | | | ſ | | 80% | Brown | Modium | 451 201 14 | adham a'ama | | | | |
| | | | Ĺ | | "" | Siowii | Medium | 10-20 M | edium sand | | Wet | PID 0.0 ppm | |
| | | | l | | | | | 1 | | | | | |
| | | | | | ļ | l I | | 1 | | | | | |
| 20 | | 1 | | Ì | 1 |] | | 1 | | | | , | |
| -20 | (1,1,1,1,1,1,1,1 | | l | | <u> </u> | | · · · · · · · · · · · · · · · · · · · | <u> </u> | END OF PORING | | | | |
| | | | | | | | | | END OF BORING | | | | |
| | | | | | | | | | | | | | |
| COMMENT | S: | | | | | | | | PROJECT NO.: | | 10-6 | 2-205-9145 | |
| | | | | | | | | | BORING NO.: | | | SB-05 | |
| Advanced in the vicinity of "High" risk site No. 3 and located on East 106th | | | | | | | | | | | | 22-03 | |
| Street. 118 feet southeast of Flatlands Avenue and three (3) feet southwest of East 106th Street. Soil samples were classified in the field using the Unified Soil | | | | | | | | | | | I | | |
| Classification System (USCS). Groundwater was encountered at 10 ft. bos. The | | | | | | | | | | 1 | | | |
| | • | borina w | as driv | en to a den | th of 20 ft, b | | | | | | | | |
| | | and sent | t for lat | oratory ana | dysis, a grat | sample (SB- | 05-9.5'-10') from th | ne area | | | | l | |
| | | iust abov | ve the | groundwate | r level and a | composite sa | ample (SB-05-CON | AP) of the | | | | 1 | |
| | : | entire bo | ring le | ngth. A port | ion of the co | mposite sam | ple was used for w | <u>aste</u> | | | | | |

| 1R |) | | | LiRo | Engi | neers | , Inc. | | TEST BORII | NG LO | G | |
|-----------|--------------|--|---|---|---|---|---|---|--------------------------------|----------|---------------|---------------|
| | 7 | | | | | | | | LOCATION: | SB-06 | | |
| PROJECT: | | Fresh C | reek B | asin Area. E | ast 108th St | . between Fl | atlands Ave. and O | utfall, BK | SHEET: | 1 of | 1 | |
| CLIENT: | | | | | n and Constr | | | | JOB NO.: | SE851 | -VIVI | |
| BORING CO | | | | | Environment | | Inc. | | LOCATION: | See Con | nments | |
| | | 10 | | 7.0000ia100 | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| GROUNDW | | | | TVDE | TVDE | UAU. | Macro Core | 5' | DATE STARTED: | March 1 | 2. 2014 | |
| DATE | TIME | LEV | EL_ | TYPE | TYPE | | 2" | - 3 | DATE FINISHED: | March 2 | | |
| 03/20/14 | | 10 | | NA | DIA. | | NA NA | | DRILLER: | Ryan Je | | |
| | | | | | WT. | | NA NA | | GEOLOGIST: | Eva Jak | | |
| | | | | - | FALL | | INA | <u> </u> | REVIEWED BY: | W. Czeli | | |
| | | | | | | | | 2700717 | | VV. C261 | Jola | |
| | | | | PLE | | | | DESCRIP | | | | ENADAG |
| DEPTH | | "S" | "N" | BLOWS | REC% | | CONSISTENCY | . | MATERIAL | USCS | l " | EMARKS |
| FEET | STRATA | NO. | NO. | PER 6" | RQD% | COLOR | HARDNESS | <u> </u> | DESCRIPTION | | | |
| 5 | | | | | NA | Dark
Brown | Medium | using a v
combinat
0'-0.5' Co
0.5'-6' Me | | FILL | Dry | PID 0.0 ppm |
| 10 | | SB-06-
9.5'-10' | | | 30% | Brown | Hard | | sand, with gravel
dium sand | SM | Dry to
Wet | PID 0.0 ppm |
| 15 | | 90% | | | | Błack
Brown | Hard | 10'-12' P
12'-15' Fi | eat
ne to medium sand | PT | Wet | PID 0.0 ppm |
| 20 | | | | | 100% | Brown | Medium | 15'-20' M | ledium sand | SM | Wet | PID 0.0 ppm |
| | (.1.1.1.1.1. | | | | <u>L.,</u> | | ************************************* | | END OF BORING | | | |
| | | | | | | | | | • | | | İ |
| | | | | | | | | | | | 40.0 | 2 2 2 2 4 2 7 |
| COMMENT | S: | | | | | | | | PROJECT NO.: | | 10-6 | 2-205-9145 |
| | | Avenue
Flatland
Classific
boring v
and sen
just abo
entire b | . 83 fer
ls Aver
cation
was dri
nt for la
ove the
oring k | et southwes
nue. Soil sar
System (US
ven to a der
boratory an
groundwate | t of East 106 mples were c CS). Ground oth of 20 ft. b alysis, a grak or level and a tion of the co | th Street and
lassified in the
water was egs. Two (2) so
sample (SE)
composite to | d located on Flatland
d one (1) foot souths
he field using the Use
encountered at 10 ft
soil samples were co
3-06-9.5'-10') from the
sample (SB-06-COM
nple was used for w | east of
nified Soil
bgs. The
offected
he area
MP) of the | BORING NO.: | | | SB-06 |

| (R | | | | LiRo | Eng | ineers | s, Inc. | | TEST BOR | ING L | og . | |
|---------------|--------------------|--------------------|------------|--|---------------|----------------|--|--------------|--------------------------------------|---------|--|---------------------------------------|
| PROJECT | T. | | O1 | | | | | | LOCATION: | SB-07/ | TWP-0 | 3 |
| CLIENT: | 1. | riesn | Creek | Basin Area, | East 108th | St. between ! | Flatlands Ave. and | Outfall, BK | SHEET: | 1 0 | f 1 | · · · · · · · · · · · · · · · · · · · |
| BORING | CONTRA | | Jepann | | gn and Con | | | ···· | JOB NO.: | SE851 | | |
| | | | | Associate | d Environme | ental Services | | | LOCATION: | See Co | mmen | 3 |
| GROUND | | 1 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | **** | |
| DATE | TIME | | VEL | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March | 12, 201 | 4 |
| 03/17/14 | | 11 | 0 | NA NA | DIA. | | 2" | | DATE FINISHED: | March ' | | ~ |
| | | ₩. | | ļ | WT. | | NA | | DRILLER: | Ryan | | |
| | | - | | | FALL | | NA | | GEOLOGIST: | Eva Jal | ubows | ka |
| | | | | <u>L</u> | 1 | | | | REVIEWED BY: | W. Cze | | |
| | ļ | | | MPLE | | | | DESCRIP | TION | | T | |
| DEPTH
FEET | STRATA | "S"
NO. | "N"
NO. | BLOWS
PER 6" | REC% | COLOR | CONSISTENCY
HARDNESS | | MATERIAL
DESCRIPTION | USCS | | REMARKS |
| | | | | | | | | | | _ | | 1 |
| 1 | - ᡛ╪╪╪╅ | 1 | - | | 4 | | | 1 | | 1 | | 1 |
| | | 1 | 1 | | | | | | | | | |
| | 1,,,,,,,,, | | 1 | | ┪ | 1 | Ĭ | Boring w | as cleared to a depth of 6 ft. bgs |] | | |
| | | 3 | 1 | li | | Dark | | combinat | acuum excavator (Vaccex)/air knife | | ŀ | |
| | |] | | | NA NA | Brown | Hard | 0'-0.5' Co | | | Dry | PID 0.0 ppm |
| | - | • | | | 1 | | | 0.5'-6' Me | dium sand, trace clay, red brick and | | 1 | ļ |
| 5 | | | | | | 1 | | gravel | | i | | l |
| <u> </u> | ╉╂╂╂ | 1 | | | - | İ | | | | FILL | | |
| | | | | | l | 1 | 1 | | | ' " | | |
| | 11111 | 1 | | | | | | | | 4 | | |
| | | Ì | | | | | | | | 1 | | |
| | | | | | 1 | | | 1 | | | | ļ |
| | 44444 | | · | | 30% | Dark | Medium | 6'-10' Fine | to medium sand, trace clay and |] | Dry to | |
| | | SB-07-
9.5'-10' | 1 1 | | | Brown | Woodan | gravel | · | | Wet | PID 0.0 ppm |
| | | 3.0-10 | | | ĺ | | | İ | | | | |
| 10 | | | | | | | | | | | | |
| | | | | | | † | | | | | | |
| | | | l | | | | : | | | | | |
| | | | | |) | | | i | | | | |
| | | | | | | Dark | | 10: 12:44 | dium sand | SP | | |
| | | | | | 80% | Brown/ | Medium | 13'-14' Pe | | | 141-1 | DID 0.0 |
| | ****** | | H | | | Black Grey | | | e sand, trace clay | | Wet | PID 0.0 ppm |
| | XXXXX | | | | | | | l | • | PT | | |
| | HHHH | | ľ | | | | | | | | | |
| 15 | | | | | | | | | | SM | | |
| | | | l | | | | | | | | | |
| | | | | | | [| | | | | | |
| | I | | - 1 | | | | | | | 1 | - 1 | · · ·] |
| | | ļ | ŀ | | | Light | | | | | | |
| | | ĺ | - 1 | | 40% | Brown | Soft | 15'-20' Me | dium sand | SP | Sat. | PID 0.0 ppm |
| | | ļ | Γ | | | | | | | | | |
| | | ĺ | | | | ĺ | | | | | - 1 | |
| 20 | ****** | - 1 | | | | | | | j | Ì | | |
| | ********** | | | | | <u> </u> | | | | | | |
| | | | | | | | | | END OF BORING | | | |
| 04 | | | | | | | | | | | | |
| OMMENTS | | Adveno- | ad in the | s saladatu C | | N- 43 | | F | ROJECT NO.: | | 10-62 | 2-205-9145 |
| | 4 | ovance
105th St | reet 10 | yicinity of ' | riigh" risk s | te Nos. 3 and | 15 and located on I
and four (4) feet s | inet . | ORING NO.: | | | 3-07/TWP-03 |
| | 2 | of East 7 | 105th SI | reet. Soil sa | imples were | classified in | the field using the I | Inified | | | <u></u> | |
| | Š | Soil Clas | sification | on System (| USCS), Gro | undwater was | s encountered at 1 | Off has | | | | l |
| | ال | ne bori | ng was | driven to a | depth of 20 | ft. bas. Two / | 2) soil samples wer | | | | | l |
| | ç | collected | i and se | ent for labor | atory analys | is, a grab san | nole (SB-07-9.5'-10 | 1 from | | | | j |
| | Ţ | COMP) | of the e | ove ine groi
ntire boring | ingwater lev | rei and a com | posite sample (SB
imple was collected | <u>07-</u> | | | | l |
| | <u>s</u> | empora | y well r | point (TWP- | 03). A portic | n of the com | mple was collected
posite sample was i | irom a | | | | ł |
| | <u></u> | vaste ch | aracter | ization sam | pie WC-02. | W. W.O OO(1) | TONE DOLINIO WAS I | 10CO IOL | | | | |

| IR. | | · · · | | LiRe | Engi | neers, | Inc. | | TEST BORI | | G | |
|-----------|-------------|---|--|---|--|--|--|--|---|---------|---------------|----------------------|
| | 7 | | | | | | | | LOCATION: | SB-08 | | |
| PROJECT: | | Fresh C | reek B | asin Area | , East 108th St | . between Fla | atlands Ave. and Ou | utfall, BK | SHEET: | 1 of | 1 | |
| CLIENT: | | | | | ign and Const | | | | JOB NO.: | SE851 | | |
| BORING CO | | | | | d Environmen | | Inc. | | LOCATION: | See Con | nments | |
| GROUNDW | | 9 | | | | ÇAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | EI I | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | 2, 2014 | |
| 03/19/14 | 1 JUNE | 9 | | NA. | DIA. | | 2" | | DATE FINISHED: | March 1 | 9, 2014 | |
| 03/19/14 | | - 3 | | NA. | WT. | | NA | | DRILLER: | John Ve | iss | |
| | | | | | FALL | | NA | | GEOLOGIST: | Eva Jak | ubowsk | a |
| | | | | | | | | 1 | REVIEWED BY: | W. Czel | usta | |
| | | | CAN | IPLE | - | I | | DESCRI | TION | | | |
| 050711 | | "S" | "N" | BLOWS | REC% | | CONSISTENCY | 1 | MATERIAL | USCS | R | EMARKS |
| DEPTH | CTDATA | | NO. | PER 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | | | |
| FEET | STRATA | NO. | NO. | PENO | - Adb/e | OOLON | 13111311333 | | | | | |
| 5 | NA | | | | | Brown | Medium | using a v
combina
0'-0.5' C
0.5'-6' M | | FILL | Dry | PID 0.0 ppm |
| 10 | | SB-08-
8.5-9' | | | | Red Brown
/ Black | Medium | 4 | dium sand, some grav e l
edium sand | SM | Dry to
Wet | PID 0.0 ppm |
| | | 44 | | | | Dark Grey
/ Back
Grey | Medium | 11'-12' [| Fine sand trace clay
Peat
Fine sand | РТ | Wet | PID 0.0 ppm |
| 15 | | | | | 80% | Light Grey
/ Brown | Medium | | Fine sand, trace clay
Fine to medium sand | SM | Sat. | PID 0.0 ppm |
| 20 | 155555 | 1 | ــــــــــــــــــــــــــــــــــــــ | | | <u> </u> | <u> </u> | | END OF BORING | | | |
| | | | | | | | | | - | | | |
| | | | | | | | | | | | 40 | 62-205-9145 |
| COMMEN. | TS: | | | | | | | | PROJECT NO.: | | 10- | 62-205-9149
SB-08 |
| | | Avenue Flatlan Classif boring and se above entire | e, 47 for discation was dent for the green | eet south
enue. Soil
o System
riven to a
laboraton
oundwate
length. A | west of East 10
samples were
(USCS). Groun
depth of 20 ft.
analysis, a ground a co | Sth Street and classified in adwater was bgs. Two (2) ab sample (Street samples) | nd 5 and located or
d one (1) foot south
the field using the L
encountered at 9 ft.
soil samples were (
B-08-8.5'-9') from the
lot (SB-08-COMP)
mple was used for the | neast of
Inified So
bgs. The
collected
ne area lue
of the | <u>.</u> | | | |

| P | | | | LiRo | Engi | neers | , Inc. | | TEST BORI | NG LO | OG | |
|---------------------|-------------|--------------------|----------------------------|----------------------------|------------------------------|-----------------|---|--------------|--|---------|--------|-------------|
| | | | | | | | | | LOCATION: | SB-09/ | TWP-04 | 1 |
| PROJECT: | | | | | | | atlands Ave. and (| Outfall, BK | SHEET: | 1 0 | f 1 | |
| CLIENT: | | | epartm | | n and Consi | | | | JOB NO.: | SE851 | | **** |
| BORING C | ONTRAC | TOR: | | Associated | Environmer | ital Services, | Inc. | | LOCATION: | See Co | mment | 3 |
| GROUNDW | VATER: | 10 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | /EL | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | 3. 201 | 4 |
| 03/17/14 | | 10 | | NA | DIA. | | 2" | | DATE FINISHED: | March 1 | 7. 201 | 4 |
| | | | | | WT. | | NA | | DRILLER: | Jose Ga | arcia | |
| - | | | | | FALL | | NA | | GEOLOGIST: | Eva Jak | ubows | ka |
| | | | | | <u> </u> | | | | REVIEWED BY: | W. Czel | usta | |
| | | | | APLE . | · | | | DESCRIP | TION | | | |
| DEPTH | | "5" | "N" | BLOWS | REC% |] | CONSISTENCY | | MATERIAL | uscs | | REMARKS |
| FEET | STRATA | NO. | NO. | PER 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | | l | |
| 1 | | | | | | | | | | | | |
| | | | | | | | | Boring w | as cleared to a depth of 6 ft. bgs | | |] |
| | | | | | | | | using a v | acuum excavator (Vaccex)/air knife | | | 1 |
| | | | | | NA . | Brown | Medium | combinat | | ĺ | Dry | PID 0.0 ppr |
| | | | | 1 | | | | | ncrete with rebar
dium sand, trace clay, red brick and | | -", | 0.0 ppii |
| | | | | | 1 | | | gravel, fill | | | | |
| 5 | | | | | | | | | | FILL | 1 | 1 |
| | | | ŀ | | | | | | | LILL | l | |
| | | | | | | | · <u>·</u> | | | , | | |
| | | ł | | | | On the | | | · · · · · · · · · · · · · · · · · · · | | | |
| | | SB-09- | 1 | | 30% | Dark
Brown | Medium | | e to medium sand, trace clay and
d brick, fill material | | Wet | PID 0.0 ppn |
| | | 9.5'-10' | l | | | | | 3,,,,,, | | | | |
| 10 | | | ļ | | | l | | l | | | | |
| -10 | | | ŀ | | | | | - | | | | |
| | | - 1 | | | | | | l | | | | |
| į | | - 1 | | | | | | | | SM | | |
| | 333331 | - 1 | ŀ | | | Grey / | | 10'-11.5' F | Fine sand, trace clav | | | |
| 1 | 2222 | İ | | | 95% | Black / | Medium | 11.5'-12.5 | 'Peat | PT | Wet | PID 0.0 ppm |
| | | | ľ | | | Grey | | 12.5'-15' F | Fine sand, trace clay | | | |
| : | | | Į. | | | 1 | | | | | | |
| 15 | | l | | | | | | | | | | |
| - 13 - | | | ŀ | | | | | | | | | |
| | | | - [| | | | | | • | | i | |
| | | - 1 | Γ | | | | | 1 | : | [C'] | | |
| ; | | - 1 | - | | | Grey to | |] | | SM | | |
| li. | | - 1 | | | 80% | Light | Medium | 15'-20' Me | dium to fine sand, trace silt | | Wet | PID 0.0 ppm |
| i | | | ľ | \neg | | Brown | | 1 | | | | • • |
| ; | | j | L. | | | | | | | ļ | - | |
| 20 | | - 1 | | | | | | l | | | | |
| | ··········· | | | | | | | <u> </u> | END OF BORING | i | I | |
| | | | | | | | | | LID OF DOIWING | | | |
| MMENTS | :• | | | | | | | | | | | |
| CI FIZITIONS | | <u>ldvanc</u> e | d in the | vicinity of | "High" risk si | e No. 7 and i | ocated on East 10 | o | PROJECT NO.: | | | 2-205-9145 |
| | S | <u> Street, 9:</u> | <u>3 feet s</u> | outheast of | Flatlands Av | renue and ter | 1 (10) feet southwe | st of | BORING NO.: | | 81 | 3-09/TWP-04 |
| | <u> </u> | ast 103 | rd Stre | et. Soil san | ples were cla | assified in the | field using the Un | ified Soil | | | | |
| | <u>C</u> | oring w | auon S
as d <i>r</i> iv | vstem (USC
en to a desi | お). Groundy
h of 20 st b~ | rater was en | countered at 10 ft.
il samples were co | bas. The | 4 | | | |
| | <u>a</u> | ind sent | for lab | oratory ana | lysis, a grab | sample (SB-0 | 9-9.5'-10') from th | e area | | | | |
| | įį | <u>ust abov</u> | e the c | roundwater | level and a | composite sa | mple (SB-09-COM | P) of the | | | | |
| | 9 | ntire bo | nng ler
VP-041 | A podios o | ndwater sam | ple was colle | cted from a tempo
as used for waste | rary weli | | | | |
| | | | | | | | | | | | | |

| (IR |) | | | LiRo | Engi | neers | , Inc. | | TEST BOR | ING LO | G | |
|-------------------|----------|----------|-----------------|--------------|-----------------|-----------------|---------------------|---------------------------------|---------------------------------------|----------|-------------|---------|
| | | | | | | | | | | 1 of | | |
| PROJECT: | | | | | | | atlands Ave. and Ou | ittall, BK | SHEET: | | <u> </u> | |
| CLIENT: | | | | | n and Const | | | | JOB NO.: | SE851 | | |
| BORING C | ONTRAC | TOR: | | Associated | Environmen | tal Services, | Inc. | | LOCATION: | See Con | ımenıs | |
| GROUNDW | ATER: | | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | EL | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 13 | | |
| 03/17/14 | | | | NA | DIA. | | 2" | | DATE FINISHED: | March 17 | 7, 2014 | |
| | | | | | WT. | | NA | | DRILLER: | Jose Ga | rcia | |
| | | | | | FALL | | NA | | GEOLOGIST: | Eva Jakı | ıbowska | |
| | | | | | | | | | REVIEWED BY: | W. Czelu | ısta | |
| | | | SAN | IPLE | | | | DESCRIP | PTION | | | |
| Provid | | "S" | "N" | BLOWS | REC% | | CONSISTENCY | | MATERIAL | USCS | REMA | RKS |
| DEPTH | | _ | | PER 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | | | 1 |
| FEET | STRATA | NO. | NO. | PERO | NUD% | COLOR | HARDILLOO | | | _ | | |
| | | | | 1 | | | | | | 1 1 | i | |
| 11 | | | | | ╡ | | | | | | | 1 |
| | | | | | | | | | | | | 1 |
| | | | | | - | | | 0-1.2' Co | oncrete and gravel. Location | | | i |
| | 1 | | | | | | abandon | ed due to refusal and watermain | | | | |
| | | | | | 1 | | located u | under sidewalk. | | | | |
| | İ | | | | | | END OF | BORING | | | | |
| | 1 | | | | 7 | | | | | | | |
| 5 | | | | | _ | | | | | | | |
| | 1 | | | |] | | | | | | | · |
| |] | | | | | | | | - | | | |
| | 1 | | | | 1 | | | | | | | |
| | i | | | | 4 | | | | | | | |
| | ļ | | | | | } | | | | | | |
| | ł | | | | - | | | | | | | |
| | | | l | | 1 | | 1 | 1 | | | | |
| | 1 | | | | - | | | | | | | |
| 10 | | ļ | | | 1 | | <u>}</u> | 1 | | | | |
| - '` - | 1 | ! | | | | | | | | | | |
| | 1 . | i | | | ļ | | ! | | | 1 | | |
| | 1 | | ŀ | | 7 | | | 1 | | ŀ | | |
| | 1 | | | | _j | | 1 | 1 | | | | |
| | 1 | | | | I | | | 1 | | | | |
| | j | | | | 4 | | | 1 | | 1 | | |
| | 1 | İ | 1 | | | | 1 | 1 | | | | |
| | 1 | | | | - | | | | | ŀ | | |
| ٠ | 1 | i | l | | 1 | | | į | | |] [| |
| 15 | 4 | | | | | | | | | _ | | |
| 1 | | | | | 1 | 1 | | 1 | | | | |
| | 1 | | | | 1 | | 1 | | | | | |
| l | | | | | | 1 | | | | 1 | | |
| <u> </u> | 1 | | 1 | | 1 | ŀ | | 1 | | l . | | * |
| | 1 | | | | 1 | | | 1 | | | | |
| | 1 | | 1 | | 1 | | 1 | 1 | | | | |
| <u> </u> | 1 | 1 | | | | 1 | | | | | | |
| | 1 | 1 | | | | [| | | | 1 | j | |
| 20 | <u> </u> | <u> </u> | | | | <u> </u> | <u> </u> | | | | 1 | |
| | | | | | | | | | | | | |
| 1 | | | | | | | | _ | · · · · · · · · · · · · · · · · · · · | | | |
| COMMEN | TS: | | | | | | | | PROJECT NO.: | | 10-62-2 | 05-9145 |
| OMMEN | 10. | | | | | | | | BORING NO.: | | | SB-10 |
| 1 | | | | | | | | | | | | |
| | | | | | | | | | 1 | | | |
| | | | | | | | | | 1 | | | |
| | | | | | | | | | | | | |
| | | A | د فرست | the viel-it- | of "Lijoh" dai- | eitae No Co | nd No. 7 and locate | d on | 1 | | | |
| | | Agvan | de Ave | me vicinity | ast 102nd St | reet. 1.2' of r | concrete and gravel | - 711 | 1 | | | |
| 1 | | Elignal) | ua myc
Nered | Watermain | under sidew | alk. Location | abandoned due to | refusal | | | | |
| | | after o | notima | tion from D | DC Project N | fanager | | | | | | |

| R | | | | LiRo | Engi | neers | , Inc. | | TEST BORI | NG LC |)G | |
|----------|--------------------|-------------------|----------------|-------------|----------------|----------------------|--|-------------|--|--|---------------|-------------|
| | | | | | | | | | LOCATION: | SB-11 | | |
| PROJECT | : | Fresh (| Creek E | asin Area, | East 108th S | t. between Fl | atlands Ave. and C | utfall, BK | SHEET: | 1 of | 1 | |
| CLIENT: | | NYC D | epartm | ent of Desi | gn and Cons | truction | | | JOB NO.: | SE851 | | |
| BORING C | ONTRAC | TOR: | | Associated | d Environme | ntal Services, | Inc. | | LOCATION: | See Cor | mments | |
| GROUND | NATER: | 9 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | ÆL. | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | 2, 2014 | |
| | | 9 | | NA | DIA. | | 2" | 1 | DATE FINISHED: | March 1 | 9, 2014 | |
| | | | | | WT. | | NA | | DRILLER: | John Ve | iss | |
| | | | | | FALL | | NA | | GEOLOGIST: | Eva Jak | ubowsł | a |
| | | | | | | | | | REVIEWED BY: | W. Czel | usta | |
| | | | SAN | IPLE | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | DESCRIP | TION | T | Ī | |
| DEPTH | | "S" | "N" | BLOWS | REC% | | CONSISTENCY | | MATERIAL | USCS | ١, | REMARKS |
| FEET | STRATA | NO. | NO. | PER 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | | | |
| | | | | - 1 | 1 | | 1541511240 | ┼ | 22001 11010 | | ┼── | |
| 1 | | | | | | | | | | | | |
| | 1 | | | | 1 | | | 1 | | | | |
| | ┸┼┼┼┼ | | | | J | | | Paringu | as cleared to a depth of 6 ft. bgs | | | |
| | | | | | | Brown to | | | as cleared to a depth of 6 it, bys
acuum excavator (Vaccex)/air knife | 1 | | |
| | ∦ ┼┼┼┼┼ | | | | NA NA | Dark | Medium | combina | | FILL | Dry | PID 0.0 ppm |
| | | | | | | Brown | | 0'-6' Med | lium to coarse sand, trace clay, some | 1 | | |
| | ╂┼┼┼┼ | | | | ┥ |] | | medium | to large gravel | | | |
| 5 | | | | 1 | | | | İ | | | | |
| | | 1 | | | 1 |] | | | | l | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | L | 4 | | | 1 | | | | |
| | | SB-11-
8.5'-9' | | | 1 | | | | | 1 | | |
| | | 6.0-9 | | | 50% | Red Brown | Medium | 6'-10' Fin | e sand, trace clay, with gravel | | Dry to
Wet | PID 0.0 ppm |
| | | | | | | | | | | | Wet | |
| | | | | | ┪ | | | 1 | | | | |
| 10 | | 1 | | | | | | 1 | | SM | 1 | |
| | | | 1 1 | | | | | † | | 1 | | |
| | | | | | 1 | | | 1 | | | | |
| j | | | | | 1 | | | 1 | | | 1 | |
| | | | | | 4 | L | | 401 401 5 | | | | |
| | | | | | 40% | Red Brown
/ Black | Medium | 10'-13' F | ine sand, trace clay, with gravel | | Wet | PID 0.0 ppm |
| | | | | | 4 | / DRIGK | | 113-15 F | eat | | ┪ | |
| | XXXXX | | | | | | | 1 | | | | |
| | XXXX | | | | 1 | | | 1 | | PT | | |
| 15 | ***** | | | | | | | | | | | |
| | 1888 | | | | | | | 1 | | | | |
| ļ | | | | | 4 | 1 | | 1 | | | | |
| | | | l. | | 1 | | | 1 | | SM | | |
| | | | | | - | Light Grey | | 15' 17 5' | Eine and trace silt | L |] | |
| | | | | | 60% | /Light | Medium | | Fine sand, trace silt Medium sand | | Wet | PID 0.0 ppm |
| | 1 | | | | 1 | Brown | | | THE WORLD | | |] |
| | | | | | | | | | | | | |
| | 1 | | | | 1 | | | | | SP | | |
| 20 | | | | | <u></u> | | | | | | <u> </u> | |
| | | , | | | | | | | END OF BORING | | | |
| COMMENT | rs: | | | | | | | | PROJECT NO.: | | 10-6 | 2-205-9145 |
| | | | | | | | | | BORING NO.: | | | SB-11 |
| | | | | | | | located on East 1 | | | | | 05-11 |
| | | | | | | | four (4) feet southy | | | | | |
| 1 | | | | | | | he field using the Uncountered at 9 ft. | | 1 | | | |
| 1 | | | | | | | oil samples were c | | | | | |
| 1 | | and ser | nt for la | boratory ar | nalvsis, a gra | b sample (SB | -11-8.5'-9') from the | e area iust | | | | |
| | | | | | | | ole (SB-11-COMP) | | | | | |
| l . | | entire b | <u>orina k</u> | enath. A po | rtion of the c | omposite sam | ple was used for w | raste . | 1 | , | | |

| IR | | | | LiRe | Engi | neers | , Inc. | | TEST BORI | NG LO | G | |
|---------------|--------|---|---|--|---|--|--|--|-------------------------|---------|--|-------------|
| | | | | | | | | | LOCATION: | SB-12 | | |
| PROJECT: | | Fresh C | reek E | Basin Area | , East 108th S | t. between Fl | latiands Ave. and O | utfall, BK | SHEET: | 1 of | 1 | |
| CLIENT: | | NYC De | partm | ent of Des | ign and Cons | nuction | | | JOB NO.: | SE851 | | |
| BORING C | ONTRAC | TOR: | | Associate | d Environmer | ital Services, | Inc. | | LOCATION: | See Co | mment | 3 |
| GROUNDY | VATER: | 15 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | EL | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | 4, 2014 | 4 |
| 03/19/14 | | 15 | | NA | DIA. | | 2" | | DATE FINISHED: | March 1 | 9, 2014 | \$ |
| | | | | | WT. | | NA | | DRILLER: | Marty | | |
| | | | | | FALL | | NA | | GEOLOGIST: | Eva Jak | ubows | ka |
| | | | | | | | | | REVIEWED BY: | W. Czel | usta | |
| | | | SAN | IPLE | | | | DESCRIP | TION | | | |
| DEPTH
FEET | STRATA | "S"
NO. | "N"
NO. | BLOWS
PER 6" | REC% | COLOR | CONSISTENCY
HARDNESS | | MATERIAL
DESCRIPTION | USCS | 1 | REMARKS |
| | | | | | | | | İ | | FILL | | |
| 5 | | | | | NA | Dark Red
Brown | Soft | using a v
combinat
0'-0.5" Co | | | Dry | PID 0.0 ppm |
| 10 | | | | | 100% | Brown | Soft | 6'-10' Me | dium sand | | Dry | PID 0.0 ppm |
| 15 | | SB-12-
14.5-15' | | | 100% | Brown | Soft | 10'-15' M | edium Sand | SP | Wet | PID 0.0 ppm |
| | | | | | 100% | Brown | Soft | 15'-20' M | edium sand | | Sat. | PID 0.0 ppm |
| 20 | | | | L | | | | | END OF BOOKING | L | | |
| | | | | | | | | | END OF BORING | | | • |
| | | | | | | | | | | | | |
| COMMENT | S: | | | | | , | | | PROJECT NO.: | _ | 10-6 | 2-205-9145 |
| | | Avenue,
Conklin
Classific
boring w
and sent
15-DUP
(SB-12-0 | 27 fee
Avenu-
ation S
as driv
for lal
from | et northeas
e. Soil san
System (Ut
yen to a de
boratory a
the area ju
and SB-1 | of East 98th
holes were clases. Ground
opth of 20 ft. be
halveis, a grab
est above the of
2-COMP-DUP | Street and fir
ssified in the
water was e
ps. Four (4) s
sample (SB-
groundwater
) of the entire | and located on Co
ve (5) feet southeas
field using the Unif
ncountered at 15 ft.
oil samples were co
-12-14.5'-15' and Si
level and composite
to boring length. A prization sample WC | onklin
st of
led Soil
bgs. The
ollected
B-12-14.5
s samples
ortion of | BORING NO.: | | | SB-12 |

| (R | • | | | LiRo | Eng | ineers | s, Inc. | ···· | TEST BOR | ING L | OG | |
|---------------|--|-----------------|---------------------|----------------------|---------------|------------------|-------------------------|--------------|------------------------------------|----------|----------|---|
| | | | | | | | | | LOCATION: | SB-13 | | |
| PROJECT | <u>:</u> | Fresh | Creek | Basin Area, | East 108th | St. between F | latlands Ave. and (| Outfall, BK | SHEET: | 1 c | f 1 | |
| CLIENT: | | | Departn | | gn and Cons | | | | JOB NO.: | SE851 | | |
| BORING (| | | | Associated | I Environme | ntal Services | , Inc. | | LOCATION: | See Co | mmen | s |
| GROUND | WATER: | 15 | 5 . | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | · · · · · · · · · · · · · · · · · · · |
| DATE | TIME | LE | VEL | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March | 14 201 | 4 |
| 03/21/14 | | 15 | 5 | NA | DIA. | | 2" | | DATE FINISHED: | March 2 | | |
| <u> </u> | | | | | WT. | | NA | | DRILLER: | Marty A | | *************************************** |
| | | | | | FALL | | NA | | GEOLOGIST: | Eva Jai | | |
| | | <u></u> | | | | | | | REVIEWED BY: | W. Cze | | nea . |
| | | | SAI | WPLE | | | | DESCRIP | TION | T | T | |
| DEPTH
FEET | STRATA | "S"
NO. | "N"
NO. | BLOWS
PER 6" | REC%
RQD% | COLOR | CONSISTENCY
HARDNESS | | MATERIAL
DESCRIPTION | USCS | | REMARKS |
| | | 1 | 1 | | | | | | | FILL | | T |
| 1 | | 1 | | ├ ─┤- | - | | | | | | 1 | |
| | | 1 | | | | | | | | | l | İ |
| | | | 1 | | 1 | | | Boring wa | as cleared to a depth of 6 ft. bgs | 1 | | , |
| | | 1 | ł | | | | | using a v | acuum excavator (Vaccex)/air knife | 1 | | l |
| | | 1 | | | NA NA | Red Brown | Soft | combinat | | 1 | Dry | PID 0.0 ppm |
| | | | | | | | | | oncrete
ne to medium sand | | ł | |
| 5 | | | | | 1 | 1 | | " " | o to modican sand | 1 | | |
| | | | | | ł | l i | | 1 | | | İ | |
| | | | | | | 1 1 | | 1 | | | l | |
| | | | l i | | | | | | | ┨ | <u> </u> | |
| | | | | | | l i | | 1 | | 1 | | |
| | | | | | | | | | | SM | | |
| | | | | | 70% | Brown | Soft | 6'-10' Fine | to medium sand | | Dec | DID 0.0 |
| | | | | ĺ | | | | "" | o modium sand | | Dry | PID 0.0 ppm |
| | | | ! | | | | | İ | | • | | |
| 10 | | | | | | | | l | |] ; | | |
| | | | | | | | | | | 1 | | |
| | | | l i | | | | | 1 | | | | |
| | | | | | | | | | | | | |
| | | İ | H | | | } | | 401.401.4 | | | | |
| 1 | | | | | 60% | Brown | Soft | 10'-13' Me | dium sand | | Wet | PID 0.0 ppm |
| | | SB-13- | ľ | | | | | 13-15.00 | arse sano | | **** | · io oto ppiii |
| | | 14.5-15 | L | | | | | İ | | | | |
| } | | | | | | | | | | | | |
| 15 | | | - | | · | | ************ | | | | | |
| | | | 1 | | | | | | | 1 1 | | |
| | ***** | - 1 | ŀ | | | | | | • | | | |
| | | j | - 1 | | | | | 1 | | SP | | |
| | | - 1 | ľ | | 40% | B | 0.0 | | _ | <u> </u> | | |
| | //////// | İ | L | | 40% | Brown ' | Soft | 15'-20' Co | arse sand | | Sat. | PID 0.0 ppm |
| | ///////////////////////////////////// | | | | | | | | | | | |
| | ///////////////////////////////////// | - 1 | ŀ | | | | | | | | I | |
| 20 | | | | | l | ' | | | | | | |
| | | | | | | | | L | END OF BORING | <u> </u> | | |
| | | | | | | | | | | | | |
| OMMENTS | } • | ···· | | | | | | | | | | |
| | | | | | | | | L_ | PROJECT NO.: | | 10-6 | 2-205-9145 |
| | E | dvance | d in the | vicinity of | Moderate" r | isk site No. 3 | and located on Eas | et QRth I | BORING NO.: | | | SB-13 |
| | 3 | street, 1: | <u>3 feet n</u> | orthwest of | Flatlands Av | venue and ter | (10) feet southwe | et of | | | | I |
| | <u> </u> | :ast 98t/ | n Street | . Soil samp | les were cla: | ssified in the f | ield using the Unifi | ed Soil | | | | ı |
| | P
P | orina w | auon Si
as driva | vstem (USC | S). Groundy | vater was en | countered at 15 ft. | bas. The | | | | |
| | 2 | nd sent | for lab | oratory anal | vsis, a grab | sample (SR-1 | 3-14 5'-15'\ from # | a area | | | | ł |
| | Ī | <u>ıst abov</u> | <u>re the g</u> | roundwater | level and co | mposite sam | ples (SB-13-COME |) of the | | | | I |
| | <u>e</u> | ntire boi | <u>ring len</u> | <u>gth. A portic</u> | on of the cor | nposite samp | le was used for wa | ste | | | | |
| | C | naracte | nzation | sample W0 | ;-04 <u>.</u> | | | I | | | | 1 |

| IR. | | | | LiRo | Engi | neers, | | TEST BORI | | G | | |
|-----------|--------|--|--|---|--|---|--|--|---|----------|---------|-------------|
| | 7 | | | | | | | | LOCATION: | SB-14 | - | |
| PROJECT: | | Fresh C | reek B | asin Area, i | ast 108th St | . between Fla | itlands Ave. and Ou | ıtfall, BK | SHEET: | 1 of | 1 | |
| CLIENT: | | | | | n and Const | | | | JOB NO.: | SE851 | | |
| BORING CO | | | | | | tal Services, | inc. | | LOCATION: | See Con | ments | |
| GROUNDW | | 15 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | EL I | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 14 | | |
| 03/20/14 | 7,11,1 | 15 | | NA | DIA. | | 2" | | DATE FINISHED: | March 20 |), 2014 | |
| 00/20/14 | | | | | WT. | | NA | | DRILLER: | Marty An | noscato | <u> </u> |
| | | | | | FALL | | NA | | GEOLOGIST: | Eva Jakı | | a |
| | | | | , | | | | | REVIEWED BY: | W. Czelu | ısta | |
| | - | | SAM | PLE | | | | DESCRIP | TION | <u>.</u> | | |
| DEPTH | | "S" | "N" | BLOWS | REC% | | CONSISTENCY | | MATERIAL | USCS | R | EMARKS |
| FEET | STRATA | NO. | NO. | PER 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | | | |
| 1 | | | | | NA | Red Brown | Soft | using a v
combina
0'-0.5" C | | FILL | Dry | PID 0.0 ppm |
| 5 | | | | | - 100% | Brown | Soft | | dium to coarse sands, some gravel
edium sand | | Dry | PID 0.0 ppm |
| 15 | | SB-13-
14.5-15 | | | | Brown | Soft | 10'-15' 1 | <i>f</i> ledium sand | SP | Wet | PID 0.0 ppm |
| 20 | | | | | 80% | Brown | Soft | 15'-20' l | Medium to coarse sand END OF BORING | SM | Wet | PiD 0.0 ppm |
| | | | | | | | | | END OF BORING | | | |
| | | | | | • | | | | | | | |
| COMMEN | TS: | | | | | | | | PROJECT NO.: | | 10- | 62-205-9145 |
| | | No. 2 and for
the fiel
encour
soil sa
14-14. | and loc
ur (4) f
d using
ntered
mples
5'-15') | ated on Ea
eet southwr
g the Unifie
at 15 ft. bor
were collect
from the an | st 98th Stree est of East 98 d Soil Classil s. The boring ted and sent ea just above of the entire | t, 23 feet soul th Street S ication Syste was driven to for laborator the groundy | nd 10 and "Modera
theast of Trucklems
oil samples were ch
in (USCS). Grounds
o a depth of 20 ft. by
analysis, a grab si
rater level and com
n. A portion of the ca
le WC-04. | ans Lane assified in water was as. Two (2 ample (SE posite | <u>.</u> | | | SB-14 |

| P | | | j | LiRo | Engi | neers, | , Inc. | | TEST BORI | NG LC |)G | |
|----------|---|--------------------|---------|----------------|----------------|----------------|---|--|--|---------|-----------|------|
| | <i>"</i> | | | | | | | | LOCATION: | SB-15 | | |
| PROJECT: | : | Fresh (| reek B | iasin Area, | East 108th S | it. between Fi | latiands Ave. and | Outfall, BK | | 1 of | 1 | |
| CLIENT: | | | | | gn and Const | | | | JOB NO.: | SE851 | _ | |
| BORING C | | TOR: | | Associated | l Environmer | ntal Services, | | | LOCATION: | See Cor | nments | |
| GROUNDY | NATER: | 10 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | /EL | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | 4, 2014 | |
| 03/20/14 | | 10 | | NA | DIA. | | 2" | | DATE FINISHED: | March 2 | 0, 2014 | |
| | | | | | WT. | | NA | | DRILLER: | Marty A | moscato | |
| | | | | | FALL | | NA | | GEOLOGIST: | Eva Jak | ubowska | |
| | | | | | | | | | REVIEWED BY: | W. Czel | usta | |
| | | | SAN | WPLE | | | | DESCRI | PTION | | | |
| DEPTH | | *9" | "N" | BLOWS | REC% | | CONSISTENCY | | MATERIAL | uscs | REMARKS | š |
| FEET | STRATA | NO. | NO. | PER 6" | RQD% | COLOR | HARDNESS | 1 | DESCRIPTION | 1 | 1 | |
| | ш | | | | | | | | | 1 | | - |
| 1 | | A ' | | 1 | | 1 1 | l . | | | 1 | | |
| 1 | #### | A ' | ! | | 4 | 1 | ĺ | | | 1 | • | |
| İ | | A ' | | | | 1 1 | 1 | | | 1 | ļ | |
| <u> </u> | | 1 1 | ! | | | 1 | 1 | | | 1 | | |
| | | | | | 1 | 1 . ! | 1 | Classed | with Air Knife and hand tool to 6 ft. | | | |
| i | | . ' | - | 1 1 | 1 | Black / | 1 | 0-0.5' Co | | 1 | ł | |
| | | <i>l</i> ' | ! | | - NA | Dark | Medium | | Medium sand, with rocks, wood, fill | 1 | Dry PID (| 0.0 |
| ľ | | <i>!</i> | 1 ! | 1 | | Brown | 1 | material | | | | |
| ļ | | | | \vdash | _ | 1 | 1 | | | | | |
| 1 | ШШ | | 1 1 | 1 | | 1 1 | l | | • | 1 | | |
| 5 | ШШ | 1 | 1 1 | / <u> </u> | | | l | 1 | | | | |
| | ШШ | 1 | 1 1 | | 1 | 1 1 | l | 1 | | | | |
| į į | ПНН | 1 | 1 1 | | | 1 1 | l |] | | 1 | | |
| | | 1 1 | 1 1 | | | ┼ | | + | | 4 | | |
| | | 1 ! | 1 1 | 1 1 | | 1 1 | l | l | | | ł | |
| | | . 1 | 1 1 | | _ | 1 1 | 1 | 1 | | İ | 1 | |
| | | . ! | 1 1 | 1 | | 1 1 | l | l | | FILL | | |
| į | H+++++ | . ! | 1 1 | 1 | 300 | Dark Grey | l | 6.0'-10.0 | Fine to medium sand, with gravel, | FILE |
 | |
| | | | 1 1 | | 60% | to Black | Hard | | , fill material | | Wet PID (| 0.0 |
| 1 | | SB-15-
9.5'-10' | 1 1 | 1 | | 1 1 | l | | • | | | |
| | #### | 1 | 1 1 | | 4 | 1 1 | l . | | | | | |
| 1 | | | 1 1 | 1 | | 1 1 | l . | | | | | |
| - 10 | HHH | | i 1 | 4 | | <u> </u> | <u> </u> | <u> </u> | | | | |
| | | | 1 1 | <i>[</i>] | Τ | T | | | , | ۱ ا | | |
| | | d 1 | 1 1 | 1 | | 1 1 | l . | | | | | |
| l | | d 1 | 1 1 | $\overline{}$ | ┥ . | 1 1 | l . | | | | | |
| | ЩЩ | 1 1 | 1 1 | 1 | | 1 1 | l | | | | | |
| | | . ! | 1 1 | | 4 | 1 / | 1 | 10 0-15 | 0 ft. Medium sand, with gravel and | | 1 | |
| 1 | | . J | 1 1 | (| 100% | Black | Hard | | debris, fill material | - | Wet PID | 0.0 |
| | ╟┼┼┼┼ | . ! | 1 1 | | _ | | 1 | • | net refusal at 15 bgs due to rocks | | | |
| | ╟ ┼┼┼┼┼ | , ! | 1 1 | | 1 . | 1 | l . | | | | | |
| | | , | 1 1 | 1 | , |] | l . | | | 1 | 1 | |
| | ╫┼┼┼┼ | . ! | 1 | $\overline{}$ | 1 | 1 1 | 1 | | | | 1 | |
| 1 45 | | . ! | 1 1 | 1 | | 1 , | l | | | 1 | ł | |
| 15 | | | | | 4 | | | | CND OF PODING | | L | |
| <u>.</u> | | | | | | | | | END OF BORING | | | |
| | | | | | | | | | | | | |
| COMMENT | S: | | | | | | | | PROJECT NO.: | | 10-62-205 | -914 |
| | | | | | | | nd "Moderate" risk | | BORING NO.: | | \$ | SB-1 |
| | | | | | | | of Avenue J and sere classified in the | | 1 | | | |
| | | | | | | |). Groundwater wa | | 1 | | | |
| | | encoun | tered a | at 10 ft. bgs. | . The boring v | was driven to | a depth of 15 ft. b | ogs where | .] | | | |
| İ | | refusal | was me | et. Two (2) s | soil samples | were collecte | ed and sent for lab | ooratory | | | | |
| ĺ | | | | | | | rea just above the | | 1 | | | |
| l | | | | | | | COMP) of the enti
d for waste charac | | | | | |
| | | sample | | | UDOSIG Seri | DIO WOO DOOR | I VI WOOLD MICHAEL | Bucauvii | | | | |

| IR. |) | , | | | LiRo | Engi | neers | , Inc. | | TEST BORI | NG LO | G | |
|----------|------|---|---|--|--|--|--|---|---|---|---------|-------------|-------------|
| | / | | | | | | , | <u> </u> | | LOCATION: | SB-16 | | |
| PROJECT: | | | Fresh C | reek E | Basin Area, | East 108th S | t. between F | latiands Ave. and O | utfall, BK | SHEET: | 1 0 | 1 | |
| CLIENT: | | | NYC De | partm | ent of Desi | gn and Const | ruction | | , | JOB NO.: | SE851 | | |
| BORING C | ONT | RAC | TOR: | | Associate | d Environmen | ital Services, | Inc. | | LOCATION: | See Co | mment | 5 |
| GROUNDV | /ATE | R: | 10 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TI | ME | LEV | EL | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | 3, 2014 | 4 |
| 03/20/14 | | | 10 | | NA | DIA. | | 2" | | DATE FINISHED: | March 2 | 0, 2014 | 4 |
| | | | | | | WT. | | NA | | DRILLER: | Marty A | moscat | 0 |
| | | | | | | FALL | | NA | | GEOLOGIST: | Eva Jak | ubows | ka |
| | | | | | | | | | | REVIEWED BY: | W. Cze | usta | |
| | | | | SAN | APLE | | | | DESCRIP | TION | | | |
| DEPTH | | | "S" | "N" | BLOWS | REC% | | CONSISTENCY | T | MATERIAL. | USCS | į į | REMARKS |
| FEET | STR | ATA | NO. | NO. | PER 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | l | | |
| 1 | | | | | | | | | | | | | |
| | | Dark NA Brown Dark Brown NA Brown Boring was cleared to a depth of 6 ft. using a vacuum excavator (Vaccex)/a combination. 0'-6' Medium sand, trace clay, gravel, brick, fill material | | | | | | | ion. | | Dry | PID 0.0 ppm | |
| 5 | | | | | | | | , | | | | | |
| J | | | | | | | | | | | | | |
| | | | | | | - | | | 6' 10' Aci | n, coal, treated wood, some medium | | | |
| | | | SB-16-
9.5'-10' | | | 30% | Black | Hard | sand, fill | | | Wet | PID 103 ppm |
| 10 | | | | | | | | | | | FILL | | |
| | | | | | | | . | | 10'-15' As | h, coal gravel, trace medium sand, | | | DID 0.0 |
| | | | | | | 20% | Black | Hard | fill materi | al . | | Wet | PID 0.0 ppm |
| 15 | | | | | | | | | | | | | |
| | | | | | | 1 | | | | · | : ' | | |
| | | | | | | 20% | Black | Hard | 15'-20' As
material | th, coal gravel, little medium sand, fill | | Sat. | PID 0.0 ppm |
| 20 | | | | | | | | | | | | | |
| | | | | | | | | | | END OF BORING | | | 1 |
| | | | | | | | | | | | | | |
| COMMENT | S: | | | | | | | | | PROJECT NO.: | | 10-6 | 2-205-9145 |
| | | | 73 feet i
Soil sam
System
driven to
laborato
groundy | northeanples wo
(USCS)
o a der
ry ana | est of East
vere classif
6). Grounds
oth of 20 ft.
lysis, a gra
evel and co | 100th Street a
lied in the field
vater was en-
bgs. Two (2)
b sample (SB
mposite samp | and four (4) for using the Urcountered at soil samples -16-9.5'-10') bles (SB-16-(| I and located on Aveet northwest of Avenified Soil Classifica
10 ft. bgs. The bori-
were collected and
from the area just a
COMP) of the entire | enue J. ation ng was sent for bove the boring | BORING NO.: | | | SB-16 |
| | | | length. / | | | mposite sam | ple was used | for waste characte | rization | | | | |

| IR. | | | |
LiRo | Engi | neers | Inc. | | TEST BORII | NG LC | G | |
|----------|------------------|--|--|--|---|--|---|---|--|---------|---------------|----------------------|
| | | | • | | | | , | | LOCATION: | SB-17 | | |
| PROJECT: | | Fresh C | reek P | asin Area | East 108th S | t between Fla | atlands Ave. and O | utfall. BK | SHEET: | 1 of | 1 | |
| CLIENT: | | | | | n and Const | | | | JOB NO.: | SE851 | | |
| BORING C | | | | | | tal Services, | Inc. | | LOCATION: | See Cor | nments | |
| GROUNDW | | 10 | | , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| | TIME | LEV | E 1 | TYPE | TYPE | - OAG. | Macro Core | 5' | DATE STARTED: | March 1 | 2 2014 | |
| 03/19/14 | THATE | 10 | EL. | NA NA | DIA. | | 2* | + | DATE FINISHED: | March 1 | | |
| 03/13/14 | | | | 11/2 | WT. | | NA NA | | DRILLER: | Ryan Je | | |
| | | | | | FALL | | NA NA | † | GEOLOGIST: | Eva Jak | | ra |
| | | | | | FALL | <u></u> | | | REVIEWED BY: | W. Czel | | |
| | | | CAL | APLE | <u> </u> | T | | DESCRIP | | T 020. | | |
| 00000 | | 101 | | | T DECW | | CONSISTENCY | T DESCRIP | MATERIAL | USCS | ١. | REMARKS |
| DEPTH | | *S* | "N" | BLOWS | REC% | | CONSISTENCY | | | USUS | ' | IEMANNO |
| FEET | STRATA | NO. | NO. | PER 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | | | |
| 1 | N. | | | | | Dark
Brown | Medium | using a v
combinat
0'-0.5' Co
6' Medius | oncrete 0.5°
m to coarse sand, trace clay, trace | FILL | Dry | PID 0.0 ppm |
| 5 | 6888 | | : | | | | | gravei, re | ed bricks, fill material | | | |
| 10 | SB-17-
9.5-10 | | | | 20% | Brown | Medium | 6'-10' Fin
rounded | ne to medium sand, some smali
rocks | SM | Dry to
Wet | PID 0.0 ppm |
| | | | | | 40% | Brown to
Dark Grey | Medium | rounded
11'-13' P | ine to medium sand, some small
rocks
leat and fine sand
ine sand, some gravel | PT | Wet | PID 0.0 ppm |
| 15 | | | | | 60% | Light Grey | Me dium | 15'-20' F | ine to medium sand, trace clay | SM | Sat. | PID 0.0 ppm |
| <u> </u> | 11010101010 | 1 | | <u> </u> | | | | | END OF BORING | | <u> </u> | L |
| | | | | | | | | | END OF BORING | | | |
| COMMENT | rs: | | | | | | | · | PROJECT NO.:
BORING NO.: | | 10-6 | 52-205-9145
SB-17 |
| | | one (1)
field us
encoun
soil san
17-9.5'
sample | foot so
ing the
tered :
nples v
·10') fro
(SB-1 | outhwest of
unified So
at 10 ft. bgs
were collect
om the area
7-COMP) o | Flatlands Av
il Classification. The boring ed and sent in iust above to fitte entire between the control of the entire between the control of the entire between the control of the entire between the control of the entire between the control of the entire between the control of the entire between the control of the entire between the control of the entire between the control of t | venue. Soil sa
on System (U
was driven to
for laboratory
he groundwa | est of East 104th St
mples were classifi
SCS). Groundwate
a depth of 20 ft. bg
analysis, a grab sa
ter level and a com
A portion of the cor | ied in the
or was
gs. Two (2)
ample (SB-
posite | | | | |

| R | LiRo Engineers, Inc. | | | | | | | TEST BORING LOG | | | | |
|---------------|----------------------|---|--|--|---|---|--|---|---|---------|----------|-------------|
| | / | | | | | | | | LOCATION: | SB-18 | _ | |
| PROJECT: | | Fresh C | reek B | Basin An | a, East 108th S | t. between F | latiands Ave. and O | utfall, BK | SHEET: | 1 0 | 1 | |
| CLIENT: | | | partm | ent of D | esign and Const | ruction | · | | JOB NO.: | SE851 | | |
| BORING C | | | | Associa | ted Environmer | ital Services, | | | LOCATION: | See Co | mment | 3 |
| GROUNDY | VATER: | 15 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | EL | TYP | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | | |
| 03/21/14 | | 15 | | NA
NA | DIA. | | 2" | ļ | DATE FINISHED: | March 2 | 21, 2014 | 1 |
| | | | | <u> </u> | WT. | | NA NA | | DRILLER: | Marty A | | |
| | | | | ļ | FALL | <u> </u> | NA NA | | GEOLOGIST: | Eva Jak | | ka |
| | | | | | | | | | REVIEWED BY: | W. Cze | usta | |
| | L, | | | IPLE | | | r | DESCRIP | | ┨ | | |
| DEPTH
FEET | STRATA | "S"
NO. | "N"
NO. | BLOV
PER (| | COLOR | CONSISTENCY
HARDNESS | | MATERIAL
DESCRIPTION | USCS | ' | REMARKS |
| 1221 | COUNTRY | 110. | 110. | FERT | 110076 | OOLON | HANDICOO | | DESCRIPTION | + | | T |
| 5 | | | | | NA | Dark
Brown | Soft | using a v | as cleared to a depth of 6 ft. bgs
acuum excavator (Vaccex)/air knife
ion.
urn sand, some gravel | SM | Drý | PID 0.0 ppm |
| 10 | | SB-18-
9.5'-10' | | | 50% | Dark
Brown | Medium | 6'-10' Fin | e to medium sand, some gravel | | Wet | PID 0.0 ppm |
| 15 | <u> </u> | | | | 60% | Dark
Brown | Medium | | ne sand, trace silt
edium sand | | Wet | PID 0.0 ppm |
| | | | | | 70% | Brown | Medium | 15'-20' M | edium sand | SP | Sat. | PID 0.0 ppm |
| 20 | | | | | | | | | END OF BORING | | | |
| | | | | | | | | | | | | |
| COMMENTS | S: | | | | | | | | PROJECT NO.: | | 10-6 | 2-205-9145 |
| | | three (3)
field usir
encounte
soil sam
18-9.5'-1
samples | feet so
ng the I
ered at
ples wo
(0') from
(SB-1) | outhwes Unified ! 10 ft. beere colle m the ar 8-COMF | t of East 100th soil Classifications. The boring worked and sent for a just above the | Street, Soil san System (US) yas driven to be laboratory as groundwate oring length. | st of Conklin Avenuamples were classifices). Groundwater a depth of 20 ft. bgs analysis, a grab sare level and compos A portion of the cor. WC-04. | e and
led in the
was
s. Two (4)
mple (SB-
site | BORING NO.: | | | SB-18 |

| R | | | | LiRo | Eng | ineers | s, Inc. | | TEST BORI | NG L(|)G | |
|----------|--|--|-----------------------------|--------------------|----------------|--|---|-------------|---|--------------|-------------|-------------|
| | <u> </u> | | | | | · | | | LOCATION: | SB-19 | | |
| PROJECT | <u>/: </u> | | | | | | Flattands Ave. and O | Jutfall, BK | | 1 of | <i>i</i> 1 | |
| CLIENT: | | | epartm | | ign and Const | | | | JOB NO.: | SE851 | | |
| BORING (| _ | | | Associated | J Environmer | ntal Services, | | | LOCATION: | See Co | mments | s |
| GROUND | | 10 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | /EL | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | 13, 201/ | 4 |
| 03/21/14 | 1 | 10 | <i>,</i> ' | NA | DIA. | T | 2" | Τ | DATE FINISHED: | March 2 | | |
| | Ι | | | | WT. | | NA | 1 | DRILLER: | Marty A | | |
| | Τ | | | | FALL | T | NA | † | GEOLOGIST: | Eva Jak | | |
| | | | | | <u> </u> | | | | REVIEWED BY: | W. Czel | | |
| | T | | SAI | MPLE | | T | | DESCRIP | | | T | |
| DEPTH | | "S" | 'N" | BLOWS | REC% | | CONSISTENCY | T | MATERIAL | uscs | 1 , | REMARKS |
| FEET | STRATA | | NO. | PER 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | 0300 | 1 . | AEMANNO |
| | time. | | | | ****** | - | I Pro to 12-4- | + | DESURIF HUR | | ╀ | |
| 1 | THE STATE OF THE S | 1 ' | 1 | | | 1 | | İ | | 1 | ' | |
| | 111111 | 1 ' | 1 ' | | 1 | • | 1 . | | • | 1 | ' | |
| | | 1 ' | 1 1 | | ł | 1 | | | | j |] | 1 |
| | THE | 1 ' | 1 ' | | 1 | 1 , | { | Boring w | vas cleared to a depth of 6 ft. bgs | | 1 ' | 1 |
| | HHH | 1 ' | 1 1 | 11 | - NA | Charles 1 | A dodina | | vacuum excavator (Vaccex)/air knife | 1 | ' | l |
| | ### | 4 ' | 1 1 | | 1 170 | Brown | Medium | combinat | ition. | 1 | Dry | PID 0.0 ppm |
| | ### | 1 ' | 1 1 | | j | 1 | İ | 0'-6' Med | dium sand, some gravel, fill material | 1 | 1 ' | |
| _ | 111111111111111111111111111111111111111 | 4 ' | 1 1 | | 1 | 1 ' | 1 | | , | 1 | 1 ' | 1 |
| 5 | ### | 4 1 | 1 1 | | _ | ' | | | | Í ' | 1 ' | 1 |
| İ. | #### | 4 ' | 1 1 | 1 | | ' | | | ı | 1 | 1 ' | 1 |
| | ┸┼┼┼┼ | 4 1 | () | | | / | | | | 1 ' | <u></u> ' | |
| | #### | 4 1 | 1 1 | 1 | | ' | ĺ | | | 1 ' | ' | |
| | [[] | d 1 | 1) | | 4 | , | t | | ! | . ' | 1 ' | |
| | H++++1 | d 1 | 1 1 | <i>i</i> | } | 1 ' | 1 | | ! | 1 ' | | 1 |
| | [[]] | SB-19- | 1 1 | | 20% | Brown | Medium | 6'-10' Me | edium sand, some gravel, fill material | 1 ' | Dry to | PID 0.0 ppm |
| ĺ | HHH/ | SB-19-
9.5'-10' | 1 1 | 1 | | 1 | t | | | 1 ' | Wet | |
| | 111111 | 1 | i j | | 4 | 1 , | 1 | 1 | ! | 1 ' | 1 1 | ĺ |
| 10 | HTTH | | i j | 4 | 1 | 1 1 | 1 | 1 | ! | 1 ' | 1 1 | 1 |
| | ### | | l j | | - | | | + | | FILL | | |
| | H | 4 1 | 1 1 | <i>i</i> | 1 | 1 ,1 | Í | l | ! | 1 ' | 1 1 | 1 |
| | ### | 1 1 | 1 1 | | 1 | 1 | 1 | | , | 1 ' | 1 1 | Í |
| | Щ | 1 1 | 1] | | .] | 1 | 1 | İ | . 1 | 1 1 | 1 1 | 1 |
| | H+++++1 | 4 | 1 1 | | 30% | Brown | Medium | 10'-15' M | ledium sand, some gravel, fill material | 1 ' | 1 | |
| | ЩЩ | 1 1 | <i>i</i> J | | 1 ' | J | WOULDE | 10-10 , | BOIUIII Sanu, Suine graver, im material | 1 1 | Wet | PID 0.0 ppm |
| | ### | 4 | ı J | | 1 ' | 1 1 | 1 | | , | 1 1 | 1 1 | ĺ |
| | #### | 4 - 1 | 1 } | | 4 ' | 1 ' 1 | 1 | 1 | , | 1 1 | 1 1 | ĺ |
| 45 | 4444 | 1 1 | 1 | .] | 1 | 1 / | 1 | i | ! | 1 1 | 1 1 | ĺ |
| 15 | ### | 1 } | i } | | | | | | | 1 1 | | <u> </u> |
| | | 4 | , 1 | , j ' | 1 ' | 1 1 | 1 | 1 | | (1 | 1 1 | |
| | | 1) | , t | , | 1 1 | 1 1 | 1 | 1 | | (1 | 1 1 | İ |
| ı | | 4 1 | , | , ' | ! | 1 1 | l ' | İ | | (1 | () | l |
| | | 1 1 | , t | | ł, ' | 1 _ 1 | 1 | 1 | | () | 1 1 | ł – |
| | | () | [| . ' | 40% | Brown | Medium | 15'-20' Mr | ledium sand, some gravel, fill material | 1 1 | Wet | PID 0.0 ppm |
| | HHHI | .] | ſ | | 1 ' | 1 1 | i ' | 1 | , | 1 1 | 1 1 | ĺ |
| | Π | 1 | | ' | 1 ' | 1 1 | 1 | ĺ | , | 1 1 | () | l . |
| | HHH | 1 1 | | | 1 ' | 1 1 | 1 | 1 | ļ , | 1 1 | 1 1 | l . |
| 20 | | | | ' | <u> '</u> | | l | 1 | | 1 | | I |
| _ | | | | | | | | | END OF BORING | | | |
| | | | | | | | | | | | | |
| COMMENT | ~~. | | | | | | | | | | | |
| CUMINE | 5: | | | | | | | | PROJECT NO.: | | 10-6 | 52-205-9145 |
| | | | | | | | | | BORING NO.: | | | SB-19 |
| | | Advance | ed alon | o <u>Flatlands</u> | Avenue, 64 | feet <u>southwe</u> | est of East 99th Stree | et and | l | | | |
| | 1 | five (5) for | feet sou | utheast of Fi | iatlands Aver | nue. Soil sam | nples were classified | ed in the | l | | | |
| | 1 | field usin | ng the l | Unified Soil | Classification | n System (US | SCS). Groundwater | rwas | l | | | |
| | | encounte | tered at | t 9 ft. bas. Ti | he boring wa | as driven to a | depth of 20 ft. bas. | . Two (2) | l | | | |
| | , | SOII Sam | ples we | are collecter | d and sent to | r laboratory r | analysis, a grab san | nple (SB- | l . | | | |
| | | 19-5.5-1 | <u>:01) 1105</u>
- /SR-1 | n the area in | USI above un | e groungwate | er level and compos A portion of the com | uite | l | | | |
| 1 | • | eamnle · | | ad for west | e characteriz | zation sample | A DOMONION WE COM | 1DOSRO | · · | | | |

| 1R | LiRo Engineers, Inc. | | | | | | | | TEST BORING LOG | | | | |
|----------|---------------------------------------|---|------------------------|--|---|--|--|--|--|--|---------|---------|---------------|
| | " | | | | | 0 | | | | LOCATION: | SB-20 | | |
| PROJECT: | | Fresh C | reek B | lasin A | rea, E | ast 108th St | . between Fi | atlands Ave. and O | utfall, BK | SHEET: | 1 of | 1 | |
| CLIENT: | | | | | | and Constr | | | | JOB NO.: | SE851 | | |
| BORING C | | | | | | | lal Services, | Inc. | | LOCATION: | See Cor | nments | |
| GROUNDY | VATER: | 9 | | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | EL | TY | PE | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | 2, 2014 | |
| 03/19/14 | | 9 | | N | A | DIA. | | 2⁴ | | DATE FINISHED: | March 1 | 9, 2014 | |
| | | | | | | WT. | | NA | | DRILLER: | John Ve | iss | |
| | | | | | | FALL | | NA | | GEOLOGIST: | Eva Jak | ubowsk | a |
| | | | | | | | | | | REVIEWED BY: | W. Czel | usta | |
| | | | SAN | IPLE | | | | | DESCRIP | | 1 | | |
| DEPTH | | "S" | "N" | BLO | ws | REC% | | CONSISTENCY | | MATERIAL | USCS | F | REMARKS |
| FEET | STRATA | NO. | NO. | PEF | R 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | | | |
| 1 | | | | | | | | | | | | | |
| | | | | | | | | | using a v | as cleared to a depth of 6 ft. bgs
accum excavator (Vaccex)/air knife | | | |
| | | | | | \vdash | NA | Dark
Brown | Medium | 0'-0.5' Co | oncrete | FILL | Dry | PID 0.0 ppm |
| | | | | Щ | lacksquare | | | | | edium to coarse sand, with rocks,
ed brick, fill material | | | |
| 5 | | | | | | | | | | | | | |
| 3 | ╫╁╁╁╁ | | | _ | \vdash | | | | | | | | 1 |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | SB-20-
8.5'-9' | | | | 40% | Dark | Medium | 6'-10' Fir | e to medium sand, some rocks | | Wet | PID 0.0 ppm |
| | | | | | | .5.0 | Brown | | | | | | |
| 10 | | | | | | | | | | | 4 | | |
| | | | | | | | | | | | SM | | |
| | | | | | | | | | | | | 18/-4 | PID 0.0 ppm |
| | | | | | | 50% | Brown | Medium | 10'-15' F | ine to medium sand
- | | wet | PiD C.O ppiii |
| | | | | | | | | | | | | | |
| 15 | | | | | | | | | <u> </u> | | | | |
| | | | | | | | | · | | | | | |
| | | | | \vdash | | 90% | Brown | Medium | 15'-20' M | ledium sand | SP | Sat. | PID 0.0 ppm |
| | | | | | | | | | | | | | |
| 20 | | | | | | | | | | | | | |
| | , , , , , , , , , , , , , , , , , , , | 2 | | • | | | | | | END OF BORING | | | |
| | | | | | | | | ···· | | PROJECT NO.: | | 10-4 | 32-205-9145 |
| COMMENT | 15: | | | | | | | | | BORING NO.: | | | SB-20 |
| | | feet not
Unified
ft. bos.
collecte | Soil C
The book and | t of Avolassific
pring we
sent for | enue J
ation S
as driv
or labo
oround | J. Soil sampl
System (USo
ven to a dep
ratory analy
dwater level | es were clas
CS). Ground
th of 20 ft. b
sis, a grab s
and a comp | East 102nd Street a
ssified in the field us
twater was encount
gs. Two (2) soil sam
ample (SB-20-8.5-2
osite sample (SB-20
site sample was use | ing the ered at 9 holes were the order the ord | | | | 1 |
| | | waste o | charac | terizati | on sar | nple WC-03 | | | | | | | |

| P | | | | LiRo | Engi | | TEST BORING LOG | | | | | |
|----------|----------|---|--|--|---|--|---|---|--|---------|--------|--|
| | | | | | | | | | LOCATION: | SB-21 | | _ |
| PROJECT: | | Fresh C | reek B | asin Area, | East 108th S | t. between Fl | atlands Ave. and C | utfall, BK | SHEET: | 1 of | 1 | |
| CLIENT: | | NYC De | epartm: | ent of Desig | n and Cons | Iruction | | | JOB NO.: | SE851 | | |
| BORING C | ONTRAC' | TOR: | | | | ntal Services, | Inc. | | LOCATION: | See Cor | nments | |
| GROUNDY | | 10 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LEV | | TYPE | TYPE | 0,101 | Macro Core | 5' | DATE STARTED: | March 1 | 2 2014 | |
| | TIME | 10 | | NA | DIA. | | 2" | ╁╌ | DATE STARTED:
DATE FINISHED: | March 1 | | ······································ |
| 03/18/14 | | 10 | \dashv | NA | | | NA NA | - | | | | · |
| | | | | | WT. | | | | DRILLER: | John Ve | | |
| | | | | <u> </u> | FALL | <u> </u> | NA NA | <u> </u> | GEOLOGIST: | Eva Jak | | ia . |
| | <u> </u> | | | | <u> </u> | | | | REVIEWED BY: | W. Czel | usta | |
| | | | SAM | IPLÉ | | | | DESCRIP | TION | | | |
| DEPTH | | "8" | "N" | BLOWS | REC% | | CONSISTENCY | | MATERIAL | USCS | F | REMARKS |
| FEET | STRATA | NO. | NO. | PER 6" | RQD% | COLOR | HARDNESS | 1 | DESCRIPTION | | | |
| | | | | | | 1 | | | | +- | | |
| 1 | | | | | - NA | Dark
Brown | Medium | using a v | | FILL | Dry | PID 0.0 ppm |
| 5 | | | | | | BIOWII | | | ium to coarse sand, with rocks,
id brick, fill material | | | |
| | | | | | | Dark | | G: 401 C: | | | | |
| 10 | | SB-21-
9.5'-10' | | | 30% | Brown to
Grey | Medium | 6-10 Fin | e sand, some rocks, trace clay | SM | Wet | PID 0.0 ppm |
| | | | | | | | | | | SP | | |
| | | | | | 70% | Brown /
Black /
Dark Grey | Medium | 11.0'-14. | Medium sand
D' Peat
ine sand, trace clay | PT | Wet | PID 0.0 ppm |
| 15 | | | | | | | | | | SM | | |
| | | | | | 30% | Dark Grey | Soft | 15'-20' M | edium sand | SP | Sat. | PID 0.0 ppm |
| 20 | | | 1 1 | | l | | | 1 | | | l | |
| | | | | <u></u> | | .t | | | END OF BORING | | L | |
| | | | | | | | | | END OF BORING | | | |
| COMMENT | | Soil Cla
The bor
collecte
the area | ast of A
assificat
ring wa
ed and s
a just a | venue J. So
tion System
s driven to
sent for lab
bove the gr | oil samples v
(USCS). Gr
a depth of 20
oratory analy
oundwater le | vere classified
oundwater wa
) ft. bgs. Two
vsis. a grab sa
evel and a cor | 04th Street and that in the field using the encountered at (2) soil samples with the encounter (SB-21-9.5-1) mposite sample (SB composite sample) | the Unified
10 ft. bas.
ere
10') from
3-21- | PROJECT NO.:
BORING NO.: | | 10-6 | 2-205-9145
SB-21 |

| IR. | LiRo Engineers, Inc. | | | | | | | | TEST BORING LOG | | | | | |
|----------|----------------------|---|--|--|--|---|--|--|---|---------|---------|-------------|--|--|
| | 7 | | | | • | | | | LOCATION: | SB-22 | | | | |
| PROJECT: | | Fresh C | reek E | asin Area | , East 108th S | . between Fl | atlands Ave. and O | utfall, BK | SHEET: | 1 of | 1 | | | |
| CLIENT: | | NYC De | partm | ent of Des | ign and Const | ruction | | | JOB NO.: | SE851 | | | | |
| BORING C | ONTRACT | TOR: | | Associate | d Environmen | tal Services, | Inc. | | LOCATION: | See Co | mments | | | |
| GROUNDW | VATER: | 9 | | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | | | |
| DATE | TIME | LEV | EL | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | 1, 2014 | | | |
| 03/19/14 | | 9 | | NA | DIA. | | 2" | | DATE FINISHED: | March 1 | 9, 2014 | | | |
| | | | | | WT. | | NA | | DRILLER: | John Ve | iss | | | |
| | | | | | FALL | | NA | | GEOLOGIST: | Eva Jak | ubowsł | (a | | |
| | | | | | | | | | REVIEWED BY: | W. Czel | usta | | | |
| | | | SAN | IPLE | | | | DESCRIP | TION | | | | | |
| DEPTH | | *S" | "N" | BLOWS | REC% | | CONSISTENCY | | MATERIAL | USCS | F | REMARKS | | |
| FEET | STRATA | NO. | NO. | PER 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | | | | | |
| 5 | | | | | NA | Dark Red
Brown | Soft | using a v | as cleared to a depth of 6 ft. bgs
acuum excavator (Vaccex)/air knife
ion.
to medium sand, some rocks, trace | SM | Dry | PID 0.0 ppm | | |
| 10 | | SB-22-
8.5-9 | | | 30% | Brown | Medium | 6'-10' Me | dium sand, some rocks
, | SP | Wet | PID 0.0 ppm | | |
| 15 | | | | | 70% | Brown /
Black /
Dark Grey | M edium | 10'-13' M
13'-15' Pe | edium sand
eat | PT | Sat. | PID 0.0 ppm | | |
| 20 | | | | | NA NA | NA | NA | No recov | ery | | | | | |
| | | | - | | | | | | END OF BORING | | | | | |
| | | | | | | | | | | | | l | | |
| COMMENT | e. | | | | | | | | PROJECT NO.; | | 10-6 | 2-205-9145 | | |
| COMMENT | : | northea
Unified
ft. bgs. collecte
area jus
of the e | st of Ea
Soil Cla
The bo
d and a
t above
ntire bo | ast 107th assification ring was content for late the group oring length. | Street, Soil sa
n System (USC
riven to a dep
noratory analys
ndwater level | mples were (
CS), Groundy
th of 20 ft. bg
sis, a grab sa
and a compo
the composi | of Avenue J and eight
classified in the field
vater was encounte
s. Two (2) soil sam
imple (SB-22-8.5'-9'
site sample (SB-22'
te sample was used | using the ered at 9 ples were ') from the -COMP) | BORING NO.: | | | SB-22 | | |

| (IF | 3 | | | LiRa | Eng | ineers | s, Inc. | | TEST BOR | ING LO |)G | |
|-------------|-----------------|--|------------|--|------------------|--|---|-----------------------------------|--|----------|--------|---------------|
| | <u> </u> | | | | | | | | LOCATION: | SB-23 / | TWP-(|)2 |
| PROJECT | <u>/:</u> | | | | | | latlands Ave. and C | Jutfall, BK | SHEET: | 1 of | 11 | |
| CLIENT: | | | epartm | | ign and Cons | | | | JOB NO.: | SE851 | | |
| | CONTRAC | TOR: | | Associate | d Environmer | ntal Services, | , inc. | | LOCATION: | See Co | mment | 6 |
| GROUND | WATER: | 10 | 1 | | | CAS. | SAMPLER | TUBE | GROUND ELEVATION: | | | |
| DATE | TIME | LE\ | /EL | TYPE | TYPE | | Macro Core | 5' | DATE STARTED: | March 1 | 1. 201 | <u> </u> |
| 03/17/14 | | 10 | , | NA | DIA. | | 2° | + | DATE FINISHED: | March 1 | | |
| | | | | | WT. | 1 | NA NA | + | DRILLER: | John Ve | | * |
| | | <u> </u> | | | FALL | † | NA NA | + | GEOLOGIST: | Eva Jak | | f |
| | 1 | | | | | <u>- I:</u> | <u> </u> | т | REVIEWED BY: | | | KB |
| | | | SAI | MPLE | | т | | 250006 | | W. Czel | usta | |
| DEPTH | - | 1 | | | T | | T | DESCRIP | | ┨ | Į . | |
| FEET | OTDATA | "S" | "N" | BLOWS | REC% | 4 | CONSISTENCY | | MATERIAL | USCS | 1 | REMARKS |
| PEE: | STRATA | NO. | NO. | PER 6" | RQD% | COLOR | HARDNESS | | DESCRIPTION | | | |
| 1 | | | | | 1 | | | | | | | |
| | | | | | - NA | Dark | Medium | using a v | vas cleared to a depth of 6 ft. bgs
vacuum excavator (Vaccex)/air knife | | | |
| | | | | | | Brown | Medium | combinat
0-6' Medi
material | ition.
lium sand, some rocks, red brick, fill | FILL | Dry | PID 0.0 ppm |
| 5 | ### / | ! | | | | 1 | | | | 1 Hata | | |
| | † ‡‡‡‡‡¹ | | | | ┪ | | ļ. | 1 | | | | |
| | / | | 1 1 | | | | | | | . | | |
| | | | | | T | | | | | 1 ! | | † — — — |
| | | | 1 1 | \vdash | _ | | 1 | | | | | |
| | HHH | i 1 | 1 1 | | | | 1 | 1 | • | | | |
| | 177777 | I = J | 1 1 | $oldsymbol{oldsymbol{\sqcup}}$ | 80% | Dark | Hard | | flum sand, red brick, fill material | | Wet | PID 0.0 ppm |
| | 13333 | SB-23-
9.5'-10' | | | | Brown | | 8'-10' Pea | at | | **** | LID 0'0 bb''' |
| | KXXXX | 8.5-10 | 1 1 | | - |] | ł | 1 | | | l ' | |
| 10 | XXXX | | 1) | <i>l</i> | | 1 / | | 1 | | 1) | 1 | |
| | KXXXX | | 1 } | | | | | + | | PT | | ļ |
| | MAN | i | 1 1 | <i>i</i> | | j | ĺ | ļ | | 1 | | |
| | (XXXX) | . ! | 1 1 | | 1 ' | 1 , | l | | | 1 1 | 1 | |
| | KXXXX | . 1 | 1] | ı I | ' | l j | ĺ | | | 1 1 | 1 | i |
| | GREET, | , } | i | | 100% | Black / | Hard | 10'-12' Pe | eat | - | ا ا | l |
| | | . 1 | <i>i</i> | | 10070 | Grey | marc | 12'-15' Fi | ine sand, trace silt | 1 1 | Wet | PID 0.0 ppm |
| | | . | <i>i</i>] | · | 1 ' | | İ | | | 1 1 | | l |
| | | , J | <i>i</i> | | 4 ' | 1 1 | l | 1 | | 1 1 | | ĺ |
| 45 | | .] | <i>i</i> [| . | ' | 1 1 | l | | | | | ĺ |
| 15 | | . | | | - | | | | | | | |
| | | . 1 | , [| | 1 ' | | İ | | | SM | | |
| | | . | · • | | . I | | İ | | | | | |
| ŀ | | . | | . 1 | 100% | Grey | Hard | 15'-20' Fir | ne to medium sand |] | Wet | |
| | | | . t | | 1 ! | | I | | | | | |
| ŀ | | . [| . [| .] | 1 / | | ı | | | l [| | |
| | | . [| . [| | 1 / | 1 | 1 | | | 1 1 | | ĺ |
| 20 | | | | | <u> </u> _ | | | l | |]] | | |
| | | | | | | | | | END OF BORING | <u> </u> | أحسسا | |
| | | | | | | | | | | | | |
| OMMENT | ·e. | | | | | | | | | | | |
| ·UMITEIT, | 3. | Advance | ed on E | -ast 108th 5 | Street 29 fee | t porthwest o | of Avenue K and thre | (3) feet | PROJECT NO.: | | | 2-205-9145 |
| | i
I | southwe | st of E | ast 108th S | treet. Boring | SR-23 is loc | ated closest to the | area of | BORING NO.: | | SB | -23 / TWP-02 |
| | <u>t</u> | the outfa | all. Soil | il samples w | vere classified | d in the field u | using the Unified So | ioil | | | | |
| | 9 | Classific | cation S | System (US | CS). Groundy | water was er | ncountered at 10 ft. | . bas. The | | | | |
| | <u>k</u> | <u>boring w</u> | vas driv | ven to a dep | oth of 20 ft. bo | gs. Two (2) so | oil samples were co | ollected | | | | |
| | € | and sent | t for lab | boratory and | alysis, a grab | sample (SB- | -23-9.5'-10') from th | he area | | | | |
| | J | ust abov | ve the c | aroundwate | r level and a | composite s | ample (SB-23-COM | IP) of the | | | | |
| | 5 | noint (T) | AND_O1' | A sortion | JACKATER SAFE | npie was com | lected from a tempo
was used for waste | rary well | ĺ | | | |
| | | obomote | VE-VI | n sample W | Of the Compo | PIG SELLIDIC A | Nas used for waste | - 1 | | | | |

| DRILLING | SUMMARY | | TEMPORARY WELL CONSTRUCTION DETAIL | | | | | | | | | |
|-----------------|---------------------------|---------------------------------------|------------------------------------|----------------|------------------|-------------|------------------|------------|--|--|--|--|
| Geologist: | | | | | | Open Tempor | arily | | | | | |
| Eva Jakubov | | 4 | | | | | | | | | | |
| Drilling Com | · · · · · · · · · | | | | | | | | | | | |
| Associated Envi | ironmental Services, Ltd. | | | | | | | | | | | |
| | | | Elevation | | 107*0.00 T | | Ground Level | _ | | | | |
| Driller: | | | | | | | BOREHOLE | | | | | |
| Ryan Jenser | | 4 | | | | | | nch dia. | | | | |
| Rig Make/Mo | odel: | | | | | | f | eet length | | | | |
| GeoProbe | | | _ | | | | | | | | | |
| Date: | | | 5 | . | | | | | | | | |
| 3/17/2014 | | - | | | | | | | | | | |
| CEOLOGIC | 21.00 | | | | | | | | | | | |
| GEOLOGIC | LOG | D | | | | | PVC CASIN | | | | | |
| 5 | D | ┥ᆮ | 40 | | | L | | | | | | |
| Depth(ft.) | Description | JE _ | 10 | <u></u> | | | | nch dia. | | | | |
| | | P | | | | | | eet length | | | | |
| | | | | | | | | | | | | |
| | | T | | | | | | | | | | |
| | | 1' | 15 | _ | | | | | | | | |
| | See Log | Н | 15 | — V
Natural | | | PVC SCREI | EN | | | | |
| | loce Log | | | Material | | | | nch dia. | | | | |
| | | | | | | | | - 1 | | | | |
| | | | | Around | | | | eet length | | | | |
| | | | | Screen | | | | | | | | |
| | | | 20 | | | | | | | | | |
| | | | | | | | | | | | | |
| | | 1 | | | | | | | | | | |
| | | | | | | | | | | | | |
| : | | | | | | | | | | | | |
| i | | | | | | | | | | | | |
| | | _ | | | | | | | | | | |
| | | | | | | | | | | | | |
| WELL DES | SIGN | | | | | | | | | | | |
| | CASING MATERIAL | | 1 80 | REEN MATER | DIAI | FII | TER MATERIA | | | | | |
| | CASING WATERIAL | | 30 | NECN WATER | VAL | Type: NA | | NA A | | | | |
| Surface: | None | | Type: | 1" PVC | | Type. NA | Octung. 1 | | | | | |
| Surface. | None | | l ype. | 1 - 40 | | SEAL MATE | RIAI | | | | | |
| | | | | | | JOLAL WATE | INAL | 4 | | | | |
| Manitan | 4" D\/C | | Clat Cias | 0.010" | | Type: NA | Setting: 1 | NA . | | | | |
| Monitor: | 1" PVC | | Slot Size: | 0.010 | | Type: NA | = | NA A | | | | |
| | | | | | | Type: NA | Setting: 1 | YA | | | | |
| 001445150 | \. | | <u> </u> | | | + | LEGEND | | | | | |
| COMMENTS | | | | | | | LEGENU | | | | | |
| Temporary w | | 454 - | | | | | Natural Materia | . | | | | |
| Groundwater | r noted at approximatel | y 15 π. b | ys. | | | | ivaturai Materia | ai | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | <u> </u> | | 1. | | | TB • • • • | | | | | | |
| Client: | | | Location: | | | Project No. | | 1 | | | | |
| NYCDDC- B | EGS | E. 108th St./Flatlands Ave., Brooklyn | | | | | | | | | | |
| | FT | MONITORING WELL | | | Well Number: | | | | | | | |
| LiRe | o Engineers, In | C. | CONS | TRUCTION D | ETAILS | TWP-01 (SE | 3-01) | | | | | |
| | | | AS | -132 | | | | | | | | |

| DRILLIN | IG SUMMARY | | TEMPORARY WELL CONSTRUCTION DETAIL | | | | | | | | |
|--------------|------------------------------|--|------------------------------------|-------------------|------------|----------------|------------------|--|--|--|--|
| Geologist | | _ | I EIVIF | UKAKI WI | ELL CO | | | | | | |
| Eva Jakul | | | | | | Open Tempo | rarily | | | | |
| Drilling Co | | | | | | | | | | | |
| | • • | - [| | | | | | | | | |
| Associated | Environmental Services, Ltd. | | | | | | | | | | |
| Driller: | · · | | Elevation | | Population | | Ground Level | | | | |
| | | | | | | | BOREHOLE | | | | |
| Ryan Jens | | | | | | | 2 inch dia. | | | | |
| Rig Make | | ļ | | | | | 20 feet length | | | | |
| GeoProbe | | _ | | | | | | | | | |
| Date: | | | 5 | | | | | | | | |
| 3/17/2014 | | _ | | | | | | | | | |
| GEOLOG | SIC LOG | D | | | | | DVC CACINO | | | | |
| Depth(ft.) | Description | E | 10 | _ | | | PVC CASING | | | | |
| | | 7 | -10 | | | | 1 inch dia. | | | | |
| | | Р | | | | | 5feet length | | | | |
| | | <u> </u> | | | | | | | | | |
| 1 | | Т | | | | | | | | | |
| | | [| 15 | Natural | - | | | | | | |
| | See Log | Н | | Material | | | DVO CODEEN | | | | |
| | | | | Around | | | PVC SCREEN | | | | |
| | | | | Screen | | | 1inch dia. | | | | |
| İ | | | | Ocieen | | | 10feet length | | | | |
| | İ | | 20 | | | | | | | | |
| | | | 20 | | | | | | | | |
| WELL DE | SIGN | | · | | | | •
• | | | | |
| | CASING MATERIAL | | T | CREEN MATER | DIAI | Tru - | TEDAMATERIA | | | | |
| | | | 3 | ONEEN WATER | IAL | | TER MATERIAL | | | | |
| Surface: | None | | Type: | 1" PVC | | Type: NA | Setting: NA | | | | |
| | | | 1.,,,,, | 1 1 40 | | SEAL MATE | DIAL | | | | |
| | | | ļ | | | SEAL WATE | MAL | | | | |
| Monitor: | 1" PVC | | Slot Size: | 0.010" | | Type: NA | Ootton NA | | | | |
| | | | 0.01 0.20, | 0.010 | | Type: NA | Setting: NA | | | | |
| | | | | | | Type. NA | Setting: NA | | | | |
| COMMENT | S: | | | | | | LEGEND | | | | |
| Temporary | well. | | | | | | LEGEND | | | | |
| | er noted at approximatel | v 10 ft. b | as. | | | | Natural Material | | | | |
| | | • | 3 | | | | Natural Material | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | j | | | | | |
| | | | | | | | | | | | |
| lient: | | | T | | | | | | | | |
| NYCDDC- E | RECO | | Location: | (m) | _ | Project No.: | | | | | |
| IN T CODG- E | DEU0 | | E. 108th St | ./Flatlands Ave., | Brooklyn | 10-62-205-91 | | | | | |
| l iD | o Engineero Inc | | | ONITORING WE | | Well Number: | | | | | |
| LIK | o Engineers, Inc | <u>. </u> | CONS | STRUCTION DE | TAILS | TWP-02 (SB-23) | | | | | |

| DRILLING | SUMMARY | | TEMPORARY WELL CONSTRUCTION DETAIL | | | | | | | | | |
|--------------------------|----------------------------|--------------|------------------------------------|------------------|-----------------------|------------------|--------------|---------------|--|--|--|--|
| Geologist: | | | | | | Open Temporarily | | | | | | |
| Eva Jakubo | wska | | | | | _ | | | | | | |
| Drilling Com | | | | | | | | | | | | |
| | vironmental Services, Ltd. | | | | | | | | | | | |
| Associated Env | Aronmeniai Services, Liu. | | Elevation | | | | Ground Level | | | | | |
| Drillon | | | Lievation | | | | BOREHOL | .E | | | | |
| Driller: | | | | | | | 2 | inch dia. | | | | |
| Ryan Jense
Rig Make/M | <u>n</u> | | | | | | 20 | feet length | | | | |
| Rig Make/M | odel: | | | | | | | - leet length | | | | |
| GeoProbe | | | | | | | | | | | | |
| Date: | | | 5 | | | | | | | | | |
| 3/17/2014 | | | | | | | | | | | | |
| | | | • | | I Ц | | | | | | | |
| GEOLOGI | C LOG | D | | | $\parallel \parallel$ | | PVC CAS | ING | | | | |
| Depth(ft.) | Description | ┦ᇀ | 10 | | | <u> </u> | 1 | inch dia. | | | | |
| F | | | | | | <u> </u> | 5 | _feet length | | | | |
| | | lР | | | | | | | | | | |
| | | - [| | | | | | | | | | |
| | | lτ | | | | | | 1 | | | | |
| | | 1' | 15 | Natural | | | | | | | | |
| | See Lee | l., | 13 | Material | | | PVC SCR | EEN | | | | |
| | See Log | Н | | | | <u> </u> | 1 | inch dia. | | | | |
| - | | | | Around | | | 10 | - | | | | |
| | | | | Screen | | | | _feet length | | | | |
| | | | | | | | | | | | | |
| | | | 20 | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | 1 | | | | | | 1 | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | <u> </u> | | | | | | | | | | | |
| WELL DE | SIGN | | | | | | | | | | | |
| | | | | 0055444755 | 7/4/ *** | 1 51171 | ER MATERI | 101 | | | | |
| | CASING MATERIAL | | Si | CREEN MATER | RIAL | | | NA NA | | | | |
| | | | | | | Type: NA | Setting: | NA | | | | |
| Surface: | None | | Type: | 1" PVC | | | | | | | | |
| | | | | | | SEAL MATER | IAL | | | | | |
| 1 | | | | | | | | | | | | |
| Monitor: | 1" PVC | | Slot Size: | 0.010" | | Type: NA | Setting: | NA | | | | |
| | | • | | | | Type: NA | Setting: | NA | | | | |
| | | | | | | | (=05115 | | | | | |
| COMMENT | S: | | | | | | LEGEND | ł | | | | |
| Temporary | | | | | | | ano | ŀ | | | | |
| | er noted at approximat | elv 10 ft. b | gs. | | | | Natural Mat | erial | | | | |
| | | - | - | | | | | ļ | | | | |
| | | | | | | | | į | | | | |
| | | | | | | | | | | | | |
| , | | | | | | 1 | | | | | | |
| | | | | | | 1 | | | | | | |
| | | | | | | | | | | | | |
| Client: | | | Location: | | | Project No.: | . = | • | | | | |
| NYCDDC- | BEGS | | E. 108th St | t./Flatlands Ave | ., Brooklyn | 10-62-205-914 | | | | | | |
| | | | | ONITORING W | | Well Number | | | | | | |
| LiF | Ro Engineers, I | nc. | CON | STRUCTION D | ETAILS | TWP-03 (SB-07) | | | | | | |

| DRILLIN | G SUMMARY | TEMPORARY WELL CONSTRUCTION DETAIL | | | | | | | | |
|---------------------|------------------------------|------------------------------------|------------|-----------------|--------|--------------|------------------|--|--|--|
| Geologist: | | | | | | Open Tempora | | | | |
| Eva Jakuk | | | | | | | | | | |
| Drilling Co | ompany: | | | | | | | | | |
| Associated E | Environmental Services, Ltd. | | | | | | | | | |
| | | | Elevation | | | | Ground Level | | | |
| Driller: | | | | | \neg | | BOREHOLE | | | |
| Ryan Jens | sen | | | | | | 2 inch dia. | | | |
| Rig Make/ | Model: | | | | | | 20 feet length | | | |
| GeoProbe | <u> </u> | | | | | | | | | |
| Date: | | 7 | 5 | | | | | | | |
| 3/17/2014 | | | | | | | | | | |
| | | | | | | | | | | |
| GEOLOG | SIC LOG | D | | | | | | | | |
| | | | | | | | PVC CASING | | | |
| Depth(ft.) | Description | E | 10 | • | | | 1 inch dia. | | | |
| 1 | | | | | | | 5 feet length | | | |
| | | P | | | | | | | | |
| | | | | | | | | | | |
| | | lτ | | | | | | | | |
| | | 1 | 15 | Natural | | | | | | |
| | See Log | Н | | Material | | | PVC SCREEN | | | |
| | | 1 | | Around | | | | | | |
| | | | | Screen | | | inch dia. | | | |
| | * | | | Scieen | | | 10feet length | | | |
| | | | 20 | | | | | | | |
| | | | 20 | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| ĺ | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | _ | | | | | | | | |
| WELL DE | ECICN | | | | | | | | | |
| AAETT DE | SIGN | | | | | | | | | |
| | CASING MATERIAL | _! | T S | CREEN MATER | ΡΙΔΙ | EII T | ER MATERIAL | | | |
| | | | | | | Type: NA | Setting: NA | | | |
| Surface: | None | | Type: | 1" PVC | | Type. NA | Setting. NA | | | |
| | | | 1.750. | | | SEAL MATER | DIAI | | | |
| | | | 1 | | | OLAL WATER | VAL | | | |
| Monitor: | 1" PVC | | Slot Size: | 0.010" | | Type: NA | Calling, MA | | | |
| | | | GIOC GIZE. | 0.010 | | 1 | Setting: NA | | | |
| | | | | | | Type: NA | Setting: NA | | | |
| COMMEN | TS: | | .1 | | | | LEGEND | | | |
| Temporary | | | | | | | LEGEND | | | |
| | ter noted at approximate | lv 10 ft h | ne | | | | | | | |
| O O G I I G I I G I | or notou at approximate | iy io it. D | ys. | | | | Natural Material | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | J | | | 1 | | | | |
| Client: | | | Location: | · | | Droinct No. | | | | |
| NYCDDC- | REGS | | | /Elotlondo A | Deadle | Project No.: | | | | |
| | <u> </u> | · . | | /Flatlands Ave. | | | | | | |
| l iE | Ro Engineers. In | c | | ONITORING W | | Well Number: | | | | |

APPENDIX C LABORATORY ANALYTICAL RESULTS

Included on Attached CD

End of Addendum No. 5 This Addendum consists of one-hundred thirty-six (136) pages.

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET: AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET: EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J: EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J: EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J: EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD: AND EAST 98TH STREET BETWEEN CONKLIN **AVENUE AND GLENWOOD ROAD**

Together With All Work Incidental Thereto

BOROUGH OF BROOKLYN

ADDENDUM NO. 6

DATED: March 26, 2015

This Addendum is issued for the purpose of amending the requirements of the contract documents and is hereby made part of said contract documents to the same extent as if it was originally included therein.

BEST MANAGEMENT PRACTICE (BMP)
SPECIFICATIONS FOR SEDIMENT AND EROSION CONTROL, GRADING AND
EARTHWORK, AND LANDSCAPING FOR THE CONSTRUCTION SITES AND
WETLAND MITIGATION
BOROUGH OF BROOKLYN, NY

NO TEXT ON THIS PAGE

HIGH LEVEL STORM, SANITARY, COMBINED SEWERS AND WATER MAINS IN FRESH CREEK BASIN AREA – PHASE 1A E 108TH ST BETWEEN FLATLANDS AVE AND OUTFALL AT AVE K BROOKLYN, NY

SPECIFICATIONS FOR

CONTRACT SE851

SPECIFICATIONS FOR SEDIMENT AND EROSION CONTROL, GRADING AND EARTHWORK, AND LANDSCAPING FOR THE CONSTRUCTION SITES AND WETLAND MITIGATION

April 2015
Prepared for the NYC Department of Design and Construction

By Hazen and Sawyer, P.C./AKRF Engineering, P.C. A Joint Venture

TABLE OF CONTENTS

CONSTRUCTION OF BEST MANAGEMENT PRACTICES

SPECIFIC PROVISIONS

| Section No. | Title | Page No. |
|--------------|---|----------|
| 7.01 | LOCATION OF WORK | ۸6-6 |
| 7.01 | | |
| 7.02 | WORK INCLUDED | A6-6 |
| 7.03 | INSPECTION BEFORE BIDDING | |
| 7.04 | STANDARD SPECIFICATIONS | A6-9 |
| 7.05 | INSPECTION BY THE CITY, STATE AND FEDERAL | |
| | GOVERNMENT | A6-10 |
| 7.06 | NOT USED | |
| 7.07 | NOT USED | A6-10 |
| 7.08 | NOT USED | |
| 7.09 | LICENSED SURVEYOR FOR ENGINEER'S USE | |
| 7.10 | CONSTRUCTION - SPECIAL REQUIREMENTS | |
| 7.11 | NOT USED | A6-13 |
| 7.12 | PROTECTION OF MATERIALS AND EQUIPMENT AT | |
| 7.12 | | |
| 7.13 | FINAL CLEANING | |
| 7.14 | NOT USED | A6-14 |
| 7.15 | NO SEPARATE PAYMENT | |
| 7.16 | NOT USED | |
| 7.10
7.17 | NOT USED | |
| | NOT USED | |
| 7.18 | NOT USED | A0-13 |

EARTHWORK AND GRADING

| Section No. | Title | Page No. |
|-------------|---------------|----------|
| 7.300 | Work Included | A6-16 |
| 7.301 | | A6-17 |
| 7.302 | NOT USED | |
| 7.303 | NOT USED | A6-17 |
| 7.304 | | A6-17 |
| 7.305 | NOT USED | A6-17 |
| 7.306 | NOT USED | Δ6-17 |
| 7.307-A | GRADING | Δ6-12 |
| 7.308 | FILL ON-SITE | Δ6-20 |
| 7.309 | NOT USED | λ6 21 |
| 7.310 | NOT USED | A6-21 |
| 7.311 | NOT USED | A6 21 |
| 7.312 | NOT USED | A6-21 |
| 7.313 | NOT USED | |

LANDSCAPING AND RESTORATION

| Section No. | Title Page | e No. |
|-------------|---|--------------|
| 7.400 | Work Included A | 6-22 |
| 7.401 | LANDSCAPING FOR TERRESTRIAL ZONE AND WETLAND ZO | ONE |
| ,,,,,, | A | 6-23 |
| 7.402 | NOT USEDA | 16-49 |
| 7.403 | NOT USEDA | 16-49 |
| 7.404-A | RESTORATION SPECIALIST (CONSTRUCTION MONITOR) A | 16-50 |
| 7.404-B | EROSION AND SEDIMENT CONTROL LICENSED/CERTIFIED | |
| , | PROFESSIONALA | 16-54 |
| 7.404 | NOT USEDA | 16-59 |
| 7.405 | NOT USEDA | \6-59 |
| 7.406 | NOT USEDA | 16-59 |
| 7.407-A | EROSION CONTROL MAT - STRAW | \6-60 |
| 7.407-B | NOT USEDA | 16-63 |
| 7.408-B | HERBICIDE APPLICATION | 16-64 |
| 7.409 | NOT USED | 16-67 |
| 7.410 | NOT USED | 16-67 |
| 7.411 | WATERING AND WEEDING DURING GUARANTEE PERIOD A | 16-68 |
| 7.412 | NOT USED | \6-70 |
| 7.413 | TEMPORARY GOOSE EXCLUSION FENCE | 16-71 |
| 7.414 | NOT USED | 16-74 |
| 7.415 | VINE AND INVASIVE PLANT REMOVAL | 16-75 |
| 7.415A | NOT USED | 46-77 |
| 7.416 | NOT USED | 46-77 |
| 7.417 | DEBRIS EXCLUSION FENCE | 46-78 |
| 7.418 | CLEAN SAND FOR RESTORED AREA | 46-80 |
| 7.419 | NOT USED | 46-82 |
| 7.420 | NOT USED | 46-82 |
| 7.421 | ROOT BARRIER | A6-83 |

EROSION AND SEDIMENTATION CONTROL MEASURES

| Section No. | Title | Page No. |
|-------------|--|----------|
| 7.500 | SOIL EROSION AND SEDIMENTATION CONTROL MEA | SURES |
| | | A6-84 |
| 7.501 | MAINTENANCE OF EROSION CONTROL MEASURES | A6-87 |
| 7.502 | CONSTRUCTION LIMIT FENCE | A6-88 |
| 7.503A | NOT USED | A6-90 |
| 7.504A | SILT FENCE | |
| 7.505 | SAND BAGS | A6-94 |
| 7.506 | NOT USED | |
| 7.507 | NOT USED | A6-95 |
| 7.508 | NOT USED | A6-95 |
| 7.509A | STABILIZED CONSTRUCTION ENTRANCE | A6-96 |
| 7.510 | PORTABLE SEDIMENT TANK | A6-99 |
| 7.511 | STORM DRAIN - INLET PROTECTION MEASURES | A6-101 |
| 7.512 | NOT USED | A6-107 |
| 7.513 | NOT USED | |
| 7.514 | NOT USED | A6-107 |
| 7.515 | NOT USED | |
| 7.516 | TURBIDITY CURTAIN | A6-108 |
| 7.517 | NOT USED | A6-111 |

OUTFALL CONSTRUCTION DIVISION VII

SPECIFIC PROVISIONS

7.01 LOCATION OF WORK

Work under this Contract is to be performed within the public right-of-way and in Fresh Creek Basin east of East 108th Street in Brooklyn, NY. Outfall construction will occur east of the intersection of East 108th Street and Avenue K. The site is on property owned by the New York City Park Departments.

7.02 WORK INCLUDED

The work under this section includes the erosion and sediment control measures during the construction of a new outfall, installation of a splash pad, and restoration of the site. The following descriptions of work included are general descriptions only and shall not be construed as a complete description of the work to be performed.

A. The principal items of work include:

1. Erosion and sediment control measures during the construction

This shall entail the erosion and sediment control measures during the construction of the storm sewer outfall. Specifications and plans for this work are included in this Addendum.

2. Outfall Construction for Storm Sewer Networks

This entails excavation of trenches and layout of storm sewer outfall pipelines. The specifications and plans for this work are included elsewhere in these Contract Documents, not in this Addendum.

3. Splash Pad Installation

This entails installation of a splash pad for the new storm sewer outfall and the existing storm sewer outfall. Specifications and plans for this work are included in this Addendum and elsewhere in these Contract Documents.

4. Site Restoration

The entire Project site will be restored upon project completion as per the Contract Drawings. Specifications and plans for this work are included in this Addendum and elsewhere in these Contract Documents.

B. <u>Involved Agencies and Firms</u>

Before bidding, the contractor shall become familiar with the following involved agencies and firms and their respective responsibilities in the project:

1. New York City Department of Design and Construction (NYCDDC)

The NYCDDC will administer and inspect the Contractor's work with regard to all aspects of the Contract, including managing the overall project schedule, sequencing of the project and construction. The NYCDDC will handle permit compliance in relation to the sewer outfall construction. Whenever reference is made in these specifications to "the Engineer", it means the Resident Engineer on site, hired by NYCDDC.

2. New York City Department of Environmental Protection (DEP)

This City agency will maintain the facilities where the outfall is to be re-constructed under this project.

3. New York State Department of Environmental Conservation (NYSDEC)

This State Agency will be issuing a tidal wetland permit authorizing work in regulated areas to be performed under this Contract. This Agency has the regulatory authority to inspect the work site in order to ensure that permit requirements are not violated.

5. Hazen and Sawyer, P.C.

This engineering firm is the design consultant for all the work contained in these specifications. They are engaged by NYCDDC.

6. United States Army Corp of Engineers

This Federal Agency issues permits for all work within Federal jurisdiction wetlands. This agency has the regulatory authority to inspect the work site in order to ensure that permit requirements are not violated.

7. Restoration Specialist (Construction Monitor)

The Restoration Specialist shall be retained by the Contractor. The Restoration Specialist shall supervise all restoration and landscaping work performed by the Contractor and his/her Subcontractors for the duration of the project, in accordance with the plans, specifications and directions of the Engineer. The individual or firm filling this position will be responsible for oversight of the complete outfall and splash pad installation. This individual or firm will be familiar with the erosion and sediment control plan for the entire outfall site, and oversee all work in wetland areas and ensuring that the work adheres to permit requirements. The Restoration Specialist is responsible for compliance with the permit as it relates to outfall construction. The exact powers of the Restoration Specialist (Construction Monitor) are stipulated in the wetland permit.

C. Qualifications of Contractor/Subcontractor

1. The Contractor shall have performed at least three (3) contracts that involved the installation and maintenance of soil erosion and sediment control devices during construction of a project.

To support the Contractor's contention that he/she is qualified, the Contractor shall be able to provide the following information in a Statement of Qualifications, as detailed in the paragraph below.

Provide specific details on the projects (i.e., location, size cost, client, etc.). Provide client contact person's name and telephone number. Describe regulatory requirements of the erosion control devices. Describe any problems encountered during construction and operation of the devices. Discuss corrective actions taken to remedy the problem. Describe any violations issued by regulatory agencies. How were the violations resolved? Provide chronological photos recording the progress of construction and operation of the erosion control devices, including preconstruction through operation during site construction and restoration after construction.

Within three (3) days upon request by the City the Contractor shall identify a Certified Professional in Erosion and Sediment Control who will be responsible for implementation of this aspect of the project. The Contractor shall also provide a copy of the certification for the person so identified.

2. The Contractor must be able to complete and submit to DCC the Statement of Qualifications described in this Section within three (3) calendar days after requested to do so by DCC.

7.03 <u>INSPECTION BEFORE BIDDING</u>

Before bidding the Contractor shall visit the site of the work. The Contractor shall obtain all necessary information, and make his own determinations of any and all conditions which may affect in any way the performance of his work and his bid prices under these Contracts. All pertinent data and dimensions with regard to existing construction shall be verified by the Contractor.

Access to the site for inspection purposes prior to bidding is on a continual basis, since the site is a public property.

7.04 <u>STANDARD SPECIFICATIONS</u>

a. Roadway Repair and Resurfacing

Unless otherwise specified, all work, materials, and equipment shall conform to the applicable sections of the City of New York Department of Transportation Standard Highway Specifications.

b. Sewer Work

Unless otherwise specified, all work, materials, and equipment shall conform to the applicable sections of the City of New York Department of Environmental Protection Bureau of Water and Sewer Operations Standard Sewer and Water Main Specifications.

[SE-851]

<u>DIVISION VII - DETAILED SPECIFICATIONS – CONTRACT SE-851</u>

7.05 <u>INSPECTION BY THE CITY, STATE AND FEDERAL</u> GOVERNMENT

> The Contractor shall provide proper facilities for inspection and access to the work at all times, whenever it is in preparation and progress, for authorized representatives of the City, State and Federal Governments, the latter two in the presence of the Engineer.

- 7.06 NOT USED
- 7.07 NOT USED
- 7.08 NOT USED

7.09 <u>LICENSED SURVEYOR FOR ENGINEER'S USE</u>

A. Work Included

The Contractor shall engage the services of a New York State licensed surveyor as approved by the Engineer and reporting directly to the Engineer to make such surveys, as-builts, soundings, cross sections or other measurements as may be required by the Engineer for construction. Surveying services included in the item are for the sole use of the Engineer. The surveyor may be used by the Engineer to verify grades, but surveying services needed for layout of the site and activities not related to construction at the outfall site is the responsibility of the Contractor and is not provided under this item.

The Contractor for this Contract shall include in his total bid a per diem cost for the services performed by the Licensed Surveyor. This cost shall be shown on the Bid Schedule of Prices as Item No. BMP-7.09.

The cost proposals shall include unit prices on a per diem basis and shall include all necessary equipment, including vehicles for the Surveyors.

The proposed surveyor shall be submitted to the Engineer for evaluation and selection prior to construction.

B. <u>Measurement and Payment</u>

Measurement for payment shall be on a per diem basis. One day shall consist of any eight (8) hour time period from 7:00 AM to 6:00 PM Monday through Friday plus travel time, not including holidays. The per diem rate shall include the services of a three man surveying crew. The Engineer shall be present during the progress of Work and the Engineer shall deem as to whether a full eight hour period had been employed in completing the Work, and as to whether the Contractor has utilized his crew at the productivity output required to complete the Work as anticipated. The surveyor will submit invoices to the Engineer, which will be forwarded to the Contractor for prompt payment. Payments shall be made for invoiced costs only, with no payment for overhead and profit.

<u>DIVISION VII - DETAILED SPECIFICATIONS –</u> CONTRACT SE-851

7.10 CONSTRUCTION – SPECIAL REQUIREMENTS

A. <u>Field Measurements</u>

The Contractor shall take all necessary measurements in the field to determine the exact dimensions for all work and verify all pertinent data and dimensions shown on the Contract Drawings.

B. Excavated Material

Unsuitable excavated material shall be removed from the site together with all debris encountered in the excavations and the costs of such removal and disposal shall be included in the unit price bid for the applicable items in this Contract.

C. Dust Control

During construction, all appropriate fugitive dust control, including watering of exposed areas and using dust covers for trucks shall be employed. These measures include satisfying Section 1402.2-9.11 of the New York City Air Pollution Code. To prevent fugitive dust from construction activities from becoming airborne, the following measures are proposed:

- Use of water or surfactant to control dust in the construction operations and during the clearing and grading of land;
- Application of water to dirt paths, materials, stockpiles, and other surfaces that can generate airborne dust over extended periods.
 Construction of accessways would be built with properly sized stone or concrete equivalent over filtering material;
- Covering open-body trucks transporting materials likely to generate airborne dust at all times when in motion; and
- Prompt removal of earth or other material from paved streets where earth or other material has been deposited by trucking or earthmoving equipment, erosion by water, or other means.

No separate payment shall be made for this work; the cost thereof shall be included in the bid price for other items.

7.11 <u>NOT USED</u>

7.12 PROTECTION OF MATERIALS AND EQUIPMENT AT THE SITE

The Contractor shall make every effort to minimize extended storage periods of materials and equipment at the Site by judiciously scheduling deliveries to coincide with construction needs.

Storage of any mechanical or electrical equipment out of doors at any time is absolutely prohibited regardless of the protection furnished. Storage of mechanical and electrical equipment within structures at the Site will not be permitted unless the structures are enclosed.

All mechanical equipment shall be coated, wrapped and otherwise protected from snow, rain, drippings of any sort, dust, mud, condensed water vapor, etc. during shipment, storage, and installation and until placed in service.

Should storage of mechanical equipment become necessary before it can be stored at the Site, the Contractor shall provide storage in a weatherproof warehouse.

Materials may be stored out of doors if supported above ground surface on wood runners and protected with approved, effective and durable covers.

All storage and protection of materials and equipment at the Site shall be subjected to the approval of the Engineer.

All costs for equipment protection including warehousing or other work to meet the scheduled completion date shall be deemed to be included under the Contract and no additional payment will be made.

7.13 FINAL CLEANING

A. Final Cleaning Under This Contract

1. At the completion of the work, the Contractor for this Contract shall remove all rubbish from and about the site of the work, and all temporary structures, construction signs, tools, scaffolding, materials, supplies and equipment which he or any of his subcontractors may have used in the performance of the work. The Contractor shall broom clean paved surfaces and rake clean other surfaces of grounds.

- 2. The Contractor shall thoroughly clean all materials, equipment and structures installed under this Contract; all marred surfaces shall be touched up to match adjacent surfaces.
- 3. The Contractor shall clean all landscaped areas of all debris and any objectionable material, as determined by the Engineer, and shall remove all such debris off-site.

B. <u>Cleaning Materials and Methods</u>

The Contractor shall:

- 1. Use only cleaning materials recommended by manufacturer of surface to be cleaned.
- 2. Use each type of cleaning material on only those surfaces recommended by the cleaning material manufacturer.
- 3. Use only materials which will not create hazards to health or property.
- 4. The Contractor shall only use cleaning methods approved by the Engineer.

C. <u>Payment for Final Cleaning</u>

No separate payment will be made for the aforementioned work, the cost thereof shall be included in the price bid for other items of this Contract.

7.14 <u>NOT USED</u>

7.15 NO SEPARATE PAYMENT

No separate payment shall be made for the work specified in the Specific Provisions. All costs shall be included in the various Contract items unless otherwise specified.

7.16 <u>NOT USED</u>

7.17 <u>NOT USED</u>

7.18 <u>NOT USED</u>

NO TEXT ON THIS PAGE

<u>DIVISION VII - DETAILED SPECIFICATIONS – CONTRACT SE-851</u>

EARTHWORK AND GRADING

7.300 Work Included

Under earthwork and grading, the Contractor shall provide all labor, material, tools and equipment necessary to complete the execution of the work in complete accordance with the Specifications and all Contract Drawings. The work shall include items of work specified under the following sections.

| Section Number | <u>Title</u> |
|----------------|--------------|
| 7.301 | NOT USED |
| 7.302 | NOT USED |
| 7.303 | NOT USED |
| 7.304 | NOT USED |
| 7.305 | NOT USED |
| 7.306 | NOT USED |
| 7.307-A | Grading |
| 7.308 | Fill On-Site |
| 7.309 | NOT USED |
| 7.310 | NOT USED |
| 7.311 | NOT USED |
| 7.312 | NOT USED |
| 7.313 | NOT USED |
| 7.317 | NOT USED |
| 7.318 | NOT USED |

| 7.301 | NOT USED |
|-------|----------|
| 7.302 | NOT USED |
| 7.303 | NOT USED |
| 7.304 | NOT USED |
| 7.305 | NOT USED |
| 7.306 | NOT USED |

NO TEXT ON THIS PAGE

7.307-A <u>GRADING</u>

A. <u>Description of Work</u>

The Contractor shall furnish all labor, materials, equipment and services necessary to perform all grading as indicated on the Contract Drawings and as specified herein at the outfall site. The outfall site shall be considered all vegetated areas east of East 108th Street.

B. General Requirements

- 1. <u>General Specifications</u> Except as modified and supplemented hereinafter in the Detailed Specifications, work performed under this Section shall conform to the NYCDEP Standard Sewer Specifications.
- 2. <u>Shop Drawings</u> The Contractor shall submit to the Engineer for approval shop drawings and other documentation required to show conformance with the requirements set forth on the Contract Drawings and these Specifications. Shop drawings shall include, but not be limited to, the requirements for shop drawings as specified in the Standard Sewer Specifications.
- C. Grading The Contractor shall perform filling, compacting, and grading of the indicated areas of site, including minor cutting and filling high and low areas, and leveling such areas to elevations and within limits shown on the Contract Drawings. All work shall be performed in accordance with the applicable requirements of the NYCDEP Standard Sewer Specifications.

Any grading below the mean higher high water (MHHW) line should be done in the dry during periods of low tide.

D. <u>Compaction</u>

- 1. BMP Areas Compaction shall not be done in landscaped and restoration areas.
- Other Areas Each layer of fill or backfill shall be compacted by a
 minimum of four complete passes with an approved tamping roller,
 pneumatic-tired roller, three-wheel power roller, or other approved
 compaction requirement. Compaction shall not be less than 95
 percent of the maximum density modified proctor as determined by
 ASTM D1557, Method D.

- 3. Field Control Sufficient in place density tests shall be performed by the Contractor in order to satisfy the Engineer that the specified density is being obtained. These tests shall be made at no cost to the City and shall be made using the calibrated sand cone method (ASTM D1556) or other method as determined by the Engineer.
- E. <u>Finished Excavation, Fills, and Embankments</u> All areas covered by the project, including excavated and filled sections and adjacent transition areas, shall be uniformly graded. The finished surface shall be reasonably smooth, compacted, and free from irregular surface changes. The degree of finish shall be that ordinarily obtainable from blade-grader operations. Surfaces shall be finished not more than 0.15 foot above or below the established grade or approved cross section.
- F. Protection Newly graded areas shall be protected from traffic and erosion. Any settlement or washing away that may occur from any cause, prior to acceptance, shall be repaired and grades re-established to the required elevations and slopes, at no additional expense to the City.

The Contractor shall provide temporary ground cover sufficient to restrain erosion on all disturbed areas upon which further active construction is not taking place.

G. <u>Measurement and Payment</u>

The quantity to be measured for payment under the pay item Grading shall be the total number of square feet of work area graded. The contract price per square foot for grading shall be as indicated on the BID SCHEDULE OF PRICES Item No. BMP-7.307-A. The bid price shall constitute full compensation for labor, materials, equipment and work incidental thereto, necessary to complete the work in accordance with the plans and specifications to the satisfaction of the Engineer.

* * * * *

4/15/15

7.308 FILL ON-SITE

A. <u>Description of Work</u>

This work shall consist of providing and placing approved fill material where required throughout the project area only. The Contractor may use approved fill material excavated from sewer and foundation trenches and stockpiled excavated soils within landscaping and restoration areas as long as it meets the approved definition. Reuse of onsite excavated material requires that the material be screened prior to placement as fill. The approved fill material shall be provided, placed, spread, compacted and fine graded to the elevations, lines, grades and cross-sections indicated on the drawings as directed by the Engineer and as specified herein.

B. <u>Definition</u>

Approved fill is hereby defined as clean earth, consisting of a mixture of silt and clay. Fill material shall have a liquid limit less than or equal to 40 and a plasticity index less than or equal to 20, as determined by ASTM D4318. This mixture must be free of any roots, trees, tree stumps, leaves or other organic matter. Furthermore, this material must also be free of any metals, masonry (i.e. construction debris), stones over one and one-half (1-1/2) inches in diameter and deleterious material. In addition, the fill shall have a gradation such that 100% (by weight) passes a 3" sieve, 50-100% passes a #10 sieve, 20-90% passes a #60 sieve, and 0-20% passes a #200 sieve.

Fill used in planted areas shall be clean earth, consisting of a mixture of silt, clay, and sand. No custom ("select fill") fill shall be used in areas which are to be planted.

Any material containing root rhizomes or root mass of invasive species as defined in section 7.415 shall not be reused as fill as directed by the Engineer and Restoration Specialist. Material identified as containing root rhizomes or root mass shall be disposed of offsite.

C. <u>Measurement and Payment</u>

There will be no separate or additional payment made for the aforementioned work. The cost for this work shall be deemed included in the price bid for all items of work.

* * * * *

7.309 NOT USED
 7.310 NOT USED
 7.311 NOT USED
 7.312 NOT USED
 7.313 NOT USED

NO TEXT ON THIS PAGE

<u>DIVISION VII - DETAILED SPECIFICATIONS – CONTRACT SE-851</u>

LANDSCAPING AND RESTORATION WORK

7.400 Work Included

Under landscaping and restoration work, the Contractor shall provide labor, materials, tools and equipment necessary to complete the execution of the work in complete accordance with the Specifications and all Contract Drawings. The work shall include items of work specified under the following sections.

| Section Number | <u>Title</u> |
|----------------|--------------------------------------|
| 7.401 | Landscaping for Terrestrial Zone and |
| | Wetland Zone |
| 7.402 | NOT USED |
| 7.403 | Top Soil for Restored Area |
| 7.404-A | Restoration Specialist (Construction |
| | Monitor) |
| 7.404-B | Erosion and Sediment Control |
| | Licensed/Certified Professional |
| 7.405 | NOT USED |
| 7.406 | NOT USED |
| 7.407 | NOT USED |
| 7.407A | Erosion Control Mat - Straw |
| 7.408B | Herbicide Application |
| 7.409 | Mycorrhizal Inoculants |
| 7.410 | Plant Protection Fence |
| 7.411 | Watering and Weeding During the |
| | Guarantee Period |
| 7.412 | NOT USED |
| 7.413 | Goose Exclusion Fence |
| 7.414 | NOT USED |
| 7.415 | Vine and Invasive Plant Removal |
| 7.415A | NOT USED |
| 7.417 | Debris Exclusion Fence |
| 7.418 | Clean Sand for Restored Area |
| 7.419 | NOT USED |
| 7.420 | NOT USED |
| 7.421 | Root Barrier |

* * * * *

7.401 <u>LANDSCAPING FOR TERRESTRIAL ZONE AND WETLAND ZONE</u>

A. Work Included

Under these items, the Contractor shall furnish all labor, materials, equipment and services necessary for the proper execution of all landscaping and restoration work, as specified herein and as shown on the Contract Drawings, including all incidental and appurtenant work required for a complete job. In addition, the contractor will also furnish and deliver Permanent Seed Mix as directed by the Engineer.

B. <u>General Requirements</u>

1. Reference Standards

- a. American Association of Nurserymen, Inc., (American National Standards Institute) Nursery Stock (Z60.1)
- b. American Joint Committee on Horticultural Nomenclature Standardized Plant Names.
- c. A Checklist of New York State Plants, Contributions to a Flora of New York State, Checklist III, Bulletin #458, Richard S. Mitchell, State Botanist, New York State Museum, 1986.
- d. Gleason, The Late Henry A. and Arthur Cronquist. 1991. Manual of the Vascular Plants of Northeastern United States and Adjacent Canada, 2nd ed, New York Botanical Garden.
- e. Mitchell, Richard S. and Gordon C. Tucker. 1997. A Revised Checklist of New York State Plants, Bull. #490, New York State Museum.

C. Quality Assurance

1. Source Quality Control:

a. If private nursery sources are used, they must be within a 250-mile radius of the planting site. All specified plants shall have also been grown in the same USDA climatic zone as that of the planting site.

All seed and original stock material for herbaceous plants shall have been collected from locally adapted ecotypes

<u>DIVISION VII - DETAILED SPECIFICATIONS - CONTRACT SE-851</u>

within a one-hundred mile radius of the project site. Plant material may have to be contract grown in order to meet this requirement.

No substitutions of specified plants will be accepted without prior approval of the Engineer or his/her duly authorized representative.

- b. General. Ship landscape material with certificates of inspection when required by governmental authorities. Comply with governing regulations applicable to landscape material.
- c. Packaged Material. Package standard products with manufacturer's certified analysis. For other material, such as topsoil, provide analysis by recognized laboratory made in accordance with methods established by the Association of Official Agricultural Chemists, wherever applicable, or as further specified.
- d. All seed shall be interagency certified under the auspices of a State Seed Improvement Cooperative and must bear their seals of certification on bag. Permanent seed shall be 75% Pure Live Seed minimum. Weed content of seed lots shall not exceed 0.25 percent. All seed shall be free of noxious weeds. Provide fresh, clean, new-crop seed complying with the tolerance for purity and germination established by the Official Seed Analysts of North America. Provide seed of the species, proportions and minimum percentages of purity, germination, and maximum percentage of weed seed.
- e. Comply with governing regulations applicable to wetland and landscape materials including certification that tidal wetland plants have been acclimated to 15 to 25 parts per thousand salinity for a period of not less than two (2) weeks prior to installation.
- 2. Trees and plants shall be specified as in the Contract Documents. Nurseries which collect plants from the wild shall be rejected. No substitutions shall be permitted, except as authorized in writing by Engineer. If specified landscape material is not obtainable, submit proof of non-availability to Engineer, together with proposal for use of equivalent material. All plants specified within this Contract are native to the State of New York. Species native to this region, but

not listed as native within <u>A Checklist of New York State Plants</u> may be accepted on a case-by-case basis.

- 3. The Contractor shall provide trees and plants of quantity, size, genus, species and variety shown and scheduled in the Contract **Documents** for landscape work and complying recommendations and requirements of ANSI Z60.1 "American Standard for Nursery Stock" and the Manual of Vascular Plants of the Northeastern United States and Adjacent Canada. The Contractor shall provide healthy, vigorous stock, grown in a recognized nursery in accordance with good horticultural practice and free of disease, insects, eggs, larvae and defects such as knots, sun-scald, injuries abrasions, or disfigurement. Contractor shall submit certification that wetland plants are procured at least six months prior to scheduled planting.
- 4. All plants furnished under this Item shall be true to name. Plant names shall agree with the nomenclature of Standardized Plant Names as adopted by the American Joint Committee on Horticultural Nomenclature, 1942 Edition. Size and grading shall conform to those of the American Association of Nurserymen. All wetland plants shall come from Staten Island stock or within 250-mile radius of Staten Island.
- 5. Certified analyses by a recognized laboratory shall be submitted by the Contractor for approval by the Engineer for topsoil before delivery to the site. Analyses must include mechanical analysis, magnesium, nitrogen, potassium, and phosphorus levels, soluble salts, pH and organic matter. Standards and formatting for topsoil analyses shall conform to those of Cornell Cooperative Extension of Nassau County. Associated costs and additional guidelines for topsoil analyses shall be as specified under DETAILED SPECIFICATIONS FOR TOPSOIL FOR RESTORED AREA.

6. Inspection:

- a. The Engineer shall inspect trees and shrubs at place of growth before planting, for compliance with requirements for genus, species, variety, size and quality. Contractor shall be responsible for all inspection costs beyond a 50-mile radius from New York City.
- b. Plant materials shall be inspected by the Engineer upon arrival at the job site and prior to planting. Any materials not

in compliance with specifications shall not be accepted and shall be removed from the job site immediately.

- c. The Engineer retains the right to further inspect trees for size and condition of balls and root systems, insects, injuries and latent defects, and to reject unsatisfactory or defective material at any time during progress of work. The Contractor shall remove rejected trees immediately from project site.
- d. Tagged samples of plant materials shall be delivered to the site and planted in locations approved by the Engineer. These tagged samples shall be maintained, protected and used as standards for comparison with the plants furnished for the work.
- e. The Contractor shall be responsible for all certificates of inspection of plant material that may be required by Federal, State or other authorities to accompany each shipment of plants. On arrival, the certificates shall be filed with the Engineer. The Engineer shall receive a copy of each shipping invoice immediately after the delivery has arrived at the job site.
- 7. Wetland and landscaping work shall be performed by a single firm specializing in wetlands work, with demonstrated success in wetland mitigation projects.

D. <u>Submittals</u>

The General Contractor shall submit the following information (as listed in 1. through 4.) for approval within ten working days following the date in the Notice to Commence Work:

1. Subcontractors. Subcontractors proposed for landscaping and associated restoration and site work must be approved by the Engineer prior to start of work. The Contractor shall submit at least three (3) alternative Subcontractors to the Engineer for review and approval. The Subcontractors proposed shall be evaluated on the following criteria, prioritized in descending order:

- The Contractor shall submit a minimum of three (3) a. projects similar in scope and type (i.e., location, size, cost, client, plant species, time of planting, etc.) within the last five years whereby the Contractor was directly responsible for the installation, restoration and maintenance of native habitats and wetlands. References and xerographic reproductions of photographs of the projects shall be submitted. Projects shall not be more than five years old. Provide client contact person's name and telephone number. Describe any problems encountered during construction and corrective action taken to remedy the problem. Describe any violations issued by NYSDEC or any other regulatory agency. How were the violations resolved. Enclose copies of applicable wetland permits. Provide chronological photos recording the progress of the restoration and/or creation efforts, including preconstruction through completion. Include any required sign-offs from client and provide a list of all plants replaced on site.
- b. Demonstrated capacity to accomplish the work in the required time including qualification of experienced foreman and key personnel.
- c. Experience in digging and transplanting field stock.
- d. Experience with agencies, such as the Department of Parks and Recreation, Central Park Conservancy, the Botanic Gardens, HPD and/or the Port Authority.
- e. Experience with State or Federal Agencies, particularly with experience in conducting mitigation pursuant to USACE or NYSDEC requirements.
- f. Wetland/landscape contractor shall have performed at least three (3) contracts that involved the installation and maintenance of soil erosion and sediment control devices during construction of the project. The projects shall be at least three (3) years old and successful.
- f. Other references or experience deemed appropriate to obtaining approval.
- 2. List of growers/nurseries.

- 3. Certified arborist or nurseryman, experienced in tree pruning and removal.
- 4. List of all materials and certificates specified within this Item.

The General Contractor shall submit the following information (as listed in 5 through 8) prior to construction:

5. Certificates:

- a. All necessary State, Federal and other inspection certificates as may be required by law.
- b. Two (2) copies to the Engineer of manufacturers' or vendors' certified analysis for soil treatments and fertilizer materials shall be submitted with samples.
- c. Certification and guarantee that all plant material is true to name and in conformance with these specifications.
- d. The invoice or a written statement showing the size and grade of materials received or shipped, together with the source and health of the plant material and verification that balled and burlapped plants were sprayed with an anti-desiccant within 48 hours prior to digging. No plants shall be accepted that have been collected from property other than that owned or leased by a nursery.
- e. Certification that all herbaceous plant material was grown from seed or stock collected from locally adapted ecotypes within a one-hundred mile radius of the project site.
- f. Certificates from seed vendors: certified statement for each seed mixture required, stating botanical and common name, percentage by weight and percentages of purity, germination, and weed seed for each species.
- 6. Planting Schedule. Submit proposed planting schedule within one month of official Notice to Commence Work, indicating dates for each type of landscape work during normal seasons and as specified in the Contract for such work in area of site. Included shall be a schedule of nursery visits for the Restoration Specialist to tag plant material. Correlate from date of substantial completion. Once accepted, revise dates only as approved in writing by the Engineer, after documentation of reasons for delays.

- 7. List of equipment, methods of operation, and maintenance plan, including methods for protection of existing vegetation.
- 8. Manufacturer's Literature. Manufacturer's literature for all materials furnished shall be submitted with samples of same.
- 9. The Contractor is required to perform a separate germination test on the seed mixes to be used on this project prior to submitting the seed mix and supplier. The results of the germination test shall be included in with the information submitted to the Engineer for review and acceptance six (6) weeks prior to seeding. The Contractor is advised that these tests can run two-months or more and should be prepared to have these tests completed in sufficient time for the next seeding season. Seed shall conform to all applicable state and federal regulations and to test provisions of the Association of Official Seed Analysts. There shall be no exceptions.
- 10. The Landscape Subcontractor shall submit a watering and weeding plan and maintenance schedule prior to the installation of plant material, to be approved by the Engineer with consultation from the Restoration Specialist. The plan shall include proposed methods of watering and weeding, including but not limited to tree gators (bags), sprinklers, drip hoses, irrigation, tanker vehicles and hand watering, etc., as well as manual weeding and weeding tools. No additional payment will be made for watering and weeding during installation and during the three year guarantee period.

The approved plan and schedule do not relieve the Contractor in any way from any aspect of the replacement of dead plant material. The Landscape Subcontractor may alter the maintenance schedule based on weather and field conditions.

- 11. The Contractor shall submit a sequence of construction for work to the Engineer and DEP Representatives for approval. The proposed sequence of work shall conform with any Special Conditions stated in any USACE Permit or NYSDEC Permit specific to this project.
- 12. Final planting plan, based on the post-excavation field topographic survey, including location of actual planting areas and densities for each ecological community, sediment control fence, and other required work.
- 13. Sediment control fence and goose exclusion fencing plan layout and details illustrating fence height, location of posts.

<u>DIVISION VII - DETAILED SPECIFICATIONS -</u> CONTRACT SE-851

- 14. Submit a monitoring plan that meets the requirements of Section 7.404-A.G. The monitoring plan shall include hydrology, vegetation, and soils monitoring to document that the mitigation and restoration areas meet the criteria established in the USACE 1987 Wetland Delineation Manual. An action plan for addressing failures or deviation from goals shall also be included. The monitoring plan shall also satisfy the following specific requirements:
 - a. The National Wetlands Mitigation Action Plan (December 2002).
 - b. Compensatory Mitigation Guidelines and Mitigation Checklist for Review of Mitigation Plans, USACE, New York District, 2004, Section I Monitoring Plan and Report, and Section J Maintenance and Adaptive Management Plan.
 - c. New York State Salt Marsh Restoration and Monitoring Guidelines. NYSDEC, December 2000, Section 7 Salt Marsh Restoration Recommended Monitoring Plan.
 - d. The monitoring plan shall conform with any Special Conditions stated in any USACE Permit or NYSDEC Permit specific to this project.

E. <u>Product Delivery, Storage and Handling</u>

- 1. Delivery of Materials:
 - a. Packaged Materials. Deliver packaged materials in unopened bags or containers, each bearing the name, warranty, and trademark of the producer and the composition, analysis and the weight of the material. Contractor shall notify Engineer 48 hours in advance of delivery of all plant material.
 - b. Trees and Plants. The Contractor shall provide trees and plants of the stock type and quantities shown on the Contract Drawings. Do not prune prior to delivery unless otherwise approved by the Engineer. Do not bend or bind-tie trees or plants in such a manner as to damage bark, break branches or destroy natural shape. Provide protective covering during delivery, and insure that all balled and burlapped stock,

container stock, tube stock, and/or bare root material is handled properly and is not dropped.

- c. All plant materials shall be protected from drying out and from wind damage during delivery.
- d. The Contractor shall deliver trees and plants after preparations for planting have been completed and plant immediately. If planting is delayed more than 6 hours after delivery, set trees and plants in shade, protect from wind, weather and mechanical damage, and keep roots moist by covering with mulch, burlap or other acceptable means of retaining moisture. Water as necessary.
- e. The Contractor shall not remove container grown stock from container until planting time.
- f. Material should be planted in the ground immediately after delivery to site. Plants should be covered with damp-not wetleaf compost while awaiting ground installation. Do not allow the plants to dry out or freeze.
- g. Fertilizer delivered to the job site shall be in original, unopened containers bearing the manufacturer's chemical analysis and essential information. Fertilizer containers shall be protected from exposure to precipitation and direct sunlight.
- h. All materials shall be stored in upland areas that are protected from weather.
- i. Seeding:
 - 1. Seed shall be clean and fresh and delivered to the site in the original, unopened bags showing the net weight, composition of mix, suppliers name and guarantee of analysis. Seed shall be delivered and stored in original unopened packages, kept dry, and not opened until needed for use. Damaged or faulty packages shall not be used and will be rejected. Seed shall have been harvested for planting in the current growing season, and shall have been packed within the last 9 months.
 - 2. All seed shall be interagency certified under the auspices of a State Seed Improvement Cooperative and shall bear theirs

seals of certification on each 50 pound bag. Permanent seed shall be 75% pure live seed minimum.

- 3. Seed materials will be inspected by the Engineer upon arrival at the job site and prior to planting. Any materials not in compliance with specifications will not be accepted and shall be removed from the job site immediately.
- 4. All seed materials shall be protected from drying out and from wind damage during delivery.
- 5. Furnish seed in sealed, standard containers with germination and purity percentages clearly labeled.
- j. Plant Material: Provide healthy, vigorous growing specimens exhibiting uniform growth and form characteristic of their species that satisfy the project specifications. Plants shall be free of chlorosis, yellowing, blemished or damaged parts.
- k. Label all flats of plants and all separate plants with a securely attached waterproof tag, bearing legible designation of botanical and common name, written with waterproof ink.

1. Storage of Materials

- a. Store and cover materials to prevent deterioration. Remove packaged materials which have become wet or show deterioration or water marks from the site and replace at no additional cost to the City.
- b. Seed that is wet or moldy or that has been otherwise damaged in transit or storage shall be replaced at no additional cost to the City.

F. <u>Job Conditions</u>

Terrestrial and Wetland Zone Plantings: Unless otherwise directed by the Engineer, evergreen material shall be planted and transplanted from April 1st to May 15th and from September 1st to October 15th. Deciduous material shall be planted and transplanted from March 15th to May 15th and from October 15th to December 1st. Container-grown herbaceous material shall be planted and transplanted from March 15th to May 30th and from September 1st to November 1st (SEE PLANTING SCHEDULE). Perform

actual planting when conditions are suitable. No plant material shall be planted when the ground is frozen or in excessively moist condition. All material labeled as fall planting hazard shall be installed during the spring only. Notify the Engineer before proceeding with any planting operations.

Wetland Plantings:

- 1. Time of Planting and Transplanting. All wetland plantings shall be installed in time frames indicated under the above Terrestrial and Wetland Buffer Zone Planting section. Perform actual planting when conditions are suitable. No plant material shall be planted when the ground is frozen or in excessively moist condition. Notify the Engineer before proceeding with any planting operations.
- 2. The Contractor shall proceed with and complete landscape work as rapidly as portions of site become available, working within seasonal limitations for each kind of landscape work required.
- 3. Utilities. The Contractor shall determine location of underground utilities and perform work in a manner which will avoid possible damage. Hand excavate, as required. Maintain grade stakes set by others until removal is approved by the Engineer.
- 4. Excavation. When conditions detrimental to plant growth are encountered, such as rubble fill, adverse draining conditions, or obstructions, notify the Engineer.
- 5. Preservation and Restoration of Existing Trees and Shrubs.
 - a. In order to avoid surface and subsurface root damage and soil compaction, the Contractor shall not be permitted to stockpile materials of any nature under the drip line of existing trees and shrubs. This directive shall apply to all areas within or outside the Contract limit line.
 - b. The Contractor shall assume the responsibility for any remedial work such as root and top pruning required and/or necessary to prevent loss of plant material when this article is violated or when trees or shrubs are injured by construction equipment.
 - c. Compensatory pruning and fertilizing of existing trees and shrubs shall be performed to compensate for damage of roots incurred. Fertilize in areas around undamaged roots only and

not adjacent to the trunk or main stem. Fertilizer shall be applied in the fall unless otherwise approved by Engineer.

- d. Tree pruning shall be performed in accordance with NYCDOT Standard Highway Specification Section 4.18.
- e. No separate payment will be made for fertilizing and pruning of trees and shrubs in stockpile areas or when trees or shrubs are injured by construction equipment, but the cost thereof will be deemed to be included in the various prices bid for the items for which such pruning and fertilizing are necessary.
- f. No existing trees, shrubs or herbaceous plants shall be removed, except as specifically required by this Contract or as specified on Contract Documents, or as specifically approved in writing by the Engineer.
- g. Any areas or items of existing landscape which are removed or damaged shall be replaced by the Contractor at no additional cost to the City. The Contractor shall match the existing condition prior to damage or as directed by the Engineer.
- h. All existing landscape features including trees, shrubs, perennial, meadows, lawns, wetlands, paving, walls, stairs, etc. shall be protected by the Contractor, utilizing methods approved by the Engineer prior to start of work.

G. Guarantee

- 1. Landscape Guarantee and Replacements
 - a. Guarantee. All landscaping work shall have a replacement guarantee for a period of three (3) years beginning at the date of acceptance of the Landscaping work or the date of substantial completion, whichever is later, and shall be considered as included under monies shown within the guarantee provisions of Schedule A.
 - b. Operations. The Contractor shall, for a period of three (3) years, cultivate, weed, mulch, prune, and water all trees, shrubs, herbaceous plants, vines permanent seeded areas under this Contract, to the satisfaction of the Engineer. The Contractor shall replace, according to the original

specifications, any plant material which is dead or in a dying condition at the request of the Engineer. The Engineer shall be the sole judge as to the condition of the plants. The guarantee and maintenance applies to all planted and grassed areas, meadows, paved and other landscaped areas.

c. Replacement. Any plant material that is dead or not showing satisfactory growth, as determined by the Engineer, shall be promptly removed and replaced by the Contractor during normal planting season specified in Section 7.401.2F. Initial replacement of dead material and the repair of bare areas will take place one year following the acceptance of plant material. The replacement shall be of the same variety, size and character as specified for the original planting. Unless a written waiver of this clause is issued, under the terms of the guarantee, replacement plants shall be chosen only by the Engineer.

At the end of the guarantee period, and upon written request, an inspection will be made by the Engineer. If mortality exceeds ten percent or if bare areas occur, the Contractor shall replace plant material.

H. <u>Materials</u>

1. Clean Sand

- a. Sand from site stripping shall be used if the material meets specifications listed in 7.418. A material test(s) shall be made at Contractor's expense to determine if the specifications for all the tests listed in (7.418) have been met. A material test shall be required and shall serve as a representative analysis for every 200 cubic yards of material utilized.
- b. Additional clean sand shall be furnished from sources off the Contract site. Material shall comply with the requirements of Specification section 7.418.

2. Fertilizer

a. Fertilizer shall be provided as indicated on the Contract Drawings: Osmocote, granular, slow-release in the specified time frame releases and analyses. Fertilizer shall be furnished in standard containers, with name, weight and

[SE-851]

<u>DIVISION VII - DETAILED SPECIFICATIONS -</u> CONTRACT SE-851

guarantee analysis of contents clearly marked thereon. Appropriate containers to disperse specified amounts of fertilizer into planting holes shall be supplied and used by the Contractor.

3. Plant Material

- a. The Contractor shall furnish all plant material shown. Plant material must be true to name and size and conform with the following standards:
 - i. American Joint Committee on Horticultural Nomenclature, Standardized Plant Names (Published by Mount Pleasant Press J. Horace McFarland Company, Harrisburg, PA.).
 - ii. American Association of Nurseryman, "Horticultural Standards" (Published by American Association of Nurserymen, Inc., 635-636 Southern Building, Washington, D.C.).
- b. Nursery grown plants shall mean plants propagated by seed, division, tissue culture or cloned from existing stock at a nursery, which are healthy, vigorous plants, cultivated in accordance with sound horticultural practice. All plants shall be nursery grown unless collected from natural areas owned or leased for that purpose by the nursery. All plants shall have been grown under the same climatic conditions as those of the planting site. All herbaceous plants shall come from seeds or stock collected within a one-hundred mile radius of the project site. Only those nurseries within a 250-mile radius of the planting site will be accepted as plant sources. In some cases plant material may be obtained outside the 250-mile radius on a case-by-case basis.
- c. All plants and all balled and burlapped plants shall be freshly dug; neither heeled-in nor plants from cold storage will be accepted. All plants shall have been transplanted or root pruned at least once in the past three years.
- d. All plants shall conform to the measurements specified in the plant list on the Contract Drawings. All plants shall be typical of their species and shall have a normal, healthy habit of growth and be of first quality, sound, vigorous, well-branched and densely foliated. Plants that meet the requirements specified in the plant list, but that do not

possess a normal balance between height and spread will not be accepted. No damaged or diseased plants will be accepted.

Plug Stock Plants: Provide plug stock plants grown in an approved nursery in accordance with good horticultural practice, with healthy root systems developed by transplanting or root pruning. Plug stock shall be grown in 2-inch cavity trays. Tidal plug stock plants shall be acclimated in the nursery to salinity levels between 15 and 25 ppt for a period of not less than two (2) weeks prior to installation. Plugs shall be propagated and grown in cells and not as bare root stock or as bedded plants. The extracted root system shall conform to the shape and dimensions of the growing cells without sloughing soil or growth media as determined by on-site inspection. Materials not conforming to the dimensions of the cell may be rejected without compensation to the Contractor. The extracted root system of the plugs shall have the majority of the roots in the vertical orientation. Roots shall be white in coloration and firm to the touch. Roots shall not have a strong sulfide odor (rotten egg smell) or be black in color. If the horizontal roots are thick and flattened and the roots stays in a thick net shape of the original cell when the media is shaken loose, the plant may be determined to be "pot bound" and shall be rejected without compensation to the Contractor. Species shall be as shown on the Contract Drawings.

4. Mulch

Mulch shall be organic mulch free from deleterious materials and suitable for top dressing of trees, shrubs or plants and shall be shredded hardwood bark, decayed hardwood chips, leaf mold, pine straw, partially decayed leaves, cottonseed hulls, peanut hulls or other organic products. Mulch must be aged at least one year, should not contain elm wood chips, or be from diseased trees. No shredded bark pieces shall be greater than 3" in length and 3" in width. Mulch for seeded areas shall be clean, seed-free salt hay. Mulch shall be free of roots or other parts of invasive exotic plants that may take root in restored area. Mulch shall be stabile and stability proven either by CO2 evolution test or C:N ratio.

5. <u>Temporary Seed Mixtures</u>

<u>DIVISION VII - DETAILED SPECIFICATIONS –</u> CONTRACT SE-851

Soil stockpiles and cleared and graded areas shall receive oat seed (avena sativa) for temporary stabilization as required during the spring and summer months. Areas requiring temporary stabilization after August shall be seeded with certified "Aroostook" winter rye.

6. Permanent Seed Mixture

Seed mixture shall be as specified on the Contract Drawings unless otherwise directed by the Engineer.

Nurse/Cover seed for the permanent seed mixture shall consist of oats (Avena sativa) during spring seeding season and certified "Aroostook" winter rye (cereal rye) during fall seeding season. Nurse/cover seed shall be added to the permanent seed mix at a rate of 15 lbs per acre or 0.35 lbs per 1,000 sq. ft..

7. Erosion Control Mat (Blanket)

The erosion control fabric utilized at BMPs and shown on the Contract Drawings shall conform to Detailed Specification 7.407-A.

I. Execution

<u>Installation/Application/Performance for Terrestrial and Wetland Zone</u> Plants

1. Workmanship. The Contractor shall complete all work in the best manner, so that the work as a whole is of uniform quality and appearance. The Contractor shall conform to the requirements specified hereafter.

2. Preparation.

- a. Areas described and shown on plans shall be rough graded with suitable local fill to (maximum) four (4) inches below the finished surface, fine graded, prepared for planting and landscaped.
- b. Subgrade shall be kept free of masonry, concrete, metal waste materials, and debris.
- c. Remove stones over 1-1/2 inches in any dimension, as well as sticks, rubbish and other extraneous matter.

- d. The planting beds and pits shall be worked up well, and shall be free of other vegetation and large clods of soil.
- e. Apply fertilizer at rate specified in Contract Drawings during planting and seeding operations.
- 3. <u>Delivery</u>: Plants shall be packed, transported, and handled with utmost care to insure adequate protection against injury. When transported in closed vehicles, plants shall receive adequate ventilation to prevent sweating. When transported in open vehicles, plants shall be protected by tarpaulins or other suitable cover material. All bare root plants shall be adequately protected from drying out and immediately after inspection shall be heeled in moist soil. Balled and burlapped plants shall be set on the ground and the ball covered with soil. Until planted, all material shall be properly maintained and kept adequately moist, to the satisfaction of the Engineer.
- 4. <u>Inspection</u>: Inspection may be made before digging if the Engineer directs, but no plant material shall be planted by the Contractor until inspected by the Engineer at the site of the work. Plant material will be rejected if delivered with broken or damaged root balls, or if damaged on site by rough handling. All rejected material shall be immediately removed from the site and replaced with acceptable material at no additional cost to the City. Final inspection shall be made upon completion of the Contract.

5. Installation.

- a. Planting Operations.
 - 1. Layout: All trees, shrubs and herbaceous shall be laid out in random and naturalistic arrangements, as specified in the Contract Drawings unless otherwise directed by the Engineer. All plant and planting area locations shall be staked prior to planting by the Engineer. Place no plantings within two (2) feet of pavements or structures, unless otherwise indicated.
 - 2. Loosen sand to a depth of six (6) inches. Loosen sand with rototiller, backhoe or discer. The soil-loosening operation shall be conducted in such a way as to back its way out of the site. After this, no more heavy machinery shall be allowed on the planting beds.

<u>DIVISION VII - DETAILED SPECIFICATIONS - CONTRACT SE-851</u>

- 3. Rototill/cultivate soils to a depth equal to the depth of the root ball and two times the diameter of the root ball. Set the tree/shrub on the undisturbed solid ground in the center of the area.
- 4. Obstructions below ground: Remove any rock, rubble, masonry, concrete, metal, stones over one inch or other underground obstructions to the depth necessary to permit proper planting.
- 5. Disposal: Remove and dispose of all excess excavations and unsuitable materials. Dispose in accordance with all local laws and regulations at Contractor's cost.
- 6. Plant Beds: All plant material shall be planted in clean sand.
- 7. Bare root material shall be adequately protected from drying out and immediately heeled in after inspection. The bundles of heeled-in plants shall be set upright on the ground, covered with mulch, and kept adequately moist until the time of installation. Until the time of planting, all plant material shall be stored in an approved location, securely fenced and maintained, to the satisfaction of the Engineer, at no additional cost to the City. All plants not planted immediately shall be watered as necessary to maintain optimal health until planting.
- 8. Setting Plants: Plant all plants to the same depth as their place of growth, unless otherwise directed. Center the plants in their planting pits. Set in the natural upright position at such a level that, after settlement, a normal or natural relationship of the crown of the plant with the ground surface shall be established. Be careful not to exert any pressure that will damage any portion of the plant.
- 9. Avoid compacting the sand. Do not leave plants exposed to sun or wind prior to planting. Take special care to avoid desiccation of fibrous-rooted plants.
- 10. The Contractor shall be liable for any damage to property caused by planting operations and the

Contractor shall, without any additional cost, restore to original condition or replace all trees, plant beds, lawns, meadows and all construction disturbed or damaged in performing the work of this Contract.

6. Method of Work. Submit a list of proposed methods of execution of work under this section for review by the Engineer when proposed methods are different from, or supplementary to, those specified herein.

J. <u>Temporary Seed Mixture</u>

- 1. Soil stockpiles shall be seeded with a temporary seed mixture if they will be in place for greater than 30 days. Cleared and graded areas shall also be seeded with a temporary seed mixture to temporarily stabilize them, if they will not be landscaped or planted (final) for more than 30 days. A temporary seed mixture shall be used to stabilize stockpiles and portions of the site where construction activities have temporarily or permanently no more than 7 days after the construction activity in that portion of the site has temporarily or permanently ceased. This requirement does not apply if earth-disturbing activities will be resumed within fourteen (14) days.
- 2. Seed mixture Temporary seeding shall be oat seed (Avena sativa) at a rate of 30 lbs per acre or 0.7 lbs per 1,000 sq. ft. If area is seeded during months of September through November, certified "Aroostook" winter rye (cereal rye) shall be used at a rate of 50 lbs per acre or 1.25 lbs per 1,000 sq. ft.
- 3. If temporary seeding is not made within 24 hours of construction/disturbance, the soil must be scarified prior to seeding.
- 4. Method of seeding seed shall be evenly applied with broadcast seeder, drill or cultipack seeder.
- 5. If temporary seeding is made under favorable soil and site conditions during the optimum seeding dates (April 1 June 1 or September 1 October 15) mulch is not required. Any temporary seeding outside of those dates shall be hydroseeded with a mulch binder. Binder shall be a cellulose or non-asphaltic emulsion, natural gum binder blended with gelling or hardening agents. A wood fiber mulch shall also be added to the binder for improved stability. Terratack, as manufactured by Reinco, Inc., Hydrobond by JRM Chemical, Inc, Dustout by DustoutUS, or equivalent as approved by the engineer, shall be used. Alternatively, the temporarily seeded

<u>DIVISION VII - DETAILED SPECIFICATIONS - CONTRACT SE-851</u>

area can be mulched with a straw of oat or wheat stalks (not hay) applied at a rate of 2 tons per acre (100 - 200 bales / acre) uniformly distributed over the sown seeds and held in place through the use of a straw crimper.

6. Any area with fail to establish vegetative cover adequate to prevent rill erosion will be reseeded as soon as such areas are identified.

K. Permanent Seed Mixture

- 1. Seed materials shall be inspected by the Engineer upon arrival at the job site and prior to planting. Any materials not in compliance with specifications shall not be accepted and shall be removed from the job site immediately.
- 2. All seed materials shall be protected from drying out and from wind damage during delivery.
- 3. All areas shown to receive seed on Contract Drawings and all areas which are disturbed and not planted shall be seeded.
- 4. Seedbed Preparation Scarify all compacted areas and remove all debris and obstacles such as rocks and stumps.
- 5. Do not broadcast seed by mechanical application when the wind velocity is such as to prevent uniform seed distribution.
- 6. Apply seed at the rate(s) specified on the Contract Drawings.
- 7. Time of Seeding Permanent seeding shall be done within 15 days of final construction activities. Optimum seeding times are in the spring from April 1 June 1 and in fall from September 1 October 15. If construction is completed during mid-summer, seeding may be done if watering will be provided.
- 8. Method of Seeding Seed shall be broadcast by hand or mechanically using a drop-hopper. Seeds shall be blended thoroughly with a sand filler and uniformly broadcast over the entire area then gently hand raked 1/8 to ½ inch into the soil.
- 9. Following the seeding operation, 10-10-10 fast release fertilizer shall be broadcast at a rate of 400 lbs/acre throughout the seeded area by hand or mechanically using a cyclone broadcaster. Seed shall be watered as recommended by the seed manufacturer to achieve specified growth coverage.

- 10. Seeded areas shall be covered with ECS-1B single net straw biodegradable rolled erosion control product furnished by East Coast Erosion Blankets, 443 Bricker Road, Berryville, PA 19056, (800) 582-4005 or approved equal. Alternatively mulching straw of oat or wheat stalks (not hay) shall be applied at a rate of 2 tons per acre (100 200 bales / acre) uniformly distributed over the sown seeds and held in place through the use of a straw crimper.
- 11. Seeding shall be deemed acceptable when 85% coverage of the seeded area with the seeded species has been achieved. Any area not meeting this requirement shall be reseeded with the original seed mix.
- 12. Areas seeded with temporary cover grass shall be rototilled and/or harrowed prior to seeding with permanent seed mix during the allowed time period.

L. <u>Final Acceptance</u>

Plants must be thriving. Planting beds must be evenly mulched and free of invasive nonnative plant species. Paving/landscape interface must be a smooth, crafted transition free from defects such as gaps, sharp edges or sudden level changes.

M. Final Cleanup

At time of final inspection of work, and before final acceptance, clean any paved areas that are dirty or stained due to work of this Section by sweeping or washing, and remove any defacements or stains. Remove construction equipment, excess materials and tools. Remove from site any debris and dispose of off-site, in accordance with all local laws, and at the Contractor's expense. The Contractor shall also cut all perimeter grass and weeds before final acceptance.

N. Wetland Plantings:

1. Installation

The Contractor shall complete all work in the best manner, so that the work as a whole is of uniform quality and appearance. The Contractor shall conform to the requirements specified hereafter..

<u>DIVISION VII - DETAILED SPECIFICATIONS -</u> CONTRACT SE-851

- a. At the elevations described and shown on the plans, the areas shall be fine graded, prepared for planting and landscaped.
- b. Subgrade shall be kept free of waste material and debris. Subgrade shall be compacted prior to sand application at the Engineer's direction. No clean sand is to be placed until the subgrade is approved by the Engineer.
- c. Remove stones over 1-1/2 inches in any dimension, as well as sticks, rubbish and other extraneous matter.
- d. The planting areas shall be worked up well, and shall be free of other vegetation and large clods of soil.
- e. For planting beds, spread clean sand fill to a minimum depth required to meet lines, grades and elevations shown on the Contract Drawings, after light rolling and natural settlement.
- f. Install erosion control mat.
- g. Apply fertilizer at rate specified in Contract Drawings and specified herein during planting and seeding operations.
- 2. Spartina alterniflora, Spartina patens and Distichlis spicata shall be planted at 1.5 foot on center spacings.
 - a. An auger shall be used to develop planting hole with bit slightly larger than plug stock.
 - b. The depth of auger placement shall allow for easy plant placement to match the base of plant with the surrounding grade while limiting formation of air pockets beneath planting hole.
 - c. Prior to placement of plant plug, add one (1) ounce of fertilizer to bottom of planting hole.
 - d. Insert plant in hole with root system oriented downward. While the plant is in this position, the soil profile shall be fully and firmly closed with an appropriate hand tool.
 - e. Once the soil is closed, firm foot pressure shall be applied in several positions immediately adjacent to the plantings to ensure good soil and plant contact, and to remove any air pockets and voids.

f. If a soil depression is formed above or immediately adjacent to the planting location, enough soil shall be sloughed from the surrounding area and firmly tamped, but not compacted, into the depression to leave the planting area at the same elevation as the surrounding soil or slightly higher.

2. Erosion Control Blankets

- a. Center a blanket in the bottom of the wetland area and anchor the erosion control blankets in a minimum 8" x 8" slot using five evenly spaced staples. Unroll blankets carefully in the direction of water flow, being careful to place blankets loosely and in full contact with the soil.
- b. Overlap blanket edges approximately 4" with downstream edges over upstream edges.
- c. Staple blankets using approximately 3 staples per square yard.
- d. Overlap blanket ends 6" in a minimum 8" x 8" check slot, upper blanket over lower blanket and staple using five evenly spaced staples.
- e. Cut excess blanket with scissors and anchor at the entrance to the weir/micro pool in a minimum 8" x 8" check slot with five evenly spaced staples.
- f. Blanket shall not float or bubble anywhere after wetland is inundated with water.

3. Planting Operations

- a. Layout: All plants shall be laid out in random and naturalistic arrangements, as specified in the Contract Drawings unless otherwise directed by the Engineer. All plant and planting area locations shall be staked prior to planting by the Engineer. Place no plantings within two (2) feet of pavements or structures, unless otherwise indicated.
- b. When planting containerized wetland plants, care shall be taken so as not to set the plants in water where there is in excess of 3" 4" of water between the top of plant and the water surface. When planting dormant wetland plants, care shall be taken so as not to set the plants in water where there

<u>DIVISION VII - DETAILED SPECIFICATIONS - CONTRACT SE-851</u>

is in excess of 12" - 14" of water between the top of plant and the water surface.

- c. When planting containerized or tube wetland plants, care shall be taken so to set the plants in the water regime noted on the Contract Drawings plant schedule.
- d. Rototill/cultivate soils to a depth equal to the depth of the root ball and two times the diameter of the root ball. Set the tree/shrub on the solid ground in the center of the area.
- e. Obstructions below ground: remove any rock, rubble, masonry, concrete, metal, stones over one inch in diameter or other underground obstructions to the depth necessary to permit proper planting.
- f. Disposal: Remove and dispose of all excess excavations and unsuitable materials. Dispose in accordance with all local laws and regulations at Contractor's cost.
- g. Plug stock plants shall be removed from tube entirely and without damage. Plugs shall have solid soil/root masses with the soil in place. Roots must appear clean and white in coloration. If plug is root-bound or can be easily pulled from tube, plant shall be rejected. Plug shall be installed in hole perpendicular with root collar and even with the surrounding grades. Plant to be firmed in to remove air pockets, then watered to full saturation.

O. Measurement and Payment

The quantity to be measured for payment under this section shall be the total amount of trees, shrubs, herbaceous plants and seeded areas furnished, planted and maintained.

The contract price per unit for Landscaping Work shall be as indicated on the BID SCHEDULE OF PRICES Item Nos. BMP-7.401-I and BMP-7.401-J inclusive. The price bid shall be a separate unit price per herbaceous plant specified within the Contract Drawings, and shall include the costs of all excavating and preparing planting pits and beds, adding soil amendments, furnishing plants, digging, inspecting, planting, pruning, staking, guying, anchoring, wrapping, mulching, fertilizing, furnishing seed, seeding, liming, discing, raking, tilling harrowing, mowing, material, and maintaining all plant material and seeded areas. The price bid shall also include the costs of all rough and fine grading, all specified soils necessary

and required for the satisfactory completion of all landscaping work and all other work incidental thereto in accordance with the plans and specifications to the satisfaction of the Engineer.

The contract price per square foot of seeding shall be as indicated on the BID SCHEDULE OF PRICES Item No. BMP-7.401-I.

PLANT MATERIAL SUMMARY FOR LANDSCAPING WORK

<u>Item</u> <u>Description</u>

BMP-7.401-I inclusive Seeding


BMP-7.401-J inclusive Herbaceous Plants – Plugs

A6-47

4/15/15

Division VII - Detailed Specifications - Contract Landscaping and Restoration Work

Terrestrial and Wetland Zone Planting, Transplanting and Seeding Schedule



7.402 <u>NOT USED</u>

7.403 <u>NOT USED</u>

7.404-A RESTORATION SPECIALIST (CONSTRUCTION MONITOR)

A. <u>Description of Work</u>

The Contractor is advised that the portions of work within this Contract pertaining to the construction of the BMP's and all other work in the project area shall require the supervisory expertise of a Restoration Specialist. The Restoration Specialist shall supervise all restoration work performed by the Contractor and his/her Subcontractors for the duration of the project, in accordance with the plans, specifications and directions of the Engineer, ensuring that existing low and high marsh areas outside the limits of silt fence are not impacted.

The Restoration Specialist shall also be responsible for overseeing the implementation of the project's soil erosion control plan. In addition, the Restoration Specialist shall be cognizant of all conditions of the NYSDEC freshwater wetlands permit for the project, as they relate to work in the wetlands. Furthermore, the Restoration Specialist shall be responsible for overseeing all installation of plant material. The Restoration Specialist shall be responsible for preparing a restoration plan for any property disturbed by sanitary or storm sewer construction. The Restoration Specialist shall report to the NYCDDC, as represented on-site by the Engineer. The qualifications of the Restoration Specialist shall be approved by the NYCDDC and on-site prior to the start of any work.

B. <u>Qualifications</u>

The Restoration Specialist utilized to perform the work required must have performed at least three (3) projects similar in scope and type to the required work in the previous five (5) years. The Restoration Specialist shall be a Registered Landscape Architect or have equivalent professional experience. Prior to the start of work, the Contractor shall be required to submit the names and resumes of at least three prospective candidates to the NYCDDC. The NYCDDC shall approve the qualifications of the prospective candidates or alternatively ask for more choices, if the NYCDDC deems the candidates to be not qualified.

C. <u>Site Monitoring</u>

The Restoration Specialist shall monitor the Contractor's in-place erosion and sediment control devices, including, but not limited to, construction (limiting) fences, siltation fences, staked straw bales, etc., and shall notify the Contractor when maintenance or repair of these devices is necessary. The Restoration Specialist shall monitor related/adjacent construction to

insure that these activities do not adversely impact restoration activities or the success of the restoration work.

D. <u>Restoration Supervision</u>

The Restoration Specialist shall supervise all aspects of the wetland and upland installation including Wildlife Control and removal, in-stream sediment removal work, plant and sod salvage, and perimeter restoration work. The Restoration Specialist shall oversee all landscaping activities including installation of plant material related to the restoration of wetland areas.

E. <u>Design and Design Review</u>

The Restoration Specialist shall prepare, design and review design work as needed during construction. This work shall include but not be limited to the following:

- a. research and prepare design revision/modification drawings,
- b. research and prepare revisions/modifications to detailed specifications,
- c. prepare supplemental field sketches,
- d. review and critique design modification drawings and supplemental drawings.

The Restoration Specialist shall undertake this work when directed by the NYCDDC as represented on-site by the NYCDDC representative, its agent, or the Engineer.

F. Photo Documentation

The Restoration Specialist shall keep a digital photograph log of the project. The photo log will follow the progress of the project, in a clear and understandable progression, and shall incorporate before, in progress and completed photographs of BMP's and natural area restorations within the project. Fixed photopoints shall be used at each site to ensure that before and after photographs are taken from the same location and angle. The photo log will be utilized by NYCDDC for required reports, etc.

The Restoration Specialist shall use a digital camera with a minimum resolution of 4.1 megapixels for use during all phases of the project for photo-documentation purposes. The Restoration Specialist shall assemble

the completed photo log onto CD's and transmit the complete photo log to the Engineer.

G. Monitoring Reports

The Restoration Specialist shall prepare and submit a Monitoring Report to the NYCDDC representative, its agent, or the Engineer following the completion of all planting and associated restoration activities. The Restoration Specialist shall continue to submit an annual Monitoring Report until the guarantee period(s) for the plant material has expired and until the DEC/ACOE permit requirements are satisfied. Six (6) copies of each report submittal shall be required.

The Restoration Specialist shall examine, monitor and report on the various components of the restoration and shall incorporate color photographs, color photocopies, graphs, etc., as appropriate. All information shall be reported in a concise format. The Monitoring Report shall:

- report on all construction activities related to BMP and streambank stabilization,
- report the conditions of the vegetation planted within this Contract,
- quantify survival and cover rates and compare to permit requirements,
- recommend replacement species,
- report observed impacts to existing vegetation,
- report success rates in controlling erosion and sedimentation,
- report voluntary recruitment,
- present recommendations,
- give general commentary for increasing the success of future DDC restoration projects.

H. <u>Measurement and Payment</u>

The quantity to be measured for payment under this section shall be the total number of hours necessary for the supervision of all restoration work within this Contract, site monitoring, design and diagram review, photo documentation, preparation of monitoring reports and completion of the as-

built plans in accordance with the plans, specifications and direction of the Engineer, performed prior to the date of Substantial Completion.

For supplying all labor, materials and equipment necessary for Restoration Specialist, the Contractor shall receive a unit price bid.

The contract price per unit for Restoration Specialist shall be as indicated on the BID SCHEDULE OF PRICES Item No. BMP-7.404-A. The unit price bid shall include the costs for all labor, materials, equipment and incidental expenses necessary or required to complete the work in accordance with the plans and specifications to the satisfaction of the NYCDDC representative, its agent, or Engineer.

No separate or additional payment will be made for work performed in accordance with the requirements of this section during the Maintenance and Guarantee Period specified for the landscaping work. In addition, said work shall be considered a part of the Maintenance and Guarantee and subject to the provisions thereof should the Contractor fail to complete this work as specified.

* * * * *

7.404-B <u>EROSION AND SEDIMENT CONTROL LICENSED/CERTIFIED PROFESSIONAL</u>

A. <u>Description of Work</u>

The Contractor is advised to retain the services of an independent Licensed/Certified professional with practical experience in the principles and practices of erosion and sediment control and Stormwater Management to prepare and certify a site specific Stormwater Pollution Prevention Plan (SWPPP) in compliance with the New York State Department of Environmental Conservation (NYSDEC) State Pollutant Discharge Elimination System (SPDES) General Permit for Stormwater Runoff from Construction Activity, GP-0-15-002, issued pursuant to Article 17, Titles 7, 8, and Article 70 of the Environmental Conservation Law (ECL). The Certified Professional shall be approved by NYCDDC and be present onsite prior to the start of any work.

Within thirty (30) days after the contract is registered, The Contractor shall submit a complete SWPPP and Notice of Intent (NOI) to the New York City Department of Design and Construction (NYCDDC) Infrastructure — Engineering Support Unit for review and comments. The Contractor through his Licensed/Certified Professional shall make all necessary revisions required and resubmit the SWPPP and the NOI for acceptance and signature. Work shall not begin until a permit identification number is issued by the NYSDEC, and an initial inspection is conducted by the Licensed/Certified Professional certifying that the appropriate control measures specified in the SWPPP have been adequately implemented to the satisfaction of the Resident Engineer and the Project Manager of the Engineering Support Unit.

B. Qualifications

The Licensed/Certified Professional employed to perform the required work must have previous experience in work of this nature and in completing the necessary submittals required under this Contract. The Certified Professional shall be a Professional Engineer or a Landscape Architect licensed to practice in New York State, or a Soil and Water Conservation Society Certified Professional in Erosion and Sediment Control (CPESC). Prior to the start of work, the Contractor is required to submit the names and resumes of at least three (3) prospective candidates to the NYCDDC for approval. The NYCDDC shall make a selection or alternatively ask for more choices, if they deem the candidates to be unqualified.

C. <u>Site Monitoring, Inspection and Reports</u>

The Certified Professional shall monitor disturbed areas and the Contractor's in-place erosion and sediment control devices, including, but not limited to, Turbidity Curtain, Silt Fence, Stabilized Construction Entrance, Storm Drain Inlet Protection, Portable Sediment Tanks, and site dewatering measures, and shall notify the Contractor when maintenance or repair of these devices is necessary.

Following the start of construction activities, site inspections shall be conducted by the Certified Professional at least once a week and within 24 hours of rainfall events of 0.5 inches or greater. For construction sites where soils disturbance is greater than five (5) acres at one time, the Certified Professional shall conduct at least two (2) site inspections every seven (7) calendar days and within twenty-four (24) hours of the end of each rainfall event of 0.5 inches or greater. The two inspections shall be separated by a minimum of two (2) full calendar days. Subsequent to each inspection, the Certified Professional shall prepare an inspection report and submit the original to the Resident Engineer and one copy to the Infrastructure-Engineering Support Unit. At a minimum, the inspection report shall include, but not limited to, the following information:

- 1. Date and Time of inspection;
- 2. Name and Title of person performing the inspection;
- 3. A description of the weather and soil conditions (e.g dry, wet, saturated) at the time of the inspection;
- 4. A description of the condition runoff at all points of discharged from the construction site. This shall include identification of any discharges of sediment from the construction site. Include discharges from conveyance systems (i.e. pipes, culverts, ditches, etc.) and overland flow;
- 5. A description of the condition of all natural surface waterbodies located within or immediately adjacent to the properties boundaries of the construction site which receive runoff from disturbed areas. This shall include identification of any discharges of sediment to the surface waterbody;
- 6. Record of any evidence of soil erosion on the site, potential for pollutants entering the drainage systems, problems at discharge points (such as turbidity in receiving water) and signs of soil and mud transport from the site to the public road at the limits of the project;
- 7. Identification of all erosion and sediment control practices that need repair or maintenance;
- 8. Identification of all erosion and sediment practices that were not installed properly or are not functioning as designed and need to be reinstalled or replaced;

- 9. Description and sketch of areas with active soil disturbance activity, areas that have been disturbed but are inactive at the time of the inspection, and areas that have been stabilized (temporary and/or final) since the last inspection;
- 10. Current phase of construction of all post-construction stormwater management practices and identification of all construction that is not in conformance with the SWPPP and technical standards;
- 11. Corrective actions that must be taken to install, repair, replace or maintain erosion and sediment control practices; and to correct deficiencies identified with the construction of post-construction stormwater management practices;

12. Identification and status of all corrective actions that were required by previous inspection;

- Digital photographs, with date stamp, that clearly show the condition of all practices that have been identified as needing corrective actions. The Qualified Inspector shall attach paper color copies of the digital photographs to the inspection report being maintained onsite within seven (7) calendar days of the date of the inspection. The qualified inspector shall also take digital photographs with date stamp, that clearly show the condition of the practice(s) after the corrective actions has been completed. The qualified inspector shall attach paper color copies of the digital photographs to the inspection report that documents the completion of the corrective action work within seven (7) calendar days of that inspection.
- 14. Within one business day of the completion of an inspection, the Qualified Inspector shall notify the Contractor and the Resident Engineer of any corrective actions that need to be taken. The Contractor shall begin implementing the corrective actions within one business day of this notification; and
- 15. All the inspection reports shall be signed by the Licensed Professional.

The Contractor shall retain a signed copy of the General Permit GP-0-15-002, NOI, SWPPP, signed MS4 SWPPP Acceptance form, NOI Acknowledgment Letter and all original inspection reports required by this general permit at the construction site in a prominent place for public viewing from the date of initiation of construction activities to the date of final stabilization and the Notice of Termination (NOT) has been submitted to the NYSDEC. These documents must be made available to the permitting authority upon request. Prior to starting construction, the Contractor shall certify in the site logbook that the SWPPP was prepared in accordance with the requirements of the permit and it meets all federal, state and local erosion and sediment control requirements.

In addition, the Contractor and Subcontractors shall identify at least one person who is an employee of the company that will be responsible for a day to day implementation of the SWPPP. The name and telephone number of this person should be listed in the SWPPP. This person shall be known as the Trained Contractor and shall have received a DEC-endorsed four (4) hours of Erosion and Sediment Control training. After receiving the initial training, the Trained Contractor shall attend a four (4) hours training every three (3) years. The Contractor shall ensure that at least one Trained Contractor is on site on a daily basis when soil disturbance activities are being performed.

Performing implementation of a SWPPP on a permitted construction project without a Trained Contractor on site daily is a violation of Part III.A.6 of the SPDES General Permit. Stormwater controls must be maintained in good operating condition until all disturbed soils are permanently stabilized. Control devices in need of repair should be repaired promptly after identification.

Prior to filing of the Notice of Termination (NOT), or at the end of the permit term, the Contractor shall have the Licensed Professional perform a final site inspection. The Licensed Professional shall certify that the site has undergone final stabilization using either vegetative or structural stabilization methods and that all temporary erosion and sediment controls (such as silt fencing) not needed for long term erosion control have been removed. Subsequently, the Contractor shall submit a complete NOT to the Engineering Support Unit to terminate the permit coverage.

Additionally, the Licensed Professional must identify all permanent Stormwater management structures that have been constructed, and provide the owner(s) of such structures with a manual describing the operation and maintenance practices that will be necessary in order for the structures to function as designed after the site has been stabilized.

The Licensed Professional must also certify that the permanent structures have been constructed as described in the SWPPP.

D. <u>Contractor's Liability</u>.

The Contractor shall be liable for any discharge that either causes or contributes to a violation of water quality standards as contained in Parts 700 through 705 of Title 6 of the Official Compilation of Codes, Rules and Regulations of the State of New York. Should any storm water runoff from the site violate the water quality standards, the Contractor will be directed to take immediate steps, at his own expense, to rectify the situation and prevent any further sediment from entering the storm sewer system.

ADDENDUM NO.6 [SE-851]

<u>DIVISION VII - DETAILED SPECIFICATIONS – CONTRACT SE-851</u>

In the event that pollutants are discharged to the storm water system due to the Contractor's negligence, the Resident Engineer will direct the Contractor to cease any or all construction activities contributing to the release of these pollutants. The Contractor shall be held responsible, at his own cost, for any and all necessary actions to remedy the damage.

Furthermore, failure of the Contractor and Sub-contractor(s) to strictly adhere to any permit requirements shall constitute a permit violation that could result in substantial criminal, civil, and administrative penalties.

It is the Contractor's responsibility to pay all the SPDES permit fees which shall consist of the yearly regulatory fee, the initial authorization fee per acre of land disturbed and per acre of future impervious area. The Contractor shall be liable for all penalties incurred due to his failure to pay these fees on time.

E. <u>Measurement and Payment</u>

The cost of all work under this section under this section including, but not limited to, all work to prepare the required reports to secure the permits; conduct the inspection and supervision of all erosion and sediment control works within this Contract, site monitoring, photo documentation, and preparation of monitoring reports in accordance with the plans, specifications and direction of the resident engineer, performed prior to the date of substantial completion; and for all labor, materials and equipment required by the Certified Professional shall be included in the contract price bid for Item No. 9.30, Storm Water Pollution Prevention Plan.

* * * *

7.404 <u>NOT USED</u>

7.405 <u>NOT USED</u>

7.406 <u>NOT USED</u>

7.407-A <u>EROSION CONTROL MAT - STRAW</u>

A. <u>Description of Work</u>

Under this item, the Contractor shall furnish and place erosion control mat for slope protection within areas designated on the plans or where directed by the Engineer.

B. Material

The Erosion Control Mat shall meet the following requirements:

Netting One Side Only,

Organic Leno Weave Jute,

100% Biodegradable 0.5" x 1.0" opening

Matrix 100% Agriculture Straw

0.55 lbs/yd² 298.4 g/m²

Thread 1.5" stitch space,

Biodegradable

Index Value Properties

| Property | Test Method | <u>Typical</u> |
|--------------------------|-------------|--------------------------|
| Mass/Unit Area | ASTM D6475 | 10.00 oz/yd ² |
| Thickness | ASTM D6525 | .40 in |
| Tensile Strength-MD | ASTM D6818 | 106 lb/ft |
| Elongation-MD | ASTM D6818 | 16.7% |
| Tensile Strength-TD | ASTM D6818 | 118 lb/ft |
| Elongation-TD | ASTM D6818 | 26.8% |
| Light Penetration | ASTM D6567 | 6% |
| Water Absorption | ASTM D1117 | 322% |
| Unvegetated Shear Stress | ASTM D6460 | 1.55 lbs/ft ² |
| Slope | | 3:1 or flatter |

The Erosion Control Mat shall be ECS-1B manufactured by East Coast Erosion Blankets, Bernville, PA, or approved equal.

<u>Staples</u> shall consist of 100% biodegradable anchoring staple installed to the specifications of the manufacturer.

Erosion control mat shall be placed on topsoil or sand perpendicular to slope contours where directed by the Engineer. Erosion control mat shall be laid without stretching so that it lies loosely on the soil and in contact with the soil at all points and shall be pressed firmly into the soil surface by rolling or tamping. If seeding is required, it shall be done prior to the installation of the erosion control mat.

The upper end of each roll of erosion control mat shall be turned and buried to a depth of six (6) inches, with the soil firmly tamped against it. Erosion control matting shall have a minimum lap of six (6) inches on all sides. Ends of rolls shall also have a minimum lap of six (6) inches with the upgrade section on top.

Check slots shall be constructed at intervals of 50 feet, unless otherwise directed by placing a fold of erosion control mat six (6) inches vertically into the ground with replaced soil tamped firmly against it.

Erosion control mat shall be held tightly to the soil by staples driven firmly into the ground. Staples shall be spaced not more than three (3) feet apart, along the sides and center of the erosion control mat and not more than one (1) foot apart at roll ends, check slots and at other critical areas as determined by the Engineer.

D. Maintenance

The Contractor shall maintain the areas of erosion control mat installation until final acceptance of the contract. Maintenance shall consist of providing protection for erosion control mat and repair of areas damaged by equipment, erosion, fire, or other causes, as well as re-establishment of the grade and conditions of the area as specified.

E. <u>Measurement and Payment</u>

The quantity to be measured for payment under this Section shall be the number of square feet of surface area on which erosion control mat has been installed in accordance with the plans and specifications and directions of the Engineer.

The Contract price per square feet of Erosion Control Mat - Straw shall be as indicated on the BID SCHEDULE OF PRICES Item No. BMP-7.407-A. The bid price shall include the costs for all labor, material, equipment and incidental in accordance with the plans and specifications to the satisfaction of the Engineer.

* * * *

7.407-B <u>NOT USED</u>

7.408-B HERBICIDE APPLICATION

A. <u>Description of Work</u>

Under this item, the Contractor shall apply herbicide to persistent weeds and weedy growth in accordance with the plans and specifications and as directed by the Engineer.

B. Quality Assurance

The Herbicide Applicator must possess a valid NYSDEC Type 5A - Aquatic Vegetation Pesticide Applicator Certification License and personnel training records.

Submit instructions for herbicide application, including materials safety data sheets.

C. <u>Materials and Construction Methods</u>

The work will eradicate invasive, non-native plants in upland and wetland areas using Glyphosate for eradication of all plants except Oriental Bittersweet, which will be treated with Garlon 4. All chemicals to be applied using backpack and hand held sprayers and individual stem wipe applications. Herbicides application to open water/marshlands is prohibited.

In Wetlands, the Contractor shall spray Rodeo Herbicide or approved equal onto specified weedy growth only, as directed by the Engineer, between May and September.

The Applicator shall spray to wet--not to the point of runoff. Care must be taken to properly calibrate the tank nozzle so as to direct herbicide spray only onto the undesirable plants and obtain complete coverage of leaves and stems. Avoid spray drift onto desirable plants and minimize spray contact with soil. It is recommended to spray when plants are not under water stress. Only flat pan nozzles shall be used when using a spray applicator.

In areas where invasive plants are tightly intermixed with native plants, the applicator shall use the individual wipe or injection method to prevent the accidental treatment of desirable plant material. Marking dyes shall be added to the herbicide at the request of the engineer to prevent the accidental treatment of desirable plant material.

Apply on a warm sunny day (75 degrees to 90 degrees preferred). <u>Do not spray if wind speed exceeds 5 mph or if weather conditions would decrease the effectiveness of the herbicide or increase the intended target area.</u> Do

not apply or allow herbicide spray into surrounding waterbodies. Do not exceed the rates indicated on product labels.

A non-ionic surfactant that is labeled for use with herbicides shall be added to the herbicide to help penetrate targeted plants for increased control. Surfactant must contain 50% or more active ingredient.

When using water from on-site hydrants, remove all suspended particles that may reduce the effectiveness of the herbicide prior to adding the water to the mixing tank.

All treated areas shall be temporarily posted with signs indicating that the area has been treated with herbicide. Signs shall be clearly posted in areas where the public may come into contact with the plant material.

The Contractor shall return to the site after ten (10) days and remove any dead vegetation that may interfere with planting of new material. If a second application is deemed necessary, a minimum of 10 days is required before installing any new plant material. Planting may proceed when the site is deemed acceptable to the Engineer.

The plant species to be eradicated shall primarily include, but not be limited to, the following and shall include additional species at the direction of the engineer:

Mutiflora Rose (Rosa mutiflora)
Purple Loosestrife (Lythrum salacaria)
Oriental Bittersweet (Celastrus orbiculatus)
Black Locust (Robinia psuedoacacia)
Japanese Honeysuckle (Lonicera japonica)
Common Reed (Phragmites australis)

Japanese Knotweed (Polygonum cuspidatum)

Mile-A-Minute Vine (Polygonum perfoliatum)

Mugwort (Artemisia vulgaris)

Common Ragweed (Ambrosia artemisifolia)

Giant Ragweed (Ambrosia trifida)

English Ivy (Hedera helix)

Japanese Stiltgrass (Microstegium vimineum)

Porcelain Berry (Ampelopsis brevipedunculata)

Burning Bush (Euonymus alatus)

Russian Olive (Elaeagnus angustifolia)

Giant Hogweed (Heracleum mantegazzianum)

Tree of Heaven (Ailanthus altissima)

White Mulberry (Morus alba)

[SE-851]

<u>DIVISION VII - DETAILED SPECIFICATIONS –</u> CONTRACT SE-851

D. <u>Measurement and Payment</u>

The quantity to be measured for payment under this section shall be the total number of crewdays (shifts) necessary for completion of Herbicide Application. A crewday (shift) is defined as one period from 8AM – 4PM, including lunch and breaks. The crew shall consist of two workers.

The contract price per unit for Herbicide Application shall be as indicated on the BID SCHEDULE OF PRICES Item No. BMP-7.408-B. The unit price bid shall include the costs for all labor, materials, equipment and incidental expenses necessary or required to complete the work in accordance with the plans and specifications to the satisfaction of the Engineer.

* * * * *

7.409 <u>NOT USED</u>

7.410 <u>NOT USED</u>

7.411 WATERING AND WEEDING DURING GUARANTEE PERIOD

A. <u>Description of Work</u>

1. Planting Period:

The Contractor shall provide all labor, material, tools and equipment necessary to maintain and cultivate the healthy growth of all plantings in the planted area after installation, in accordance with the specifications and contract drawings, during the planting period of the project. For the purposes of this item, the planting period shall begin at the onset of planting, and be continuous until planting is accepted. Plant material will not be accepted unless the plants exhibit healthy growth and satisfactory foliage conditions. For watering and weeding during the planting period, the Contractor shall utilize this item for payment.

2. Guarantee Period:

Upon acceptance by the City and during the guarantee period, the Contractor shall assume the work outlined within this item at no additional payment. No separate payment will be made for watering and weeding during the guarantee period, and such work will be deemed included in the prior bid for plant material.

B. Requirements

The Contractor's responsibilities under this item consists of watering and weeding after installation as required to maintain installed plant material in a healthy and vigorous condition and to provide an acceptable growth medium, in accordance with the specifications and contract drawings.

The Landscape Subcontractor shall submit a watering and weeding plan and maintenance schedule prior to the installation of plant material, to be approved by the Engineer or Restoration Specialist. The plan shall include proposed methods of watering and weeding, including but not limited to tree gators (bags), sprinklers, drip hoses, irrigation, tanker vehicles and hand watering, etc., as well as manual weeding and weeding tools.

The approved plan and schedule do not relieve the Contractor in any way from any aspect of the replacement of dead plant material. The Landscape Subcontractor may alter the maintenance schedule based on weather and field conditions.

C. <u>No Separate Payment</u>

No separate payment shall be made for this work of the specification. All costs shall be included in the various Contract Items of this Contract.

7.412 <u>NOT USED</u>

7.413 TEMPORARY GOOSE EXCLUSION FENCE

A. <u>Description</u>

Under this Item, the Contractor shall furnish, install, maintain and remove a temporary Goose Fence as a protective measure against plant herbivory, according to the Plans and Specifications and the direction of the Engineer.

The fence shall be a minimum of five (5) feet high above existing grade and the posts shall be a non-tropical hardwood. The fence shall completely enclose all planted areas so as to prevent geese from entering any newly planted site.

The Contractor shall repair the fence as often as is necessary throughout the guarantee. The Contractor shall remove the entire fence at the end of the guarantee period, or as directed by the Engineer. Removal of fence is included under this Item, no additional payment will be made for this work.

B. <u>Submittals and Materials</u>

The Contractor must submit the following samples or the manufacturer's catalog cuts for approval ten (10) days before beginning work:

- 1. Non-tropical hardwood stakes (untreated).
- 2. Black Bi-oriented Utility Fence (TENAXUS, Memphis Net & Twine Co., Inc., Industrial Netting or approved equal). The fencing shall meet the following specifications:
 - a. Material: High density UV stabilized polyethylene plastic resin
 - b. Height/length: 48" x 50"
 - c. Weight per roll: 20 lbs
 - d. Nominal mesh opening: 1"
 - e. Tensile strength (range): 2000 2310psi
 - f. Elongation at Break (%): 660%
 - g. 1/4" twine or string

- h. 1" metallic mylar
- i. 1-1/2" galvanized roofing nails.
- j. 2" galvanized staples.
- k. 14" Nylon cable ties.
- 3. Submit copies of goose exclusion fencing technical data test reports on physical properties of the fabric.

C. <u>Execution</u>

The goose fence shall be installed by skilled laborers with proper tools and equipment for an aquatic environment within 1 day of completing each 50' section of planting. Layout location of stakes according to the Contract Drawings. The Contractor shall drive stakes so that they are level and 1' (min.) from the edge of proposed coir logs or wetland plugs. All broken or splintered stakes shall be removed and replaced with new ones.

Install black bi-oriented utility fencing making sure that there is no space between the existing grade and the bottom of the fence. Fasten safety fence to stake by using 1-1/2" roofing nails. Close all gaps so that adjacent pieces of fence abut tightly together.

Attach twine or string to stakes as shown on the Contract Drawings. String shall be pulled taught to reduce sagging. The string must alternate in and out of fence netting for increased stability of fence. Tie 10" strip of metallic (mylar) flagging along string every four feet. Work in one direction only. The Contractor shall be responsible for removing the fence at the end of the guarantee period for the wetland plants, or at the direction of the Engineer.

D. Measurement and Payment

The quantity to be measured for payment under this Section shall be the total number of linear feet of fence furnished, installed, maintained and accepted in accordance with the Plans and Specifications and the directions of the Engineer.

The contract price per linear foot for Goose Exclusion Fence shall be as indicated on the BID SCHEDULE OF PRICES, Item No. BMP-7.413. The unit price per linear foot shall include all labor, materials, equipment and work incidental expenses necessary or required to complete the work in

accordance with the plans and specifications and to the satisfaction of the Engineer.

* * * * *

7.414 <u>NOT USED</u>

7.415 <u>VINE AND INVASIVE PLANT REMOVAL</u>

A. <u>Description of Work</u>

Under this item, the Contractor shall remove all vines and invasive plants in the restoration project area and as directed by the Restoration Specialist and the Engineer.

B. General Removal Methods

All vine and invasive plant material shall be removed by hand. The removal of these plant and materials shall be from existing trees, fence lines, utility poles and lines, adjacent structures, and other areas within the project area. All vines and invasive plant material removed shall be disposed of by the Contractor at the Contractor's own expense.

The Contractor shall carefully protect all trees, shrubs and other plant material and structures during the vine and invasive plant removal operation. Any repair to damaged trees, fence, shrubs, and other plants and structures resulting from the vine and invasive plant removal operation will be repaired by the Contract at the Contractor's own expense.

The removal of vines and invasive plants under this item is to be done in conjunction with the work covered under Specification Section 7.408B, Herbicide Application.

The vines and invasive plants to be removed will be identified by the Engineer and restoration specialist and clearly marked prior to removal. No trees are to be removed under this item.

The plant species to be eradicated primarily include, but shall not be limited to the following, and shall include additional species at the direction of the engineer:

Japanese Knotweed (Polygonum cuspidatum)
Mutiflora Rose (Rosa mutiflora)
Purple Loosestrife (Lythrum salacaria)
Oriental Bittersweet (Celastrus orbiculatus)
Black Locust (Robinia psuedoacacia)
Japanese Honeysuckle (Lonicera japonica)
Common Reed (Phragmites australis)
Mile-A-Minute Vine (Polygonum perfoliatum)
Mugwort (Artemisia vulgaris)
Common Ragweed (Ambrosia artemisifolia)
Giant Ragweed (Ambrosia trifida)

English Ivy (Hedera helix)
Japanese Stiltgrass (Microstegium vimineum)
Porcelain Berry (Ampelopsis brevipedunculata)
Burning Bush (Euonymus alatus)
Russian Olive (*Elaeagnus angustifolia*)
Giant Hogweed (Heracleum mantegazzianum)
Tree of Heaven (Ailanthus altissima)
White Mulberry (Morus alba)
Norway Maple (Acer platanoides)

C. Measurement and Payment

The quantity to be measured for payment under this section shall be the total number of crewday (shifts) necessary for completion of Vines and Invasive Plant Removal. A crewday (shift) is defined as one period from 8AM – 4PM, including lunch and breaks. The crew shall consist of three gardeners and one supervisor. The crew shall also consist of the following equipment:

One (1) truck (10-15 cubic yard enclosed hydraulic dump body)
Manual Pole Saw (2)
Full Size Lopping shears
Tool Kit including files for minor mechanical repairs
Dirt Shovel
Sweep Type Broom Rake
Hand Saw
First Aid Kit
Ear and Eye Protectors
Hand Saw with Scabbard (2)
Axe

Broom Hard Hats Safety cones Red Flags Danger Signs

The contract price per unit for Invasive Vine and Plant Removal shall be as indicated on the BID SCHEDULE OF PRICES Item No. BMP-7.415. The unit price bid shall include the costs for all labor, materials, equipment, vehicles and incidental expenses necessary or required to complete the work in accordance with the plans and specifications to the satisfaction of the Engineer.

7.415A <u>NOT USED</u>

7.416 <u>NOT USED</u>

7.417 <u>DEBRIS EXCLUSION FENCE</u>

A. <u>Description of Work</u>

The Contractor shall furnish all materials, labor, and equipment necessary to install the debris exclusion fence specified herein and as shown on the Contract Drawings, including all incidental and appurtenant work required for a complete job.

The debris exclusion fence shall protect recently installed plant material from water borne debris and wrack. The contractor shall maintain the debris exclusion fence in good condition and repaired as necessary by the Contractor during the landscaping and plant guarantee period as directed by the Engineer.

B. Materials and Methods

The debris exclusion fence shall be constructed with the following materials:

- A. Furnish saltwater wire netting as follows:
 - 1. 18 gage galvanized wire
 - 2. 1.5 inch mesh opening
 - 3. Galvanized after weaving
- B. Posts: Furnish posts of the minimum sizes and weights as follows, 8-foot long, 2-inch square oak posts. Space posts 5 feet on center maximum, unless otherwise shown.
- C. For connecting oak posts together Contractor shall use minimum 16 gage high tensile wire. The ties shall be rust resistant.
- D. Ties: For attaching netting to oak posts, use 16 inch high tensile polyethylene cable tie strips. For attaching netting to wire grid, use 1/8 inch high tensile polyethylene cable tie strips. All ties shall be ultraviolet light resistant.
- E. Line posts shall be spaced 5-feet on center maximum, unless otherwise shown.

The fence shall conform to the detail for Construction limit fence on the Contract drawings.

The debris exclusion fence shall be located where indicated on the Contract Drawings.

C. <u>Maintenance</u>

The debris exclusion fence shall be inspected periodically (at least once per week), or as directed by the Engineer through the plant guarantee period. Any required repairs shall be made immediately.

D. <u>Measurement and Payment</u>

The quantity to be measured for payment under this Section shall be the total number of linear feet of debris exclusion fence furnished, installed and maintained in accordance with the Plans and Specifications and the directions of the Engineer.

The contract price per linear foot for Debris Exclusion Fence shall be as indicated on the BID SCHEDULE OF PRICES Item No. BMP-7.417. The unit price per linear foot shall include all labor, materials, equipment and work incidental expenses necessary or required to complete the work in accordance with the plans and specifications and to the satisfaction of the Engineer. The cost of removal and disposal of the debris exclusion fence shall be deemed included in the unit price.

* * * * *

7.418 CLEAN SAND FOR RESTORED AREA

A. <u>Description of Work</u>

Under this item, the Contractor shall provide clean sand for fill in accordance with the plans and as directed by the Engineer.

The Contractor shall be liable for any damage to property caused by fill operations and all areas of construction disturbed shall be restored to their original condition to the satisfaction of the Engineer.

The Contractor shall supply information detailing source location of clean sand from off-site and provide a sample of sand to be used for inspection by the Engineer and Restoration Specialist prior to delivery of sand stockpile to site.

B. <u>Material</u>

Material shall consist of sand, free of organic material, loam, debris, frozen soil or other deleterious material which may be compressible. The sand shall be of uniform quality, friable, free from hard clods, stiff clay, hard pan, partially disintegrated stone, stones, lime, cement, ashes, slag, concrete, tar residues, tarred paper, gasoline, motor oil, or other petroleum hydrocarbons, boards, brush, weeds, stalks, roots, sods, chips, sticks or any other undesirable material. Invasive, nonnative seed shall not be allowed in the clean sand material.

Clean sand should conform to the following gradation requirements:

| U.S. Standard Sieve Size | Percent Passing by Weight |
|--------------------------|---------------------------|
| No. 8 | 100 |
| No. 10 | 15-100 |
| No. 40 | 0-70 |
| No. 60 | 0-12 |

Uniformly graded sands, defined as having a uniformity coefficient (Cu = D60/D10) less than 6, are unacceptable.

Tests shall be required and shall serve as a representative analysis for every 200 cubic yards of material utilized.

Clean sand shall comply with the following requirements: No sand shall be delivered in a frozen or muddy condition.

1. <u>Invasive, Nonnative Plant Species</u>: Clean sand shall be free of invasive nonnative plant propagules or if present, sand shall be sterilized with documentation.

Sand from site stripping shall be used if the material meets these specifications. A material test(s) shall be made at the Contractor's expense to determine if the specifications have been met as directed by the Engineer.

C. <u>Measurement and Payment</u>

The quantity of clean sand to be paid for under this item shall be the number of cubic yards of clean sand furnished from off-contract site sources (i.e. suppliers approved by the engineer), mixed, placed and incorporated in the completed work in accordance with the plans and specifications to the satisfaction of the Engineer, measured in trucks used for delivery, at the site of the work. The quantity of clean sand to be paid for under this item shall be measured in cubic yards in trucks used for delivery. No clean sand shall be furnished until ordered by the Engineer. Delivery ticket with name and address of vendor, date and estimated volume must be supplied to the Engineer prior to truck measurement.

The contract price per unit for Clean Sand shall be as indicated on the BID SCHEDULE OF PRICES Item No. BMP-7.418. The bid price shall be a unit price per cubic yard of Clean Sand, and shall include the cost of all labor, materials and equipment necessary to prepare topsoil areas, furnish, mix, place and incorporate topsoil and compost, and all other work incidental thereto, in accordance with the plans and specifications to the satisfaction of the Engineer.

* * * * *

4/15/15

7.419 <u>NOT USED</u>

7.420 <u>NOT USED</u>

7.421 ROOT BARRIER

A. <u>Description of Work</u>

The Contractor shall furnish all materials, labor, and equipment necessary to install root barrier specified herein and as shown on the Contract Drawings, including all incidental and appurtenant work required for a complete job.

The installation of the root barrier shall be maintained in good condition and repaired as necessary by the Contractor during the construction and post-construction/site stabilization phases as directed by Engineer.

B. <u>Materials</u> and Methods

The root barrier shall be an injection molded or extruded modular component made of high density polypropethylene or polyethylene plastic Panels shall measure 48" in depth with a mean thickness of 0.08". The root barrier shall have raised ribs, or root guide, protruding 1/2" from the face of the panel running from top to bottom. The distance between ribs shall not exceed 6".

C. <u>Installation</u>

Top of root barrier shall be set one-inch above finished grade of soil. The raised root guiding ribs must face away from the newly landscaped area. This shall prevent roots from any surrounding Phragmites or invasive plants from entering the newly landscaped area. The root barrier shall be installed in accordance with manufacturer's instruction.

D. <u>Measurement and Payment</u>

The quantity to be measured for payment under this Section shall be the total square feet of root barrier furnished and installed in accordance with the Contract Drawings, specifications and directed by the Engineer.

The contract price per square foot of root barrier shall be as indicated on the BID SCHEDULE OF PRICES, Item No. BMP-7.421. The bid price shall constitute full compensation for all labor, materials, equipment and incidental expenses necessary to complete and maintain the work in accordance with the plans and specifications to the satisfaction of the Engineer.

7.500 SOIL EROSION AND SEDIMENTATION CONTROL MEASURES

Under soil erosion and sedimentation control work, the Contractor shall provide all labor, materials, tools and equipment necessary to complete the execution of the work in complete accordance with the Specifications and all Contract Drawings. All Soil Erosion and Sedimentation Control work shall be done in conformance with and subject to the renewed State Pollutant Discharge Elimination System (SPDES) General Permits for Discharges Stormwater from Construction Activity, GP-0-015-002, the latest edition of the "New York Guidelines for Urban Erosion and Sediment Control" published by the Empire State Chapter of the Soil and Water Conservation Society, and the New York State Department of Transportation Standard Specification Part 107-12 -Soil, Erosion and Air Pollution Statement, including, but not limited to, the following methods of erosion and sedimentation control.

- 1. Slopes left exposed will, within 30 working days of completion of any phase of grading, be planted or otherwise provided with ground cover device, or structures sufficient to restrain erosion.
- 2. A ground cover sufficient to restrain erosion must be planted or otherwise provided within 15 working days on that portion of the tract (disturbed area) upon which further active construction is not being undertaken.

The Contractor shall submit for approval by the Engineer, and NYSDEC, a written Erosion and Sedimentation Control Plan, prepared by a Certified Professional in Erosion and Sediment Control (CPESC), who is a Professional Engineer (P.E.) or under the supervision of a P.E. The Erosion and Sediment Control Plan must be signed and sealed by that CPESC and/or the supervising P.E. The Plan shall comply with all conditions of the applicable freshwater wetland permit issued by NYSDEC.

The Erosion and Sedimentation Control Plan shall conform to the guidelines as set forth in the latest edition of the "New York Guidelines for Urban Erosion and Sediment Control" published by the Empire State Chapter of the Soil and Water Conservation Society and he/she shall implement the followings:

- No stockpiling of excavated material would be allowed in a manner or location that would permit erosion and its subsequent sedimentation in wetlands or other natural areas.
- No storage of soil shall be permitted within the Contract limits. Soil is deemed to be for this requirement any sediment including material

such as topsoil fill, sand, any excavated material, boulders, stones, cold patch, etc.

- Storm sewers will be installed in a sequence and manner that reduces the time during which the tops of excavated areas would be exposed and vulnerable to erosion.
- At the end of each day's work, the street where sewers are being installed will be cleaned and swept to reduce the amount of soil that could potentially impact downstream areas as sediment. The Contractor shall be required to have a street sweeper on the site.
- Use truck tracking pads at the construction access locations to remove sediment from the tires of the trucks and other construction equipment prior to driving on the adjacent streets.
- Use portable sediment tanks to remove sediment from water generated by dewatering operations. All water from dewatering shall be treated before discharge into any surface water bodies, unless the turbidity of the effluent is less than three times the ambient level of the receiving water body as measured by the turbidity meter in standard units (i.e. NTU's).
- The Contractor shall supply all portable equipment.
- Use construction limiting fence, staked hay bales, and/or reinforced silt fence as shown on Contract Drawings, unless otherwise directed by the Engineer.
- Schedule work in wet areas, during relatively dry summer months.
- Employ water diversions to direct the inlet waters away from the area being worked on, so as to create drier conditions for work.
- Use temporary pumping sump to control water level at site.
- Prior to the start of construction activities, such as sewer installation, inspect all erosion control measures and continually monitor them, especially after each storm event.
- If the Contractor uses dewatering methods which produce effluent discharges, the Contractor shall monitor each discharge effluent and receiving water body. Discharges shall not cause substantial visible contrast to the natural condition in any receiving water body. A meter which records turbidity in standard units (i.e. NTUs) shall be

utilized to establish ambient conditions in each water prior to discharge. If any monitored turbidity level exceeds three times the ambient level of the receiving water body, the Contractor shall insure (e.g., by reducing the flow rate or otherwise adjusting the dewatering system) that no substantial visible contrast to the natural condition in the receiving water body occurs. The action(s) taken, or the decision not to take any action, shall be recorded in the monitors log.

The Contractor shall not receive any payment for the preparation of the Erosion and Sedimentation Control Plan. Installation of the Erosion and Sedimentation features and maintenance of them will result in payment for their respective items as described in Section 7.501 through 7.510. The work shall take place at BMP sites only and is not payment for street work or the installation of sewers.

The work shall include items of work specified under the following sections:

| Section Number | <u>Title</u> |
|----------------|---|
| 7.501 | Maintenance of Erosion Control Measures |
| 7.502 | Construction Limit Fence |
| 7.503A | NOT USED |
| 7.504 | Silt Fence |
| 7.505 | Sand Bags |
| 7.506 | NOT USED |
| 7.507 | NOT USED |
| 7.508 | NOT USED |
| 7.509A | Stabilized Construction Entrance |
| 7.510 | Portable Sediment Tank |
| 7.511 | Storm Drain – Inlet Protection Measures |
| 7.512 | NOT USED |
| 7.513 | NOT USED |
| 7.514 | NOT USED |
| 7.516 | Turbidity Curtain |
| 7.517 | NOT USED |

7.501 <u>MAINTENANCE OF EROSION CONTROL MEASURES</u>

Maintenance/repair of the erosion and sediment control measures shall be performed by the Contractor only as directed by the Engineer.

When, in the judgment of the Engineer, Restoration Specialist, and DEP Construction Monitor, the soil erosion control measures have deteriorated to a point of not functioning adequately because of storm events, the Contractor shall be notified to make the necessary repairs.

If the Engineer deems that the erosion control device was not adequately installed in the first place, repair of such a device shall be the sole responsibility of the Contractor.

Damage to the erosion control measures caused by the construction activity of the Contractor is the responsibility of the Contractor. If the Engineer determines that the damage is the result of the Contractor's construction activity, then the Engineer shall order that the devices are repaired. The Contractor shall make the repairs at his/her own expense.

In the event that the erosion control measures are damaged as a result of vandalism by the general public, the Contractor shall notify his insurance company and put forth his claim for remuneration to the said damage.

* * * * *

7.502 CONSTRUCTION LIMIT FENCE

A. <u>Description of Work</u>

The Contractor shall furnish all materials, labor, and equipment necessary to install the construction limit fence specified herein and as shown on the Contract Drawings, including all incidental and appurtenant work required for a complete job. The construction limit fence is used to mark the limit of the construction activity and to protect the adjacent areas.

Upon furnishing and installing the above sedimentation and erosion control device but prior to commencing any other work on-site, the Contractor shall notify the Engineer and arrange for an on-site inspection.

The construction limit fence shall be maintained in good condition and repaired as necessary by the Contractor during the construction and post-construction/site stabilization phases as directed by the Engineer.

B. Materials and Methods

<u>Construction Limit Fence</u>: The construction limit fence shall be high visibility orange construction fence with a minimum height of four (4) feet. The fence shall be constructed of polyethylene fabric fastened to vertical line posts.

Fabric shall be a high density polyethylene grid tightly secured to wood posts. The fabric shall be securely fastened to vertical line posts by means of ties and spaced not more than 12 inches apart on rails and not more than 14 inches apart on line posts.

The construction limit fence shall be located where indicated on the Contract Drawings. The fence shall be adjusted to avoid interference with trees and to maintain access to houses.

Line posts shall be conventional metal "T" or "U" post and shall be spaced not more than 6 feet on centers. Posts shall be securely set in the ground. Line posts shall extend at least 2 feet below finished grade. Post locations shall be adjusted to avoid tree roots as appropriate.

C. Maintenance

The construction limit fences shall be inspected periodically (at least once per week), or as directed by the Engineer. Any required repairs shall be made immediately.

D. <u>Measurement and Payment</u>

The quantity to be measured for payment under this Section shall be the total number of linear feet of construction limit fence furnished, installed and maintained in accordance with the Plans and Specifications and the directions of the Engineer.

The contract price per linear foot for Construction Limit Fence shall be as indicated on the BID SCHEDULE OF PRICES, Item No. BMP-7.502. The unit price per linear foot shall include all labor, materials, equipment and work incidental expenses necessary or required to complete the work in accordance with the plans and specifications and to the satisfaction of the Engineer.

* * * * *

7.503A <u>NOT USED</u>

NO TEXT ON THIS PAGE

7.504A SILT FENCE

A. <u>Description of Work</u>

The Contractor shall furnish all materials, labor, and equipment necessary to construct reinforced silt fence specified herein and as shown on the Contract Drawings, including all incidental and appurtenant work required for a complete job.

Upon furnishing and installing the approved reinforced silt fence but prior to commencing any other work on-site, the Contractor shall notify the Engineer and arrange for an on-site inspection.

The reinforced silt fence shall be maintained in good condition and repaired as necessary by the Contractor during the construction and post-construction/site stabilization phases as directed by the Engineer.

B. <u>Materials and Methods</u>

1. <u>Welded Wire Fence:</u> The construction (limiting) fence shall be a welded wire fence with a minimum height of 20 inches. The fence shall be constructed of wire fabric fastened to the middle rails and to vertical line posts.

Wire fabric shall be of No. 14 gauge wire with a mesh of approximately 4 inches. The upper edge of the fabric shall be twisted and barbed. The fabric shall be securely fastened to vertical line posts by means of ties and spaced not more than 12 inches apart on rails and not more than 14 inches apart on line posts.

The construction (limiting) fence shall be located where indicated on the Contract Drawings. The fence shall be adjusted to avoid interference with trees and to maintain access to houses.

Line posts shall be spaced not more than 6 feet on centers. Posts shall be securely set in the ground. Line posts shall extend at least 16-inches below finished grade. Post locations shall be adjusted to avoid tree roots as appropriate.

2. <u>Filter Fabric:</u> Filter fabric shall be securely attached to the vertical line posts and wire fabric, and shall be situated between the wire fabric and staked straw bales.

The filter fabric shall be purchased and delivered in a continuous roll and cut on-site to the length of the barrier(s) to avoid the use of joints.

ADDENDUM NO.6 [SE-851]

<u>DIVISION VII - DETAILED SPECIFICATIONS - CONTRACT SE-851</u>

Dimensions of the roll shall be thirty-six (36) inches by one hundred (100) feet in length. When joints are necessary, filter cloth shall be spliced together only at a line post, with a minimum 6-inch overlap, and securely sealed. The filter fabric shall meet the requirements of the NYSDOT standard specifications for geotextile, latest edition, and shall be fabric MUTUAL MISF 1776 as manufactured by Mutual Industries Inc.; Fabric # GTF190 as manufactured by Linq Industrial Fabric; Fabric # 2130 as manufactured by Propex, or approved equal.

A trench shall be excavated approximately 6 inches wide and 6 inches deep along the line of posts and upslope from the barrier. The filter fabric shall be extending into the trench, the trench backfilled, and the soil compacted over the filter fabric.

Siltation fences shall be removed when they have served their useful purpose, but not before the upslope area has been permanently stabilized.

C. <u>Maintenance</u>

The reinforced silt fences shall be inspected periodically (at least once per week), or as directed by the Engineer. Any required repairs shall be made immediately.

Filter fabric shall be inspected at least once per week and immediately after each rainfall and at least daily during prolonged rainfall. Any required repairs shall be made immediately. Should the fabric decompose or become ineffective prior to the end of the expected usable life while the barrier is still necessary, the fabric shall be replaced promptly.

D. <u>Measurement and Payment</u>

The quantity to be measured for payment under this section shall be the total number of linear feet of Silt Fence, installed and maintained in accordance with the plans, specifications and directions of the Engineer. The wire fabric and filter fabric which together make up the silt fence shall be measured as one erosion and sediment control feature.

The bid price shall constitute full compensation for all labor, materials and equipment and incidental expenses necessary to complete the work in accordance with the plans and specifications and to the satisfaction of the Engineer.

Payment will be made under:

Item No.

Pay Unit

BMP-7.504A Silt Fence

Item

LF

* * * *

7.505 <u>SAND BAGS</u>

A. <u>Description of Work</u>

The Contractor shall furnish all materials, labor, and equipment necessary to construct the sand bag wall specified herein and as necessary to perform work in the intertidal area in the dry, including all incidental and appurtenant work required for a complete job.

The installation of the sand bag wall shall be maintained in good condition and repaired as necessary by the Contractor during the construction and post-construction/site stabilization phases as directed by Engineer.

B. <u>Materials and Methods</u>

- 1. The bags shall be of coarse heavy woven synthetic non-biodegradable and non-photo degradable.
- 2. Sand shall meet ASTM C33 concrete and specifications.
- 3. Sand bags shall be installed at the locations as necessary to perform work in the dry and as directed by the Engineer.
- 4. Each bag shall be filled with 40 lbs of dry clean sand.

C. Measurement and Payment

There shall be no additional payment for installation of sandbags. The price for all labor, materials, equipment and incidental expenses necessary to complete and maintain the work in accordance with the plans and specifications to the satisfaction of the Engineer shall be included in the price bid for all items of work.

* * * *

7.506 <u>NOT USED</u>

7.507 <u>NOT USED</u>

7.508 <u>NOT USED</u>

NO TEXT ON THIS PAGE

4/15/15

7.509A <u>STABILIZED CONSTRUCTION ENTRANCE</u>

A. <u>Description of Work</u>

The Contractor shall furnish all materials, labor, and equipment necessary to construct the stabilized construction entrance specified herein and within the limits as shown on the Contract Drawings, including all incidental and appurtenant work required for a complete job.

Upon furnishing and installing the stabilized construction entrance but prior to commencing any other work on-site, the Contractor shall notify the Engineer and arrange for an on-site inspection.

The entrance shall be maintained in good condition and repaired as necessary by the Contractor during the construction phases as directed by the Engineer.

B. Materials and Methods

- 1. The entrance areas shall be cleared and stripped of all vegetation, roots and other objectionable material prior to installation of the access way as specified.
- 2. Provide surface drainage and divert excess runoff to stabilized areas as required and as directed by the Engineer.
- 3. Rock use NYSDOT No. 3 coarse aggregate.
- 4. Thickness not less than six (6) inches for rock.
- 5. Width shall be twelve (12) foot minimum.
- 6. Filter cloth shall be placed over the entire area prior to placing of stone. Filter cloth shall be as specified below.

Filter cloth underliner shall be suitable for heavy duty construction traffic and have the following minimum properties:

| Grab tensile strength | 220 lbs |
|-------------------------|----------|
| Elongation at failure | 220% |
| Mullen Burst Strength | 430% |
| Puncture Strength | 125 lbs |
| Equivalent opening size | 40-80 mm |

Filter cloth shall be Mirafi 600x, Beltech 315, TerraTexHD or approved equal.

- 7. Surface water All surface water flowing or diverted toward construction entrances shall be piped across the entrance. If piping is impractical, a mountable berm with 5:1 slopes will be permitted.
- 8. Maintenance the entrance shall be maintained in a condition which will prevent tracking or flowing of sediment onto public rights-of-way. All sediment spilled, dropped, washed or tracked onto public rights-of-way must be removed immediately.
- 9. When washing is required, it shall be done on an area stabilized with stone and which drains into an approved sediment trapping device.
- 10. Periodic inspection and needed maintenance shall be provided after each rain.
- 11. After completion of the project, the stabilized construction entrance shall be removed and regraded to its original condition. Prior to grading and planting, the area shall be tilled to lessen the compaction of the soils.

C. <u>Maintenance</u>

- 1. Maintenance of the stabilized construction entrance will include periodic inspection of the surface condition. Top dress with new gravel as needed. Any areas producing sediment should be treated immediately.
- 2. After completion of the project, the stabilized construction entrance shall be removed and the areas regraded to their original elevations. Prior to seeding and planting, the areas shall be tilled to lessen the compaction of the soils.
- 3. For those stabilized construction entrances that are in the beds of accessways, the traprock can stay in place for use in accessways. (See specification for accessways.)

D. <u>No Separate Payment</u>

The contract price per unit for the Stabilized Construction Entrance shall be as indicated on the BID SCHEDULE OF PRICES, Item No. BMP-7.509-A. The bid price shall constitute full compensation for all labor, materials and equipment and incidental expenses necessary to complete the work in

[SE-851]

ADDENDUM NO.6

<u>DIVISION VII - DETAILED SPECIFICATIONS - CONTRACT SE-851</u>

accordance with the plans and specifications and to the satisfaction of the Engineer.

* * * *

7.510 PORTABLE SEDIMENT TANK

A. <u>Description of Work</u>

The Contractor shall furnish all materials, labor and equipment necessary to install the portable sediment tank specified herein and as shown on the Contract Drawings. A sediment tank is a compartmented tank container through which sediment laden water is pumped to trap and retain the sediment.

The purpose of the portable sediment tank is to trap and retain sediment prior to discharging the water to wetlands, adjoining properties and rights-of-way below the sediment tank site. The sediment tank shall be located for ease of cleanout and disposal of the trapped sediment and to minimize the interference with construction activities and pedestrian traffic. The temporary relocation of the tank(s) during clean-out shall be included in the cost of this item. Relocating the tank(s) from one work area to another before, during and after construction shall be included in the cost of this item.

B. <u>Design Criteria</u>

The following formula should be used in determining the storage volume of the sediment tank: pump discharge (gpm) $\times 16 = \text{cubic foot storage}$.

Certified pump curves are to be provided to ensure that the pump provided can meet the hydraulic requirements.

C. <u>Tank Specifications</u>

The portable sediment tank shall be an above ground horizontal single-wall UL-142 manufactured by Highland Tank or weir box manufactured by Rain for Rent or equivalent as approved by the Engineer.

The Contractor shall submit proposed sediment tanks for approval.

D. <u>Maintenance</u>

Portable sediment tanks shall be installed and maintained in accordance with Section 5A.47 of the New York Standards and Specifications for Erosion and Sediment Controls to the satisfaction of the Engineer.

The Contractor shall be responsible for cleaning out the sediment tank when silt reaches a depth of 6 inches. All sediment collected in the tank shall be disposed of off-site.

E. Measurement and Payment

The quantity to be paid for under this item shall be the number of portable sediment tanks placed in accordance with the plans and specifications to the satisfaction of the Engineer, measured in number of above items at the site of the work.

The Contract price per unit for portable sediment tanks shall be as indicated on the BID SCHEDULE OF PRICES, Item No. BMP-7.510. The bid price shall be a unit price per portable sediment tank and shall include the cost of all labor, materials and equipment necessary to furnish, place and incorporate and all other work incidental thereto, in accordance with the plans and specifications to the satisfaction of the Engineer.

* * * * *

7.511 STORM DRAIN - INLET PROTECTION MEASURES

A. <u>Description of Work</u>

The Contractor shall furnish all materials, labor and equipment necessary to install the storm drain - inlet protection measures. Storm drain inlet protection measure consists of a sediment filter, sediment control device or an excavated impounding area around a storm drain drop inlet, curb inlet or catch basin. The purpose of the storm drain - inlet protection measures is to prevent sediment from entering storm drainage systems prior to permanent stabilization of the disturbed area.

B. <u>Conditions Where Practice Applies</u>

Where storm drain inlets are or are to be made operational before permanent stabilization of the corresponding disturbed drainage area.

C. <u>Design Criteria</u>

- 1. The drainage area shall be no greater than 1 acre.
- 2. The inlet protection device shall be constructed in a manner that will facilitate cleanout and disposal of trapped sediment and minimize interference with construction activities.
- 3. The inlet protection devices shall be constructed in such a manner that any resultant ponding of stormwater will not cause excessive inconvenience or damage to adjacent areas or structures.
- 4. For the inlet protection devices which utilize stone as the chief ponding/filtering medium, a range of stone sizes is offered; DOT #3, #357, or #5 Coarse Aggregate shall be used.
- 5. In all designs which utilize stone with a wire-mesh support as a filtering mechanism, the stone can be completely wrapped with the wire mesh to improve stability and provide easier cleaning.
- 6. Filter Fabric is added to any of the devices which utilize "coarse aggregate" stone to significantly enhance sediment removal. The fabric shall be secured between the stone and the inlet (on wire-mesh if it is present). As a result of the significant increase in filter efficiency provided by the fabric, a larger range of stone sizes (DOT #1, #2 or #3 Coarse Aggregate) may be utilized with such a configuration. The larger stone will help keep larger sediment

masses from clogging the cloth. Notably, significant ponding may occur at the inlet if filter cloth is utilized in this manner.

7. Sediment Control Device is a woven polypropylene bag which is inserted into a catch basin or drop inlet to capture sediment. The sediment control devices are equipped with lifting loops or lugs to allow the devices to be removed, cleaned and reinserted back into catch basin or drop inlet.

D. Construction Specifications

1. Gravel and Wire Mesh Drop Inlet Sediment Filter

- a. Wire mesh shall be laid over the drop inlet so that the wire extends a minimum of 1 foot beyond each side of the inlet structure. Wire mesh with 2-inch openings shall be used. If more than one strip of mesh is necessary, the strips shall be overlapped.
- b. Coarse aggregate shall be placed over the wire mesh as indicated on Plate A. The depth of stone shall be at least 12 inches over the entire inlet opening. The stone shall extend beyond the inlet opening at least 18 inches on all sides.
- c. If the stone filter becomes clogged with sediment so that it no longer adequately performs its function, the stones must be pulled away from the inlet, cleaned and/or replaced.

Note: This filtering device has no overflow mechanism; therefore, ponding is likely especially if sediment is not removed regularly. This type of device must <u>never</u> be used where overflow may endanger an exposed fill slope. Consideration should also be given to the possible effects of ponding on traffic movement, nearby structures, working areas, adjacent property, etc.

2. <u>Block and Gravel Curb Inlet Sediment Filter</u>

- a. Two concrete blocks shall be placed on their sides abutting the curb at either side of the inlet opening.
- b. A 2-inch x 4-inch stud shall be cut and placed through the outer holes of each spacer block to help keep the front blocks in place.

- c. Concrete blocks shall be placed on their sides across the front of the inlet and abutting the spacer blocks as depicted in Plate B.
- d. Wire mesh shall be placed over the outside vertical face (webbing) of the concrete blocks to prevent stone from being washed through the holes in the blocks. Wire mesh with 2-inch openings shall be used.
- e. Coarse aggregate shall be piled against the wire to the top of the barrier as shown in Plate B.
- f. If the stone filter becomes clogged with sediment so that it no longer adequately performs its function, the stone must be pulled away from the blocks, cleaned and/or replaced.

3. <u>Sediment Control Devices</u>

- a. The sediment control device shall be manufactured from woven polypropylene and sewn using high strength nylon thread.
- b. The sediment control device shall be sized to fit a standard catch basin or drop inlet.
- c. The sediment control device shall include tie down straps (See Plate C).
- d. The sediment control device shall be manufactured by ACF Environmental Inc. or approved equal.
- e. The fabric shall be woven polypropylene fabric with the following properties:

| Property | Test Method | Test Result |
|--|--|---|
| Grab Tensile Grab Elongation Puncture Min. Mullen Burst Min. Trapezoid Tear Min. UV Resistance Apparent Opening Min. Flow Rate | ASTM D-4632
ASTM D-4632
ASTM D-4833
ASTM D-3786
ASTM D-4533
ASTM D-4355
ASTM D-4751
ASTM D-4491 | 265 lb to 300 lbs
20%
120 lbs
420 lbs
120 lbs
80%
20 to 40 US Sieve
40 Gal/Min/Ft ² |
| Permittivity | ASTM D-4491 | 0.55 sec. ⁻¹ |

[SE-851]

<u>DIVISION VII - DETAILED SPECIFICATIONS - CONTRACT SE-851</u>

F. Maintenance


- 1. The structure shall be inspected after each rain and repairs made as needed.
- 2. Sediment shall be removed and the trap restored to its original dimensions when the sediment has accumulated to one half the design depth of the trap. Removed sediment shall be deposited in a suitable area and in such a manner that it will not erode.
- 3. Structures shall be removed and the area stabilized when the remaining drainage area has been properly stabilized.
- 4. To empty the sediment control device place a #8 rebar through the lifting straps and lift out of the catch basin. This will lift and turn the device inside out thereby dumping its contents. Ensure sediment does not empty into the catch basin. Clean out and wash with water. Reinstall when clean. Dispose sediment off site.


G. Measurement and Payment

The quantity to be paid for under this Item shall be the number of storm drain inlet protection measures furnished and maintained in accordance with the Contract Plans, specifications and directions of the Engineer. The Contract price per storm drain inlet protection measure shall be indicated on BID SCHEDULE OF PRICES, Item No. BMP-7.511. The unit price per measure shall include all labor, materials, equipment and work in accordance with the plans and specifications and to the satisfaction of the Engineer.

Plate A

Block and Gravel Curb Inlet Sediment Filter





Gravel Shall be DOT #3, #357 or #5 Coarse Aggregate

Plate B

Gravel and Wire Mesh Drop Inlet Sediment Filter





Plate C

Drop Inlet Sediment with Control Device Tie Down Straps



7.512 <u>NOT USED</u>

7.513 <u>NOT USED</u>

7.514 <u>NOT USED</u>

7.515 <u>NOT USED</u>

NO TEXT ON THIS PAGE

7.516 <u>TURBIDITY CURTAIN</u>

A. <u>Description of Work</u>

- 1. The Contractor shall furnish, deliver and install a turbidity curtain in the water body adjacent to the work area to trap sediment and prevent migration of silt from the work site into the water body. The turbidity curtain is an impenetrable barrier supported at the top through a flotation system and weighted at the bottom to achieve closure.
- 2. The turbidity curtain shall be used when construction activity occurs along the water body shoreline. The turbidity curtain shall be in place prior to any work starting in the work area before any land disturbance activities are initiated. The turbidity curtain shall be removed within a week of completing the work.
- 3. The Turbidity Curtain shall be located beyond the lateral limits of the work area and firmly anchored in place. The alignment shall be set as close to the work area as possible but not so close as to be disturbed by construction equipment. The height of the curtain shall be 20% greater than the depth of the water at Mean High/High Water, to account for water level fluctuations and tidal range.
- 4. End anchors shall be provided, with intermediate anchor points (for stakes or anchors) such that unanchored spans do not exceed 100 feet, sufficient to maintain the turbidity curtain in place.

B. Materials

- Turbidity Curtain shall be per NYSDOT Sheet 209-06.
- 2. Turbidity Curtain shall be made from monofilament woven polypropylene with the following properties, or approved equal:

Composition:

5.8 oz/sq. yd. (ASTM D-4632)

Grab Strength

120 lbs (ASTM D-4533) 600 psi (ASTM 3786)

Trap Tear Strength Burst Strength

150 psi (ASTM D-3787)

Elongation

70%, 500 hrs (ASTM D-4632)

UV Resistance

40 (ASTM D-4335)

- 3. Turbidity Curtain floats shall be 6 inch diameter expanded polystyrene logs providing a minimum of 9 lbs/ft buoyancy.
- 4. Curtain shall have 5/16 inch galvanized steel tension cable and 5/16 inch galvanized ballast chain, or approved equal.
- 5. Seams shall be double sewn with grommets.
- 6. Barrier connection shall be using marine grade quick connects.

C. Method

- 1. The area of proposed installation of the curtain shall be inspected for obstacles and impediments that could damage the curtain or impair its effectiveness to retain sediment.
- 2. All materials shall be removed so they cannot enter the water body.
- 3. Shallow installations can be made by securing the curtain by staking rather than using a flotation system. Supplemental anchors of the turbidity curtain toe shall be used, as needed, depending on water surface disturbances such as boats and wave action by winds.

D. Maintenance

- 1. The turbidity curtain shall be inspected daily and repaired or replaced immediately.
- 2. When necessary, or as directed by the Engineer, sediment removal shall be done by hand prior to removal of the barrier.
- 3. All removed silt shall be stabilized away from the water body.
- 4. The barrier shall be removed by carefully pulling it toward the construction site to minimize the release of attached sediment. Any floating construction or natural debris shall be immediately removed to prevent damage to the curtain.
- 5. If the curtain is oriented in a manner that faces the prevailing winds, frequent checks of the anchorage shall be made.

E. Measurement and Payment

4/15/15

ADDENDUM NO.6 [SE-851]

<u>DIVISION VII - DETAILED SPECIFICATIONS – CONTRACT SE-851</u>

The quantity to be measured for payment under this Section shall be the total number of linear feet, provided and placed, and removed upon the completion of work, as indicated on the Contract Drawings and as directed by the Engineer.

The contract price per linear foot of turbidity curtain shall be as indicated on the BID SCHEDULE OF PRICES Item No. BMP-7.516. The bid price shall constitute full compensation for all labor, materials, equipment and work incidental thereto, necessary to complete the work in accordance with the plans and specifications to the satisfaction of the Engineer.

* * * * *

7.517 <u>NOT USED</u>

NO TEXT ON THIS PAGE

End of Addendum No. 6 This Addendum consists of one hundred thirteen (113) pages.

CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

ADDENDA CONTROL SHEET

| BID OPENING DATE: <u>JULY 9, 2015</u> |
|--|
| PROJECT NO.: <u>SE851</u> |
| TITLE: CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN |
| FRESH CREEK AREA, PHASE 1A |

| ADDENDA ISSUED | No. OF DRAWINGS | DATE |
|---|-----------------|------------|
| #1: Amendments to Standard Highway Specs. | | 02/24/2014 |
| #2: Sewer and Water Main Specifications | | 03/18/2015 |
| #3: Gas Cost Sharing (EP-7) Std. Specifications | | 03/26/2015 |
| #4: To CET Specifications | | 03/06/2015 |
| #5: Hazmat Specifications | | 03/26/2015 |
| #6: Best Management Practice (BMP) Specifications | | 03/26/2015 |
| #7: Additional Amendments | | 06/19/2015 |
| | | |
| | · | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK **DEPARTMENT OF DESIGN AND CONSTRUCTION** INFRASTRUCTURE DIVISION **BUREAU OF DESIGN**

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN **CONKLIN AVENUE AND GLENWOOD ROAD**

Together With All Work Incidental Thereto

BOROUGH OF BROOKLYN

| ADDENDUM NO. 7 | |
|---------------------|---|
| DATED: June 19, 201 | 5 |

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was originally included therein.

- (1) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page A-1, Attachment 1 Bid Information; Change the dates shown for Submission of Bids To: and for Bid Opening: from "June 23, 2015" to read "July 9, 2015."
- (2) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page 13, Schedule B MWBE; Change the dates shown for Bid/Proposal Response Date: from "June 23, 2015" to read "July 9, 2015."

By signing in the space provided below, the bidder acknowledges receipt of the one (1) page of this Addendum.

> THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BIDS.

> > **GURDIP SAINI, P.E.** Associate Commissioner/Design I

G. Samo

| | Name of Bidder | |
|-----|----------------|-----|
| Ву: | | |
| | | A7- |

CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

ADDENDA CONTROL SHEET

| BID OPENING DATE: JULY 9, 2015 |
|---|
| PROJECT NO.: <u>SE851</u> |
| ITLE: CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN |
| FRESH CREEK AREA, PHASE 1A |

| ADDENDA ISSUED | No. OF DRAWINGS | DATE |
|---|-----------------|------------|
| #1: Amendments to Standard Highway Specs. | | 02/24/2014 |
| #2: Sewer and Water Main Specifications | | 03/18/2015 |
| #3: Gas Cost Sharing (EP-7) Std. Specifications | | 03/26/2015 |
| #4: To CET Specifications | | 03/06/2015 |
| #5: Hazmat Specifications | | 03/26/2015 |
| #6: Best Management Practice (BMP) Specifications | | 03/26/2015 |
| #7: Additional Amendments | | 06/19/2015 |
| #8: Additional Amendments | | 06/26/2015 |
| | - | · |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

•

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto

BOROUGH OF BROOKLYN

| | ADD | END | JM N | 0.8 | |
|---|-----|--------|--------|------|---|
| D | ATE |): Jui | ne 26, | 2015 | 5 |

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was originally included therein.

- (1) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, BID SCHEDULE, pages B-3 to B-50; Delete all the pages in their entirety; Substitute with attached revised pages B-3 [REVISION #1] to B-49 [REVISION #1].
- (2) Refer to the Bid and Contract Documents, VOLUME 3 OF 3, ADDENDUM NO. 2, NOTICE TO BIDDER, note (25);

 Delete this note in its entirety;

 Substitute with the following:
 - "(25) The Contractor is advised that no additional or separate payment shall be made for pile cap, decking, headwall, riprap, slope pavement, boulder protection, flap gate, sign, hand railing, sheeting and bracing and all other items necessary to complete the outfall at Fresh Creek. The cost shall be deemed included in the price bid for contract Item No. 51.61F000 OUTFALL."
- (3) Refer to the Bid and Contract Documents, VOLUME 3 OF 3, ADDENDUM NO. 2, NOTICE TO BIDDER, note (18);

 Change the text "Section 5.28" (located on the fourth line) to read "Section 70.71".
- (4) Refer to the Bid and Contract Documents, VOLUME 3 OF 3, ADDENDUM NO. 2, Article No. 7, Subsection (E) Specific Pavement Restoration Provisions, note (3).
 Add the following limits for the permanent restoration of trench widths and cutbacks only:

ADDENDUM NO. 8

PROJECT ID: SE851

Flatlands Avenue between East 98th Street and East 99th Street; Conklin Avenue between East 99th Street to East 100th Street.

(5) Refer to the Bid and Contract Documents, VOLUME 3 OF 3, ADDENDUM NO. 2, Executive Summary, Page 3;

Delete page 3 in its entirety;

Substitute with the attached revised page 3R.

(Note: The second to last paragraph on page 3R is modified)

(6) See attached list of QUESTIONS SUBMITTED BY BIDDERS AND RESPONSES PROVIDED BY DDC for additional information.

By signing in the space provided below, the bidder acknowledges receipt of the two (2) pages of this Addendum plus fifty (50) pages of attachments.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BIDS.

GURDIP SAINI, P.E.

Associate Commissioner/Design I

Name of Bidder

QUESTIONS SUBMITTED BY BIDDERS AND RESPONSES PROVIDED BY DDC

QUESTION NO. 1: What is the pavement restoration plan (as per Addendum #2) for two blocks within our work area on Flatlands Avenue between East 98th Street to East 99th Street and Conklin Avenue between East 99th Street to East 100th Street?

ANSWER NO. 1: See Article No. 4 of this Addendum.

QUESTION NO. 2: NYCDDC Executive Summary, pg. 3, paragraph states vibration control needed during asphalt cutting/removal and pavement work. Will vibration controls be needed for such tasks?

ANSWER NO. 2: See Article No. 5 of this Addendum.

QUESTION NO. 3: A discrepancy has been found on Sheet 4 of 51 in regards to the Outfall Structure construction. Payment limit are unclear to what is to be included part of the Outfall structure, please clarify?

ANSWER NO. 3: The payment limits for the outfall include the grouted stone pavements and the 18" headwall. In addition to the aforementioned items, the bidder is advised to see Article No. 2 of this Addendum.

QUESTION NO. 4: Reference is made to Sheet 29 of the Contract Drawings. The details to the poured-in-place Box Sewer on piles shows 6" of additional concrete and rebar that should be paid as Bid Items 73.21AC and 73.51AS.

Reference is made to Sheet 30 of the Contract Drawings. The details of the pile cap to the Precast Box Sewer shows 6" of additional concrete and the bottom reinforcing steel over the piles that should be paid as Bid Items 73.21AC and 73.51AS. How is the remaining 15" thickness of concrete of the pile cap and the rebar and stirrups above the typical pile reinforcement paid?

ANSWER NO. 4: The cost of work for the additional 15" or 12" thickness of concrete and the rebar and stirrups shall be deemed included in the price bid for the Precast Box Sewer.

QUESTION NO. 5: Regarding Item (25) on Page A2-5:

Should the first sentence read "payment shall be made for pile cap, decking...." Instead of "payment shall be made for piles cap, decking..."

ANSWER NO. 5: See Article No. 2 of this Addendum.

QUESTION NO. 6: Are all Timber and CFA Piles to be paid under Bid Items 70.11TT, 70.12AN and 70.12AT, no matter their location?

ANSWER NO. 6: Timber Piles and CFA Piles will be paid under Item Nos. 70.11TT and 70.12AN respectively regardless of location. The CFA Piles load test will be paid under Item No. 70.12AT.

QUESTION NO. 7: Note 3 on Sheets 6 and 7 states that over-excavation up to 5' is to be paid in respective bid items. Item (18) on Page A2-4 states that over-excavation and replacement with ballast will be paid under Bid Items 73.31AEO and 70.71SB respectively. Please clarify this discrepancy.

ADDENDUM NO. 8 PROJECT ID: SE851

ANSWER NO. 7: Over excavation and replacement with stone ballast will be paid under Item Nos. 73.31AEO and 70.71SB respectively.

QUESTION NO. 8: Please review the following bid quantities which vary from those shown on plans by more than 25%:

a. 50.31CC15 Plan quantity is under bid quantity.

b. 50.31CC18 Plan quantity is well over bid quantity.

ANSWER NO. 8: See attached revised bid sheets.

QUESTION NO.9: Chamber 1 discharges from a 13' x 4' box culvert out into a 9'-6" x 5' Box culvert, is this information accurate based on Sheet 5 of 51?

ANSWER NO. 9: This information is accurate.

QUESTION NO. 10: There seem to be 2 similar bid items identifying Standard 4' Precast MH (Sequence No. 59 & 63)? Is this a typo?

ANSWER NO. 10: See attached revised bid sheets.

Pre-Construction Condition Survey, Vibration Monitoring and Geotechnical Evaluation for Storm, Sanitary, and Combined Sewers and Water Main in Fresh Creek Borough of Brooklyn, New York

in/s, excluding the isolated, infrequent, high values likely attributed to human interference. The maximum allowable peak particle velocity (PPV) levels at different frequency ranges for structures of different ages, construction materials and foundation types were estimated based on observations during the condition survey.

This report suggests specific construction means and methods (i.e., types of construction equipment) for this project and develops typical standoff distances for the type of equipment that would likely be used. Based on the surveyed building conditions and proposed standoff distances, PPV "Threshold" and "Limiting" values have been recommended as follows.

Table 2: PPV Threshold and Limiting Values

| Frequency | Max. Peak Par
(in/s | |
|--------------|------------------------|-------------------|
| (Hz) | Threshold (in/sec) | Limiting (in/sec) |
| Over 40 | 1.0 | 2.0 |
| 30 to 40 | 0.75 | 1.5 |
| 20 to 30 | 0.5 | 1.0 |
| Less than 20 | 0.35 | 0.5 |

The proposed PPV vibration criteria presented in the above table are based on the U.S. Bureau of Mines recommendations associated with minimizing the risk of construction related damage to existing utilities and structures. Also note that the recommended action levels are mainly dependent on wave frequencies. Typically, wave frequency depends on type of equipment used for site construction activities, type of hammer (i.e., impact hammer, vibratory hammer), input energy, and standoff distances. It is imperative that PPV be monitored and not exceed recommended Threshold values.

It is also recommended that the contractor monitor vibrations during the entire phase of installation of any piles for foundations and shoring, excavation and compaction.

The contractor must be prepared to take additional precautionary and corrective measures, as appropriate, since the established vibration criteria cannot guarantee that no damage would occur for vibrations below the established Threshold limits. In particular, all sensitive buildings and all existing utilities should be closely monitored for signs of damage during construction. Any building found to be in "poor" or "fair" condition, at the time of construction, should be closely monitored for signs of damage.



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

BID SCHEDULE

- proportionate share of the Bidder's anticipated profit, overhead costs, and other indirect costs, anticipated NOTE: (1) The Agency may reject a bid if it contains unbalanced bid prices. An unbalanced bid is considered to be one containing fump sum or unit items which do not reflect reasonable actual costs plus a reasonable for the performance of the items in question.
- (2) The following bld prices on Unit Price Contracts are to be paid for the actual quantities of the Item numbers appliances of every description necessary to complete the entire work, as specified, and the removal of all in the completed work or structure, and they cover the cost of all work, labor, material, tools, plant and debris, temporary work and appliances.
- (3) PLEASE BE SURE A LEGIBLE BID IS ENTERED, IN INK, FOR EACH ITEM. Alterations must be initialed in ink by the bidder.
- (4) The Extended Amount entered in Column 6 shall be the product of the Estimated Quantity in Column 3 times the Unit Price Bid in Column 5.
- Commissioner, in writing, if any pages are missing, and must request that such missing pages be furnished (5) Prospective bidders must examine the Bid Schedule carefully and, before bidding, must advise the them. The pages of this Bid Schedule are numbered consecutively, as follows: B-3 [REVISION # 1] Through B-49 [REVISION # 1]

PLEASE BE SURE A LEGIBLE BID IS ENTERED FOR EACH ITEM.
THE BIDDER SHALL INSERT THE TOTAL BID PRICE IN
THE BID FORM ON PAGE C-4 OF THIS BID BOOKLET.

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

| COL. 1
00.3
00.3
00.4
00.5
00.5
00.5 | 4.02 AF-R ASPHALTIC CONCRETE WEARING COURSE, 1-1/2" THICK ASPHALTIC CONCRETE WEARING COURSE, 2" THICK ASPHALTIC CONCRETE WEARING COURSE, 2" THICK BINDER MIXTURE BINDER MIXTURE CONCRETE BASE FOR PAVEMENT, VARIABLE THICKNESS FOR TRENCH RESTORATION, (HIGH-EARLY STRENGTH) 4.05 AX HIGH-EARLY STRENGTH REINFORCED CONCRETE PAVEMENT (BUS STOPS) | COL. 3 ENGINEERS ESTIMATE OF.QUANTITY. 5,000.00 T0,000.00 6,300.00 | S.Y. S.Y. C.Y. | COL 5 (IN FIGURES) COLLARS CTS | EXTENDED AMOUNT (IN FIGURES.) DOLLYRS CTS |
|--|---|--|----------------|--------------------------------|--|
| | 4.08 AA CONCRETE CURB (18" DEEP) | 3,100.00 | L.F. | | |

B-4 [REVISION # 1]

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| SEO. NO
007 | 4.09 AD | COL 3 ENGINEER'S ESTIMATE OF QUANTITY 1,400.00 | COL.4 | UNIT PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) DOLLARS CIS DOLLARS | <u>\$</u> |
|---|--|--|----------|--|-----------|
| 13 2 3 3 5 5 5 | 4.09 CD CORNER STEEL FACED CONCRETE CURB (18" DEEP) | 1,000.00 | <u> </u> | | |
| 2 ½ | 4.09 CE CORNER STEEL FACED CONCRETE CURB (21" DEEP) | 800.00 | H. | | |
| <u> </u> | 4.13 AAS 4" CONCRETE SIDEWALK (UNPIGMENTED) | 28,600.00 | α.
π. | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| 020
020 | COL. 2 ITEM NUMBER and DESCRIPTION 4.18 C MAINTENANCE TREE PRUNING (18" TO UNDER 24" CAL.) MAINTENANCE TREE PRUNING (24" CAL. AND OVER) | ENGINEER'S ESTIMATE OF QUANTITITY 70.00 | CACH EACH | COL 5 UNIT PRICE (IN FIGURES) DOLLARS CTS | EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS |
|---------------------------|---|---|-----------|--|---|
| 4.20
SEEDING
4.21 | JING | 1,700.00 | S.Y. | | |
| 50.1
50.0
8TOR | TREE CONSULTANT 50.11MS040020 4.0"W X 2.0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE STORM SEWER | 252.00 | H. | | |
| 50.11
4'-6"W
STORIN | 50.11MS046026
4-6"W X 2-6"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE
STORM SEWER. | 1,025.00 | L.F. | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION **DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN**

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

| COL 1
SEQ. NO | COL. 2 TEM NUMBER and DESCRIPTION | COL. 3 ENGINEERS ESTIMATE OF QUANTITY | COL.4 | COL. 5 UNIT PRICE (IN FIGURES) DOLLARS | COL 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS |
|------------------|---|---------------------------------------|-------|--|--|
| 025 | 50.11MS050026
5-0"W X 2-6"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE
STORM SEWER | 1,558.00 | LF. | | |
| 026 | 50.11MS060030
6-0"W x 3-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE
STORM SEWER | 1,298.00 | L.F. | | |
| 027 | 50.11MS096050
9-6"W X 5-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE
STORM SEWER | 197.00 | L.F. | Y-, ii , | |
| 028 | 50.11MS130040
13-0"W X 4-0"H SINGLE BARREL FLAT TOP REINFORCED CONCRETE
STORM SEWER | 1,499.00 | L.F. | | |
| 029 | 50.21C3E024D 24" R.C.P. CLASS III COMBINED SEWER, ENCASED IN CONCRETE | 118.00 | L.F. | | |
| 030 | 50.21M3E024D
24" R.C.P. CLASS III STORM SEWER, ENCASED IN CONCRETE | 1,151.00 | LF. | | |



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL 1 | COL. 2 ITEM NUMBER and DESCRIPTION | COL.3 ENGINEER'S ESTIMATE OF QUANTITY | 0.1. COL.4 | COL 5
UNIT PRICE
(IN FIGURES)
DOLLARS CTS | COL.6 EXTENDED AMOUNT (IN FIGURES) DOLLARS | Angual B |
|-------|--|---------------------------------------|------------|--|--|----------|
| 031 | 50.21M3E030W
30"W X 19"H R.C.P. CLASS HE-III STORM SEWER, ENCASED IN
CONCRETE | 814.00 | и <u>.</u> | | | |
| 032 | 50.21M3E038W
38"W X 24"H R.C.P. CLASS HE-III STORM SEWER, ENCASED IN
CONCRETE | 496.00 | ౼ | | | |
| 033 | 50.31CC15 15" E.S.V.P. COMBINED SEWER, ON CONCRETE CRADLE | 272.00 | F | | | |
| 034 | 50.31CC18 18" E.S.V.P. COMBINED SEWER, ON CONCRETE CRADLE | 332.00 | F. | | | |
| 035 | 50.31CE12
12" E.S.V.P. COMBINED SEWER, ENCASED IN CONCRETE | 45.00 | Ä | | | |
| 036 | 50.31MC12
12" E.S.V.P. STORM SEWER, ON CONCRETE CRADLE | 259.00 | Ä. | | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL. 6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) UNIT COL. 6 (IN FIGURES) (IN FIGURES) | L. | L | H. | LL. | F. | <u></u> |
|---|---|--|--|---|--|---|
| COL 3 COL 4 ENGINEERS ESTIMATE OF QUANTITY UNIT | 230.00 L. | 181.00 L. | 649.00 L. | 1,796.00 L. | 157.00 L. | 00.069 |
| COL. 2 ITEM NUMBER and DESCRIPTION | 50.31MC15
15" E.S.V.P. STORM SEWER, ON CONCRETE CRADLE | 50.31MC18 18" E.S.V.P. STORM SEWER, ON CONCRETE CRADLE | 50.31ME15
15" E.S.V.P. STORM SEWER, ENCASED IN CONCRETE | 50.31ME18 18" E.S.V.P. STORM SEWER, ENCASED IN CONCRETE | 50.31SC10 10" E.S.V.P. SANITARY SEWER, ON CONCRETE CRADLE | 50.31SC12 12" E.S.V.P. SANITARY SEWER, ON CONCRETE CRADLE |
| COL.1
SEQ.NO | 037 | 038 | 039 | 940 | 2 | 042 |



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| ## COUL 2 COUL 3 ENGINISER'S ENGINISER'S ENGINISER'S ENGINISER'S ESTINATE OF QUANTITIF OF QUAN |
|--|
| |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION **DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN**

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

| 25 | | | | | | |
|--|--------------------------------|-----------------------------------|--------------------------------|-----------------------------------|--------------------------------|--------------------------------|
| COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS | | | | | | |
| COL. 5
UNIT PRICE
(IN FIGURES)
DOLLARS (CTS | | | | | | |
| COL 4
UNIT | ЕАСН | ЕАСН | ЕАСН | БАСН | ЕАСН | EACH |
| COL.3 ENGINEER'S ESTIMATE OF QUANTITY | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 | 1.00 |
| COL. 2 THEM NUMBER and DESCRIPTION | 51.11C004 CHAMBER NO. 4 | 51.11C005
CHAMBER NO. 5 | 51.11C006 CHAMBER NO. 6 | 51.11C007
CHAMBER NO. 7 | 51.11C008 CHAMBER NO. 8 | 51.11C009 CHAMBER NO. 9 |
| COL 1
SEQ. NO | 049 | 020 | 051 | 052 | 053 | 054 |



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| | COL. 2 TEM NUMBER and DESCRIPTION | COL 3 ENGINEERS ESTIMATE OF QUANTITY | 200
Viif | COL.5. UNIT PRICE (IN FIGURES) DOLLARS : GTS | COL 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS | Ø |
|------------------|---|--------------------------------------|-------------|--|--|----------|
| 51.1 . | 51.11C010 CHAMBER NO. 10 | 1.00 | EACH | | | |
| 51.1 | 51.11C011
CHAMBER NO. 11 | 1.00 | ЕАСН | | | <u> </u> |
| 51.1 CHAN | 51.11C012
CHAMBER NO. 12 | 1.00 | ЕАСН | | | <u> </u> |
| 51.1 | 51.11C013
CHAMBER NO. 13 | 1.00 | ЕАСН | , | | |
| 51.1 STAN | 51.11P004
Standard 4'-0" Diameter precast manhole | 14.00 | ЕАСН | | | T |
| 51.1
STAN | 51.11P005
STANDARD 5-0" DIAMETER PRECAST MANHOLE | 3.00 | ЕАСН | | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

BID SCHEDULE FORM

B - 14 [REVISION # 1]



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL 1 | COL 2 TEM NUMBER AND DESCRIPTION | COL 3
ENGINEER'S
ESTIMATE
OF OLIMATHY | 00L.4 | COL 5
UNIT-PRICE
(IN FIGURES) | COL. 6 EXTENDED AMOUNT (IN FIGURES) | |
|-------|--|--|-------|-------------------------------------|-------------------------------------|--|
| 1 | | 1.00 | EACH | | | |
| | 51.21S0A3000V
STANDARD SHALLOW MANHOLE TYPE A-3 | 24.00 | ЕАСН | | | |
| | 51.21SOB1000V
STANDARD MANHOLE TYPE B-1 | 2.00 | ЕАСН | | | |
| | 51.41P000
SPECIAL CATCH BASIN | 2.00 | ЕАСН | | | |
| | 51.41S001
STANDARD CATCH BASIN, TYPE 1 | 124.00 | ЕАСН | | | |
| 072 | 51.41S003
STANDARD CATCH BASIN, TYPE 3 | 4.00 | ЕАСН | | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION

DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

BID SCHEDULE FORM

| COL.3 COL.4 COL.5 COL.6 COL.6 EXTENDED AMOUNT ESTINATE (IN FIGURES) (IN FIGURES) CF QUANTITY CTS DOLLARS CTS | - | 1.00 EACH | 1.00 EACH | 2,270.00 L.F. | 16.00 V.F. | 2.00 EACH |
|--|----------------------------------|--|--------------------------|--|---|--|
| COL. 2 TEM NUMBER and DESCRIPTION | 51.41W000
SHALLOW CATCH BASIN | 51.42S1SO INCREMENTAL COST OF STANDARD CATCH BASIN TYPE 3 WITH CURB PIECE IN LIEU OF STANDARD CATCH BASIN TYPE 1 | 51.61F000 OUTFALL | 52.11D12
12" DUCTILE IRON PIPE BASIN CONNECTION | 52.21V08 8* E.S.V.P. RISER FOR HOUSE CONNECTION | 52,31V06C12 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 12" E.S.V.P. COMBINED SEWER |
| COL. 1 | 073 | 074 | 075 | 076 | 7.70 | 078 |

B - 16 [REVISION # 1]



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| SEQ. NO | COL. 2 TIEM NUMBER and DESCRIPTION | COL. 3
ENGINEER'S
ESTIMATE
OF QUANTITY | 80L 4 | COL.5
UNIT PRICE
(IN FIGURES) | COL. 6 EXTENDED AMOUNT: (IN FIGURES) |
|---------|---|---|-------|-------------------------------------|--------------------------------------|
| 079 | 52.31V06C15 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 15" E.S.V.P. COMBINED SEWER | 4.00 | ЕАСН | | |
| 080 | 52.31V06C18 6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 18" E.S.V.P. COMBINED SEWER | 4.00 | ЕАСН | | |
| 081 | 52.31V06M12
6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 12" E.S.V.P. STORM
SEWER | 1.00 | ЕАСН | | |
| 082 | 52.31V06M15
6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 15" E.S.V.P. STORM
SEWER | 63.00 | ЕАСН | | |
| 083 | 52.31V06M18
6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 18" E.S.V.P. STORM
SEWER | 97.00 | EACH | | |
| 780 | 52.31V06S10
6" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 10" E.S.V.P.
SANITARY SEWER | 8.00 | ЕАСН | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

| COL_1 | COL. 2 COL. 2 THE UNIMBED and DESCRIPTION | COL 3 ENGINEER'S ESTIMATE OF OHANTITY | 00L4 | COL. 5 UNIT PRICE (IN FIGURES) | COL. 6 EXTENDED AMOUNT (IN FIGURES) | g g |
|-------|---|---------------------------------------|----------|----------------------------------|-------------------------------------|-----|
| 085 | 52.31V08C15 8" E.S.V.P. SPUR FOR HOUSE CONNECTION ON 15" E.S.V.P. COMBINED SEWER | 1.00 | ЕАСН | 1 | | |
| 980 | 52,41V06R 6" E.S.V.P. HOUSE CONNECTION DRAIN ON CONCRETE CRADLE (RECONNECTION) | 5,456.00 | <u> </u> | | | |
| 087 | 52.41V08R
8" E.S.V.P. HOUSE CONNECTION DRAIN ON CONCRETE CRADLE
(RECONNECTION) | 00.00 | 5 | | | |
| 088 | 53.11DR TELEVISION INSPECTION AND DIGITAL AUDIO-VISUAL RECORDING OF SEWERS | 13,120.00 | | | | |
| 680 | 6.01 AC
CLEARING AND GRUBBING | 3,000.00 | S.Y. | | | |
| 060 | 6.02 AAN
UNCLASSIFIED EXCAVATION | 10,250.00 | C.Y. | | | |

B - 18 [REVISION # 1]

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

| 5
1-13 | col. 2 | COL.3 -
ENGINEER'S
ESTIMATE | (00L.4 | CÓL 5
UNIT PRICE
(IN FIGURES) | COL. 6 EXTENDED AMOUNT (IN FIGURES) | |
|-----------|---|-----------------------------------|----------------|-------------------------------------|-------------------------------------|-----|
| SEQ. NO | ITEM NUMBER and DESCRIPTION. | OF QUANTITIX | TINO | DOLLARS CTS | | CTS |
| 960 | 6.23 BFB FURNISH AND INSTALL FIRE DEPARTMENT 24 WIRE TERMINAL BOX AND TERMINATE FIRE ALARM CABLES | 2.00 | ЕАСН | | | |
| 097 | 6.23 BFC FURNISH AND INSTALL FIRE DEPARTMENT 12 WIRE TERMINAL BOX AND TERMINATE FIRE ALARM CABLES | 1.00 | ЕАСН | | | |
| 860 | 6.23 BGS
FURNISH AND INSTALL 4" P.V.C. CONDUIT, SCHEDULE 40, U.L. 651
(WITHOUT PAVEMENT EXCAVATION) | 1,205.00 | F. | | | |
| 660 | 6.23 BGSE FURNISH AND INSTALL 4" P.V.C. CONDUIT, SCHEDULE 40, U.L. 651 (WITH PAVEMENT EXCAVATION) | 30.00 | L.F. | | | |
| 100 | 6.23 BHE FURNISH AND INSTALL 4" 90-DEGREE P.V.C. WIDE BEND, SCHEDULE 40, U.L. 651 (WITH PAVEMENT EXCAVATION) IN ACCORDANCE WITH F.D. STD. DWG. #141 OR #145AA | 3.00 | ЕАСН | | | |
| | 6.23 BP
FURNISH AND INSTALL FIRE ALARM PEDESTAL BUMPERS (2
REQUIRED PER SET) IN ACCORDANCE WITH F.D. STD. DWG. #168 | 3.00 | SETS | | | |



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL 1
SEQ: NO | COL. 2 TEM NUMBER and DESCRIPTION | COL.3.
ENGINEER'S
ESTINATE
OF QUANTITY | 20E.4 | COL 5 UNIT PRICE (IN FIGURES) | COL 6 EXTENDED AMOUNT (IN FIGURES) | |
|------------------|---|---|----------|-------------------------------|------------------------------------|----|
| 102 | 6.23 DC
FURNISH AND INSTALL 10 PAIR FIRE ALARM CABLE | 00.00 | | | | o. |
| 103 | 6.23 RM REMOVE EXISTING F.D.N.Y. MANHOLE | 1.00 | ЕАСН | | | |
| 20 | 6.25 RS TEMPORARY SIGNS | 6,200.00 | S.F. | | | |
| 105 | 6.26
TIMBER CURB | 52,100.00 | i. | | | |
| 106 | 6.28 AA
LIGHTED TIMBER BARRICADES | 4,700.00 | 류 | | | |
| 107 | 6.34 ACT
TEMPORARY CHAIN LINK FENCE, 6'-0" HIGH | 90.00 | . | | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION **DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN**

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

| COL 1
SEQ. NO | COL. 2 (TEM NUMBER and DESCRIPTION | COL.3 ENGINEERS ESTIMATE OF QUANTITY | COL. 4 | COL. 6 UNIT PRICE ('IN FIGURES') DOILTARS | COL. 6 EXTENDED AMOUNT (IN FIGURES) S DOLLARS CTS | Ø |
|------------------|---|--------------------------------------|--------|---|---|---|
| 108 | 6.40 D
ENGINEER'S FIELD OFFICE (TYPE D) | 42.00 | MONTH | | | |
| 109 | 6.42 A06
BEAM BARRIERS FOR DEAD-END STREETS, TYPE 6 | 1.00 | ЕАСН | | | |
| 110 | 6.44 THERMOPLASTIC REFLECTORIZED PAVEMENT MARKINGS (4" WIDE) | 18,500.00 | L.F. | | | |
| E | 6.49
TEMPORARY PAVEMENT MARKINGS (4" WIDE) | 13,600.00 | L.F. | . | | |
| 112 | 6.52 CG
CROSSING GUARD | 2,600.00 | P/HR | | | |
| 113 | 6.53
REMOVE EXISTING LANE MARKINGS (4" WIDE) | 16,950.00 | LF. | | | |

B - 22 [REVISION # 1]

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL T | CARCOLINE - Control | COL 3 ENGINEERS ESTIMATE OF QUANTITY | COLZ | COL 5 UNIT PRICE (IN FIGURES), DOLLARS | COL. 6 EXTENDED AMOUNT (IN FIGURES) S- DOLLARS | 2 5 |
|-------|---|--------------------------------------|---------|--|--|------------|
| 414 | 6.85 A TRAFFIC ENFORCEMENT AGENTS PRICE BID SHALL BE FOR THE FIXED SUM OF \$ 760,295.52 | 1.00 | Ŗ.
Ŗ | 760,296 52 | 760,296 | 8 52 |
| 115 | 6.87 PLASTIC BARRELS | 3,450.00 | ЕАСН | | | |
| 116 | 60.11R520
FURNISHING AND DELIVERING 20-INCH DUCTILE IRON RESTRAINED
JOINT PIPE (CLASS 55) | 4,400.00 | Ä | | | |
| 117 | 60.11R606
FURNISHING AND DELIVERING 6-INCH DUCTILE IRON RESTRAINED
JOINT PIPE (CLASS 56) | 900.00 | | | | |
| 118 | 60.11R608
FURNISHING AND DELIVERING 8-INCH DUCTILE IRON RESTRAINED
JOINT PIPE (CLASS 56) | 8,800.00 | R. | | · | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

| COL 1 | COL. 2 THEM NUMBER and DESCRIPTION | COL.3 ENGINEERS ESTIMATE OF QUANTITY | 89L4
UNIT | COL.5 UNIT PRICE (IN FIGURES) DOLLARS (CTS) | COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS GTS |
|-------|--|--------------------------------------|--------------|---|--|
| 119 | 60.11R612
FURNISHING AND DELIVERING 12-INCH DUCTILE IRON RESTRAINED
JOINT PIPE (CLASS 56) | 4,800.00 | н. | | |
| 120 | 60.12D06
LAYING 6-INCH DUCTILE IRON PIPE AND FITTINGS | 00.00 | LF. | | |
| 121 | 60.12D08
LAYING 8-INCH DÜCTILE IRON PIPE AND FITTINGS | 9,700.00 | LF. | | |
| 122 | 60.12D12
LAYING 12-INCH DUCTILE IRON PIPE AND FITTINGS | 5,300.00 | L.F. | | |
| 123 | 60.12D20
LAYING 20-INCH DUCTILE IRON PIPE AND FITTINGS | 4,850.00 | LF. | | |
| 124 | 60.13M0A24
FURNISHING AND DELIVERING DUCTILE IRON MECHANICAL JOINT 24
-INCH DIAMETER AND SMALLER FITTINGS, INCLUDING WEDGE TYPE
RETAINER GLANDS | 53.00 | TONS | | |

B - 24 [REVISION # 1]

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL. 6 UNIT.PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) DOI LARS CTS DOI LARS CTS COL. 6 EXTENDED AMOUNT CO | | | | | |
|--|--|---|---|---|---|
| SOL.4 | EACH | ЕАСН | EACH | EACH | ЕАСН |
| COL 3 ENGINEER'S ESTIMATE OF QUANTITY | 64.00 | 29.00 | 24.00 | 10.00 | 2.00 |
| COL 2 TEM NUMBER and DESCRIPTION | 61.11DMM06 FURNISHING AND DELIVERING 6-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS. | 61.11DMM08 FURNISHING AND DELIVERING 8-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS | 61.11DMM12
FURNISHING AND DELIVERING 12-INCH MECHANICAL JOINT DUCTILE
IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER
GLANDS | 61.11DMM20
FURNISHING AND DELIVERING 20-INCH MECHANICAL JOINT DUCTILE
IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER
GLANDS | 61.11TWC03
FURNISHING AND DELIVERING 3-INCH WET CONNECTION TAPPING
VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS |
| COL 1
SEQ. NO | 125 | 126 | 127 | 128 | 129 |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION **DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN**

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

| COL.3 COL.4 COL.5 COL.6 COL.6 EXTENDED AMOUNT ESTIMATE (IN FIGURES) (IN FIGURES) TOW OF QUANTITY UNIT DOLLARS : CTS | 5.00 EACH RIGLANDS | SON GATE VALVE | 29.00 EACH SATE VALVE IDS | RON GATE VALVE | RON GATE VALVE | 2.00 EACH SALVE COMPLETE |
|---|---|---|---|--|--|---|
| 1 000 | 61.11TWC04 FURNISHING AND DELIVERING 4-INCH WET CONNECTION TAPPING VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS | 61.12DMM06 SETTING 6-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS | 61.12DMM08 SETTING 8-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS | 61.12DMM12 SETTING 12-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS | 61.12DMM20
SETTING 20-INCH MECHANICAL JOINT DUCTILE IRON GATE VALVE
COMPLETE WITH WEDGE TYPE RETAINER GLANDS | 61.12TWC03 SETTING 3-INCH WET CONNECTION TAPPING VALVE COMPLETE WITH WEDGE TYPE RETAINER GLANDS |
| COL.1
SEQ. NO | 130 | 131 | 132 | 133 | 134 | 135 |

B-26 [REVISION # 1]

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION **DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN**

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

| COL. 1
SEQ. NO | COL 2 TEM NUMBER and DESCRIPTION | COL.3 ENGINEERS ESTIMATE OF QUANTITY | COL4 | COL.5 UNIT PRICE (IN FIGURES) DOLLARS CTS | COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS |
|-------------------|---|--------------------------------------|------|---|---|
| 142 | 64.11EL
WITHDRAWING AND REPLACING HOUSE SERVICES USING 1-1/2-
INCH OR LARGER SCREW TAPS | 200.00 | ЕАСН | | |
| 143 | 64.11ST
WITHDRAWING AND REPLACING HOUSE SERVICES USING SMALLER
THAN 1-1/2-INCH SCREW TAPS | 500.00 | ЕАСН | | |
| 1 | 64.12COEG
CUTTING AND OFFSETTING HOUSE SERVICE WATER CONNECTIONS
(EQUAL TO OR GREATER THAN 3-INCH DIAMETER) | 150.00 | ñ. | | |
| 145 | 64.12COLT CUTTING AND OFFSETTING HOUSE SERVICE WATER CONNECTIONS (LESS THAN 3-INCH DIAMETER) | 4,600.00 | ñ. | | |
| 146 | 64.12ESEG
EXTENDING HOUSE SERVICE WATER CONNECTIONS (EQUAL TO OR
GREATER THAN 3-INCH DIAMETER) | 50.00 | L.F. | | |
| 147 | 64.12ESLT
EXTENDING HOUSE SERVICE WATER CONNECTIONS (LESS THAN 3-
INCH DIAMETER) | 200.00 | i. | | |

B - 28 [REVISION # 1]

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| - 100
- 1 | 60L2 | ENGINEER'S | 7 00 | COL.5
UNIT PRICE | COL 6 EXTENDED AMOUNT |
|--------------|--|-------------|-------------|---------------------|-----------------------|
| SEQ. NO | TEM NUMBER and DESCRIPTION | OF QUANTITY | LNO | DOLLARS CTS | DOLLARS GTS |
| 148 | 64.13WC08
FURNISHING, DELIVERING AND INSTALLING WET CONNECTION
SLEEVE ON 8-INCH WATER MAIN PIPE WITH VARIOUS OUTLETS | 3.00 | ЕАСН | | |
| 149 | 64.13WC12
FURNISHING, DELIVERING AND INSTALLING WET CONNECTION
SLEEVE ON 12-INCH WATER MAIN PIPE WITH VARIOUS OUTLETS | 1.00 | ЕАСН | | |
| 150 | 64.13WC20
FURNISHING, DELIVERING AND INSTALLING WET CONNECTION
SLEEVE ON 20-INCH WATER MAIN PIPE WITH VARIOUS OUTLETS | 3.00 | ЕАСН | | |
| 151 | 65.11BR
FURNISHING, DELIVERING AND INSTALLING BANDS, RODS,
WASHERS, ETC., COMPLETE, FOR RESTRAINING JOINTS | 2,000.00 | LBS. | | |
| 152 | 65.21PS FURNISHING AND PLACING POLYETHYLENE SLEEVE Unit price bid shell not be less then: \$0.50 | 1,200.00 | 다. | | |
| 153 | 65.31FF FURNISHING, DELIVERING AND PLACING FILTER FABRIC Unit price bid shall not be less than: \$0.10 | 150,000.00 | S.F. | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

N PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

| COL. 1
SEQ. NO | COL. 2 TEM NUMBER and DESCRIPTION | COL3 ENGINEER'S ESTIMATE OF QUANTITY | COL 4 | COL 5 UNIT PRICE (IN FIGURES) DOLLARS CTS | COL. 6 EXTENDED AMOUNT (IN FIGURES) DOI LARS | 8 |
|-------------------|--|--------------------------------------|-------|---|--|---|
| 154 | 65.51PC FURNISHING AND PLACING CAST-IN-PLACE CONCRETE CLASS 40 AND PRECAST CONCRETE CLASS 50 | 20.00 | C.Y. | | | |
| 155 | 65.61SS FURNISHING, DELIVERING AND PLACING STRUCTURAL, REINFORCING AND MISCELLANEOUS STEEL | 48,000.00 | LBS. | | | |
| 156 | 65.71SG
FURNISHING, DELIVERING AND PLACING SCREENED GRAVEL OR
SCREENED BROKEN STONE BEDDING | 1,100.00 | C,Y. | | | |
| 157 | 7.13 B MAINTENANCE OF SITE Unit price bid shell not be less then: \$7,500.00 | 36.00 | MONTH | | | |
| 158 | 7.19
LOAD TRANSFER JOINT | 4.00 | 片 | | | |
| 159 | 7.36
PEDESTRIAN STEEL BARRICADES | 25,500.00 | F. | | | |

B-30 [REVISION # 1]



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL. 1
SEQ. NO | COL.2 TIEM:NUMBER and DESCRIPTION | COL3 ENGINEER'S ESTIMATE OF QUANTITY | COL 4
UNIT | COL.5 UNIT PRICE (IN FIGURES) DOLLARS | EXTENDED AMOUNT (IN FIGURES) S DOLLARS CTS |
|-------------------|---|--------------------------------------|---------------|---------------------------------------|--|
| 160 | 7.88 AA RODENT INFESTATION SURVEY AND MONITORING Unit price bid shall not be less than: \$14,250.00 | 1.00 | L.S. | | |
| 161 | 7.88 AB RODENT BAIT STATIONS Unit price bid shall not be less than: \$60.00 | 1,250.00 | ЕАСН | | |
| 162 | 7.88 AC BAITING OF RODENT BAIT STATIONS Unit price bid shall not be less than: \$ 9.25 | 1,250.00 | ЕАСН | | |
| 163 | 7.88 AD WATERBUG BAIT APPLICATIONS Unit price bid shall not be less than: \$65.00 | 500.00 | ВГОСК | | |
| 164 | 70.11TT TIMBER PILES (TREATED) Unit price bid shell not be less than: \$17.50 | 22,100.00 | V.F. | | |
| 165 | 70.12AN
CONTINUOUS FLIGHT AUGER (CFA) PILES | 106,900.00 | V.F. | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION

DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

| COL 1
SEQ. NO | COL. 2 TEM NUMBER and DESCRIPTION | COL.3
ENGINEERS
ESTINATE
OF QUANTITY | COL 4
UNIT | COL. 5. UNIT PRICE (IN FIGURES). DOLLARS:CTS | COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CIS | |
|------------------|--|---|---------------|--|---|---|
| 166 | 70.12AT CONTINUOUS FLIGHT AUGER (CFA) PILES, LOAD TEST | 4.00 | EACH | | | |
| 167 | 70.21DK DECKING | 4,900.00 | %;
.≻. | | | |
| 168 | 70.31FN FENCING Unit price bid shall not be less than: \$2.00 | 29,100.00 | ri
T | | | 1 |
| 169 | 70.41K082350342 SHORING, BRACING, UNDERPINNING, SUPPORTING, PROTECTING AND MAINTAINING OF BUILDING AT BROOKLYN BLOCK NO. 8235, LOT NO. 342 - ONE (1) STORY BRICK, COMMERCIAL (913 EAST 108 STREET) | 1.00 | L.S. | | | 1 |
| 170 | 70.51EO EXCAVATION OF BOULDERS IN OPEN CUT Unit price bid shall not be less then: \$75.00 | 20.00 | .;
.; | | | 1 |

B - 32 [REVISION # 1]

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL 1
SEQ. NO | COL 2 TEM NUNBER AND DESCRIPTION | COL 3 ENGINEERS ESTIMATE OF QUANTITY | 7.280
FWD | COL.5 UNIT PRICE (IN FIGURES) COLLARS | COL. 6 EXTENDED AMOUNT (IN FIGURES) |
|------------------|--|--------------------------------------|--------------|---------------------------------------|-------------------------------------|
| 171 | 70.61RE
ROCK EXCAVATION | | | | |
| 172 | 70.71SB
STONE BALLAST
Unit price bid shell not be less than: \$ 15.00 | 4,000.00 | C.Y. | | |
| 173 | 70.81CB CLEAN BACKFILL Unit price bid shall not be less than: \$ 15.00 | 6,150.00 | C.Y. | | |
| 174 | 70.91SW12
FURNISHING AND PLACING SHEETING AND BRACING IN TRENCH
FOR WATER MAIN PIPE 12-INCH IN DIAMETER AND LESS | 17,000.00 | R. | | |
| 175 | 70.91SW20
FURNISHING AND PLACING SHEETING AND BRACING IN TRENCH
FOR WATER MAIN PIPE 20-INCH IN DIAMETER | 61,000.00 | n. | | |
| 176 | 72.11HF HYDRAULIC FILL FOR ABANDONED SEWERS AND WATER MAINS | 600.00 | c.Y. | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL. 1
SEQ. NO | COL. 2 TEM NUMBER and DESCRIPTION | COL-3 ENGINEER'S ESTIMATE OF QUANTITY | * 108 | COL 5 UNIT PRICE (IN FIGURES) DOLLARS | COL. 6 EXTENDED AMOUNT (IN FIGURES) COLLARS |
|-------------------|---|---------------------------------------|-------|---------------------------------------|---|
| 171 | 73.11AB ADDITIONAL BRICK MASONRY Unit price bid shall not be less than: \$62.50 | 475.00 | C.Y. | | |
| 178 | 73.21AC ADDITIONAL CONCRETE Unit price bid shall not be less than: \$62.50 | 2,350.00 | C.Y. | | |
| 179 | 73.31AE0 ADDITIONAL EARTH EXCAVATION INCLUDING TEST PITS (ALL DEPTHS) Unit price bid shall not be less than: \$ 20.00 | 5,300.00 | C.Y. | | |
| 180 | 73.41AG ADDITIONAL SELECT GRANULAR BACKFILL Unit price bid shall not be less than: \$ 15.00 | 1,150.00 | C.Y. | | |
| 181 | 73.51AS ADDITIONAL STEEL REINFORCING BARS Unit price bid shall not be less than: \$ 1.00 | 250,000.00 | LBS. | | |
| 182 | 73.61AT ADDITIONAL STONE BALLAST Unit price bid shall not be less then: \$ 15.00 | 1,000.00 | C.Y. | | |



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL. 1
SEQ. NO | COL. 2 TIEM NUMBER and DESCRIPTION | COL 3
ENGINEER'S
ESTIMATE
OF QUANTITY | Sel. 4 | COLS UNIT PRICE (IN FIGURES) DOLLARS : CTS | EXTENDED AMOUNT (IN FIGURES) DOLLARS |
|-------------------|---|--|--------|--|--------------------------------------|
| 183 | 76.11CR CONSTRUCTION REPORT | 1.00 | L.S. | | |
| 184 | 76.21MR MONITORING AND POST-CONSTRUCTION REPORT | 1.00 | r.s. | | |
| 185 | 8.01 C1 HANDLING, TRANSPORTING AND DISPOSAL OF NON-HAZARDOUS CONTAMINATED SOIL | 12,000.00 | TONS | | |
| 186 | 8.01 C2 SAMPLING AND TESTING OF CONTAMINATED/POTENTIALLY HAZARDOUS SOIL FOR DISPOSAL PURPOSES | 30.00 | SETS | | |
| 187 | 8.01 H HANDLING, TRANSPORTING AND DISPOSAL OF HAZARDOUS SOIL | 1,000.00 | TONS | | |
| 188 | 8.01 S HEALTH AND SAFETY | 1.00 | L.S. | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

| COL 1
SEQ. NO | COL. 2 ITEM NUMBER and DESCRIPTION | COL.3 ENGINEER'S ESTIMATE OF QUANTITY | SOL 4 | COL 5 UNIT PRICE (IN FIGURES) DOLLARS CTS | COL 8 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS |
|------------------|--|---------------------------------------|----------|--|--|
| 189 | 8.01 W1 REMOVAL, TREATMENT, AND DISCHARGE/DISPOSAL OF CONTAMINATED WATER | 90.00 | DAY | | |
| 190 | 8.01 W2 SAMPLING AND TESTING OF CONTAMINATED WATER | 8.00 | SETS | | |
| 191 | 8.08 VARIABLE MESSAGE BOARD | 4.00 | EACH | | |
| 192 | 9.30
STORM WATER POLLUTION PREVENTION | 1.00 | ,
S | · | |
| 193 | BMP-7.09
LICENSED SURVEYOR | 2.00 | DAY | . in ' a , a , a , a , a , a , a , a , a , a | |
| 19 | BMP-7.307-A
GRADING | 26,700.00 | ю,
F. | | |

B - 36 [REVISION # 1]

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL.1
SEQ.NO | COL.2 TIEN NUMBER and DESCRIPTION | COL 3 ENGINEER'S ESTIMATE OF QUANTITY | COL4 | COL 5 UNIT PRICE (IN FIGURES) DOLLARS | COL 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS |
|-----------------|--|---------------------------------------|---------------|---------------------------------------|--|
| 195 | BMP-7.401-I
SEEDING | 25,300.00 | ი.
ন. | | |
| 196 | BMP-7.401-J
HERBACEOUS PLANTS (PLUGS) | 8,195.00 | EACH | | |
| 197 | BMP-7.404-A
RESTORATION SPECIALIST | 720.00 | HRS | | |
| 198 | BMP-7.404-B EROSION AND SEDIMENT CONTROL LICENSED/CERTIFIED PROFESSIONAL | 50.00 | DAY | | |
| 199 | BMP-7.407-A EROSION CONTROL MAT | 25,300.00 | n. | | |
| 200 | BMP-7.408-B HERBICIDE APPLICATION | 2.00 | 2.00 CREW DAY | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION

DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

| COL. 1
SEQ. NO | COL. 2 TEM NUMBER and DESCRIPTION | COL 3 ENGINEER'S ESTIMATE OF QUANTITY | 20L4 | COL 5 UNIT PRICE (IN FIGURES) DOLLARS | COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS | 2 |
|-------------------|---|---------------------------------------|----------|---------------------------------------|---|---|
| 201 | BMP-7.413 TEMPORARY GOOSE EXCLUSION FENCE | 1,480.00 | μ. | , , , , , , , , , , , , , , , , , , , | | |
| 202 | BMP-7.415 INVASIVE VINE AND PLANT REMOVAL | 5.00 | CREW DAY | | | |
| 203 | BMP-7.417 DEBRIS EXCLUSION FENCE | 700.00 | 굕 | | | T |
| 204 | BMP-7.418 CLEAN SAND FOR RESTORED AREA | 290.00 | C.Y. | | | |
| 205 | BMP-7.421
ROOT BARRIER | 200.00 | S.F. | | | |
| 206 | BMP-7.502 CONSTRUCTION LIMIT FENCE | 70.00 | LF. | | | |

B - 38 [REVISION # 1]

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851

CONTRACT PIN: 8502014SE0021C

| COL 1
SEO: NO | COL. 2 TEM NUMBER and DESCRIPTION | COL 3 ENGINEERS ESTIMATE OF QUANTITY | SOL 4 | COL.5 UNIT PRICE (IN FIGURES) DOLLARS | COL. 6 EXTENDED AMOUNT (IN FIGURES) COL. 6 C |
|------------------|--|--------------------------------------|----------|---------------------------------------|--|
| 207 | BMP-7.504A
SILT FENCE | 440.00 | <u>.</u> | | |
| 208 | BMP-7.509-A STABILIZED CONSTRUCTION ENTRANCE | 1.00 | EACH | | |
| 509 | BMP-7.510 PORTABLE SEDIMENT TANK | 1.00 | ЕАСН | | |
| 210 | BMP-7.511 STORM DRAIN INLET PROTECTION | 5.00 | EACH | | |
| 211 | BMP-7.516 TURBIDITY CURTAIN | 290.00 | 4 | | |
| 212 | T-1.20 REMOVE TYPE "M" SERIES FOUNDATION | 1.00 | ЕАСН | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

ASTRUCTURE - BUREAU OF DESIGN CON BID SCHEDULE FORM

| TYPE "W.2-SS" FOUNDATION TYPE "W.2-SS" FOUNDATION TYPE "W.2-SS" FOUNDATION TYPE "W.2-SS" FOUNDATION TYPE "W.2-SS" FOUNDATION TYPE "W.2-SS" FOUNDATION TYPE "W.2-SS" FOUNDATION TYPE "W.2-SS" FOUNDATION TYPE "W.2-SS" FOUNDATION TYPE "W.2-SS" FOUNDATION 1.00 EACH TYPE "W.2" POST TYPE "W.2" FOST TYPE "W | COL. 5 COL. 6 UNIT. PRICE EXTENDED AMOUNT (IN FIGURES) (IN FIGURES) OULLARS (CTS) | | | | | |
|--|---|-----|-----|------|--------------|----------------------------|
| TYPE "M2-SS" FOUNDATION TYPE "M2-SS" FOUNDATION TYPE "M" SERIES POST TYPE "M" SERIES POST TYPE "M" SERIES POST TYPE "M" SERIES POST TYPE "M-2" POST | COLA
UNIT | | | | - <u>.</u> . | |
| T-1.3 INSTALL TYPE "M2-5S" FOUNDAT INSTALL TYPE "M2-2S" FOUNDAT INSTALL TYPE "M2-2S" FOUNDAT FEMOVE TYPE "M" SERIES POST T-2.24 REMOVE MAST ARM FROM ANY I T-2.4 INSTALL TYPE "M-2" POST T-20021 D) FURNISH 1" ANCHOR BOLT AS | | ION | NOI | TSOC | | SEMBLIES FOR F-1 (EACH) (4 |
| 213
214
215
217
218 | | | | | | |



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL. 6 UNIT PRICE: EXTENDED AMOUNT: (IN FIGURES) (IN FIGURES) DOLLARS (IS DOLLARS CIS | | | | | | |
|---|--|---|--|--|---|---|
| | EACH | ЕАСН | EACH | ЕАСН | ЕАСН | ЕАСН |
| COL 3 ENGINEERS ESTIMATE OF QUANTITY | 1.00 | 8.00 | 9.00 | 2.00 | 1.00 | 2.00 |
| COL. 2 TEM NUMBER and DESCRIPTION | T-20160 FURNISH 20 FOOT SIGNAL MAST ARM POLE ASSEMBLY TYPE "M-2" | T-20220
c) Furnish 1-1/4" anchor Bolt Assemblies for M-2 (EACH) (4
REQUIRED PER POST) | T-3.1
INSTALL "ONE-WAY" SIGNAL UNIT ON MAST ARM OR TOP OF
TRAFFIC POST | T-3.18 REMOVE SIGNAL HEAD FROM ANY TYPE POST | T-3.2
INSTALL "ONE-WAY" SIGNAL UNIT ON THE SHAFT OF ANY POST | T-3.21 REMOVE PEDESTRIAN SIGNAL OR SIGN UNIT OR OTHER ILLUMINATED SIGNS FROM ANY POST |
| COL 1
SEQ. NO | 219 | 220 | 221 | 222 | 223 | 224 |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION

DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL.1
SEQ. NO | COL. 2 TIEM NUMBER and DESCRIPTION | COL.3 ENGINEER'S ESTIMATE OF QUANTITY | 4.703
1000 | COL 5 UNIT PRICE (IN FIGURES) DOLLARS CTS | COL. 6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS |
|------------------|--|---------------------------------------|---------------|---|---|
| 225 | T-3.6 INSTALL PEDESTRIAN SIGNAL ON ANY TYPE POST | 5.00 | EACH | | |
| 226 | T-30013L
FURNISH ADJST 3 SCTN 1-WAY TRAFFIC SIGNAL, 8" - WALED LENS | 6.00 | EACH | | |
| 727 | T-31200 e) "VB" ASSEMBLY *ASSEMBLY IS EQUAL TO ONE PAIR | 1.00 | ЕАСН | | |
| 228 | T-31210
h) "HUB" ASSEMBLY "ASSEMBLY IS EQUAL TO ONE PAIR | 3.00 | ЕАСН | | |
| 229 | T-31225
c) "3MS" | 2.00 | ЕАСН | • | |
| 230 | T-31340
f) "VB-P" ASSEMBLY "ASSEMBLY IS EQUAL TO ONE PAIR | 1.00 | ЕАСН | | |



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL. 4 COL. 5 COL. 6 UNIT PRICE EXTENDED AMOUNT (IN FIGURES) UNIT DOLLARS | | ЕАСН | ЕАСН | ЕАСН | ЕАСН | <u>"</u> |
|---|---|---|--|---|--|---|
| ENGINEERS ESTIMATE OF QUANTITY | 2.00 | 1.00 | 00.4 | 1.00 | 1.00 | 150.00 |
| COL. 2 ITEM NUMBER and DESCRIPTION | T-31351
g) "VB-2P" ASSEMBLY 'ASSEMBLY IS EQUAL TO ONE PAIR | T-33000L FURNISH POLYCARBONATE INCANDESCENT PED SIGNAL WILED LENS | T-33001-L FURNISH POLYCARBONATE PEDESTRIAN SIGNAL (16 X 16) W/LED COUNT LENS (SPECIFICATION A-L) | T-4.22 INSTALL ANY TYPE OF ADVANCED SOLID STATE TRAFFIC SIGNAL CONTROLLER AND CABINET ON METAL POLE | T.4.8 REMOVE ONE CONTROL BOX AND CONTROLLER FROM ANY POST OR SUPPORT | T-5.1 FURNISH AND INSTALL 2" RIGID UNDERGROUND CONDUIT IN UNPAVED ROADWAY |
| COL 1
SEQ. NO | 231 | 232 | 233 | 234 | 235 | 236 |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION

DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

| COL 1
SEQ. NO | COL 2 TEM NUMBER and DESCRIPTION | COL.3. ENGINEER'S ESTIMATE OF QUANTITY | COL.4 | COL 5 UNIT PRICE (IN FIGURES) DOLLARS GTS | COL.6 EXTENDED AMOUNT (IN FIGURES) DOLLARS CTS |
|------------------|---|--|--------------|---|--|
| 237 | T-5.2
FURNISH AND INSTALL 2" RIGID UNDERGROUND CONDUIT IN PAVED ROADWAY | 30.00 | . | • • • • • • • • • • • • • • • • • • • | |
| 238 | T-5.32 RESTORING PERMANENT ROADWAY (INCLUDING SAWCUT) | 30.00 | <u>.</u> | | |
| 239 | T-5.36 REMOVE CONDUIT FROM POST | 10.00 | 5 | | |
| 240 | T-5.7 FURNISH AND INSTALL ADDITIONAL 2" RIGID UNDERGROUND CONDUIT | 20.00 | F. | | |
| 241 | T-6.10 REMOVE CABLE (INCLUDES OVERHEAD) | 800.00 | LF. | | |
| 242 | T-6.2 INSTALL MULTIPLE CABLE (INCLUDES OVERHEAD) | 800.00 | | | |

B-44 [REVISION # 1]



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| COL. 1
SEQ. NO | COL. 2 TITEM NÜMBER and DESCRIPTION | COL 3 ENGINEER'S ESTIMATE OF QUANTITY | COL4 | COL 5 UNIT PRICE (IN FIGURES) DOLLARS | COL 6 EXTENDED AMOUNT: (IN FIGURES) DOI 148S |
|-------------------|---|---------------------------------------|------|---------------------------------------|--|
| 243 | T-60000B
FURNISH 2 c # 10B (SEE SPEC) (BREAKDOWN = 2#10 WITH 3RD WIRE
FOR GROUNDING). | | | 1 | |
| 244 | T-60040 c) 7 CONDUCTOR, 14 A.W.G. | 400.00 | r. | | |
| 245 | T-60190 e) 13 CONDUCTOR, 14 A.W.G. | 900.00 | | | |
| 246 | T-8.10 RELOCATE CONCRETE PYLON WITH POST | 2.00 | EACH | | |
| 247 | T-8.8 INSTALL CONCRETE PYLON | 2.00 | EACH | | |
| 248 | T-8.9 REMOVE CONCRETE PYLON | 2.00 | ЕАСН | | |

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

| SEQ. NO T-81000 FURNISH CONCRETE PYLON 249 T-81000 FURL-6.01.1 GAS MAIN CROSSING SEWER UP TO 24" IN DIAMETER (S6.01) Unit price bid shall not be less than: \$1,040.00 251 UTL-6.01.2A GAS MAIN CROSSING 38"W X 24"H HORIZONTAL ELLIPTICAL REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$1,870.00 252 UTL-6.01.4A GAS MAIN CROSSING 4-0"W X 2-0"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$1,960.00 253 UTL-6.01.4N GAS MAIN CROSSING 4-6"W X 2-6"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$2,120.00 254 UTL-6.01.5C GAS MAIN CROSSING 5-0"W X 2-6"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) Unit price bid shall not be less than: \$2,120.00 254 UTL-6.01.5C GAS MAIN CROSSING 5-0"W X 2-6"H FLAT TOP REINFORCED CONCRETE STORM SEWER (S6.01) |
|---|
|---|



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

CONTRACT PIN: 8502014SE0021C PROJECT ID: SE851

BID SCHEDULE FORM

| COL.1 | COL. 2 TEW WIMER and DESCRIPTION | COL 3 ENGINEER'S ESTIMATE OF CHANTITY | 7 700 | COL. 5
UNIT PRICE
(IN FIGURES) | OUNT
S) |
|-------|---|---------------------------------------|--------------|--------------------------------------|------------------|
| 261 | UTL-6.03.1 REMOVAL OF ABANDONED GAS FACILITIES WITH POSSIBLE COAL TAR WRAP, ALL SIZES, (S6.03) Unit price bid shell not be less then: \$25.00 | 15,000.00 | . | | 6
6
7
8 |
| 262 | UTL-6.04 ADJUST HARDWARE TO GRADE USING SPACER RINGS/ADAPTORS. (STREET REPAVING.) (S6.04) Unit price bid shall not be less than: \$35.00 | 250.00 | ЕАСН | | |
| 263 | UTL-6.05 ADJUST HARDWARE TO GRADE BY RESETTING. (ROAD RECONSTRUCTION.) (S6.05) Unit price bid shell not be less then: \$ 65.00 | 250.00 | ЕАСН | | |
| 264 | UTL-6.06 SPECIAL CARE EXCAVATION AND BACKFILLING (S6.06) Unit price bid shall not be less than: \$ 180.00 | 1,500.00 | C.Y. | | |
| 265 | UTL-6.06A SPECIAL CARE EXCAVATION AND BACKFILLING FOR TRANSMISSION MAINS (TRANSMISSION MAIN IS DESCRIBED AS ANY GAS MAIN WITH A MAOP GREATER THAN 124-PSIG) (S6.06A) Unit price bid shall not be less than: \$ 230.00 | 800.00 | C.Y. | | |
| 266 | UTL-6.07 TEST PITS FOR GAS FACILITIES (S6.07) Unit price bid shall not be less than: \$ 100.00 | 500.00 | C.Y. | | |

B - 48 [REVISION # 1]



NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE - BUREAU OF DESIGN

PROJECT ID: SE851 CONTRACT PIN: 8502014SE0021C

BID SCHEDULE FORM

SUB-TOTAL: \$_

| 268 | 268 6.39 A | 1.00 | ĽS | | . (0.1) |
|-----|---|------|----|------|----------------|
| | MOBILIZATION | | | | • •- • |
| | BID PRICE OF MOBILIZATION SHALL NOT EXCEED 4% OF THE ABOVE SUB-TOTAL PRICE. | | |
 | www.a.a.a |

TOTAL BID PRICE: \$

PLEASE BE SURE A LEGIBLE BID IS ENTERED FOR EACH ITEM.
THE BIDDER SHALL INSERT THE TOTAL BID PRICE IN
THE BID FORM ON PAGE C4 OF THIS BID BOOKLET.

CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

ADDENDA CONTROL SHEET

| BID OPENING DATE: JULY 16, 2015 |
|---|
| PROJECT NO.: <u>SE851</u> |
| TITLE: CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN FRESH CREEK AREA. PHASE 1A |

| ADDENDA ISSUED | No. OF DRAWINGS | DATE |
|---|-----------------|------------|
| #1: Amendments to Standard Highway Specs. | | 02/24/2014 |
| #2: Sewer and Water Main Specifications | | 03/18/2015 |
| #3: Gas Cost Sharing (EP-7) Std. Specifications | | 03/26/2015 |
| #4: To CET Specifications | | 03/06/2015 |
| #5: Hazmat Specifications | | 03/26/2015 |
| #6: Best Management Practice (BMP) Specifications | | 03/26/2015 |
| #7: Additional Amendments | | 06/19/2015 |
| #8: Additional Amendments | | 06/26/2015 |
| #9: Additional Amendments | 1 | 07/07/2015 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE BETWEEN EAST 98TH STREET BETWEEN FLATLANDS AVENUE BETWEEN EAST 98TH STREET BETWEEN FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto

| RAD | OUGH | OF | RDO | OKI | VN |
|-----|------|----|-----|-----|---------|
| | CUGH | UF | | | _ : : . |

| ADDENDUM NO. 9 | |
|---------------------|--|
| | |
| DATED: July 7, 2015 | |
| | |

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was originally included therein.

- (1) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page A-1, Attachment 1 Bid Information; Change the dates shown for Submission of Bids To: and for Bid Opening: from "July 9, 2015" to read "July 16, 2015."
- (2) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page 13, Schedule B MWBE;
 Change the dates shown for Bid/Proposal Response Date: from "July 9, 2015" to read "July 16, 2015."
- (3) <u>Refer</u> to the Bid and Contract Documents, VOLUME 1 OF 3, BID SCHEDULE, page B-23, Item No. 6.85A, Sequence No. 115, Column 5 UNIT PRICE (IN FIGURES) and Column 6 EXTENDED AMOUNT (IN FIGURES); Change the value of \$760,296.52 to read \$760,295.52.
- (4) Refer to the Contract Drawings, sheet 8 of 51; <u>Delete</u> sheet 8 of 51 in its entirety; <u>Substitute</u> with attached revised sheet 8R of 51.

By signing in the space provided below, the bidder acknowledges receipt of the two (2) pages of this Addendum plus one (1) sheet of contract drawing.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BIDS.

GURDIP SAINI, P.E. Associate Commissioner/Design I

Name of Bidder
By:

CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

ADDENDA CONTROL SHEET

| BID OPENING DATE: JULY 23, 2015 |
|---|
| PROJECT NO.: SE851 |
| SEWERS AND WATER MAINS AND APPURTENANCES IN |

| ADDENDA ISSUED | No. OF DRAWINGS | DATE |
|---|-----------------|------------|
| #1: Amendments to Standard Highway Specs. | | 02/24/2014 |
| #2: Sewer and Water Main Specifications | | 03/18/2015 |
| #3: Gas Cost Sharing (EP-7) Std. Specifications | | 03/26/2015 |
| #4: To CET Specifications | | 03/06/2015 |
| #5: Hazmat Specifications | · | 03/26/2015 |
| #6: Best Management Practice (BMP) Specifications | | 03/26/2015 |
| #7: Additional Amendments | * | 06/19/2015 |
| #8: Additional Amendments | | 06/26/2015 |
| #9: Additional Amendments | 1 | 07/07/2015 |
| #10: Additional Amendments | | 07/14/2015 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

•

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND EAST 100TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET BETWEEN EAST 105TH STREET AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto

| 1 | D | ^ | D | ^ | | 10 | u | 0 | FE | 00 | 1 | ^ | VI | • | 78 | á |
|---|---|---|---|---|---|------|---|---|----|-----|---|---|----|-----|----|---|
| 1 | _ | u | ж | u | ı | 11.5 | п | u | ГЕ | 313 | • | u | nι | _ 1 | | ч |

| ADDEN | DUM | NC |). 10 | |
|--------|------|-----|-------|--|
| , | | | | |
| DATED: | July | 14, | 2015 | |

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was originally included therein.

- (1) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page A-1, Attachment 1 Bid Information; Change the dates shown for <u>Submission of Bids To:</u> and for <u>Bid Opening:</u> from "July 16, 2015" (as amended by ADDENDUM NO. 9) to read "July 23, 2015."
- (2) Refer to the Bid and Contract Documents, VOLUME 1 OF 3, Page 13, Schedule B MWBE;

 Change the dates shown for Bid/Proposal Response Date: from "July 16, 2015" (as amended by ADDENDUM NO. 9) to read "July 23, 2015."

By signing in the space provided below, the bidder acknowledges receipt of the one (1) page of this Addendum.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BIDS.

GURDIP SAINI, P.E. Associate Commissioner/Design I

| Name of Bidder | |
|----------------|------|
| Ву: | A10. |

CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION DIVISION OF INFRASTRUCTURE

ADDENDA CONTROL SHEET

| | _ |
|---|----------|
| PROJECT NO.: SE851 | |
| TITLE: CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN FRESH CREEK AREA, PHASE 1A- BROOKLYN | <u> </u> |

| ADDENDA ISSUED | No. OF DRAWINGS | DATE |
|---|-----------------|------------|
| #1: Amendments to Standard Highway Specs. | | 02/24/2014 |
| #2: Sewer and Water Main Specifications | | 03/18/2015 |
| #3: Gas Cost Sharing (EP-7) Std. Specifications | | 03/26/2015 |
| #4: To CET Specifications | | 03/06/2015 |
| #5: Hazmat Specifications | | 03/26/2015 |
| #6: Best Management Practice (BMP) Specifications | | 03/26/2015 |
| #7: Additional Amendments | | 06/19/2015 |
| #8: Additional Amendments | | 06/26/2015 |
| #9: Additional Amendments | 1 | 07/07/2015 |
| #10: Additional Amendments | | 07/14/2015 |
| #11: Additional Amendments | | 07/20/2015 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

ATTACH TO CONTRACT DOCUMENTS

THE CITY OF NEW YORK DEPARTMENT OF DESIGN AND CONSTRUCTION INFRASTRUCTURE DIVISION BUREAU OF DESIGN

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103TH STREET BETWEEN FLATLANDS AVENUE J; EAST 103TH STREET BETWEEN FLATLANDS AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN FLATLANDS AVENUE J; EAST 100TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE AND AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

Together With All Work Incidental Thereto

BOROUGH OF BROOKLYN

| ADDENDUM | NO. 11 |
|-------------|----------|
| DATED: July | 20. 2015 |

This Addendum is issued for the purpose of amending the requirements of the Contract Documents and is hereby made part of said Contract Documents to the same extent as if it was originally included therein.

(1) Refer to the Bid and Contract Documents, VOLUME 3 OF 3, ADDENDUM NO. 2, OCMC TRAFFIC STIPULATIONS dated 11/17/2014, pages 1 of 9 to 9 of 9; Delete all pages in their entirety; Substitute with attached revised OCMC TRAFFIC STIPULATIONS dated 7/15/2015, pages 1R of 10R to 10R of 10R.

By signing in the space provided below, the bidder acknowledges receipt of the one (1) page of this Addendum plus ten (10) pages of attachments.

THIS ADDENDUM MUST BE SIGNED BY ALL BIDDERS AND ATTACHED TO THEIR BIDS.

GURDIP SAINI, P.E.
Associate Commissioner/Design I

Name of Bidder

By:______

. .



Department of Transportation

POLLY TROTTENBERG, Commissioner

OCMC TRAFFIC STIPULATIONS

7/15/2015

OCMC FILE NO: BNEC-14-388
CONTRACT NO: SE-851 - PHASE 1A

PROJECT: CONSTRUCTION OF H.L.S.S: STORM, SANITARY SEWERS AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA.

PERMISSION IS HEREBY GRANTED TO THE **NEW YORK CITY DEPARTMENT OF DESIGN AND CONSTRUCTION** AND ITS DULY AUTHORIZED AGENT, TO ENTER UPON AND RESTRICT THE FLOW OF TRAFFIC AT THE ABOVE LOCATION AND ITS LOCAL ADJACENT STREETS FOR THE PURPOSE OF CARRYING OUT THE ABOVE NOTED PROJECT, SUBJECT TO THE STIPULATIONS, AS NOTED BELOW:

A. SPECIAL STIPULATIONS

- 1. EMBARGOES A CONSTRUCTION EMBARGO WILL APPLY TO THOSE LOCATIONS BELOW WHICH FALL WITHIN THE HOLIDAY EMBARGO OR ANY OTHER SPECIAL EVENT EMBARGOES AS PUBLISHED BY THE BUREAU OF PERMIT MANAGEMENT AND CONSTRUCTION CONTROL.
- 2. <u>BIKE LANES</u> IF WORK IS IN OR AFFECTING A BIKE LANE, THE CONTRACTOR MUST POST ADVANCE WARNING SIGNS 350 FEET AND 200 FEET PRIOR TO THE WORK ZONE STATING "CONSTRUCTION IN BIKE LANE AHEAD PROCEED WITH CAUTION", AND ALSO POST A SIGN AT THE WORK ZONE STATING "CONSTRUCTION IN BIKE LANE PROCEED WITH CAUTION". SUCH SIGNS SHALL BE ORANGE, 3' X 3', DIAMOND-SHAPED WITH 4" BLACK LETTERING. SIGNS SHALL BE POSTED IN ACCORDANCE WITH THE FEDERAL MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (MUTCD).
- 3. BUS STOPS THE CONTRACTOR SHALL PROVIDE WRITTEN NOTICE TO NYC DOT OCMC AND NEW YORK CITY TRANSIT (NYCT) A MINIMUM OF FIVE (5) WEEKS IN ADVANCE FOR LANE/STREET CLOSURES THAT AFFECT BUS ROUTES/BUS STOPS.
- 4. <u>METERS</u> THE CONTRACTOR MAY NOT REMOVE OR RELOCATE PARKING METERS WITHOUT FIRST OBTAINING APPROVAL FROM NYCDOT PARKING METER DIVISION AT 718 894 8651.
- 5. ACCESS TO ABUTTING PROPERTIES THE CONTRACTOR SHALL COORDINATE ALL ACTIVITIES WITH ABUTTING PROPERTY OWNERS TO ENSURE ACCESS IS PROVIDED TO/FROM ENTRANCES/DRIVEWAYS AT ALL TIMES.
- 6. <u>AUTHORIZED PARKING</u> PRIOR TO PERFORMING WORK WHICH IMPACTS AUTHORIZED PARKING, THE CONTRACTOR SHALL SUBMIT IN WRITING, AND COPY OCMC-STREETS, A REQUEST TO OCCUPY SPACE CURRENTLY USED BY AUTHORIZED VEHICLES. APPROVAL MUST BE RECEIVED FROM AUTHORIZED PARKING PRIOR TO OCCUPYING THESE AREAS.
- 7. NOTIFICATION THE CONTRACTOR MUST AT LEAST TWO (2) WORKING DAYS BEFORE THE START OF CONSTRUCTION NOTIFY THE NYC FIRE DEPARTMENT, NYC POLICE DEPARTMENT, NYCEMS, LOCAL COMMUNITY BOARD, BOROUGH PRESIDENT'S OFFICE-CHIEF ENGINEER, NYCDOT OCMC OFFICE, AND ALL ABUTTING PROPERTY OWNERS.
- 8. CONSTRUCTION INFORMATIONAL SIGNS THIS PROJECT REQUIRES A CONSTRUCTION PROJECT INFORMATIONAL SIGN (CPIS) IN ACCORDANCE WITH NYCDOT HIGHWAY RULE SECTION 2-02 (4) AND (5). CRITERIA AND A PROTOTYPE FOR THIS SIGN MAY BE FOUND ON THE NYCDOT WEBSITE AT: http://www.nyc.gov/html/dot/html/permits/stpermit.shtml#info_signs.

9. ENHANCED MITIGATIONS

- O NYPD TRAFFIC AGENTS ARE REQUIRED FOR THIS PROJECT; 3 POSTS PLUS RELIEF MONDAY THROUGH SUNDAY ON POST FROM 7:00AM TO 7:00PM (1 SHIFT) FOR THE DURATION OF THE PROJECT. THESE AGENTS SHALL BE DISTRIBUTED ALONG THE WORK ZONE.
- O ENHANCED MITIGATIONS FOR PEDESTRIAN FLOW, INCLUDING METAL FENCING, SHALL BE PROVIDED TO ENSURE PEDESTRIANS STAY WITHIN THEIR DESIGNATED PATH/ROUTE. FLAGGERS SHALL BE PROVIDED TO ASSIST WITH PEDESTRIANS AT THE DESIGNATED CROSSWALK AREAS. THESE FLAGGERS SHALL BE ASSIGNED TO THIS FUNCTION ONLY.
- O <u>VARIABLE MESSAGE SIGNS (VMS)</u> A TOTAL OF 4 VMS SHALL BE PROVIDED FOR THE DURATION OF THIS PROJECT. THE LOCATIONS AND MESSAGES SHALL BE RECOMMENDED BY NYCDDC AND THEIR CONTRACTOR (BASED ON THE STAGING OF WORK) A MINIMUM OF TWO (2) WEEKS PRIOR TO WORK COMMENCING, FOR OCMC REVIEW AND APPROVAL. THE VMS MUST BE IN POSITION AND ACTIVE A MINIMUM OF SEVEN (7) CALENDAR DAYS IN ADVANCE OF WORK.

A. SPECIAL STIPULATIONS (CONTINUED)

NYC Department of Transportation

Bureau of Permit Management and Construction Control

55 Water Street — Concourse leve, New York, NY 10041

T: 212.639.9581 www.nyc.gov/dot

IR of 10R

OCMC FILE NO: BNEC-14-388
CONTRACT NO: SE-851 - PHASE 1A

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA. 7/15/2015

Page 2 of 10

O "NO STANDING ANYTIME-TEMPORARY CONSTRUCTION" SIGNS AND TEMPORARY PAVEMENT MARKINGS SHALL BE INSTALLED AND MAINTAINED AS WARRANTED BY THE MAINTENANCE AND PROTECTION OF TRAFFIC (MPT) REQUIRED TO FACILITATE TRAFFIC MOVEMENTS THROUGH THE WORK ZONE. ALL TEMPORARY SIGNS AND PAVEMENT MARKINGS SHALL BE REMOVED UPON COMPLETION OF THE PROJECT.

O COMMUNITY OUTREACH SHALL BE PROVIDED FOR THE DURATION OF THE PROJECT.

B. MAINTENANCE AND PROTECTION OF TRAFFIC

- 1. INTERSECTION OF FLATLANDS AVENUE AND EAST 98 STREET
- 2. INTERSECTION OF FLATLANDS AVENUE AND EAST 99 STREET
- 3. INTERSECTION OF FLATLANDS AVENUE AND EAST 100 STREET
- 4. INTERSECTION OF FLATLANDS AVENUE AND EAST 101 STREET
- 5. INTERSECTION OF FLATLANDS AVENUE AND EAST 102 STREET
- 6. INTERSECTION OF FLATLANDS AVENUE AND EAST 103 STREET
- 7. INTERSECTION OF FLATLANDS AVENUE AND EAST 104 STREET
- 8. INTERSECTION OF FLATLANDS AVENUE AND EAST 105 STREET
- 9. INTERSECTION OF FLATLANDS AVENUE AND EAST 106 STREET
- 10. INTERSECTION OF FLATLANDS AVENUE AND EAST 107 STREET
- 11. INTERSECTION OF FLATLANDS AVENUE AND EAST 108 STREET
 - Work hours shall be as follows: 9:00 AM to 4:00 PM and 9AM to 2PM during school hours, where
 applicable and 8:00AM to 4PM on Saturday.
 - During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. At the intersection of Flatlands Avenue the contractor must maintain 4 lanes for traffic, 2 lanes in each direction. After working hours, the full width of the roadway shall be opened to traffic.
 - The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
 - All work must be coordinated with schools where applicable.
 - Access to abutting properties, including stores, must be maintained at all times.

12. FLATLANDS AVENUE BETWEEN EAST 98 STREET AND EAST 99 STREET

- Work hours shall be as follows: 9:00AM to 4:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, the contractor shall maintain three 11 foot lanes for traffic during working hours. After working hours, the contractor shall maintain 4 lanes for traffic, 3 lanes in one direction and 1 lane on the opposite side of the roadway.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

13. FLATLANDS AVENUE BETWEEN EAST 99 STREET AND EAST 100 STREET

- Work hours shall be as follows: 9:00AM to 4:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, the contractor shall maintain three 11 foot lanes for traffic during working hours. After working hours, the contractor shall maintain 4 lanes for traffic, 3 lanes in one direction and 1 lane on the opposite side of the roadway.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

OCMC FILE NO: BNEC-14-388
CONTRACT NO: SE -851 - PHASE 1A

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA.

7/15/2015

Page 3 of 10

14. FLATLANDS AVENUE BETWEEN 100 STREET AND 101 STREET

- Work hours shall be as follows: 9:00AM to 2:00PM during school and 9:00AM to 4PM only when school is close and 8:00AM to 4PM on Saturday.
- During all stages of construction, the contractor shall maintain three 11 foot lanes for traffic during
 working hours. After working hours, the contractor shall maintain 4 lanes for traffic, two lanes in each
 direction, with 3 lanes on one side of the work zone and 1 lane on the opposite side of the work
 zone.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

15. FLATLANDS AVENUE BETWEEN EAST 101 STREET AND EAST 102 STREET

- Work hours shall be as follows: 9:00AM to 4:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, the contractor shall maintain three 11 foot lanes for traffic during
 working hours. After working hours, the contractor shall maintain 4 lanes for traffic, two lanes in each
 direction, with 3 lanes on one side of the work zone and 1 lane on the opposite side of the work
 zone.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

16. FLATLANDS AVENUE BETWEEN EAST 102 STREET AND EAST 103 STREET

- Work hours shall be as follows: 9:00AM to 4:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, the contractor shall maintain three 11 foot lanes for traffic during working hours. After working hours, the contractor shall maintain 4 lanes for traffic, 3 lanes in one direction and 1 lane on the opposite side of the roadway.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

17. FLATLANDS AVENUE BETWEEN EAST 103 STREET AND EAST 104 STREET

- Work hours shall be as follows: 9:00AM to 4:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, the contractor shall maintain three 11 foot lanes for traffic during
 working hours. After working hours, the contractor shall maintain 4 lanes for traffic, two lanes in each
 direction, with 3 lanes on one side of the work zone and 1 lane on the opposite side of the work
 zone.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

18. FLATLANDS AVENUE BETWEEN EAST 104 STREET AND EAST 105 STREET

- Work hours shall be as follows: 9:00AM to 4:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, the contractor shall maintain three 11 foot lanes for traffic during
 working hours. After working hours, the contractor shall maintain 4 lanes for traffic, two lanes in each
 direction, with 3 lanes on one side of the work zone and 1 lane on the opposite side of the work
 zone.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

19. FLATLANDS AVENUE BETWEEN EAST 105 STREET AND EAST 106 STREET

Work hours shall be as follows: 9:00AM to 4:00PM and 8:00AM to 4PM on Saturday.

OCMC FILE NO: BNEC-14-388
CONTRACT NO: SE -851 - PHASE 1A

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA.

Page 4 of 10

7/15/2015

During all stages of construction, the contractor shall maintain three 11 foot lanes for traffic during
working hours. After working hours, the contractor shall maintain 4 lanes for traffic, two lanes in each
direction, with 3 lanes on one side of the work zone and 1 lane on the opposite side of the work
zone.

- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

20. FLATLANDS AVENUE BETWEEN EAST 106 STREET AND 107 STREET

- Work hours shall be as follows: 9:00AM to 4PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, the contractor shall maintain three 11 foot lanes for traffic during
 working hours. After working hours, the contractor shall maintain 4 lanes for traffic, two lanes in each
 direction, with 3 lanes on one side of the work zone and 1 lane on the opposite side of the work
 zone.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

21. FLATLANDS AVENUE BETWEEN EAST 107 STREET AND 108 STREET

- Work hours shall be as follows: 9:00AM to 4PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, the contractor shall maintain three 11 foot lanes for traffic during working hours. After working hours, the contractor shall maintain 4 lanes for traffic, two lanes in each direction, with 3 lanes on one side of the work zone and 1 lane on the opposite side of the work zone.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

22. EAST 108 STREET BETWEEN AVENUE FLATLAND AVENUE AND AVENUE K

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane for traffic at all time.
- No left turn from Flatlands Avenue to East 108 Street.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

23. EAST 106 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

24. EAST 104 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.

4R of 10R

OCMC FILE NO: BNEC-14-388
CONTRACT NO: SE-851 -- PHASE 1A

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA.

7/15/2015 Page 5 of 10

Access to abutting properties, including stores, must be maintained at all times.

25. EAST 102 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

26. EAST 98 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.
- Must coordinate with hospital prior to start working.

27. FLATLANDS 147 STREET BETWEEN EAST 105 STREET AND EAST 108 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

28. AVENUE J BETWEEN EAST 98 STREET AND EAST 99 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

29. AVENUE J BETWEEN EAST 99 STREET AND EAST 100 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

30. AVENUE J BETWEEN EAST 100 STREET AND EAST 101 STREET

- Work hours shall be as follows: 9:00AM to 2:00PM during school hours and 7AM to 6PM only when school is close and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

31. AVENUE J BETWEEN EAST 101 STREET AND EAST 102 STREET

Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.

OCMC FILE NO: BNEC-14-388
CONTRACT NO: SE-851 - PHASE 1A

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA. 7/15/2015

Page 6 of 10

 During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.

- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

32. AVENUE J BETWEEN EAST 102 STREET AND EAST 103 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

33. AVENUE J BETWEEN EAST 103 STREET AND EAST 104 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

34. AVENUE J BETWEEN EAST 104 STREET AND EAST 105 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

35. AVENUE J BETWEEN EAST 105 STREET AND EAST 106 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

36. AVENUE J BETWEEN EAST 106 STREET AND EAST 107 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

37. AVENUE J BETWEEN EAST 107 STREET AND EAST 108 STREET

OCMC FILE NO: BNEC-14-388
CONTRACT NO: SE -851 - PHASE 1A

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA.

7/15/2015 Page 7 of 10

Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.

- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.
- 38. INTERSECTION OF AVENUE J AND EAST 98 STREET
- 39. INTERSECTION OF AVENUE J AND EAST 99 STREET
- 40. INTERSECTION OF AVENUE J AND EAST 100 STREET
- 41. INTERSECTION OF AVENUE J AND EAST 101 STREET
- 42. INTERSECTION OF AVENUE J AND EAST 102 STREET
- 43. INTERSECTION OF AVENUE J 103 STREET
- 44. INTERSECTION OF AVENUE J AND EAST 104 STREET
- 45. INTERSECTION OF AVENUE J AND EAST 105 STREET
- 46. INTERSECTION OF AVENUE J AND EAST 106 STREET
- 47. INTERSECTION OF AVENUE J AND EAST 107 STREET
- 48. INTERSECTION OF AVENUE J EAST 108 STREET
 - Work hours shall be as follows: 9:00 AM to 4:00 PM and 9AM to 2PM during school hours, where
 applicable and 8:00AM to 4PM on Saturday.
 - During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, the full width of the roadway shall be opened to traffic.
 - The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
 - All work must be coordinated with schools where applicable.
 - Access to abutting properties, including stores, must be maintained at all times.

49. EAST 99 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

50. EAST 100 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores and parking garages, must be maintained at all times.

51. EAST 100 STREET BETWEEN CONKLIN AVENUE AND FLATLANDS AVENUE

 Work hours shall be as follows: 9:00AM to 2:00PM during school hours and 7AM to 6PM only when school is close and 8:00AM to 4PM on Saturday. OCMC FILE NO: BNEC-14-388
CONTRACT NO: SE-851 -- PHASE 1A

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA.

7/15/2015 Page 8 of 10

 During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.

- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores and parking garages, must be maintained at all times.

52. INTERSECTION EAST 100 STREET AND CONKLIN AVENUE

- Work hours shall be as follows: 9:00AM to 2:00PM during school hours and 9AM to 4PM only when school is close and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets. After working hours, the full width of the roadway shall be opened to traffic.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores and parking garages, must be maintained at all times.

53. EAST 101 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

54. EAST 103 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

55. EAST 105 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

56. EAST 107 STREET BETWEEN FLATLANDS AVENUE AND AVENUE J

- Work hours shall be as follows: 9:00AM to 2:00PM during school hours and 7AM to 6PM only when school is close and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

57. CONKLIN AVENUE BETWEEN EAST 98 STREET AND EAST 100 STREET

Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.

8R of 10R

OCMC FILE NO: BNEC-14-388 CONTRACT NO: SE -851 - PHASE 1A

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND 7/15/2015

APPURTENANCES IN FRESH CREEK AREA.

Page 9 of 10

During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.

- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

58. FLATLANDS 2ND STREET EAST 105 STREET AND EAST 108 STREET

- Work hours shall be as follows: 7:00AM to 6:00PM and 8:00AM to 4PM on Saturday.
- During all stages of construction, during working hours, the contractor shall maintain one 11 foot lane on one way streets and two 11 foot lanes on two way streets.
- The contractor shall maintain a minimum five (5) foot clear protected walkway on the sidewalk and/or the roadway depending on the nature of the work.
- All work must be coordinated with schools where applicable.
- Access to abutting properties, including stores, must be maintained at all times.

C. GENERAL NOTES

- THIS IS NOT A PERMIT. THIS STIPULATION SHEET MUST BE SUBMITTED WITH ALL REQUESTS FOR PERMITS PERTAINING TO THE ABOVE CONTRACT AND PRESENT AT THE WORK SITE ALONG WITH ALL ACTIVE CONSTRUCTION PERMITS WHEN THE APPROVED WORK IS BEING
- ALL RELOCATION WORK BY THE UTILITIES SUCH AS; CON EDISON, TELEPHONE, GAS AND CABLE COMPANIES SHALL PRECEDE THE CONTRACTORS' START OF WORK ON ALL AFFECTED ROADWAYS IN THE IMPACTED CONTRACT AREA.
- THE CONTRACTOR IS ADVISED THAT OTHER CONTRACTORS MAY BE WORKING IN THE GENERAL AREA DURING THE TERM OF THIS STIPULATION. IN WHICH EVENT, THE CONTRACTOR MAY REQUIRE MODIFICATIONS BY THE OCMC-STREETS.
- THE PERMITTEE IS NOT AUTHORIZED TO ENTER, OCCUPY OR USE ANY PUBLICLY-OWNED OR PRIVATELY OWNED, NON-PAYED, LANDSCAPE OR NON-LANDSCAPED LOCATION WITHOUT SPECIFIC WRITTEN PERMISSION. WHEN THE LOCATION IS WITHIN THE RIGHT-OF-WAY OF A LIMITED-ACCESS ARTERIAL HIGHWAY, WRITTEN APPROVAL FROM THE NYCDOT OCMC-HIGHWAYS IS REQUIRED. WHEN THE LOCATION IS WITHIN THE RIGHT-OF-WAY OF A PUBLIC STREET OR PUBLIC PARK, WRITTEN APPROVAL FROM THE NEW YORK CITY DEPARTMENT OF Transportation or New York City Department of Parks and Recreation is required. When the location is within the RIGHT-OF-WAY OF ANY OTHER JURISDICTION SUCH AS PRIVATE PROPERTY, STATE, FEDERAL ETC., IT IS THE PERMITTEE'S RESPONSIBILITY TO DETERMINE THE PROPERTY OWNER AND OBTAIN THE WRITTEN APPROVAL.
- THE PERMITTEE SHALL ADHERE TO THE NYCDOT BUREAU OF BRIDGES' SPECIAL PROVISIONS FOR LANDSCAPE PROTECTION, MAINTENANCE AND RESTORATION, ITEMS 1.18.15 THROUGH 1.18.19, WHENEVER AND WHEREVER ANY OF THE PERMITTEE'S ACTIVITIES OCCUR WITHIN A LIMITED ACCESS ARTERIAL HIGHWAY RIGHT - OF - WAY.

C. GENERAL NOTES (CONTINUED)

- NO DEVIATION OR DEPARTURE FROM THESE STIPULATIONS WILL BE PERMITTED WITHOUT THE PRIOR WRITTEN APPROVAL FROM THE OCMC-STREETS. REQUEST FOR SUCH MODIFICATIONS SHALL BE SUBMITTED TO THE OFFICE OF THE OCMC-STREETS, NEW YORK CITY DEPARTMENT OF TRANSPORTATION, A MINIMUM OF TWENTY (20) DAYS IN ADVANCE FOR CONSIDERATION.
- FOR THIS PROJECT THE CONTRACTOR SHALL FURNISH, INSTALL AND MAINTAIN ALL NECESSARY ADVANCE WARNING AND DETOUR SIGNS, TEMPORARY CONTROL DEVICES, BARRICADES, LIGHTS AND FLASHING ARROW BOARDS IN ACCORDANCE WITH THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES," THE TYPICAL SCHEMES INCLUDED IN THIS SPECIFICATION; AND AS ORDERED BY THE ENGINEER-IN-CHARGE AND THE OCMC-STREETS.

OCMC FILE NO: BNEC-14-388
CONTRACT NO: SE -851 - PHASE 1A

PROJECT: CONSTRUCTION OF H.L.S.S; STORM, SANITARY AND COMBINED SEWERS, WATER MAIN, AND

APPURTENANCES IN FRESH CREEK AREA.

7/15/2015 Page 10 of 10

8. THE CONTRACTOR SHALL BE RESPONSIBLE FOR IDENTIFYING HIS CONSTRUCTION SIGNAGE. THE IDENTIFICATION SHALL INCLUDE THE CONTRACTOR'S NAME, SPONSORING AGENCY NAME AND THE CONTRACT NUMBER. THE IDENTIFICATION SHALL BE PLACED ON THE BACK OF THE SIGN. THE LETTERING SHALL BE THREE (3) INCHES HIGH.

- 9. FOR ANY CONSTRUCTION ACTIVITY RESULTING IN THE FULL CLOSURE OF A ROADWAY FOR MORE THAN 180 CONSECUTIVE CALENDAR DAYS, THE CONTRACTOR MUST PRODUCE AND SUBMIT A COMMUNITY REASSESSMENT, IMPACT AND AMELIORATION (CRIA) STATEMENT TO NYCDOT PLANNING AND OBTAIN THEIR APPROVAL BEFORE APPLYING FOR PERMITS, IN COMPLIANCE WITH THE PROVISIONS OF LOCAL LAW 24 STREET CLOSURE LAW.
- THE OCMC-STREETS RESERVES THE RIGHT TO VOID OR MODIFY THESE STIPULATIONS SHOULD CONSTRUCTION FAIL TO COMMENCE WITHIN
 TWO (2) YEARS OF THE SIGNED DATE OF THESE STIPULATIONS,
- 11. THE CONTRACTOR MUST COMPLY WITH ALL CONSTRUCTION EMBARGOS ISSUED BY THE NYCDOT INCLUDING THE HOLIDAY EMBARGO.

GARY SMALLS

DIRECTOR

OCMC-STREETS

DANIEL PRINCIVII

PROJECT MANAGER

OCMC-STREETS



INFRASTRUCTURE DIVISION BUREAU OF DESIGN

VOLUME 3 OF 3

PROJECT ID: SE851

FOR THE CONSTRUCTION OF STORM, COMBINED, SANITARY SEWERS AND WATER MAINS AND APPURTENANCES IN: FLATLANDS AVENUE BETWEEN EAST 98TH STREET AND EAST 108TH STREET; AVENUE J BETWEEN EAST 98TH STREET AND EAST 108TH STREET; EAST 108TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE K; EAST 107TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 106TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 105TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 104TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 103RD STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 102ND STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 101ST STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 100TH STREET BETWEEN CONKLIN AVENUE AND AVENUE J; EAST 99TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; EAST 98TH STREET BETWEEN FLATLANDS AVENUE AND AVENUE J; CONKLIN AVENUE BETWEEN EAST 98TH STREET AND EAST 100TH STREET; FLATLANDS 1ST STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; FLATLANDS 2ND STREET BETWEEN EAST 105TH STREET AND EAST 108TH STREET; EAST 99TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD; AND EAST 98TH STREET BETWEEN CONKLIN AVENUE AND GLENWOOD ROAD

> Together With All Work Incidental Thereto BOROUGH OF BROOKLYN CITY OF NEW YORK

| |
; | Contractor |
|-------|-------|------------|
| | | 20 |
| Dated | | |